



# BEA WebLogic Platform™

**7.0 Supported  
Configurations: HP-UX  
11i v2 on PA-RISC**

# Copyright

Copyright © 2006 BEA Systems, Inc. All Rights Reserved.

## Restricted Rights Legend

This software and documentation is subject to and made available only pursuant to the terms of the BEA Systems License Agreement and may be used or copied only in accordance with the terms of that agreement. It is against the law to copy the software except as specifically allowed in the agreement. This document may not, in whole or in part, be copied, photocopied, reproduced, translated, or reduced to any electronic medium or machine readable form without prior consent, in writing, from BEA Systems, Inc.

Use, duplication or disclosure by the U.S. Government is subject to restrictions set forth in the BEA Systems License Agreement and in subparagraph (c)(1) of the Commercial Computer Software-Restricted Rights Clause at FAR 52.227-19; subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.227-7013, subparagraph (d) of the Commercial Computer Software--Licensing clause at NASA FAR supplement 16-52.227-86; or their equivalent.

Information in this document is subject to change without notice and does not represent a commitment on the part of BEA Systems. THE SOFTWARE AND DOCUMENTATION ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND INCLUDING WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. FURTHER, BEA Systems DOES NOT WARRANT, GUARANTEE, OR MAKE ANY REPRESENTATIONS REGARDING THE USE, OR THE RESULTS OF THE USE, OF THE SOFTWARE OR WRITTEN MATERIAL IN TERMS OF CORRECTNESS, ACCURACY, RELIABILITY, OR OTHERWISE.

## Trademarks or Service Marks

BEA, BEA Liquid Data for WebLogic, BEA WebLogic Server, Built on BEA, Jolt, JoltBeans, SteelThread, Top End, Tuxedo, and WebLogic are registered trademarks of BEA Systems, Inc. BEA Builder, BEA Campaign Manager for WebLogic, BEA eLink, BEA Manager, BEA MessageQ, BEA WebLogic Commerce Server, BEA WebLogic Enterprise, BEA WebLogic Enterprise Platform, BEA WebLogic Enterprise Security, BEA WebLogic Express, BEA WebLogic Integration, BEA WebLogic Java Adapter for Mainframe, BEA WebLogic JDriver, BEA WebLogic JRockit, BEA WebLogic Log Central, BEA WebLogic Personalization Server, BEA WebLogic Platform, BEA WebLogic Portal, BEA WebLogic Server Process Edition, BEA WebLogic WorkGroup Edition, BEA WebLogic Workshop, and Liquid Computing are trademarks of BEA Systems, Inc. BEA Mission Critical Support is a service mark of BEA Systems, Inc. All other company and product names may be the subject of intellectual property rights reserved by third parties.

All other trademarks are the property of their respective companies.

# Contents

## 1. HP-UX 11i v2 on PA-RISC with 7.0 SP7

Configuration Requirements .....	1-2
Known Issues .....	1-3
Maximum Threads Setting .....	1-3
Maximum Kernel Setting .....	1-3
QuickStart Does Not Invoke Netscape 4.7x .....	1-4
Apache Server Hangs If ld and libld.sl are Obsolete .....	1-4



# HP-UX 11i v2 on PA-RISC with 7.0 SP7

## Product Components Supported on this Configuration

	WebLogic Server	WebLogic Workshop	WebLogic Integration	WebLogic Portal
Run-time	✓	✓	✓	✓
Design/Dev Tools*	✓	✗	✗	✗

\* For design and development tools support, see the "Configuration Requirements" section below.

✓ Supported  
✗ Not supported

This section provides the following information:

- [Configuration Requirements](#)
- [Known Issues](#)

## Related Information

- For information about supported database configurations, Web servers, and browsers, plus support for interoperability tools and WebLogic Platform product support information, see [WebLogic Platform 7.0 Supported Configurations](#).
- For details about HP-UX 11i v2 on PA-RISC, visit the HP Web site: <http://www.hp.com>.

# Configuration Requirements

**Table 1-1 Requirements for 7.0 SP7 on HP-UX 11i v2 on PA-RISC**

<b>Operating System Version and Patches</b>	HP-UX 11i v2	For information about HP-UX patches for Java, see <a href="http://www.hp.com/products1/unix/java/patches/index.html">http://www.hp.com/products1/unix/java/patches/index.html</a> .
<b>Chip Architecture and Minimum Processor Speed</b>	PA-RISC (100 MHz)	
<b>SDK</b>	HP-UX SDK 1.4.2.10 (and later releases of 1.4.2.x) with Java HotSpot™ Server VM	
<b>Design and Development Tools</b>	Supports WebLogic Server development tools. For more information about WebLogic Platform design and development tools support, see “ <a href="#">Supported Configurations for Design and Development Tools in Version 7.0 SP7</a> ” in <i>Supported Configurations for WebLogic Platform 7.0</i> .	
<b>RAM</b>	512 MB required; 1 GB recommended	
<b>Disk Space</b>	For any components of WebLogic Platform or for the full WebLogic Platform product, see <a href="#">Disk Space Requirements</a> .	
<b>Performance Pack</b>	Included	
<b>Node Manager</b>	Native	
<b>BEA jDrivers for Oracle</b>	Oracle 9.2.0	The following shared libraries are provided: <ul style="list-style-type: none"> <li>lib/hpux11/oci920_8/libweblogicoci38.sl</li> <li>lib/hpux11/oci920_8/libweblogicoxa38.sl</li> </ul>

## Known Issues

This section provides recommendations and workarounds for the following issues:

- [Maximum Threads Setting](#)
- [Maximum Kernel Setting](#)
- [QuickStart Does Not Invoke Netscape 4.7x](#)
- [Apache Server Hangs If ld and libld.sl are Obsolete](#)

For more information about known issues with any components of this release, see the appropriate *Release Notes* document. For a complete list of *Release Notes* documents supporting WebLogic Platform 7.0, see:

<http://e-docs.bea.com/platform/docs70/interm/relnotes.html>

### Maximum Threads Setting

The HP-UX 11.0 default value for maximum threads per process is 64. This value may be too low for both WebLogic Server and Java server applications in general. If the value is too low, your WebLogic Server may have problems starting up.

### Maximum Kernel Setting

BEA recommends that you use the maximum kernel setting for the `max_thread_proc` and `maxusers` parameters. Setting `maxusers` to a higher value increases other machine-wide limits, such as `nkthread` (the maximum number of kernel threads). The following table shows recommendations for kernel configuration parameters.

**Table 1-2 Recommended HP-UX 11.0 Kernel Settings**

Parameter	Old Value	New Value	Description
<code>max_thread_proc</code>	64	1024	Maximum threads per process
<code>maxfiles</code>	60	256	Soft file limit per process
<code>maxusers</code>	32	256	Influences other parameters
<code>nkthread</code>	499	3635	Number of threads total on the system

**Table 1-2 Recommended HP-UX 11.0 Kernel Settings**

Parameter	Old Value	New Value	Description
nproc	276	2068	Maximum number of processes
ncallout	292	2084	Number of pending timeouts

## QuickStart Does Not Invoke Netscape 4.7x

If the `LANG` environment variable is set to `C` on your system (`LANG=C`) and you select Netscape 4.7.x as your browser, then QuickStart may fail to start. To fix this problem, terminate QuickStart, unset the `LANG` environment variable (manually or by using a wrapper function), and restart the QuickStart application.

This problem is reported in CR082062 in the WebLogic Platform *Release Notes* at the following URL:

<http://e-docs.bea.com/platform/docs70/relnotes/relnotes.html>

## Apache Server Hangs If `ld` and `libdld.sl` are Obsolete

If the Apache server hangs when you are trying to use the BEA Apache plugin `mod_wl_20.so` on an HP-UX platform, then you are probably using an obsolete version of `ld` and/or `libdld.sl`. Apache binaries require the B.11.32 (or higher) version of `ld` and `libdld.sl`.

To determine which version of `ld` is installed on your system, complete the following procedure:

1. Enter: `ld -v`
2. Enter: `what /usr/lib/libdld.sl`

The version numbers of `ld` and `libdld.sl` are displayed.

- If both `ld` and `libdld.sl` have the same version number and that number is 11.32 or higher, then you are using the appropriate versions and you can quit this procedure; you are ready to run the `mod_wl_20.so` plugin.
  - If the version numbers for `ld` and `libdld.sl` do not match, or if the numbers match and that number is lower than 11.32, then you need to install an HP patch. For instructions, proceed to step 3.
3. Determine which patch you need for your system:
    - For an HP-UX 11.00 platform you need PHSS\_26559.

- For an HP-UX 11i (11.11) or higher platform, you need PHSS\_26560.
4. Go to the appropriate IT Resource Center:
    - For the Americas and Asia Pacific: <http://us-support.external.hp.com>
    - For Europe: <http://europe-support.external.hp.com>
  5. Under Maintenance/Support, click Individual Patches.
  6. Scroll down to the following entry:

Retrieve a specific patch by entering the patch name
  7. Enter the patch number in the input field.
- Download and install the patch on your system.

HP-UX 11i v2 on PA-RISC with 7.0 SP7