



BEA WebLogic Platform™

**8.1 Supported
Configurations: Red Hat
Enterprise Linux 3.0 AS,
ES on X86**

Copyright

Copyright © 1995-2006 BEA Systems, Inc. All Rights Reserved.

Restricted Rights Legend

This software is protected by copyright, and may be protected by patent laws. No copying or other use of this software is permitted unless you have entered into a license agreement with BEA authorizing such use. This document is protected by copyright and may not be copied, photocopied, reproduced, translated, or reduced to any electronic medium or machine readable form, in whole or in part, without prior consent, in writing, from BEA Systems, Inc.

Information in this document is subject to change without notice and does not represent a commitment on the part of BEA Systems. THE DOCUMENTATION IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND INCLUDING WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. FURTHER, BEA SYSTEMS DOES NOT WARRANT, GUARANTEE, OR MAKE ANY REPRESENTATIONS REGARDING THE USE, OR THE RESULTS OF THE USE, OF THE DOCUMENT IN TERMS OF CORRECTNESS, ACCURACY, RELIABILITY, OR OTHERWISE.

Trademarks and Service Marks

Copyright © 1995-2005 BEA Systems, Inc. All Rights Reserved. BEA, BEA JRockit, BEA WebLogic Portal, BEA WebLogic Server, BEA WebLogic Workshop, Built on BEA, Jolt, JoltBeans, SteelThread, Top End, Tuxedo, and WebLogic are registered trademarks of BEA Systems, Inc. BEA AquaLogic, BEA AquaLogic Data Services Platform, BEA AquaLogic Enterprise Security, BEA AquaLogic Service Bus, BEA AquaLogic Service Registry, BEA Builder, BEA Campaign Manager for WebLogic, BEA eLink, BEA Liquid Data for WebLogic, BEA Manager, BEA MessageQ, BEA WebLogic Commerce Server, BEA WebLogic Communications Platform, BEA WebLogic Enterprise, BEA WebLogic Enterprise Platform, BEA WebLogic Enterprise Security, BEA WebLogic Express, BEA WebLogic Integration, BEA WebLogic Java Adapter for Mainframe, BEA WebLogic JDriver, BEA WebLogic Log Central, BEA WebLogic Network Gatekeeper, BEA WebLogic Personalization Server, BEA WebLogic Personal Messaging API, BEA WebLogic Platform, BEA WebLogic Portlets for Groupware Integration, BEA WebLogic Server Process Edition, BEA WebLogic SIP Server, BEA WebLogic WorkGroup Edition, Dev2Dev, Liquid Computing, and Think Liquid are trademarks of BEA Systems, Inc. BEA Mission Critical Support, BEA Mission Critical Support Continuum, and BEA SOA Self Assessment are service marks of BEA Systems, Inc.

All other names and marks are property of their respective owners.

Contents

1. Red Hat Enterprise Linux 3.0-5 AS, ES on x86 with WebLogic Server 8.1

Configuration Requirements	1-2
Known Issues	1-3
Known Issues When Using the Azul Virtual Machine	1-3
setuid Issue	1-3
Issues Related to Other BEA Products	1-3

Red Hat Enterprise Linux 3.0-5 AS, ES on x86 with WebLogic Server 8.1

Note: Oracle will end support for WebLogic Server running on Red Hat Enterprise Linux 3.0 in October 2010. This is in accordance with Oracle's 3rd-Party Product Desupport Advisory - Red Hat Enterprise AS/ES 3. Please refer to doc id 437627.1 in <http://support.oracle.com> for additional details.

This section provides the following information

- [Related Information](#)
- [Configuration Requirements](#)
- [Known Issues](#)

Related Information

- For information about supported database configurations, Web servers, and browsers, plus support for interoperability tools and WebLogic Server product support information, see the appropriate *Supported Configurations* document in [WebLogic Platform 8.1 Supported Configurations](#)
- For details about Red Hat Enterprise Linux 3.0, visit Red Hat's Web site: <http://www.redhat.com>.
- For information about the Azul Virtual Machine, see: <http://www.azulsystems.com>

Configuration Requirements

Table 1-1 Requirements for 8.1 SP6 on Red Hat Enterprise Linux 3.0-5 AS, ES on x86

Operating System Version and Patches	Red Hat Enterprise Linux 3.0-5 AS, ES Kernel 2.4.21-20 with glibc 2.3.2-95.27 and later updates and errata levels (32-bit)	Note: The i386 version of glibc is not supported; make sure that glibc i686 is installed on your system.
Chip Architecture and Minimum Processor Speed	x86 (400 MHz)	
SDK	<ul style="list-style-type: none"> • BEA JRockit 1.4.2_10 R26.3.0-32_CR283061 and all later 1.4.2 releases of JRockit • Azul Virtual Machine 2.2.1.0 and later patches 	
RAM	512 MB required; 1 GB recommended	
Performance Pack	Included	lib/linux/i686/libmuxer.so
Node Manager	Included	Native
BEA jDrivers for Oracle	For this Oracle client version:	The following shared libraries are provided:
	Oracle 9.2.0.4 and later patch sets	<ul style="list-style-type: none"> • lib/linux/i686/oci920_8/libweblogicoci39.so • lib/linux/i686/oci920_8/libweblogicoxa39.so

Known Issues

- [Known Issues When Using the Azul Virtual Machine](#)
- [setuid Issue](#)
- [Issues Related to Other BEA Products](#)

Known Issues When Using the Azul Virtual Machine

- The Azul Virtual Machine supports only Type 4 JDBC drivers.
- To enable native I/O, specify the following flag on the `java` command line when starting WebLogic Server: `-XX:+WL81NativeIO`
- The default number of open file descriptors allocated for the JDK may be insufficient for the Azul Virtual Machine.

In most circumstances the number of open file descriptors allocated, in the proxy machine, for the SDK should be at least three times the number of file descriptors allocated for BEA JRockit. If you are going to run file-intensive operations, be sure to allocate seven to eight times the existing value for the number of open file descriptors in the proxy machine. If no value has been set, set the value to 8192.

To change the specified number of open file descriptors, enter the `ulimit -n` command. For example, if the number of file descriptors allocated for BEA JRockit is 1024, raise that number to 8192 by entering the following command:

```
ulimit -n 8192
```

Note: Keep in mind that the BEA WebLogic `jDriver` has been deprecated in WebLogic Platform 8.1. BEA does not support the use of the WebLogic `jDriver` with WebLogic Server 8.1 SP6 with the Azul Virtual Machine.

setuid Issue

The `setuid` functionality does not work with this SDK due to the way the current Linux thread model works. When you use ports lower than 1024, you cannot switch from root to a non-privileged user ID with the `setuid` function.

Issues Related to Other BEA Products

- For information about known issues with any of the products or components described here, see the *WebLogic Server Release Notes* document:

http://download.oracle.com/docs/cd/E13222_01/wls/docs81/notes/index.html

- For information about known issues with the Azul Virtual Machine, see:

<http://www.azulsystems.com>