



BEA WebLogic Integration™

Release Notes

Copyright

Copyright © 2005 BEA Systems, Inc. All Rights Reserved.

Restricted Rights Legend

This software and documentation is subject to and made available only pursuant to the terms of the BEA Systems License Agreement and may be used or copied only in accordance with the terms of that agreement. It is against the law to copy the software except as specifically allowed in the agreement. This document may not, in whole or in part, be copied photocopied, reproduced, translated, or reduced to any electronic medium or machine readable form without prior consent, in writing, from BEA Systems, Inc.

Use, duplication or disclosure by the U.S. Government is subject to restrictions set forth in the BEA Systems License Agreement and in subparagraph (c)(1) of the Commercial Computer Software-Restricted Rights Clause at FAR 52.227-19; subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.227-7013, subparagraph (d) of the Commercial Computer Software--Licensing clause at NASA FAR supplement 16-52.227-86; or their equivalent.

Information in this document is subject to change without notice and does not represent a commitment on the part of BEA Systems. THE SOFTWARE AND DOCUMENTATION ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND INCLUDING WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. FURTHER, BEA Systems DOES NOT WARRANT, GUARANTEE, OR MAKE ANY REPRESENTATIONS REGARDING THE USE, OR THE RESULTS OF THE USE, OF THE SOFTWARE OR WRITTEN MATERIAL IN TERMS OF CORRECTNESS, ACCURACY, RELIABILITY, OR OTHERWISE.

Trademarks or Service Marks

BEA, Jolt, Tuxedo, and WebLogic are registered trademarks of BEA Systems, Inc. BEA Builder, BEA Campaign Manager for WebLogic, BEA eLink, BEA Liquid Data for WebLogic, BEA Manager, BEA WebLogic Commerce Server, BEA WebLogic Enterprise, BEA WebLogic Enterprise Platform, BEA WebLogic Express, BEA WebLogic Integration, BEA WebLogic Personalization Server, BEA WebLogic Platform, BEA WebLogic Portal, BEA WebLogic Server, BEA WebLogic Workshop and How Business Becomes E-Business are trademarks of BEA Systems, Inc.

All other trademarks are the property of their respective companies.

BEA WebLogic Integration Release Notes

Part Number	Date	Software Version
N/A	March 23, 2005	7.0 Service Pack 6

Contents

About This Release of BEA WebLogic Integration	2
What Is New and Improved in This Release	3
Platform Support and System Requirements	3
Related Software	3
Using BEA WebLogic Integration - Business Connect 8.1.2	3
Using BEA EDI Connect for WebLogic Integration	4
Using BEA WebLogic Adapters	4
Best Practices	4
NewSize JVM Option and Performance	5
Recommended Length of BEA_HOME Environment Variable	5
Support for Null Variables	5
Addressed Messaging	6
Nested Workflows	6
Calling Programs Using SendXMLToClient	6
BPM Plug-Ins in a UNIX Environment	6
Initializing the Database	7
Deprecated Items	7
Problems Fixed in This Release	9
Known Limitations	13
Change Requests	13
Using WebLogic Integration in a Cluster with an Oracle Database	21
Studio Workflow Window Flash	22
DB2 Option Not Present in Domain Wizard	22
BPM Command Line Utility Seems to Hang	22
Documentation Additions, Changes, and Corrections	23
Workaround for Problems with Application View Deployment in a Closed Environment	23

Changed Link to WebLogic Server Security Document.....	24
Correction to BPM Plug-In Sample Instructions.....	24
Corrections to Running the Data Integration Plug-In Sample Applications	25
Template Definition Compatibility	27
Updates to Importing to the B2B Console	28
Addition to Using a Custom Exception Handler.....	28
Location of configDomain Documentation.....	29
Correction to Template Definition Information	29
Clarification to Steps for Deploying a Plug-In.....	30
Change to Using the weblogic.Admin Command-Line Utility.....	31
Correction to Configuring WebLogic Integration with a Web Server and a WebLogic Proxy Plug-In	31
Change to Clusterable Resources Note	32
Addition to Configuring a Mail Session.....	32
Addition to Importing an XML Entity into the Repository.....	32
Update to Binary to XML Translation	33
Clarification to Updating the System Password.....	33
Addition to Administering Business Calendars	33
Installation	34
Full Installation.....	34
Upgrade Installation	34
RDBMS Adapter	35
Migration	35
Migrating Domains Created Using the Configuration Wizard.....	36
Migrating From WebLogic Integration 7.0 SP2 or Earlier Versions	36
XT Run-time Classes Removed from wlicommon.jar	36
RosettaNet Schema Changes.....	37
Using WebLogic Integration with Oracle XA.....	37
Changes Required For XA	37
Considerations and Limitations.....	44
XA Recovery Setup.....	45

BEA WebLogic Integration Release Notes

BEA WebLogic Integration Release 7.0 Service Pack 6 **Date: March 23, 2005**

This document includes the following topics:

- About This Release of BEA WebLogic Integration
- What Is New and Improved in This Release
- Platform Support and System Requirements
- Related Software
- Best Practices
- Deprecated Items
- Problems Fixed in This Release
- Problems Fixed in BEA WebLogic Integration 7.0 SP6
- Installation
- Migration
- Using WebLogic Integration with Oracle XA

For updated release note information, go to the BEA documentation Web site at the following URL:

<http://edocs.bea.com>

About This Release of BEA WebLogic Integration

WebLogic Integration 7.0 Service Pack 6 (SP6) is a new service pack release of WebLogic Integration. While WebLogic Platform 7.0 SP6 as a whole contains significant changes, this service pack does not contain significant changes for WebLogic Integration.

WebLogic Integration 7.0 SP6 may be required for other specific reasons, for example to apply WebLogic Server 7.0 SP6 maintenance. If you do decide to upgrade to WebLogic Integration 7.0 SP6, then, as with any service pack upgrade, it is good practice and we recommend that customers thoroughly test their application with the new service pack before attempting to upgrade.

WebLogic Integration 7.0 SP6 provides the functionality needed to integrate business systems within an enterprise, and to link those systems in a collaborative arrangement with an organization's trading partners.

Underlying this functionality is the industry-leading J2EE application server, BEA WebLogic Server, which provides the critical infrastructure needed to develop integrated solutions that support transaction management, security, fault tolerance, persistence, and clustering.

WebLogic Integration 7.0 SP6 supports end-to-end business integration by providing functionality in the following areas:

- *Business process management* makes possible the development of complex e-business processes that integrate existing enterprise systems, cross-enterprise applications, and human decision makers.
- *Application integration* makes it possible to integrate existing enterprise applications with each other, and with new e-business applications.
- *B2B integration* makes possible the connection of trading partners over the Internet, and the integration of EDI environments with WebLogic Integration.
- *Data integration* supports the seamless exchange of various data formats between applications and between trading partners over the Internet.

What Is New and Improved in This Release

BEA WebLogic Integration 7.0 SP6 delivers fixes to known problems. No new features or enhancements are included in this release.

Platform Support and System Requirements

For information on platform support, including hardware and software requirements, see the [Supported Platforms](#) page at the following location:

http://edocs.bea.com/platform/suppconfigs/configs70/70_over/overview.html

For additional information about WebLogic Platform as well as any release notes on installing and configuring WebLogic Integration, see the [WebLogic Platform release notes](#) at the following URL:

<http://edocs.bea.com/platform/docs70/relnotes/index.html>

Related Software

The following sections describe software that you may want to use with WebLogic Integration.

Using BEA WebLogic Integration - Business Connect 8.1.2

WebLogic Integration - Business Connect enables you to securely exchange large volumes of documents with your trading partners. WebLogic Integration - Business Connect packages documents in secure envelopes that are transmitted among trading partners according to schedules.

Detailed information about this component of WebLogic Integration is available at the following URL:

<http://edocs/wlibc/docs81/install/tutorial.html#1093501>.

Using BEA EDI Connect for WebLogic Integration

EDI Connect for WebLogic Integration software enables you to define your EDI-to-XML document maps. It also manages your trading partner relationships, and it handles the transmission and receipt of EDI messages.

EDI Connect for WebLogic Integration is available as a separately purchased add-on for WebLogic Integration customers. Delivered as Power.Enterprise!, it includes both client and server components. You can download this add-on from the [BEA Download Center](#) for evaluation purposes. You can find this software at the following URL:

<http://commerce.bea.com/showallversions.jsp?family=WLI>

For more information, see the documentation packaged with the EDI Connect for WebLogic Integration software.

Using BEA WebLogic Adapters

At the time of this release, all of the BEA WebLogic Adapters version 7.x have been certified for use with WebLogic Integration 7.0 SP6.

Best Practices

This section contains the following best practices and usage information about WebLogic Integration components and functions:

- NewSize JVM Option and Performance
- Recommended Length of BEA_HOME Environment Variable
- Support for Null Variables

- Addressed Messaging
- Nested Workflows
- Calling Programs Using SendXMLToClient
- BPM Plug-Ins in a UNIX Environment
- Initializing the Database

NewSize JVM Option and Performance

Some performance benchmarks show improvement when the `-XX:NewSize` JVM option is used. For more information, see “[Tuning Performance](#)” in *Deploying BEA WebLogic Integration Solutions*.

Recommended Length of BEA_HOME Environment Variable

The definition of the `BEA_HOME` environment variable should be limited to a range of 10 to 12 characters.

Support for Null Variables

WebLogic Integration 7.0 supports null values in variables through the `wli.bpm.server.evaluator.supportsNull` option in the `startWebLogic` script.

When this option is set to `true`, all variables are initialized to a null value. When this option is set to `false`, all variables are initialized to their default values. The default setting for this option is `false`.

For details about this option, see [Starting, Stopping, and Customizing BEA WebLogic Integration](#).

Addressed Messaging

Use addressed messaging whenever you want guaranteed message delivery. For details about this option, see “Addressed Messaging” in “[Defining Actions](#)” in *Using the WebLogic Integration Studio*.

Nested Workflows

Nested workflows must be analyzed for scalability because they can lead to transaction timeouts. The parent of a transaction encompasses all children.

Calling Programs Using SendXMLToClient

Be careful about enabling access to a shell program, such as `cmd.exe`, because doing so effectively defeats the `SecurityManager`, making it possible for a malicious workflow to launch anything on the client computer. For better security, list only those programs needed to execute the workflow.

`WLPISec.properties` contains a list (one item per line) of unqualified executable files, such as the following:

- `cmd.exe`
- `winword.exe`
- `mm.exe`

BPM Plug-Ins in a UNIX Environment

The plug-in architecture uses the `Image` object from the AWT library. As a result, the server needs to have the `DISPLAY` environment variable set in order to create this object. The plug-in simply sends the image file across the wire and allows the client to create the `Image` object.

When a UNIX system is used, an issue arises. Because the plug-ins make a connection to the Xwindow server, logging off can bring WebLogic Server down, as well, even if you start it with `nohup` and run it in background mode. For this reason plug-ins should never instantiate any class that needs the Xwindow server.

Initializing the Database

If Initialize Database is set to `yes` on the import tab under Configuration on the B2B Console, then when you subsequently import repository data, existing data is destroyed. Be careful about setting the Initialize Database parameter to `yes`. This issue is being tracked as CR077846.

Deprecated Items

A deprecated item is one that will be removed from the product in a future release. The following items were deprecated as of WebLogic Integration 7.0:

- B2B XOCP protocol
- B2B XOCP BPM plug-in
- B2B cXML protocol
- B2B logic plug-ins
- B2B messaging API
- B2B trading partner zeroweight clients
- Swing-based BPM Worklist client

The following table describes the migration options for deprecated features.

Users of this feature . . .	Can migrate to . . .
XOCP protocol	ebXML or RosettaNet
XOCP BPM plug-in	
cXML protocol	
B2B logic plug-ins	No equivalent functionality
Messaging API	ebXML JMS interface or BPM workflows
Trading partner zeroweight client	A JSP tag library with Portlet and HTML-based Zeroweight trading partner clients will be made available in a future release.
Swing-based BPM Worklist client	<p>A JSP-based Worklist client is available with the WebLogic Integration SP6 release.</p> <p>Note: Only the current Java Swing user interface is being deprecated. The Worklist API is not being deprecated.</p>

In addition, several samples rely on deprecated features, such as the XOCP protocol. The following samples fall into this category and are deprecated as of the 7.0 release of WebLogic Integration:

- B2B Mailboxes (sample)
- B2B File Synchronization Client (sample)
- B2B Browser client tag library (sample)

In WebLogic Integration 7.0 SP4, these following deprecated samples have been removed from the Samples Launcher Page:

- Hello Partner
- Channel Master
- Messaging API
- Trading Partner Zeroweight Client

Problems Fixed in This Release

The following table lists selected problems fixed in BEA WebLogic Integration 7.0 SP6, including a CR (Change Request) number for each problem. For a complete list of problems fixed in BEA WebLogic Integration 7.0 SP6, contact BEA Customer Support.

Table 1. Problems Fixed in BEA WebLogic Integration 7.0 SP6

Change Request Number	Description
CR121357	TimeListenerBean onMessage does not remove all WorkflowProcessor beans. The problem is that the workflow processor bean instance is not removed inside this do..while loop, and the workflowprocessor.remove() call is called only once when exiting the onMessage method. This means that, in a situation where instanceid does not have a matching workflow instance, 20 WorkflowProcessor bean instances are created and only the last one of them is removed. This problem was resolved with an engineering code change.
CR122714	RDBMS adapter throws exception outside of the <eda> structure when: a) the incorrect user name/password is entered b) the incorrect URL is entered c) a non-existing stored procedure is used Customer needs to see the adapter return an <eda> XML structure under all circumstances. Any error code and information should be returned within this structure. This problem was resolved with an engineering code change.
CR124683 CR182704	Customer has two cluster domains: domain1 and domain2. Each domain has two managed servers; each managed server has two JMS servers (one for WLI-specific work and another for the JMS messaging bridge). The sending application sets the JMSReplyTo field as a distributed destination on domain1, and a message travels over the messaging bridge and ends up in the JMSSStore on domain2. In the meantime, the domain2 managed server is killed by Kill-9. When the managed server restarts, the JMSServer attempts to locate the ConfigMbeanName for the distributed destination member instance that was written to the JMSSStore in domain2 but cannot locate this name because it belongs to domain1 and the JMSServer is throwing a NullPointerException. This problem was resolved with an engineering code change.

Change Request Number	Description
CR129512	<p>The customer has requested additional logging functionality to include:</p> <ul style="list-style-type: none"> a) a log of the input XML message from the event processor for a start or event node b) a log of a timer message when it fires <p>The added functionality was provided with an engineering code change.</p>
CR133445	<p>The following intermittent license error occurs at run time: <code>java.lang.RuntimeException: License class files have been tampered.</code> This problem was resolved with an engineering code change.</p>
CR134388	<p>The Workflow label is not getting updated in the worklist. This problem was resolved with an engineering code change.</p>
CR135860	<p>Customer has two configured queues:</p> <ul style="list-style-type: none"> ■ <code>com.bea.wlpi.EventQueue</code> to send mex to WLI ■ <code>com.bea.wlpi.EventQueueExt</code> to receive mex from WLI <p>To send the correct answer to the client, the customer is using the attribute <code>JMSCorrelationID</code> in the JMS mex. The activated workflow takes the attribute <code>JMSCorrelationID</code> from the returned mex to use in the answer. This does not work and the client continues to wait. This problem was resolved with an engineering code change.</p>
CR181920	<p><code>TimeListenerBean</code> consumes a failed message when the WLI database is not running. As of 7.0 sp6, a new system property allows timed events to be rolled back for JMS re-delivery, allowing timed events to be recovered in the event of a database crash. To turn on the feature, set: <code>-Dwli.bpm.server.timeprocessor.rollbackafterretry=true</code></p> <p>Note however that if workflows are designed such that it is possible for there to be timers pending when the workflow completes, and the completed instance is deleted before the timer message is delivered, the timer messages will be retried by JMS. These event messages would end up in the failure queue when, in fact, they should have been consumed.</p>
CR182556	<p><code>CDATA</code> is not properly handled or parsed by the <code>XPATH</code> expression inside the workflow. The problem was fixed with an engineering code change whereby the <code>CDATA</code> value appears properly when being handled by the <code>XPATH</code> expression in a workflow.</p>
CR182709	<p>While analyzing system performance, a lot of threads were waiting in synchronization in <code>XMLParserHelper</code> class. This problem was resolved with an engineering code change.</p>

Change Request Number	Description
CR183277	Timed event is performed abnormally when it is reactivated or edited. Timed started workflows are triggered whenever that workflow is saved in studio. Time started workflows should start only when their "Start Date Expression" specifies they should start. This problem was resolved with an engineering code change.
CR184894	Over-synchronization occurs when moving messages from the AI to BPM queue. This problem was resolved with an engineering code change.
CR187045	Sometimes when Oracle listener is killed and re-started later, the following exception is seen: Setting Transaction isolation to TRANSACTION_READ_COMMITTED. This problem was resolved with an engineering code change.
CR188141	Issues occurred when adding re-routes using Java API. The Java API that is being used is similar to <WLI_HOME>/samples/bpm_api/commandline/CLStudio.java. Engineering provided a new debug flag for re-routes. It is controlled with the following boolean Java system property: com.bea.wlpi.reroute.debug
CR188356	TimedEvent failed to continue after Oracle server was rebooted. This problem was resolved with an engineering code change.
CR193316	<p>A receiver stops processing messages when a RedeliveryLimit is configured and the number of times the RedeliveryLimit is reached is greater than the MessagesMaximum setting on the ConnectionFactory.</p> <p>For example: RedeliveryLimit=0, MessagesMaximum=10. Receiver receives a message and calls session.recover() 10 times. The receiver will stop processing messages and the console will show 10 pending messages.</p> <p>Code was added to adjust the window counter when a message is removed from the queue because the RedeliveryLimit had been reached.</p>
CR193661	iWay Adapter (FILE & RDBMS) Application views Deployment/Undeployment is sometimes unreliable. This problem was resolved with an engineering code change.
CR200912	<p>The BPMAdmin utility was unable to export a business calendar and was giving the following exception:</p> <p>javax.ejb.CreateException: The system could not find the specified business calendar.</p> <p>This problem was resolved with an engineering code change.</p>

Change Request Number	Description
CR202956	The WLI HTTP plugin randomly throws the following exception: no templatedef found. The exception occurs when the post events pumped are concurrent and high in number to a workflow, which is configured to start on a HTTP event. This prevents the workflow from processing further events. This problem was fixed with an engineering code change containing a replacement WAR and JAR for the HTTP plugin.

Known Limitations

This section describes known limitations in the BEA WebLogic Integration 7.0 SP6 software.

Change Requests

The following table describes limitations that are documented in formal change requests (CRs). Whenever available, a recommended workaround is provided.

1 CR063709 CR075768

Problem	The RosettaNet Security Sample throws an exception when a single database is used for two peers and the database tables for peer1 are overwritten by peer2. The default database for the RosettaNet 2.0 Security sample cannot be changed easily from PointBase. Unlike the other B2B samples, the RosettaNet 2.0 Security sample does not support the use of the WebLogic Integration Database Wizard to switch the database to be used with the samples domain.
----------------	---

Platforms	All
------------------	-----

Workaround	If possible, use different databases for different peers. For example, have peer1 use MSSQL and peer2, Oracle. If you must run two peers on one machine and both peers use the same database server, make sure that:
-------------------	--

- With MSSQL—A different database name is used for each peer, such as WLIDB for peer1 and WLIDB2 for peer2.
- With Oracle—A different Oracle user account is used for each peer, such as kevin/kevin for peer1 and nina/nina for peer2.

Specify every database you use for this sample on the `RunRN2Security` command line, as follows:

```
RunRN2Security database_for_peer1 database_for_peer2
```

Edit the `setDBVars` and `setDBVarsExt` files to set or change the database connection parameters. The `setDBVars` and `setDBVarsExt` files are located in the following locations:

- `SAMPLES_HOME/integration/config/samples/RN2Security/config/peer1/dbInfo/database_type`
- `SAMPLES_HOME/integration/config/samples/RN2Security/config/peer2/dbInfo/database_type`

2 CR076994

Problem	In a cluster, both the Administration and Managed Servers require installation of WebLogic Integration.
----------------	---

Platforms	All
------------------	-----

Workaround	WebLogic Integration users must install WebLogic Integration on the Administration Server as well as the Managed Servers.
-------------------	---

3 CR079611

Problem	In the Studio Routing window, when creating a new WebLogic Server group and mapping a new BPM role to that group, the list of roles does not update with the new role.
Platform	Windows
Workaround	Shutdown Studio and restart it; the new role will be visible.

4 CR081119

Problem	The default installation includes the protocol definition for RN-Hub. However, RN-Hub support for RosettaNet is not supported.
Platforms	All
Workaround	None

5 CR090195

Problem	The Event list in the Start and Event node is not refreshed when a plug-in is loaded or unloaded while workflows that do not refer the plug-in is open.
Platforms	Windows
Workaround	Close all open Workflow templates before making plug-in state change.

6 CR092283

Problem	<p>Error when creating a BPM Plug-In for AI in an existing domain. The configDomain script fails when the BPM Plug-In already exists in the domain's config.xml file:</p> <pre><WLI_HOME>\project\ai\ai_resources.xml:295: Unresolved module reference encountered: EJBComponent:WLI-BPM Server in ModuleComponent/BPM_Plugin</pre> <p>This error occurs because the configDomain script adds an entry of BPM Plug-in for Application Integration in config.xml.</p>
Platforms	Windows
Workaround	Do not to select the BPM Plug-in if it already exists in a config.xml file of a domain in which it is being created.

7 CR093191

Problem	WebLogic Workshop users cannot create an application view control for the 7.0 SP2 RDBMS adapter.
Platform	All
Workaround	Please contact BEA Customer Support.

8 CR094433

Problem	Incomplete workflow instances may occur if JTA and JMS migration is done using HTTP protocol for the failover.
Platform	All
Workaround	Use the t3 protocol.

9 CR094470

Problem	If config.xml contains <StartupClass> or <ShutdownClass> modules, the configDomain script adds a LoadOrder attribute to it, which will make the server unbootable.
Platform	All
Workaround	<p>In config.xml, remove the LoadOrder attribute entry for the <ShutdownClass> and <StartupClass> before starting the server:</p> <pre><ShutdownClass Arguments="mode=TERMINATE" LoadOrder="800" ClassName="com.bea.b2b.server.Shutdown" Name="WLCSHUTDOWN" Targets="myserver"/> <StartupClass ClassName="com.bea.lwclient.Startup" Name="LwcStartup" Targets="myserver"/></pre>

10 CR095276

Problem	In Domain Wizard generated EAI, BPM, WLI domains, the default web application directory name uses <i>myserver</i> when users give their own name for an admin server. This happens during the domain generation and the admin server fails to boot with following error:
----------------	--

```
<Error> <Management> <141006> <Application  
eaiC:Name=DefaultWebApp_<user_specified_name>,  
Type=Application not found at <user_domain>\applications\  
DefaultWebApp__<user_specified_name>>
```

Platforms	All
------------------	-----

Workaround	<ol style="list-style-type: none">1. Change the directory name from applications/DefaultWebApp_myserver to DefaultWebApp_<user_specified_name> under applications/.2. In config.xml, change any DefaultWebApp_myserver to DefaultWebApp_<user_specified_name>.
-------------------	---

11 CR095278

Problem	Existing workflows using Application Integration do not work in the sample DBMS Adapter.
----------------	--

Platforms	All
------------------	-----

Workaround	<p>For complex applications, re-export the whole set of related objects that go with the workflow and re-import.</p> <p>For simple applications, change the request XML documents to uppercase.</p>
-------------------	---

12 CR096379

Problem	If you are using RDBMS Realm, the <code>SchemaProperties</code> attribute of <code>RDBMSRealm</code> element in the <code>config.xml</code> of the Domain Wizard generated <code>wldomain</code> is incomplete.
----------------	---

Platforms	All
------------------	-----

Workaround	Append the following text to the end of the line starting with “ <code>SchemaProperties=</code> ”, right after “ <code>PERMISSION FROM AC</code> ”, without a space.
-------------------	--

```
PERMISSION FROM ACLENTRIES WHERE PERMISSION = ?;  
getUser=SELECT USERID, PASSWORD FROM WLSUSER WHERE  
USERID = ?;deleteGroup2=DELETE FROM ACLENTRIES WHERE  
PRINCIPAL = ?;deleteGroup1=DELETE FROM GROUPMEMBER  
WHERE GROUPID = ?;deleteUser1=DELETE FROM ACLENTRIES  
WHERE PRINCIPAL = ?;getAclEntries=SELECT NAME, PRINCIPAL,  
PERMISSION FROM ACLENTRIES WHERE NAME = ? ORDER BY  
PRINCIPAL;getGroupMembersGroups=SELECT GROUPMEMBERID,  
GROUPID FROM GROUPMEMBER WHERE GROUPID = ?;getGroups=SELECT  
GROUPID FROM WLSGROUP ORDER BY GROUPID;getGroup=SELECT  
GROUPID FROM WLSGROUP WHERE GROUPID = ?;getUsers=SELECT  
USERID, PASSWORD FROM WLSUSER ORDER BY USERID"/>
```

13 CR119473

Problem	In the Sample Applications menu page of the samples launcher, selecting the link to the BPM-Workshop sample causes a browser error (Error 404--Not Found) on UNIX systems due to case sensitivity issues. The Sample Applications menu page is located as follows:
----------------	--

```
SAMPLES_HOME/integration/config/samples/applications/  
DefaultWebApp_myserver/menu.html
```

Platforms	UNIX
------------------	------

Workaround	Rename the <code>BpmWlwSampleDesc.html</code> file to <code>BPMWLWSampleDesc.html</code> in the following directory:
-------------------	--

```
SAMPLES_HOME/integration/config/samples/applications/  
DefaultWebApp_myserver
```

14 CR134353

Problem	When a WebLogic Integration domain is XA-enabled an oracle.jdbc.xa.OracleXAException may be thrown from oracle.jdbc.xa.client.OracleXAResource.commit calls during a server restart after a crash. The exception is benign and indicates the attempted recovery of transactions that committed before the crash happened but before the server transaction logs got a chance to record these commits.
Platforms	All
Workaround	None

15 CR135996	
Problem	In the BPM-Workshop inter operability sample, setting the ListenAddress to localhost causes the test to fail and show incomplete links.
Platforms	All
Workaround	Leave the ListenAddress blank when configuring the platform domain.

16 CR137004	
Problem	The XML response from events and services may contain irrelevant values when the <code>isNull</code> Attribute is retrieved as true.
Platforms	All
Workaround	None, ignore these values.

17 CR177271	
Problem	During the server startup, informational messages about <code>SAXParserExceptions</code> from malformed <code>web.xml</code> for the HTTP plugin may be seen in the server logs.
Platforms	All
Workaround	None, ignore these values. They are benign. These exceptions have no effect on the functionality of the HTTP plug-in.

18 CR125694	
Problem	RunSamples does not run on Windows XP.
Platforms	Windows XP
Workaround	Add <code>-Dos.name="Windows 2000"</code> to the java start up line in the script.

Using WebLogic Integration in a Cluster with an Oracle Database

If using WebLogic Integration in a cluster with an Oracle database, you must modify the deployment descriptor to prevent concurrent updates to a particular workflow instance. The deployment descriptor changes affect the `WorkflowInstance` entity bean. Make the following modifications:

- Change the concurrency-strategy for the `WorkflowInstance` bean from `Exclusive` to `Database`. See Listing 1.
- Change the Transaction Isolation from `TRANSACTION_READ_COMMITTED` to `TRANSACTION_READ_COMMITTED_FOR_UPDATE`. Listing 2

Note: If you make these changes to an existing WebLogic Integration cluster domain, the staging area for each managed server must be deleted in order to force this change to take effect.

An example of the updated `weblogic-ejb-jar.xml` file, which is located in the `<BEA_HOME>/weblogic700/integration/lib/wlpi-ejb.jar/META-INF` directory, follows:

Listing 1 Concurrency Strategy Update

```
<weblogic-enterprise-bean>
  <ejb-name>WorkflowInstance</ejb-name>
  <entity-descriptor>
    <entity-cache>
      <max-beans-in-cache>100</max-beans-in-cache>
      <idle-timeout-seconds>600</idle-timeout-seconds>
      <concurrency-strategy>Database</concurrency-strategy>
    </entity-cache>
  </entity-cache>
```

Listing 2 Transaction Isolation Update

```
<transaction-isolation>
  <isolation-level>TRANSACTION_READ_COMMITTED_FOR_UPDATE</isolation-level>
```

```
<method>
  <ejb-name>WorkflowInstance</ejb-name>
  <method-name>*</method-name>
</method>
</transaction-isolation>
```

Studio Workflow Window Flash

In the Studio Workflow Design window, various actions such as copying and pasting nodes cause the workflow window to flash. This is a known limitation, reported as CR090095.

DB2 Option Not Present in Domain Wizard

Because WebLogic Integration does not support DB2, when using the domain wizard (wlconfig) to create a domain using the wlidomain, bpmdomain, or eaidomain templates, DB2 is not offered as an option for Create Database and Switch Database operations. This issue was reported as CR082305. For information on platform support, including hardware and software requirements, see the Supported Platforms page at the following location:

http://edocs.bea.com/platform/suppconfigs/configs70/70_over/overview.html

BPM Command Line Utility Seems to Hang

The BPM command line tool seems to hang in some cases. This is caused by the length of time the operation takes to complete. The tool is not hanging, it is processing and will return.

Documentation Additions, Changes, and Corrections

This section provides additions, changes, and corrections to the WebLogic Integration documentation available on the BEA documentation Web site at the following URL:

<http://edocs.bea.com>

Workaround for Problems with Application View Deployment in a Closed Environment

Problems occur when deploying an application view in a closed environment where there is no access via http to the machine running WebLogic Server. An exception is thrown because the system is unable to upload `weblogic-ra.xml` and the WLAI Upload EJB attempts to perform a validating parse of the uploaded XML. The workaround is to use the WebLogic Server Administration Console to manually add the DTD to the XML registry, so that the server can resolve `weblogic-ra.xml` locally.

To add `weblogic-ra.xml` to the XML registry:

1. Invoke the WebLogic Server Administration Console.
2. Click to expand the Services⇒XML⇒WLPIXML_Registry⇒XML Spec Entries node in the left-hand pane.
3. Click Configure a New XMLEntitySpecRegistryEntry in the right pane.
4. Enter `-//BEA Systems, Inc.//DTD WebLogic 7.0.0 Connector//EN` in the Public ID field.
5. Enter `http://www.bea.com/servers/wls700/dtd/weblogic700-ra.dtd` in the System ID field.
6. Enter `weblogic700-ra.dtd` in the Entity URI field.
7. Click Create.

-
8. Extract `weblogic700-ra.dtd` from the `weblogic.jar` file to the following directory:

`DOMAIN_HOME/xml/registries/WLPXML_Registry`

where `DOMAIN_HOME` indicates the complete path to the root of a domain.

This issue was reported as CR093035.

Changed Link to WebLogic Server Security Document

In “Steps for Creating and Configuring Keystores” (under [Configuring the Keystore](#) in *Implementing Security with B2B Integration*) the link to Security Fundamentals in *Programming WebLogic Security* is no longer correct. The document with the incorrect link is at the following URL:

<http://edocs.bea.com/wli/docs70/b2bsecur/keystore.htm>

The Security Fundamentals section is now in *Introduction WebLogic Security* at the following URL:

<http://edocs.bea.com/wls/docs70/secintro/concepts.html>

This issue was reported as CR102614.

Correction to BPM Plug-In Sample Instructions

In *Programming BPM Plug-Ins for WebLogic Integration*, in [BPM Plug-In Sample](#), locate “Running the Plug-In Sample” at the following URL:

<http://edocs.bea.com/wli/docs70/devplug/example.htm>

Executing the instructions as shown result in the following error on UNIX systems:

```
Exception in thread "main"
java.lang.NoClassDefFoundError:com/bea/wlpi/tour/po/plugin/
StartOrderDriver
```

Use the following information for Step 4b:

- b. On UNIX, execute the following commands to set the environment and `CLASSPATH` variable, and execute the `StartOrderDriver` script:

```
$WLI_HOME/setenv.sh
CLASSPATH=
$WL_HOME/lib/weblogic.jar:$WLI_HOME/lib/wlpi-ejb.jar:
$WLI_HOME/lib/sampleplugin-ejb.jar
$JAVA_HOME/bin/java -classpath "$CLASSPATH"
com.bea.wlpi.tour.po.plugin.StartOrderDriver
t3://localhost:7001 joe password
```

This issue was reported as CR112459.

Corrections to Running the Data Integration Plug-In Sample Applications

In *Using the Data Integration Plug-In* at “Running the WebLogic Integration Sample Applications” under “Step1. Start the Sample Application Launcher,” Figures 3-1 and 3-2 are updated, as shown in Figure 1 and Figure 2. These figures are located at the following URL:

<http://edocs/wli/docs70/diplugin/wlpisamp.htm>

Note: These figures reflect the removal of the deprecated samples (Hello Partner, Channel Master, and Messaging API) from the left pane in the Samples Launcher Page and the correction of a typographical error:

Figure 1 Change to Figure 3-1 Sample Application Launcher





Figure 2 Change to Figure 3-2 Data Integration Servlet Sample Page



In *Using the Data Integration Plug-In* at “Running the WebLogic Integration Sample Applications” under “Running the EJB Sample,” the instructions for running the EJB sample using the command line should reflect the current definition of the `WL_HOME` environment variable. These instructions are located at the following URL:

<http://edocs/wli/docs70/diplugin/wlpisamp.htm>

Locate the subsection titled “From the Command Line.” Step 3 in the procedure should read as follows:

3. Set the environment variable `WL_HOME` to the pathname of the directory in which WebLogic Server is installed on your system. For example:

```
set WL_HOME=c:\bea\weblogic700\server
```

This correction was reported as CR112455.

Template Definition Compatibility

No compatibility matrix exists for template definitions created and used across different releases of WebLogic Integration 7.0.

Table 2 provides the missing information. For example, the first row in the table indicates that template definitions created in WebLogic Integration 2.1 SP2 are usable in all versions, whereas the second row indicates that a template definition created in WebLogic Integration 7.0 GA is not usable in the WebLogic Integration 2.1 SP2 release.

Table 2. Compatibility of Template Definitions

Version	Compatible with						
	2.1 SP2	7.0 GA	7.0 SP1	7.0 SP2	7.0 SP4	7.0 SP5	7.0 SP6
2.1 SP2	Yes	Yes	Yes	Yes	Yes	Yes	Yes
7.0 GA	No	Yes	Yes	Yes	Yes	Yes	Yes
7.0 SP1	No	Yes	Yes	Yes	Yes	Yes	Yes
7.0 SP2	No	No*	No*	Yes	Yes	Yes	Yes
7.0 SP4	No	No*	No*	Yes	Yes	Yes	Yes
7.0 SP5	No	No*	No*	Yes	Yes	Yes	Yes

* This is due to a bug in 7.0 GA and 7.0 SP1.

This issue was reported as CR084741.

Updates to Importing to the B2B Console

In *Administering B2B Integration* in “Importing to the B2B Console” under Figure 4-4 B2B Import Tab (<http://edocs.bea.com/wli/docs70/b2badmin/impexp.htm>), it states:

Warning: If the Initialize Database option is selected, then when you subsequently import repository data, existing data is destroyed. Be careful about selecting the Initialize Database option.

This warning is changed to say:

Warning: If the Initialize Database option is selected, then when you subsequently import repository data, the existing data is destroyed. As a result, the imported `config` file must contain all needed information. There should be no unresolved reference in the `config` file. Be careful about selecting the Initialize Database option.

Also in *Administering B2B Integration* in “Importing to the B2B Console” under Step 11. Select Yes or No for Business Connect Import File (<http://edocs.bea.com/wli/docs70/b2badmin/impexp.htm>), add the following note:

Note: When importing a Business Connect trading partner, you must set the Initialized Database radio button to False.

This issue was reported as CR089818.

Addition to Using a Custom Exception Handler

In *Learning to Use BPM with WebLogic Integration* in “Using a Custom Exception Handler” (<http://edocs.bea.com/wli/docs70/bpmtutor/ch6.htm>) under the bullet list, add the following note:

Note: If an exception occurs from within the Custom ExceptionHandler, the system ExceptionHandler is invoked exiting the workflow.

This issue was reported as CR089006.

Location of configDomain Documentation

The `configDomain.cmd` is not documented in the BEA WebLogic Integration documentation. You can download documentation from the BEA dev2dev Web Site at the following URL:

http://dev2dev.bea.com/codelibrary/code/appview_control.jsp

For domains created using a template other than the WebLogic Platform or WebLogic Workshop template in the Configuration Wizard, WebLogic Integration provides a script named `configDomain` that configures a domain to host the Application Integration component of WebLogic Integration and also configures Application Integration to use the proper database in your domain.

This issue was reported as CR090681.

Correction to Template Definition Information

The following correction should be made to *Using the WebLogic Integration Studio* in the fourth paragraph under “Working with Template Definitions” in the section titled “Defining Workflow Templates” at the following URL:

<http://edocs.bea.com/wli/docs70/studio/ch5.htm>

On the other hand, although you can have multiple active template definitions, only one template definition can actually be instantiated at run time. The active template definition is determined by looking at active template definitions in the following range:

```
effective_date_time <= current_query_date_time <=
expiry_date_time
```

The template definitions are retrieved in descending order of effective date/time. The template definition with the latest effective date and time (the one with the closest effective date/time to the date/time of query) is instantiated. The query is not based on the latest update time. Normally, the last template definition that you create is instantiated, unless you modify the effective time to be earlier than that of existing template definitions.

This issue was reported as CR085261.

Clarification to Steps for Deploying a Plug-In

The following clarifies the steps needed for deploying a new BPM plug-in. Add these instructions to “Deploying the Plug-In” in *Programming BPM Plug-Ins for WebLogic Integration* at the following URL:

<http://edocs.bea.com/wli/docs70/devplug/deploy.htm>

Although deploying a plug-in is accomplished by editing the `config.xml` file, you also need to add an entry in `application.xml` file.

To deploy a new plug-in, take the following steps:

1. Copy the `<new-plugin-ejb.jar>` file to the following directory:

`BEA_HOME\weblogic700\integration\lib`

In the preceding line, `BEA_HOME` represents the WebLogic Platform home.

2. Edit the `config.xml` file under the domain directory and enter the following beneath the `Application Deployed="true" Name="WLI"` tag.

```
<EJBComponent Name="New Plug-in" Targets="myserver"
URI="New-plugin-ejb.jar"/>
```

3. Edit the `application.xml` file in

`BEA_HOME\weblogic700\integration\lib\META-INF` and enter the following under the `Plug-ins` tag, as follows:

```
<!--Plugins-->
<module>
  <ejb>New-plugin-ejb.jar</ejb>
</module>
```

4. Restart the server. You should be able to see the new plug-in in the Studio.

This issue was reported as CR095879.

Change to Using the weblogic.Admin Command-Line Utility

In *Deploying BEA WebLogic Integration Solutions* in “Using the weblogic.Admin Command-Line Utility” located at the following URL:

<http://edocs.bea.com/wli/docs70/deploy/highav.htm>

the command line has changed, as indicated by the bold text.

```
java weblogic.Admin [-url t3://hostname:port]
[-username username]
[-password password]
. . .
```

Additionally, add the following note:

Note: To use HTTP protocol, you need to turn on HTTP Tunneling in the Administration Server. For more information, see “Setting Up WebLogic Server for HTTP Tunneling,” in the *WebLogic Server Administration Guide* at http://edocs.bea.com/wls/docs70/adminguide/web_server.html.

This issue was reported as CR093487.

Correction to Configuring WebLogic Integration with a Web Server and a WebLogic Proxy Plug-In

In *Implementing Security with B2B Integration* in “Configuring WebLogic Integration with a Web Server and a WebLogic Proxy Plug-In”

(<http://edocs.bea.com/wli/docs70/b2bsecur/config.htm>), the first paragraph of the note is changed to the following:

The URI endpoints of WebLogic Integration behind the firewall must match exactly the URI endpoints of WebLogic Integration outside the firewall. Because the WebLogic Integration outside the firewall specifies HTTPS, the URI endpoints of the server behind the firewall must also specify HTTPS, even though the communication between the proxy server and WebLogic Integration behind the firewall will be HTTP. For more information about URI endpoints, see “Configuring a Secure Transport” at <http://edocs.bea.com/wli/docs70/b2bsecur/config.htm>.

Change to Clusterable Resources Note

In *Deploying BEA WebLogic Integration Solutions* in “Clusterable Resources” (<http://edocs.bea.com/wli/docs70/deploy/cluster.htm>) the following note is changed in Table 2-1 (Third row [B2B Single node], third column [WLI-B2B Startup]):

Note: Deployed to the administration server and the clustered managed servers.

The new note is as follows:

Note: The `b2b-startup.jar` is a clusterable service from WebLogic Integration 7.0 and it can be targeted to a cluster. Depending on how the cluster is designed, the `b2b-startup.jar` should either be deployed on the administration server *and* managed servers or just targeted to the cluster. If the administration server is part of the cluster, target the `b2b-startup.jar` to the cluster. However, if the administration server is *not* part of the cluster, target the `b2b-startup.jar` to the administration server *and* the managed servers.

Addition to Configuring a Mail Session

In *Using the Data Integration Plug-In* in “Step. Configure the Mail Session” (<http://edocs.bea.com/wli/docs70/diplugin/wlpisamp.htm>), the following note is added:

Note: If you configure the Mail Session with the WebLogic Server console, you must restart the server to fully restart the mail session.

This issue was reported as CR89616.

Addition to Importing an XML Entity into the Repository

In *Using the WebLogic Integration Studio* in “Importing an XML Entity into the Repository” (<http://edocs.bea.com/wli/docs70/studio/ch4.htm>), the bold text is added to step 2:

In the Name field, enter a unique name for the entity you are adding, **including the .xsl suffix**.

This issue was reported as CR092339.

Update to Binary to XML Translation

In *Translating Data with WebLogic Integration* in “Binary to XML” (<http://e-docs.bea.com/wli/docs70/diuser/runtime.htm>), Listing 6-1, line 17 changes from:

```
String xml = wlxt.getXMLText(doc, 0, 2);
```

to

```
String encoding =  
    wlxt.extractEncodingFromXMLSource(mflDocumentName);  
String xmlText = wlxt.stringDOM(doc, 0, 2, encoding);
```

This issue was reported as CR092574.

Clarification to Updating the System Password

In *Starting, Stopping, and Customizing BEA WebLogic Integration* in “Updating the System Password” (<http://edocs.bea.com/wli/docs70/config/custom.htm>), change step 2 from:

Select Users from the navigation tree to open the Users page

to

Select Users from the Compatibility Security node in the navigation tree to open the Users page.

This issue was reported as CR090973.

Addition to Administering Business Calendars

In *Using the WebLogic Integration Studio* in “Administering Business Calendars” (<http://edocs.bea.com/wli/docs70/studio/ch3.htm>), add the following note:

Note: When using timed nodes, business calendars are only used when using `BUS_HOURS` and `BUS_DAYS` for time calculations. Using other time intervals results in using a default calendar.

This issue was reported as CR120058.

Installation

This section discusses WebLogic Integration 7.0 SP6 installation and migration and includes the following topics:

- Full Installation
- Upgrade Installation
- Migration

Full Installation

WebLogic Integration 7.0 SP6 uses the standard BEA WebLogic Platform installer. No changes to the full installation procedure were made for WebLogic Integration 7.0 SP6.

Upgrade Installation

An upgrade installer is provided that allows you to update an existing WebLogic Integration installations as follows:

- WebLogic Integration 7.0 to WebLogic Integration 7.0 SP6
- WebLogic Integration 7.0 SP1 to WebLogic Integration 7.0 SP6
- WebLogic Integration 7.0 SP2 to WebLogic Integration 7.0 SP6
- WebLogic Integration 7.0 SP4 to WebLogic Integration 7.0 SP6

WebLogic Integration 7.0 SP6 uses the standard BEA upgrade installer which overlays an existing installation after backing up user-modifiable files. For instructions on performing a service pack upgrade, see *Installing WebLogic Platform* at the following URL:

<http://edocs.bea.com/platform/docs70/install/index.html>

When migrating an existing database from WebLogic Integration 7.0 or 7.0 SPx to WebLogic Integration 7.0 SP6, you must update the BPM database for the File Plug-In. For more information, see “[Updating the BPM Database Table](#)” in *Using the File Plug-In* at the following URL:

<http://edocs.bea.com/wli/docs70/fileplug/fileplua.htm>

RDBMS Adapter

The RDBMS adapter, previously available as a download from the dev2dev web site is now packaged with WebLogic Integration 7.0 SP6. The adapter ear file is located in `<INTEGRATION_HOME>/adapters/rdbms/lib` and the adapter database scripts are located in `<INTEGRATION_HOME>/adapters/rdbms/scripts`.

Migration

The following migration paths are available:

- Migrating Domains Created Using the Configuration Wizard
- Migrating From WebLogic Integration 7.0 SP2 or Earlier Versions

Migrating Domains Created Using the Configuration Wizard

When migrating existing domains created using the Configuration Wizard in WebLogic Integration 7.0, please see “Migrating Domains Created Using the Configuration Wizard” in the *WebLogic Platform 7.0 Service Pack 6 Release Notes* at the following URL:

<http://edocs.bea.com/platform/docs70/relnotes/relnotes.html>

Migrating From WebLogic Integration 7.0 SP2 or Earlier Versions

The following information applies when migrating from WebLogic Integration 7.0, WebLogic Integration 7.0 SP1, or WebLogic Integration 7.0 SP2 to WebLogic Integration 7.0 SP6.

To migrate to the JSP Worklist, see “Migrating to the JSP Worklist” in *Using the WebLogic Integration JSP Worklist* at the following URL:

<http://edocs.bea.com/wli/docs70/jspwlist/ch5.htm>

The following information applies when migrating from WebLogic Integration 7.0 or WebLogic Integration 7.0 SP1 to WebLogic Integration 7.0 SP6.

To migrate to File Plug-in, see “Configuring File Plug-in for a Migrated Domain” in *Using the File Plug-in* at the following URL:

<http://edocs.bea.com/wli/docs70/fileplug/fileplua.htm>

XT Run-time Classes Removed from wlicommon.jar

In WebLogic Integration 7.0 SP2, the XT run-time classes were removed from the `wlicommon.jar`. Any client depending on these classes from the `wlicommon.jar` will need to use these classes from the `wlxtprt.jar`. This change was necessary to remove certain EJB interfaces from the server classpath.

In some special situations, this might cause a few workflow executions to fail with a `NoClassDefFound` error. This will happen in situations where the workflows are using regular Java class Business Operations to do XT actions. In these cases, the WebLogic Integration server classpath needs to be modified to include the `wlxtrt.jar`.

RosettaNet Schema Changes

Starting with WebLogic Integration 7.0 SP2, WebLogic Integration uses the latest RNIF 2.0 specification. If you are using WebLogic Integration 7.0 SP1 or earlier, you should update the following RosettaNet schema for your existing domains:

`RN2GlobalBusinessSignalCode.xsd`

To update this schema, copy the schema released with this version of WebLogic Integration to those domains. The `RN2GlobalBusinessSignalCode` schema is located in the following directory:

`BEA_HOME\weblogic700\integration\lib\xmlschema\rosettanet`

In the preceding line, `BEA_HOME` represents the WebLogic Platform home.

Using WebLogic Integration with Oracle XA

This section tells you how to configure WebLogic Integration for use with an Oracle XA database. For information about supported database types, see Supported Platforms at the following URL:

http://edocs.bea.com/platform/suppconfigs/configs70/70_over/overview.html

Changes Required For XA

To setup your domain to use XA, perform the following steps:

- Step 1: Edit the Start Server Scripts

-
- Step 2: Edit the Setenv Scripts
 - Step 3: Enable XA on the Database Server
 - Step 4: Edit Database Scripts
 - Step 5: Edit config.xml
 - Step 6: Edit fileRealm.properties

Step 1: Edit the Start Server Scripts

You must enable XA for WebLogic Integration. Add the following option to the `startWeblogic` and `startManagedWeblogic` scripts in all domains in which you want to use XA:

```
-Dbea.eci.repository.useXa=true
```

Step 2: Edit the Setenv Scripts

You must set your environment to use the correct driver version. If you are unsure of the compatibility between the Oracle client, driver, and server, see “Oracle client/driver/server version compatibility (For non-XA and XA)” on page 39.

Edit the `setenv` script according to the type of driver used: Oracle thin driver or WebLogic `JDriver`. `JDriver` is supported for Microsoft `SQLServer` only.

ORACLE THIN DRIVER (FOR NON-XA AND XA)

Depending on the version of Oracle client used, copy `classes12.zip` from the applicable directory and place it in `WL_HOME\server\lib`:

```
WL_HOME\server\ext\jdbc\oracle\817  
WL_HOME\server\ext\jdbc\oracle\901  
WL_HOME\server\ext\jdbc\oracle\920
```

WEBLOGIC JDRIVER (FOR NON-XA AND XA)

Edit the `setenv` script (`BEA_HOME\weblogic700\integration\setenv`) to reflect the correct driver version (`oci817_8`, `oci901_8`, or `oci920_8`). Once the correct version of the `oci` directory is specified, the `setenv` script sets `PATH` (Windows systems) or `LIBRARY_PATH` (non-Windows systems) to include the correct `oci` directory under one of the following directories:

■ Windows

```
WL_HOME/bin/oci817_8
WL_HOME/bin/oci901_8
WL_HOME/bin/oci920_8
```

■ Solaris

```
WL_HOME/lib/solaris/oci817_8
WL_HOME/lib/solaris/oci901_8
WL_HOME/lib/solaris/oci920_8
```

Note: If you do not use the `setenv` script supplied with WebLogic Integration, manually set the following path specifications to point to the correct `oci` directory:

Windows

```
set
PATH=%WL_HOME%\server\bin\oci_driver_version;%ORACLE_HOME%\bin;%PATH%
```

Solaris

```
$ export LD_LIBRARY_PATH=
$WL_HOME/server/lib/solaris/oci_driver_version:
$ORACLE_HOME/lib:$LD_LIBRARY_PATH
```

ORACLE CLIENT/DRIVER/SERVER VERSION COMPATIBILITY (FOR NON-XA AND XA)

This section describes the compatibility considerations between the Oracle client, driver, and server.

Oracle Thin Driver

- You do *not* need the Oracle client installed on the machine where WebLogic Server and WebLogic Integration run. If the Oracle client is installed on the same machine, the version of Oracle client is ignored.
- For WebLogic Server 7.0 SP6, the default `type 4` driver for Oracle is 10g. This includes a patch from Oracle to address multi-byte character issues. This file is located in `WL_HOME/server/lib/classes12.zip`.

Weblogic jDriver

You *must* install the Oracle client on the machine where WebLogic Server and WebLogic Integration run.

Step 3: Enable XA on the Database Server

To ensure that XA is enabled on the database server, log on to `sqlplus` as system user and grant the select privilege of `DBA_PENDING_TRANSACTIONS` to public.

ORACLE 8.1.7 DATABASE SERVER

```
>sqlplus sys/sys_password@TNSNAME
SQL> grant select on DBA_PENDING_TRANSACTIONS to public;
```

ORACLE 9i DATABASE SERVER

```
$sqlplus /nolog
SQL> connect sys/sys_password@TNSNAME as sysdba
SQL> grant select on DBA_PENDING_TRANSACTIONS to public;
```

Step 4: Edit Database Scripts

The `wlconfig (switchdb)` script does not work with XA databases. Depending on the JDBC non-XA driver used, set `DB_URL` and `DB_DRIVER` to specify your non-XA driver. Before making any XA-related changes in the `config.xml` file, run the `wlconfig (switchdb)` script with the correct JDBC driver information.

ORACLE THIN DRIVER

```
DB_URL=jdbc:oracle:thin:@(description=(address=(host=
<ORACLE_HOST>) (protocol=tcp) (port=<ORACLE_PORT>))
(connect_data=(sid=<ORACLE_SID>)))

DB_DRIVER=oracle.jdbc.driver.OracleDriver
```

WEBLOGIC JDRIVER

For WebLogic jDriver, the server properties are set within the `DB_URL` definition. This style of definition must be used to allow the bulkloader to operate correctly.

```
DB_URL=jdbc:weblogic:oracle:(description=(address=
(host=<ORACLE_HOST>) (protocol=tcp) (port=<ORACLE_PORT>))
(connect_data=(sid=<ORACLE_SID>)))
```

```
DB_DRIVER=weblogic.jdbc.oci.Driver
```

Step 5: Edit config.xml

After running the `wliconfig (switchdb)` script with the correct driver information, modify the `config.xml` file as described in the following steps. Depending on the domains you use, you may need to add fewer JDBC connection pools for XA. For example, the BPM domain requires two JDBC connection pools while the WLI domain requires three pools.

Note: Be sure to make a backup of `config.xml` before you begin modifying it.

1. Create a non-XA `jmsPool` by selecting the existing non-XA `wliPool` and changing its name to `jmsPool`.

For information on why JMS uses a non-XA pool, see
<http://edocs.bea.com/wls/docs70/faq/jms.html>

2. Add a new XA pool (`wliPool`) for BPM.
 - a. Copy the entire `JDBCConnectionPool` element from `jmsPool` and paste it into the `config.xml` file.
 - b. Change the `DriverName` property to
`oracle.jdbc.xa.client.OracleXADataSource` (XA Oracle thin driver) or
`weblogic.jdbc.oci.xa.XADataSource` (XA WebLogic jDriver).
 - c. Change the `Name` property to `wliPool`.
3. Add a new XA pool (`wliPool2`) for B2B.
 - a. Copy the entire `JDBCConnectionPool` element from `wliPool` and paste it into the `config.xml` file.
 - b. Modify the `Name` property to `wliPool2`.

The following sample shows `jDriver` driver entries for three JDBC connection pools, one each for JMS, BPM, and B2B.

```
<JDBCConnectionPool CapacityIncrement="2"  
DriverName="oracle.jdbc.driver.OracleDriver"  
InitialCapacity="8" LoginDelaySeconds="1" MaxCapacity="36"  
Name="jmsPool" Properties="user=scott;password=tiger"  
RefreshMinutes="0" ShrinkPeriodMinutes="15"  
ShrinkingEnabled="true" Targets="mycluster"
```

```
URL="jdbc:oracle:thin:@(description=(address=(host=quandary)
(protocol=tcp) (port=1521)) (connect_data=(sid=quandary9i)))"/>
```

Or

```
<JDBCConnectionPool CapacityIncrement="2"
DriverName="weblogic.jdbc.oci.Driver"
InitialCapacity="8" LoginDelaySeconds="1" MaxCapacity="36"
Name="jmsPool"
Properties="user=scott;password=tiger;server=quandary9i"
RefreshMinutes="0" ShrinkPeriodMinutes="15"
ShrinkingEnabled="true"
Targets="mycluster"
URL="jdbc:weblogic:oracle"/>
```

Both styles of URL definition work for a non-XA WebLogic jDriver. If you use the second style, you must manually add the server property in `Properties` after the `wlconfig` (`switchdb`) script is executed.

If you are upgrading from an earlier version, and have your own `JDBCConnectionPools` defined, you just need to add the following attribute to all `JDBCConnectionPool` nodes that use an XA Driver:

```
XAPreparedStatementCacheSize="0"
```

Note: No URL is needed for WebLogic jDriver XA driver. You must add the server property in `Properties`.

The following sample shows Oracle thin driver entries for three JDBC connection pools, one each for JMS, BPM, and B2B.

```
<JDBCConnectionPool CapacityIncrement="2"
DriverName="weblogic.jdbc.oci.Driver"
InitialCapacity="8" LoginDelaySeconds="1" MaxCapacity="36"
Name="jmsPool" Properties="user=scott;password=tiger"
RefreshMinutes="0" ShrinkPeriodMinutes="15"
ShrinkingEnabled="true"
Targets="mycluster"
URL="jdbc:oracle:thin:@(description=(address=(host=quandary)
(protocol=tcp) (port=1521)) (connect_data=(sid=quandary9i)))"/>

<JDBCConnectionPool CapacityIncrement="2"
DriverName="oracle.jdbc.xa.client.OracleXADataSource"
InitialCapacity="8" LoginDelaySeconds="1" MaxCapacity="36"
Name="wliPool" Properties="user=scott;password=tiger"
RefreshMinutes="0" ShrinkPeriodMinutes="15"
ShrinkingEnabled="true" Targets="mycluster"
URL="jdbc:oracle:thin:@(description=(address=(host=quandary)
```

```
(protocol=tcp) (port=1521)) (connect_data=(sid=quadary9i))) "
XAPreparedStatementCacheSize="0"/>

<JDBCConnectionPool CapacityIncrement="2"
DriverName="oracle.jdbc.xa.client.OracleXADataSource"
InitialCapacity="8" LoginDelaySeconds="1" MaxCapacity="36"
Name="wliPool12" Properties="user=scott;password=tiger"
RefreshMinutes="0" ShrinkPeriodMinutes="15"
ShrinkingEnabled="true"
Targets="mycluster"
URL="jdbc:oracle:thin:@(description=(address=(host=quandary)
(protocol=tcp) (port=1521)) (connect_data=(sid=quadary9i)))
XAPreparedStatementCacheSize="0"/>
```

4. Change JDBCTxDataSource for WLCHub.DS to use wliPool12.

```
<JDBCTxDataSource EnableTwoPhaseCommit="true"
JNDIName="WLCHub.DS" Name="WLCHub.DS"
PoolName="wliPool12" Targets="myserver"/>
```

Leave the JDBCTxDataSource property as specified, with the JNDI name as com.bea.wlpi.TXDataSource and the pool name as wliPool.

```
<JDBCTxDataSource EnableTwoPhaseCommit="true"
JNDIName="com.bea.wlpi.TXDataSource"
Name="TXDataSource" PoolName="wliPool" Targets="myserver"/>
```

5. Change all JMSJDBCStore properties to use jmsPool as the connection pool instead of wliPool.

```
<JMSJDBCStore Name="JMSWLISore" ConnectionPool="jmsPool"
PrefixName="SPOKE__user1"/>
```

6. For the JDBCDataSource, leave WLAI_DataSource as the JNDI name, but change the pool name to jmsPool.

```
<JDBCDataSource JNDIName="WLAI_DataSource"
Name="WLAI_DataSource"
PoolName="jmsPool" Targets="myserver"/>
```

7. Add the following line to the wlai.properties file located in <domain>/wlai.

```
wlai.repositoryDatasourceName=com.bea.wlpi.TXDataSource
```

Step 6: Edit fileRealm.properties

Add ACL properties to the new JDBC connection pools in the fileRealm.properties file located in your domain directory. You need to add the following ACL properties for each new pool:

```
acl.reset.weblogic.jdbc.connectionPool
acl.reserve.weblogic.jdbc.connectionPool
acl.shrink.weblogic.jdbc.connectionPool
```

For example, to add properties for `jmsPool` and `wliPool2` (note that `wliPool` already exists), add the following ACLs:

```
acl.reset.weblogic.jdbc.connectionPool.wliPool2=wlcSamplesUser,
wliSystem,admin

acl.reset.weblogic.jdbc.connectionPool.jmsPool=wlcSamplesUser,
wliSystem,admin

acl.reserve.weblogic.jdbc.connectionPool.wliPool2=wliSystem,
everyone

acl.reserve.weblogic.jdbc.connectionPool.jmsPool=wliSystem,
everyone

acl.shrink.weblogic.jdbc.connectionPool.wliPool2=
wlcSamplesUser,wliSystem,admin

acl.shrink.weblogic.jdbc.connectionPool.jmsPool=wlcSamplesUser,
wliSystem,admin
```

Considerations and Limitations

Do not run the `wliconfig (switchdb)` script after editing `config.xml` to use an XA database. Running the `switchdb` script overwrites some properties with default non-XA values. You should check `config.xml` to see if the XA information is correct before starting the server.

To run samples with XA using the existing `RunSamples` script:

1. Run the existing `RunSamples` script (non-XA values).
2. Make the changes described in “Step 2: Edit the Setenv Scripts” on page 38 through Step 6: Edit `fileRealm.properties`.
3. Edit `SAMPLES_HOME/integration/samples/lib/RunSamples.xml` as follows so that it does not invoke the `switchdb` script when the `RunSamples` script is executed.

```
<target name="SwitchDB"
  description="Switch database">
  <echo message="SKIPPING SWITCHDB!!!!!!"/>
</target>
```

4. Run the RunSamples script.

XA Recovery Setup

To ensure that XA recovery works properly, perform the following steps:

1. While logged in as sysdba, grant permission to the following dba tables:

```
SQL> grant all on dba_2pc_pending to public;
SQL> grant all on dba_pending_transactions to public;
SQL> grant all on dba_2pc_neighbors to public;
```

2. Make sure that the dba_2pc_pending table is empty. If transactions exist, remove them according to the *Oracle System Administration Guide*.

3. The Execute Thread count on each server to be smaller than the max JDBC connection pool setting for the XA driver.

4. For jDriver XA on Solaris, to avoid a JVM crash, use the following properties for the XA connection pool and add TestConnectionsOnReserve="true" TestTableName="dual" for all JDBC connection pools. For example:

```
<JDBCConnectionPool CapacityIncrement="2"
  DriverName="weblogic.jdbc.oci.Driver"
  InitialCapacity="8" LoginDelaySeconds="1" MaxCapacity="36"
  Name="jmsPool"
  Properties="user=scott;password=tiger"
  RefreshMinutes="0" ShrinkPeriodMinutes="15"
  ShrinkingEnabled="true"
  Targets="WLI_CLUSTER"
  TestConnectionsOnReserve="true" TestTableName="dual"
  URL="jdbc:weblogic:oracle:(description=(address=(host=quadary)
    (protocol=tcp)(port=1521))(connect_data=sid=quadary9i))"/>
```

```
<JDBCConnectionPool CapacityIncrement="2"
  DriverName="weblogic.jdbc.oci.xa.XADataSource"
  InitialCapacity="8" LoginDelaySeconds="1" MaxCapacity="36"
  Name="wliPool"
  Properties="oracleXATrace=false;user=scott;
openString=Oracle_XA+Acc=P
/scott/tiger+SesTm=43200+DB=quandary9i+Threads=true
+SqlNet=quandary9i+LogDir=.
+DbgFl=0x0;password=stiger;dataSourceName=TXDataSource;
ocixaDebugLevel=;server=quandary9i"
  RefreshMinutes="0" ShrinkPeriodMinutes="15"
```

```
ShrinkingEnabled="true" Targets="WLI_CLUSTER"  
TestConnectionsOnReserve="true" TestTableName="dual"/>
```

5. If you encounter problems when using the Oracle Thin/XA Driver9.2.0 with the Oracle 9.2.0 database and transactions, see CR094209 in the “[jDriver Known Issues](#)” in the *Release Notes* for BEA WebLogic Server 7.0 at the following URL:

<http://edocs.bea.com/wls/docs70/notes/issues.html>

6. In the JTA setting in the config.xml file, the TimeoutSeconds attribute should be set to a reasonably small value depending on the applications.
7. In the XA JDBCConnectionPool, add three parameters:
 - XASetTransactionTimeout, set to true
 - XATransactionTimeout, set to be a value greater than JTA.TimeoutSeconds attribute
 - KeepXAConnTillTXComplete, set to true