



BEA WebLogic Personal Messaging API™

Supported Configurations Guide

Copyright

Copyright © 1995-2006 BEA Systems, Inc. All Rights Reserved.

Restricted Rights Legend

This software is protected by copyright, and may be protected by patent laws. No copying or other use of this software is permitted unless you have entered into a license agreement with BEA authorizing such use. This document is protected by copyright and may not be copied photocopied, reproduced, translated, or reduced to any electronic medium or machine readable form, in whole or in part, without prior consent, in writing, from BEA Systems, Inc.

Information in this document is subject to change without notice and does not represent a commitment on the part of BEA Systems. THE DOCUMENTATION IS PROVIDED “AS IS” WITHOUT WARRANTY OF ANY KIND INCLUDING WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. FURTHER, BEA SYSTEMS DOES NOT WARRANT, GUARANTEE, OR MAKE ANY REPRESENTATIONS REGARDING THE USE, OR THE RESULTS OF THE USE, OF THE DOCUMENT IN TERMS OF CORRECTNESS, ACCURACY, RELIABILITY, OR OTHERWISE.

Trademarks and Service Marks

Copyright © 1995-2006 BEA Systems, Inc. All Rights Reserved. BEA, BEA JRockit, BEA WebLogic Portal, BEA WebLogic Server, BEA WebLogic Workshop, Built on BEA, Jolt, JoltBeans, SteelThread, Top End, Tuxedo, and WebLogic are registered trademarks of BEA Systems, Inc. BEA AquaLogic, BEA AquaLogic Data Services Platform, BEA AquaLogic Enterprise Security, BEA AquaLogic Service Bus, BEA AquaLogic Service Registry, BEA Builder, BEA Campaign Manager for WebLogic, BEA eLink, BEA Liquid Data for WebLogic, BEA Manager, BEA MessageQ, BEA WebLogic Commerce Server, BEA WebLogic Communications Platform, BEA WebLogic Enterprise, BEA WebLogic Enterprise Platform, BEA WebLogic Enterprise Security, BEA WebLogic Express, BEA WebLogic Integration, BEA WebLogic Java Adapter for Mainframe, BEA WebLogic JDriver, BEA WebLogic Log Central, BEA WebLogic Network Gatekeeper, BEA WebLogic Personalization Server, BEA WebLogic Personal Messaging API, BEA WebLogic Platform, BEA WebLogic Portlets for Groupware Integration, BEA WebLogic Server Process Edition, BEA WebLogic SIP Server, BEA WebLogic WorkGroup Edition, Dev2Dev, Liquid Computing, and Think Liquid are trademarks of BEA Systems, Inc. BEA Mission Critical Support, BEA Mission Critical Support Continuum, and BEA SOA Self Assessment are service marks of BEA Systems, Inc.

All other names and marks are property of their respective owners.

Table of Contents

Supported Configurations

Supported Configurations for Microsoft Exchange (using Exchange Service)	1
Supported Configurations for Microsoft Exchange (using WebDAV)	2
Supported Configurations for Lotus Domino (using Domino Service)	3

Supported Configurations

Supported Configurations for Microsoft Exchange (using Exchange Service)

[Table 1](#) contains a list of the supported Operating Systems (OS), the Active Directory, and the MAPI subsystem for Microsoft Exchange using Exchange Service.

Table 1 Supported Configurations for Microsoft Exchange Using Exchange Service

	OS	Active Directory	MAPI Subsystem
MS Exchange 5.5 SP4	Windows 2000 SP4	Windows 2000 SP4	5.5 Admin
MS Exchange 5.5 SP4	Windows 2000 SP4	Windows 2000 SP4	2000 Admin
MS Exchange 5.5 SP4	Windows 2000 SP4	Windows 2000 SP4	2003 Admin
MS Exchange 2000	Windows 2000 SP4	Windows 2000 SP4	5.5 Admin
MS Exchange 2000	Windows 2000 SP4	Windows 2000 SP4	2000 Admin
MS Exchange 2000	Windows 2000 SP4	Windows 2000 SP4	2003 Admin
MS Exchange 2000	Windows 2000 SP4	Windows 2003 SP1	5.5 Admin
MS Exchange 2000	Windows 2000 SP4	Windows 2003 SP1	2000 Admin
MS Exchange 2000	Windows 2000 SP4	Windows 2003 SP1	2003 Admin

	OS	Active Directory	MAPI Subsystem
MS Exchange 2003	Windows 2003 SP1	Windows 2003 SP1	5.5 Admin
MS Exchange 2003	Windows 2003 SP1	Windows 2003 SP1	2000 Admin
MS Exchange 2003	Windows 2003 SP1	Windows 2003 SP1	2003 Admin

For all configurations and versions, Administrative tools are the minimal requirement for the MAPI subsystem.

The following service packs are recommended for the MAPI subsystem:

- 5.5 Admin – Service Pack 4
- 2000 Admin – Service Pack 3 + Post-SP3 Update Rollup
- 2003 Admin – Service Pack 1

Supported Configurations for Microsoft Exchange (using WebDAV)

[Table 2](#) contains a list of the supported OS and the Active Directory for Microsoft Exchange using WebDAV.

Table 2 Supported Configurations for Microsoft Exchange Using WebDAV

	OS	Active Directory
MS Exchange 2000 SP3+Rollup	Windows 2000 SP4	Windows 2000 SP4
MS Exchange 2000 SP3+Rollup	Windows 2000 SP4	Windows 2003 SP1
MS Exchange 2003 SP1	Windows 2003 SP1	Windows 2003 SP1
MS Exchange 2000 SP3+Rollup FE/BE	Windows 2000 SP4	Windows 2000 SP4
MS Exchange 2003+SP1 FE/BE	Windows 2003 SP1	Windows 2003 SP1

FE – Front-end server

BE – Back-end server

Supported Configurations for Lotus Domino (using Domino Service)

[Table 3](#) contains a list of the supported OS for Lotus Domino using the Domino Service.

Table 3 Supported Configurations for Lotus Domino Using Domino Service

	OS
Lotus Domino R5	Windows NT SP4
Lotus Domino R5	Windows 2000 Server SP3
Lotus Domino R5	RedHat Linux 8.0
Lotus Domino R6	Windows NT SP6a
Lotus Domino R6	Windows 2000 Server SP3
Lotus Domino R6	Windows 2003 Server
Lotus Domino R6	RedHat ES 4.0*
Lotus Domino R6	RedHat Linux 8.0
Lotus Domino R6.5	Windows NT SP6a
Lotus Domino R6.5	Windows 2003 Server SP3
Lotus Domino R6.5	Windows 2003 Server
Lotus Domino R6.5	RedHat ES 4.0*
Lotus Domino R6.5	RedHat Linux 8.0
Lotus Domino R7	Windows 2000 Server SP4
Lotus Domino R7	Windows 2003 Server
Lotus Domino R7	RedHat ES 4.0*
Lotus Domino R7	RedHat Linux 8.0

* Used with "compat-libstdc++-33-3.2.3.i386.rpm" installed.

Supported Configurations