

# Oracle® Solaris Cluster Data Service for Oracle Web Tier Guide

Copyright © 2012, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS. Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle America, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

---

Ce logiciel et la documentation qui l'accompagne sont protégés par les lois sur la propriété intellectuelle. Ils sont concédés sous licence et soumis à des restrictions d'utilisation et de divulgation. Sauf disposition de votre contrat de licence ou de la loi, vous ne pouvez pas copier, reproduire, traduire, diffuser, modifier, breveter, transmettre, distribuer, exposer, exécuter, publier ou afficher le logiciel, même partiellement, sous quelque forme et par quelque procédé que ce soit. Par ailleurs, il est interdit de procéder à toute ingénierie inverse du logiciel, de le désassembler ou de le décompiler, excepté à des fins d'interopérabilité avec des logiciels tiers ou tel que prescrit par la loi.

Les informations fournies dans ce document sont susceptibles de modification sans préavis. Par ailleurs, Oracle Corporation ne garantit pas qu'elles soient exemptes d'erreurs et vous invite, le cas échéant, à lui en faire part par écrit.

Si ce logiciel, ou la documentation qui l'accompagne, est concédé sous licence au Gouvernement des Etats-Unis, ou à toute entité qui délivre la licence de ce logiciel ou l'utilise pour le compte du Gouvernement des Etats-Unis, la notice suivante s'applique:

U.S. GOVERNMENT RIGHTS. Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle America, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

Ce logiciel ou matériel a été développé pour un usage général dans le cadre d'applications de gestion des informations. Ce logiciel ou matériel n'est pas conçu ni n'est destiné à être utilisé dans des applications à risque, notamment dans des applications pouvant causer des dommages corporels. Si vous utilisez ce logiciel ou matériel dans le cadre d'applications dangereuses, il est de votre responsabilité de prendre toutes les mesures de secours, de sauvegarde, de redondance et autres mesures nécessaires à son utilisation dans des conditions optimales de sécurité. Oracle Corporation et ses affiliés déclinent toute responsabilité quant aux dommages causés par l'utilisation de ce logiciel ou matériel pour ce type d'applications.

Oracle et Java sont des marques déposées d'Oracle Corporation et/ou de ses affiliés. Tout autre nom mentionné peut correspondre à des marques appartenant à d'autres propriétaires qu'Oracle.

Intel et Intel Xeon sont des marques ou des marques déposées d'Intel Corporation. Toutes les marques SPARC sont utilisées sous licence et sont des marques ou des marques déposées de SPARC International, Inc. AMD, Opteron, le logo AMD et le logo AMD Opteron sont des marques ou des marques déposées d'Advanced Micro Devices. UNIX est une marque déposée d'The Open Group.

Ce logiciel ou matériel et la documentation qui l'accompagne peuvent fournir des informations ou des liens donnant accès à des contenus, des produits et des services émanant de tiers. Oracle Corporation et ses affiliés déclinent toute responsabilité ou garantie expresse quant aux contenus, produits ou services émanant de tiers. En aucun cas, Oracle Corporation et ses affiliés ne sauraient être tenus pour responsables des pertes subies, des coûts occasionnés ou des dommages causés par l'accès à des contenus, produits ou services tiers, ou à leur utilisation.

# Contents

---

<b>Preface</b> .....	5
<b>1 Installing and Configuring HA for Oracle Web Tier</b> .....	9
Planning the Installation and Configuration .....	9
Overview of the Installation and Configuration Process for HA for Oracle Web Tier .....	10
Installing and Configuring Oracle Web Tier Software .....	10
▼ How to Install and Configure the Oracle Web Tier Software and Resources .....	11
Installing the HA for Oracle Web Tier Package .....	16
▼ How to Install the HA for Oracle Web Tier Package .....	16
Registering and Configuring HA for Oracle Web Tier Components .....	17
▼ How to Register and Configure HA for Oracle Web Tier .....	17
How to Verify Data Service Installation and Configuration .....	22
Tuning the HA for Oracle Web Tier Fault Monitors .....	22
Operations by the HA for Oracle Web Tier Fault Monitors .....	23
Actions in Response to Faults .....	24
Upgrading the HA for Oracle Web Tier Resource Types .....	24
Information for Registering the New Resource Type Version .....	25
Information for Migrating Existing Instances of the Resource Type .....	25
<b>A HA for Oracle Web Tier Extension Properties</b> .....	27
ORCL.ohs Extension Properties .....	27
ORCL.opmn Extension Properties .....	29
<b>Index</b> .....	33



# Preface

---

*Oracle Solaris Cluster Data Service for Oracle Web Tier Guide* explains how to install and configure Oracle Solaris Cluster data services.

---

**Note** – This Oracle Solaris Cluster release supports systems that use the SPARC and x86 families of processor architectures. In this document, “x86” refers to the larger family of x86 compatible products. Information in this document pertains to all platforms unless otherwise specified.

---

This document is intended for system administrators with extensive knowledge of Oracle software and hardware. Do not use this document as a planning or presales guide. Before reading this document, you should have already determined your system requirements and purchased the appropriate equipment and software.

The instructions in this book assume knowledge of the Oracle Solaris Operating System and expertise with the volume-manager software that is used with Oracle Solaris Cluster software.

Bash is the default shell for Oracle Solaris 11. Machine names shown with the Bash shell prompt are displayed for clarity.

## Using UNIX Commands

This document contains information about commands that are specific to installing and configuring Oracle Solaris Cluster data services. The document does *not* contain comprehensive information about basic UNIX commands and procedures, such as shutting down the system, booting the system, and configuring devices. Information about basic UNIX commands and procedures is available from the following sources:

- Online documentation for the Oracle Solaris Operating System
- Oracle Solaris Operating System man pages
- Other software documentation that you received with your system

## Typographic Conventions

The following table describes the typographic conventions that are used in this book.

TABLE P-1 Typographic Conventions

Typeface	Description	Example
AaBbCc123	The names of commands, files, and directories, and onscreen computer output	Edit your <code>.login</code> file. Use <code>ls -a</code> to list all files. <code>machine_name% you have mail.</code>
<b>AaBbCc123</b>	What you type, contrasted with onscreen computer output	<code>machine_name% su</code> Password:
<i>aabbcc123</i>	Placeholder: replace with a real name or value	The command to remove a file is <code>rm filename</code> .
<i>AaBbCc123</i>	Book titles, new terms, and terms to be emphasized	Read Chapter 6 in the <i>User's Guide</i> . <i>A cache</i> is a copy that is stored locally. Do <i>not</i> save the file. <b>Note:</b> Some emphasized items appear bold online.

## Shell Prompts in Command Examples

The following table shows the default UNIX system prompt and superuser prompt for shells that are included in the Oracle Solaris OS. Note that the default system prompt that is displayed in command examples varies, depending on the Oracle Solaris release.

TABLE P-2 Shell Prompts

Shell	Prompt
Bash shell, Korn shell, and Bourne shell	\$
Bash shell, Korn shell, and Bourne shell for superuser	#
C shell	machine_name%
C shell for superuser	machine_name#

## Related Documentation

Information about related Oracle Solaris Cluster topics is available in the documentation that is listed in the following table. All Oracle Solaris Cluster documentation is available at <http://www.oracle.com/technetwork/indexes/documentation/index.html>.

Topic	Documentation
Hardware installation and administration	<i>Oracle Solaris Cluster 4.0 Hardware Administration Manual</i> Individual hardware administration guides
Concepts	<i>Oracle Solaris Cluster Concepts Guide</i>
Software installation	<i>Oracle Solaris Cluster Software Installation Guide</i>
Data service installation and administration	<i>Oracle Solaris Cluster Data Services Planning and Administration Guide</i> and individual data service guides
System administration	<i>Oracle Solaris Cluster System Administration Guide</i> <i>Oracle Solaris Cluster Quick Reference</i>
Software upgrade	<i>Oracle Solaris Cluster Upgrade Guide</i>
Error messages	<i>Oracle Solaris Cluster Error Messages Guide</i>
Command and function references	<i>Oracle Solaris Cluster Reference Manual</i> <i>Oracle Solaris Cluster Data Services Reference Manual</i> <i>Oracle Solaris Cluster Geographic Edition Reference Manual</i> <i>Oracle Solaris Cluster Quorum Server Reference Manual</i>

## Related Third-Party Web Site References

Third-party URLs that are referenced in this document provide additional related information.

**Note** – Oracle is not responsible for the availability of third-party web sites mentioned in this document. Oracle does not endorse and is not responsible or liable for any content, advertising, products, or other materials that are available on or through such sites or resources. Oracle will not be responsible or liable for any actual or alleged damage or loss caused or alleged to be caused by or in connection with use of or reliance on any such content, goods, or services that are available on or through such sites or resources.

## Access to Oracle Support

Oracle customers have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

## Getting Help

If you have problems installing or using Oracle Solaris Cluster, contact your service provider and provide the following information.

- Your name and email address (if available)
- Your company name, address, and phone number
- The model number and serial number of your systems
- The release number of the operating environment (for example, Oracle Solaris 11)
- The release number of Oracle Solaris Cluster (for example, Oracle Solaris Cluster 4.0)

Use the following commands to gather information about your system for your service provider.

Command	Function
<code>prtconf -v</code>	Displays the size of the system memory and reports information about peripheral devices
<code>psrinfo -v</code>	Displays information about processors
<code>pkg list</code>	Reports which packages are installed
<code>prtdiag -v</code>	Displays system diagnostic information
<code>/usr/cluster/bin/clnode show-rev</code>	Displays Oracle Solaris Cluster release and package version information for each node

Also have available the contents of the `/var/adm/messages` file.



# Installing and Configuring HA for Oracle Web Tier

---

This chapter describes the steps to install and configure Oracle Solaris Cluster HA for Oracle Web Tier (HA for Oracle Web Tier) on your Oracle Solaris Cluster servers.

This chapter contains the following sections:

- “Planning the Installation and Configuration” on page 9
- “Overview of the Installation and Configuration Process for HA for Oracle Web Tier” on page 10
- “Installing and Configuring Oracle Web Tier Software” on page 10
- “Installing the HA for Oracle Web Tier Package” on page 16
- “Registering and Configuring HA for Oracle Web Tier Components” on page 17
- “Tuning the HA for Oracle Web Tier Fault Monitors” on page 22
- “Upgrading the HA for Oracle Web Tier Resource Types” on page 24

You can configure HA for Oracle Web Tier as a failover data service. See Chapter 1, “Planning for Oracle Solaris Cluster Data Services,” in *Oracle Solaris Cluster Data Services Planning and Administration Guide* and the *Oracle Solaris Cluster Concepts Guide* document for an overview of failover and scalable data services.

Bash is the default shell for Oracle Solaris 11. Machine names shown with the Bash shell prompt are displayed for clarity.

## Planning the Installation and Configuration

Have available the following information before you install HA for Oracle Web Tier:

- The path to the application binaries. You can install the binaries on the local disks, on a highly available local file system, on the cluster file system, or on a Network Attached Storage (NAS) device. See “Configuration Guidelines for Oracle Solaris Cluster Data Services” in *Oracle Solaris Cluster Data Services Planning and Administration Guide* for a discussion of the advantages and disadvantages of each location.

- Whether to host the Oracle Web Tier `htdocs` subdirectory on a highly available local file system, a cluster file system, or a NAS device.
- The names of the resource groups and resources you will create.
- The names of the nodes that will master the data service. The nodes can be physical machines or the nodes that form a zone cluster.
- The logical hostname that clients use to access the data service. You typically set up this IP address when you install the cluster. See the *Oracle Solaris Cluster Concepts Guide* for details on network resources.

## Overview of the Installation and Configuration Process for HA for Oracle Web Tier

The table below lists the sections that describe the installation and configuration tasks.

TABLE 1-1 Task Map: Installing and Configuring HA for Oracle Web Tier

Task	Instructions
Install and configure the Oracle Web Tier software	<a href="#">“Installing and Configuring Oracle Web Tier Software” on page 10</a>
Install the HA for Oracle Web Tier packages	<a href="#">“Installing the HA for Oracle Web Tier Package” on page 16</a>
Configure and start HA for Oracle Web Tier	<a href="#">“Registering and Configuring HA for Oracle Web Tier Components” on page 17</a>
Tune the HA for Oracle Web Tier fault monitor	<a href="#">“Tuning the HA for Oracle Web Tier Fault Monitors” on page 22</a>

## Installing and Configuring Oracle Web Tier Software

To install the Oracle Web Tier software, perform the following procedure.

See Oracle Web Tier documentation for standard installation instructions. Contact your Oracle sales representative for a complete list of Oracle Web Tier versions that are supported with the Oracle Solaris Cluster software.

## ▼ How to Install and Configure the Oracle Web Tier Software and Resources

To install the Oracle Web Tier software, you must first create your chosen shared storage and logical host resources. Once complete, you must install an Oracle Fusion Middleware (FMW) environment before you install and configure the Oracle Web Tier software.

When you configure the Oracle Web Tier components as a failover service, you place the Oracle Process Management and Notification Server (OPMN) resource, the Oracle HTTP Server resource, and the network resource in a single resource group.

When a highly available local file system is used to store either the `htdocs`, or the `htdocs` and Oracle Web Tier software, then an `HAStoragePlus` storage resource is also placed in the failover resource group. Alternatively, when a cluster file system is used in a zone cluster, or when a NAS device is used, then a storage resource is placed in a separate scalable resource group.

- Before You Begin**
- Verify that all the network addresses that you use have been added to your name-service database.

You should have performed this verification during your initial Oracle Solaris Cluster installation. See the planning chapter in the [Oracle Solaris Cluster Software Installation Guide](#) for details.

---

**Note** – To avoid failures because of name-service lookup, verify that all the network addresses are present in the `/etc/inet/hosts` file on all of the cluster nodes. Configure the name service mapping by using the `svccfg -s svc:/system/name-service/switch` command. Ensure that the `config/host` entry is configured to first check the local files before accessing NIS, NIS+, or DNS.

---

### 1 Create an Oracle Solaris user account to own the Oracle Fusion Middleware and Oracle Web Tier software.

Perform this step on all nodes that host the service. The user and group IDs for the account must be consistent on all nodes.

### 2 Create a failover resource group to hold the network and application resources.

This resource group contains both network and failover application resources. If a highly available local file system is used to store the `htdocs` and application binaries directories, then the resource group also contains an `HAStoragePlus` storage resource.

Optionally, you can specify with the `-n` option the set of nodes on which the data service can run.

```
# clresourcegroup create [-n node-zone-list] resource-group
```

*resource-group*

Specifies the name of the failover resource group to add. This name can be your choice but must be unique for the resource groups within the cluster.

[ -n *node-list*]

Specifies a comma-separated, ordered list of nodes that can master this resource group.

This list is optional. If you omit this list, the global zone of each cluster node can master the resource group.

### 3 Bring the failover resource group online.

```
# clresourcegroup online -emM resource-group
```

*resource-group*

Specifies the name of the failover resource group.

### 4 Add a logical hostname network resource to the failover resource group that you created in [Step 2](#).

This is the hostname that clients will use to connect to the Oracle HTTP Server component.

```
# clreslogicalhostname create -g resource-group \  
-h hostname[,...] [-N netiflist] resource
```

-h *hostname,...*

Specifies a comma-separated list of network resources to add.

*resource-group*

Specifies the name of the failover resource group that you created in [Step 2](#).

*resource*

Specifies a resource name. If you do not supply your choice for a resource name, the name of the network resource defaults to the first name that is specified after the -h option.

-N *netiflist*

Specifies an optional, comma-separated list that identifies the IPMP groups that are on each node. The format of each entry in the list is *netif@node*. The replaceable items in this format are as follows:

*netif* Specifies an IPMP group name, such as *sc\_ipmp0*, or a public network interface card (NIC). If you specify a public NIC, Oracle Solaris Cluster attempts to create the required IPMP groups.

*node* Specifies the name or ID of a node.

---

**Note** – If you require a fully qualified hostname, you must specify the fully qualified name with the -h option and you cannot use the fully qualified form in the resource name.

---

---

**Note** – Oracle Solaris Cluster does not currently support using the adapter name for `netif`.

---

## 5 Configure the storage resources.

- If you are storing the Oracle HTTP Server `htdocs` directory on a highly available local file system or on a cluster file system in the global zone, create a storage resource in the application failover resource group.

```
# clresource create -g resource-group \  
-t SUNW.HASStoragePlus \  
{-p FileSystemMountPoints=mount-point,... | -p Zpools=zpool,...} \  
resource
```

*resource-group*

Specifies the name of the failover resource group that you created in [Step 2](#).

-p *FileSystemMountPoints mount-point-list*

Specifies a comma-separated list of file system mount points to add.

-p *Zpools zpool-list*

Specifies a comma-separated list of zpools to add.

*resource*

Specifies a resource name.

- If you are storing the Oracle HTTP Server `htdocs` and application binaries directories on a NAS mounted file system or on a cluster file system in a zone cluster, create a scalable resource group to contain the storage resource.

### a. Create a scalable resource group to contain the storage resource.

```
# clresourcegroup create [-n node-zone-list] \  
-p Maximum primaries=m \  
-p Desired primaries=n \  
resource-group
```

*resource-group*

Specifies the name of the scalable service resource group to add.

-p *Maximum primaries=*m**

Specifies the maximum number of active primary nodes allowed for this resource group. If you do not assign a value to this property, the default is 1.

-p *Desired primaries=*n**

Specifies the desired number of active primary nodes allowed for this resource group. If you do not assign a value to this property, the default is 1.

-n *node-list*

Specifies a comma-separated, ordered list of nodes that can master this resource group. The format of each entry in the list is *node*.

This list is optional. If you omit this list, the global zone of each cluster node can master the resource group.

**b. Add a storage resource to the scalable resource group that you created in Step a.**

For example, an HAStoragePlus resource to manage a cluster file system that is to be mounted in a zone cluster is added as follows:

```
# clresource create -g resource-group \  
-t SUNW.HAStoragePlus \  
-p FileSystemMountPoints=mount-point \  
resource
```

*resource-group*

Specifies the name of the scalable resource group that you created in Step a.

```
-p FileSystemMountPoints mount-point
```

Specifies a comma-separated list of file system mount points to add.

*resource*

Specifies a resource name.

**c. Bring the scalable resource group online.**

```
# clresourcegroup online -emM resource-group
```

*resource-group*

Specifies the name of the scalable resource group.

**6 As the software owner created in Step 1, use the Oracle Fusion Middleware 11g installation media to install the Oracle WebLogic Server software.**

---

**Note** – Do not yet run quickstart or configure the software.

---

**7 As the software owner, use the Oracle Web Tier installation media to install the software only.**

**a. When prompted, run the createCentralInventory.sh script to create the central inventory.**

**b. If the software has been installed centrally, do the following:**

**i. When the installation is complete, switch the resource group containing the software to the other nodes that can host the service.**

**ii. Rerun the createCentralInventory.sh script to create the required directories in the /var hierarchy on the other nodes.**

**8 If necessary, update the Oracle Web Tier software with the latest Service Repository Updates (SRUs) and security fixes.**

9 As the software owner, create an Oracle WebLogic Administration Server component for the domain.

a. To ensure that the Enterprise Manager GUI uses the logical hostname, set the following environment variables.

```
$ export LD_PRELOAD_32=$LD_PRELOAD_32:/usr/cluster/lib/libschost.so.1
$ export LD_PRELOAD_64=$LD_PRELOAD_64:/usr/cluster/lib/64/libschost.so.1
$ export SC_LHOSTNAME=logical-hostname
```

b. Create the component.

```
$ cd /FMW-Home/Web-Tier-Home/common/bin
$ ./config.sh
```

10 If you want to make the Oracle WebLogic Administration Server component highly available, create the necessary resource groups and resources to control it.

11 As the software owner, create the Oracle HTTP Server component instance.

a. To ensure that the Enterprise Manager GUI uses the logical hostname, set the following environment variables.

```
$ export LD_PRELOAD_32=$LD_PRELOAD_32:/usr/cluster/lib/libschost.so.1
$ export LD_PRELOAD_64=$LD_PRELOAD_64:/usr/cluster/lib/64/libschost.so.1
$ export SC_LHOSTNAME=logical-hostname
```

b. Create the component instance.

```
$ cd /FMW-Home/Web-Tier-Home/bin
$ ./config.sh
```

---

**Note** – You can create both HTTP and Web Cache instances, but the HA for Oracle Web Tier only currently supports the HTTP instances. Observe the following requirements for HTTP instances:

- When you are prompted to provide the instance name and the instance subdirectory, the instance name and the final component of the instance subdirectory must be the same. For example, if the Oracle Web Tier instance is named *myinst1*, then the corresponding directory for that instance must be of the form */FMW-Home/Web-Tier-Home/instances/myinst1*.
- The Oracle HTTP Server instance name must be the same on all nodes.

Failure to meet these requirements will result in validation failures when attempting to create an Oracle HTTP Server resource.

---

12 Manually stop the Oracle HTTP Server and Oracle Process Management and Notification Server instances.

```
$ cd /FMW-Home/Web-Tier-Home/instances/Instance-Name/bin
$ ./opmnctl stopall
```

**13 Edit the http.conf file.**

```
$ cd /FMW-Home/Web-Tier-Home/instances/Instance-Name/config/OHS/Component-Instance-Name
$ vi http.conf
```

Ensure that the file contains a line of the following form, where *Logical-Hostname* is the logical hostname resource that you created in [Step 4](#):

```
Listen Logical-Hostname:Port
```

**See Also** The following sections provide examples of this procedure, as used in conjunction with the procedure to register and configure HA for Oracle Web Tier component resources:

- [Example 1-1](#)
- [Example 1-2](#)

## Installing the HA for Oracle Web Tier Package

If you did not install the HA for Oracle Web Tier package during your initial Oracle Solaris Cluster installation, perform this procedure to install the package.

### ▼ How to Install the HA for Oracle Web Tier Package

Perform this procedure on each cluster node where you want the HA for Oracle Web Tier software to run.

- 1 **On the cluster node where you are installing the data service package, become superuser.**
- 2 **Ensure that the solaris and ha-cluster publishers are valid.**

```
# pkg publisher
PUBLISHER          TYPE    STATUS  URI
solaris            origin online  solaris-repository
ha-cluster         origin online  ha-cluster-repository
```

For information about setting the solaris publisher, see “[Set the Publisher Origin To the File Repository URI](#)” in *Copying and Creating Oracle Solaris 11 Package Repositories*.

- 3 **Install the HA for Oracle Web Tier software package.**

```
phys-schost# pkg install ha-cluster/data-service/oracle-http-server \
ha-cluster/data-service/oracle-pmn-server
```

- 4 **Verify that the package installed successfully.**

```
phys-schost% pkg info ha-cluster/data-service/oracle-http-server \
ha-cluster/data-service/oracle-pmn-server
```

Installation is successful if output shows that State is Installed.



## 5 Perform any necessary updates to the Oracle Solaris Cluster software.

For instructions on updating single or multiple packages, see [Chapter 11, “Updating Your Software,”](#) in *Oracle Solaris Cluster System Administration Guide*.

# Registering and Configuring HA for Oracle Web Tier Components

The sections that follow contain instructions for registering and configuring the HA for Oracle Web Tier component resources. For information about the extension properties, see [Appendix A, “HA for Oracle Web Tier Extension Properties.”](#) The Tunable entry indicates when you can update a property.

See the `rt_properties(5)`, `r_properties(5)`, and `rg_properties(5)` man pages for details on all of the Oracle Solaris Cluster extension properties.

To set an extension property of a resource, include the following option in the `cl` resource command that creates or modifies the resource:

`-p property=value`

`-p property`

Identifies the extension property that you are setting.

`value`

Specifies the value to which you are setting the extension property.

You can also use the procedures in [Chapter 2, “Administering Data Service Resources,”](#) in *Oracle Solaris Cluster Data Services Planning and Administration Guide* to configure resources after the resources are created.

## ▼ How to Register and Configure HA for Oracle Web Tier

Complete the registration and configuration on any cluster member.

- 1 On a cluster member, become superuser or assume a role that provides `solaris.cluster.admin` and `solaris.cluster.modify` RBAC authorization.

- 2 Register the `ORCL.ohs` and `ORCL.opmn` resource types for the data service.

```
# clresource_type register ORCL.ohs ORCL.opmn
```

### 3 Create the application resources in the application failover resource group.

You must create two resources in the application failover resource group, one for the Oracle Process Management and Notification Server component and one for the Oracle HTTP Server component.

#### a. Create the Oracle Process Management and Notification Server resource.

```
# clresource create -g resource-group
-t ORCL.opmn \
-p Oracle_home=ORACLE_HOME-path \
-p Instance_Name=instance-name \
[-p Debug_level=debug-level] \
[-p Resource_project_name=project-name] \
[-p Resource_dependencies_offline_restart=offline-restart-resource-dependencies[,...]] \
resource
```

*resource-group*

Specifies the name of the failover resource group created in [Step 2 of How to Install and Configure the Oracle Web Tier Software and Resources](#).

-p Oracle\_home=*ORACLE\_HOME-path*

Specifies the absolute path to the Oracle Web Tier software installation. This is normally a subdirectory of the Oracle Fusion Middleware installation.

-p Instance\_Name=*instance-name*

Specifies the OPMN instance name that was supplied when the Oracle Web Tier software was configured. The default value is `instance1`.

-p Debug\_level=*debug-level*

An optional property that specifies the amount of debugging information produced by the resource and fault probe. The default value is `0` which results in no debugging output.

-p Resource\_project\_name=*project-name*

An optional property that specifies the project under which the OPMN resource should run. The default value is the project called `default`.

All processes that are started by the OPMN resource inherit this project setting. This includes any Oracle HTTP server that is started by OPMN. Consequently, for any OHS resource that is dependent on an OPMN resource, the value of the `Resource_project_name` property that is set for the OHS resource must be identical to the value that is set for the OPMN resource or left as the default.

-p Resource\_dependencies\_offline\_restart=*resource-dependencies-offline-restart[,...]*

An optional property that specifies a comma-separated list of resources on which this resource has an offline restart dependency. This list must include a dependency on the storage resource created in [Step 5 of How to Install and Configure the Oracle Web Tier Software and Resources](#), with the exception of configurations where a cluster file system is used in the global zone. Furthermore, the storage resource dependency must have `{local_node}` scope.

**b. Create the Oracle HTTP Server (OHS) resource.**

```
# clresource create -g resource-group \
-t ORCL.ohs \
-p Component_instance=component-instance-name \
[-p Debug_level=debug-level] \
-p Resource_dependencies=ohs-lh \
-p Resource_dependencies_offline_restart=opmn-rs \
resource
```

*resource-group*

Specifies the name of the failover resource group created in [Step 2 of How to Install and Configure the Oracle Web Tier Software and Resources](#).

-p Component\_instance=*component-instance-name*

Specifies the name of the Oracle HTTP Server component instance that is under the control of the Oracle Process Management and Notification Server component configured in [Step a](#). The default value is ohs1.

-p Debug\_level=*debug-level*

An optional property that specifies the amount of debugging information produced by the resource and fault probe. The default value is 0 which results in no debugging output.

-p Resource\_dependencies=*ohs-lh*

Specifies the logical hostname resource created in [Step 4 of How to Install and Configure the Oracle Web Tier Software and Resources](#), on which this resource has a dependency.

-p Resource\_dependencies\_offline\_restart=*opmn-rs*

Specifies a dependency with {local\_node} scope on the Oracle Process Management and Notification Server resource created in [Step a](#), on which this resource has an offline-restart dependency.

**Example 1-1 Registering HA for Oracle Web Tier on a Highly Available Local File System**

This example shows how to register an Oracle Web Tier service that uses a highly available local file system on a two-node cluster. The following are the sample names used in the commands:

Node names

phys-schost-1, phys-schost-2

Zpool name (for highly available local file systems)

ohspool

Logical hostname

schost-1

Resource group (for all of the resources)

ohs-rg

Logical hostname resource

ohs-lh-rs

HAStoragePlus storage resource

ohs-hasp-rs

Oracle HTTP Server component resource

ohs-rs

Oracle Process Management and Notification Server component resource

opmn-rs

*Add a failover resource group to contain all of the resources*

```
# clresourcegroup create ohs-rg
```

*Bring the failover resource group online*

```
# clresourcegroup online -emM ohs-rg
```

*Add the logical hostname resource to the failover resource group*

```
# clreslogicalhostname create -g ohs-rg -h schost-1 ohs-lh-rs
```

*Register the HAStoragePlus resource type, if it is not already registered*

```
# clresourcetype register SUNW.HAStoragePlus
```

*Register the Oracle HTTP Server resource type*

```
# clresourcetype register ORCL.ohs
```

*Register the Oracle Process Management and Notification Server resource type*

```
# clresourcetype register ORCL.opmn
```

*Add the HAStoragePlus resource to the failover resource group*

```
# clresource create -g ohs-rg \  
-t SUNW.HAStoragePlus -p Zpools=ohspool ohs-hasp-rs
```

*Install and configure the Oracle Web Tier software*

*Add the Oracle Process Management and Notification Server component resource to the failover resource group*

```
# clresource create -g ohs-rg \  
-t ORCL.opmn -p Oracle_home=/ohspool/Oracle/Middleware/Oracle_WT1 \  
-p Instance_name=myinstance \  
-p Resource_dependencies_offline_restart=ohs-hasp-rs{local_node} opmn-rs
```

*Add the Oracle HTTP Server component resource to the failover resource group*

```
# clresource create -g ohs-rg \  
-t ORCL.ohs -p Component_instance=myohs \  
-p Resource_dependencies=ohs-lh-rs \  
-p Resource_dependencies_offline_restart=opmn-rs{local_node} ohs-rs
```

**Example 1-2** Registering HA for Oracle Web Tier on a Cluster File System

This example shows how to register an Oracle Web Tier service that uses a cluster file system in a zone cluster on a two-node cluster. The commands are run in the zone cluster and the zone cluster has been granted access to the logical host and cluster file system required. The following are the sample names used in the commands:

Node names

zchost-1, zchost-2

Cluster file system

/global/ohs

Logical hostname

zchost-lh-1

Resource group for the failover resources

ohs-rg

Resource group for the cluster file system resource

stor-rg

Logical hostname resource

ohs-lh-rs

HAStoragePlus storage resource

ohs-hasp-rs

Oracle HTTP Server component resource

ohs-rs

Oracle Process Management and Notification Server component resource

opmn-rs

*Add a failover resource group to contain the failover resources*

```
# clresourcegroup create ohs-rg
```

*Bring the failover resource group online*

```
# clresourcegroup online -emM ohs-rg
```

*Add a scalable resource group to contain the storage resource*

```
# clresourcegroup create -S -p Maximum primaries=2 -p Desired primaries=2 stor-rg
```

*Register the HAStoragePlus resource type, if it is not already registered*

```
# clresourcetype register SUNW.HAStoragePlus
```

*Add the HAStoragePlus resource to the scalable resource group*

```
# clresource create -g stor-rg \  
-t SUNW.HAStoragePlus -p FileSystemMountPoints=/global/ohs ohs-hasp-rs
```

*Bring the scalable resource group online*

```
# clresourcegroup online -emM stor-rg

    Add the logical hostname resource to the failover resource group
# clreslogicalhostname create -g ohs-rg -h zchost-lh-1 ohs-lh-rs

    Register the Oracle HTTP Server resource type
# clresourcetype register ORCL.ohs

    Register the Oracle Process Management and Notification Server resource type
# clresourcetype register ORCL.opmn

    Install and configure the Oracle Web Tier software

    Add the Oracle Process Management and Notification Server component resource to the failover
    resource group
# clresource create -g ohs-rg \
-t ORCL.opmn -p Oracle_home=/ohspool/Oracle/Middleware/Oracle_WT1 \
-p Instance_name=myinstance \
-p Resource_dependencies_offline_restart=ohs-haspr-{local_node} opmn-rs

    Add the Oracle HTTP Server component resource to the failover resource group
# clresource create -g ohs-rg \
-t ORCL.ohs -p Component_instance=myohs \
-p Resource_dependencies=ohs-lh-rs \
-p Resource_dependencies_offline_restart=opmn-rs-{local_node} ohs-rs
```

## How to Verify Data Service Installation and Configuration

After you configure HA for Oracle Web Tier, verify that you can open a web page with the network resources (logical hostname) and port number from a web browser. Perform a switchover with the `clresourcegroup` command to verify that the service continues to run on a secondary node and can be switched back to the original primary.

## Tuning the HA for Oracle Web Tier Fault Monitors

The HA for Oracle Web Tier fault monitors are contained in the resources whose resource types are `ORCL.ohs` and `ORCL.opmn`.

System properties and extension properties of the resource control the behavior of the fault monitor. The default values of these properties determine the default behavior of the fault monitor. The default behavior should be suitable for most Oracle Solaris Cluster installations. Therefore, you should tune the HA for Oracle Web Tier fault monitors *only* if you need to modify this default behavior.

Tuning the HA for Oracle Web Tier fault monitors involves the following tasks:

- Setting the interval between fault monitor probes
- Setting the timeout for fault monitor probes
- Defining the criteria for persistent faults
- Specifying the failover behavior of a resource

Information about the HA for Oracle Web Tier fault monitor that you need to perform these tasks is provided in the subsections that follow.

Tune the HA for Oracle Web Tier fault monitor when you register and configure HA for Oracle Web Tier or after initial configuration. For more information, see [“Registering and Configuring HA for Oracle Web Tier Components” on page 17](#).

Updates to the `probe_timeout`, `start_timeout`, `stop_timeout`, and `thorough_probe_interval` properties result in comparable updates in the `opmn.xml` file.

For detailed information, see [“Tuning Fault Monitors for Oracle Solaris Cluster Data Services” in \*Oracle Solaris Cluster Data Services Planning and Administration Guide\*](#).

## Operations by the HA for Oracle Web Tier Fault Monitors

The two resource types, `ORCL.ohs` and `ORCL.opmn`, contain separate fault probes that query the health of the Oracle HTTP Server and Oracle Process Management and Notification Server components, respectively.

### Operations by the Oracle Process Management and Notification Server Fault Monitor

The `ORCL.opmn` fault probe for the Oracle Process Management and Notification Server component performs the following steps:

- Checks that the `opmnctl` command exists in the `/ORACLE-HOME/instances/INSTANCE-NAME/bin` directory, and that the script is executable.
- Checks that the `opmn.xml` file is valid by using the following command:
 

```
$ opmnctl validate
```
- If either of these two checks fail, then an attempt is made to fail over (give over) the service to another node.
- If both checks succeed, then the command `opmnctl ping` is run.
  - If this command succeeds, the resource status is set to OK and the probe returns with an exit code of 0.

- If this command fails, the resource status is set to `FAULTED` and the probe returns with an exit code of `100`, causing the resource to attempt to restart.

## Operations by the Oracle HTTP Server Fault Monitor

Because the Oracle HTTP Server component is under the control of Oracle Process Management and Notification Server component, the `ORCL.ohs` fault probe obtains the status of the Oracle HTTP Server component from the Oracle Process Management and Notification Server component. This is done in two stages:

- Checks that an Oracle HTTP Server component with type `OHS` is found in the output of the following command:

```
$ opmnctl status ias-component=COMPONENT-INSTANCE -noheaders -fmt "%typ"
```

- Checks that the Oracle HTTP Server component is reported as `ALIVE` by the following command:

```
$ opmnctl status ias-component=COMPONENT-INSTANCE -noheaders -fmt "%sta"
```

If the fault probe is successful, the resource status is set to `OK` and the probe returns with an exit code of `0`. If the fault probe fails, the resource status is set to `FAULTED` and the probe returns with an exit code of `100`, causing the resource to attempt to restart.

---

**Note** – If the Oracle HTTP Server component is used as a load-balancer through the `mod_wl_ohs` plugin, then the Oracle Process Management and Notification Server component can declare that the Oracle HTTP Server component is `DOWN` if none of the load-balancing targets are available. In these circumstances, the fault probe for the Oracle HTTP Server component attempts to restart the service. You can avoid such behavior by creating a dependency between the load-balancer resource and the target resources.

---

## Actions in Response to Faults

Based on the history of failures, a failure can cause either a local restart or a failover of the data service. For detailed information, see [“Tuning Fault Monitors for Oracle Solaris Cluster Data Services”](#) in *Oracle Solaris Cluster Data Services Planning and Administration Guide*.

## Upgrading the HA for Oracle Web Tier Resource Types

Upgrade the `ORCL.ohs` and `ORCL.ohs` resource types if the following conditions apply:

- You are upgrading from an earlier version of the HA for Oracle Web Tier data service.
- You need to use the new features of this data service.



For general instructions that explain how to upgrade a resource type, see “[Upgrading a Resource Type](#)” in *Oracle Solaris Cluster Data Services Planning and Administration Guide*. The information that you require to complete the upgrade of the ORCL.ohs and ORCL.ohs resource types is provided in the subsections that follow.

## Information for Registering the New Resource Type Version

The relationship between a resource type version and the release of Oracle Solaris Cluster data services is shown in the following table. The release of Oracle Solaris Cluster data services indicates the release in which the version of the resource type was introduced.

Resource Type Version	Oracle Solaris Cluster Data Services Release
1	4.0

To determine the version of the resource type that is registered, use the `cl_resourcetype show` command.

The resource type registration (RTR) files for the ORCL.ohs and ORCL.opmn resource types are `/opt/ORCLscohs/etc/ORCL.ohs` and `/opt/ORCLscopmn/etc/ORCL.opmn`, respectively.

## Information for Migrating Existing Instances of the Resource Type

The information that you require to edit each instance of the ORCL.ohs or ORCL.opmn resource type is as follows:

- You can perform the migration at any time.
- If you need to use the features of a newer version of the HA for Oracle Web Tier data service, the required value of the `Type_version` property will be greater than that of the initial release, that is 1.

The following example shows a command for modifying an instance of the ORCL.ohs resource type.

**EXAMPLE 1-3** Migrating Instances of the ORCL.ohs Resource Type

```
# cl_resource set -p Type_version=2 ohs-rs
```

This command modifies the ORCL.ohs resource named `ohs-rs` as follows:

- The `Type_version` property of this resource is set to the value of a (hypothetical) newer release 2.



## HA for Oracle Web Tier Extension Properties

---

The following sections describe the extension properties for the following resource types:

- “[ORCL.ohs Extension Properties](#)” on page 27
- “[ORCL.opmn Extension Properties](#)” on page 29

These resource types represent the two components of the Oracle Web Tier application in a Oracle Solaris Cluster configuration.

For details about system-defined properties, see the [r\\_properties\(5\)](#) man page and the [rg\\_properties\(5\)](#) man page.

### ORCL.ohs Extension Properties

The extension properties of the ORCL.ohs resource type are as follows:

#### Child\_mon\_level

Child monitoring level for the process monitoring facility (PMF). This property is inherited from the SUNW.gds resource type and should not be changed.

**Data type** Integer  
**Default** -1  
**Tunable** When disabled.

#### Component\_instance

The name of the Oracle HTTP Server instance listed in the `opmnctl` output.

**Data type** String  
**Default** ohs1  
**Tunable** When disabled.

**Debug\_level**

Determines the amount of debug information produced.

<b>Data type</b>	Integer
<b>Default</b>	0
<b>Per node</b>	True
<b>Range</b>	0 – 2
<b>Tunable</b>	At any time.

**Failover\_enabled**

Determines whether to failover when `retry_count` is exceeded during `retry_interval`.

<b>Data type</b>	Boolean
<b>Default</b>	True
<b>Tunable</b>	When disabled.

**Log\_level**

Determines the log level for event based traces.

<b>Data type</b>	Enum
<b>Default</b>	NONE
<b>Range</b>	NONE, INFO, or ERR
<b>Tunable</b>	At any time.

**Monitor\_retry\_count**

The number of times that the process monitor facility (PMF) restarts the fault monitor during the time window that the `Monitor_retry_interval` property specifies. This property refers to restarts of the fault monitor itself rather than to the resource. The system-defined properties `Retry_interval` and `Retry_count` control restarting of the resource.

<b>Data type</b>	Integer
<b>Default</b>	4
<b>Range</b>	0 - 2147483647  -1 indicates an infinite number of retry attempts.
<b>Tunable</b>	At any time

**Monitor\_retry\_interval**

The time (in minutes) over which failures of the fault monitor are counted. If the number of times that the fault monitor fails exceeds the value that is specified in the extension property `Monitor_retry_count` within this period, the PMF does not restart the fault monitor.

<b>Data type</b>	Integer
------------------	---------

<b>Default</b>	2
<b>Range</b>	0 – 2147483647
	- 1 indicates an infinite retry interval.
<b>Tunable</b>	At any time

**Network\_aware**

Determines whether the application uses network. This property is inherited from the SUNW.gds resource type and should not be changed.

<b>Data type</b>	Boolean
<b>Default</b>	False
<b>Tunable</b>	At creation.

**Probe\_timeout**

The timeout value (in seconds) that the fault monitor uses to probe the resource.

<b>Data type</b>	Integer
<b>Default</b>	90
<b>Range</b>	0 – 2147483641
<b>Tunable</b>	At any time.

**Stop\_signal**

The signal sent to the application for being stopped.

<b>Data type</b>	Integer
<b>Default</b>	15 (SIGTERM)
<b>Range</b>	1 (SIGHUP) to 37 (SIGLOST)
<b>Tunable</b>	When disabled.

## ORCL.opmn Extension Properties

**Child\_mon\_level**

Child monitoring level for the process monitoring facility (PMF). This property is inherited from the SUNW.gds resource type and should not be changed.

<b>Data type</b>	Integer
<b>Default</b>	-1
<b>Tunable</b>	When disabled.

**Debug\_level**

Determines the amount of debug information produced.

<b>Data type</b>	Integer
<b>Default</b>	0
<b>Per-node</b>	True
<b>Range</b>	0 - 2
<b>Tunable</b>	At any time.

**Failover\_enabled**

Determines whether to failover when `retry_count` is exceeded during `retry_interval`.

<b>Data type</b>	Boolean
<b>Default</b>	True
<b>Tunable</b>	When disabled.

**Instance\_name**

The instance name. A directory of this name must exist within the `ORACLE_HOME/instances` subdirectory.

<b>Data type</b>	String
<b>Default</b>	instance1
<b>Tunable</b>	When disabled.

**Log\_level**

Determines the log level for event based traces.

<b>Data type</b>	Enum
<b>Default</b>	NONE
<b>Range</b>	NONE, INFO, or ERR
<b>Tunable</b>	At any time.

**Monitor\_retry\_count**

The number of times that the process monitor facility (PMF) restarts the fault monitor during the time window that the `Monitor_retry_interval` property specifies. This property refers to restarts of the fault monitor itself rather than to the resource. The system-defined properties `Retry_interval` and `Retry_count` control restarting of the resource.

<b>Data type</b>	Integer
<b>Default</b>	4
<b>Range</b>	0 - 2147483647

-1 indicates an infinite number of retry attempts.

**Tunable** At any time

#### Monitor\_retry\_interval

The time (in minutes) over which failures of the fault monitor are counted. If the number of times that the fault monitor fails exceeds the value that is specified in the extension property Monitor\_retry\_count within this period, the PMF does not restart the fault monitor.

**Data type** Integer

**Default** 2

**Range** 0 – 2147483647

-1 indicates an infinite retry interval.

**Tunable** At any time

#### Network\_aware

Determines whether the application uses network. This property is inherited from the SUNW.gds resource type and should not be changed.

**Data type** Boolean

**Default** False

**Tunable** At creation.

#### Oracle\_home

The absolute path of the ORACLE\_HOME of the Oracle Web Tier component of Oracle Fusion Middleware.

**Data type** String

**Default** No default value.

**Tunable** When disabled.

#### Probe\_timeout

The timeout value (in seconds) that the fault monitor uses to probe the resource.

**Data type** Integer

**Default** 90

**Range** 0 – 2147483641

**Tunable** At any time.

#### Stop\_signal

The signal sent to the application for being stopped.

**Data type** Integer

<b>Default</b>	15 (SIGTERM)
<b>Range</b>	1 (SIGHUP) to 37 (SIGLOST)
<b>Tunable</b>	When disabled.



# Index

---

## C

configuration planning, 9  
configuring, HA for Oracle Web Tier, 17–22

## E

extension properties  
ORCL.ohs resource type, 27–29  
ORCL.opmn resource type, 29–32

## F

fault monitor, HA for Oracle Web Tier, 22  
files, RTR, 25

## H

HA for Oracle Web Tier  
fault monitor, 22  
installing, 16–17  
registering and configuring, 17–22  
resource type versions, 25  
software package, installing, 16–17  
task map, 10  
HA for Oracle Web Tier software, verifying, 22  
help, 8

## I

installation planning, 9  
installing  
HA for Oracle Web Tier, 16–17  
Oracle Web Tier software, 10

## O

Oracle Solaris, publisher, 16  
Oracle Solaris Cluster, publisher, 16  
Oracle Web Tier software, installing, 10  
ORCL.ohs resource type, extension properties, 27–29  
ORCL.opmn resource type, extension properties, 29–32

## P

package, 16–17  
planning, 9  
properties  
*See also* extension properties  
Type\_version, 25  
publisher  
Oracle Solaris, 16  
Oracle Solaris Cluster, 16

## R

registering, HA for Oracle Web Tier, 17–22  
resource type registration (RTR) file, 25  
resource types, extension properties, 27–32

RTR (resource type registration) file, 25

## **S**

software package, 16–17

system properties, effect on fault monitors, 22

## **T**

task map, HA for Oracle Web Tier, 10

technical support, 8

Type\_version property, 25

## **V**

verifying, HA for Oracle Web Tier installation, 22

versions, resource types, 25

## **W**

Web Tier, *See* Oracle Solaris Cluster HA for Oracle Web Tier