

Oracle® Fusion Middleware

Quick Installation Guide for Oracle Forms and Reports

11g Release 1 (11.1.1)

E12003-06

November 2011

This guide contains instructions for installing and configuring Oracle Forms and Reports on a single host using all the default values. Oracle HTTP Server and Forms and Reports Builder will also be installed.

Note: Although the installation media contains Oracle Portal, Forms, Reports and Discoverer, this document describes how to install and configure Oracle Forms and Reports only.

For information about installing Oracle Portal and Discoverer, refer to *Oracle Fusion Middleware Installation Guide for Oracle Portal, Forms, Reports and Discoverer*.

The following topics are covered:

- Section 1, "Installation Overview"
- Section 2, "Planning Your Installation"
- Section 3, "Obtaining The Software"
- Section 4, "Installing Oracle WebLogic Server and Creating the Middleware Home"
- Section 5, "Installing Oracle Forms and Reports"
- Section 6, "Patching Your Oracle Forms and Reports Installation"
- Section 7, "Configuring Oracle Forms and Reports"
- Section 8, "Verifying Your Oracle Forms and Reports Installation"
- Section 9, "Deinstalling Oracle Forms and Reports"
- Section 10, "Additional Resources"
- Section 11, "Documentation Accessibility"

1 Installation Overview

Figure 1 shows the order of the procedures you will need to follow:

Figure 1 Oracle Forms and Reports Quick Installation Flowchart





Table 1 provides additional information and links to specific documentation for each task in the flowchart.

Table 1 Oracle Forms and Reports Quick Installation Tasks and Descriptions

Tasks	Details and Documentation
Verify your system and network environment.	To verify that your system and network meet the minimum necessary requirements, see Section 2.1, "Verifying Your System and Network Environment". Make sure you also read and understand the installation types. See Section 2.2, "Understanding Installation Types".
Obtain the software.	See Section 3, "Obtaining The Software".
Install Oracle WebLogic Server.	Oracle Forms and Reports requires a Middleware home directory; this directory is created when you install Oracle WebLogic Server. See Section 4, "Installing Oracle WebLogic Server and Creating the Middleware Home".
Install Oracle Forms and Reports.	Install and configure Oracle Forms and Reports. See Section 5, "Installing Oracle Forms and Reports".
Patch Oracle Forms and Reports.	Run the Patch Set Installer to update your software to the latest version. See Section 6, "Patching Your Oracle Forms and Reports Installation".
Configure Oracle Forms and Reports.	Run the configuration tool to configure Oracle Forms and Reports in your domain. See Section 7, "Configuring Oracle Forms and Reports".
Verify your environment.	See Section 8, "Verifying Your Oracle Forms and Reports Installation".

Figure 2 illustrates the topology that will be created on your system at the conclusion of this procedure.

Figure 2 Completed Installation and Configuration Topology



2 Planning Your Installation

This section contains important information you should read prior to installing Oracle Forms and Reports. The following topics are covered:

- Section 2.1, "Verifying Your System and Network Environment"
- Section 2.2, "Understanding Installation Types"

2.1 Verifying Your System and Network Environment

To verify that your system environment meets the minimum requirements for installation, refer to the following documents, available on Oracle Technology Network (OTN):

- Oracle Fusion Middleware System Requirements and Specifications
This document contains information related to hardware and software requirements, minimum disk space and memory requirements, database schema requirements, and required system libraries, packages, or patches.
If you are installing on a DHCP server, non-networked computer, or multihomed computer, there are additional configuration steps that are required. These steps are also available in the system requirements document in the "Oracle Fusion Middleware System Configuration Requirements" section.
If you are installing on a Windows operating system and want to install and configure Java Access Bridge for Section 508 Accessibility, read the "Installing and Configuring Java Access Bridge" section in this document.
- Oracle Fusion Middleware Supported System Configurations
This page contains various certification documents for current and previous product releases. The *System Requirements and Supported Platforms for Oracle Fusion Middleware 11gR1* document contains certification information related to supported 32-bit and 64-bit operating systems, databases, web servers, LDAP servers, adapters, IPv6, JDKs, and third-party products.

- *Oracle Fusion Middleware Interoperability and Compatibility Guide*

This document covers the compatibility and interoperability issues that may arise when installing or upgrading Oracle Fusion Middleware 11g products.

2.2 Understanding Installation Types

The Oracle Portal, Forms, Reports and Discoverer installer will present you with two types of installation:

- **Install and Configure**

This option installs the product binaries in an Oracle home directory and creates and configures a working instance in an Oracle instance directory. The common product binaries are also copied to the `oracle_common` directory.

If you choose to install and configure Oracle Enterprise Manager during the installation and configuration process, you should be able to begin managing your products using the Administration Console or Enterprise Manager after the installation and configuration are completed.

- **Install Software - Do Not Configure**

This option only installs the software binaries in an Oracle home directory and the common product binaries in the `oracle_common` directory. You must then manually run the Configuration Tool from the `bin` directory inside your Oracle home to configure your components before you can use them. This option is commonly used to quickly create multiple instances of the software that share a common disk, or to install the software and immediately apply a patch set to the installation before the software is configured.

For more information about Oracle home and Oracle instance directories, refer to "Oracle Fusion Middleware Directory Structure" in *Oracle Fusion Middleware Installation Planning Guide*.

3 Obtaining The Software

Oracle provides multiple locations for downloading Oracle Fusion Middleware and the software it requires. For information about how to obtain your Oracle Fusion Middleware software, refer to "Select an Oracle Fusion Middleware Software Download Site" and "Download the Software Required for Your Starting Point" in the *Oracle Fusion Middleware Download, Installation, and Configuration ReadMe*.

To complete the scenario in this document, you will need to download the following software:

- The installer for the latest version of Oracle WebLogic Server
- The installer for Oracle Portal, Forms, Reports and Discoverer
- The Patch Set Installer for Oracle Portal, Forms, Reports and Discoverer

Make a note of the directory where you download each installer; you will need this information when it is time to run the installer for each product.

4 Installing Oracle WebLogic Server and Creating the Middleware Home

Oracle Forms and Oracle Reports requires Oracle WebLogic Server up and running on your system. If you do not already have Oracle WebLogic Server, follow the instructions in this section to download and install Oracle WebLogic Server:

- Section 4.1, "Downloading the WebLogic Server Installer"
- Section 4.2, "Starting the WebLogic Server Installer"
- Section 4.3, "Following the WebLogic Server Installation Screens and Instructions"

For more information about installing WebLogic Server, refer to *Oracle Fusion Middleware Installation Guide for Oracle WebLogic Server*.

4.1 Downloading the WebLogic Server Installer

Download the latest version of the Oracle WebLogic Server installer from Oracle Technology Network as described in Section 3, "Obtaining The Software".

The Oracle WebLogic Server installation program requires a Java run-time environment (JRE) to run. A JRE is bundled in the Windows 32-bit and Linux x86 installation programs, as well as in some UNIX installation programs (those with file names ending in `.bin`).

For other platforms, the installation program does not install a JDK. File names for these installation programs end in `.jar`. To run the `.jar` installation programs, you must have the appropriate version of the JDK installed on your system, and include the `bin` directory of the JDK at the beginning of the `PATH` variable definition. Refer to the *System Requirements and Supported Platforms for Oracle Fusion Middleware 11gR1* document on the Oracle Fusion Middleware Supported System Configurations page for a list of supported JDKs for your platform.

4.2 Starting the WebLogic Server Installer

Before starting the WebLogic Server installer, set the `DISPLAY` environment variable on your system.

To start the Oracle WebLogic Server installer in graphical mode, follow the instructions in the section that corresponds to your operating system:

- Section 4.2.1, "Starting the Installer on Windows Operating Systems"
- Section 4.2.2, "Starting the Installer on UNIX Operating Systems"
- Section 4.2.3, "Starting the `.jar` Installer on UNIX Operating Systems"
- Section 4.2.4, "Starting the Installer on 64-Bit Operating Systems Using 64-Bit JDK"

4.2.1 Starting the Installer on Windows Operating Systems

To start the installer on a Windows operating system, go to the directory where you downloaded the installation program and double-click the installation file. For example, for WebLogic Server 10.3.6, the name of the installation program for 32-bit Windows is `wls1036_win32.exe`.

4.2.2 Starting the Installer on UNIX Operating Systems

To start the installer on a UNIX operating system, go to the directory where you downloaded the installation program, then launch the installation by entering the following commands:

```
chmod a+x file_name
./file_name
```

Replace *file_name* with the name of your installation file. For example, for WebLogic Server 10.3.6, the name of the installer file for 32-bit Linux is `wls1036_linux32.bin`.

4.2.3 Starting the .jar Installer on UNIX Operating Systems

To start the installer for installation files with names ending in `.jar`, perform the following steps:

1. Add the `bin` directory of the appropriate JDK to the beginning of the `PATH` variable definition on the target system. For example:

```
PATH=$JAVA_HOME/bin:$PATH
export PATH
```

2. Go to the directory where you downloaded the installation program.
3. Launch the installation program by entering the following command:

```
java -jar wlsversion_generic.jar
```

4.2.4 Starting the Installer on 64-Bit Operating Systems Using 64-Bit JDK

If you are installing WebLogic Server on a 64-bit platform using a `.jar` installation program:

1. Include the `-d64` flag in the installation command when using a 32/64-bit hybrid JDK (such as for the HP-PA, HPIA, and Solaris64 platforms. For example:

```
java -d64 -jar wlsversion_generic.jar
```

2. Run the `JAVA_HOME/bin/java -version` (or `JAVA_HOME/bin/java -d64 -version` on 32/64-bit hybrid JDKs) command to ensure that your `JAVA_HOME` refers to a 64-bit JDK.

4.3 Following the WebLogic Server Installation Screens and Instructions

Follow the instructions provided on the WebLogic Server installation screens, as described in this section.

1. Welcome Screen
Click **Next**.
2. Choose Middleware Home Directory Screen

Select **Create a new Middleware Home**.

Specify the desired location of your new Middleware home directory. If this directory already exists on your system, it must be an empty directory. If this directory does not already exist, then it will be created for you.

Note: You must remember or make a note this location; you will be asked for it later when you are installing the software.

For more information about the Middleware home directory, refer to "Middleware Home and WebLogic Home Directories" in *Oracle Fusion Middleware Installation Planning Guide*.

Click **Next**.

3. Register for Security Updates Screen

Select whether or not you want to receive the latest product and security updates. If you choose not to receive anything, you will be asked to verify your selection before continuing.

Click **Next**.

4. Choose Install Type Screen

Select **Typical**.

Click **Next**.

5. Choose Product Installation Directories Screen

Specify the desired location for your WebLogic Server home directory.

For more information about the WebLogic home directory, refer to "Middleware Home and WebLogic Home Directories" in *Oracle Fusion Middleware Installation Planning Guide*.

Click **Next**.

6. Choose Shortcut Location (Windows only)

If you are installing on a Windows system, you will be asked to specify a location where you would like Windows to create a shortcut to Oracle products.

Click **Next**.

7. Installation Summary Screen

Click **Next**.

8. Installation Progress Screen

No action is required on this screen; the installer will automatically advance to the next screen when installation is complete.

9. Installation Complete Screen

De-select **Run Quickstart**.

Click **Done**.

5 Installing Oracle Forms and Reports

The instructions in this section describe how to install the latest version of Oracle Forms and Reports on a single host:

- Section 5.1, "Obtaining the Oracle Forms and Reports Software"
- Section 5.2, "Running the rootpre.sh Script on IBM AIX Operating Systems"

- Section 5.3, "Starting the Oracle Forms and Reports Installer"
- Section 5.4, "Following the Oracle Forms and Reports Installation Screens and Instructions"

5.1 Obtaining the Oracle Forms and Reports Software

Download the latest version of the Oracle Portal, Forms, Reports and Discoverer installer from Oracle Technology Network as described in Section 3, "Obtaining The Software".

After you download the archive file, unpack the archive file into a directory of your choice on the machine where you will be performing the installation.

5.2 Running the `rootpre.sh` Script on IBM AIX Operating Systems

If you are installing on an IBM AIX operating system, you must run the `rootpre.sh` script as the `root` user from the `Disk1` directory before you start the installer. The `rootpre.sh` script should be run only once on a system, to load the right kernel extensions required for Oracle Database or Oracle Fusion Middleware.

Once the installer is started on IBM AIX, the following message appears:

```
Answer 'y' if root has run 'rootpre.sh' so you can proceed with Oracle
installation.
```

```
Answer 'n' to abort installation and then ask root to run 'rootpre.sh'.
```

```
Has 'rootpre.sh' been run by root? [y/n] (n)
```

```
Answer 'y', if root has run 'rootpre.sh' so that you can proceed with Oracle
installation.
```

```
Answer 'n', to abort installation and then ask root to run 'rootpre.sh'.
```

To skip this message on systems where `rootpre.sh` has run before, set the `SKIP_ROOTPRE` environment variable to `TRUE`.

5.3 Starting the Oracle Forms and Reports Installer

To start the installer, go to the directory where you unpacked the archive file and switch to the `Disk1` directory.

On UNIX operating systems:

```
cd unpacked_archive_directory/Disk1
./runInstaller
```

Note: Starting the installer as `root` user is not supported.

On Windows operating systems:

```
cd unpacked_archive_directory\Disk1
setup.exe
```

In some cases (for example, if you are installing on an HP-UX system with a PA-RISC processor), the installer requires the full path to the location of a Java Runtime

Environment (JRE) on your system. In such cases, the installer will prompt you for the location of a JRE, as shown in the following example on a UNIX operating system:

```
Starting Oracle Universal Installer...

Checking if CPU speed is above 300 MHz.    Actual 2999 MHz    Passed
Checking Temp space: must be greater than 150 MB.    Actual 62101 MB    Passed
Checking swap space: must be greater than 500 MB.    Actual 4047 MB    Passed
Checking monitor: must be configured to display at least 256 colors.    Actual 256
Passed
Preparing to launch Oracle Universal Installer from /tmp/OraInstall2010-04-02_
04-38-18PM. Please wait ...
Please specify JRE/JDK location ( Ex. /home/jre ), <location>/bin/java should
exist :
```

When you installed Oracle WebLogic Server (Section 4, "Installing Oracle WebLogic Server and Creating the Middleware Home"), a JRE was installed on your system. You can use this location (the location of the `jre` directory) to start the installer. The default location for the JRE is `MW_HOME/jdk160_27/jre` (on UNIX operating systems) or `MW_HOME\jdk160_27\jre` (on Windows operating systems), where `MW_HOME` is the Middleware home directory.

5.4 Following the Oracle Forms and Reports Installation Screens and Instructions

Follow the instructions provided on the Oracle Forms and Reports installation screens, as described in this section.

1. Welcome Screen

Click **Next**.

2. Select Installation Type Screen

Select **Install Software - Do Not Configure**.

Click **Next**.

3. Prerequisite Checks Screen

Click **Next**.

4. Specify Installation Location Screen

Specify the following location information:

- **Oracle Middleware Home Location:** The absolute path to the directory where WebLogic Server was installed.
- **Oracle Home Directory:** The directory where you want to install your software:
 - You can specify a pre-existing directory that you want to use as the Oracle home; this must be an empty directory.
 - You can specify the name of a new directory that will be created for you inside the Middleware home.

For more information about the Middleware home and Oracle home directories, refer to "Oracle Fusion Middleware Directory Structure" in *Oracle Fusion Middleware Installation Planning Guide*.

Click **Next**.

5. Specify Security Updates Screen

Enter your email address if you want to receive the latest product information and security updates. If you have a My Oracle account and wish to receive updates via this mechanism, select **I wish to receive security updates via My Oracle Support**, then enter your account password.

If you do not wish to register for security updates, leave all the fields on this screen blank.

Click **Next**.

6. Installation Summary Screen

Click **Install**.

7. Installation Progress Screen

When the installation is 100% complete, click **Next**.

8. Installation Complete Screen

Click **Save** to save the summary information on this screen. You will be prompted to specify a name and location for your summary file.

Click **Finish**.

6 Patching Your Oracle Forms and Reports Installation

The next step is to run the Patch Set Installer for Oracle Forms and Reports to patch your software to the latest version:

- Section 6.1, "Obtaining the Oracle Forms and Reports Patch Set Installer"
- Section 6.2, "Starting the Oracle Forms and Reports Patch Set Installer"
- Section 6.3, "Following the Oracle Forms and Reports Patch Set Installer Screens and Instructions"

6.1 Obtaining the Oracle Forms and Reports Patch Set Installer

See Section 3, "Obtaining The Software" for information on where you can download the latest software. Download the Patch Set Installer for Oracle Portal, Forms, Reports and Discoverer.

After you download the archive file, unpack the archive file into a directory of your choice on the machine where you will be performing the installation.

6.2 Starting the Oracle Forms and Reports Patch Set Installer

To start the Oracle Forms and Reports Patch Set Installer:

1. Go to the directory where you unpacked the Patch Set Installer archive file and switch to the `Disk1` directory.
2. From the `Disk1` directory, start the Patch Set Installer.

On UNIX operating systems:

```
./runInstaller
```

On Windows operating systems:

setup.exe

6.3 Following the Oracle Forms and Reports Patch Set Installer Screens and Instructions

Follow the instructions provided on the Oracle Forms and Reports installation screens, as described in this section.

1. Welcome Screen

Click **Next**.

2. Prerequisite Checks Screen

Click **Next**.

3. Specify Installation Location Screen

- **Oracle Middleware Home:** Specify your existing Middleware home directory.
- **Oracle Home Directory:** Specify your existing `ORACLE_HOME` directory.

Click **Next**.

4. Specify Security Updates Screen

Enter your E-mail address if you want to receive the latest product information and security updates. If you have a My Oracle account and wish to receive updates via this mechanism, select **I wish to receive security updates via My Oracle Support**, then enter your account password.

If you do not wish to register for Oracle Configuration Manager, leave all the fields on this screen blank. You will be asked to confirm that you do not wish to receive updates for your configuration. Click **Yes** to confirm your selection.

Click **Next**.

5. Installation Summary Screen

Click **Install**.

6. Installation Progress Screen

After the installation is 100% complete, click **Next**.

7. Installation Complete Screen

Click **Finish**.

7 Configuring Oracle Forms and Reports

The instructions in this section describe how to configure Oracle Forms and Reports that you have just installed and patched.

7.1 Starting the Oracle Forms and Reports Configuration Tool

The configuration tool is located in the `bin` directory inside your Oracle home.

On UNIX operating systems:

```
cd ORACLE_HOME/bin
./config.sh
```

On Windows operating systems:

```
cd ORACLE_HOME\bin
config.bat
```

Note: Make sure the Oracle Forms and Reports installer is not running; running the installer and configuration tool concurrently is not supported.

7.2 Following the Oracle Forms and Reports Configuration Tool Screens and Instructions

Follow the instructions provided on the Oracle Forms and Reports configuration tool screens, as described in this section.

1. Welcome Screen

Click **Next**.

2. Prerequisite Checks Screen

Click **Next**.

3. Select Domain Screen

By default, the **Create Domain** option is selected. Specify the following information to create a new domain:

- **User Name:** Specify the user name. The default user name is `weblogic`.
- **User Password:** Specify the user password. Valid passwords are 5 to 30 characters long, must begin with an alphabetic character, use only alphanumeric, underscore (`_`), dollar (`$`) or pound (`#`) characters and include at least one number.
- **Confirm Password:** Enter the same user password again.
- **Domain Name:** Specify the name of the domain you want to create. Domain names may only contain alphanumeric characters, or the underscore (`_`) or hyphen (`-`) characters.

Note: The WebLogic domain will be created under the `user_projects` directory inside the Middleware home; it is not possible to create the domain outside of this directory.

Click **Next**.

4. Specify Security Updates Screen

Enter your email address if you want to receive the latest product information and security updates. If you have a My Oracle account and wish to receive updates via this mechanism, select **I wish to receive security updates via My Oracle Support**, then enter your account password.

If you do not wish to register for security updates, leave all the fields on this screen blank.

Click **Next**.

5. Specify Installation Location Screen

Specify the following location information:

- **WebLogic Server Directory:** The absolute path to the WebLogic Server directory; this directory was automatically created when WebLogic Server was installed and is inside the Middleware home directory. The default directory name is `wlserver_10.3`.
- **Oracle Instance Location:** The absolute path to the directory where your Oracle Instance will reside. This is where application configuration files reside and where the application process runs from. Runtime components write only to this location.

This directory does not have to reside in either the Middleware home or Oracle home directories.

- **Oracle Instance Name:** Specify the unique name of your Oracle Instance. The Oracle Instance name may only contain alphanumeric and underscore (`_`) characters, it must begin with an alphabetic (a-z or A-Z) character, and must be 4 to 30 characters in length.

For more information about Fusion Middleware directory structure and terminology, refer to "Oracle Fusion Middleware Directory Structure" in *Oracle Fusion Middleware Installation Planning Guide*.

Click **Next**.

6. Configure Components Screen

By default, all installed components are selected for configuration.

De-select the **Clustered** checkbox.

Click **Next**.

7. Configure Ports Screen

Select **Auto Port Configuration**.

Click **Next**.

8. Specify Proxy Details Screen

If your computer is located behind a firewall you may need to route outgoing HTTP connections through a proxy server. If you have a direct connection to the Internet or if you do not wish to configure a proxy server at this time, click **Next**.

To configure a proxy server, provide the following information:

- **HTTP Proxy Host:** Enter the host name of your proxy server.
- **HTTP Proxy Port:** Enter the port number of your proxy server.
- **Bypass proxy for address:** Enter addresses for which the proxy server should be bypassed. Use commas (,) to separate multiple entries. Domains may be listed using asterisk (*). For example:

`*.us.oracle.com, *.in.oracle.com`

9. Specify Application OID Screen

Oracle Portal requires Oracle Internet Directory to be installed and up and running. For this installation scenario, since Oracle Portal is not installed, select the **Use Application Level Identity Store** checkbox.

Click **Next**.

10. Installation Summary Screen

Click **Configure**.

11. Configuration Progress Screen

After the configuration is 100% complete, click **Next**.

12. Installation Complete Screen

At the end of the summary information, there is a section called Accessible URLs which give you the links needed to access the configured Oracle HTTP Server and Oracle Web Cache. Saving this information will make it easier for you to access these pages whenever you need to.

Click **Save** to save the summary information on this screen. You will be prompted to specify a name and location for your summary file.

Click **Finish**.

8 Verifying Your Oracle Forms and Reports Installation

After you have successfully run the installer and configuration wizard, you can verify the status of your installation by performing any combination of the following:

- Verifying the Installation Logs
- Verifying the Domain Server Logs
- Verifying OPMN Status
- Checking Browser URLs

8.1 Verifying the Installation Logs

Check for the presence of installation log files in `logs` directory inside your Oracle Inventory directory. On UNIX operating systems, if you do not know the location of your Oracle Inventory directory, you can find it in the `ORACLE_HOME/oraInst.loc` file. On Windows operating systems, the default location for the inventory directory is `C:\Program Files\Oracle\Inventory\logs`.

8.2 Verifying the Domain Server Logs

Check the domain server logs, which are located in the `servers` directory inside the domain home directory.

On UNIX operating systems:

```
DOMAIN_HOME/servers/server_name
```

On Windows operating systems:

```
DOMAIN_HOME\servers\server_name
```

8.3 Verifying OPMN Status

Run the `opmnctl status` command from the `INSTANCE_HOME/bin` (on UNIX operating systems) or `INSTANCE_HOME\bin` (on Windows operating systems) directory in your instance home location. The example below shows the output on a UNIX operating system:

```
> ./opmnctl status
```

```
Processes in Instance: asinst_1
```

```
-----+-----+-----+-----+
ias-component | process-type | pid | status
-----+-----+-----+-----+
emagent_asinst_1 | EMAGENT | 11849 | Alive
wc1 | WebCache-admin | 11333 | Alive
wc1 | WebCache | 11332 | Alive
ohs1 | OHS | 11207 | Alive
```

This information shows the components configured for this installation. The status "Alive" means the component is up and running.

You can also run the `opmnctl status -l` command to obtain a list of ports used by the components. The example below shows the output on a UNIX operating system:

```
> ./opmnctl status -l
```

```
Processes in Instance: asinst_1
```

```
-----+-----+-----+-----+-----+-----+-----+
ias-component | process-type | pid | status |
uid | memused | uptime | ports
-----+-----+-----+-----+-----+
emagent_asinst_1 | EMAGENT | 11849 | Alive |
1133259606 | 4204 | 0:09:38 | N/A
wc1 | WebCache-admin | 11333 | Alive |
1133259605 | 43736 | 0:15:35 | http_admin:8091
wc1 | WebCache | 11332 | Alive |
1133259604 | 63940 | 0:15:35 | http_stat:8092,http_invalidation:8093,https_
listen:8094,http_listen:8090
ohs1 | OHS | 11207 | Alive |
1133259603 | 50744 | 0:15:43 | https:8889,https:8890,http:8888
```

8.4 Checking Browser URLs

The Install Completed Screen contains URLs that can be used to access your installed and configured products, as shown in Table 2:

Table 2 Oracle Forms and Reports Product URLs

Product or Component	URL
Administration Server Console	<code>http://host:port/console</code>
Enterprise Manager Console	<code>http://host:port/em</code>
Enterprise Manager Agent	<code>http://host:port/emd/main</code>
Oracle Forms	<code>http://host:port/forms/frmservlet</code>
Oracle Reports	<code>http://host:port/reports/rwservlet</code>

9 Deinstalling Oracle Forms and Reports

Deinstalling Oracle Forms and Reports from your system involves the following:

1. Removing Your Oracle Forms and Reports Software

This procedure removed your Managed Instances of Oracle Forms and Reports and also removed the product Oracle home and Oracle Common home.

2. Removing Oracle WebLogic Server

This procedure removes Oracle WebLogic Server along with the Middleware home and your WebLogic Server domains.

3. Performing Post-Deinstallation Tasks for Microsoft Windows Operating Systems

You should always use the instructions provided in this section for removing the software. If you try to remove the software manually, you may experience problems when you try to reinstall the software again at a later time. Following the procedures in this section will ensure that the software is properly removed.

9.1 Removing Your Oracle Forms and Reports Software

In order to deinstall Oracle Forms and Reports properly, you must perform the following in order:

1. Start the deinstaller (Section 9.1.1, "Starting the Deinstaller").
2. Remove Managed Oracle Instances (Section 9.1.2, "Removing the Managed Oracle Instances").
3. Stop the servers and processes (Section 9.1.3, "Stopping Oracle Fusion Middleware").
4. Remove the Oracle home (Section 9.1.4, "Removing the Oracle Forms and Reports Oracle Home").
5. Remove the Oracle Common home (Section 9.1.5, "Removing the Oracle Common Home").

This procedure will not remove any WebLogic domains that you have created - it only removes the software in the Oracle home.

9.1.1 Starting the Deinstaller

To start the deinstaller, navigate to the `ORACLE_HOME/oui/bin` (on UNIX operating systems) or `ORACLE_HOME\oui\bin` (on Windows operating systems) directory and start the deinstaller.

On UNIX operating systems:

```
./runInstaller -deinstall
```

On Windows operating systems:

```
setup.exe -deinstall
```

On Windows operating systems, you can also start the deinstaller from the Start menu by selecting **Programs > Oracle Forms 11g - Home1 > Uninstall**.

9.1.2 Removing the Managed Oracle Instances

All of your Managed Oracle instances must be removed before the Oracle home is removed.

Note: The Administration Server must be up and running in order to remove Managed Instances.

After you have started the deinstaller (Section 9.1.1, "Starting the Deinstaller"), follow the instructions below to remove the Oracle instances that were created during installation and configuration (Section 5, "Installing Oracle Forms and Reports"):

1. Welcome Screen
Click **Next**.
2. Select Deinstallation Type Screen
Select **Deinstall ASInstances managed by WebLogic Domain**.
Click **Next**.
3. Specify WebLogic Domain Detail Screen
Specify the credentials to connect to your WebLogic Domain.
Click **Next** to continue.
4. Select Instance or Home Screen
Select the managed Oracle instance you want to remove.
Click **Next** to continue.
5. Deinstallation Summary Screen
Verify the information on this screen is correct.
Click **Deinstall** to continue.
6. Deinstallation Progress Screen
This screen shows the progress and status of the deinstallation. No action is required; the deinstaller will automatically advance to the next screen when deinstallation is complete.
7. Deinstall Complete Screen
Click **Finish**.

9.1.3 Stopping Oracle Fusion Middleware

After you have removed your Managed Instances (Section 9.1.2, "Removing the Managed Oracle Instances"), you should stop all servers and processes, which is a prerequisite for removing the Oracle home.

1. Stop all system components using the following `opmnctl` command. Make sure the `ORACLE_HOME` environment variable is set to your Oracle home directory.

```
opmnctl stopall
```

2. Stop all Java components using WLST:

```
stopApplication(appName)
```

For example, to stop Oracle Directory Integration Platform (DIP):

```
stopApplication("DIP")
```

3. Stop the WebLogic Managed Servers.

On UNIX operating systems:

```
DOMAIN_HOME/bin/stopManagedWeblogic.sh managed_server_name administration_server_url administration_server_username administration_server_password
```

On Windows operating systems:

```
DOMAIN_HOME\bin\stopManagedWeblogic.cmd managed_server_name administration_
server_url administration_server_username administration_server_password
```

Specify the *administration_server_url* using the following format:

```
http://administration_server_host.administration_server_domain:administration_
server_port
```

4. Stop WebLogic Administration Server.

Note: If you are removing managed instances (see Section 9.1.2, "Removing the Managed Oracle Instances"), the Administration Server must remain up and running. You can stop the Administration Server after you have removed your managed instances.

On UNIX operating systems:

```
DOMAIN_HOME/bin/stopWeblogic.sh administration_server_url administration_
server_username administration_server_password
```

On Windows operating systems:

```
DOMAIN_HOME\bin\stopWeblogic.cmd administration_server_url administration_
server_username administration_server_password
```

Specify the *admin_url* using the following format:

```
http://administration_server_host.administration_server_domain:administration_
server_port
```

For more information about starting and stopping Oracle Fusion Middleware, refer to "Starting and Stopping Oracle Fusion Middleware" in *Oracle Fusion Middleware Administrator's Guide*.

For more information about starting and stopping servers, see "Starting and Stopping Servers" in *Oracle Fusion Middleware Managing Server Startup and Shutdown for Oracle WebLogic Server*.

9.1.4 Removing the Oracle Forms and Reports Oracle Home

This section describes how to remove the Oracle home. The deinstaller will attempt to remove the Oracle home from which it was started. Before you choose to remove your Oracle home, make sure that it is not in use by an existing domain, and also make sure you stop all running processes that use this Oracle home.

Start the deinstaller (Section 9.1.1, "Starting the Deinstaller"), then follow the instructions below to remove the Oracle home:

1. Welcome Screen
Click **Next**.
2. Select Deinstallation Type Screen
Select **Deinstall Oracle Home**.
Click **Next**.
3. Deinstall Oracle Home Screen

Verify the Oracle home you are about to deinstall.

Click **Deinstall** to continue.

A warning dialog box will appear. Click **Yes** to confirm that you want to proceed with the deinstallation and remove the Oracle home directory.

4. Deinstall Progress Screen

This screen shows the progress and status of the deinstallation.

Click **Finish**.

5. Deinstall Complete Screen

Click **Finish**.

6. On Windows operating systems, manually remove the Oracle home directory (even if you answer **Yes in the warning dialog box).**

For example, if your Oracle home directory is C:\Oracle\Middleware\Home1, then you should navigate to the C:\Oracle\Middleware directory, right-click on the Home1 folder, and select **Delete**.

This procedure should also be repeated to manually remove the Oracle Common home directory on Windows operating systems after you have run the deinstaller to remove the Oracle Common home.

9.1.5 Removing the Oracle Common Home

After you have removed your Managed Instances and the Oracle Forms and Reports Oracle home directory, you can remove the Oracle Common home.

This section describes how to remove the `oracle_common` directory. This directory contains its own deinstaller in `oui/bin` (on UNIX operating systems) or `oui\bin` (on Windows operating systems), just like any other Oracle home directory.

To start the deinstaller, navigate to the `MW_HOME/oracle_common/oui/bin` (on UNIX operating systems) or `MW_HOME\oracle_common\oui\bin` (on Windows operating systems) directory and start the deinstaller (Section 9.1.1, "Starting the Deinstaller").

Follow the instructions below to remove the Oracle Common home:

1. Welcome Screen

Click **Next**.

2. Deinstall Oracle Home Screen

Verify the Oracle home you are about to deinstall.

Click **Deinstall** to continue.

A warning dialog box will appear. Click **Yes** to confirm that you want to proceed with the deinstallation and remove the Oracle home directory.

3. Deinstall Progress Screen

This screen shows the progress and status of the deinstallation.

Click **Finish**.

4. Deinstall Complete Screen

Click **Finish**.

5. On Windows operating systems, manually remove the Oracle home directory (even if you answer **Yes** in the warning dialog box).

For example, if your Oracle Common home directory is

C:\Oracle\Middleware\oracle_common, then you should navigate to the C:\Oracle\Middleware directory, right-click on the oracle_common folder, and select **Delete**.

9.2 Removing Oracle WebLogic Server

This section describes how to remove Oracle WebLogic Server and your WebLogic Domains from your system:

- Section 9.2.1, "Starting the WebLogic Server Deinstaller"
- Section 9.2.2, "Following the WebLogic Server Deinstallation Screens and Instructions"
- Section 9.2.3, "Removing the Middleware Home Directory and WebLogic Domain Manually"

9.2.1 Starting the WebLogic Server Deinstaller

Start the deinstaller from the `uninstall` directory in your WebLogic home. You specified the location of the WebLogic home directory on the Choose Product Installation Directories Screen in Section 4, "Installing Oracle WebLogic Server and Creating the Middleware Home".

On UNIX operating systems:

```
cd WebLogic_Home/uninstall
./uninstall.sh
```

On Windows operating systems:

```
cd WebLogic_Home\uninstall
uninstall.cmd
```

On Windows operating systems, you can also start the deinstaller from the Start menu by selecting **Programs > Oracle WebLogic > Uninstall Oracle WebLogic**.

9.2.2 Following the WebLogic Server Deinstallation Screens and Instructions

Follow the instructions below to deinstall Oracle WebLogic Server:

1. Welcome Screen
Click **Next**.
2. Choose Components Screen
By default, all components are selected.
Click **Next**.
3. Uninstalling WebLogic Platform Screen
Click **Done**.

9.2.3 Removing the Middleware Home Directory and WebLogic Domain Manually

After Oracle WebLogic Server is removed, you must manually remove the Middleware home directory. For example, if your Middleware home directory was `/home/Oracle/Middleware` on a UNIX operating system:

```
> cd /home/Oracle
> rm -rf Middleware
```

On a Windows operating system, if your Middleware home directory was `C:\Oracle\Middleware`, use a file manager window and navigate to the `C:\Oracle` directory, then right-click on the `Middleware` folder and select **Delete**.

Because the Oracle Portal, Forms, Reports and Discoverer installer only creates the domains in the `user_projects` directory inside the Middleware home, removing the Middleware home also removes your domains.

9.3 Performing Post-Deinstallation Tasks for Microsoft Windows Operating Systems

If you are using a Microsoft Windows operating system, perform the following after your software has been removed:

- Section 9.3.1, "Removing the Program Groups"
- Section 9.3.2, "Rebooting Your System"

9.3.1 Removing the Program Groups

On Windows operating systems, you must also manually remove the program groups from the `Start Menu\Programs` folder. As an example (the folder names and program group names on your system may be different), you might remove the following from `C:\Documents and Settings\All Users\Start Menu\Programs`:

- Oracle Fusion Middleware 11.1.1.6.0
- Oracle Forms 11g - Home1
- Oracle WebLogic

9.3.2 Rebooting Your System

On Windows operating systems, you should reboot your computer after you have finished removing all your programs to ensure proper cleanup.

10 Additional Resources

For additional information, refer to the *Oracle Fusion Middleware Installation Guide for Oracle Portal, Forms, Reports and Discoverer*, which is available on the Oracle Fusion Middleware Documentation page on OTN:

<http://www.oracle.com/technetwork/middleware/fusion-middleware/documentation/index.html>

Printed documentation is available for sale through your Oracle representative or in the Oracle Store at <http://oraclestore.oracle.com>.

To download free release notes, installation documentation, white papers, or other collateral, visit Oracle Technology Network (OTN). You must register online before

using OTN; registration is free and can be done at <http://www.oracle.com/technology/membership/>.

If you already have a username and password for OTN, then you can go directly to the documentation section of OTN at <http://www.oracle.com/technetwork/indexes/documentation/>.

10.1 Oracle Support Services

If you purchased Oracle Product Support, you can call Oracle Support Services for assistance. Oracle Support Services include phone assistance, version updates and access to our service offerings. You have access to phone support 24 hours a day, 7 days a week. In the U.S.A., you can call Product Support at 1-800-223-1711.

Make sure you have your CSI (CPU Support Identifier) number ready when you call. Keep the CSI number for your records, because it is your key to Oracle Support Services. The Oracle Store sends the CSI number to you in an e-mail alert when it processes your order. If you do not have your CSI number and you are in the U.S.A., you can look up your CSI number by accessing our online Order Tracker which provides detailed order information. Go to the Oracle Store and click on Order Tracker located above the top navigation bar.

For Oracle Support Services locations outside the U.S.A., call your local support center for information on how to access support. To find the local support center in your country, visit the Support Web Center at <http://www.oracle.com/support>.

At the Support Web Center you will find information on Oracle Support Services, such as:

- Contact Information
- Instructions for Accessing Electronic Services
- Helpful Web Sites
- Support Resources
- Oracle Support Portfolio
- Oracle Support Services news

With Oracle Product Support, you have round-the-clock access to My Oracle Support (formerly Oracle*MetaLink*), Oracle Support Services premier Web support offering. My Oracle Support offers you access to installation assistance, product documentation, and a technical solution knowledge base.

It has technical forums, where you can post questions about your Oracle products and receive answers from Oracle Technical Support Analysts and other Oracle users. The questions and answers remain posted for the benefit of all users.

My Oracle Support options include:

- Technical Assistance Request (TAR) access
- Patch Downloads
- Bug Database Query Access
- Product Life-Cycle Information

You can access My Oracle Support at <http://support.oracle.com>.

10.2 Version Updates

If you do not have a currently supported license, you can purchase the most recent version of an Oracle product from the Oracle Store at <http://oraclestore.oracle.com>.

If you do have a currently supported license, you can place non-urgent requests for version update shipments through the iTAR feature on My Oracle Support. You will need to log the iTAR type as a U.S. Client Relations/Non-Technical Request.

You can also request Version Update shipments in the U.S.A. by calling Client Relations. When requesting a Version Update, provide the following information to the Client Relations Analyst:

- CSI Number
- Contact Information
- Platform
- Product Name
- Shipping Address
- Product Version Number

Outside the U.S.A., call your local Oracle Support Center.

10.3 Premium Services

For information on our Premium Services, including onsite support, OracleGOLD, remote services, and upgrade packages, visit the Support Web Center at <http://www.oracle.com/support>.

You can also call your Support Sales Representative in the U.S.A at 1-800-833-3536.

10.4 Quick Reference

For quick access to additional information, refer to Table 3:

Table 3 *Links to Additional Information and Resources*

I want to...	Contact Information or Web Site
Purchase additional products, full-use licenses, version updates, and documentation in the U.S.A.	http://oraclestore.oracle.com
Access technical resources for developers.	http://www.oracle.com/technology
Access installation documentation.	http://www.oracle.com/technology/documentation
Access information about technical support.	http://www.oracle.com/support
Locate local Oracle Support Centers outside the U.S.A.	http://www.oracle.com/support
Locate local Oracle offices outside the U.S.A.	http://www.oracle.com/global

Table 3 (Cont.) Links to Additional Information and Resources

I want to...	Contact Information or Web Site
Call Client Relations in the U.S.A.	1-800-223-1711
Speak with your sales representative in the U.S.A.	1-800-ORACLE-1
Locate TTY Access to technical support in the U.S.A.	1-800-446-2398

11 Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at

<http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customers have access to electronic support through My Oracle Support. For information, visit

<http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit

<http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Oracle Fusion Middleware Quick Installation Guide for Oracle Portal, Forms, Reports and Discoverer 11g Release 1 (11.1.1) E12003-06

Copyright © 2011, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle America, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.