

Oracle® Fusion Middleware

Information Roadmap for Oracle WebLogic Server

11g Release 1 (10.3.6)

E14529-08

September 2013

This document provides a collection of cross-references to WebLogic Server documentation topics and information resources.

E14529-08

Copyright © 2007, 2013, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Contents

| | |
|--|-----|
| Preface | vii |
| Documentation Accessibility | vii |
| Conventions | vii |
| 1 WebLogic Server Documentation Quick Reference | |
| 2 Getting Started With WebLogic Server | |
| 2.1 Get Started..... | 2-1 |
| 2.2 Learn About WebLogic Server..... | 2-1 |
| 3 WebLogic Server Compatibility | |
| 3.1 Java EE 5 Compatibility | 3-1 |
| 3.2 Generated Classes Compatibility | 3-1 |
| 3.3 Compatibility Within a Domain | 3-1 |
| 3.4 Persistent Data Compatibility | 3-2 |
| 3.5 API Compatibility | 3-2 |
| 3.6 Protocol Compatibility | 3-3 |
| 3.7 JMX Compatibility | 3-3 |
| 4 Fast Track Deployment and Administrator Guide | |
| 4.1 Java EE Deployment..... | 4-1 |
| 4.1.1 What's Going On?..... | 4-1 |
| 4.1.2 Additional Resources | 4-1 |
| 4.2 System Administrator Tools..... | 4-2 |
| 4.3 JSP/HTML Deployment | 4-2 |
| 4.3.1 What's Going On?..... | 4-2 |
| 4.3.2 Additional Resources | 4-2 |
| 5 Sample Application and Code Examples | |
| 5.1 API Examples | 5-1 |
| 5.2 Avitek Medical Records..... | 5-2 |
| 5.3 Derby Open-Source Database | 5-2 |

| | | |
|-----------|--|------|
| 6 | Enterprise JavaBeans | |
| 6.1 | Get Started..... | 6-1 |
| 6.2 | Programming..... | 6-1 |
| 6.3 | Simple EJB 3.0 Examples..... | 6-1 |
| 6.4 | Reference | 6-1 |
| 7 | Custom Management Utilities | |
| 7.1 | Management Utilities | 7-1 |
| 7.2 | Administration Console Extensions..... | 7-1 |
| 8 | WebLogic Data Sources | |
| 8.1 | Get Started..... | 8-1 |
| 8.2 | Configuration | 8-1 |
| 8.3 | Deployment | 8-1 |
| 8.4 | Managing JDBC..... | 8-2 |
| 8.5 | Performance and Tuning | 8-2 |
| 8.6 | Using WebLogic Server with Oracle RAC | 8-2 |
| 8.7 | Programming..... | 8-2 |
| 8.8 | Type 4 JDBC Drivers | 8-2 |
| 8.9 | Other JDBC Drivers | 8-2 |
| 9 | Deploying Applications | |
| 9.1 | Learn About Deployment..... | 9-1 |
| 9.2 | Package Applications | 9-1 |
| 9.3 | Tools..... | 9-1 |
| 9.4 | Advanced Topics..... | 9-1 |
| 10 | Developing Applications | |
| 10.1 | Develop WebLogic Server Applications..... | 10-1 |
| 10.2 | Set Up Your Development Environment | 10-1 |
| 10.3 | Design Your Application | 10-1 |
| 10.4 | Build Your Application | 10-1 |
| 10.5 | Tools..... | 10-2 |
| 10.6 | Move Your Application to a Production Environment..... | 10-2 |
| 10.7 | Application Examples | 10-2 |
| 10.8 | Java EE API Programming Guides..... | 10-2 |
| 10.9 | Javadoc and API References..... | 10-3 |
| 10.10 | General Reference | 10-3 |
| 10.11 | WebLogic Deployment Descriptors | 10-3 |
| 10.12 | Configuration Schema Reference | 10-3 |
| 11 | Kodo Development | |
| 11.1 | Get Started..... | 11-1 |
| 11.2 | Programming..... | 11-1 |
| 11.3 | Reference | 11-1 |

| | | |
|-------|--|------|
| 16.7 | Security | 16-2 |
| 16.8 | System Administration | 16-2 |
| 16.9 | References | 16-3 |
| 16.10 | Development Resources and Newsgroups | 16-3 |

17 WebLogic Tuxedo Connector

| | | |
|------|-----------------------------|------|
| 17.1 | Get Started..... | 17-1 |
| 17.2 | System Administration | 17-1 |
| 17.3 | Migration..... | 17-1 |
| 17.4 | Tuning..... | 17-1 |
| 17.5 | Programming..... | 17-1 |

Preface

This preface describes the document accessibility features and conventions used in this guide—*Information Roadmap for Oracle WebLogic Server*.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customers have access to electronic support through My Oracle Support. For information, visit

<http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Conventions

The following text conventions are used in this document:

| Convention | Meaning |
|-----------------|--|
| boldface | Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary. |
| <i>italic</i> | Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values. |
| monospace | Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter. |

Table 1–1 (Cont.) WebLogic Server Documentation Topics

| Information Categories and Topics | Information Categories and Topics |
|--|---|
| Deploying Applications <ul style="list-style-type: none">■ Section 9.1, "Learn About Deployment"■ Section 9.2, "Package Applications"■ Section 9.3, "Tools"■ Section 9.4, "Advanced Topics" | Enterprise JavaBeans <ul style="list-style-type: none">■ Section 6.1, "Get Started"■ Section 6.2, "Programming"■ Section 6.3, "Simple EJB 3.0 Examples"■ Section 6.4, "Reference" |
| Reference <ul style="list-style-type: none">■ Section 13.1, "Programming"■ Section 13.2, "System Administration"■ Section 13.3, "Programming Administration Console Extensions" | Database Connectivity (JDBC) <ul style="list-style-type: none">■ Section 8.1, "Get Started"■ Section 8.2, "Configuration"■ Section 8.4, "Managing JDBC"■ Section 8.7, "Programming"■ Section 8.8, "Type 4 JDBC Drivers"■ Section 8.9, "Other JDBC Drivers" |
| Messaging <ul style="list-style-type: none">■ Section 12.1, "Learn About WebLogic JMS"■ Section 12.2, "New Features"■ Section 12.3, "Programming WebLogic Messaging"■ Section 12.5, "Configure WebLogic Messaging"■ Section 12.6, "Use the Administration Console to Configure WebLogic Messaging"■ Section 12.7, "Performance and Tuning"■ Section 12.8, "Reference" | Web Services <ul style="list-style-type: none">■ Section 16.1, "Learn About WebLogic Web Services"■ Section 16.2, "Get Started Using JAX-WS"■ Section 16.3, "Advanced Features of JAX-WS"■ Section 16.4, "Get Started Using JAX-RPC"■ Section 16.5, "Advanced Features of JAX-RPC"■ Section 16.6, "Code Examples"■ Section 16.7, "Security"■ Section 16.8, "System Administration"■ Section 16.9, "References"■ Section 16.10, "Development Resources and Newsgroups" |
| Custom Management Utilities <ul style="list-style-type: none">■ Section 7.1, "Management Utilities"■ Section 7.2, "Administration Console Extensions" | Kodo Development <ul style="list-style-type: none">■ Section 11.1, "Get Started"■ Section 11.2, "Programming"■ Section 11.3, "Reference"■ See also, Developer's Guide for Oracle TopLink |
| WebLogic Tuxedo Connector <ul style="list-style-type: none">■ Section 17.1, "Get Started"■ Section 17.2, "System Administration"■ Section 17.3, "Migration"■ Section 17.4, "Tuning"■ Section 17.5, "Programming" | |

Getting Started With WebLogic Server

These documents help you learn about and get started using WebLogic Server.

2.1 Get Started

- Getting Started With Installation
- Starting and Stopping Servers: Quick Reference
- Creating WebLogic Domains Using the Configuration Wizard
- [Section 3, "WebLogic Server Compatibility"](#)
- [Section 4, "Fast Track Deployment and Administrator Guide"](#)
- Top Tuning Recommendations for Oracle WebLogic Server
- WebLogic Server Administration Console Help

2.2 Learn About WebLogic Server

- Introduction to WebLogic Server
- Understanding Oracle WebLogic Server Domains
- Developing Applications for Oracle WebLogic Server
- Overview of WebLogic Server Application Development
- Overview of WebLogic Server System Administration
- Overview of the Administration Console

3.6 Protocol Compatibility

Interoperability between WebLogic Server 11g Release 1 (10.3.6) and WebLogic Server 8.1, 9.x, 10.0, and 10.3.x is supported in the following scenarios:

- A WebLogic Server 8.1, 9.x, 10.0, and 10.3.x client can invoke RMI-based applications hosted on a WebLogic Server 10.3.6 server using IIOP, T3, T3S, HTTP, and HTTPS. JMS applications can be invoked using T3, T3S, HTTP, and HTTPS.
- A WebLogic Server 10.3.6 client can invoke RMI-based applications hosted on a WebLogic Server 8.1, 9.x, 10.0, and 10.3.x server using IIOP, T3, T3S, HTTP, and HTTPS. JMS applications can be invoked using T3, T3S, HTTP, and HTTPS.
- A WebLogic Server 10.3.6 Web server plug-in can proxy to the latest patch set release of a 8.1, 9.x, 10.0, and 10.3.x server.

3.7 JMX Compatibility

See "JMX 1.2 Implementation" in WebLogic Server 11g Release 1 (10.3.6) Compatibility with Previous Releases.

