Development of Maintenance Form Oracle Banking Corporate Lending Release 14.7.5.0.0 Part No. G16885-01 September 2024

FINANCIAL SERVICES

Contents

1. Pref	ace	3
1.1	Audience	3
1.2	Related Documents	3
2. Intro	oduction	4
2.1	How to use this Guide	4
3. Ove	rview of Maintenance Screen	4
4. Scre	en Development	4
4.1	Header Information	
4.2	Preferences	6
4.3	Data Sources	
4.4	Data Blocks	
4.5	Screens	
4.6	Field Sets	
4.7	LOV	
4.8	Attaching Call forms	
4.9	Adding Summary	
4.10	Amendable fields Maintenance	
	eration and Deployment of files	
6. Gen	erated Units	
6.1	Front End Units	
6.1.	1 Language xml	33
6.1.	2 SYS JavaScript File	33
6.1.	3 Release Type Specific JavaScript File	33
6.2	Data Base Units	
6.2.	1 Static Scripts	
6.2.	2 System Packages	
6.2.	3 Hook Packages	
6.3	Other Units	34
6.3.		
	ensible Development	
7.1	Extensibility in JavaScript Coding	
7.1	Extensibility in Backend Coding	
7.2		
1.2.		
7.2.		
7.2.	3 By passing Base Release Functionality	36

1. Preface

This document describes Maintenance Screens in FLEXCUBE and the process of designing a simple Maintenance form using Oracle FLEXCUBE Development Workbench for Universal Banking

1.1 Audience

This document is intended for FLEXCUBE Application developers/users that use development Workbench to develop various FLEXCUBE components.

To Use this manual, you need conceptual and working knowledge of the below:

Proficiency	Resources
FLEXCUBE Functional Architecture	Training programs from Oracle
	Financial Software Services.
FLEXCUBE Technical Architecture	Training programs from Oracle
	Financial Software Services.
FLEXCUBE Screen Development	<u>Development Workbench - Screen</u>
	<u>Development I</u>
Working knowledge of Web based applications	Self Acquired
Working knowledge of Oracle Database	Oracle Documentations
Working knowledge of PLSQL & SQL	Self Acquired
Language	
Working knowledge of XML files	Self Acquired

1.2 **Related Documents**

Oracle FLEXCUBE Enterprise Limits and Collateral Management ODT Screen Development Development Workbench - Screen Development II

2. Introduction

2.1 How to use this Guide

The information in this document includes:

- Chapter 2, "Introduction"
- Chapter 3, "Overview of Call Form"
- Chapter 4 , "Screen Development"
- Chapter 5, "Generated Units"
- <u>Chapter 5 , "Extensible Development"</u>

3. Overview of Maintenance Screen

Maintenance Function Id's are used for storing maintenance data which are required for processing of any contracts, batches or for any other maintenance which are dependent on this

Example: Customer maintenance screen

If any customer wants to use the service of a bank, details about the customer will have to be maintained in the system .This will be maintenance data which will be required for other maintenances (creating account for the customer) as well as for transaction processing (debiting of customer account)

Business logic for a maintenance function id would be provided by the Development Workbench generated files .Most of the cases, system provided logic would be sufficient .Extra validations can be coded in the hook packages by the developer.

4. Screen Development

Design and development of a Maintenance function id is similar to any other function Ids. This section briefs the steps in designing a Maintenance screen. STDCINF is sample function id used for demonstration in this document

For detailed explanation, refer the document: <u>Oracle FLEXCUBE Enterprise Limits and</u> <u>Collateral Management ODT Screen Development</u>

4.1 Header Information

Provide the header information as shown in the figure.

DRACLE' FLEXCUBE Development Workb	ench for Universal Banking	DEMOUS
Browser .		Windows Options Sign O
unction Generation		
		日 凶 国 伊 😡
Action None -	Function Type Parent -	Function Category Maintenance +
Function Id	Parent Function	Header Template None
Save XML Path	Parent Xml	Footer Template None -
ListOfValues DataBlocks Screens FieldSets Actions CallForms LaunchForms Summary		

- For new screen select action As New.
- Enter Function ID \rightarrow STDCIFD
- Function Type \rightarrow Parent
- Function Category → Maintenance
- Parent Function Id \rightarrow None
- Parent Xml \rightarrow None
- Header Template \rightarrow None (Only for Process flow screens)
- Footer Template → Maint Audit

RACLE FLEXCUBE Development Workbe rowser -	nch for Universal Banking	DEMOUSER Windows Options Sign Out
nction Generation		
22 State		Stree (CT8L + 5)
Action New	Function Type Parent Parent Function	Function Category Maintenance - [Selection Category Header Template None -
Save XML Path D1RADTOOL	Parent Xml	Footer Template None •
Preferences DataSource ListOrialues DataBlocks Screens FieldSets Adfons CalForms LaundhForms Summary		

User can save work at any point in time. Click the save icon on top right for the same .In order to work again with it select action as Load and load radxml from the hard disk path

Browser -	nent Workbench for Universa	l Banking	Wind	EMOUSER Is Sign Out
Action Generation Action New • Function Id STDCIED Save XML Path CritRADTOOL		Function Type Parent • Parent Function Parent Xml	Function Category Mainlanance Header Templals None • Fooler Template None	■ 7
Raich Préférencies DataSource LuadOr/alues DataBiolotis Screens PrédSals Adons Califorms LauchForma Summary	Eformation File Saved	tor Description Error Code Ofs of Download File from 10.184.132.100 Completed File Download Do you ward to open or save this file? Name: RAD.21P Type: WinRAR.21P archive From: 10.184.132.100 Open Save Cancel While files from the Internet can be useful, some files can potent ham your computer. If you do not tust the source, do not open save this file. <u>What a the tisk?</u>		

Fig 12.3: Saved File Information page

Note the following while providing header information for Maintenance screen

i) Naming Convention:

The third letter of the function id has to be D. Ideally the function id name should have 8 characters.

ii) Footer Template

Make sure that the master data source has the audit columns if footer template is provided as Maint log.

Refer <u>Oracle FLEXCUBE Enterprise Limits and Collateral Management ODT Screen</u> <u>Development</u> for detailed explanation

4.2 Preferences

- Details entered in Preferences are used in generating INCS for SMTB_MENU, SMTB_FUNCTION_DESCRIPTION and SMTB_ROLE_DETAILS.
- **Control String** → Developer needs to select the actions which should be available for this screen in FLEXCUBE.

Browser -	ment Workbench for Universal Banking					Windows	Options	MOUSI Sign Ou	
unction Generation						R	XE		-
Action New *	Fund	on Type Parent			Function Category M			2 4	
Function Id STDCIFD	Parent F				Header Template N				
Save XML Path DIRADTOOL		rent Xml	-		Footer Template N	100			
sarch	Preferences							6	9
Preferences DataSource ListOfValues DataBlocks Screens FieldSets Actions CallForms LaunchForms Summary	Head Offic Logging F Auto Auth Tank Mod Field Log Multi Bran Excet Expe	Required prization Ifications Required ch Access		Module Module Description Branch Program Id Process Code SVN Repository URL Transaction Block Name Transaction Field Name	Static Maintenance Static Maintenance Choose Block Choose Field	•			
						508	introl String	+-	
	Function Id STDCIFD	ßī	Module *	[81]	Module Static Maintenance	Description			

Note the following points while providing details in Preferences screen

i) Control String

REVERSE, ROLLOVER, CONFIRM, LIQUIDATE, HOLD operations are not applicable for maintenance screens.

ii) Defining Browser Menu Tree

Browser menu tree will be defined in the script generated for *smtb_function_description*.

The following labels has to be maintained for generation of proper script Main Menu: LBL_{function id}_MAIN_MENU Sub Menu 1: LBL_{function id}_SUB_MENU_1 Sub Menu 2: LBL_{function id}_SUB_MENU_2 Description: LBL_{function id}_DESC *Example: For STDCIFD, following labels has to be maintained* LBL_STDCIFD_MAIN_MENU, LBL_STDCIFD_SUB_MENU_1, LBL_STDCIFD_SUB_MENU_2, LBL_STDCIFD_DESC

Refer <u>Oracle FLEXCUBE Enterprise Limits and Collateral Management ODT Screen Development</u> for detailed explanation on preferences

4.3 Data Sources

- Right Click on Data Sources; click on Add. Add table window gets opened.
- If user knows the exact table name, he can enter name directly; else go to List Of values to get the list of tables available. Select the required table from the list.

Browser -	pment Workbench for Universal Banking	DEMOUS Windows Options Sign O	lut
Function Generation			- ×
Action New • Function Id STDCIED Save XML Failt D1RADTOOL	Function Type: Parent Parent Function Parent Xma	Function Category Maintenance	
Search	AddTable	×	40
DataSource	Data Source VE	arent Reladon Type -	
FieldSals Actions CallForms LaunchForms Summary	Search Reset		
	Table Name ^		
	STTM_CUSTOMER_ALTERNATE_BRANCH STTM_CUSTOMER_CAT		
	STTM_CUSTOMER_NAM_DETAIL STTM_CUSTOMER_NAM_MASTER STTM_CUSTOMER_PARAM		
	STTM_CUSTOMER_PRE_IMAGE STTM_CUSTOMER_SOURCE_DETAILS		
	STTM_CUSTOMER_SRC_DETAILS STTM_CUSTOMER_SRNO STTM_CUSTOMER_UNUSED		
	STTM_CUSTOMER_VW		

Fig 12.5: Adding Data Sources for the Function id

- Select Master as Yes if added data source is Master Data Source for the screen. Every function id should have one master data source..
- **Primary Key columns** (i.e. Pk Cols) and **Primary Types** (i.e. Pk Types) are mandatory. If it is already maintained in user schema in STTB_PK_COLS it will populated automatically otherwise user needs to enter values without fail. If user misses Pk cols and Pk Types package generation will fail. *Note: Master Data Source cannot have any parent.*

ORACLE FLEXCUBE Development Workbe	nch for Universal Banking - Windows Internet Explorer	-	And Ann Manual State				6		x
ORACLE' FLEXCUBE Develop	oment Workbench for Universal Banking						DEM	OUSE	R
Browser -					Windows	Opti	ons	Sign Ou	t
Function Generation									- ×
					L. L	. ×	= 1	V 🕲	4
Action New -	Function Type Parent	•		Function Category Maint	enance 👻				
Function Id STDCIFD	Parent Function			Header Template None	-				
Save XML Path D:RADTOOL	Parent Xml			Footer Template None	, .	•			
Search	Data Source Details						4) ^
 Preferences DataSource STTL_CUSTOMER ListOVAlues DataBlocks Screens FieldSets Actions CallForms LauchForms Summary 	Data Source Master Relation Type Multis Record PK Cots • USTOMER No • PK Types • VARCHAR2 Upload Table	0	Parent Relation Where Clause Default Order By Type	Normal Mandatory	•	10.0			

Fig 12.6: Providing master Data Source Properties

• Right Click on Added Table (STTM_CUSTOMER) to add fields to the table. Popup window gets opened with available columns in data source. Select the required fields and click ok. Selected will get added to the Data Source Tree.

CRACLE FLEXCUBE Development Workbend	ch for Universal Banking - Windows Internet Explorer	1 Instant, Chevrolet, Service 1	to and these			۰	23
ORACLE FLEXCUBE Developm	nent Workbench for Universal Banking			D	EMO	JSE	R
Browser -			Windows	Option	s Sig	n Out	
Function Generation						-	×
			li i	X	= V	1	4
Action New 👻	Function Type Parent	•	Function Category Maintenance -				
Function Id STDCIFD	Parent Function		Header Template None 💌				
Save XML Path D:RADTOOL	Parent Xml		Footer Template None -				
Search	Data Source Details					- 🥱	*
Preferences DataSource The ListONalues DataBlocks DataBlocks Delete FieldSets Actions CaliForms Summary	Data Source Master Relation Type Mutil Record PK Cols CUSTOMER PK Types V/RCHAR2 Upload Table	Parent Relation Where Clause Default Order By Type	Normal Mandatory	0.0.0			

Fig 12.7: Including Data Source Fields for the Data Source

Browser -	ment Workbench for Universal Banking				Windows		Sign Out
unction Generation							-
Action New -	Function Type Parent	-			Function Category Maintenance -		
Function Id STDCIFD	Parent Function				Header Templals None ·		
Save XML Path DORADTOOL	Parent Xml				Foolar Template None	•	
earch	Select Fields		×				+ - 9)
Preferences				Parent			
Function Id STDC/FD Save XML Path D/RADTOOL	U CUSTOMER_NO	VARCHAR2		Relation		2	
	V CUSTOMER_TYPE	CHAR		Where Clause		000	
	USTOMER_NAME1	VARCHAR2		Default Order By Type	Normal 👻		
	ADDRESS_LINE1	VARCHAR2			F Mandalory		
	ADDRESS_LINE3	VARCHAR2	-				
	ADDRESS_LINE2	VARCHAR2					
	ADDRESS_LINE4	VARCHAR2					
	COUNTRY	VARCHAR2					
	SHORT_NAME	VARCHAR2					
	V NATIONALITY	VARCHAR2	E				
	2 LANGUAGE	VARCHAR2					
		200 - 200 - 2	1.4				
		Ok Cancel					

Fig 12.7: Selecting Data Source Fields for the Data Source

Data Source Field Properties:

Only max length can be modified by the developer in data source field properties. Rest will be defaulted from table definition

RACLE' FLEXCUBE Developr	nent Workbench for Unive	rsal Banking		Window		MOUSEF Sign Out
inction Generation						
						179.
Action New ·	Ser - In Generation Action New Action New Function Type Parent Function Id STDCIFD Save XML Path D:RADTOOL Parent Function Save XML Path D:RADTOOL Data Source Field Details Column Name CUSTOMER_TYPE COUSTOMER_TYPE COUSTOMER_NAME1 COUSTANE COUSTAN		Function Category Maintenance	•		
				Header Template None -		
Save XML Path DIRADTOOL		Parent Xml		Footer Template None	•	
arch	Data Source Field	Details			Re	fresh 🗕 🗐
Preferences	Column Name	CUSTOMER_NO	Data Type	VARCHAR2		
CUSTOMER_TYPE CUSTOMER_NAME1 ADDRESS_LINE1 COUNTRY NATIONALITY	Block Name		Max.Length	9		
	Field Name	CUSTNO	Upload Table Column	Not Required in		
	Eig 12 7. I		s for Data Source Field	1-		

Data model of a single function id would include multiple tables .All the tables needs to added in the function id. Note the following while adding child data sources

Adding Child Data Source:

- Select Multi Record value as Yes if child data source is Multi record table.
- Child Data Source should always be associated with a parent.
- Relation is mandatory between parent and child. While giving relation, parent data source should come in left side of the relation.

RACLE FLEXCUBE Developm	nent Workbench for Universal Banking				DEI	MOUSE	ER
rowser .				Windows	Options	Sign Ou	ıt
action Generation							-
					× =	V 😫	
Action New -	Function Type Parent	•		Function Category Maintenance -			
Function Id STDCIFD	Parent Function			Header Template None 💌			
Save XML Path D:RADTOOL	Parent Xml			Footer Template None -			
irch	Data Source Details					+ - 4	,
Preferences Graduation Construction Graduation Graduat	Data Source Master Relation Type Multis Record PK Cols * GROUP_ID-CUSTOMER_INO PK Types * VARCHAR2-VARCHAR2 Upload Table		Parent Relation Where Clause Default Order By Type	STTM_CUSTOMER STTM_CUSTOMER_NO = ST	00		

Fig 12.7: Providing properties for Child Data Source

Note: A data source cannot be parent to itself.

Note the following while adding data sources:

- i) If the data source is designed with relation type as 1: N with its parent, then it should have at least one more Pk col than its parent (assuming relationship is based on Pk cols).
- ii) Master data source needs to have the audit columns if footer template is Maint audit; but those should not be added to data source fields as system will handle it

Refer <u>Oracle FLEXCUBE Enterprise Limits and Collateral Management ODT Screen Development</u> for detailed explanation on data sources.

4.4 Data Blocks

• Block Name should start with BLK_<short Name equivalent to data source but not exactly same as Data Source name>.

Add Block		×
Block Name	BLK_CUSTOMER	
	Ok Cancel	
Fig 12.8	: Creating a new Data Block	

- Select Parent block if added block is not Master Block.
- Select Multi Record (Yes/No) based on this value, available data sources will displayed in data source available text area.

ORACLE FLEXCUBE Development Workben	ch for Universal Banking - Windows	Internet Explorer	rara, femalesia	Manual State		1000				x
ORACLE FLEXCUBE Developm	ORACLE FLEXCUBE Development Workbench for Universal Banking DEMOUSER									
Browser .						Windows	Option	ns S	ign Out	
Function Generation								_ ,		- ×
							×	= 1	۶ 📢	4
Action New 👻		Function Type Parent •			Function Category Mainte					
Function Id STDCIFD	Р	arent Function			Header Template None	•				
Save XML Path D:\RADTOOL		Parent Xml			Footer Template None	•				
Search	Block Properties							+ -	R 9	^
 Preferences DataSource STTM_CUSTOMER STTM_CUST_GROUP ListOrValues DataBlocks BLK_CUSTOMER Screens FieldSets Actions CallForms LaunchForms Summary 	Block Title	Datasource Ava		XSD Node XSD Node Annotation Master Block Multi Record Block Type Datasourc	Customer No Normal Ce Added		Q			
	Fig 12.9: P	roviding prope	rties for l	Data Block						

• Select the required data source and click move button to attach Data Source to the block

ORACLE FLEXCUBE Development Workbe	nch for Universal Banking - W	/indows Internet Explorer	Name and Add		and their lines		1. 100				x
ORACLE FLEXCUBE Develop	ment Workbench for Unive	rsal Banking							DEM	OUSE	ER
Browser -							Windows	Opti	ons S	Sign Ou	ıt
Function Generation											- ×
								X		۶ 🧃	4
Action New 👻		Function Type Parent	•			Function Category	Maintenance 💌				
Function Id STDCIFD		Parent Function				Header Template	None -				
Save XML Path D:\RADTOOL		Parent Xml				Footer Template	None -				
Search	Block Properties								4 -	x 5) ^
 Preferences DataSource STTM_CUSTOMER STTM_CUST_GROUP ListOfvalues DataBlocks BLK_CUSTOMER Screens FieldSets Actions CaliForms LaunchForms Summary 	Block Name Block Title Parent Relation Type Block PK Fields	BLK_CUSTOMER	v v ee Available	44 14		Customer Yes • No • Normal •					

Fig 12.10: Attaching Data Sources to Data Block

Adding multi record data source to data block:

User on selecting Multi record Yes in data block properties all the data sources with multi record Yes will be populated. *Multi Data Source once used to one block won't available for reuse where as single record data source can be used in multiple blocks*

Select Block Fields:

- Right click on added block. Select Fields window will get opened. Developer needs to check the right side check box to add the required fields.
- **Field Name**: It should not be the same as column name .Special characters are also not allowed in the field name (including underscore and space)
- Label Code: It will be automatically populated based on field name.

RACLE FLEXCUBE Develop	pment Workbench for Universal B	anking				DEN	NOUSE
rowser 🗸					Windows	Options	Sign Out
nction Generation							
					l	X X	7 🧃
Action New 💌		Function Type Parent	*		Function Category Maintenance 💌		
Function Id STDCIFD		Parent Function			Header Template None 👻		
Save XML Palh DARADTOOL		ParentXml			Fooler Template None	F	
ch	Select Fields & Add UI Fields				×	+	- 🔊 🖉
	DataSource fields UI Fields	1				-	
Preferences DalaSource	DataSource fields Of Fields	š			omer		
STTM_CUSTOMER		M_CUSTOMER -			•	[Y]	
STTM_CUST_GROUP	Column Name	Field Name	Label Code	*	•		
DalaBlocks	CUSTOMER_NO	CUSTNO	LBL_CUSTNO		mal 💌		
BLK_CUSTOMER	CUSTOMER_TYPE	CUSTTYPE	LBL_CUSTTYPE				
Screens FieldSels	CUSTOMER_NAME1	CNAME	LBL_CNAME		led		
Actions	ADDRESS_LINE1	ADDR1	LBL_ADDR1				
CaliForms	COUNTRY	CNTY	LBL_CNTY				
LaunchForms Summary		NLTY	LBL_NLTY				
		LANG	LBL_LANG				
	V						
	£5						
				*			
				Ok Cance			

Fig 12.11: Adding Block Fields to Data Block

Refer <u>Oracle FLEXCUBE Enterprise Limits and Collateral Management ODT Screen Development</u> for detailed explanation on data blocks and block field properties

4.5 Screens

- Right click on Screens node to add a new screen
- Screen Name should start with CVS_<Name>...
- By default screen are divided into 3 parts.
- One Main Screen is Mandatory.
- Tabs can be defined on any of the screen portions as required
- User can add sections to tabs.
- Each section can be divided into partitions.

ORACLE FLEXCUBE Development Workber	ench for Universal Banking - Windows Internet Explorer					х
ORACLE' FLEXCUBE Develop	opment Workbench for Universal Banking		D	ЕМО	JSE	R
Browser .	Wind	ows	Options	s Sig	n Out	(
Function Generation					-	- ×
			×	14	4	4
Action New -	Function Type Parent Function Category Maintenance	е 🔻				
Function Id STDCIFD	Parent Function Header Template None					
Save XML Path D:\RADTOOL	Parent Xml Footer Template None	•				
Search	Screen Details		-	- Aï	J 🌖	^
Preferences DataSource ListOfvAlues DataBlocks DataBlocks CVS_MAIN ListOfvAlueR Defense Defen	Screen Name CVS_MAIN Screen Screen Titte LBL_CUST Screen Size Small Exit Button Type Default Cancel			+	-	
POTER FOOTER FieldSets CallForms LaunchForms Summary	Argument Name Source Block Source Field Argument Value Target Block Target Field	eld	Acti	ve	~	

Fig 12.12: Providing properties to new Screen

Browser -	nent Workbench for Universal Banking		Windows	DEMOL Options Sig	
anction Generation			vvindows	Options Sig	m Out
Action New Function Id STDCIFD Save XML Path DIRADTOOL	Function Type Parent Parent Function Parent Xmi Parent Xmi	Function Category Maini Header Templale None Fooler Template None	*	1 🗶 🔳 🞸	9 <
learch	Tab Details		Dependent	Fields 👍 📟 🛓	0 🧐
Preferences DataSource ListOfvalues DataBlocks DataBlocks CVS_MAIN CVS_MAI	Screen Name CVS_MAIN Tab Name TAB_MAIN Tab Label Tab Type Add Section Section Name SEC_CUST	×			
TAB_MAIN FOOTER FieldSels Califorms LaunchForms Summary	Ok Cancel				
	Fig 12.12: Creating now continuin the MAIN in t				

Fig 12.13: Creating new section in TAB_MAIN in the body of screen CVS_MAIN

Function Generation Action New Function Type Parent Function Category Maintena		
Function Generation Action New Function Type Parent Function Category Maintena Function Id STDC/FD Parent Function Header Template None Save XML Path D/RADTOOL Parent Xml Footer Template None Search Section Details Section Details Visible B DataSource Section Name Section Label Visible Section Label LISLOWAILes Visible Visible Section Details Section Details Visible Visible Section Label LB_SECT V Collapse Partition Details Visible Visible Visible B DataSource Section Label Partition Name Vidith B DataSource Partition Details V Collapse Partition Details V Sector Sector Sector B DODY SEC_CUST Sector Sector Sector FieldSets Actions Sector Sector Sector CallForms CallForms LunchForms Sector Sector <td>DE</td> <td>MOUSER</td>	DE	MOUSER
Action New Function Type Parent Function Category Maintena Function Id STDC/FD Parent Function Header Template None Save XML Path D/RADTOOL Parent Xml Footer Template None Search Section Details Footer Template None Search Section Details Visible B DataSource ListON/alues Section Label Visible B DataSource Section Label Visible Collapse B DataSource Visible Visible Visible B DataSource Section Details Visible Visible B DataSource Visible Visible Visible B DataSource Partition Details Visible Visible B DataSource Visible Visible Visible B DataSource	Windows Options	Sign Out
Function 1d STDCIFD Parent Function Header Template None Save XML Path D'IRADTOOL Parent Xmt Footer Template None Search Section Details Section Details B DataSource Section Name Section Label ListOfValues Section Details Collapse Partition Details Visible Section Label Sector Table HEADER Partition Details Collapse B DOTY TAB_HEADER Partition SI NO Partition Name Sectors Sectors So So TAB_HEADER Partition SI NO Partition Name So Sectors Sectors So So CallForms CallForms So So		_ >
Function 1d STDCIFD Parent Function Header Template None Save XML Path D'IRADTOOL Parent Xmt Footer Template None Search Section Details Section Details B DataSource Section Name Section Label ListOfValues Section Details Collapse Partition Details Visible Section Label Sector Table HEADER Partition Details Collapse B DOTY TAB_HEADER Partition SI NO Partition Name Sectors Sectors So So TAB_HEADER Partition SI NO Partition Name So Sectors Sectors So So CallForms CallForms So So	🔚 🗶 🗏	1 🎸 🧃 🔿
Save XML Path D/RADTOOL Parent Xml Footer Template None Search Section Details	enance 👻	
Search Section Details Preferences Section Name DataSource ListOrValues DataBlocks Section Label DataBlocks Section Details CVS_MAIN Partition Details HEADER Partition Details TAB_HEADER Partition Si No TAB_HEADER Partition Si No TAB_HEADER Partition Si No TAB_HEADER Sec_Cust TAB_HEADER Section Label Collapse 1 TAB_HEADER Sec_Cust TAB_HEADER Sec_Cust Total Set 2 PART2 So CallForms CallForms CallForms LaunchForms	•	
Preferences Section Name SEC_CUST ✓ Visible DataSource Section Label ELSECT ✓ Collapse DataSource ✓ Collapse ✓ Collapse DataSource ✓ Collapse ✓ Collapse CVS_MAIN ✓ Partition Details ✓ Collapse HEADER ✓ Partition Details ✓ BODY TAB_HEADER ✓ Partition SI NO Partition Name SEC_CUST 1 PART1 50 • SEC_CUST 2 PART2 50 • FieldSets Actions CallForms Sec CallForms LaundhForms E E	•	
B DataSource ListOfValues B DataSource Section Label Section Label Partition Details Partition Name Width Partition Name Width Partition Name Width Partition Name Vidth Partition Name Vidth Vidth Partition Name Vidth Partition Name Vi		- AX 🧐 🤺
HEADER TAB_HEADER BODY TAB_MAIN SEC_CUST TAB_FOOTER TAB_FOOTER TAB_FOOTER CallForms		
Image:		+-
TAB_MAIN SEC_CUST FOOTER TAB_FOOTER FieldSets Actions CallForms CallForms	Sub-partitions	
Get Coust Get Coust		_
TAB_FOOTER FieldSets Actions CaliForms LaunchForms		
Fig 12.14: Defining partitions for the Section		

4.6 Field Sets

A group of fields can be grouped together in a Field set which can be placed together in the screen

- Field Set Name should start with FST_<>.
- Select the Block adding to field set.
- All fields available to the block will be displayed in to the data block fields text area. Move fields from data block fields to Field set fields.
- The order of fields in *field set fields* will reflect in the screen as well

RACLE FLEXCUBE Developm	ent Workbench for Universal Banking			DEMOUSER
rowser 🗸			Window	
nction Generation				-
				🖫 🗶 🗏 7 🧐 🤉
Action New 💌	Function Type Parent		Function Category Maintenance	•
Function Id STDCIFD	Parent Function		Header Template None 🔻	
Save XML Path D:\RADTOOL	Parent Xml		Footer Template None	•
arch	Fieldset Properties			- 🔊
 Preferences DataSource ListOVAlues DataBlocks FieldSets FST_CUST1 FST_CUST2 Actions CallForms Summary 	Fieldset Name Fieldset Label Data Block Multi Record View Type Fieldset Height CUSTNO CUSTTYPE CHAME CHAME CHAME CUSTYPE CHAME CH	Screen Name Screen Portion Tab Name Section Name Partition Name Number Of Rows	MAIN	 ☐ Horizontal Fieldset ☐ ReadOnly ☐ Navigation Button ☑ Visible

Fig 12.14: Attaching Fields to a Field set

DRACLE' FLEXCUBE Developm	nent Workbench for Universal Banking	DEMOUSE
Browser 🗸		Windows Options Sign Ou
unction Generation		
		🖫 🗷 🗏 🖗
Action New -	Function Type Parent -	Function Category Maintenance 💌
Function Id STDCIFD	Parent Function	Header Template None 💌
Save XML Path D:\RADTOOL	Parent Xml	Footer Template None
earch	Fieldset Properties	4
 Preferences (a) DataSource (a) ListOfValues (a) CataSource (a) Screens (a) FreidSets (a) FST_CUST1 (a) FST_CUST2 (a) Actions (a) CaliForms (a) CaliForms (b) Summary 	Fieldset Name FST_CUST1 Fieldset Label RELK_CUSTOMER Multi Record No View Type Single Fieldset Height Data Block Fields CNTY NLTY LANG	Screen Name CVS_MAIN

• Select the screen portion (Header/Body/Footer) where this field set has to be placed. Select remaining details like tab, section and partition.

ORACLE FLEXCUBE Development Workbenc	h for Universal Banking - Windows Internet Explorer	- Are Manual Real		
ORACLE FLEXCUBE Developm	ent Workbench for Universal Banking			DEMOUSER
Browser -			Window	s Options Sign Out
Function Generation				_ ×
				🔚 🗶 🗏 🎸 🧃 🔿
Action New -	Function Type Parent	Fur	ction Category Maintenance	•
Function Id STDCIFD	Parent Function		ader Template None 🔻	
Save XML Path D:\RADTOOL	Parent Xml		ooter Template None	•
Search	Fieldset Properties	~		- 🛯 🌍 🤺
 Preferences DataSource ListONalues DataBlocks FieldSets FST_CUST1 FST_CUST2 Actions CallForms LaunchForms Summary 	Fieldset Name FST_CUST1 Fieldset Label PE Data Block BLK_CUSTOMER V Multi Record No View Type Single V Fieldset Height Data Block Fields CNTY NLTY LANG	Screen Name Screen Portion Tab Name Section Name Partition Name PART1 Number Of Rows FieldSet Fields CUSTNO CUSTNO CUSTNO CUSTYPE ADDR1	Subpartition Name	☐ Horizontal Fieldset ☐ ReadOnly ☐ Navigation Button ☑ Visible

Fig 12.15: Providing details where Field Set has to be placed

Once fields are added to field set, developer can check the preview of the designed screen. Right click on Screen Name and click on Preview.

🔶 Main		
🗗 New 🖾 Enter Query		
Customer No		
Name		
Туре		
Address		
Maker	Date Time:	
Checker		
	Date Time:	Exit
Mod No	Record Status	
mourto	Authorization Status	
l		


Fig 12.16: Preview of the designed Screen

Adding Multi entry block to field set.

- On selecting a multiple block, Multi Record Property will be defaulted to Yes..
- In case of Multi record, View type can be either Single or Multiple (By Default).

🔶 Main		×
🖹 New 🦻 Enter Query		
Customer No Name Type Address		
I	Go to Page	+ - =
Group Id	Customer No Relation	
•	III	•
Maker Checker	Date Time: Date Time:	Exit
Mod No	Record Status Authorization Status	
	Autonzation Status	

Below image shows a multiple view multi record field set



• For multi record single view navigation button should be checked.

UNACLE PLEXCOBE Development workben	ien for oniversal banking - v	indows internet explorer			- mark			
RACLE FLEXCUBE Develop	ment Workbench for Unive	rsal Banking						DEMOUS
rowser 🗸							Window	ws Options Sign C
nction Generation								
								🗄 🗶 🗏 7 🍕
Action Load		Function Type Parent				Function	n Category Maintenance	*
Function Id STDCIFD		Parent Function					Template None 👻	
Save XML Path STDCIFD_RAI	BROWSE	Parent Xml				Footer	Template Maint Audit	-
earch	Fieldset Properties	;						- 🥂
🗀 Preferences	FieldsetName	FST_CUST2		Scree	n Name	CVS_MAIN	•	🔲 Horizontal Fieldse
DataSource	Fieldset Label	×=			Portion	Body	-	ReadOnly
STTM_CUSTOMER CUSTOMER NO	Data Block	BLK_GROUP -				TAB_MAIN	•	Navigation Button
CUSTOMER_NO	Multi Record	Yes 👻	ç			SEC GROUP	•	Visible
CUSTOMER_NAME1	View Type	Single -			Name	PART1	•	
address_line1	Fieldset Height				fRows			
COUNTRY	rieldserrielgitt		Nul	ilber (Rows			
LANGUAGE		Data Block Fields			г:	eldSet Fields	Subpartition Name	
GROUP_ID		Data Diock Fields					Supparution Name	
CUSTOMER_NO					GROUP_	ID	•	
RELATIONSHIP					CUST_N	C	-	
istOfValues					RELATIO	N	•	
DataBlocks			A					
BLK_CUSTOMER			line al					
BLK_GROUP			44	J				
Creens CVS_MAIN								
HEADER								
TAB_MAIN								
EC_CUST								
SEC_GROUP								
FieldSets FST_CUST1								
- Actions								

~

Fig 12.18: Properties for Single View Multi Record Field set

🔶 Main		
🗗 New 🔄 Enter Query		
Customer No Name Type Address		1 of 1
Group Id Customer No Relation		
Maker Checker	Date Time: Date Time:	
Mod No	Record Status Authorization Status	Exit

Below figure shows the preview of a single view multi record field set

Fig 12.18: Preview for Single View Multi Record Field set

4.7 LOV

List Of values can be defined for the function id using LOV node

- To add LOV right click on List of Values Node. LOV Name should start with LOV_<name>. *Example: LOV_COUNTRY.*
- Enter valid query and click on populate button

action Generation								
						×	E 77	9
Action Load -		Function Type Parent		Function Cate	gory Maintenance 👻			
Function Id STDCIFD	Pa	irent Function		Header Tem				
Save XML Path STDCIFD_RAL	BROWSE	Parent Xml		Footer Temp	olate Maint Audit 👻			
arch	List Of Values Details						- [x G
	LOV Name * LOV_O LOV Query select c	ountry_code,description from sttm		' and record_stat = 'O'				
LOV_OCUNTRY							Popul	late
DataBlocks	Query Columns	Data Type Visible	Reduction Field	Reduction Field Type	Reduction/Colum	nn Labe	el 🛛	~
) 🧰 Screens) 🤄 FieldSets 🛅 Actions								$\overline{\mathbf{v}}$
CallForms								
aunchForms								
Summary								

Fig 12.19: Defining new LOV

LOV	Query	×
	select country_code,description from sttm_country where auth_stat = 'A' and record_stat = 'O'	
	Ok Cancel	

Fig 12.20: Providing LOV query

Function Generation												_ ×
									×	= 1	7 🤘	⇔
Action Load 👻	F	unction Type Parent	-			Funct	ion Category Maintenance	-				
Function Id STDCIFD	Pa	rent Function				Head	der Template None 👻					
Save XML Path STDCIFD_RAL	BROWSE	Parent Xml				Foo	ter Template Maint Audit	•				
Search	List Of Values Details									-	Aï 🧉	•
Preferences DataSourcestomER STTM_CUST_GROUP ListONalues ListOValues	LOV Name * LOV_OC LOV Query select co	CUNTRY puntry_code, description	from sttm_co	ountry where auth_stat =	= 'A' and record	1_stat = 'O']			Рор	ulate	
🗄 🧰 DataBlocks	Query Columns	Data Type	Visible	Reduction Field	Reductio	n Field Type	Reduction/Colu	mn La	bel		^	
Greens FieldSets	COUNTRY_CODE	VARCHAR2 -	Yes 👻	Yes 👻	TEXT	•	LBL_CNTRY		×=			
Actions CallForms	DESCRIPTION	VARCHAR2 -	Yes 🔻	Yes 🔻	TEXT	- (LBL_COUNTRYCD		* =		-	
Summary												

Fig 12.21: Providing LOV details

- Redn/Col Labels are mandatory. If user won't provide will get error on click of LOV button after deployment in FLEXCUBE
- After defining LOV go to block and corresponding field where the LOV has to be attached.

Block Field Properties to attach LOV to the field

- **Display Type:** Select display type as Lov.
- Lov Name: Select the required Lov name from the list of all defined LOV's.
- Click on return fields tab. The result fields maintained in the LOV query will be populated on click of *Default from Lov Definition* button

- Select the desired field (and its block)to which the result of the LOV query should be defaulted
- If return field is not required to be defaulted to any field in the screen, return field value can be left blank

Function Generation			-
			🖫 🗵 🗏 🐬 🧐 🚽
Action Load 👻	Function Type Parent	- Function C	ategory Maintenance
Function Id STDCIFD	Parent Function	Header Te	mplate None 🔻
Save XML Path STDCIFD_RAI	BROWSE Parent Xml	Footer Te	mplate Maint Audit 👻
Search	Block Field Properties		- 🗷 📮 🌍
	Field Name • CNTY Field Labei DataSource STTM_CUSTOMER Column Name • COUNTRY Data Type • Varchar2 • Display Type • Lov • Item Type Database Item • Parent Field • Related Block • Related Field • LOV Name • Fieldset Name •	XSD Tag CNTY XSD Annotation Field Size * 3 Maximum Length 3 Minimum Value 4 Maximum Value 4 Maximum Decimals 4 TextArea Rows 4 TextArea Columns 4 Default Value 4 Preview Value 4 Mask Id 4	
	Custom Attributes Events Bind Variables Return Fields Return Fields Mapping		Default From Lov Definition
CallForms	Query Column	Block Name	Return Field Name
Carl Summary	COUNTRY_CODE BLK_CUSTO		JTY -
	DESCRIPTION BLK_CUSTO	DMER -	-
		g LOV to a block Field	

Use of Bind Variable

If the list of values should be based on any other field value from the screen, bind variables can be used.

Example:

Define lov as shown in below query; where clause should contain condition with '?'.

SELECT cust_ac_no, branch_code, ccy from sttms_cust_account where cust_no = ? and record_stat = 'O' and once_auth = 'Y' and ac_stat_de_post = 'Y'

In the block field, after selecting return fields, click on bind variables tab. Click on **Default from Lov Definition** button. New rows will be created depending on the number of bind variable provided in the LOV query. Select the bind filed in the screen (and its block) for the LOV. Data type of the field has also to be selected.

Action Land	Function Type Parent	14	Function Category 11	antian ance Terr			
Function Id STDCH/F	Parent Function		Header Template No				
Save XML Path DIRADTOOLY	Parent Xml		Foster Template	aint Audit 🐱			
Search	Block Field Properties					- (A) =	0
Proferences DataSource DataSource Lov_COUNTRY Lov_ACCOUNT CUSTNO CUSTNO CUSTNO CUSTNO ACCOUNTRY ADDRLN1 COUNTRY ANDE ADDRLN1 CUSTSRP CUSTSRP CUSTSRP CUSTNO	Field Name CUSTNO Field Label LBL_CUSTNO XSD Tag CUSTNO Display Tipe Database film Parent Field Related Field Related Field Max Decimals LOV Name LOV_ACCOUNT Fieldset Name FST_GROUP		Data Type Varchar2 M DataSource STTME_CUET Max Length 9 Field Size Column Name CUBTOMER_* Default Value Preview Value Accessive/Code TextArea Cols Max Val Mask Id Off Line LOV Name Image Source		Popup Edit Regd Regured Visible Input by LOV Only Calender Text Select Multiple Uppercase Only Uppercase Only Regd In Xad Report Parameter Read Only		
	Custom Attributes Events Dind Variables Bind Variables Napping Block Name BLX_CUSTOMER	Ratum Fields	Bind Variable	Oxfault Koon LoV definitio Oxfaultype STRING			-

Fig 12.23: Defining bind variable for the LOV

4.8 Attaching Call forms

Maintenance Call forms can be attached to a maintenance screen. Refer the document <u>Development of Online Forms</u> for developing call forms

Attaching Call forms

- Add button to block to launch call form on button click.
 - Right click on Block
 - Select Add fields. Select fields and Add UI field's window will be launched
 - Select UI Fields tab. Click add row button. Enter button name and click ok.
 - Select display type as button and enter field label.

S	elect F	ields & Add	UI Fields						×
Γ	DataS	ource fields	Ul Fields						
							 	+-	_
				Field Na	me	_	 Data Type		^
	1	BTM_MIS					•		
									Ŧ
								Ok	Cancel
				1001 5 (6 11			

Fig 12.24: Defining Button field

• Add Call form details to Call form node

						🔚 🗶	■ 7	9
Action Load -		Function Type Parent	*	Funct	ion Category Mair	itenance 🔻		
Function Id STDCIFD		Parent Function		Head	ler Template Non	e 🔻		
Save XML Path STDCIFD_RAI	BROWSE	Parent Xml		Foo	ter Template Mair	nt Audit 👻		
irch	Call Form Details							9
DataSource								
TTM_CUSTOMER			1		creen Arguments		Fields <mark>+</mark> -	1
STTM_CUST_GROUP ListOfValues	Function ID	Parent Data Block	Parent DataSource	Relation	Relation Type	Callform Screen	Display 1 4	
LOV_COUNRTY DataBlocks	MICCUSTM	BLK_CUSTOMER -	STTM_CUSTOMER -	;TTM_CUSTOMER.COSTOMER_NO =	One To One 🔻	•	Button	
CNTY NLTY NLTY LANG TIL MIS TIL MIS TIL MIS TIL GROUP Screens FieldSets CallForms CallForms LaunchForms Summary								
	٢		m				•	r

Fig 12.25: Defining details of the Call form to be attached in call form node

- Add event to button.
 - On selecting event type as call form or launch form or sub screen button will be displayed on bottom of the screen.
 - If user needs to place button position in desired place on the screen, event type should be Normal .User has to write code in release specific JavaScript file to launch the screen

Function Generation				-
				🖫 🗶 🗏 🖗 🤤 🖙
Action Load -	Function Type	Parent 👻	Function Category Mainte	enance 🔻
Function Id STDCIFD	Parent Function		Header Template None	•
Save XML Path STDCIFD_RAL	BROWSE Parent Xml		Footer Template Maint	Audit 👻
Search	Block Field Properties			- 🛚 🔾 🌍
Preferences CataSource Cata	Field Name Field Label DataSource Column Name Data Type Text Parent Field Related Field LOV Name Field Vame F	XSD An Fi Maximum Minimur Maximum Maximum Maximum TextAre C Defata V Previe	eld Size *	Required Visible Read Only Calender Text Popup Edit Required Uppercase Only LOV Validation Required Input by LOV Only Not Required In Xsd Report Parameter
□ LANG □ BTM_MIS ④ □ BLK_GROUP ○ □ Screens □ □ CVS_MAIN ❸ □ HEADER	Off Line LOV Name Fieldset Name Custom Attributes Events Related Field Event Name Funct	ction Name Event Type	Maskid PE Button Screen CallForm Name	Screen Name
 BODY TAB_MNN SEC_CUST SEC_GROUP FieldSets Actions CallForms LaunchForms Summary 	✓ onunload ▼ 2.26: Defining event to the second	Caliform •	CVS_MAIP • MICCUSTM •	CVS_CUSTO

• Check the preview.

🔶 Main				×
🖹 New 🦻 <u>Enter Query</u>				
Customer No Name Type Address				
I≪ 1 of 1 ▶ ▶	Go to Page		+-==	
Group Id	Customer No	Relation	A	
<		III		
MIS Change Log				
Maker	I	Date Time:		
Checker		Date Time:	Exi	t
Mod No		cord Status tion Status		

Fig 12.27: Preview of the screen with the Call Form button

4.9 Adding Summary

1) Add entry in Preferences node for Summary screen

unction Generation								
						×	I 7	S
Action Load -	Function	Type Parent 👻		Function Category Maintenand	e –			
Function Id STDCIFD	Parent Fun	iction		Header Template None 👻				
Save XML Path STDCIFD_RAI	BROWSE Paren	t Xml		Footer Template Maint Audit	•			
arch	Preferences							Ľ
Dreferences	🔽 Head Office	Function	Module	ST				
DataSource DataSource DataSource	Logging Red	uired	Module Description	Static Maintenance				
B STTM_CUST_GROUP	Auto Authoriz	ation	Branch Program Id					
🗉 🚞 ListOfValues	🔽 Tank Modific	ations	Process Code					
DataBlocks	Field Log Re	quired	SVN Repository URL		_	1		
BLK_CUSTOMER BLK_CUSTNO	Multi Branch	Access	Transaction Block Name		•			
CUSTTYPE	Excel Export	Required	Transaction Field		•			
			Name					
DDR1								
					Car	atral Ci	ring 🕂	
LANG							iniy 🛨	
BTM_MIS BLK GROUP	Function Id		Module *	Module Descript	ion			
Screens	STDCIFD	ST	1	Static Maintenance		_		
I CVS_MAIN	STSCIFD	ST	×1	Static Maintenance				
FieldSets								-
CallForms								
aunchForms								
🚞 Summary								
			een details in Prefere					

- 2) Click on Summary Node.
 - Enter Summary title .Select label code from lov.
 - Select Data Block master block and summary blocks will be displayed. Select required block from drop down list.
 - Select Data Source for summary.
 - Select Summary Type.
 - Select Summary Screen size.
 - Enter if any where clause is required.
 - Enter Default order by if required.
 - Enter Multi Branch where clause if required.
 - Attach the fields required in the summary result grid
 - If the field is required as part of filtering, query has to be checked for the particular field
 - Provide the position of fields in Result grid and Summary Query set .

Action Load - Function Id STDCIFD	Function Type Parent Parent Function	-				Category Maintenance Template None -	-			
Save XML Path STDCIFD_RAI BROWSE	Parent Xml				Footer	Template Maint Audit	•			
arch Summa	ary Details								C	7 9
B ListOfValues St	Data Source STTM_CUSTOMER	× • •		Default Where Clause Default Order By Multi Branch Where Clause Main Summary Screen	WebSen Required		2 2 2]]		
CUSTTYPE Data Bit CNAME ADDR1 CNTY NLTY	Ock Fields Custom Buttons Fields Ordering	_		Fields Selected	Query	LOV Name				
LANG				CUSTNO	Query ▼	LOV Name	-			
□ BTM_MIS ■ □ BLK GROUP				CNAME	<u>п</u>		-			
Screens			~	CUSTTYPE			-			
CVS_MAIN		ÞÞ		ADDR1			-			
TieldSets Actions		44		CNTY			_			
		N		NLTY						
CallForms				LANG						
				5.00	-		_			

Summary Preview

Right click on summary node and click on preview.

	auto Querri d t Advense	d Search O Dec	et D Clear All							×
EX EXE	Advance Advance Advance Authorization Status Customer No	v search +9 kes			Reco	ord Status	•			
Reco	rds per page 15 👻 📊	▲ 1 of 1		2						*
	Authorization Status	Record Status	Customer No	Name	Туре	Address	Country	Nationality	Language	
										E
										-
•									Þ	Ē
									Exit	

Fig 12.29: Summary Screen Preview

4.10 Amendable fields Maintenance

Amendable Fields

If user needs to modify data of a particular field on unlock, in Workbench developer has to maintain fields as amendable.

- Click ACTIONS node.
- Click on Amendables button next to the action for which the field has to be made amendable
- Select the fields in each block which user can modify for the selected action.

ndable DetailsQUERY		
Data Blocks	DataBlock Fields	;
ISTOMER ROUP	New Allowed Delete Allowed All I	Records 🔲 Mandatory
	Field Name	Amendable
	CUSTNO	
	CUSTTYPE	
	CNAME	
	ADDR1	
	CNTY	
	NLTY	
	LANG	
	BTM_MIS	
		Ok Cance

Fig 12.30: Maintaining amendable fields

5. Generation and Deployment of files

Generate Files

• Click on generate button select the required files to generate and click on Generate button.

ation		×		Aeta Data	Others
Error Description I Request successfully Processed		Error Code RD-SAVE-007	Henu Details Dalasource Details Double Details Bick Details Screen Details 4.132.100 Completed	Label Dietails Block PK Columns Function Call Forms Gateway Details Notification Details	Xsd With Annotations Screen Html Upload Table Trigger Upload Tables Definition Archive Table Definition
		File Download		rge Details	
		Do you want to open or sa		ile Type	Status
		Type: WinRAF From: 10.184.1	R ZIP archive		Generated * Generated *
			Open Save Cancel		Generaled *
STDCIFDCVS_MAINTAB_FOOTER html stpks_stdoitd_main.spc While files from the Inter stpks_stdoitd_main.spc		temet can be useful, some files can potent f you do not trust the source, do not open of	ially or	Generated Generated	
	stpks_sldcifd_kernel.spc	save triis file. write.s	une hisk <u>y</u>		Generated 👻
	stplos_stdold_main.sql		SQI		Generaled *
	stpks_sldclfd_kernel.sql		SO		Generated *
	CST0_FIELD_LABELSSTOCIFD.INC		INC		Generaled *
	CSTB_OTHER_LABELSSTDCIFD INC		INC		Generated 👻
	OSTB_FID_CALLFORMSSTOCIFD.INC		INC		Generaled *

Fig 12.30: Generation of Files

Deploy files

• Click on deploy button select the required files to deployed to server and click on deploy. On successful deployment status will be displayed as Deployed.


Front-End Files	System Packages	Hook Packages	Me	ta Data	Others	^
RadXML Screen Xml System JS	Main Package Spec Main Package Body Notification Triggers Upload Package Spec Upload Package Body	Kernel Package Spec Kernel Package Body Uluster Package Body Uluster Package Body Uluster Package Spec Custom Package Body	Menu Details Datasource Details LOV Details Block Details Screen Details Amendable Details Call form Details Summary Details	Label Details Details Diock PK Columns Function Call Forms Gateway Details Notification Details Function Parameters Purge Details	Xsds Xsd With Annotations Screen Html Upload Table Trigger Upload Tables Definition Archive Table Definition	
3	CSTB_FIELD_LABELSSTDCIFD.INC		INC		Deployed -	*
4	CSTB_OTHER_LABELSSTDCIFD.INC		INC		Deployed -	
5	CSTB_SUMMARY_INFOSTDCIFD.INC		INC		Deployed -	
6	STTB_AUDIT_PK_COLSSTDCIFD.INC		INC		Deployed -	
7	CSTB_FID_DATA_BLOCKSSTDCIFD.INC		INC		Deployed -	
8	CSTB_FID_DATA_SOURCESSTDCIFD.INC		INC		Deployed -	
9	CSTB_FID_SCR_TABSSTDCIFD.INC		INC		Deployed -	E
10	CSTB_FID_SCREENSSTDCIFD.INC		INC		Deployed -	
11	SMTB_MENUSTDCIFD.INC		INC		Deployed -	
12	SMTB_ROLE_DETAILSTDCIFD.INC		INC		Deployed -	
13	SMTB_FUNCTION_DESCRIPTIONSTDCIFD.II	1C	INC		Deployed -	
14	SMTB_FCC_FCJ_MAPPINGSTDCIFD.INC		INC		Deployed -	
15	STDCIFD RAD.xml		RADX	ML	Generated -	-

Fig 12.30: Deployment of Files

Testing

•

- Launch the screen from FLEXCUBE
- Try sample operations on the screen (NEW, MODIFY, QUERY etc)



6. Generated Units

The following units will be generated for a Maintenance screen.

Refer document <u>Development Workbench - Screen Development II</u> for detailed explanation on the same

6.1 Front End Units

6.1.1 Language xml

This file is an XML markup of presentation details, for the designed Call Form specific to a language.

6.1.2 SYS JavaScript File

This JavaScript file mainly contains a list of declared variables required for the functioning of the screen

6.1.3 Release Type Specific JavaScript File

This file won't be generated by the Tool. It has to be manually written by the developer if he has to write any code specific in that release

6.2 Data Base Units

6.2.1 Static Scripts

The following static scripts generated are required for the proper functioning of a Call Form screen. Refer document on generated units for detailed explanation

i) Menu Details

Scripts for SMTB_MENU and SMTB_FCC_FCJ_MAPPING, SMTB_ROLE_DETAIL, SMTB_FCC_GCJ_MAPPING are required for the functioning of Maintenance screen

- ii) Lov Details
- iii) Amendable Details
- iv) Label details
- v) Screen Details
- vi) Block details
- vii) Data Source Details
- viii) Call form details
- ix) Summary Details

6.2.2 System Packages

The Main Package contains the basic validations and backend logic for the Maintenance function id. The Main package contains the mandatory checks required. It will also contain function calls to the other packages generated by Workbench.

The main package has the below stages for a maintenance form:

- Converting Ts to PL/SQL Composite Type
- Checking for mandatory fields
- Defaulting and validating the data
- Writing into Database
- Querying the Data from database

• Converting the Modified Composite Type again to TS

Each of these stages has a 'Pre' and 'Post' hooks in the Kernel, Cluster and Custom Packages. And these Hooks are called from the Main Package itself

Main Package has the system-generated code and should not be modified by the developer Kernel, Cluster and Custom Packages are the packages where the respective team can add business logic in appropriate functions using the Pre and Post hooks available

6.2.3 Hook Packages

Release specific packages will be generated based on the release type (KERNEL.CLUSTER or CUSTOM). Developer can add his code in the release specific hook package.

The Main Package has designated calls to these Hook Packages for executing any functional checks and Business validations added by the user. The structure for all the Hook Packages are the same, like:

Fn_Post_Build_Type_Structure Fn_Pre_Check_Mandatory Fn_Post_Check_Mandatory Fn_Pre_Default_and_Validate Fn_Post_Default_and_Validate Fn_Pre_Upload_Db Fn_Post_Upload_Db Fn_Pre_Query Fn_Post_Query

These Functions are called from the Main package using the Pre and Post Hooks available in the Main Package. The 3 Hook Packages namely Kernel, Cluster and Custom Packages have similar structure and are for the respective teams to work on.

6.3 Other Units

6.3.1 Xsd

Xsd 's will be generated if gateway operations are required for the particular function id. Maintenance for the same has to be done in *Actions* node

7. Extensible Development

Developer can add his code in hook packages and release specific JavaScript file.

7.1 Extensibility in JavaScript Coding

For release specific JavaScript coding, code has to be written in release specific JavaScript

file.

It follows the naming convention as : (Function Id)_(Release Type).js *Example: Code in STDCIFD_CLUSTER.js is exclusive to cluster release*

This JavaScript file allows developer to add functional code and is specific to release.

The functions in this file are generally triggered by screen events. A developer working in cluster release would add functions based on two categories:

- Functions triggered by screen loading events *Example: fnPreLoad_CLUSTER(), fnPostLoad_CLUSTER()*
- Functions triggered by screen action events *Example: fnPreNew_CLUSTER (), fnPostNew_CLUSTER ()*

7.2 Extensibility in Backend Coding

Release specific code has to be written in the Hook Packages generated.

7.2.1 Functions in Hook Packages

Different functions available in the Hook Package of a Maintenance Form are:

- 1) Skip Handler : Pr_Skip_Handler This can be used to skip the logic written in another release. *Example: logic written in KERNEL release can be skipped in CLUSTER release*
- 2) Fn_post_bulid_type_structure If any change has to be made in the field values obtained from the form befor start of processing, code can be written here
- 3) Fn_pre_check_mandatory
- 4) Fn_post_check_mandatory

Any extra mandatory checks on the field values from the screen can be written here.

- 5) Fn_pre_query
- 6) Fn_post_query

Any specific logic while querying can be written in these functions. It is called from fn_query of the main package

- 7) Fn_pre_upload_db
- 8) **Fn_post_upload_db** Any logic while uploading data to tables can be written here .
- 9) Fn_pre_default_and_validate

10) Fn_post_default_and_validate

Any release specific logic for defaulting and validation can be written here . It is called from the fn_default_and_validate in the main package

7.2.2 Flow of control through Hook packages

The flow of control through the Hook Packages for a particular stage is as explained in the figure below





Fig 12.31: Flow of control through Hook Packages



7.2.3 By passing Base Release Functionality

There are auto generated functions like FN_SKIP_<RELEAE_TYPE> which would determine whether or not a particular hooks needs to be called.

Developer also has an option to bypass the base release hook if need be. For example if the validations written in *STPKS_STDCINF_KERNEL.FN_PRE_CHECK_MANDATORY* are not required or not suitable for the Cluster release, system provides an option to bypass the code written by Kernel team. Similarly a Custom release can also bypass the code written by Kernel and Custom Releases. This can be achieved by calling procedures

PR_SET_SKIP_<RELEASE_TYPE> and *PR_SET_ACTIVATE_<RELEASETYPE>*. These procedures will be made available in the main package and the development teams of Customization teams can use these procedures to skip and re-activate the hooks of parent release.

The Developer should avoid adding validations or Checks in the Pre Stage of any function, like Fn_Pre_Check_Mandatory, etc and should aim to add all the validations in the Fn_Post_Default_and_Validate.

For Example let us see the flow for the Mandatory Stage for STDCIFD:




Fig 12.31: Flow of control explaining skip logic in pacakges



Development of Maintenance Form [September] [2024] Version 14.7.5.0.0

Oracle Financial Services Software Limited Oracle Park Off Western Express Highway Goregaon (East) Mumbai, Maharashtra 400 063 India

Worldwide Inquiries: Phone: +91 22 6718 3000 Fax:+91 22 6718 3001 www.oracle.com/financialservices/

Copyright © 2007, 2024, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.