

Oracle® Service Architecture Leveraging Tuxedo (SALT) Administrator's Guide



Release 22c
G12474-02
October 2024



Copyright © 1996, 2024, Oracle and/or its affiliates.

Primary Author: Priya Pathak

Contributing Authors: Tulika Das, Maggie Li

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

1 SALT Administration Overview

1.1	Administering SALT	1-1
1.1.1	Oracle Tuxedo Service Metadata Repository	1-1
1.1.2	SALT Web Service Deployment Model	1-2
1.1.2.1	SALT Web Service Definition File	1-2
1.1.2.2	SALT Deployment File	1-2
1.2	SALT Web Services Administrative Tasks and Tools	1-3
1.2.1	Configuring SALT Applications Using Command-Line Utilities	1-3
1.2.2	Administering SALT Applications Using Command-Line Utilities	1-4
1.3	SALT Web Application Server Administrative Tasks and Tools	1-4
1.4	SALT WS-TX Administrative Tasks and Tools	1-5

2 Administering SALT at Runtime

2.1	Administering Oracle Tuxedo Web Services	2-1
2.1.1	Browsing to the WSDL Document from the GWWS Server	2-1
2.1.2	Tuning the GWWS Server	2-2
2.1.2.1	Thread Pool Size Tuning	2-3
2.1.2.2	Network Timeout Control	2-3
2.1.2.3	Max Content Length Control	2-3
2.1.2.4	Backlog Control	2-3
2.1.2.5	Oracle Tuxedo BLOCKTIME	2-3
2.1.2.6	Boost Performance Using Multiple GWWS instances	2-4
2.1.2.7	Tracing the GWWS Server	2-4
2.1.3	Monitoring the GWWS Server	2-6
2.1.4	Troubleshooting SALT	2-7
2.1.4.1	GWWS Start Up Failure	2-8
2.1.4.2	GWWS Rejects SOAP Request	2-8
2.1.4.3	WSDL Document Generated Incorrectly or Rejected by SOAP Client Toolkit	2-8
2.1.5	OAM Integration	2-9
2.1.5.1	SSO Between Oracle Tuxedo Domain and Other Web Resources Using SALT	2-10

List of Examples

2-1	TMTRACE Messages Logged By GWWS Server	2-5
2-2	Use wsadmin to Monitor GWWS	2-6

List of Figures

1-1	SALT Deployment Model	1-3
2-1	WebGate	2-9

List of Tables

2-1	WSDL Download Options	2-1
2-2	Deprecated WSDL Download Options	2-2
2-3	wsadmin sub-commands	2-7

1

SALT Administration Overview

This chapter contains the following topics:

- [Administering SALT](#)
- [SALT Web Services Administrative Tasks and Tools](#)
- [SALT Web Application Server Administrative Tasks and Tools](#)
- [SALT WS-TX Administrative Tasks and Tools](#)

1.1 Administering SALT

This section explains the following basic concepts for administering SALT:

- [Oracle Tuxedo Service Metadata Repository](#)
- [SALT Web Service Deployment Model](#)

1.1.1 Oracle Tuxedo Service Metadata Repository

The Oracle Tuxedo Service Metadata Repository was developed to facilitate saving and retrieving Oracle Tuxedo service metadata. Oracle Tuxedo service metadata is a collection of Oracle Tuxedo service attributes that are especially useful in describing the request/response details of an Oracle Tuxedo service. The SALT gateway server (GWWS), relies on the Oracle Tuxedo Service Metadata Repository for conversions between the Oracle Tuxedo request/response format (buffer types) and standard SOAP message format.

When exposing Oracle Tuxedo services as Web services using SALT, you must define and load your Oracle Tuxedo service metadata in the Oracle Tuxedo Service Metadata Repository. SALT can then define the corresponding SOAP message format from the Oracle Tuxedo service metadata.

When invoking external Web services from an Oracle Tuxedo application, SALT provides a WSDL file converter, `wsdlcvt`. This command utility helps you to define Oracle Tuxedo service metadata from each Web service operation. The converted services are called SALT proxy services and can be invoked as normal Oracle Tuxedo services. SALT proxy services also need to be loaded in the Oracle Tuxedo Service Metadata Repository.

To retrieve the Oracle Tuxedo service metadata information, you must configure the Oracle Tuxedo Service Metadata Repository system server (TMMETADATA), to be booted in the Oracle Tuxedo application.



Note:

TMMETADATA must be booted prior to using any SALT gateway GWWS server.

For more information, see [Oracle Tuxedo Service Metadata Repository](#) and Using Oracle Tuxedo Service Metadata Repository for SALT in the SALT Configuration Guide

1.1.2 SALT Web Service Deployment Model

Deploying SALT requires two configuration file types:

- [SALT Web Service Definition File](#)
- [SALT Deployment File](#)

1.1.2.1 SALT Web Service Definition File


The SALT Web Service Definition File (WSDF) is an XML-based file used to define SALT Web service components (Web Service Bindings, Web Service Operations, Web Service Policies, and so on). The WSDF is an SALT specific representation of the Web Service Definition Language data model. There are two WSDF types: native and non-native.

- **Native WSDF**
A native WSDF is created manually. You must define a set of Oracle Tuxedo services and how they are exposed as Web services in the WSDF. It looks similar to the SALT 1.1 configuration file. The native WSDF is the input file for the SALT WSDL generator (tmwsdlgen). For more information, see SALT Configuration Guide
- **Non-native WSDF**
A non-native WSDF is generated from an external WSDL file that has been converted using the SALT WSDL converter wsdlcvt). Basically, you do not need to change the generated WSDF (except to configure advanced features). For more information, see Configuring Web Services.

1.1.2.2 SALT Deployment File

The SALT Deployment File (SALTDEPLOY) is an XML-based file used to define SALT GWWS server deployment information on a *per* Oracle Tuxedo machine basis. The SALTDEPLOY file lists all necessary WSDF files. It also specifies how many GWWS servers are deployed on an Oracle Tuxedo machine and associates inbound and outbound Web service endpoints for each GWWS server. The SALTDEPLOY file contains a system section where global resources are configured (including certificates and plug-in load libraries). For more information, see Creating the SALT Deployment File in the SALT Configuration Guide.

Figure 1-1 SALT Deployment Model



1.2 SALT Web Services Administrative Tasks and Tools

SALT provides a set of command utilities for managing different parts of an SALT application built on the Oracle Tuxedo system. These utilities can be used for the following tasks:

- [Configuring SALT Applications Using Command-Line Utilities](#)
- [Administering SALT Applications Using Command-Line Utilities](#)

1.2.1 Configuring SALT Applications Using Command-Line Utilities

You can configure your SALT application by using command-line utilities. Specifically, you can use an XML editor to create and edit the configuration file (WSDL) files and SALTDEPLOY file for your application, and then use the command-line utility, wsloadcf, to translate the XML files (SALTDEPLOY file and referenced WSDL files) to a binary file (SALTCONFIG). You are then ready to boot the SALT gateway (GWWS) servers.

The following list identifies SALT command-line utilities that you can use to configure your application:

- `wsloadcf(1)`
A command that is initiated on each Oracle Tuxedo machine. It allows you to compile your application SALTDEPLOY file and referenced WSDL files into the binary SALTCONFIG file. The wsloadcf command loads the binary file to the location defined by the SALTCONFIG environment variable.
- `wscobolcvt(1)`
A command that converts an external Web Service Description Language (WSDL) file into Oracle Tuxedo definition files (WSDL file, Oracle Tuxedo Service Metadata definition file,

FML32 field table file and XML Schema file). The generated WSDF file is a non-native WSDF file used for SALT outbound calls specifically.

`wscobolcvt(1)`

A command that converts COBOL copybook into SALT artifacts for exposing COBOL services as web services.

For more information, see SALT Command Reference

Since SALT is built on the Oracle Tuxedo framework, you should also use the following Oracle Tuxedo provided command-line utilities to configure SALT specific items in an Oracle Tuxedo application:

- `tmloadcf(1)`
A command that runs on the master Oracle Tuxedo machine. It is used to compile the Oracle Tuxedo application `UBBCONFIG` file into the binary `TUXCONFIG` file. To boot SALT gateway servers, you must define `GWWS` servers in the `UBBCONFIG` file.
- `tmloadrepos(1)`
A command that runs on the machine where the Oracle Tuxedo Service Metadata Repository System Server (`TMMETADATA`) is booted. It loads the Oracle Tuxedo service metadata definition text files into the binary Oracle Tuxedo Service Metadata Repository file. You must load all existing Oracle Tuxedo services that are to be exposed as Web service operations in the Oracle Tuxedo Service Metadata Repository. You must also load all `wsdlcvt` generated SALT proxy services in the Oracle Tuxedo Service Metadata Repository.
- `saml`
The `wsadmin` sub-command `saml` can be used to manage SAML related metadata for use with the SAML Single Sign-On capability. For more information, see `wsadmin` in the SALT Command Reference

1.2.2 Administering SALT Applications Using Command-Line Utilities

You can use the `wsadmin(1)` command-line utility to perform administrative functions for SALT gateway servers in your Oracle Tuxedo applications. Similar to the `tmdadmin`, `dmadmin` and `qmdadmin` commands, `wsadmin` is an interactive meta-command that enables you to run sub-commands.

In an Oracle Tuxedo application, you can run `wsadmin(1)` on any machine to monitor and manage the SALT gateway servers defined in the Oracle Tuxedo application.

1.3 SALT Web Application Server Administrative Tasks and Tools

SALT provides the following Web application server administration tools:

- Web module `mod_tuxedo` (for Apache or OHS), and `tux_nsapi` (for iPlanet). The configuration elements are located in the respective configuration files (`httpd.conf` or `magnus.conf`).
- The `WEBHNDLR` system server which serves HTTP requests proxied from `mod_tuxedo` or `tux_nsapi`. This system server is configured in the `UBBCONFIG` file and administered using regular Oracle Tuxedo commands.

For more information, see [Oracle Tuxedo Installation Guide, Administering SALT at Runtime and Configuring a SALT Application](#)

1.4 SALT WS-TX Administrative Tasks and Tools

SALT provides a set of command utilities for managing and supporting WS-TX transactions. The names and usages of these utilities are the same as in the SALT Reference Guide.

For more information, see WS-TX Interoperability Support in the Oracle Tuxedo Interoperability and Configuring SALT WS-TX Support in the SALT Configuration Guide



See Also:

- [Oracle Tuxedo Installation Guide](#)
- SALT Configuration Guide
- SALT Programming Guide
- SALT Reference Guide
- SALT Interoperability Guide

2

Administering SALT at Runtime

This chapter contains the following topics:

- [Administering Oracle Tuxedo Web Services](#)

2.1 Administering Oracle Tuxedo Web Services

This section contains the following topics:

- [Browsing to the WSDL Document from the GWWS Server](#)
- [Tuning the GWWS Server](#)
- [Monitoring the GWWS Server](#)
- [Troubleshooting SALT](#)
- [OAM Integration](#)

2.1.1 Browsing to the WSDL Document from the GWWS Server

Each GWWS server automatically generates a WSDL document for each deployed inbound native WSDF. The WSDL document can be downloaded from any of the HTTP/S listening endpoints via HTTP GET.

Use the following URL to browse the WSDL document:

```
"http(s)://<host>:<port>/wsdl[? [id=<wsdf_name>] [&mappolicy=<pack|raw|mtom>] [&toolkit=<wls|axis>]]"
```

Table 2-1 WSDL Download Options

Option	Value Description
id	Specifies the native WSDF name for the WSDL document. The specified native WSDF must be imported via inbound direction by the GWWS server. If the option is not specified, the first inbound native WSDF is used.
mappolicy	{pack raw mtom} Specifies the data mapping policies for certain Oracle Tuxedo Typed buffers for the generated WSDL document. Currently, this option impacts CARRAY typed buffers only. If the option is not specified, pack is used as the default value.

Table 2-1 (Cont.) WSDL Download Options

Option	Value Description
toolkit	{wls axis} Use this option only if you have previously defined <code>mappolicy=raw</code> . Specify the client toolkit used so that the proper WSDL document description for a CARRAY typed buffer MIME attachment is generated. SALT supports WebLogic Server and Axis for SOAP with Attachments. The default value is <code>wls</code> .

**Note:**

The WSDL download URL supported by SALT 2.0 and later is different from the SALT 1.1 release. In SALT 1.1, one GWWS server adaptively supports both RPC/encoded and document/literal message style, both SOAP 1.1 and SOAP 1.2 version, from a given configuration file.

In SALT 2.0 and later, each WSDL file associated with the GWWS server must be pre-combined with a certain SOAP version and a certain SOAP message style. So the following WSDL download options for SALT 1.1 GWWS server are deprecated in this release.

Table 2-2 Deprecated WSDL Download Options

Option	Value Description
SOAPversion	This deprecated option is used to specify the expected SOAP version defined in the generated WSDL document. This option is now set in the WSDL file.
encstyle	This deprecated option is used to specify the expected SOAP message style defined in the generated WSDL document. This option is now set in the WSDL file.

2.1.2 Tuning the GWWS Server

The GWWS server is a high performance gateway used between external Web Service application and the Oracle Tuxedo application. It uses a thread-pool working model to improve performance in a multi-processor server environment.

For more information, see *Configuring the GWWS Servers* in the SALT Configuration Guide.

- [Thread Pool Size Tuning](#)
- [Network Timeout Control](#)
- [Max Content Length Control](#)
- [Backlog Control](#)
- [Oracle Tuxedo BLOCKTIME](#)
- [Boost Performance Using Multiple GWWS instances](#)

- [Tracing the GWWS Server](#)

2.1.2.1 Thread Pool Size Tuning

Property: `thread_pool_size`

The default thread pool size is 16, but in some cases this may not be enough to handle high volume loads. It is recommended to conduct a typical usage analysis in order to better estimate the proper size requirement. Usually, if the concurrent client number is large (for example, more than 500), it is suggested that you deploy the GWWS gateway on a server with at least a 4-way processor and set the thread pool size to 64.

2.1.2.2 Network Timeout Control

Property: `timeout`

SALT provides a network timeout tuning parameter in the configuration file. The default timeout value is 300 seconds. The value can be adjusted to reduce timeout errors.

2.1.2.3 Max Content Length Control

Property: `max_content_length`

SALT administrators may want to limit the buffer size sent from a client. SALT supports this by using a property value that can be set for particular GWWS instances. By default there is no limit.

2.1.2.4 Backlog Control

Property: `max_backlog`

The default backlog socket listen value is 20. On some systems, such as Windows, 20 may not meet heavy load requirements. The client connection is rejected during TCP handshake.

The recommended value for Windows is based on the max concurrent TCP connections you may encounter. For example, if 80 is the peak point, you may configure the `max_backlog` property value to 60 in the SALT configuration file.



Note:

The default backlog value is adequate for most systems. You do not need to tune it unless you experience client connection problems during heavy loads.



WARNING:

A large backlog value may increase *syn-flood* attack risk.

2.1.2.5 Oracle Tuxedo BLOCKTIME

A network receive timeout property is provided in the SALT configuration file. Web service applications are also impacted by the Oracle Tuxedo `BLOCKTIME` parameter. Blocktime

accounting begins when a message is transformed from XML to a typed buffer and delivered to the Oracle Tuxedo framework.

If no reply is received for a particular Web service client within the `BLOCKTIME` time frame, the GWWS server sends a SOAP fault message to the client and terminates the connection. If the GWWS server receives a delayed reply, it drops this message because the client has been disconnected.

`BLOCKTIME` is defined in the `UBBCONFIG` file `*RESOURCE` section.

2.1.2.6 Boost Performance Using Multiple GWWS instances

If one GWWS instance is bottlenecks due to network congestion, low CPU resources and so on, multiple GWWS instances can be deployed with the same Web Service binding on distributed Oracle Tuxedo nodes.



Note:

Even though multiple GWWS instances can provide the same logic functionality, from a client perspective, they are different Web service endpoints with different HTTP/S listen ports and addresses.

2.1.2.7 Tracing the GWWS Server

The GWWS server process utilizes the `TMTRACE` trace functionality that is supported by the Tuxedo. The trace feature in the GWWS is used in conjunction with the `TMTRACE`.

The trace messages are logged in the ULOG file accessible within the user set-up directory. The user could check the ULOG file to determine the cause of a problem. Also, looking at the ULOG helps the user to determine at what stage of the message processing the problem occurred within the SALT gateway

The trace can be enabled using the environment variables `TMTRACE` and `GWWS_TRACE_LEVEL`. The `TMTRACE` variable enables the trace. And the environment variable `GWWS_TRACE_LEVEL` controls the amount of trace that will be logged by the SALT gateway.

The trace category `ws` is used to trace Oracle SALT messages. It can be used together with other general trace categories. For example, if trace category `"atmi+ws"` is specified, both Oracle SALT and Oracle Tuxedo ATMI trace messages are logged.



Note:

Message tracing is recommended for diagnostic treatment only. The following trigger specifications are not recommended for GWWS servers:

`abort,system, sleep`

If any of these trigger specifications are used, GWWS servers may terminate unexpectedly.

For more information, see [tmtrace\(5\)](#) in the *File Formats, Data Descriptions, MIBs, and System Processes Reference*

`GWWS_TRACE_LEVEL` can be set to 100 or 200. The value '100' provides the least amount of trace information in the ULOG file. The value '200' provides the most amount of trace information.

TMTRACE and GWWS_TRACE_LEVEL environment variables can be set as follows:

```
export TMTRACE=atmi+ws:ulog
export GWWS_TRACE_LEVEL=100
```

Trace is enabled for both ATMI and SALT messages (for least amount of tracing).

To enable tracing for only SALT messages, set as follows:

```
export TMTRACE=ws:ulog
export GWWS_TRACE_LEVEL=200
```

This sets the trace level to maximum tracing amount.



Note:

Be aware of the amount disk space available when the GWWS_TRACE_LEVEL is set to 200 especially for large data buffers since trace will fill the ULOG file.

The following example shows a ULOG file example containing SALT tracing messages.

Example 2-1 TMTRACE Messages Logged By GWWS Server

```
105106.slc04jtu!GWWS.27653.1379895040.0: TRACE:ws:Begin data transformation
of request message, buffer type = FML32, SCO index=4095
105106.slc04jtu!GWWS.27653.1379895040.0:
TRACE:ws:trace_level<100>:sco_index<4095>:WS<TFML32>:tuxedo_service<TFML32>:di
rection<inbound>:message_kind<request>:Parsing of the Data message begins
before sending to tuxedo
...
105106.slc04jtu!GWWS.27653.1379895040.0: TRACE:ws:Entering<TRACE_FSM>
105106.slc04jtu!GWWS.27653.1379895040.0: TRACE:ws:SCO[4095] FSM State
Transition: --OK-->FindService
105106.slc04jtu!GWWS.27653.1379895040.0: TRACE:ws:Exiting<TRACE_FSM>
105106.slc04jtu!GWWS.27653.1379895040.0:
TRACE:ws:<200>:<4095>:<TFML32>:<TFML32>:<inbound>:<request>:<Message:Style/
Encoding><DOC/LITERAL>
...
105106.slc04jtu!GWWS.27653.1379895040.0: TRACE:ws:<runSoap2BufConversion>
<200>:<4095>:<TFML32>:<TFML32>:<inbound>:<request>:Message config parameters
info:input buffer<inbuf>:type<FML32>:schema-
name<fml32_TFML32_In>:style<DOC>:encoding<LITERAL>:type<request-response>
...
105106.slc04jtu!GWWS.27653.1379895040.0:
TRACE:ws:<100>:<4095>:<TFML32>:<TFML32>:<inbound>:<request>:<XML2Tux> data
conversion SOAP to tuxedo completed
...
105106.slc04jtu!GWWS.27653.1388463872.0: TRACE:ws:<buffer2soap>
trace_level<200>:sco_index<4095>:WS<TFML32>:tuxedo_service<TFML32>:direction<i
nbound>:message_kind<response>:Data will be converted to SOAP
message:mode<Internal>:style/encoded<DOC>/<LITERAL>:endpoint<http://
slc04jtu:12438/TuxAll>:buffertype<outbuf>
105106.slc04jtu!GWWS.27653.1388463872.0: TRACE:ws:<runBuf2SoapConversion>
<200>:<4095>:<TFML32>:<TFML32>:<inbound>:<response>:Message config parameters
info:output buffer<outbuf>:type<FML32>:schema-
```



```
name<fml32_TFML32_Out>:style<DOC>:encoding<LITERAL>:type<request-response>
105106.slc04jtu!GWWS.27653.1388463872.0: TRACE:ws:<runBuf2SoapConversion>
<200>:<4095>:<TFML32>:<TFML32>:<inbound>:<response>:type<FML32>:name<outbuf>
105106.slc04jtu!GWWS.27653.1388463872.0: TRACE:ws:<nestBuf2Soap>
<200>:<4095>:<TFML32>:<TFML32>:<inbound>:<response>:type<BYTE>:schema-
type<byte>:minOccur<1>:maxOccur<1>:name<tf32char>:value<0xFFFFF80>
...
FML32>:<TFML32>:<inbound>:<response>:type<MBSTRING>:schema-
type<string>:minOccur<1>:maxOccur<1>:name<tf32mbstr>:value<abcdefg>
```



Note:

GWWS tracing verb "ms" has been deprecated and is replaced by "ws".

2.1.3 Monitoring the GWWS Server

The GWWS server can be monitored using the `wsadmin` utility, which is a command-line tool. This tool displays GWWS running status.

Following is an example of using `wsadmin` to monitor GWWS

Example 2-2 Use `wsadmin` to Monitor GWWS

```
$wsadmin.
All Rights Reserved.
Distributed under license by Oracle.
SALT is a registered trademark.

> gwstats -i abcd
GWWS Instance : abcd

Inbound Statistics :
-----
Request Response Succ : 74
Request Response Fail : 32
      Oneway Succ : 0
      Oneway Fail : 0

      Total Succ : 74
      Total Fail : 32

      Avg. Processing Time : 210.726 (ms)
Outbound Statistics :
-----
Request Response Succ : 0
Request Response Fail : 0
      Oneway Succ : 0
      Oneway Fail : 0

      Total Succ : 0
      Total Fail : 0

      Avg. Processing Time : 0.000 (ms)
-----
```

```

        Total request Pending : 0
        Outbound request Pending : 0
        Active Thread Number : 2

> gws -i out -s getTemp
GWWS Instance : out

Service : getTemp

Outbound Statistics :
-----
        Request Response Succ : 333
        Request Response Fail : 139
        Avg. Processing Time : 143.064 (ms)

>

```

The `gwstats` command (`gws`), displays the WWS server statistics data with a specific instance ID or of a certain GWWS server service of the. The data includes the amount of successful and failed request, etc.

Before `wsadmin` is executed, both the `TUXCONFIG` and `SALTCONFIG` environment variables must be set. `wsadmin` supports both active mode and in-active mode, which means `wsadmin` is able to launch with/without booting the Oracle Tuxedo domain.

The following table lists `wsadmin` sub-commands.

Table 2-3 wsadmin sub-commands

Sub-Command	Description
<code>gwstats(gws)</code>	Displays statistics information of GWWS server.
<code>configstats(cstat)</code>	Displays configuration information.
<code>default(d)</code>	Specifies the default <code>-i</code> option.
<code>reload -i</code>	Used to reload <code>SALTCONFIG</code> file. <code>-i</code> specifies the gateway instance id of the GWWS to reload.
<code>echo(e)</code>	Switches echo input on/off.
<code>forgettrans</code>	Forgets one or all heuristic log records for the named GWWS instance.
<code>printtrans</code>	Prints transaction information for the named GWWS instance.
<code>paginate(page)</code>	Switches paging output on/off.
<code>verbose(v)</code>	Switches verbose output on/off.
<code>saml (s) {create add modify delete}</code>	SAML key metadata operations.
<code>quit(q)</code>	Terminates the program.

2.1.4 Troubleshooting SALT

This section contains the following topics:

- [GWWS Start Up Failure](#)
- [GWWS Rejects SOAP Request](#)

- [WSDL Document Generated Incorrectly or Rejected by SOAP Client Toolkit](#)

2.1.4.1 GWWS Start Up Failure

If the GWWS server fails to start, check the following:

- Oracle Tuxedo service contract configuration
 - Check if the Oracle Tuxedo service contract definition is correct in the Oracle Tuxedo Service Metadata Repository.
 - Check if the Oracle Tuxedo Service Metadata Repository Server - `TMMETADATA` - is booted successfully.
- GWWS server license

The GWWS server requires an extra license from Oracle to enable functionality. Check to make sure it has been installed properly.
- GWWS server HTTP listen port configuration.

Check the GWWS server listen /WS-Addressing endpoints defined in the `SALT` configuration files. Avoid port conflicts with other applications.
- GWWS instance ID

Check the GWWS instance ID to make sure the two names defined in `UBBCONFIG` and `SALTDEPLOY` file are consistent.
- `UBBCONFIG` file `MAXWSCLIENTS` definition.

Make sure that `MAXWSCLIENTS` is defined in the `UBBCONFIG` file `*MACHINE` section on the computer where the GWWS server is deployed.
- `RESTART=Y` and `REPLYQ=Y` parameters

If the GWWS server is set to `RESTART=Y` in the `UBBCONFIG` file, `REPLYQ=Y` must also be defined.
- `SALTCONFIG` file

Make sure the binary version `SALTCONFIG` file is compiled successfully and the environment variable `SALTCONFIG` is set correctly for the GWWS server.

2.1.4.2 GWWS Rejects SOAP Request

In some cases, the GWWS server may reject SOAP requests. The most common causes are:

- The WSDL document is outdated.

The WSDL document used by SOAP clients is out of date and some services may not be available.
- The GWWS server environment variables are not set correctly.

When exporting an Oracle Tuxedo service with FML/VIEW buffers to a Web service, make sure the related GWWS environment variables are set with valid values. The GWWS server needs this information for data mapping conversion.
- Violated Oracle Tuxedo Service Metadata Repository restrictions.

Check the SOAP client data and make sure Oracle Tuxedo Service Metadata Repository restrictions are not violated.
- Unavailable Oracle Tuxedo service.

Make sure the Oracle Tuxedo service you want exported as a Web service is available.

2.1.4.3 WSDL Document Generated Incorrectly or Rejected by SOAP Client Toolkit

If the WSDL document is rejected by the Web Service client toolkit, do the following:

- Try to use the `document/literal` message style and SOAP 1.1 to define native Oracle Tuxedo WSDL file. This is also the default behavior.
- Use `tmwsdlgen` to generate the WSDL document manually and compare it with the one downloaded by the GWWS server. If the TMMETADATA server is not started when the GWWS server booted, the GWWS server cannot obtain the correct service contract information. Therefore, the downloaded WSDL document does not contain the correct type definitions.

2.1.5 OAM Integration

OAM integration only supports SALT inbound request, for HTTP Basic Authentication GWWS will extract username and password and calls Tuxedo `AUTHSVR` to authenticate the user, `OAUTHSVR` will communicate with OAM to authenticate, if it is successful then GWWS will retrieve OAM session token, the session token will be passed in following service call, `OAUTHSVR` will use the session token to authorize.

For WSSE situation, GWWS will use user credential received and authenticate with Tuxedo, before it calls Tuxedo service it will check if auth level is `TPAPPAUTH` and insert the session token into context and call Tuxedo service.


If it is either X509 authentication or SAML SSO is used then it depends on whether Basic Authentication is attached to the request. If Basic Authentication is not attached to the request, Tuxedo cannot retrieve username and password, authorization will fail.

If you are already authenticated with WebGate and the OAM session token is exist in HTTP header, GWWS will extract the token and use it to authorize.

WebGate is a agent provided for various Web Servers (Oracle HTTP server - OHS, IBM HTTP server -IHS, Apache ...) as part of the OAM product. It is installed on different HTTP server, to use OAM for authentication and authorization, HTTP server and WebGate are necessary. Often the HTTP server works as reverse proxy to backend applications, such as WLS or SALT

For 11g WebGate, the OAM token cookie (`OAMAuthnCookie`) is not passed to downstream applications such as SALT, please specify WebGate user-defined parameter `filterOAMAuthnCookie` to `false`. For more information, see [ans Setting up OAUTHSVR as the Authentication Server and Registering Managing OAM 11g Agents](#).

Figure 2-1 WebGate



- [SSO Between Oracle Tuxedo Domain and Other Web Resources Using SALT](#)

2.1.5.1 SSO Between Oracle Tuxedo Domain and Other Web Resources Using SALT

The simplified steps are listed as follows:

1. Configure `SECURITY` and `OAUTHSVR`
2. Configure Tuxedo SALT web service.
3. Configure web service of other system, for example using WLS.
4. Setup user, resource and ACL information in OAM for Tuxedo and WLS.
5. Client invoke WLS web service protected by OAM WebGate.
6. Then invoke Tuxedo SALT web service, service call will success or fail according to authorization policy defined in OAM.