

# Oracle® Communications MetaSolv Solution

## Database Change Reference



Release 6.3.1

F28686-12

January 2025

The Oracle logo, consisting of a solid red square with the word "ORACLE" in white, uppercase, sans-serif font centered within it.

ORACLE®

Copyright © 2017, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

# Contents

## Preface

---

Audience	iv
Documentation Accessibility	iv
Diversity and Inclusion	iv

## 1 Database Changes in 6.3.1

---

# Preface

This document contains the database changes for the Oracle Communications MetaSolv Solution (MSS) 6.3.1 release.

## Audience

This document is for database administrators responsible for installing or maintaining MSS and ensuring the software is operating as required.

## Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

### Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

## Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

# 1

## Database Changes in 6.3.1

MSS 6.3.1 includes all the database changes that were included in the 6.3 patches. For detailed information about the database changes made in each release, see *MSS 6.3 Database Change Reference*.

[Table 1-1](#) lists the database changes in 6.3.1. Database changes for subsequent patch releases will be added to this table as they are released.

**Table 1-1 Database Changes in 6.3.1**

Release	Prodfixsql File	Change	SQL
6.3.1.74/ASR 61	31203683.sql	New Columns	Alter Table ASAP.NS_NS_COMP ADD NS_INGRESS_EGRESS_IND CHAR(1) NULL
6.3.1.192/ASR 62	32007520.sql	New Columns	alter table ASAP.ASR_CONTACT_INFORMATION add IMPL_CONTACT_EMAIL Varchar2(60) Null
6.3.1.192/ASR 62	32007520.sql	New Columns	alter table ASAP.ACCESS_SERVICE_REQUEST add VARIABLE_TERM_AGMT_IND Char(1) Null
6.3.1.192/ASR 62	32007520.sql	New Columns	alter table ASAP.ACCESS_PROVIDER_ROLE add OEC_VTAI Char(1) Null
6.3.1.192/ASR 62	26980505.sql	New Columns	ALTER TABLE ASAP.BEHAVIOR_TASK_TYPE ADD ( REOPEN_ON_CANCEL_IND CHAR(1) DEFAULT "N", BYPASS_ON_CANCEL_IND CHAR(1) DEFAULT "N" )
6.3.1.192/ASR 62	26980505.sql	New Columns	ALTER TABLE ASAP.PROVISIONING_PLAN_TASK ADD ( REOPEN_ON_CANCEL_IND CHAR(1) DEFAULT "N", BYPASS_ON_CANCEL_IND CHAR(1) DEFAULT "N" )
6.3.1.192/ASR 62	26980505.sql	New Columns	ALTER TABLE ASAP.TASK ADD ( REOPEN_ON_CANCEL_IND CHAR(1) DEFAULT "N", BYPASS_ON_CANCEL_IND CHAR(1) DEFAULT "N", BEEN_READY_IND CHAR(1) DEFAULT "N" )
6.3.1.192/ASR 62	31768184.sql	New Columns	ALTER TABLE ASAP.CIRCUIT ADD (CPN_OVERRIDE_IND CHAR(1))
6.3.1.192/ASR 62	31768184.sql	New Columns	ALTER TABLE ASAP.CIRCUIT_POSITION ADD (CHANNEL_ALIAS VARCHAR2(15))
6.3.1.223	31785197.sql	Modify Columns	ALTER TABLE ASAP.PORT_ADDRESS MODIFY SOFT_OVERRIDE_NODE_ADDRESS VARCHAR2(48)
6.3.1.223	31785197.sql	Modify Columns	ALTER TABLE ASAP.PORT_ADDRESS MODIFY NODE_ADDRESS VARCHAR2(48)
6.3.1.267/ASR 63	29520710.sql	New Columns	ALTER TABLE ASAP.DV_ASSIGN_LOG ADD NC_CIRCUIT_DESIGN_ID NUMBER(9,0)
6.3.1.267/ASR 63	29520710.sql	Modify Columns	ALTER TABLE ASAP.DS_DVRSTY_SET MODIFY DS_DVRSTY_SET_TYPE_CD VARCHAR2(2)

Table 1-1 (Cont.) Database Changes in 6.3.1

Release	Prodfixsql File	Change	SQL
6.3.1.267/ASR 63	32889981.sql	Modify Columns	ALTER TABLE ebond.foc_provider_circuit MODIFY UNIT_CHANNEL VARCHAR2(25)
6.3.1.267/ASR 63	32889981.sql	Modify Columns	ALTER TABLE ASAP.DESIGN_DLR_ISI MODIFY INTEREXCHANGE_CARRIER_NM VARCHAR2(25)
6.3.1.267/ASR 63	32889981.sql	Modify Columns	ALTER TABLE ASAP.DESIGN_LAYOUT_REPORT MODIFY INTEREXCHANGE_CARRIER_NAME VARCHAR2(25)
6.3.1.333	33110375.sql	New Columns	ALTER TABLE ASAP.SERVICE_TYPE add FLEX_GRID_IND CHAR(1) DEFAULT "N"
6.3.1.333	33110375.sql	New Columns	ALTER TABLE ASAP.TRANSMISSION_FACILITY_CIRCUIT add FLEX_GRID_IND CHAR(1) DEFAULT "N"
6.3.1.333	33110375.sql	New Table	CREATE TABLE ASAP.FLEX_GRID_PROFILE ( FLEX_GRID_PROFILE_ID Number(3,0) Not Null, PROFILE_NAME Varchar2(30) Not Null, LOW_FREQUENCY Number(4,1) Not Null, HIGH_FREQUENCY Number(4,1) Not Null, CHANNEL_SPACING Number(4,2) Not Null, LAST_MODIFIED_USERID Varchar2(8) Not Null, LAST_MODIFIED_DATE Date Not Null ) tablespace DATA
6.3.1.333	33110375.sql	New Index	create unique index ASAPPK_FLEX_GRID_PROFILE on ASAP.FLEX_GRID_PROFILE (FLEX_GRID_PROFILE_ID asc) tablespace INDEXES
6.3.1.333	33110375.sql	New Constraint	alter table ASAP.FLEX_GRID_PROFILE add constraint PK_FLEX_GRID_PROFILE primary key (FLEX_GRID_PROFILE_ID)
6.3.1.333	33110375.sql	New Sequence	CREATE SEQUENCE ASAP.SQ_FLEX_GRID_PROFILE MINVALUE 100 MAXVALUE 99999999999999999999999999999999 INCREMENT BY 1 START WITH 100 CACHE 20 NOORDER NOCYCLE
6.3.1.333	33110375.sql	New Synonym	CREATE PUBLIC SYNONYM FLEX_GRID_PROFILE FOR ASAP.FLEX_GRID_PROFILE
6.3.1.333	33110375.sql	New Table	CREATE TABLE ASAP.SERVICE_TYPE_FLEX_GRID_PROFILE_REL ( SERVICE_TYPE_CATEGORY Varchar2(20) Not Null, SERVICE_TYPE_CODE Varchar2(10) Not Null, FLEX_GRID_PROFILE_ID Number(3,0) Not Null, LAST_MODIFIED_USERID Varchar2(8) Not Null, LAST_MODIFIED_DATE Date Not Null ) tablespace DATA
6.3.1.333	33110375.sql	New Index	create unique index ASAP.PK_SERV_TYP_FLEX_GRID_PROF_REL on SERVICE_TYPE_FLEX_GRID_PROFILE_REL ("SERVICE_TYPE_CATEGORY", "SERVICE_TYPE_CODE", "FLEX_GRID_PROFILE_ID") tablespace INDEXES

Table 1-1 (Cont.) Database Changes in 6.3.1

Release	Prodfixsql File	Change	SQL
6.3.1.333	33110375.sql	New Constraint	alter table ASAP.SERVICE_TYPE_FLEX_GRID_PROFILE_REL add constraint PK_SERV_TYP_FLEX_GRID_PROF_REL primary key ("SERVICE_TYPE_CATEGORY", "SERVICE_TYPE_CODE", "FLEX_GRID_PROFILE_ID")
6.3.1.333	33110375.sql	New Constraint	alter table ASAP.SERVICE_TYPE_FLEX_GRID_PROFILE_REL add constraint FK_SERTYP_FLEX_REL__FLEX_GRID_PROF foreign key (FLEX_GRID_PROFILE_ID) references ASAP.FLEX_GRID_PROFILE (FLEX_GRID_PROFILE_ID)
6.3.1.333	33110375.sql	New Constraint	alter table ASAP.SERVICE_TYPE_FLEX_GRID_PROFILE_REL add constraint FK_SERTYP_FLEX_REL__SERV_TYPE foreign key ("SERVICE_TYPE_CATEGORY","SERVICE_TYPE_CODE") references ASAP.SERVICE_TYPE ("SERVICE_TYPE_CATEGORY","SERVICE_TYPE_CODE")
6.3.1.333	33110375.sql	New Synonym	create public synonym SERVICE_TYPE_FLEX_GRID_PROFILE_REL for ASAP.SERVICE_TYPE_FLEX_GRID_PROFILE_REL
6.3.1.333	33110375.sql	New Columns	alter table ASAP.CIRCUIT_POSITION add CENTER_FREQUENCY NUMBER (8,5) Null
6.3.1.333	33110375.sql	New Columns	alter table ASAP.CIRCUIT_POSITION add CHANNEL_WIDTH NUMBER (9,1) Null
6.3.1.333	33110375.sql	New Columns	alter table ASAP.CIRCUIT_POSITION add LOW_FREQUENCY NUMBER (8,5) Null
6.3.1.333	33110375.sql	New Columns	alter table ASAP.CIRCUIT_POSITION add HIGH_FREQUENCY NUMBER (8,5) Null
6.3.1.333	33110375.sql	New Columns	alter table ASAP.TRANSMISSION_FACILITY_CIRCUIT add FLEX_GRID_PROFILE_ID Number(3,0)
6.3.1.333	33110375.sql	New Constraint	alter table ASAP.TRANSMISSION_FACILITY_CIRCUIT add constraint FK_TFC__FLEX_GRID_PROF foreign key (FLEX_GRID_PROFILE_ID) references ASAP.FLEX_GRID_PROFILE (FLEX_GRID_PROFILE_ID)
6.3.1.417	31214920.sql**	New Table	CREATE TABLE ASAP.NET_LOC_GEOMETRY ( LOCATION_ID NUMBER(9,0) , LONG_DEC NUMBER(9,6), LAT_DEC NUMBER(9,6), GEOMETRY SDO_GEOMETRY, "LAST_MODIFIED_USERID" VARCHAR2(8 BYTE), "LAST_MODIFIED_DATE" DATE ) tablespace DATA

Table 1-1 (Cont.) Database Changes in 6.3.1

Release	Prodfixsql File	Change	SQL
6.3.1.417	31214920.sql**	New Index	create unique index ASAP.PK_NET_LOC_GEOMETRY on ASAP.NET_LOC_GEOMETRY (LOCATION_ID asc) tablespace INDEXES
6.3.1.417	31214920.sql**	New Constraint	alter table ASAP.NET_LOC_GEOMETRY add constraint PK_NET_LOC_GEOMETRY primary key (LOCATION_ID)
6.3.1.417	31214920.sql**	New Synonym	create public synonym NET_LOC_GEOMETRY for ASAP.NET_LOC_GEOMETRY
6.3.1.417	31214920.sql**	New Index	CREATE INDEX NET_LOC_GEOMETRY_SPATIAL_IDX ON ASAP.NET_LOC_GEOMETRY (GEOMETRY) INDEXTYPE IS MDSYS.SPATIAL_INDEX
6.3.1.452/ASR 65	34090885.sql	New Column	ALTER TABLE ASAP.ACCESS_SERVICE_REQUEST ADD NEXT_GEN_911 Char(1) Null
6.3.1.587/ASR 66	34776614.sql	New Column	ALTER TABLE ASAP.ACCESS_SERVICE_REQUEST ADD PRILOC_SITE_SURVEY_DATE_IND DATE NULL
6.3.1.587/ASR 66	34776614.sql	New Column	ALTER TABLE ASAP.ACCESS_SERVICE_REQUEST ADD SECLOC_SITE_SURVEY_DATE_IND DATE NULL
6.3.1.643	34987038.sql	New Table	CREATE TABLE ASAP.NI_NBR_INV_CONDITION ( NBR_INV_ID NUMBER(9,0) NOT NULL, CONDITION_CODE VARCHAR2(20) Not Null, COMMENTS VARCHAR2(250), LAST_MODIFIED_USERID Varchar2(8) Not Null, LAST_MODIFIED_DATE DATE Not Null, EXPIRE_DT DATE ) tablespace DATA
6.3.1.643	34987038.sql	New Index	create unique index ASAP.PK_NI_NBR_INV_CONDITION on ASAP.NI_NBR_INV_CONDITION (NBR_INV_ID,CONDITION_CODE) tablespace INDEXES
6.3.1.643	34987038.sql	New Constraint	alter table ASAP.NI_NBR_INV_CONDITION add constraint PK_NI_NBR_INV_CONDITION primary key (NBR_INV_ID,CONDITION_CODE)
6.3.1.643	34987038.sql	New Constraint	alter table ASAP.NI_NBR_INV_CONDITION add constraint FK_NI_NBR_INV_CONDITION_CON_COD foreign key (CONDITION_CODE) references ASAP.CONDITION_CODE (CONDITION_CODE)
6.3.1.643	34987038.sql	New Constraint	alter table ASAP.NI_NBR_INV_CONDITION add constraint FK_NI_NBR_INV_CONDITION_NI_NBR_INV foreign key (NBR_INV_ID) references ASAP.NI_NBR_INV (NBR_INV_ID)
6.3.1.643	34987038.sql	New Synonym	CREATE PUBLIC SYNONYM NI_NBR_INV_CONDITION FOR ASAP.NI_NBR_INV_CONDITION





Table 1-1 (Cont.) Database Changes in 6.3.1

Release	Prodfixsql File	Change	SQL
6.3.1.705/ASR67	13054390.sql	New Sequence	CREATE SEQUENCE ASAP.SQ_NotReq_Task_Sequences MINVALUE 1000 MAXVALUE 999999999999999999999999 INCREMENT BY 1 START WITH 1000 CACHE 20 NOORDER NOCYCLE;
6.3.1.705/ASR67	13054390.sql	New Synonym	CREATE PUBLIC SYNONYM NotReq_Task_Sequences FOR ASAP.NotReq_Task_Sequences;
6.3.1.705/ASR67	13054390.sql	New Synonym	CREATE PUBLIC SYNONYM NotReq_Task_dependencies FOR ASAP.NotReq_Task_dependencies;
6.3.1.705/ASR67	35163615.sql	New Columns	alter table ASAP.EVC_DETAIL add EVC_QTY number(1) Null ;
6.3.1.705/ASR67	35163615.sql	New Columns	alter table ASAP.FOC_EVC add EVC_NBR varchar2(4) default "0001" NOT Null;
6.3.1.705/ASR67	35163615.sql	New Columns	ALTER table ASAP.FOC_EVC_OAM add EVC_NBR varchar2(4) default "0001" NOT Null;
6.3.1.705/ASR67	35163615.sql	New Columns	ALTER table ASAP.PTA_VIRTUAL_CIRCUIT_DETAIL add VC_NUM varchar2(4) default "0001" NOT Null;
6.3.1.705/ASR67	35163615.sql	New Index	CREATE UNIQUE INDEX ASAP.PFXPK_FOC_EVC_NEW ON ASAP.FOC_EVC (FOC_DESIGN_ID, EVC_NBR, UNI_REF_NBR) TABLESPACE INDEXES;
6.3.1.705/ASR67	35163615.sql	Drop Constraint	ALTER TABLE ASAP.FOC_EVC DROP CONSTRAINT PFXPK_FOC_EVC;
6.3.1.705/ASR67	35163615.sql	Drop Index	DROP INDEX ASAP.PFXPK_FOC_EVC;
6.3.1.705/ASR67	35163615.sql	New Constraint	ALTER TABLE ASAP.FOC_EVC ADD CONSTRAINT PFXPK_FOC_EVC_NEW PRIMARY KEY (FOC_DESIGN_ID, EVC_NBR, UNI_REF_NBR) USING INDEX ASAP.PFXPK_FOC_EVC_NEW ENABLE;
6.3.1.705/ASR67	35163615.sql	Rename Constraint	ALTER TABLE ASAP.FOC_EVC RENAME CONSTRAINT PFXPK_FOC_EVC_NEW TO PFXPK_FOC_EVC;
6.3.1.705/ASR67	35163615.sql	Rename Index	ALTER INDEX ASAP.PFXPK_FOC_EVC_NEW RENAME TO PFXPK_FOC_EVC;
6.3.1.705/ASR67	35163615.sql	New Index	CREATE UNIQUE INDEX ASAP.PFXPK_FOC_EVC_OAM_NEW ON ASAP.FOC_EVC_OAM (FOC_EVC_OAM_ID,EVC_NBR) TABLESPACE INDEXES ;
6.3.1.705/ASR67	35163615.sql	Drop Constraint	ALTER TABLE ASAP.FOC_EVC_OAM DROP CONSTRAINT PFXPK_FOC_EVC_OAM;
6.3.1.705/ASR67	35163615.sql	Drop Index	DROP INDEX ASAP.PFXPK_FOC_EVC_OAM;

Table 1-1 (Cont.) Database Changes in 6.3.1

Release	Prodfixsql File	Change	SQL
6.3.1.705/ASR67	35163615.sql	New Constraint	ALTER TABLE ASAP.FOC_EVC_OAM ADD CONSTRAINT PFXPK_FOC_EVC_OAM_NEW PRIMARY KEY (FOC_EVC_OAM_ID,EVC_NBR) USING INDEX ASAP.PFXPK_FOC_EVC_OAM_NEW ENABLE;
6.3.1.705/ASR67	35163615.sql	Rename Constraint	ALTER INDEX ASAP.PFXPK_FOC_EVC_OAM_NEW RENAME TO PFXPK_FOC_EVC_OAM;
6.3.1.705/ASR67	35163615.sql	Rename Index	ALTER INDEX ASAP.PFXPK_FOC_EVC_OAM_NEW RENAME TO PFXPK_FOC_EVC_OAM;
6.3.1.705/ASR67	35163615.sql	New Index	CREATE UNIQUE INDEX ASAP.PFXPK_PTA_VCKT_DETAIL_NEW ON ASAP.PTA_VIRTUAL_CIRCUIT_DETAIL (PTA_ID, VC_NUM, UNI_REF_NBR) TABLESPACE INDEXES ;
6.3.1.705/ASR67	35163615.sql	Drop Constraint	ALTER TABLE ASAP.PTA_VIRTUAL_CIRCUIT_DETAIL DROP CONSTRAINT PFXPK_PTA_VCKT_DETAIL;
6.3.1.705/ASR67	35163615.sql	Drop Index	DROP INDEX ASAP.PFXPK_PTA_VCKT_DETAIL;
6.3.1.705/ASR67	35163615.sql	New Constraint	ALTER TABLE ASAP.PTA_VIRTUAL_CIRCUIT_DETAIL ADD CONSTRAINT PFXPK_PTA_VCKT_DETAIL_NEW PRIMARY KEY (PTA_ID, VC_NUM, UNI_REF_NBR) USING INDEX ASAP.PFXPK_PTA_VCKT_DETAIL_NEW ENABLE;
6.3.1.705/ASR67	35163615.sql	Rename Constraint	ALTER TABLE ASAP.PTA_VIRTUAL_CIRCUIT_DETAIL RENAME CONSTRAINT PFXPK_PTA_VCKT_DETAIL_NEW TO PFXPK_PTA_VCKT_DETAIL ;
6.3.1.705/ASR67	35163615.sql	Rename Index	ALTER INDEX ASAP.PFXPK_PTA_VCKT_DETAIL_NEW RENAME TO PFXPK_PTA_VCKT_DETAIL;
6.3.1.750	35631081.sql	New Columns	Alter table ASAP.PORT_ADDRESS_CONDITION ADD EQ_SPEC_IND CHAR(1) NULL;
6.3.1.750	35631081.sql	New Columns	Alter table ASAP.MOUNTING_POSITION_CONDITION ADD EQ_SPEC_IND CHAR(1) NULL;
6.3.1.750	35631081.sql	New Table	Create table ASAEQ_SPEC_MOUNTING_POSITION_CONDITION (EQUIPMENT_SPEC_ID NUMBER(9,0) NOT NULL, MOUNTPOS_SEQ NUMBER(5,0) NOT NULL, CONDITION_CODE VARCHAR2(20) NOT NULL, COMMENTS VARCHAR2(255), LAST_MODIFIED_DATE DATE NOT NULL, LAST_MODIFIED_USERID VARCHAR2(8) NOT NULL, EXPIRE_DT DATE);

Table 1-1 (Cont.) Database Changes in 6.3.1

Release	Prodfixsql File	Change	SQL
6.3.1.750	35631081.sql	New Table	Create table ASAPEQ_SPEC_PORT_ADDRESS_CONDITION (EQUIPMENT_SPEC_ID NUMBER(9,0) NOT NULL, PORTADDR_SEQ NUMBER(9,0) NOT NULL, CONDITION_CODE VARCHAR2(20) NOT NULL, COMMENTS VARCHAR2(255), LAST_MODIFIED_DATE DATE NOT NULL, LAST_MODIFIED_USERID VARCHAR2(8) NOT NULL, EXPIRE_DT DATE);
6.3.1.750	35631081.sql	New Constraint	Alter table ASAPEQ_SPEC_MOUNTING_POSITION_CONDIT ION add constraint PK_EQ_SPEC_MOUNTING_POSITION_CONDITI ON primary key (EQUIPMENT_SPEC_ID, MOUNTPOS_SEQ, CONDITION_CODE);
6.3.1.750	35631081.sql	New Constraint	Alter table ASAPEQ_SPEC_MOUNTING_POSITION_CONDIT ION add constraint FK_EQ_SPEC_MOU_POS_CON__CON_COD foreign key (CONDITION_CODE) references ASAP.CONDITION_CODE (CONDITION_CODE);
6.3.1.750	35631081.sql	New Constraint	Alter table ASAPEQ_SPEC_MOUNTING_POSITION_CONDIT ION add constraint FK_EQ_SPEC_MOU_POS_CON_EQ_SPEC_MO U_POS foreign key (EQUIPMENT_SPEC_ID, MOUNTPOS_SEQ) references ASAP.EQUIPMENT_SPEC_MOUNTING_POS (EQUIPMENT_SPEC_ID, MOUNTPOS_SEQ);
6.3.1.750	35631081.sql	New Index	create index FKIDX_EQ_SPEC_MOU_POS_CON__CON_COD on ASAPEQ_SPEC_MOUNTING_POSITION_CONDIT ION (CONDITION_CODE);
6.3.1.750	35631081.sql	New Constraint	Alter table ASAPEQ_SPEC_PORT_ADDRESS_CONDITION add constraint PK_EQ_SPEC_PORT_ADDRESS_CONDITION primary key (EQUIPMENT_SPEC_ID, PORTADDR_SEQ, CONDITION_CODE);
6.3.1.750	35631081.sql	New Constraint	Alter table ASAPEQ_SPEC_PORT_ADDRESS_CONDITION add constraint FK_EQ_SPEC_POR_ADD_CON__CON_COD foreign key (CONDITION_CODE) references ASAP.CONDITION_CODE (CONDITION_CODE);

Table 1-1 (Cont.) Database Changes in 6.3.1

Release	Prodfixsql File	Change	SQL
6.3.1.750	35631081.sql	New Constraint	Alter table ASAP.EQ_SPEC_PORT_ADDRESS_CONDITION add constraint FK_EQ_SPEC_POR_ADD_CON__EQ_SPEC_POR _ADD foreign key (EQUIPMENT_SPEC_ID, PORTADDR_SEQ) references ASAP.EQUIPMENT_SPEC_PORT_ADDRESS (EQUIPMENT_SPEC_ID, PORTADDR_SEQ);
6.3.1.750	35631081.sql	New Index	create index FKIDX_EQ_SPEC_POR_ADD_CON__CON_COD on ASAP.EQ_SPEC_PORT_ADDRESS_CONDITION (CONDITION_CODE);
6.3.1.750	35631081.sql	New Synonym	CREATE PUBLIC SYNONYM EQ_SPEC_MOUNTING_POSITION_CONDITION FOR ASAP.EQ_SPEC_MOUNTING_POSITION_CONDIT ION';
6.3.1.750	35631081.sql	New Synonym	CREATE PUBLIC SYNONYM EQ_SPEC_PORT_ADDRESS_CONDITION FOR ASAP.EQ_SPEC_PORT_ADDRESS_CONDITION';
6.3.1.788/ASR68	35872720.sql	New Columns	alter table ASAP.ACCESS_SERVICE_REQUEST add EVC_QTY number(1) Null
6.3.1.845/ASR69	36469941.sql	Modify Columns	alter table ASAP.REMARK modify REMARK varchar2(450)
6.3.1.845/ ASR69	36469941.sql	Modify Columns	alter table ASAP.ASR_AUDIT_HISTORY modify CURRENT_FIELD_VALUE varchar2(450)
6.3.1.845/ASR69	36469941.sql	Modify Columns	alter table ASAP.ASR_AUDIT_HISTORY modify PREVIOUS_FIELD_VALUE varchar2(450)
6.3.1.845/ASR69	36469941.sql	Modify Columns	alter table ASAP.ASR_SUPPLEMENT_HISTORY modify CURRENT_FIELD_VALUE varchar2(450)
6.3.1.845/ASR69	36469941.sql	Modify Columns	alter table ASAP.ASR_SUPPLEMENT_HISTORY modify PREVIOUS_FIELD_VALUE varchar2(450)
6.3.1.915/ASR70	37242508.sql	Modify Columns	alter table ASAP.CLARIFICATION_REQUEST_ERRORS modify CR_ERROR_MESSAGE Varchar2(180)
6.3.1.915/ASR70	37242508.sql	Modify Columns	alter table ASAP.ASR_ERROR modify CURRENT_VALUE Varchar2(200)

\*\*This is optional and the corresponding database changes occur only when you run **MapsInstall.sql** to use the Engineering Maps View feature within MSS.