

Oracle® Banking APIs

Auto Categorization of Spend Transactions



Patchset Release 22.2.4.0.0

G10114-01

June 2024

The Oracle logo, consisting of the word "ORACLE" in white, uppercase letters, centered within a solid red square.

ORACLE®

Oracle Banking APIs Auto Categorization of Spend Transactions, Patchset Release 22.2.4.0.0

G10114-01

Copyright © 2006, 2024, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface

Purpose	iv
Audience	iv
Documentation Accessibility	iv
Diversity and Inclusion	iv
Conventions	v
Related Resources	v
Screenshot Disclaimer	v
Acronyms and Abbreviations	v

1 Auto Categorization Of Spend Transactions

2 Categorization Of Spend Transactions Using ML Engines

3 List of Topics

Index

Preface

- [Purpose](#)
- [Audience](#)
- [Documentation Accessibility](#)
- [Diversity and Inclusion](#)
- [Conventions](#)
- [Related Resources](#)
- [Screenshot Disclaimer](#)
- [Acronyms and Abbreviations](#)

Purpose

This guide is designed to help acquaint you with the Oracle Banking APIs application. This guide provides answers to specific features and procedures that the user need to be aware of the module to function successfully.

Audience

This document is intended for the following audience:

- Customers
- Partners

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customer access to and use of Oracle support services will be pursuant to the terms and conditions specified in their Oracle order for the applicable services.

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and

the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Related Resources

For more information on any related features, refer to the following documents:

- Oracle Banking APIs Installation Manuals

Screenshot Disclaimer

Personal information used in the interface or documents is dummy and does not exist in the real world. It is only for reference purposes.

Acronyms and Abbreviations

The list of the acronyms and abbreviations used in this guide are as follows:

Table 1 Acronyms and Abbreviations

Abbreviation	Description
OBAPI	Oracle Banking APIs

1

Auto Categorization Of Spend Transactions

Scenario:

If a Spend transaction description contains keyword "Big Bazaar" then that transaction should get auto-categorized as follows:

Category → Shopping

Subcategory → Groceries

Maintenance steps:

1. Create a Category and a Subcategory as required after login as an Admin user.
2. Note the CATEGORY_ID column value of the newly created Category & Subcategory from the table DIGX_SP_SPEND_CATEGORY (Eg: 10 and 101 respectively).
3. Insert a row in table DIGX_RL_SPEND as below (Note the ID column value which is '10001' in this example).
Sample script:

```
insert into DIGX_RL_SPEND
      (ID, CREATED_BY, CREATION_DATE, LAST_UPDATED_BY, LAST_UPDATED_DATE,
       OBJECT_STATUS,  OBJECT_VERSION_NUMBER, NAME, DESCRIPTION,
       DETERMINANT_VALUE)
      values ('10001', '', sysdate , '', sysdate , '', 1, 'SpendRule',
       'SpendDTODesc', 'OBDX_BU');
```

4. Insert a row in table DIGX_RL_CONDITION as below:
 - a. ID as any unique value
 - b. RULE_ID as provided in the DIGX_RL_SPEND table above
 - c. EXPRESSION_OBJECT value should contain the keyword as follows:

```
utl_raw.cast_to_raw('{ "@class" : "
com.ofss.digx.app.spendanalysis.dto.rule.SpendCategorizationExpressionFactValueDTO",
      "keyword" : "Big Bazaar" }')
```

- d. OUTCOME_OBJECT value should contain the corresponding Category & Subcategory ID as follows (Subcategory is NOT mandatory):

```
utl_raw.cast_to_raw('{ "@class" : "
com.ofss.digx.app.spendanalysis.dto.rule.SpendCategorizationOutcomeFactValueDTO",
      "category" : "10", "subCategory" : "101" }')
```

- e. OPERATOR value should be 'CONTAINS' (No other operators are supported out of the box)

Sample script:

```
insert into
    DIGX_RL_CONDITION (ID, RULE_ID, OPERATOR, OUTCOME_OBJECT,
    EXPRESSION_OBJECT, CREATED_BY,
    CREATION_DATE, LAST_UPDATED_BY, LAST_UPDATED_DATE,
    OBJECT_STATUS, OBJECT_VERSION_NUMBER,
    DETERMINANT_VALUE)values ('103', '10001',
    'CONTAINS', utl_raw.cast_to_raw('{"@class" :

"com.ofss.digx.app.spendanalysis.dto.rule.SpendCategorizationOutcomeFact
ValueDTO", "category" :
    "10", "subCategory" :
    "101"}'),
    utl_raw.cast_to_raw('{"@class" :

"com.ofss.digx.app.spendanalysis.dto.rule.SpendCategorizationExpressionF
actValueDTO", "keyword" : "Big
Bazaar"}'), ', null, ',
    null, ', 1, 'OBDX_BU');
```

5. Insert such rows in table DIGX_RL_CONDITION for each keyword & Category-Subcategory combination as required by the Bank.
6. Verify the following properties (select * from DIGX_FW_CONFIG_ALL_B where category_id = 'ruleconfig');
 - a. IS_RULE_EVALUATION_REQUIRED → Y
 - b. SPEND_EVALUATOR → com.ofss.digx.app.spendanalysis.ruleengine.evaluator.SpendRuleEvaluator (out of the box Spend rule evaluator)
 - c. SPEND_RULE_NAME → SpendRule (As per the value of NAME column in DIGX_RL_SPEND table)
 - d. SPEND_DEFAULT_CATEGORY_ID → This property is used for maintaining default category, if no keyword is match from all maintained rules.

Below attached screenshot entry is required for setting default category. We need to update the entry from day one configuration screen. We have to maintain the Category ID in this configuration value.

 **Note:**

If below entry is not maintain and no rule is matched, then no category is set against the spend transaction.

Figure 1-1 “System configuration” screen with required entry for setting default category

Search: What would you like to do today ?

OBCM token expiry time in seconds	60	Months for SCF Limit Expiry	2
Host Server IP for Oracle Financial Lending and Leasing	10.184.132.101	OBTf Port	
Document upload maximum allowed size in bytes.	5242880	OBCFPM Application Id - Amend facility	FCLTYP
OBCL Source Code	EXTSYS	OBVAM User Id	OBDXUSER
SCF Finance App Id	SCFFIN	OBSCF Maintenances Application Id	OBSCFMMAINT
Oracle Live Experience Cloud User ID	oraclefsgbuobdx	Maximum Days To Setup Cash Flow	180
OBSCF Port	<PORT>	IPM Host application name	
Receivables/Payables Management User Id	SWETA	OBTf Entity Id	47AFFTF1
Invoice Image Upload Use Case Name	corplm/OBDX	ASP token expiry time in seconds	60
Default Spend Transaction Category	25		

Edit Cancel

2

Categorization Of Spend Transactions Using ML Engines


ML Engine will do the auto categorization on user spend expenditure. It will auto map the category base on transaction description. If in case category does not exist in the system, then first it will create it and then map it to the transaction.

To activate the ML engine call, we have to set “**Configuration of ML call for Spend transaction categorization**” flag as **Y**. If in case, we don’t set this value then by default ML engine service is in inactive state.

We can be able to update the flag with the help of “**System configuration**” screen with Admin Type Role.

Below entry are required to activate ML engine interface call.

Figure 2-1 System configuration screen with Admin Type Role



```
Insert into DIGX_FW_CONFIG_ALL_O
```

```
(PROP_ID,PREFERENCE_NAME,PROP_VALUE,DETERMINANT_VALUE,CREATED_BY,CREATION_DATE ,LAST_UPDATED_BY, LAST_UPDATED_DATE) values
```

```
('<<ENTITY_ID>>.com.ofss.digx.extxface.spendanalysis.adapter.transaction.ISpendUnCategorizedTransactionAdapter.getSpendTransactionCategory', 'ExtxfaceAdapterPreference', 'com.ofss.digx.extxface.spendanalysis.impl.SpendDDATransactionAdapter', '01', 'ofssuser', to_timestamp(sysdate, 'DD-MON-RR HH.MI.SSXFF AM'), 'ofssuser', to_timestamp(sysdate, 'DD-MON-RR
```

```
HH.MI.SSXFF
    AM')));

Insert into DIGX_FW_CONFIG_ALL_0

(PROP_ID,PREFERENCE_NAME,PROP_VALUE,DETERMINANT_VALUE,CREATED_BY,CREATION_DATE
, LAST_UPDATED_BY, LAST_UPDATED_DATE)
    values

('SPEND_DDA_TRANSACTION_CATEGORIZATION','ExtXfaceConfig','com.ofss.digx.extxfa
ce.impl.endpoint.OBRHEndPoint','<<ENTITY_ID>>','ofssuser',to_timestamp(sysdate
,'DD-MON-RR
    HH.MI.SSXFF AM'),'ofssuser',to_timestamp(sysdate,'DD-MON-RR
HH.MI.SSXFF
    AM')));
```

3

List of Topics

This user manual is organized as follows:

Table 3-1 List of Topics

Topics	Description
Preface	This topic provides information on the introduction, intended audience, list of topics, and acronyms covered in this guide.
Auto Categorization Of Spend Transactions	This topic provides information on auto categorization of spendtransactions.
Categorization Of Spend Transactions Using ML Engine	This topic provides information on how ML Engine will do the auto categorization on user spend expenditure. It will auto map the category base on transaction description.

Index

A

Auto Categorization Of Spend Transactions, [1-1](#)

C

Categorization Of Spend Transactions Using ML
Engines, [2-1](#)