Oracle Banking APIs

Core User Manual



Release 25.2.0.0.0
G60577-01
August 2026

Oracle Banking APIs Core User Manual, Release 25.2.0.0.0

G60577-01

Copyright © 2006, 2026, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface

Purpose i
Audience i
Documentation Accessibility i
Critical Patches ii
Diversity and Inclusion ii
Conventions ii
Related Resources ii
Screenshot Disclaimer ii
Acronyms and Abbreviations ii
Basic Actions iii
Symbols and Icons iii

1 Dashboard

1.1 System Administrative Transactions 5
1.2 Administrative Maker Transactions 17
1.3 Administrative Approver Transactions 19

2 User Management

2.1 User Management - Create 3
2.2 User Management - Search and View 12
2.3 User Management - Edit 25
2.4 Reset Password 33
2.5 FAQ 35

3 Party Preferences

3.1 Party Preferences- Search 2
3.2 Party Preferences - Create 5
3.3 Party Preferences - View 19
3.4 Party Preferences - Edit 22

Copyright © 2006, 2026, Oracle and/or its affiliates.

3.5 FAQ 27

4 Merchant Management

4.1 Merchant Management – Search 2
4.2 Merchant Management – Funds Out 4
4.2.1 Merchant Management – Funds Out – View 4
4.2.2 Merchant Management – Funds Out – Create Merchant 6
4.2.3 Merchant Management – Funds Out – Edit 9
4.3 Merchant Management – Collect Funds 11
4.3.1 Merchant Management – Collect Funds – View 11
4.3.2 Merchant Management – Collect Funds – Create Merchant 14
4.3.3 Merchant Management – Collect Funds – Edit 18
4.4 Merchant Management - Delete 21
4.5 FAQ 22

5 Electronic Bill Presentment and Payment

5.1 Biller Onboarding 1
5.1.1 Biller Onboarding - Search 2
5.1.2 Biller Onboarding - Create 4
5.1.3 Biller Onboarding - View 10
5.1.4 Biller Onboarding - Edit 13
5.1.5 Biller Onboarding - Delete 16

6 Limits Definition

6.1 Limits Definition - View 2
6.2 Limits Definition - Create 4
6.2.1 9
6.3 Limits Definition - Delete Limit 9
6.4 FAQ 11

7 Limit Package Management

7.1 Limit Package Management - View 2
7.2 Limit Package Management - Create 6
7.3 Limit Package Management - Edit 10
7.4 Limit Package Management - Clone 15
7.5 Limit Package Management - Delete 19
7.6 FAQ 21

Copyright © 2006, 2026, Oracle and/or its affiliates.

8 User Limits

8.1 User Limits - View 2
8.2 User Limits - Edit 6
8.3 FAQ 11

9 Transaction Group Maintenance

9.1 Transaction Group Maintenance - View 2
9.2 Transaction Group Maintenance - Create 4
9.3 Transaction Group Maintenance - Edit 5
9.4 Transaction Group Maintenance - Delete 7
9.5 FAQ 10

10 Party Account Access

10.1 Party Account Access - Mapping (Create) 2
10.2 Party Account Access- View 9
10.3 Party Account Access - Edit 11
10.4 Party Account Access - Delete 14

11 User Account Access

11.1 User Account Access - Mapping (Create) 2
11.2 User Account Access- View 12
11.3 User Account Access - Edit 17
11.4 User Account Access - Delete 22

12 Party Resource Access

12.1 Party Resource Access - Mapping (Create) 2
12.2 Party Resource Access- View 5
12.3 Party Resource Access - Edit 9
12.4 Party Resource Access - Delete 11

13 User Resource Access

13.1 User Resource Access - Mapping (Create) 2
13.2 User Resource Access- Search 8
13.3 User Resource Access - Edit 13
13.4 User Resource Access - Delete 16

Copyright © 2006, 2026, Oracle and/or its affiliates.

14 Approvals

14.1 Workflow Management 2
14.1.1 Approval Workflow – Select User Type 3
14.1.2 Approval Workflow - Admin User - Workflow Management 4
14.1.2.1 Admin Workflow Management – Search 6
14.1.2.2 Admin Workflow Management – View 7
14.1.2.3 Admin Workflow Management – Create 9
14.1.2.4 Admin Workflow Management - Edit 10
14.1.3 Approval Workflow - Retail & Business User - Workflow Management 12
14.1.3.1 Retail & Business Workflow Management – Summary 14
14.1.3.2 Retail & Business Workflow Management – View 15
14.1.3.3 Workflow Management – Create 17
14.1.3.4 Retail & Business Workflow Management - Edit 20
14.1.4 FAQ 22
14.2 Approval Rules 23
14.2.1 Approval Rules – Select User Type 24
14.2.2 Approval Rules - Admin User 25
14.2.2.1 Admin Approval Rules – Search 26
14.2.2.2 Admin Approval Rules – View 27
14.2.2.3 Admin Approval Rules – Create 28
14.2.2.4 Admin Approval Rules - Edit 31
14.2.3 Approval Rules - Retail & Business User 32
14.2.3.1 Approval Rules – Retail & Business User - Search 33
14.2.3.2 Retail & Business Approval Rules – Create 35
14.2.3.3 Approval Rules – Retail & Business User – Rule Summary 41
14.2.3.4 Approval Rules – Retail & Business User - View 44
14.2.3.5 FAQ 47
14.3 FAQ 47

15 Group Corporate Onboarding

15.1 Group Corporate Onboarding – Search Corporate 3
15.1.1 View Linked Parties under Group Corporate 8
15.1.2 Comments 9
15.1.3 Ready to Submit 10
15.2 Step 1: Group Corporate Profiling 12
15.2.1 Group Corporate Profiling - Create 14
15.2.2 Group Corporate Profiling - View 22
15.2.3 Group Corporate Profiling - Edit 26
15.3 Step 2: Party Account Access 34
15.3.1 Party Account Access – Create 36

Copyright © 2006, 2026, Oracle and/or its affiliates.

15.3.2 Party Account Access - View 44
15.3.3 Party Account Access- Edit 47
15.3.4 Party Account Access- Delete 53
15.4 Step 3: User Onboarding 54
15.4.1 User Management - Search and View 56
15.4.2 User Management - Edit 65
15.4.3 User Management - Create 71
15.5 Step 4: User Group Maintenance 80
15.5.1 User Groups – Create 81
15.5.2 User Groups – Summary & View 84
15.5.3 User Groups – Edit 87
15.6 Step 6: User Account Access 89
15.6.1 User Account Access – Create 91
15.6.2 User Account Access – View 102
15.6.3 User Account Access – Edit 107
15.6.4 User Account Access – Delete 115
15.7 Step 7: Report Mapping 116
15.7.1 User Report Mapping – Search & View 117
15.7.2 User Report Mapping - Create 122
15.7.3 User Report Mapping - Edit 124
15.8 Step 8: Workflow Management 126
15.8.1 Workflow Management – Summary 127
15.8.2 Workflow Management – View 129
15.8.3 Workflow Management – Create 131
15.8.4 Workflow Management - Edit 135
15.9 Step 9: Approval Rules 138
15.9.1 Approval Rules – Summary 140
15.9.2 Approval Rules - View 141
15.9.3 Approval Rules - Edit 144
15.9.4 Approval Rule – Create 149
15.10 Send to Modify 155
15.11 FAQ 159

16 Party Migration

17 Origination Workflow Maintenance

17.1 Single Product Application – View & Modify 2
17.2 Single Product Application 4
17.2.1 Edit Custom Workflow 5

Copyright © 2006, 2026, Oracle and/or its affiliates.

17.3 Bundled Product Application - View & Modify 7
17.3.1 Bundled Product Application – View & Modify 8
17.3.2 Edit Custom Workflow 11
17.4 FAQ 14

18 Product Maintenance

18.1 Product Maintenance - View 2
18.2 Product Maintenance - Edit 5
18.3 Product Maintenance - Create 7
18.4 FAQ 28

19 Analytics Dashboard

19.1 FAQ 6

20 Quick Forms - Service Request

20.1 Quick Forms Definition - Summary 2
20.2 Quick Form Definition - Search and View 3
20.3 Quick Forms - Service Request - Create 9
20.3.1 Copy and Create a new Request or Export the Request 17
20.4 Quick Forms - Service Request – Edit 18
20.5 Deactivate/Activate Service Request 25
20.6 FAQ 25

21 User Group - Service Request Mapping

21.1 User Group - Service Request Mapping - Search 2
21.2 User Group - Service Request Mapping - Create 5
21.3 User Group - Service Request Mapping - Modify 9
21.4 FAQ 12

22 Resource Bundle Maintenance

22.1 Resource Bundle Maintenance - Search & View 1
22.2 Resource Bundle Maintenance - Edit 3

23 Network Purpose Code Mapping

Copyright © 2006, 2026, Oracle and/or its affiliates.

24 Template Maintenance

24.1 View Templates 1
24.2 Edit Templates 4

25 Feedback

25.1 Feedback Template Maintenance 1
25.1.1 Feedback Template Maintenance - Search 2
25.1.2 Feedback Template Maintenance - Edit 6
25.1.3 Feedback Template Maintenance - Create 11
25.2 FAQ 16
25.3 Feedback Analytics 17
25.3.1 Top Three and Bottom Three Transactions 18
25.3.2 Individual Transactions 19
25.3.3 All Transactions 21
25.3.4 General Feedback 22

26 SMS Banking

26.1 SMS Banking - Edit 3
26.2 Missed Call Banking - Search 4
26.3 Missed Call Banking - Edit 6
26.4 FAQ 7

27 System Rules

27.1 FAQ 6

28 Timer Maintenance

28.1 View Timer 2
28.2 Update Timer 3
28.3 FAQ 5

29 First Time Login

29.1 FAQ 3

30 Transaction Aspects

30.1 View Transaction Aspects 2

Copyright © 2006, 2026, Oracle and/or its affiliates.

30.2 Update Transaction Aspects 3

31 ATM / Branch Maintenance

31.1 ATM/ Branch Maintenance - Search 2
31.2 ATM/ Branch Maintenance - Add 5
31.3 ATM/ Branch Maintenance - Edit 11
31.4 ATM/ Branch Maintenance - Delete 13
31.5 FAQ 14

32 Product Mapping

32.1 Product Mapping - View 2
32.2 Product Mapping - Edit 4
32.3 Product Mapping - Create 7
32.4 FAQ 26

33 User Profile Maintenance

33.1 User Profile - View 2
33.2 User Profile - Edit 3
33.3 FAQ 5

34 Payee Restriction Setup

34.1 Payee Restriction Setup - View 2
34.2 Payee Restriction Setup - Edit 5
34.3 Payee Restriction Setup - Create 8
34.4 FAQ 12

35 Forex Deal Maintenance

35.1 Add Currency Pairs 1
35.2 Update Forex Deal 3

36 Biller Category Maintenance

36.1 Biller Category Maintenance - Summary 2
36.2 Biller Category Maintenance - Add Category 4
36.3 Biller Category Maintenance - Edit Category 5
36.4 Biller Category Maintenance - Delete 6

Copyright © 2006, 2026, Oracle and/or its affiliates.

37 Touch Point Maintenance

37.1 Touch Point Maintenance - View 2
37.2 Touch Point Maintenance - Edit 5
37.3 Touch Point Maintenance - Create 7

38 Touch Point Group Maintenance

38.1 Touch Point Group Maintenance - View 2
38.2 Touch Point Group Maintenance - Edit 4
38.3 Touch Point Group Maintenance - Create 6
38.4 FAQ 8

39 Role Maintenance

39.1 Search & View Application Role 2
39.2 Edit Application Role 7
39.3 Delete Application Role 11
39.4 Create Application Role 12
39.5 FAQ 18

40 Entitlements

40.1 Entitlements - View 1
40.2 Entitlements - Edit 3

41 User Segment Maintenance

41.1 User Segment Maintenance - Search 2
41.2 User Segment Maintenance - Edit 5
41.3 User Segment Maintenance - Create 9
41.4 FAQ 12

42 Authentication

42.1 Authentication - View 3
42.2 Authentication - Edit 7
42.3 Authentication - Create 11
42.4 FAQ 16

Copyright © 2006, 2026, Oracle and/or its affiliates.

43 Security Questions Maintenance

43.1 View Security Questions 2
43.2 Security Questions Maintenance - Edit 3
43.3 Security Questions Maintenance - Create 5
43.4 FAQ 7

44 Password Policy Maintenance

44.1 Password Policy Maintenance - Search 2
44.2 Password Policy Maintenance - View 3
44.3 Password Policy Maintenance - Create 6
44.4 Password Policy Maintenance - Edit 9
44.5 FAQ 12

45 Security Keys

45.1 Password Encryption and Decryption with Public and Private Key Pairs 1
45.2 API Key 1
45.3 JWT Encryption Key 2

46 User Group - Subject Mapping

46.1 User Group - Subject Mapping - Search 2
46.2 User Group - Subject Mapping - Create 5
46.3 User Group - Subject Mapping - Modify 7
46.4 FAQ 9

47 Alerts Templates

47.1 View Alert Template 2
47.2 Create Alert Template 5
47.3 Update Alert Template 8
47.4 Delete Alert Template 10
47.5 FAQ 25

48 Mailers

48.1 Mailers - Search and View 2
48.2 Mailers - Create 5
48.3 Mailers - Edit 7
48.4 Mailers - Delete 11

Copyright © 2006, 2026, Oracle and/or its affiliates.

48.5 FAQ 12

49 Account Aggregation

49.1 External Bank Maintenance 1
49.1.1 Search and View External Bank's Details 2
49.1.2 Add External Bank 5
49.1.3 Update External Bank's Details 8
49.1.4 Delete External Bank's Details 11

50 Spend Category

50.1 Spend Category - Search 2
50.1.1 Spend Category - View 3
50.2 Spend Category - Create 5
50.3 Spend Category - Edit 6
50.4 FAQ 7

51 Goal Category Maintenance

51.1 Goal Category - Search 2
51.1.1 Goal Category - View 3
51.2 Goal Category - Create 5
51.3 Goal Category - Edit 7
51.4 FAQ 8

52 Experience Builder

52.1 Experience 3
52.1.1 Experience Builder - Create 3
52.1.2 Experience Builder - View 18
52.1.3 Experience Builder - Edit 19
52.1.4 Experience Builder - Delete 20
52.2 Mapping 21
52.2.1 Experience Mapping Search 22
52.2.2 Create Mapping 23
52.2.3 Delete Mapping 25

53 Dashboard Overview

53.1 Dashboard Overview– Summary 3
53.2 Dashboard Overview – View 4
53.3 Dashboard Overview – Create 6

Copyright © 2006, 2026, Oracle and/or its affiliates.

53.4 Dashboard Overview – Design – Create Administrator Template 9
53.5 Dashboard Overview – Edit 12
53.6 Dashboard Overview – Clone 14
53.7 Dashboard Overview – Delete 16
53.8 Dashboard Mapping – Summary 17
53.8.1 Create Mapping 18
53.8.2 Delete Mapping 20
53.9 FAQ 21

54 Relationship Maintenance

54.1 Relationship Mapping 1
54.1.1 Relationship Mapping Maintenance - View 2
54.1.2 Relationship Mapping Maintenance - Edit 4
54.2 Relationship Matrix 5
54.2.1 Relationship Matrix Maintenance - View 6
54.2.2 Relationship Matrix Maintenance - Edit 8
54.3 FAQ 10

55 Transaction Blackout

55.1 Transaction Blackout - Search 2
55.2 Transaction Blackout - Create 5
55.3 Transaction Blackout - Edit 8
55.4 Transaction Blackout - Delete 11
55.5 FAQ 12

56 Working Window

56.1 Transaction Working Window - Search 2
56.2 Transaction Working Window - Create 7
56.3 Transaction Working Window - Edit 10
56.4 Transaction Working Window - Delete 15
56.5 FAQ 17

57 Audit Log

57.1 Search Audit Details 1
57.2 FAQ 4

Copyright © 2006, 2026, Oracle and/or its affiliates.

58 File Upload

58.1 File Identifier Maintenance 2
58.1.1 File Identifier Maintenance – User Type Selection 3
58.1.2 File Identifier Maintenance - Administrator User – Summary 3
58.1.3 File Identifier Maintenance - Administrator User - Create 6
58.1.4 File Identifier Maintenance - Administrator User – Edit 8
58.1.5 File Identifier Maintenance - Search and View 10
58.1.6 File Identifier Maintenance - Create 13
58.1.7 File Identifier Maintenance – Edit 15
58.2 FAQ 17
58.3 User File Identifier Mapping 19
58.3.1 User File Identifier Mapping – User Type Selection 20
58.3.2 User File Identifier Mapping – Administrator - Search 21
58.3.3 User File Identifier Mapping – Administrator - Create 24
58.3.4 User File Identifier Mapping – Administrator - Edit 26
58.3.5 User File Identifier Mapping - Corporate User - Search 27
58.3.6 User File Identifier Mapping - Corporate User - Create 30
58.3.7 User File Identifier Mapping - Corporate User - Edit 33
58.4 FAQ 34
58.5 File Upload – Bill Presentment 34
58.6 Uploaded Files Inquiry 37
58.6.1 Uploaded File Inquiry – Default View 38
58.6.2 Uploaded File Inquiry – Search Filters 38
58.6.3 Uploaded File Inquiry – File Details – Bill Presentment 41
58.7 FAQ 43

59 OAuth 2.0

59.1 Identity Domain Maintenance 2
59.1.1 Identity Domain Maintenance - Search 2
59.1.2 Identity Domain Maintenance – Edit 5
59.1.3 Identity Domain Maintenance – Create 6
59.2 Resource Server Maintenance 9
59.2.1 Resource Server Maintenance - Search 10
59.2.2 Resource Server Maintenance – Edit 13
59.2.3 Resource Server Maintenance – Create 14
59.3 Client Maintenance 16
59.3.1 Client Maintenance - Search 17
59.3.2 Client Maintenance – Edit 20
59.3.3 Client Maintenance – Create 21

Copyright © 2006, 2026, Oracle and/or its affiliates.

60 User Group Management

60.1 User Groups – Select User Type 2
60.2 User Groups – Admin User 3
60.2.1 User Groups - Admin User – Create 3
60.2.2 User Groups - Admin User – Search Summary 5
60.2.3 User Groups - Admin User – Edit Group 7
60.3 User Groups – Retail & Business User 9
60.3.1 User Groups - Retail & Business User – Search Party 9
60.3.2 User Groups - Retail & Business User – Create 11
60.3.3 User Groups - Retail & Business User – Edit Group 13
60.3.4 User Groups - Retail & Business User – Group Summary 14
60.4 FAQ 17

61 Print Password

61.1 Print Password - Search 2
61.2 Print Password - Print 4
61.3 FAQ 6

62 User Alerts Subscription

62.1 User Alerts Subscription - Search 2
62.2 Subscribe/ Unsubscribe Alerts 5
62.3 FAQ 7

63 Group Corporate Alerts Subscription

63.1 Group Corporate Alerts Subscription - Search 2
63.2 Subscribe/ Unsubscribe Alerts 4
63.3 FAQ 7

64 Request Processing

64.1 Request Processing - Summary 2
64.2 Service Request Details (For Service Requests Available Out of the Box) 5
64.2.1 Approve or Reject Service Requests (For Service Requests Available Out of the Box) 7
64.3 Service Request Details (Requests Created using Service Request-Form Builder) 8
64.3.1 Approve or Reject Service Requests (Created using Service Request Form Builder) 10

Copyright © 2006, 2026, Oracle and/or its affiliates.

65 Terms and Conditions Maintenance

65.1 Terms and Conditions - Search and View 2
65.1.1 Terms and Conditions - View 4
65.2 Create Terms and Conditions 5
65.3 Edit Terms and Conditions 6
65.4 Copy Terms and Conditions 7
65.5 Delete Terms and Conditions 9

66 Reports

67 Report Generation

67.1 Adhoc Reports 3
67.2 Schedule Reports 4
67.2.1 View Scheduled Reports 6
67.2.2 Edit Schedule Reports 8
67.2.3 Delete Schedule Reports 9
67.3 API Consumption Report 10
67.3.1 API Consumption - Adhoc Report 10
67.3.2 API Consumption - Schedule Reports 14
67.4 Biller Registration Report 17
67.4.1 Biller Registration - Adhoc Report 17
67.4.2 Biller Registration - Schedule Reports 20
67.5 Biller Reconciliation Report 22
67.5.1 Biller Reconciliation - Adhoc Report 23
67.5.2 Biller Reconciliation - Schedule Reports 26
67.6 Bill Payment Pay Later Report 28
67.6.1 Bill Payment Pay Later - Adhoc Report 28
67.6.2 Bill Payment Pay Later - Schedule Reports 31
67.7 Date Wise User Creation Report 33
67.7.1 Date Wise User Creation - Adhoc Report 33
67.7.2 Date Wise User Creation - Schedule Reports 36
67.8 EPI Payment Reconciliation Report 38
67.8.1 EPI Payment Reconciliation - Adhoc Report 39
67.8.2 EPI Payment Reconciliation – Schedule Report 42
67.9 FATCA & CRS Declaration Report 44
67.9.1 FATCA & CRS Declaration - Adhoc Report 45
67.9.2 FATCA & CRS Declaration - Schedule Reports 52
67.10 Approval Rule Report 55
67.10.1 Approval Rule Report - Adhoc Reports 55

Copyright © 2006, 2026, Oracle and/or its affiliates.

67.10.2 Approval Rules - Schedule Reports 77
67.11 File Identifier wise Party User Mapping Report 80
67.11.1 File Identifier wise Party User Mapping - Adhoc Report 80
67.11.2 File Identifier wise Party User Mapping - Schedule Report 83
67.12 Party User wise File Identifiers Mapping Report 85
67.12.1 Party User wise File Identifiers Mapping - Adhoc Report 86
67.12.2 Party User wise File Identifiers Mapping - Schedule Reports 89
67.13 Party wise File Identifiers Mapping Report 91
67.13.1 Party wise File Identifiers Mapping - Adhoc Report 92
67.13.2 Party wise File Identifiers Mapping - Schedule Reports 95
67.14 Party wise Payee Maintenance Report 97
67.14.1 Party wise Payee Maintenance - Adhoc Report 97
67.14.2 Party wise Payee Maintenance - Schedule Reports 100
67.15 User Segment Summary Report 102
67.15.1 User Segment Summary - Adhoc Report 103
67.15.2 User Segment Summary - Schedule Reports 106
67.16 Wallets Creation for a Date Range Report 108
67.16.1 Wallets Creation for a Date Range - Adhoc Report 108
67.16.2 Wallets Creation for a Date Range - Schedule Report 111
67.17 Wallet KYC Report 113
67.17.1 Wallets KYC - Adhoc Report 113
67.17.2 Wallets KYC - Schedule Report 117
67.18 Wallets Transaction Activity Report 119
67.18.1 Wallets Transaction Activity - Adhoc Report 119
67.18.2 Wallets Transaction Activity - Schedule Report 122
67.19 Approval Rule Report 124
67.19.1 Approval Rule Report - Adhoc Report 124
67.20 User List Report 127
67.20.1 User List Report - Adhoc Report 127
67.21 User Entitlement Report 130
67.21.1 User Entitlement Report- Adhoc Report 131

68 My Reports

68.1 My Reports - Adhoc 1
68.2 My Reports - Scheduled 3
68.3 FAQ 4

69 User Report Mapping

69.1 User Report Mapping – Select User Type 1
69.2 User Report Mapping - Administrator User 2

Copyright © 2006, 2026, Oracle and/or its affiliates.

69.2.1 User Report Mapping - Create 2
69.2.2 User Report Mapping - Search 4
69.2.3 User Report Mapping - Edit 9
69.3 User Report Mapping – Retail and Business User 10
69.3.1 User Report Mapping - Search 11
69.3.2 User Report Mapping - Create 15
69.3.3 User Report Mapping - Edit 16

70 Message Maintenance

70.1 Message Maintenance - View 1
70.2 Message Maintenance - Edit 3

71 User Helpdesk

71.1 FAQ 3

72 Mailbox

72.1 Mails 2
72.1.1 Inbox 2
72.1.2 Sent Mail 5
72.1.3 Sent Mail - Details 7
72.1.4 Deleted Mail 8
72.2 Alerts 10
72.3 Notifications 12
72.4 FAQ 14

73 Security Settings

73.1 Set Security Question 1
73.1.1 View Security Questions 4
73.1.2 User Security Question - Edit 5
73.2 Change Password 7
73.3 FAQ 8

74 Profile

74.1 FAQ 2

Copyright © 2006, 2026, Oracle and/or its affiliates.

75 Session Summary

76 Manage DND Alerts

77 Session Timeout

78 ATM & Branch Locator

78.1 FAQ 5

79 Forgot Password

80 Forgot Username

81 Change Password

82 Change Username

Index

Copyright © 2006, 2026, Oracle and/or its affiliates.

Preface

- Purpose
- Audience
- Documentation Accessibility
- Critical Patches
- Diversity and Inclusion
- Conventions
- Related Resources
- Screenshot Disclaimer
- Acronyms and Abbreviations
- Basic Actions
- Symbols and Icons

Purpose

This guide is designed to help acquaint you with the Oracle Banking Digital Experience application. This guide provides answers to specific features and procedures that the user needs to be aware of the module to function successfully.

Audience

This document is intended for the following audience:

- Customers
- Partners

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info or visit http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs if you are hearing impaired.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Critical Patches

Oracle advises customers to get all their security vulnerability information from the Oracle Critical Patch Update Advisory, which is available at Critical Patches, Security Alerts and Bulletins. All critical patches should be applied in a timely manner to ensure effective security, as strongly recommended by Oracle Software Security Assurance.

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
italic	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
`monospace`	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Related Resources

For more information on any related features, refer to the following documents:

- Installation Guides
- License Guides

Screenshot Disclaimer

Personal information used in the interface or documents is dummy and does not exist in the real world. It is only for reference purposes.

Acronyms and Abbreviations

Copyright © 2006, 2026, Oracle and/or its affiliates.

The list of the acronyms and abbreviations used in this guide are as follows:

Table 1 Acronyms and Abbreviations

Abbreviation	Description
OBAPI	Oracle Banking APIs

Basic Actions

Most of the screens contain icons to perform all or a few of the basic actions. The actions which are called here are generic, and it varies based on the usage and the applicability. The table below gives a snapshot of them:

Table 2 Basic Actions and Descriptions

Action	Description
Back	In case you missed to specify or need to modify the details in the previous segment, click **Back** to navigate to the previous segment.
Cancel	Click **Cancel** to cancel the operation input midway without saving any data. You will be alerted that the input data would be lost before confirming the cancellation.
Next	On completion of input of all parameters, click **Next** to navigate to the next segment.
Save	On completion of input of all parameters, click **Save** to save the details.
Save & Close	Click **Save & Close** to save the data captured. The saved data will be available in **View Business Product** with *In Progress* status. You can work on it later by picking it from the **View Business Product**.
Submit	On completing the input of all parameters, click **Submit** to proceed with executing the transaction.
Reset	Click **Reset** to clear the data entered.
Refresh	Click **Refresh** to update the transaction with the recently entered data.
Download	Click **Download** to download the records in PDF or XLS format.

Symbols and Icons

The following are the symbols/icons you are likely to find in this guide:

Table 3 Symbols and Icons

Symbols and Icons	Description
	Add data segment
	Close
	Maximize
	Minimize

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 3 (Cont.) Symbols and Icons

Symbols and Icons	Description
	Open a list
	Open calendar
	Perform search
	View options
	View records in a card format for better visual representation.
	View records in tabular format for better visual representation.

Copyright © 2006, 2026, Oracle and/or its affiliates.

1

Dashboard

This topic describes the information about **Dashboard** screen. Dashboard allows an administrator user to access various administrative functions of the channel banking system.

The role of the System/Bank administrator is to manage and administer day-to-day functions of a bank. Administrators can perform various tasks such as doing Day 1 maintenances, maintenances pertaining to retail / corporate banking, creation of roles, user creation, maintenance of party preferences etc.


Dashboard provides a quick view of the most relevant functions, to achieve a particular objective or complete a process. OBDX Administrator dashboard is mapped at various available levels like Party, Segment, User Type or User. This displays the end user's dashboard auto painted based on the roles assigned. The logged in-user can add or remove widgets while creating the dashboard. Each widget can be assigned a priority as per the requirement and the widgets to be displayed on the module dashboards will be based upon the assigned priority.

> **Note**
>
> All Administrative maintenances are supported only on **Desktop** form factor and not supported on **Mobile** and **Tablet** .

The Administrator dashboard comprises of Quick Links, each of which when clicked launches into the respective item.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 1-1 Dashboard




Dashboard Overview

Icons

Following icons are present on the System Administrator dashboard:

- : Clicking this icon takes you to the dashboard.
- : Clicking this icon takes you to the Mailbox screen.
- : Click this icon and enter the transaction name to search the transactions.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- 

: Click this icon to view the user's profile and for logout option
-  : Click the toggle menu to access the list of all the transactions.
- **Select Language**: Select your desired language from the drop-down list.
- **ATM & Branch Locator**: Click to view the address and location of the ATMs and the branches of the Bank.

Toggle Menu Transactions
Following items are present on the Toggle Menu:

- 

: Click this menu to access the configuration like System Rules, System Configuration, Transaction aspects etc.
- 

: Click this menu to setup access controls and authorization related transactions like maintain touch points, Application role creation and entitlement mapping etc.
- 


: Click this menu to access the security setup related transactions like setting up second factor authorization, password policy etc.
- 


: Click this menu to manage limits.
- 

: Click this menu to onboard and manage, users, merchants and billers.
- 

: Click on this menu to onboard and manage Party and Group Corporates with Group corporate Profiling, Party Account Access, User Management, User Group, User Account Access, User Report Mapping, Approval Workflow & Rules.
- 

: Click this menu to set up account access rules for a corporate.
- 





: Click this menu to access and setup Approval workflow and rules for Corporate and Administrator users.
- 

: Click here to access maintenances with respect to payments.
- 

: Click this menu to plan finances and track expenditures. It consists of sub menu items like Spend Category Maintenance, Goal Category Maintenance and External Bank Maintenance.
- 

: Click this menu to generate reports and view the generated reports.

Copyright © 2006, 2026, Oracle and/or its affiliates.

-  : Click this menu to create a file identifier and map it to the user along with file upload and inquiry.
-  : Click this menu to access User Group Subject Mapping, Alert Maintenance and Mailers.
-  :
-  : Click this menu to manage and build your customize dashboards.
-  : Click this menu to manage service request form, feedback and SMS banking templates.
-  : Click this menu to manage and limit the third party authorization access to an HTTP service.
-  : User Group Management, Print Password, User Alerts Subscription, Group Corporate Alerts Subscription, Request Processing and User Help Desk.
-  : Click this menu to view the Mails, Alerts and Notifications.
-  : Click this menu to view the user's profile and login details like start date and time, end date and time, Channel and IP address of the last sessions of the logged in user.
-  : Click to view the address and location of the ATM's and the branches of the Bank.
-  : Click here to setup security questions and change password.
-  : Click this menu to launch the online help
-  : Click this menu to view the information about the application like version number, copyright etc.

> **Note**
>
> The user will be shown the above options only if he has the access to the all the transactions falling under that group.

- System Administrative Transactions
  This topic describes the information about **System Administrative Transactions** feature.
- Administrative Maker Transactions
  This topic describes the information about **Administrative Maker Transactions**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Administrative Approver Transactions
  This topic describes the information about **Administrative Approver Transactions**.

1.1 System Administrative Transactions

This topic describes the information about **System Administrative Transactions** feature.

A System Administrator is responsible for setting up and maintaining the system. System Administrators are the members of the information technology department of the Bank who are mainly responsible for Bank's Day 1 maintenances or other day to day maintenances like Role Transaction Mapping, password policy maintenance and rules and roles maintenances etc.

> **Note**
>
> By default System Administrator role is given access to all the administrative functions. If the Bank wants to change the entitlements, the same can be done using Role Transaction Mapping function.

Administrative Transactions
Following transactions are present on the System Administrator dashboard and in the menu:

- **On-boarding**
  - **User Management**
    User Management function enables the System Administrator to onboard and manage users along with their login credentials for channel banking access. This module facilitates channel banking access to the bank's internal users (administrators) and external users (customers).

    User will get access to all the entities and clients mapped to it. Also the limit packages can get assigned once the user selects the accessible entities.
  - **Merchant Management**
    Merchant Management facilitates System Administrator to set up and maintain merchants using channel banking platform. This is to enable the customers to initiate merchant based payments using channel banking facility. This option allows the administrator to create / onboard new merchants, view existing merchants and modify their details, if required.
  - **Party Preferences (Through Toggle menu)**
    Party Preferences maintenance enables Bank administrator to define certain parameter values as per the corporate entities requirements. Following preferences can be set for a corporate party:
    * Cumulative Daily/Monthly limits per transaction.
    * Transaction limits for users.
    * Approval flow – Parallel or Sequential or none.
    * To enable Channel access or not.
    * To enable Forex Deal creation or not.
    * To enable a Corporate Administrator or not.
    * Group Corporate Mapping.
  - **Group Corporate Onboarding**

Copyright © 2006, 2026, Oracle and/or its affiliates.

Group Corporate Onboarding maintenance enable the administrator to onboard the Group Corporate on OBDX in a single flow. Following steps can be followed during Group Corporate onboarding and send the same as a single approval:

* Group Corporate Profiling
* Party Account Access
* User Onboarding
* User Group
* User Account Access
* Report Mapping
* Workflow Management
* Approval Rules

Mapping of Parties belonging to different entities under a Group Corporate ID is allowed.

- **Biller Onboarding**
  Using Biller Onboarding, System Administrators can create billers. The system administrator defines payment methods accepted by biller (e.g. Current and Savings Account, Credit Card, Debit Card etc.) while creating a biller. He also maintains category of the biller, full address of the biller and location/ area in which the biller operates or provides his services.

  System Administrator creates billers, which are then made available to the customers to register themselves with these billers to receive and pay bills online.

- **Communications**
  - **User Group Subject Mapping**
    This maintenance facilitates mapping of subjects, to user groups in the bank, to streamline communication between the bank's users and its end customers.

    Once User Groups are mapped to certain transactions or modules, users, in that group can reply to communication pertaining to the specific subject. The communication channel used is the bank's secure mailbox.

    This option allows the System Administrator to search and view existing User Group – Subject mapping, modify the existing mapping and to create a new User Group – Subject mapping.
  - **Alert Maintenance**
    Alerts maintenance allows the System Administrator to define required parameters for each alert that is to be sent to the banks customers.

    This option allows the System Administrator to search and view existing alerts, create a new alert and modify or delete an existing alert.
  - **Mailers**
    Mailers are information or a messages published by the Bank, to communicate about the Banks Products, services and other information to its users. A Bank may send mailers to announce a limited period promotional offer, launch of a product or service, etc.

    The System Administrator creates Mailers which are sent to specific users, parties or user segments (all Retail / Corporate / Admin) users. Mailers can be customized to reach some or all users, to be sent now or on a specific date and time, in the future.
- **Configuration**
  - **System Configuration**

Copyright © 2006, 2026, Oracle and/or its affiliates.

Using thisoption System Administrator defines the basic components of this application which is necessary to run the application. The creating of system configuration is done at **Day 0** configuration.

System Rules

- System rules are defined to set different parameters for each enterprise role. The parameters that can be set for each enterprise role (Retail or Corporate Users) are Party Mapping, Limits Check, Party Preferences Check, Account Transaction Mapping, and Approvals Check, Group Corporate Check. If these parameters are enabled, application will check for a fulfillment of the maintenances, before final processing.

  E.g. if **Approval check** flag is enabled for **Corporate User** type of enterprise role; then transactions initiated by corporate type of users will follow the approval maintenance for a party mapped to user and vice versa.

  The flag **'Group Corporate'** is applicable only for **Corporate User'** type of enterprise role. This flag in System Rules screen defines the mode of corporate onboarding.

  If **Group Corporate** flag is set **ON** then Bank administration will be able to onboard Group Corporate. The **Group Corporate** flag is enabled by default and always When in the **Enterprise Role** field user type is selected as **Corporate User** then the **Group Corporate** flag will get displayed in non editable mode.

- **Transactions Aspects**
  Using this option, System Administrator can define the aspects for a transaction. Depending on the aspects defined for a transaction through this maintenance, the transaction will be available/unavailable for selection in the respective maintenance screen.

  User can view the aspects for a selected transaction and also edit the aspects i.e. enable/disable the aspects for the selected transaction.

- **ATM/ Branch Maintenance**
  ATM Branch Locator feature available to the bank customers enables the users to locate the bank's ATMs/ branches available within a specific radius of his current location.

  For the customers, to fetch the relevant information related to ATMs and Branches, system administrator maintains the data at their local databases. The basic details of ATMs and Branches are fetched from the core banking application, which is further enriched and stored in local database. This is a one-time activity at the time of implementation. Subsequently, as and when branches and ATMs are added, or any details regarding them updated, the administrator performs the necessary updates to the bank database.

  Using this option, the System Administrator can search and view the ATM/ branch and its details (Fetched from Core Banking application) which include branch/ ATM id, branch name, address details, phone number, work timings and services offered by the bank. New ATM and branch details can also be manually added, viewed and edited.

  The bank administrator can manually add new branch/ ATM details one by one, or add multiple branches / ATMs details simultaneously through file upload.

- **Product Mapping**
  Product Mapping feature allows the System Administrator to map products with the channel. The business users will be able to access accounts related to the products mapped to the channel.

  The System Administrator will be allowed to register the banks products to be made available to bank users for opening further accounts.

- **User Profile Maintenance**

Copyright © 2006, 2026, Oracle and/or its affiliates.

This function enables the System/ Bank Administrator user to manage the user profile details that needs to be shown and needs to be made available for modification for Retail users. Details maintained on user profile includes date of birth, PAN card number, Aadhar number, passport number, national ID, driving license, communication address, email ID, and contact number, fax number, etc.

In a multi entity scenario, Administrator can do this setup for each entity by selecting the entity.

- **First Time login**
  Using this option System administrator can configure the steps for banks business users to follow when the first-time login into the application. This step includes accepting Terms and Conditions, Setting up Security Questions, My profile, and limit information. The first-time login events are configurable at the Entity Level. Bank Admin would be able to define the mandatory and skippable steps for each entity. Post first-time login to the application, the system will check the configured steps for the logged-in entity and will be displayed to the user.

- **Security**
  - **Authentication**
    Passwords are the most common form of authentication used in the world today. But passwords are commonly forgotten and easily compromised. Two-factor authentication (2FA) adds an extra layer of security by requiring users to use two different authentication factors to verify user's identity.

    The two step verification or Two Factor Authentication is an extra layer of security that is a subset of **multi factor authentication** that requires not only a password and username but also something that user has or something user knows or something they are e.g. tokens, OTP, biometrics etc. Using a Two Factor Authentication process can help to lower the number of cases of identity theft on the Internet, as well as phishing via email. For security reason authentication is used by user (Retail/ Corporate) while performing transactions through internet channel.

    The two factor Authentication requires two different kinds of evidences before executing any transaction successfully. This option enables the system administrator to maintain authentication pattern for each transaction of a specific user segment.

    The types of two factor authentication used in the application are as follows:

    * Security Question
    * Soft Token
    * One Time Password (OTP)

  - **Security Question Maintenance**
    Application allows the System Administrator user to set up security questions, which will then be used as another layer of security (Over and above the Login credentials), before a user (Retail/ Corporate) can complete transactions through the internet channel.

    Through the Manage Security Questions functionality, the administrator user can create and modify security questions that need to set and answered by user for completing any transaction. Administrator can add the security questions, if required.

  - **Password Policy Maintenance**
    Password policymaintenance enables System Administrator to define password parameters for users. Using this option System Administrator create, view and edit password policy for different user role/segments (Admin, Retail, and Corporate). Password policy maintenance contains following sections:

Copyright © 2006, 2026, Oracle and/or its affiliates.

  - **Password Validators**: This section contains the validations for a password. The validations include minimum and maximum length of the password, allowed characters in a password, repetitive and successive characters allowed, details to be excluded in the password like, date of birth, first and last name, user ID and party ID, and bank defined restricted passwords. User can also define number of successive incorrect attempts allowed, and number of previous password disallowed.
  - **Password Expiry Parameters**: This section contains details about password expiry period, first password expiry period, and whether to force user to change password if there is a change in password policy (so that users can change their password as per the new password policy).

- **Security Keys (Through Toggle menu)**
  Security key includes:

  Password Encryption and Decryption with Public and Private Key Pairs:

  Encryption and decryption allow communication between two parties to disguise information. The sender encrypts information before sending it and the receiver decrypts the information after receiving it. While in transit, the information is encrypted to ensure that it is protected from an intruder.

  - Public and Private key pair helps to encrypt information that ensures sensitive data is protected during transmission. Whatever is encrypted with a Public Key can only be decrypted by its corresponding Private Key and vice versa.
  - JWT Encryption Key: A JSON web token is a JSON object to represent a set of information. On sign in, user is authenticated and JWT token is generated. This JWT is subsequently passed to make API calls. To keep sensitive information hidden from the bearer (client) or third parties, JWT should be encrypted. A single key can be used to encrypt the data, if the JWT is encrypted with the key then the data can be decrypted using the same key.

- **Payments**
  - **Payee Restrictions**
    Payee Restriction Set up maintenance allows System Administrator to restrict the number of payees that a retail user can create for each payment network per day.

    System Administrator can also restrict the total number of payees irrespective of payment network that the retail user can create per day.

    This option allows the administrator to create payee restriction maintenance, View and Edit existing maintenance.
  - **Biller Category Maintenance**
    System Administrator creates new biller categories and map it to the billers. E.g. administrator can create biller category as **Insurance** and use it as Biller Category when creating billers related to insurance.

    The System administrators can change the order of the categories as per their priority by dragging the categories. In the business user screen, these categories appear in the same order for selection to the customers, as defined by the administrators.
  - **Forex Deal Maintenance**
    Using Forex Deal Maintenance option, System Administrator can maintain currency pair. The maintained currency pairs are made available to corporate users to book deals and utilize those while making payments. Based on the treasury system, timer window can also be set for each currency pair so that the deal expires after the setup time, which helps corporate user to get the latest rate possible.
- **Personal Finance**

Copyright © 2006, 2026, Oracle and/or its affiliates.

- **Spend Category Maintenance**
  Using this option, the System Administrator can maintain the spend categories. Spend Category maintenance allows the administrator to create, modify or expire categories under which user can map expenses.
- **Goal Category Maintenance**
  Goal Category maintenance allows the System Administrator to create, modify or expire goal categories. This maintenance is done only for Retail users and is not applicable to corporate.

  The System Administrator created categories are linked with a product which will decide the other key parameters which will govern the Goal category. These parameters could be:

  * Goal Amount Range (Minimum and Maximum Value)
  * Interest Rate Offered
  * Tenure Range (Minimum and Maximum)

  The System Administrator can search and view goal categories, create a new goal category, and modify an existing goal category.
- **External Bank Maintenance**
  The account aggregation feature empowers customers to view information of financial accounts that are external to OBDX, in addition to the customer's OBDX accounts. This feature also provides the customer with a consolidated view of accounts, net worth and recent transactions, across OBDX and external bank accounts.

  To enable a retail user to access external bank accounts, and aggregate accounts with OBDX, the system administrator has to perform External Bank Maintenance.

- **Authorization and Access Controls**
  - **Touch Points**
    Touch Points are different channels/ medium through which transactions or inquiries can be performed in OBDX. These can be created or modified under this section.

    Touch Points in OBDX are of type **Internal** and **External**. Internal Touch Points are defined as part of Day 0 definition whereas External Touch Points are typically third party applications that can be defined by the System/ Bank Administrator as part of onboarding in OBDX.
  - **Touch Points Groups**
    Touch Points are different channels e.g. Internet, Mobile, SMS, Third Party applications etc. through which the OBDX services can be accessed. This maintenance enables the System Administrator user to group two or multiple touch points together for the purpose of defining common limits for a transaction accessed from any touch point grouped together.
  - **Role Transaction Mapping**
    This function enables System Administrator to create Application Role and transaction mapping to application roles will be done for Touch Points. Administrator can create the application roles for the User Segments (Retail/ Corporate/ Administrator) and map the transactions to the application roles for internal as well as external touch points. The benefit of mapping the transactions on a touch point is that the Bank can control transaction access at each touch point.
  - **Entitlements**
    Entitlements are the transactions that the user can perform. Each Entitlement is linked to a single or group of resources.

    Using this transaction user can view and edit the services and UI components linked to an entitlement for different actions i.e. Perform, Approve, and View.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- **User Segment Maintenance**
  In order to offer appropriate product and services to the customers, banks can employ some method of segmentation. Banks can group customers into different segments based on different attributes of the customer; it could be demographic information, geographical information, behavioral information etc.

  Banks can have different communication mailers, authentication mechanisms transaction limits and branding aspects based on customer segmentation.

  User segment maintenance screen, allows the system administrator to create new segments and subsequently use these segments to define specific maintenances at user segment level. Limits can also be defined specific to a user segment. Within each user segment, limits package can be associated to different touch points.

- **Limits**
  - **Limit Definition**
    Limits are defined by the bank to set up amount and duration based restrictions on the transactions that can be carried out by the user.

    As part of Limits Definition maintenance, the System Administrator can define:

    * **Transaction Limits**: It is the initiation limit with minimum and maximum amount, defined typically for a user with role **Maker**.
    * **Cumulative Limits**: It is the collective transaction amount limit for all the transactionsthat can be performed during a day and maximum **number of transactions in a day**.
    * **Cooling Period Limits**: It is the time set by the bank during which fund transfer is not allowed to a newly added payee.

    This option allows the System Administrator to search and view limits, create limits and edit / delete existing limits.
  - **Limits Package Management**
    As part of the Limits Package definition, the created limits can be mapped to relevant transactions and/or roles.

    The Limits Packages once created can be associated at User Level, Party Level and Role Level at an touch point level.

    This option allows the System Administrator to search and view Limit Package, create a new Limit Package, and edit / delete existing Limit Package.
  - **Transaction Group Maintenance (Through Toggle menu)**
    Transaction group maintenance enables the System Administrator user to create and maintain group of transactions. Administrator can maintain a transaction group for the purpose of defining consolidated transaction limits. Once limits are assigned at transaction group, these limits acts as collective limit for selected transactions in a group.
  - **User Limits**
    This option allows the System Administrator to view the current available and utilized limits of specific retail user and also can modify (increase or decrease) the limits as per the requirement.

    The user limits can be set for specific transaction level or at transaction group level or for a specific channel or for a group of channels.

    The different types of limits are as follows:

    * Daily Count- Permitted number of transactions in a day
    * Daily Amount- Cumulative amount of transactions in a day

Copyright © 2006, 2026, Oracle and/or its affiliates.

  - Monthly Count- Permitted number of transactions in a month
  - Monthly Amount- Permitted number of transactions in a month

- **Templates**
  - **Service Request Form Builder**
    Service Request Form Builder transaction allows the system administrator to define service requests by defining its attributes and by building the form (Request page that should be available to business user) which are then available for Retail users for creating a new Service Request.
  - **Feedback Template**
    Using this option, the System Administrator can maintain the feedback templates by defining the feedback question, selecting the rating scale, adding new questions along with new options, selecting the transactions for which feedback capture needs to be enabled.

    The administrator can also decide whether an additional question is to be asked for a scale weight and select the applicable options for the question.
  - **SMS and Missed Call Banking**
    Using this option, the System Administrator can maintain the sms and missed call templates. The templates can be defined as:
    - **SMS**: You can set the template / format of the message, which the account holder will be sending to the bank to receive the information in a specified format.
    - **Missed Call**: You can set the template / format the account holder will receive, once he / she gives a miss call on the specified phone number.
  - **Experience Builder**
    Banks can have varied requirements with regards to the theme and for look and feel of the application.

    Experience Builder is an administrative maintenance that allows the System Administrator to define the preferred theme for the application.

    There is a list of categories on the left of the screen to choose from. System administrator can click and navigate the categories to upload their bank logo, select the preferred colors of the headers, back ground, Font, label, buttons etc. System administrator can also set the font style and font size.
  - **Dashboard Builder**
    Dashboard Builder is an administrative maintenance that allows the System Administrator to create and configure dashboard templates for Retail and Corporate users.

    System Administrator can configure new dashboards by dragging and dropping the desired widget at desired location in template. And also can add and edit rows and columns while configuring new dashboard to add more widgets. Facility is also provided to search, view, edit and delete the configured dashboards.

    These configured dashboards are responsive and can adapt to any type device that Bank wants to enable it to the customers' i.e. desktop, mobile and tablet. System allows the user to design new template and preview on different types of devices before enabling it.

    The administrator can define multiple dashboards with the various attributes/ widgets. Further these templates can be mapped to the user segment, party or even to a specific user.

- **Controls & Monitoring**
  - **Transaction Blackout**

Copyright © 2006, 2026, Oracle and/or its affiliates.

The System Administrator can maintain a transaction blackout, for a period, when transaction/s are not accessible to users of the bank's retail and corporate or even to Bank administrators, for a preset time period.

The administrator may use the time, when a transaction is blacked-out, to do necessary maintenances.

Through this maintenance, the System Administrator can create a transaction blackout, User can search and view existing blackouts, and modify these if required. User can delete future dated blackouts.

- **Transaction Working Window**
  A working window is maintained, by the System Administrator for each transaction for which a value date is applicable for processing. In order to enable such transactions on the channel, it is mandatory to define a working window for all the days of a week as Day 0 Maintenance. By performing this maintenance, the System Administrator defines the channel working window for each day of the week for a specific transaction.

  Further, administrator can also define the processing pattern if the transaction is initiated by customers after the window is closed. Through this maintenance, the System Administrator can create a working window for a transaction, and also can create an exception to the normal window. User can search and view existing maintenances, and modify these if required.

- **Audit Log**
  Audit log is set of records that provide information about operations performed in the application and details of the user who has performed it along with date and time when it was performed. The System Administrator can search and view the Audit Log.

- **Feedback Analytics**
  Using this option, the System Administrator can analyze the feedback for different transactions. System Administrator can view top and bottom three transactions based on average customer review or he can search for individual transactions for a selected time period. Feedback Analytics gives the bank a quick analysis of the feedback information collected. The analytics covers information the average of feedback ratings transactions have got, trends in how the average ratings have changes, the top and bottom transactions in terms of ratings etc. The analytics helps banks in quickly identifying the pain points in customer journeys in the system points out the specific areas for improvement and action.

  Using this option, the System Administrator can analyze the feedback given by users of the system.

- **Relationship Mapping**
  Customer Relationship Maintenance enables the System Administrator to set up the transaction access logic for Bank's retail customers from Digital Banking Platform based on their account - mode of operation or relationship.

  E.g. If a customer relationship (Mode of operation) is **Either or Survivor**, provide an access of all transactions whereas, if a customer relationship (Mode of operation) is **Jointly**, provide an access of all Inquiries and restrict all financial transactions from Digital Banking Platform. Such account and transaction access rules can be set up by the System Administrator using 'Relationship Maintenance Module'.

- **Relationship Matrix**
  Relationship Matrix maintenance allows the System Administrator to define the transaction access based on the account relationships. Administrator can enable or disable each transaction for each relationship code. OBDX first checks if the transaction is enabled in a role attached to a user and then if it is enabled in

Copyright © 2006, 2026, Oracle and/or its affiliates.

relationship matrix. If both the conditions are satisfied, an access of a transaction and of an account is provided to the user.

Additional options accessible via Menu

- **Access Management**
  Resource Access

  (a) Party Resource Access

  As part of Resource Access Management, administrator can define access on resources other than account like Remitter List from Virtual Account Management for a Corporate Party.

  (b) User Resource Access

  As part of Resource Access Management, administrator can define access on resources other than account like Remitter List from Virtual Account Management for a specific corporate user.

- **Approvals**
  - **Workflow Management**
    Approval workflows are created to support requirements where multiple levels of approval are required in a specific sequence for a transaction/maintenance. Each workflow can be configured to have up to 5 levels of approval with a specific user or a user group configured at each level.

    System Administrator can search and view approval workflows maintained and create new workflows. As a part of creating workflows, user can add various levels of approvals and map users or user groups to each level. User can also modify workflows maintained.
  - **Rules Management**
    The Administrator, can set up rules for approvals. Applying a rule makes the requirement for an approval more customized. For instance, through this screen, the bank administrator can create a rule, so that all administrator maintenances initiated by a certain user-group, always require approval.
- **Reports**
  - **Report Generation**
    Using this option, the System Administrator, can generate various adhoc reports. Application provides an option to generate reports using an internal application.
  - **My Reports**
    On accessing **My Reports** menu, the System Administrator, can view the last 10 reports generated with the respective report status. He can choose to search a specific report using the search criteria or can opt to view/ download detailed report.
  - **User Report Mapping**
    The user report mapping maintenance allows the Bank Administrators to map the report or set of reports to a specific corporate user. The corporate users can generate and view the reports which they have an access to.

    Bank administrator searches a corporate user based on the party id and view the reports mapped to him, he can also un-map the reports from specific corporate user so that access of the specific report/ s can be removed to that corporate user.

    The System Administrator can also map the accounts of primary and linked parties for which the reports can be generated by a corporate user, so that corporate user can generate the report only for the accounts mapped to him.
- **File Upload**

Copyright © 2006, 2026, Oracle and/or its affiliates.

- **File Identifier Maintenance**
  System Administrator, can create file identifiers (FI) for a corporate entity. A File Identifier is always mapped to a specific single file template. It permits configuration of corporate preferences like approval type (file level/ record level) for a particular type of file. This is a pre-requisite for the File Uploads functionality, for a corporate.
- **User File Identifier Mapping**
  Through this option Administrator, can map a file identifier to a user to grant access rights to the user, for this specific file type. This maintenance enables a user to upload a specific file, approve the uploaded file and view its status. System administrator can map / un-map file identifiers to a User. Further, user can enable or disable the sensitive data check. This is a pre-requisite maintenance, for the File Uploads functionality, for a corporate.
- **File Upload**
  This option allows the System administrator user to upload the files containing EBPP Billers. Billers uploaded will be available for retail users to register and make online bill payment & pre-paid recharge transactions.
- **Uploaded File Inquiry**
  Through this option the user can view the Billers file uploaded and their status.
  - The search can be filtered on various parameters like status and file reference ID.
  - The user can track the status of the file and if there is an error in the file, he / she can download the error file to arrive at the exact reason for error.
  - For files in the ‘Processed’ status, the user can download Response file, to vet status of processing (in the host) for each record, of the file.
  - The user can track file history and also check Individual record details.

- **OAuth**
  - **Identity Domain Maintenance**
    The Identity Domain corresponds to the notion of a tenant and each identity domain corresponds to an identity store. All artifacts such as resource server and client needs to be created under an identity domain.

    As part of the Identity Domain definition, Identity store as well as token settings can be defined.

    Currently only **Embedded LDAP** i.e. DB Authenticator as Identity Store is supported.
  - **Resource Server Maintenance**
    The resource server is the server that contains the user's information that is being accessed by the third party application and handles authenticated requests after the application has obtained an access token.

    Resource Server is always associated to one Identity Domain. Through this maintenance, the administrator can define scopes for the resource server. Scopes are transactions or inquiries that are provided to the client so that the TPP/client can transact or inquire on behalf of the customer with an access token provided the customer has provided consent to the TPP.
  - **Client Maintenance**
    Clients are Third Party Provides (TPPs) that can access information from the resource server on behalf of the user provided the user has provided consent to the TPPs. As part of this definition, the administrator can define client details i.e. client ID, client name, scopes, redirect URLs etc.

- **Others**
  - **User Group Management**

Copyright © 2006, 2026, Oracle and/or its affiliates.

The System Administrator, can create administrator user groups with two or more users. User can search and views already maintained groups, and also modify these. The maintained administrator user groups are used for further maintenances like – User Group Subject Mapping or while creating approval rules.

- **Print Password**
  When a new user opens an account in the bank and registers for internet banking, the bank sends the printed password along with some other documents like Welcome letter, Terms & Conditions document and applicable promotional offers to the registered user via courier or post. This screen allows the Bank Administrator to print the password along with these documents for new users as well as for existing users who have requested for reset password.
- **User Alerts Subscription**
  The System Administrator, can subscribe users to mandatory alerts, through this option. In addition, Retail and Corporate users of the bank, can subscribe to alerts, and choose whether they want alerts delivered through Email, SMS or in their secured mailbox. The bank administrator processes the subscription request, received from customers. (For non-mandatory alerts).
- **Request Processing**
  Service requests allows the System Administrator to search and view all the service requests that have been initiated by the Bank customers and are available with various statuses like Open, Completed and Rejected. Bank Administrator can search the service requests with specific search criteria and can update the status of open service requests.
- **User Help Desk**
  This option enables the Administrator to create business user's session and perform the transaction requested by business user if he has forgotten his internet banking password or is unable to perform a transaction using his internet banking.

  To authenticate the user, system will send an OTP to the customer and the same OTP needs to be communicated to the administrator user so that he can enter it on the screen to create user’s session.
- **Message Maintenance**
  Using this option, System Administrator can inquire the existing Error Messages defined in the system for an OBDX error code. It also allows you to modify the text defined for a message code for a particular Language.
- **Group Corporate Alert Subscription**
  Using this option the System/Bank Administrator can subscribe alerts at the Group Corporate level for selected events. The Bank Administrator subscribes the Corporate Party associated with Group Corporate to alerts, delivered through Email, SMS, through push notification or in their on-screen mailbox. This functionality is applicable for non-mandatory alerts.

- **Notifications**
  The notification section allows the System Administrator user to view last **N** number of notifications sent by the bank. Click **View All** to view all the notifications sent by the bank.

> **Note**
>
> 1. If the setup requires an approval workflow, it will be initiated. Once approved by the required number of approvers, the maintenance will be effective.
> 2. If the setup does not require an approval workflow or is self / auto approved, the maintenance will come into effect on confirmation.

Copyright © 2006, 2026, Oracle and/or its affiliates.

1.2 Administrative Maker Transactions

This topic describes the information about **Administrative Maker Transactions**.

Following transactions are available for the System Administrator in the dashboard and in the menu:

Bank Administrator Maker's role involves the maintenances which are mainly required for day to day business in banks. Maintenances like onboarding the users on Digital Platform and providing them the account and transactions access, etc.

> **Note**
>
> Transactions appearing in toggle menu for Bank Administrator – Maker is same as **System Administrator** transactions depending upon the access provided to the associated role in Role Transaction Mapping maintenance.

Quick Links

- **On-boarding**
  (a) User Management

  Bank Administrator can search and view users, create users and modify users. User can reset passwords of the users. Bank Administrator can also change the user status (lock/ unlock) and grant/deny the channel access to a user, through this option.

  (b) Party Preferences

  Party Preferences maintenance enables Bank administrator to define certain parameter values as per the corporate entities requirements. Following preferences can be set for a corporate party:

  – Cumulative Daily/Monthly limits per transaction.
  – Transaction limits for users.
  – Approval flow – Parallel or Sequential or none.
  – To enable Channel access or not.
  – To enable Forex Deal creation or not.
  – To enable a Corporate Administrator or not.
  – Group Corporate Mapping.

  (c) Group Corporate Onboarding

  Group Corporate Onboarding maintenance enable the administrator to onboard the Group Corporate on OBDX in a single flow. Following steps can be followed during Group Corporate onboarding and send the same as a single approval:

  – Group Corporate Profiling
  – Party Account Access
  – User Onboarding
  – User Groups
  – User Account Access
  – Report Mapping

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Workflow Management
- Approval Rules

Mapping of Parties belonging to different entities under a Group Corporate ID is allowed

- **Approvals**
  (a) Workflow Management

  Approval workflows are created to support requirements where multiple levels of approval are required in a specific sequence for a transaction/maintenance. Each workflow can be configured to have up to 5 levels of approval with a specific user or a user group configured at each level.

  Bank Administrator Maker can search and view approval workflows maintained and create new workflows. As a part of creating workflows, user can add various levels of approvals and map users or user groups to each level. User can also modify workflows maintained.

  (b) Rules Management

  The Bank administrator – Maker, can set up rules, for approvals. Applying a rule makes the requirement for an approval more customized. For instance, through this screen, the bank administrator can create a rule, so that all administrator maintenances initiated by a certain user-group, always require approval.

- **Resource Access**
  (a) Party Resource Access

  As part of Resource Access Management, administrator can define access on resources other than account like Remitter List from Virtual Account Management for a Corporate Party.

  (b) User Resource Access

  As part of Resource Access Management, administrator can define access on resources other than account like Remitter List from Virtual Account Management for a specific corporate user.

- **File Upload**
  (a) File Identifier Maintenance

  Bank administrator – Maker, can create file identifiers (FI) for a corporate entity. A File Identifier is always mapped to a specific single file template. It permits configuration of corporate preferences like approval type (file level/ record level) for a particular type of file. This is a pre-requisite for the File Uploads functionality, for a corporate.

  (b) User File Identifier Mapping

  Through this option Bank Administrator – Maker, can map a file identifier to a user to grant access rights to the user, for this specific file type. This maintenance enables a user to upload a specific file, approve the uploaded file and view its status. Bank administrator maker can map / un-map file identifiers to a User. Further, user can enable or disable the sensitive data check. This is a pre-requisite maintenance, for the File Uploads functionality, for a corporate.

- **Origination Administrator Others**
  (a) Request Processing

  Service requests allows the Bank Administrator- maker to search and view all the service requests that have been initiated by the Bank customers and are available with various statuses like Open, Completed and Rejected. Bank Administrator can search the service requests with specific search criteria and can update the status of open service requests.

  (b) Feedback

Copyright © 2006, 2026, Oracle and/or its affiliates.

Using this option, the Administrator can maintain the feedback templates by defining the feedback question, selecting the rating scale, adding new questions along with new options, selecting the transactions for which feedback capture needs to be enabled.

The administrator can also decide whether an additional question is to be asked for a scale weight and select the applicable options for the question.

(c) User Help Desk

This option enables the Administrator to create business user's session and perform the transaction requested by business user if he has forgotten his internet banking password or is unable to perform a transaction using his internet banking.

To authenticate the user, system will send an OTP to the customer and the same OTP needs to be communicated to the administrator user so that he can enter it on the screen to create user’s session.

> **Note**
>
> – If the setup requires an approval workflow, it will be initiated. Once approved by the required number of approvers, the maintenance will be effective.
>
> – If the setup does not require an approval workflow or is self / auto approved, the maintenance will come into effect on saving and confirming.

1. Click **Back** to navigate to the **Dashboard**.

1.3 Administrative Approver Transactions

This topic describes the information about **Administrative Approver Transactions**.

Bank administrator users can approve the transactions initiated by Bank administrator in maker role. Approver has the responsibility to ensure correctness of the maintenances as per the bank and corporate mandate, to ensure speedy and accurate processing.

> **Note**
>
> Toggle menu transactions of Bank Administrator – Approver is same as **System Administrator** transactions depending on the access as provided to the user.

Transactions

- Pending for Approval
- My Initiated List
- My Approved List

1. **Pending for Approval**
   This section displays the details of transactions that are initiated by the maker and are pending for approval. User can click on transactions to view the details of transactions that are pending for approval.

   The transactions pending approval within a period can be searched by providing a date range. Click on date picker icon to search the transactions based on Date range.

2. **My Initiated List**
   Displays the list of all the administrative transactions initiated by the Administrator.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Date Picker: Click this icon to search the transactions that are performed on a particular date. A date range (From Date and To Date) can be provided to search the transaction.

3. **My Approved List**
   This section displays the details of transactions that are approved by the approver user. Click on the transactions already approved to view the details with respective statuses and details.

   The transactions that are approved within a period can be searched by providing a date range. Click on date picker icon to search the transactions based on Date range.

   Date Picker:Click this icon to search the transactions that are approved on a particular date. A date range (From Date and To Date) can be provided to search the transaction.

Dashboard Overview

Pending for Approvals
The Bank Administrator – Approver, can view the items pending for his approval. For ease of use, he can expand this page.

Quick Links

- **On-boarding**
  (a) User Management

  The Bank Administrator can search and view users, create users and modify users. User can reset passwords of the users. Also user can lock / unlock a user, through this option.

  (b) Party Preferences

  Party Preferences maintenance enables Bank Administrator to define certain parameter values as per the corporate entities requirements. Following preferences can be set for a corporate party:

  – Cumulative Daily/Monthly limits per transaction
  – Transaction limits for users
  – Approval flow – Parallel or Sequential or none
  – To enable Channel access or not
  – To enable Forex deal or not
  – To enable a Corporate Administrator or not.
  – Group Corporate Mapping

  (c) Group Corporate Onboarding

  Group Corporate Onboarding maintenance enable the administrator to onboard the Group Corporate on OBDX in a single flow. Following steps can be followed during Group Corporate onboarding and send the same as a single approval:

  – Group Corporate Profiling
  – Party Account Access
  – User Onboarding
  – User Groups
  – User Account Access
  – Report Mapping
  – Workflow Management
  – Approval Rules

Copyright © 2006, 2026, Oracle and/or its affiliates.

- **Approvals**
  (a) Workflow Management

  Approval workflows are created to support requirements where multiple levels of approval are required in a specific sequence for a transaction/maintenance. Each workflow can be configured to have up to 5 levels of approval with a specific user or a user group configured at each level.

  Bank Administrator Approver can search and view approval workflows maintained and create new workflows. As a part of creating workflows, user can add various levels of approvals and map users or user groups to each level. User can also modify workflows maintained.

  (b) Rules Management

  The Bank administrator – Approver, can set up rules, for approvals. Applying a rule makes the requirement for an approval more customized. For instance, through this screen, the Bank Administrator can create a rule, so that all administrator maintenances initiated by a certain user-group, always require approval.

- **Resource Access**
  (a) Party Resource Access

  As part of Resource Access Management, administrator can define access on resources other than account like Remitter List from Virtual Account Management for a Corporate Party.

  (b) User Resource Access

  As part of Resource Access Management, administrator can define access on resources other than account like Remitter List from Virtual Account Management for a specific corporate user.

- **File Upload**
  (a) File Identifier Maintenance

  Bank administrator – Approver, can create file identifiers (FI) for a corporate entity. A File Identifier is always mapped to a specific single file template. It permits configuration of corporate preferences like approval type (file level/ record level) for a particular type of file. This is a pre-requisite for the File Uploads functionality, for a corporate.

  (b) User File Identifier Mapping

  Through this option bank administrator – Approver, can map a file identifier to a user to grant access rights to the user, for this specific file type. This maintenance enables a user to upload a specific file, approve the uploaded file and view its status. Bank administrator Approver can map / un-map file identifiers to a User. Further, user can enable or disable the sensitive data check. This is a pre-requisite maintenance, for the File Uploads functionality, for a corporate.

- **Others**
  (a) Request Processing

  Service requests allows the bank administrator- approver to search and view all the service requests that have been initiated by the maker and are pending for approvals. This option also allows him to approve or reject the service requests.

  (b) Feedback

  Using this option, the Administrator can maintain the feedback templates by defining the feedback question, selecting the rating scale, adding new questions along with new options, selecting the transactions for which feedback capture needs to be enabled.

  The administrator can also decide whether an additional question is to be asked for a scale weight and select the applicable options for the question.

Copyright © 2006, 2026, Oracle and/or its affiliates.

(c) User Help Desk

This option enables the Administrator to create business user's session and perform the transaction requested by business user on his behalf in case, he has forgotten his internet banking password or is unable to perform a transaction using his internet banking.

To authenticate the user, system will send an OTP to the customer and the same OTP needs to be communicated to the administrator user so that he can enter it on the screen to create user’s session.

Copyright © 2006, 2026, Oracle and/or its affiliates.

2

User Management

This topic describes the systematic instruction to **User Management** option.

User Management function enables System/ Bank Administrator to onboard and manage users and their login credentials for channel banking access. This module facilitates channel banking access to the bank's internal users (administrators) and external users (customers).

This function also lets the System/Bank Administrator to define the various touch points from which the user can access the channel banking and limit package applicable for the same.

Separate limits will be applicable for the transaction done by each Retail & Business party. For business party transactions, limit package maintained at the party level (as a part of party preference) will be considered and will be utilized. For retail party transactions, the limit package maintained at the user level will be considered and will be utilized.

Users can also be mapped to a User Segment, so that the attributes applicable at the segment level should get applied to the user. Currently user segments are only applicable for Retail users. Using this maintenance OBDX Bank administrator can onboard a user having Retail (Individual) and Business relationships with the bank to enable their digital banking accesses.

> **Note**
>
> One user can be assigned multiple business parties and a single retail party. Users will be able to log in with single user credentials to access the information of the user's business and personal accounts with the bank. Users will be provided with an option to switch between the parties to view the required information. No consolidated details across parties will be shown to the user.

The user details also shows the list all the user groups associated with a particular user. In order to remove a particular user from a user group, the administrator must manually go to the particular user group screen and remove the user.

In a multi entity scenario, this function enables system/ bank administrator to provide access to multiple entities to users.

> **Note**
>
> - If Group Corporate Flag is set as "ON" in system rules, then the corporate user onboarding will not be allowed using this menu option. The Corporate User will be onboarded using Group Corporate onboarding only.
> - Admin will be able to view the corporate user details and he can also change the corporate user status or the channel access permission for a user using this screen.
> - If Group Corporate Flag is set as "OFF" in system rules, then the corporate user onboarding will be allowed using below mentioned steps.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Internal Users

- System Administrator
- Bank Administrator


External Users

- Retail and Business User
- Corporate User
- Non Customer- Corporate users
- Corporate Administrator

Pre-Requisites

- User Segment and Application roles are maintained.
- Transactions are associated with each Application role.
- Transaction (User Management) access is provided to System/Bank Administrator.
- Approval rule set up for Bank administrator to perform the actions.
- Party Preference is maintained for corporate user.

Figure 2-1 Workflow



Features Supported In Application

The User Management module allows the system/bank administrator to

- Create User
- View User
- Edit User
- Reset Password

Navigation Path: Perform any one of the following navigation to access the **User Management**:

- From **System/ Bank Administrator Dashboard**, under **Onboarding** widget , click **User Management**.
- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu**, and then click **Onboarding**. Under **Onboarding**, click **User Management**.

The **User Management**screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> Non Customer Corporate users (for which the linked party id is not maintained in UBS or in Core banking system), can also be on boarded on OBDX. For such cases i.e. for non customer corporate users (counterparties on boarded by Corporates) the system will look for the party ID in OBSCF/OBCMS.

- User Management - Create
  This topic describes the systematic instruction to **User Management - Create** option.
- User Management - Search and View
  This topic describes the systematic instruction to **User Management - Search and View** option.
- User Management - Edit
  This topic describes the systematic instruction to **User Management - Edit** option.
- Reset Password
  This topic describes the systematic instruction to **Reset Password** option.
- FAQ

2.1 User Management - Create

This topic describes the systematic instruction to **User Management - Create** option.

System/Bank Administrator logs into the system and navigates to the User Management screen. This function allows the administrator to create internal and external users.

Administrators will be allowed to map one retail and multiple business parties within each entity. These parties will be considered at par with each other. While mapping a party, the Party Type also needs to be specified as Individual (Retail) or Business. If any of the party types is selected as ‘Individual’ then the user’s personal and contact information will be fetched from the respective host system as read-only. If all the selected party (es) are of ‘Business’ type, then the administrator will be expected to fill the user’s profile details manually.

Segment and roles mapped at the user level will be applicable only to the user’s retail profile. The segment will not be applicable for a business profile, and the roles mapped at the party preference level will be applicable for business parties.

> **Note**
>
> In case of multi entity implementation, if the system/bank administrator has access to multiple entities, then the administrator can select the entity from the entity switcher on which the user needs to be on boarded. The selected entity of the user as part of onboarding will be the default/home entity of the user being created.

To create a new user:


1. Navigate to one of the above paths.
   The **User Management** screen appears.
2. Click **Create**,
   The **User Management - Create New User** screen appears.
3. From the **User Type** list, select the appropriate type for the user being created.

Copyright © 2006, 2026, Oracle and/or its affiliates.


a. If you select the **Retail & Business User** option from the **User Type** list, the username needs to be provided;

   i. In the **User Name** field, enter the required details. Click **Check Availability** to check the uniqueness of the username.
   If the user ID is already used, then enter a unique valid username. The **Entity**, **Party Details**, **Personal Information**, **Contact Details**, **Limit & Roles**, **Touch Points** sections are also available .

Figure 2-2 Create Retail & Business User




Copyright © 2006, 2026, Oracle and/or its affiliates.



b. One Retail and multiple Business parties can be mapped to a user under each entity. Within the Primary Entity, click **Add** to capture party details.

The **Party Search** popup screen appears.

Figure 2-3 Party Search



i. In the **Party Type** field, specify if the type of party is Retail or Business. This is a mandatory input.

ii. Perform anyone of the following navigation:

- In the **Party ID** field, enter the party ID.

Copyright © 2006, 2026, Oracle and/or its affiliates.


- In the **Party Name** field, enter the party name partially or fully.

iii. Click **Search**.
In case of party ID search, the exact match appears if complete party ID is provided. In case of party name search, matching results are displayed if partial name is given.

> **Note**
>
> For all business parties, Party Preference maintenance is a must and business parties for which preferences are not maintained cannot be mapped to a user. Mapping corporate parties to a 'Retail & Business User' is not allowed.

iv. Select the **Party ID** from the search results.

Figure 2-4 DND Alerts - Category Details



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 2-1 User Management - Create New User - Field Description

Field Name	Description
Create	**Information specified in below fields are related to Create.**
User Type	Type of user. The user can be: • **Retail & BusinessUser** • **Administrator**
User Name	Name of the user.
Organization	Organization that the user belongs to. This field appears if you select **Administrator** option from User Type list.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 2-1 (Cont.) User Management - Create New User - Field Description

Field Name	Description
Manager	Manager of the user. This field appears if you select Administrator option from User Type list.
Employee Number	Employee number of the user. This field appears if you select **Administrator** option from User Type list.
Primary Entity	This section is applicable only for **Retail & Business** type of user.
Party Information	Click **Add** to add single or multiple parties under selected entity.
Party ID	Party ID for which the user is to be created is displayed. This field appears if you select **Retail & Business**option from **User Type** list. **Note** For Non Customer Corporates (counterparties on boarded by Corporates) the system will look for the party ID in OBSCF/OBCMS.
Party Name	Party Name of the party ID for which the user is to be created is displayed. This field appears if you select **Retail & Business** option from **User Type** list.
Party Type	Party type of the party ID for which the user is to be created is displayed. The party type can be **Retail or Business.**
Limit	This section appears if you select Retail & Business User option from the **User Type** list. If limit check is required, assign a limit package. In case of multi entity set up, limit packages need to be mapped at each entity level. All the touch points and touch point groups maintained in the system are listed under each entity. Packages can be mapped for each touch point and for a group. Also an option is provided to map the limit package at Global level (a system created group with all internal and external touch points). For business party transactions, a limit package maintained at the party level (as a part of party preference) will be considered and will be utilized.
Touch Points/ Group	Name of touch points/ groups under a specific entity to which the limit packages are to be mapped.
Package	List of the packages which can be mapped to touch points/ groups. Only limit packages maintained for the selected touch point/group will get listed here.
Actions	Indicates the option to reset the limit package assigned to the touch point/group. This can be achieved by clicking .

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 2-1 (Cont.) User Management - Create New User - Field Description

Field Name	Description
User Segment	Segment of the user for which the application role is created. All the application roles linked to the segment will get assigned to the user. This field appears for **Retail & Business** user type. **Note** User can click on  icon, which displays the roles linked to the selected user segment. All the roles associated to the segment gets assigned to the user.
Roles	Name of the application role. All the roles which are not associated to any User Segment gets displayed here. Administrator can assign additional roles (over and above to the roles assigned in segment).
Touch Points	**Information specified in below fields are related to Touch Points**.
Select Touch Points	The touch points (banking channels) allows a user to perform transactions using the touch points. The touch points could be: • **Mobile Application** • **Mobile (Responsive)** • **Internet** • **Missed Call Banking** • **SMS Banking** • **Wearables** • **Snapshot** • **Siri / Chatbot** • **API Access** • **Soft Token Application**
Accessible Entity Details	This section will only appear if the Bank has multi entity setup. This section is applicable only for **Retail & Business** type of user.
Entity Name	Select the entity name i.e. accessible entity to be attached to the new user. This is applicable only if the Bank has a multi entity setup and the System/Bank administrator has access to more than one entity.
Touch Points/ Group	Name of touch points/ groups under a specific entity to which the limit packages are to be mapped.
Roles (Retails Only)	Name of the application role.
Personal Information	This section is applicable only for **Retail & Business** and **Administrator** type of user.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 2-1 (Cont.) User Management - Create New User - Field Description

Field Name	Description
User Name	Define the name of the user (login ID) which is to be created. It is case insensitive. **Note** Usernames are case insensitive i.e. User can login in OBDX with any case.
Title	Title of the user. If User type is **Retail & Business** , value is fetched from the core banking application and defaulted. For the user type corporate user and administrator are: • **Mr** • **Mrs** • **Miss** • **Ms** • **Dr** • **Master**
First Name	First name of the user. If user type is **Retail & Business** , value is fetched from the core banking application and defaulted.
Middle Name	Middle name of the user. If user type is **Retail and Business User**, value is fetched from the core banking application and defaulted.
Last Name	Last name / surname of the user. If user type is **Retail & Business User**, value is fetched from the core banking application and defaulted.
Date of Birth	Date of birth of the user. If user type is **Retail & Business User**, value is fetched from the core banking application and defaulted.
Contact Details	This section is applicable only for **Retail & Business** and **Administrator** type of user.
Email ID	Email id of the user.
Alternate Email ID	Alternate email id of the user. If user type is **Retail & Business User**, value is fetched from the core banking application and defaulted.
Contact Number (Mobile)	Mobile number of the user.
Alternate Contact Number (Mobile)	Alternate mobile number of the user. If user type is **Retail & Business User**, value is fetched from the core banking application and defaulted.
Contact Number (Land Line)	Phone number (land line) number of the user.
Address Line 1-4	Address of the user. If user type is **Retail & Business User**, value is fetched from the host and defaulted value is fetched from the core banking application and defaulted.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 2-1 (Cont.) User Management - Create New User - Field Description

Field Name	Description
Country	Country of the user. If user type is **Retail & Business User**, value is fetched from the core banking application and defaulted.
City	City in which the user resides. If user type is **Retail & Business User**, value is fetched from the core banking application and defaulted.
Zip Code	The postal code of the city in which the user resided. If user type is **Retail & Business User**, value is fetched from the core banking application and defaulted.
Segment & Global Roles	This section is applicable only for **Retail & Business** type of user.
Segment	Specify the segment to assign the role to it.
Global Roles	The global roles are available for mapping it to the users.
Roles	Application roles mapped to the user. In case of multi entity setup, these roles will be for the default/ home entity of the user.
Global Roles	This section is applicable only for **Administrator** type of user.
Roles	The global roles are available for mapping it to the users.
DND Alerts	This section is applicable only for **Retail & Business** and **Administrator** type of user.
Category	Select the categories for which DND needs to be enabled. All the categories for which DND is applicable are available for selection. **Note** Click on category link to view list of all the events for which alerts will not be sent to the user.

v. In the **Limits** section, select the limit packages to be mapped to touch points from the limit package list.

vi. Add the accessible entities for the user and select the party and limits for that entity (applicable only if Bank has Multi Entity setup), as follows:

   i. Click **Add Accessible Entity** button, to add accessible entity to a user.

   ii. From the **Entity Name** list, select the name of the entity.

   iii. In the **Party ID** field, enter the party ID.

   iv. In the **Party Name** field, enter the party name.

   v. Click **Search**. The search result is displayed.

   vi. Select the appropriate party ID.

   vii. In the **Limits** section, select the appropriate limit package under the **Package** for each touch point.

   viii. From the **User Segment** list, select the appropriate segment for the user in **Limits and Roles** section. This field is present if a **Retail & Business** user type is being onboarded.

Copyright © 2006, 2026, Oracle and/or its affiliates.

ix. Select the checkbox (s) against the **Roles,** to map to the selected **User Segment**.

x. In the **Touch Points** section, select the check boxes beside the touch points to be mapped to the user.

xi. In the **Personal Information** section, enter the required details.

xii. In the **Contact Details** section, enter the required details.

xiii. From the **Segment** drop-down list under the **Segment & Global Roles** section, select the segment to assigned the role to it.

xiv. In the **Roles** field under the **Segment & Global Roles** section, select the checkbox (s) against the Roles, to map to the user.

xv. In **Category** field under **DND Alerts** section, select the desired categories for which DND needs to be enabled.

c. If you select the **Administrator** option from the **User Type** list:

i. In the **User Name** field, enter the name of user which is to be created.

ii. Perform anyone of the following actions.

- Click **Onboard** to onboard the user. The required field to onborad the administrator populates.
- Click **Cancel** to cancel the transaction.
- Click **Clear** to reset the entered the details.

iii. In the **Organization** field, enter the organization of the employee.

iv. In the **Manager** field, enter the name of the manager of the user being created.

v. In the **Employee Number** field, enter the six digit employee number of the user.

vi. In the **Personal Information** section, enter the required details.

vii. In the **Contact Details** section, enter the required details.

viii. In **Category** field under **DND Alerts** section, select the desired categories for which DND needs to be enabled.

ix. In the **Touch Points** under **Primary Entity** section, select the check boxes beside the touch points to be mapped to the user.

x. Add the accessible entities for the user (applicable only if Bank has Multi Entity setup)

4. Perform anyone of the following navigation:

- Click **Save** to save the user details.

  The **Review** screen appears.
- Click **Cancel** to cancel the transaction.
- Click **Back** to navigate to the previous screen.

5. Perform any one of the following navigation to access the create screen:

- Verify the details, and click **Confirm**.

  The success message of user creation appears along with the transaction reference number.
- Click **Cancel** to cancel the transaction.
- Click **Back** to navigate to the previous screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

The user will be navigated back to the create screen.

6. Click **OK** to complete the transaction.

2.2 User Management - Search and View

This topic describes the systematic instruction to **User Management - Search and View** option.

Using this option, System/ bank administrators can search and view details of the existing users. Administrator selects the user type of the user to be searched.

System/ bank administrators can also change the user status or the channel access permission for a user using this screen.

Default search is available with Username, but the user can also be searched by providing other details like First Name, Last Name, Party ID. Email ID and Mobile Number.

If the user type is selected as Retail & Business User, then the user can be searched based on the Party ID. An option is provided to search the party present in the core banking system using either the party ID or party name. The matching results are displayed on the screen.

If party ID or party name are provided partially, then a like search is run and all the records matching the search criteria are listed. If the complete party ID is entered, then the party ID is validated by the core banking application. After the core banking application validation is successful, party name gets displayed on the screen. In the result grid, the parties are listed with both Party ID and Party Name. User can select the record by clicking on the Party ID from the list.

To search for a user:

1. Navigate to one of the above path.
   The **User Management** screen appears.
2. Perform anyone of the following actions:
   - Enter the search criteria, click **Search**. The search results appear on the **User Management** screen based on the search parameters.
   - Click **Cancel** if you want to cancel the transaction.
   - Click **Clear** if you want to reset the search parameters.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 2-5 User Management - Search





Figure 2-6 User Management - More Search Options



> **Note**
>
> The fields which are marked as Required are mandatory.

Copyright © 2006, 2026, Oracle and/or its affiliates.

For more information on fields, refer to the field description table.

Table 2-2 User Management - More Search Options - Field Description


Field Name	Description
User Type	Type of user to be searched. The user can be: • **Corporate User** • **Administrator** • **Retail & Business User**
User Name	To search the user with the user name. Partial search is allowed. The User ID is case insensitive.
More Search Options	Below fields appears if you click the **More Search Options** link.
First Name	Allows to search based on first name or given name of the user.
Last Name	Allows to search based on last name/ surname of the user.
Email	Allows to search based on email id of the user.
Mobile Number	Allows to search based on mobile number of the user. **Note** User can select international subscriber dialing (ISD) code (country code) while selecting mobile number.
Channel Access	Allows to search based on channel access of the user.
Party ID	Allows to search based on Party id. This field appears if you select **Retail & Business** or **Corporate User** option from **User Type** list.

To search for a user:

1. Navigate to the above path.
   The **User Management** screen appears.
2. Enter the search criteria and click **Search** in the **User Management** screen
   The search results appear based on the search parameters.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 2-7 User Management - Search Results



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 2-3 Party to Party Linkage - Field Description

Field Name	Description
Search Results	**Information specified in below fields are related to Search Results.**
Full Name	First name and last name of the user.
User Name	User Name of the user.
Status	Status of the user. Locked or Unlocked.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 2-3 (Cont.) Party to Party Linkage - Field Description

Field Name	Description
Channel Access	Indicates whether channel access is granted. Click  icon to grant / revoke access rights. **Note** Channel access feature will only be available with DB authenticator as Identity Management System.

3. Click the **User Name** link of the record for which you want to view the user details. The **User Management - View** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 2-8 User Management - View



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 2-4 User Management - View - Field Description

Field Name	Description
View	**Information specified in below fields are related to View**.
User Type	Type of user. The user can be: • **Corporate User** • **Retail & Business User** • **Administrator**
User Name	The name of the user. This field appears if you select Retail **& Business** option from User Type list.
Group Corporate ID	The group corporate ID mapped to the user is displayed. This field appears if you select **Corporate User** option from **User Type** list.
Party ID	The party ID mapped to the user is displayed. This field appears if you select **Retail & Business** or **Corporate User** option from **User Type** list.
Primary Entity	
Party Information	**Information specified in below fields are related to Party Information**.
Party ID	Displays the party ID mapped to the user. This field appears if you select **Retail & Business** or **Corporate User** option from **User Type** list. **Note** For Non Customer Corporates (counterparties on boarded by Corporates) the system will look for the party ID in OBSCF/OBCMS.
Party Name	Displays the Party Name of the party ID mapped to the user. This field appears if you select Retail **& Business**option from **User Type** list.
Party Type	Displays the Party type of the party ID. The party type can be **Retail or Business**.
Organization	Organization that the user belongs to. This field appears if you select **Administrator** option from **User Type** list.
Manager	Manager of the user. This field appears if you select **Administrator** option from **User Type** list.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 2-4 (Cont.) User Management - View - Field Description

Field Name	Description
Employee Number	Employee number of the user. This field appears if you select **Administrator** option from **User Type** list.
Party Information	This section is displayed if you select **Retail & Business** option from **User Type** list.
Party ID	The party ID mapped to the user is displayed.
Party Name	Party Name of the party ID mapped to the user.
Party Type	Party type of the party ID mapped to the user.
Limit	This field appears if you select **Retail & Business** or **Corporate User** option from **User Type** list. In case of multi entity setup, if the user has access to multiple entities, the limits package displayed will be the one associated to the default/home entity of the user. For business party transactions, a limit package maintained at the party level (as a part of party preference) will be considered and will be utilized.
Touch Points/ Group	Name of touch points/ groups maintained under a specific entity for whom the limit packages are mapped.
Package	Name of the limit package mapped against specific touch points / touch point groups
Selected Segment	Segment of the user for which the application role is created. This field is displayed only for a **Retail & Business** user type.
Roles	Application roles mapped to the user. In case of multi entity setup, these roles will be for the default/home entity of the user.
Touch Points	**Information specified in below fields are related to Touch Points**.
Selected Touch Points	The touch points (banking channels) selected for a user to perform transactions. The touch points could be: • **Mobile Application** • **Mobile (Responsive)** • **Internet** • **Missed Call Banking** • **SMS Banking** • **Wearables** • **Snapshot** • **Siri / Chatbot** • **API Access** • **Soft Token Application**
Limits & Roles	**Information specified in below fields are related to Limits & Roles**.
User Groups	Displays the user groups that are assigned to the user. This field is displayed only for a corporate user type.
Personal Information	This section is displayed if you select **Retail & Business** & **Administrator** option from **User Type** list.
User Name	Name of the user (login ID) of the user.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 2-4 (Cont.) User Management - View - Field Description

Field Name	Description
Title	Title of the user. The options are: • **Mr** • **Mrs** • **Miss** • **Ms** • **Dr** • **Master**
First Name	First name of the user. If user type is **Retail & Business** , value is fetched from the core banking application and defaulted.
Middle Name	Middle name of the user. If user type is **Retail & Business** , value is fetched from the core banking application and defaulted.
Last Name	Last name/ surname of the user. If user type is **Retail & Business** , value is fetched from the core banking application and defaulted.
Date of Birth	Date of birth of the user. If user type is Retail **and Business User**, value is fetched from the core banking application and defaulted.
Contact Details	This section is displayed if you select **Retail & Business** & **Administrator** option from **User Type** list.
Business Email ID	Email id of the user. If user type is **Retail & Business** , value is fetched from the core banking application and defaulted.
Email ID	Email id of the user. If user type is **Administrator** , value is fetched from the core banking application and defaulted.
Business Contact Number (Mobile)	Displays contact number of the user alongwith an international subscriber dialing (ISD) code. If user type is **Retail and Business User**, value is fetched from the core banking application and defaulted.
Contact Number (Mobile)	Displays mobile number of the user alongwith an international subscriber dialing (ISD) code. If user type is **Retail & Business** , value is fetched from the core banking application and defaulted.
Contact Number (Land Line)	Phone number (land line) number of the user.
Address Line 1-4	Address of the user. If user type is **Retail & Business** , value is fetched from the core banking application and defaulted.
Country	Country of the user. If user type is **Retail & Business** , value is fetched from the core banking application and defaulted.
City	City in which the user resides. If user type is **Retail and Business User**, value is fetched from the core banking application and defaulted.
Zip Code	The postal code of the city in which the user resided. If user type is **Retail & Business** , value is fetched from the core banking application and defaulted.

Copyright © 2006, 2026, Oracle and/or its affiliates.


Table 2-4 (Cont.) User Management - View - Field Description

Field Name	Description
Segment & Global Roles	This section is applicable only for **Retail** type of user.
Segment	View the segment assigned to the Retail user.
User Groups And Global Roles	**Information specified in below fields are related to User Groups And Global Roles**.
User Groups	The list of all user groups to which the selected user belongs. User Group is applicable only to Corporate Users and Administrators. **Note** • This information is read-only and hence cannot be modified. • If a particular user needs to be removed from a user group, then the administrator must manually go to the particular user group screen and remove the user.
Roles	The global roles which are mapped to the users.
Device Registration	This section is applicable only for **Corporate** type of user
Android Devices	This option shows if the user has registered Zig Bank application on any android devices/s. Enabling of the device happens when the user installs and registers on the app on the android device. Administrator cannot manually enable the device. If the Administrator deregisters the device, the user gets logged out from all the android devices and his alternate login gets disabled from all the android devices on which the user has installed the application.
iOS Devices	This option shows if the user has registered Zig Bank application on any iOS devices/s. Enabling of the device happens when the user installs and registers on the app on the iOS device. Administrator cannot manually enable the device. If the Administrator deregisters the device, the user gets logged out from all the iOS devices and his alternate login gets disabled from all the iOS devices on which the user has installed the application.
Push Notifications	This section is applicable only for Corporate type of user.
Android Devices	This option shows if the user has registered for push notifications for android devices. Enabling of the push notification is done by user himself and administrator cannot do the same. If the administrator disables this, the user will stop getting notifications as a pop-up message (push notification) on the user's registered mobile number.
iOS Devices	This option shows if the user has registered for push notifications for iOS devices. Enabling of the push notification is done by user himself and administrator cannot do the same. If the administrator disables this, the user will stop getting notifications as a pop-up message (push notification) on the user's registered mobile number. **Note:** To receive push notification user will have to allow the same on the device settings.
Primary Entity Details	**Information specified in below fields are related to Primary Entity Details**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 2-4 (Cont.) User Management - View - Field Description

Field Name	Description
Entity Name	Primary Entity name associated to the user.
Touch Points/ Group	Name of touch points/ groups maintained under a specific entity for which the limit packages are mapped.
Roles	For the primary entity selected/ added, system will default the roles same as that of home entity of the user. The administrator cannot define separate roles for each of the entities.
Map Parties	This section is applicable only for Corporate type of user.
Primary Party	Primary Entity name associated to the user.
Accessible Parties	Accessible Entities associated to the user.
Limits	Limits attached to the user.
Touch Points	Name of touch points/ groups maintained under a specific entity for which the limit packages are mapped.
DND Alerts	The list of categories for which DND is configured can be enabled or disabled using this option.
Accessible Entity Details	This section is applicable only to Retail or Admin user only.
Entity Name	Accessible Entity name associated to the user.
Limits - Touch Point/ Groups	Limits package associated to the user for the accessible entity. This field is only applicable for Retail & Business and corporate users. For Retail Party transactions, the limit package maintained at the user level will be considered and utilized. For business party transactions, a limit package maintained at the party level (as a part of party preference) will be considered and utilized.
Touch Points/ Group	Name of touch points/ groups maintained under a specific entity for which the limit packages are mapped.
Package	Name of the limit package mapped against specific touch points / touch point groups.
Roles	For the accessible entity selected/ added, system will default the roles same as that of home entity of the user. The administrator cannot define separate roles for each of the entities.

4. Perform any one of the following navigation to access the create screen:
   - Click **Edit** to edit the user details.
   - Click **Reset Password** to reset user's password. For more information refer, **Reset password** section.
   - If user clicks '**No**', the action gets cancelled.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
   - Click 

icon to download the user details.

User Management - Change user status

This section allows you to lock and unlock a user.


To lock or unlock a user:

1. Navigate to the above path
   The **User Management** screen appears.
2. Enter the search criteria, click **Search**.


Copyright © 2006, 2026, Oracle and/or its affiliates.

The search results appear on the **User Management** screen based on the search parameters.

Figure 2-9 Lock / Unlock User



3. Click  icon in the **Status** column to lock / unlock a user.
The **User Status Maintenance** screen appears.



4. In the **Lock Status** field move the slider to lock / unlock a user.
5. In the **Reason** field enter the appropriate description.
6. Perform anyone of the following actions:

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Submit** to save.
- Click **Cancel** to close.


User Management - Channel Access Permission

This section allows the administrator to grant / revoke channel access for a user. In case Bank administrator changes the channel access from grant to revoke, user will not be able to access his channel banking.

> **Note**
>
> Channel Access feature is only available and displayed if the Application is configured on DB Authenticator as Identity Management system.


1. Navigate to the above path.
   The **User Management** screen appears.
2. Enter the search criteria, click **Search**.
   The search results appear on the **User Management** screen based on the search parameters.

Figure 2-10 Channel Access



3. Click icon in the **Channel Access** column to grant / revoke channel access to a user
   The **User Status Maintenance** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.



4. In the **Channel Access** field move the slider to grant / revoke channel access rights for a user.
5. In the **Reason** field enter the appropriate description.
6. Perform anyone of the following actions:
   - Click **Submit** to save.
   - Click **Cancel** to close.

2.3 User Management - Edit

This topic describes the systematic instruction to **User Management - Edit** option.

This function enables the Administrator to edit the existing user details.

Administrators will be allowed to modify the user details, including adding/removing parties mapped to the user. For a Retail & Business user, the primary entity should have at least 1 party mapped, however, if all the parties mapped under the linked entity are removed, then the entity access will also be removed from the user.

To edit or update a user details:

1. Navigate to one of the above paths.

   The **User Management** screen appears.
2. Perform any one of the following action:
   - Enter the search criteria, click **Search**.
     The search results appear on the **User Management** screen based on the search parameters.
   - Click **Clear** if you want to reset the search parameters.
   - Click **Cancel** if you want to cancel the transaction.
3. In the **User Management - Search Results** section, click the **User Name** link of the record for which you want to edit the user details.


   The **User Management - View** screen appears.
4. Perform anyone of the following actions:
   - Click **Edit** to update the user information.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Reset Password** to reset user's password. For more information refer, **Reset password** section.
- If user clicks **No**, the action gets cancelled.
- Click **Cancel** to cancel the transaction.
- Click **Back** to navigate to the previous screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 2-11 User Management - Edit User



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 2-5 User Management - Edit User - Field Description

Field Name	Description
Edit	**Information specified in below fields are related to Edit**.
User Type	Type of user. The user can be: • **Retail & Business User** • **Administrator**
User Name	The name of the user. This field appears if you select **Retail & Business** option from **User Type** list.
Party ID	The party ID mapped to the user is displayed. This field appears if you select **Retail & Business**option from **User Type** list.
Primary Entity	
Party Information	**Information specified in below fields are related to Party Information**.
Party ID	Displays the party ID mapped to the user. This field appears if you select **Retail & Business**or **Corporate User** option from **User Type** list. **Note** For Non Customer Corporates (counterparties on boarded by Corporates) the system will look for the party ID in OBSCF/OBCMS.
Party Name	Displays the Party Name of the party ID mapped to the user. This field appears if you select **Retail & Business**option from **User Type** list.
Party Type	Displays the Party type of the party ID. The party type can be **Retail** or **Business**.
Organization	Organization that the user belongs to. This field appears if you select **Administrator** option from **User Type** list.
Manager	Manager of the user. This field appears if you select **Administrator** option from **User Type** list.
Employee Number	Employee number of the user. This field appears if you select **Administrator** option from **User Type** list.
Primary Entity Details	This section is applicable only to **Retail** or **Admin** user only.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 2-5 (Cont.) User Management - Edit User - Field Description

Field Name	Description
Entity Name	Primary Entity name associated to the user. This field is appears for **Retail** or **Admin** user only.
Party Information	This section is displayed if you select **Retail & Business**option from **User Type** list.
Party ID	The party ID mapped to the user is displayed.
Party Name	Party Name of the party ID mapped to the user.
Party Type	Party type of the party ID mapped to the user.
Limits	This field appears if you select **Retail & Business** or **Corporate User** option from User Type list. In case of multi entity setup, if the user has access to multiple entities, the limits package displayed will be the one associated to the default/home entity of the user. For business party transactions, a limit package maintained at the party level (as a part of party preference) will be considered and will be utilized.
Touch Points/ Group	Name of touch points/ groups maintained under a specific entity for whom the limit packages are mapped. This field is appears for **Retail** or **Admin** user only.
Package	Name of the limit package mapped against specific touch points / touch point groups
Selected Segment	Segment of the user for which the application role is created. This field is displayed only for a **Retail & Business** user type.
Roles	Application roles mapped to the user. In case of multi entity setup, these roles will be for the default/home entity of the user. This field is appears for **Retail** or **Admin** user only.
Touch Points	**Information specified in below fields are related to Touch Points**.
Selected Touch Points	The touch points (banking channels) selected for a user to perform transactions. The touch points could be: • **Mobile Application** • **Mobile (Responsive)** • **Internet** • **Missed Call Banking** • **SMS Banking** • **Wearables** • **Snapshot** • **Siri / Chatbot** • **API Access** • **Soft Token Application**
Accessible Entity Details	This section is applicable only to **Retail** or **Admin** user only.
Entity Name	Accessible Entity name associated to the user.
Touch Points/ Group	Name of touch points/ groups maintained under a specific entity for whom the limit packages are mapped.
Roles	Application roles mapped to the user.
Personal Information	This section is displayed if you select **Retail & Business** & **Administrator** option from **User Type** list.
User Name	Name of the user (login ID) of the user.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 2-5 (Cont.) User Management - Edit User - Field Description

Field Name	Description
Title	Title of the user. The options are: • **Mr** • **Mrs** • **Miss** • **Ms** • **Dr** • **Master**
First Name	First name of the user. If user type is **Retail & Business**, value is fetched from the core banking application and defaulted.
Middle Name	Middle name of the user. If user type is **Retail & Business**, value is fetched from the core banking application and defaulted.
Last Name	Last name/ surname of the user. If user type is **Retail & Business**, value is fetched from the core banking application and defaulted.
Date of Birth	Date of birth of the user. If user type is **Retail & Business**, value is fetched from the core banking application and defaulted.
Contact Details	This section is displayed if you select **Retail & Business** & **Administrator** option from **User Type** list.
Business Email ID	Email id of the user. If user type is **Retail & Business** , value is fetched from the core banking application and defaulted.
Email ID	Email id of the user. If user type is **Administrator** , value is fetched from the core banking application and defaulted.
Business Contact Number (Mobile)	Displays contact number of the user alongwith an international subscriber dialing (ISD) code. If user type is Retail **and Business User**, value is fetched from the core banking application and defaulted.
Contact Number (Mobile)	Displays mobile number of the user alongwith an international subscriber dialing (ISD) code. If user type is **Retail & Business** , value is fetched from the core banking application and defaulted.
Contact Number (Land Line)	Phone number (land line) number of the user.
Address Line 1-4	Address of the user. If user type is **Retail & Business**, value is fetched from the core banking application and defaulted.
Country	Country of the user. If user type is **Retail & Business**, value is fetched from the core banking application and defaulted.
City	City in which the user resides. If user type is Retail **Retail & Business**, value is fetched from the core banking application and defaulted.
Zip Code	The postal code of the city in which the user resided. If user type is **Retail & Business**, value is fetched from the core banking application and defaulted.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 2-5 (Cont.) User Management - Edit User - Field Description

Field Name	Description
Segment & Global Roles	This section is applicable only for **Retail** type of user.
Segment	View the segment assigned to the Retail user.
User Groups And Global Roles	This section is applicable only for **Administrators** type of user.
User Groups	The list of all user groups to which the selected user belongs. **Note** • This information is read-only and hence cannot be modified. • If a particular user needs to be removed from a user group, then the administrator must manually go to the particular user group screen and remove the user.
Roles	The global roles which are mapped to the users.
Device Registration	This section is applicable only for **Corporate** type of user.
Android Devices	This option shows if the user has registered Zig Bank application on any android devices/s. Enabling of the device happens when the user installs and registers on the app on the android device. Administrator cannot manually enable the device. If the Administrator deregisters the device, the user gets logged out from all the android devices and his alternate login gets disabled from all the android devices on which the user has installed the application.
iOS Devices	This option shows if the user has registered Zig Bank application on any iOS devices/s. Enabling of the device happens when the user installs and registers on the app on the iOS device. Administrator cannot manually enable the device. If the Administrator deregisters the device, the user gets logged out from all the iOS devices and his alternate login gets disabled from all the iOS devices on which the user has installed the application.
Push Notifications	This section is applicable only for **Corporate** type of user.
Android Devices	This option shows if the user has registered for push notifications for android devices. Enabling of the push notification is done by user himself and administrator cannot do the same. If the administrator disables this, the user will stop getting notifications as a pop-up message (push notification) on the user's registered mobile number.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 2-5 (Cont.) User Management - Edit User - Field Description

Field Name	Description
iOS Devices	This option shows if the user has registered for push notifications for iOS devices. Enabling of the push notification is done by user himself and administrator cannot do the same. If the administrator disables this, the user will stop getting notifications as a pop-up message (push notification) on the user's registered mobile number. **Note** To receive push notification user will have to allow the same on the device settings.
DND Alerts	The list of categories for which DND is configured can be enabled or disabled using this option.
Limits - Touch Point/ Groups	Limits package associated to the user for the accessible entity. This field is only applicable for Retail & Business and corporate users. For Retail Party transactions, the limit package maintained at the user level will be considered and utilized. For business party transactions, a limit package maintained at the party level (as a part of party preference) will be considered and utilized.
Touch Points/ Group	Name of touch points/ groups maintained under a specific entity for which the limit packages are mapped.
Package	Name of the limit package mapped against specific touch points / touch point groups.
Roles	For the accessible entity selected/ added, system will default the roles same as that of home entity of the user. The administrator cannot define separate roles for each of the entities.

5. Update the required details.
6. Perform anyone of the following actions:
   - Click **Save** to update the changes.

     The **Review User Details** screen appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
7. Perform anyone of the following actions:
   - Verify the details, and click **Confirm**.

     The success message of updates appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
8. Click **OK** to complete the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

2.4 Reset Password

This topic describes the systematic instruction to **Reset Password** option.

This function enables the Administrator to reset the password.
To reset password:

1. Navigate to one of the above paths.

   The **User Management** screen appears.

2. Perform anyone of the following actions:

   - Enter the search criteria, click **Search**.
     The search results appear on the **User Management** screen based on the search parameters.
   - Click **Clear** if you want to reset the search parameters.
   - Click **Cancel** if you want to cancel the transaction.


3. In the **User Management - Search Results** section, click the **User Name** link of the record for which you want to edit the user details.

   The **User Management - View** screen appears.

4. Perform anyone of the following actions:

   - Click **Edit** to update the user information.
   - Click **Reset Password** to reset user's password.
     A warning message **Are you sure you want to reset the password of this user?** appears on the screen.

Figure 2-12 Reset Password popup screen



5. If Administrator clicks **Yes**, a reset password confirmation screen is displayed.
6. User for whom the password is being reset gets the link to generate the new password on his/her registered email ID/mobile number (as per the alert mode maintained by bank).
7. Perform anyone of the following actions:

   - User clicks on the link received on his/her email id and reset password screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Cancel** to cancel the transaction.
- Click **Back** to navigate to the previous screen.

Figure 2-13 Reset Password screen for end user





Figure 2-14 Password Policy popup



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 2-6 User Management - More Search - Field Description

Field Name	Description
Password	New password for channel access.
Re-enter Password	Re-enter the new password to confirm.

8. Perform anyone of the following actions:
   - In the **Password** field, enter the password.
   - Click icon to enter the new password using the virtual keyboard.
     (See Password Condition section on the application screen to view the policy of setting a new password.)
9. Perform anyone of the following actions:
   - In the **Re-enter Password** field, re-enter the password.
   - Click icon to re-enter the password using the virtual keyboard.
10. Perform anyone of the following actions:
    - Click **Submit**.

      The success message of changing the password appears. Click **Login** on confirmation screen to log in to the application.

      > **Note**
      >
      > Password Conditions gets highlighted in green if the user's password is meeting the Password Policy criteria and similarly in Red if the password is not as per the Password Policy maintained.

    - Click **Cancel** to cancel the transaction.

2.5 FAQ

1. **Who can create / update the user?**
   System administrator, bank administrator and corporate administrator can create or edit the users. Corporate Administrator can create user for the party ID he belongs to.
2. **What type of combinations are allowed for the Retail & Business user type for the digital banking accesses ?**
   Users are provided with the following access combinations:

Table 2-7 Type of combinations allowed for the Retail & Business user type

Relationships	Allowed/Not Allowed
One Retail	Allowed
Multiple Retail	Not Allowed
One Retail + One Business	Allowed
One Retail + Multiple Business	Allowed
Multiple Retail + Multiple Business	Not Allowed
One Business	Allowed
Multiple Business	Allowed

Copyright © 2006, 2026, Oracle and/or its affiliates.

3. **Can I edit the party id mapped to the user?**
   No, party ID mapped to the user cannot be edited.
4. **When does the system update a user status as 'locked'?**
   User status can get locked if he has exceeded the maximum number of attempts allowed for entering a wrong password.
5. **When will the System/ Bank Administrator use Revoke Channel Access feature?**
   Incase if the customer does not want to use his channel banking and requests bank to disable his internet banking, bank user can do the same by revoking the channel access for his user. Similarly if a corporate user leaves a corporate house, his channel access should be revoked using this feature, so that he should not be able to access the company accounts.
6. **Can I set the user name which is already used in the application?**
   No, uniqueness of a user name/user ID is checked while creating or modifying a user.
7. **Can I edit personal and contact details of Retail user?**
   No, personal and contact details of Retail user are fetched from the core banking application and cannot be edited using User Management functionality.
8. **Can one assign multiple Application roles to a user?**
   Yes, multiple Application roles can be assigned to the user. e.g. Corporate user is acting as maker of few transactions and approver of few other transactions.
9. **What are the different child roles available out of box?**
   Following are the Application role associated with each application role out of box.

Table 2-8 Application Role

User Type	Application Roles
Retail User	
Corporate User	• Maker • Checker • Viewer • Corporate Admin Maker • Corporate Admin Checker • Non Customer Maker • Non Customer Checker • Non Customer Viewer • Non Customer Corp Admin Maker • Non Customer Corp Admin Checker
Administrator	• Admin Maker • Admin Checker

10. **If I update the limit package associated with a user, what will happen to the in-flight transactions?**
    Yes, new limit package can be mapped to a user. Limits get applied from an immediate effect if the effective date is less than or equal to current date. And if the effective date is future date, the limit package will be applied from the date available in the package.
11. **If I update the Application role associated to a user, what will happen to the in-flight transactions?**
    In case of any update of Application roles mapped to the user as edit user functionality, the privileges associated with new child roles get applied to the user with an immediate effect.

    So if any transaction is pending with approver for approval, user can view and approve those transactions only if checker role is mapped to him. As soon as checker role is

Copyright © 2006, 2026, Oracle and/or its affiliates.

unmapped, then user will not be able to view and approve the transactions which were pending for his approval.

12. **Can administrator with one entity have right to create users in different entity?**
    No, administrator can only create users in his own entity only.
13. **Can I assign a user Segment to a Corporate User?**
    No, User Segment can only be attached to a Retail user.
14. **Can I assign additional roles to a Retail user associated to a Segment?**
    Yes, system displays all the application roles which are not linked to a segment against the roles field, these roles can be attached to a user in addition to the roles attached to a segment.
15. **If a user's User ID is locked and he/she has requested for a reset password, does the admin needs to unlock it separately ?**
    No, the user ID will automatically get unlocked at the time of resetting the password by Admin.

Copyright © 2006, 2026, Oracle and/or its affiliates.

3

Party Preferences

This topic describes the Party Preferences feature used to configure preferences for parties during Group Corporate Onboarding.


Party Preference setup allows the administrator to onboard the party on OBDX along with definition of attributes like limits, Approval flow, grace period etc. This maintenance is done only for corporate type of parties and is not applicable for retail type of parties. Parameter values maintained against a corporate party defines the system behavior for the following:

- Cumulative daily limits per transaction for the corporate party
- Transaction limits for the users
- Type of approval flow applicable
- Group Corporate Mapping
- Channel access preferences
- Availability of corporate administrator facility

Pre-Requisites

- Transaction access is provided to Bank Administrator.
- Approval rule set up for Bank Administrator to perform the actions.
- Party for which preference needs to be set up is created in core banking application.

Figure 3-1 Workflow



Features Supported In Application

Party Preference maintenance available for bank administrator in the application includes:

- Create Party Preferences
- View Party Preferences
- Edit Party Preferences

Navigation Path: Perform anyone of the following navigation to access **Party Preferences**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Corporate Onboarding**, Under **Corporate Onboarding**, click **Party Preferences**.
- From **Bank Administrator Dashboard**, under **Corporate Onboarding** widget, click **Party Preferences**.

> **Note**
>
> For Non Customer Corporates (for which the party id is not maintained in UBS or in Core banking system), can also be on boarded on OBDX using Party Preference. For such cases i.e. for non customer corporate (counterparties on boarded by Corporates) the system will look for the party ID in OBSCF/OBCMS.

- Party Preferences- Search
  This topic describes the systematic instruction to **Party Preferences- Search** feature.
- Party Preferences - Create
  This topic describes the systematic instruction to **Party Preferences - Create** option. Using this option, Bank Administrator can configure party preferences for a specific party.
- Party Preferences - View
  This topic describes the systematic instruction to **Party Preferences - View** feature.
- Party Preferences - Edit
  This topic describes the systematic instruction to **Party Preferences - Edit** option.
- FAQ

3.1 Party Preferences- Search

This topic describes the systematic instruction to **Party Preferences- Search** feature.

To search party preferences of party:

1. Navigate to one of the above paths.

   The **Party Preferences** screen appears.
2. Perform any one of the following actions:
   - In the **Party ID** field, enter the party ID whose party preferences you want to view.
   - In the **Party Name** field, enter the name of the party whose party preferences you want to view.
   - In the **Account Type** field, select account type (i.e. CASA,TD & Loan) and Enter account number of party whose party preferences you want to view.
3. Perform any one of the following actions:
   - Click **Search**.
     If party preference is already maintained, user is directed to **Party Preference – View** screen.


     If party preference is not maintained, user is directed to **Party Preference – Create** screen.

     In case of invalid party, error message is shown on the screen.
   - Click **Clear** to reset the details.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Cancel** to cancel the transaction.

Figure 3-2 Party Preferences- Search (Party ID)



In case of a party search by name, system displays the matching party records. The records have parties listed with both Party ID and Party Name information. User can select the record by clicking on the Party ID from the list.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 3-3 Party Preferences- Search (Party Name)




Figure 3-4 Party Preferences- Search(Account Number and Account Type)




Table 3-1 Party Preferences- Search - Field Description

Field Name	Description
Search	**Information specified in below fields are related to search**.
Party ID	Party ID for which the party preference to be maintained/ viewed.
Party Name	Party Name of a party for which the party preference to be maintained or viewed.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 3-1 (Cont.) Party Preferences- Search - Field Description

Field Name	Description
Account Type	Account type of Party for which the party preference to be maintained/ viewed. Account type can either CASA, TD, Credit Card & Loan.
Account Name	Account Number of a party for which the party preference to be maintained or viewed.

3.2 Party Preferences - Create

This topic describes the systematic instruction to **Party Preferences - Create** option. Using this option, Bank Administrator can configure party preferences for a specific party.

To create the party preferences:

1. Navigate to one of the above paths.

   The **Party Preferences** screen appears.

2. In the **Party ID** field, enter the party ID you want to view the party preferences you want to view. Party ID entered by the user gets validated from the core banking application. After the core banking application validation is successful, a check is performed in application to verify if preferences are already maintained for a party.

   If the preferences are already maintained then user is directed to **Party Preference – View** screen.

   If party preference is not maintained, user is directed to **Party Preference – Create** screen. In case of invalid party, error message is shown on the screen.


3. Perform anyone of the following actions:

   - Click **Search**.
     The party preference maintained for the party ID appears based on the entered search parameters.
   - Click **Clear** to reset the details.
   - Click **Cancel** to cancel the transaction.

4. Click the desired party ID link under the **Party ID** column.

   The **Party Preferences** screen appears.

Figure 3-5 Party Preferences



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 3-2 Party Preferences - Field Description


Field Name	Description
Search	**Information specified in below fields are related to search**.
Party ID	Party ID for which the party preference to be maintained or viewed.
Party Name	Name of a party for which the party preference to be maintained/ viewed.

5. Perform anyone of the following actions:
   - Click **Create** to create party preference.
     The **Create** screen appears.
   - Click **Back** to navigate to the previous screen.
   - Click **Cancel** to cancel the transaction.
6. In the **Party Type** field, select the party type for which party preference is to be maintained.

> **Note**
>
> When the party type is selected as **Corporate**, the fields relevant to Group Corporate are shown. The fields applicable for **Business** user will not be shown if **Business** party type is selected.


Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 3-6 Party Preferences Maintenance – Create (Business Party)



Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 3-7 Party Preferences Maintenance – Create (Corporate Party)



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 3-3 Party Preferences Maintenance – Create - Field Description

Field Name	Description
Create	**Information specified in below fields are related to create**.
Party ID	Party ID for which the party preference to be maintained. **Note:** For Non Customer Corporates (counterparties on boarded by Corporates) the system will look for the party ID in OBSCF/OBCMS.
Party Name	Party Name of a party for which the party preference to be maintained.
Party Type	Party type for which the party preference is to be maintained. The type can be: • **Business** • **Corporate**
Map to Group Corporate	Select this to map corporate party to Group Corporate. **Note:** • **Existing** – Click this to map with existing Group Corporate maintained within system • **New** –Click this to map corporate party with new Group Corporate This field is enabled if Corporate is selected in Party Type field.
Group Corporate	Group Corporate ID and Name with which the Corporate Party is to be mapped. **Note:** This field is enabled if **Corporate** is selected in **Party Type** field.
View Linked Parties	If an existing Group Corporate is selected, a link is available to view the linked parties. Click on the link to view the linked parties under a Group Corporate. **Note:** This field is enabled if **Corporate** is selected in **Party Type** field.
Grace Period	Provision of time period is made to allow user to approve the transaction after the actual due date. **Note:** The tooltip with information will appear on dashboard in the **Pending for Approvals** section only when the user hovers on grace period.
Grace Period Expiry Alert	Enter the number of days prior to Grace Period Expiry, before which the alert needs to be sent to Maker and Approver regarding transaction approval expiry period. For e.g. if the value is set as 1 in this field then the alert should be sent one day before the grace period expiry date. **Note:** a. The value entered in this field should be less than the value entered in **Grace Period** field. b. If there is no **Grace Period** present, then this field will not get enabled.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 3-3 (Cont.) Party Preferences Maintenance – Create - Field Description

Field Name	Description
Occurrence	Specify the alert preference. The options are: • **Recurring**- an alert will be sent daily, starting from the number of days configured in the above field before the before the grace period expiry date till the transaction is approved or expired (whichever is earlier) . • **One Time**- an alert would be sent only once with respect to value set in Grace Period For eg. if the grace period is set as 5 days, and the days before the alert is required to be sent is set as 3 days and the alert preference is set as recurring then an alert will be sent for 3 days in a row (daily) before the grace period expiry date or until the transaction is approved (whichever is earlier) . if this parameter is set as **one time** then the alert would be sent only once i.e. 3 days before the grace period expiry date. **Note:** a. The field will become **Mandatory** if the user inputs value in the **Grace Period Expiry Alert** field. b. If there is no **Grace Period** present, then this field will not get enabled.
Alert on Transaction Expiry	Specify if the alert is required to be sent on the Transaction Expiry Date. The options are: • **Yes** • **No** **Note:** a. The field will become **Mandatory** if the user inputs value in the **Grace Period Expiry Alert** field. b. If there is no **Grace Period** present, then this field will not get enabled.
File Encryption Key	File Encryption key is the unique key provided to the corporate for encrypting/decrypting the bulk files that he is uploading. **Note:** This field is enabled if **Corporate** is selected in **Party Type** field.
Approval Flow	The approval type for the party. The options are: • **Sequential** • **Parallel** • **No Approval**
Channel Access	Whether users associated with a party can start transacting through the channel. The options are: • **Enable** : Allows bank administrator to enable the party for channel access • **Disable**: Allows bank administrator to disable the party for channel access

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 3-3 (Cont.) Party Preferences Maintenance – Create - Field Description

Field Name	Description
Forex Deal Creation	Whether users associated with a party can create forex deals. The options are: • **Enable**: If this option is enabled, corporate user associated with this party can create forex deals. • **Disable**: If this option is disabled, corporate user associated with this party cannot create forex deals.
Roles	Application roles mapped to the user. In case of multi entity setup, these roles will be for the default/home entity of the user. These roles are applicable only for a Business Party Type.
Cumulative Limit	It allows Bank Administrator to map customer cumulative daily limits to the party. All the touch points and touch point groups maintained the system are listed on the screen. Administrator needs to ensure that the relevant packages are mapped to all the touch points/groups accessible by the party users. Also an option is provided to map the limit package at Global level (a group created with all internal and external touch points) All the touch points and touch point groups maintained in the system are listed under each entity. Packages can be mapped for each touch point and for a group. For Business Party transactions, the limit package maintained at the party level (as a part of party preference) shall be considered and utilized. **Note:** These limits are applicable for a **Business** and **Corporate** Party Type.
Touch Points/ Group	Name of touch points/ groups maintained under a specific entity for which the limit packages are to be mapped.
Package	List of the packages available for mapping to touch points/ group are listed here. Limit packages maintained for the selected touch point will get here.
Actions	Click  to refresh the option.
User Limits	This field allows the Bank Administrator to map customer user level limits (CUL) to the party. All the touch points and touch point groups maintained the system are listed on the screen. Administrator needs to ensure that the relevant packages are mapped to all the touch points/groups accessible by the selected party users. Also an option is provided to map the limit package at Global level (a group created with all internal and external touch points). **Note:** These limits are applicable only for a **Corporate Party** type.
Touch Points/ Group	Name of touch points/group maintained under a specific entity for which the user limit packages are to be mapped.
Package	List of the packages available for mapping to touch points/ group are listed
Actions	Click  to refresh the option.

a. If you select the **Business**option in the **Party Type** field;

   i. Follow the steps from 6.

b. If you select the **Corporate** option in the **Party Type** field;

   Admin can map a party to an existing Group Corporate or can create a new Group Corporate by providing a new name:

Copyright © 2006, 2026, Oracle and/or its affiliates.


i. In the **Map to Group Corporate** field, select the option to map corporate party to Group Corporate.

   i. If you select **New** option, the new Group Corporate is created and mapped to party,

   Admin will provide a Group Corporate name and click on **check availability** to check if the Group Corporate name entered is available in the application (as the name has to be unique). If the Group Corporate name is available, admin can click on save and system will show the Group corporate ID and name on the screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 3-8 Corporate Party Map with New Group Corporate



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 3-4 Corporate Party Map with New Group Corporate - Field Description

Field Name	Description
Search	**Information specified in below fields are related to search**.
Group Corporate Name	Enter the new Group Corporate Name to map with the Corporate party whose preferences is being setup
Search Result	**Information specified in below fields are related to search result**.
Group Corporate ID	The Group Corporate ID will be fetched from the application and will be assigned to the new Group Corporate
Group Corporate Name	List of Corporate Name that can be mapped with the Corporate party


OR

If you select Existing option, the party is mapped to the existing Group Corporate.

Admin can search an existing Group Corporate ID with the help of search panel provided to map with corporate party.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 3-9 Corporate Party Map with Existing Group Corporate




Copyright © 2006, 2026, Oracle and/or its affiliates.

i. In the **Group Corporate** field, enter the existing group corporate ID, and click on the icon.

The **Search Group Corporate** popup appears.

Figure 3-10 Search Group Corporate to Map with Existing Group Corporate



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.


Table 3-5 Search Group Corporate - Field Description

Field Name	Description
Search	**Information specified in below fields are related to search**.
Group Corporate ID	Search Group Corporate ID to map with the Corporate party whose preferences are being setup
Group Corporate Name	Search Group Corporate Name to map with the Corporate party whose preferences are being setup
Search Result	**Information specified in below fields are related to search result**.
Group Corporate ID	List of Group Corporate ID that can be mapped with the Corporate party
Group Corporate Name	List of Corporate Name that can be mapped with the Corporate party

ii. Click on the **View Linked Parties** link to view the parties linked to selected Group Corporate.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 3-11 View Linked Parties



> **Note**
>
> If **Group Corporate** flag is set as 'On' in system rules then,
>
> - It is mandatory to map a Group Corporate ID In Party Preferences
> - Even if it is a single party onboarding , it has to be mapped to a Group Corporate ID

7. In the **Grace Period** field, enter the number of grace period.
8. In the **Grace Period Alert** field, enter the days prior to Grace Period Expiry, to alert Maker and Approver regarding transaction approval expiry period.
9. In the **Occurrence** field, specify the alert preference.
10. In the **Alert On Transaction Expiry** field, specify whether to sent alert on the transaction expiry date or not.
11. In the **File Encryption Key** field, enter the unique File Encryption key provided to the corporate for encrypting/decrypting the bulk files that he is uploading.

> **Note**
>
> This field is enabled if the **Corporate** option selected in **Party Type** field.

12. In the **Approval Flow** field, select the appropriate option.
13. In the **Channel Access** field, select the appropriate option.
14. In the **Forex Deal Creation** field, select the appropriate option.
15. Select the checkbox (s) against the **Roles**, to map to the selected party.

> **Note**
>
> **Roles** field is enabled only for Business type of party.

16. From the **Cumulative Daily Limits** list, select the appropriate option to map limit package for Touch Points applicable for this party.

Copyright © 2006, 2026, Oracle and/or its affiliates.


17. From the **User Limit** list, select the appropriate option.

> **Note**
>
> a. Click icon to refresh the option.
>
> b. This field is enabled if the **Corporate** option selected in **Party Type** field.

18. Click icon to view the details of touch points group.

The **View Details** popup window appears.

Figure 3-12 View Details- Touch Point Group



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 3-6 View Details- Touch Point Group - Field Description

Field Name	Description
Group Code	Group code defined for touch point group.
Group Description	Group description defined for touch point groups.
Touch Point / Group Type	Type of touch point i.e. whether touch point is of type internal or external.
Touch Points	List of the internal or external touch points.

19. Perform anyone of the following actions:

- Click **Save** to Save the party preferences.
- Click **Cancel** to cancel the transaction.
- Click **Back** to navigate to the previous screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

20. Perform anyone of the following actions:
    - The **Review** screen appears. Verify the details, and click **Confirm**.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.

    The success message of party preference creation appears.
21. Click **OK** to complete the transaction.

3.3 Party Preferences - View

This topic describes the systematic instruction to **Party Preferences - View** feature.

Administrator user is directed to Party Preference – View screen if preference for the party is already maintained. Preferences set for the party will be displayed on the screen.

To view party preferences of party:


1. Navigate to one of the above paths.

   The **Party Preferences** screen appears.
2. Perform anyone of the following actions:
   - In the **Party ID** field, enter the party ID whose party preferences you want to view.
   - In the **Party Name** field, enter the name of the party whose party preferences you want to view.
3. Perform anyone of the following actions:
   - Click **Search**.
     The party preference maintained for the party ID appears based on the entered search parameters.
   - Click **Clear** to reset the details.
   - Click **Cancel** to cancel the transaction.
4. Click the link under the **Party ID** column.

   The search result according to the search criteria appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 3-13 Party Preferences- View



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 3-7 Party Preferences- View - Field Description

Field Name	Description
Details	**Information specified in below fields are related to details**.
Party ID	Party ID for which the party preference to be maintained.
Party Name	Party Name of a party for which the party preference to be maintained.
Party Type	Type of the party for which the party preference to be maintained.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 3-7 (Cont.) Party Preferences- View - Field Description

Field Name	Description
Group Corporate	Group Corporate ID and Name with which the Corporate Party is mapped This field is enabled only for the **Corporate** party.
View Linked Parties	Click on the link to view the linked parties under the selected Group Corporate. This field is enabled only for the **Corporate** party.
Grace Period	Provision of time period is made to allow user to approve the transaction after the actual due date. **Note:** The tooltip with information will appear on dashboard in the Pending forApprovals section only when the user hovers on grace period.
Grace Period Expiry Alert	Displays the days prior to Grace Period Expiry to alert Maker and Approver regarding transaction approval expiry period.
Occurrence	Displays the alert preference set is recurring or needs to be sent once.
Alert on Transaction Expiry	Displays the alert is required to be sent on the transaction expiry date or not.
Approval Flow	The approval type for the party. The options are: • **Sequential** • **Parallel** • **No Approval**
Channel Access	Whether users associated with a party can start transacting through the channel. The options are: • **Enable** : Allows bank administrator to enable the party for channel access • **Disable**: Allows bank administrator to disable the party for channel access
Forex Deal Creation	Whether users associated with a party can create forex deals. The options are: • **Enable**: If this option is enabled, corporate user associated with this party can create forex deals. • : If this option is disabled, corporate user associated with this party cannot create forex deals.
Roles	Application roles mapped to the user. In case of multi entity setup, these roles will be for the default/home entity of the user. These roles are applicable only for a Business Party Type.
Cumulative Limit	It allows Bank Administrator to map customer cumulative daily limits to the party. All the touch points and touch point groups maintained the system are listed on the screen. Administrator needs to ensure that the relevant packages are mapped to all the touch points/groups accessible by the party users. Also an option is provided to map the limit package at Global level (a group created with all internal and external touch points) All the touch points and touch point groups maintained in the system are listed under each entity. Packages can be mapped for each touch point and for a group. For Business Party transactions, the limit package maintained at the party level (as a part of party preference) shall be considered and utilized.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 3-7 (Cont.) Party Preferences- View - Field Description

Field Name	Description
Touch Points/ Group	Name of touch points/ groups maintained under a specific entity for which the limit packages are to be mapped.
Package	List of the packages available for mapping to touch points/ group are listed here. Limit packages maintained for the selected touch point will get here.
Global	The global limits available for assigned to the party.
User Limits	This field allows the Bank Administrator to map customer user level limits (CUL) to the party. All the touch points and touch point groups maintained the system are listed on the screen. Administrator needs to ensure that the relevant packages are mapped to all the touch points/groups accessible by the selected party users. Also an option is provided to map the limit package at Global level (a group created with all internal and external touch points). These limits are applicable only for a **Corporate** Party Type.
Touch Points/ Group	Name of touch points/group maintained under a specific entity for which the user limit packages are to be mapped.

5. Perform anyone of the following actions:
   - Click **Edit** to edit the party preferences.
   - Click **Cancel**ck to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

3.4 Party Preferences - Edit

This topic describes the systematic instruction to **Party Preferences - Edit** option.

Administrator can edit the party preferences maintained for a party.

To edit the customer preferences:


1. Navigate to one of the above paths.

   The **Party Preferences** screen appears.
2. Perform anyone of the following actions:
   - In the **Party ID** field, enter the party ID whose party preferences you want to view.
   - In the **Party Name** field, enter the name of the party whose party preferences you want to view.
3. Perform anyone of the following actions:
   - Click **Search**.
     The party preference maintained for the party ID appears based on the entered search parameters.
   - Click **Clear** to reset the details.
   - Click **Cancel** to cancel the transaction.
4. Click **Edit** to edit the party preferences.

   The **Details** screen appears along with the party ID.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 3-14 Party Preferences Maintenance – Modify



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 3-8 Party Preferences Maintenance – Modify - Field Description

Field Name	Description
Details	**Information specified in below fields are related to details**.
Party ID	Party ID for which the party preference to be maintained. This field is not editable. **Note:** For Non Customer Corporates (counterparties on boarded by Corporates) the system will look for the party ID in OBSCF/OBCMS.
Party Name	Party Name of a party for which the party preference to be maintained. This field is not editable.
Party Type	Party type for which the party preference is to be maintained. This field is not editable.
Group Corporate	Group Corporate ID and Name with which the Corporate Party is to be mapped. This field is not editable. **Note:** This field is enabled for the **Corporate** party.
View Linked Parties	If an existing Group Corporate is selected, a link is available to view the linked parties. Click on the link to view the linked parties under a Group Corporate. **Note:** This field is enabled for the **Corporate** party.
Grace Period	Provision of time period is made to allow user to approve the transaction after the actual due date. **Note:** The tooltip with information will appear on dashboard in the **Pending for Approvals** section only when the user hovers on grace period.
Grace Period Expiry Alert	Enter the number of days prior to Grace Period Expiry, before which the alert needs to be sent to Maker and Approver regarding transaction approval expiry period. For e.g. if the value is set as 1 in this field then the alert should be sent one day before the grace period expiry date. **Note:** a. The value entered in this field should be less than the value entered in **Grace Period** field. b. If there is no **Grace Period** present, then this will not get enabled.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 3-8 (Cont.) Party Preferences Maintenance – Modify - Field Description

Field Name	Description
Occurrence	Specify the alert preference. The options are: • **Recurring**- an alert will be sent daily, starting from the number of days configured in the above field before the before the grace period expiry date till the transaction is approved or expired (whichever is earlier) . • **One Time**- an alert would be sent only once with respect to value set in Grace Period For e.g. if the grace period is set as 5 days, and the days before the alert is required to be sent is set as 3 days and the alert preference is set as recurring then an alert will be sent for 3 days in a row (daily) before the grace period expiry date or until the transaction is approved (whichever is earlier) . if this parameter is set as **one time** then the alert would be sent only once i.e. 3 days before the grace period expiry date. **Note:** a. The value entered in this field should be less than the value entered in **Grace Period** field. b. If there is no **Grace Period** present, then this will not get enabled.
Alert on Transaction Expiry	Specify if the alert is required to be sent on the Transaction Expiry Date. The options are: • **Yes** • **No** **Note:** a. The value entered in this field should be less than the value entered in **Grace Period** field. b. If there is no **Grace Period** present, then this will not get enabled.
File Encryption Key	File Encryption key is the unique key provided to the corporate for encrypting/decrypting the bulk files that he is uploading.
Approval Flow	The approval type for the party. The options are: • **Sequential** • **Parallel** • **No Approval**
Channel Access	Whether users associated with a party can start transacting through the channel. The options are: • **Enable** : Allows bank administrator to enable the party for channel access • **Disable**: Allows bank administrator to disable the party for channel access
Forex Deal Creation	Whether users associated with a party can create forex deals. The options are: • **Enable**: If this option is enabled, corporate user associated with this party can create forex deals. • **Disable**: If this option is disabled, corporate user associated with this party cannot create forex deals.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 3-8 (Cont.) Party Preferences Maintenance – Modify - Field Description

Field Name	Description
Roles	Application roles mapped to the user. In case of multi entity setup, these roles will be for the default/home entity of the user. These roles are applicable only for a **Business** Party Type.
Cumulative Limit	It allows Bank Administrator to map customer cumulative daily limits to the party. All the touch points and touch point groups maintained the system are listed on the screen. Administrator needs to ensure that the relevant packages are mapped to all the touch points/groups accessible by the party users. Also an option is provided to map the limit package at Global level (a group created with all internal and external touch points) All the touch points and touch point groups maintained in the system are listed under each entity. Packages can be mapped for each touch point and for a group. For Business Party transactions, the limit package maintained at the party level (as a part of party preference) shall be considered and utilized.
Touch Points/ Group	Name of touch points/ groups maintained under a specific entity for which the limit packages are to be mapped.
Package	List of the packages available for mapping to touch points/ group are listed here. Limit packages maintained for the selected touch point will get here.
User Limits	This field allows the Bank Administrator to map customer user level limits (CUL) to the party. All the touch points and touch point groups maintained the system are listed on the screen. Administrator needs to ensure that the relevant packages are mapped to all the touch points/groups accessible by the selected party users. Also an option is provided to map the limit package at Global level (a group created with all internal and external touch points). These limits are applicable only for a **Corporate** Party Type.
Touch Points/ Group	Name of touch points/group maintained under a specific entity for which the user limit packages are to be mapped.
Package	List of the packages available for mapping to touch points/ group are listed

5. Update the required details.
6. Perform anyone of the following actions:
   - Click **Save** to save the party preferences.
     User is directed to the **Party Preference - Review** page post necessary validations.
   - Click **Back** to navigate to the previous screen.
   - Click **Cancel** to cancel the transaction.
7. Perform anyone of the following actions:
   - The **Review** screen appears.
     Verify the details, and click **Confirm**.
   - Click **Edit** to make the changes if any.
   - Click **Cancel** to cancel the transaction.
8. The success message of updation appears. Click **OK** to complete the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

3.5 FAQ

1. **What is sequential type of approval flow?**
   Under Sequential approval flow, the approval can be done only in the sequence as mentioned in approval workflow. So, at the 1st level of approval, users/user groups who are assigned to authorize only can view and approve the transaction. After the transaction is approved by level 1 user, users/user groups having rights for 2nd level of approval will be able to view and authorize the transaction. The transaction is marked as approved only after the user at the last level approves/authorizes it.
2. **What is Parallel type of approval flow?**
   It is “Non-Sequential” type of approval flow which doesn’t follow any specific sequence. Any user (who is part of the approval flow) from any approval level can pick up the transaction/maintenance and approve it. The transaction/maintenance is marked as approved if one user from each approval level (as configured) has approved/authorized the transaction.
3. **What is cumulative daily limit package?**
   This limit package acts as a cumulative limit for all users of a party and is utilized as and when any user authorizes the transaction as a final approver. The daily limit per transaction and number of transactions allowed limit is checked and updated against the cumulative limit set.
4. **What is User limit package?**
   This limit package is applicable for all users of the party (Users to whom this party ID is mapped as primary Party ID). This package will be overridden by User level limits package, if defined, at User level in User Management screen.
5. **Can administrator delete Party Preference?**
   No, party preference cannot be deleted but can be disabled.
6. **If I change the approval type from sequential to parallel or vice versa, what happens to the in-flight transactions/maintenances?**
   Edited approval type is applicable for new transactions initiated post modification. Previously initiated transactions (in flight transactions/maintenances) which are pending approval will follow an approval type which was applied at the time of transaction initiation.
7. **If I edit the ‘Allowed Roles field’ and remove one of the options supported earlier, what impact will it have to the existing users on-boarded on that role?**
   If the Bank administrator edits and removes the roles mapped as ‘Allowed Roles’., the removed role will not be available to corporate administrator while creating new user and editing existing user. Old users whom the role is already mapped will continue to get the privileges.
8. **Can I edit the limit packages? How does it impact the transactions?**
   Yes, new limit package can be mapped for party. Limits get applied from an immediate effect if the effective date is less than or equal to current date. And if the effective date is future date, the limit package will be applied from the date available in the package.
9. **Is it mandatory to map packages for all the touch points and groups available under each entity?**
   Mapping the limit package (CCL) for global is mandatory. However the mapping limit packages (CCL) for each touch point and for all groups is not mandatory. Whereas, administrator needs to operationally ensure that packages are mapped to the relevant touch point/groups which are accessible by the party users.

   In case of customer user limit packages (CUL), if the package will be overridden by User level limits package, if defined, at User Maintenance. Or packages maintained for a user

Copyright © 2006, 2026, Oracle and/or its affiliates.

segment at system rules will be applicable if not package mapping is not defined at user or party level.

10. **Can I manually define Global touch point group?**
No, Touch Point – Global is nothing but a group of all internal and external touch points available in the application. This group cannot be maintained manually.

Copyright © 2006, 2026, Oracle and/or its affiliates.

4

Merchant Management

This topic describes the information about **Merchant Management** option. Using this option, the system administrator can create and maintain merchant details in the application.

Merchant Onboarding facilitates the system administrator to set up and maintain merchants using the channel banking platform. This, in turn, enables the users to initiate merchant based payments using the channel banking facility. This is also helpful in maintaining merchant which will act as a payment aggregator for sourcing funds from external sources to the wallet account.

Administrators can map the CASA account of the merchant, to enable the merchant payments. The system administrator can also select the required remittance type to be mapped for the merchant payments while creating a merchant.


The remittance type can be:

- Funds Out
- Collect Funds

Pre-Requisites

- Transaction access is provided to the System Administrator
- Approval rule set up for System Administrator to perform the actions
- Checksum type and checksum algorithm is maintained
- Enterprise roles are maintained in the application
- Merchant's account is maintained in the host system

Figure 4-1 Workflow



Features Supported In Application

The following features are available for merchant maintenance:

- Create Merchant
- View Merchant Details
- Edit Merchant details

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Delete Merchant

Navigation Path: Perform anyone of the following navigation to access **Merchant Management**.

- From **System Administrator Dashboard**, under **Onboarding** widget, click **Merchant Onboarding** and then click **Merchant Management**.
- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Onboarding**, Under **OnBoarding** , click **Merchant Management**.
- Merchant Management – Search
  This topic describes the systematic instruction to **Merchant Management – Search** screen. From this screen, the administrator is able to search existing merchant maintenances based on the search parameters provided.
- Merchant Management – Funds Out
  This topic describes the information about **Merchant Management – Funds Out** screen.
- Merchant Management – Collect Funds
  This topic describes the information about **Merchant Management – Collect Funds** feature.
- Merchant Management - Delete
  This topic describes the systematic instruction to **Merchant Management - Delete** option.
- FAQ

4.1 Merchant Management – Search


This topic describes the systematic instruction to **Merchant Management – Search** screen. From this screen, the administrator is able to search existing merchant maintenances based on the search parameters provided.

On being displayed the search results based on the search criteria defined, the administrator is able to view the details of any merchant maintenance by selecting a record.
To search merchant:

1. Navigate to one of the above paths.

   The **Merchant Management** screen appears.

Figure 4-2 Search Merchant



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.


For more information on fields, refer to the field description table.

Table 4-1 Search Merchant - Field Description

Field Name	Description
Merchant Id	Enter the unique ID of the merchant whose details you want to view.
Merchant Description	Enter the description of the merchant whose details you want to view.

2. Perform anyone of the following actions:
   - In the **Merchant Id** field, enter the unique id of the merchant.
   - In the **Merchant Description** field, enter the description of the merchant.
3. Perform anyone of the following actions:
   - Click **Search**.
     The **Merchant Management** screen with search results appears based on the search parameters.
   - Click **Clear**, if you want to reset the search parameters.
   - Click **Cancel**, if you want to cancel the transaction.
   - Click **Create** to create another merchant maintenance.

Figure 4-3 Merchant Management - Search Results



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 4-2 Merchant Management - Search Results - Field Description

Field Name	Description
Merchant Id	The facility to search for a specific merchant maintenance record on the basis of the unique ID/key assigned to the merchant by the bank.
Merchant Description	The facility to search for a specific merchant maintenance based on the description of the merchant.
Search Results	The following details are displayed per merchant record which are retrieved based on the search criteria identified in the fields defined above.
Merchant Id	The unique ID/key assigned to the specific merchant by the bank.
Merchant Description	The description of the merchant corresponding to the merchant Id.

4. To view the details of a specific merchant, click the record.

   The **Merchant Management - View** screen appears.

4.2 Merchant Management – Funds Out

This topic describes the information about **Merchant Management – Funds Out** screen.

The Merchant Management screen allows the system administrator to view, create, edit and delete the merchant details.

- Merchant Management – Funds Out – View
  This topic describes the systematic instruction to **Merchant Management – Funds Out – View** feature.
- Merchant Management – Funds Out – Create Merchant
  This topic describes the systematic instruction to **Merchant Management – Funds Out – Create Merchant** feature.
- Merchant Management – Funds Out – Edit
  This topic describes the systematic instruction to **Merchant Management – Funds Out – Edit** option. With this option the system administrator can edit the details of any merchant maintained in the application.


4.2.1 Merchant Management – Funds Out – View

This topic describes the systematic instruction to **Merchant Management – Funds Out – View** feature.

On selecting a specific merchant record by clicking on the link provided on the merchant description, the screen displaying the details of the selected merchant is displayed.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 4-4 Merchant Management – Funds Out – View



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 4-3 Merchant Management – Funds Out – View - Field Description

Field Name	Description
Remittance Type	The type or remittance mapped to the merchant. The remittance type can be: • **Funds Out** • **Collect Funds**
Merchant Id	The unique ID/key assigned to the merchant by the bank.
Merchant Description	The description of the merchant.
Accounts	**Information specified in below fields are related to accounts**.
Debit Account Details	**Information specified in below fields are related to debit account details**.
Account Type	Displays the type of account i.e. GL or CASA account, associated with the merchant.
Account Number	Displays the merchant's debit account number.
Response Redirections	**Information specified in below fields are related to response redirections**.
Success URL	The URL for sending the response of the transaction if it is a successful transaction.
Failure URL	The URL for sending the dynamic response of the transaction if it is a failed transaction.
Checksum Details	**Information specified in below fields are related to checksum details**.
Checksum Type	The checksum type.
Checksum Algorithm	The checksum algorithm.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 4-3 (Cont.) Merchant Management – Funds Out – View - Field Description

Field Name	Description
Security Key	Input the security key. This field appears if a value is selected in **Checksum Algorithm** drop-down list.

1. Navigate to one of the above paths.

   The **Merchant Management** screen appears.

2. Perform anyone of the following actions:

   - Click **Edit** to edit merchant details.
     The user is directed to the **Merchant Management - Edit** screen.
   - Click **Back** to navigate to the previous screen.
   - Click **Cancel** to cancel the transaction.
   - Click **Delete** to delete the merchant maintenance.

4.2.2 Merchant Management – Funds Out – Create Merchant

This topic describes the systematic instruction to **Merchant Management – Funds Out – Create Merchant** feature.

The system administrator can create a new merchant so that the bank's customers can make payments to the merchant using channel banking.
To create a merchant:

1. Navigate to one of the above paths.


   The **Merchant Management** screen appears.

2. Click **Create**.

   The **Merchant Management – Create** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 4-5 Merchant Management – Funds Out – Create Merchant



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 4-4 Merchant Management – Funds Out – Create Merchant - Field Description

Field Name	Description
Select Remittance Type	The type or remittance to be mapped to the merchant. The remittance type can be: • **Funds Out** • **Collect Funds**
Merchant Id	Specify a unique ID by which the merchant will be identified.
Merchant Description	Enter a description of the merchant.
Accounts	**Information specified in below fields are related to accounts**.
Debit Account Details	**Information specified in below fields are related to debit account details**.
Account Type	Specify the type of account i.e. GL or CASA account, associated with the merchant.
Account Number	Specify the merchant's debit account number.
Confirm Account Number	Re-enter the merchant's account number to confirm the same if the account number has been changed.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 4-4 (Cont.) Merchant Management – Funds Out – Create Merchant - Field Description

Field Name	Description
Response Redirections	**Information specified in below fields are related to response redirections**.
Success URL	Specify the URL for sending the response of the transaction if it is a successful transaction.
Failure URL	Specify the URL for sending the response of the transaction if it is a failed transaction.
Checksum Details	**Information specified in below fields are related to checksum details**.
Checksum Type	Specify the checksum type.
Checksum Algorithm	Specify the checksum algorithm.
Security Key	Input the security key. This field appears if a value is selected in **Checksum Algorithm** drop-down list.

3. In the **Merchant Id** field, enter the ID of the merchant.
4. In the **Merchant Description** field, enter the description of the merchant.
5. Under the section **Debit Account Details**, from the **Account Type**list, select the appropriate account type.
6. In the **Account Number** field, enter the account number of the merchant corresponding to the account type selected.
7. In the **Confirm Account Number** field, re-enter the merchant's account number.
8. Under the **Response Redirections** section,
   a. In the **Success URL** field, enter the valid URL.
   b. In the **Failure URL** field, enter the valid URL.
9. Under the **Checksum Details** section,
   a. From the **Checksum Type** drop-down list, select the checksum type.
   b. From the **Checksum Algorithm** drop-down list, select the checksum algorithm.
      i. In the **Security Key** field, enter the security key
10. Perform anyone of the following actions:
    - Click **Save** to save the Merchant details.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.
11. Perform anyone of the following actions:
    - The **Review** screen appears. Verify the details and click **Confirm** to confirm the details.
    - Click **Edit** to make changes if any.
    - The administrator is directed to **Merchant Management – Create** screen with values in editable form.
    - Click **Cancel** to cancel the operation.

    The success message appears along with the status of the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

12. Click **Done**.

4.2.3 Merchant Management – Funds Out – Edit

This topic describes the systematic instruction to **Merchant Management – Funds Out – Edit** option. With this option the system administrator can edit the details of any merchant maintained in the application.

In order to edit the details of any merchant, the user must select the Edit option provided on Merchant Management – View (details) page of the specific merchant.
To edit a merchant:

1. Navigate to one of the above paths.


   The **Merchant Management** screen appears.

2. Perform anyone of the following actions:
   - In the **Merchant Id** field, enter the unique id of the merchant whose details you want to edit.
   - In the **Merchant Description** field, enter the description of the merchant whose details you want to edit.
3. Click **Search**
4. Select the merchant record of which details you want to edit, by selecting the link provided on the merchant description.

   The **Merchant Management – View** screen appears.
5. Click the **Edit** option available on the **Merchant Management– View** screen to edit merchant details.

   The administrator is directed to the **Merchant Management - Edit** screen.

Figure 4-6 Merchant Management – Funds Out – Edit



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 4-5 Merchant Management – Funds Out – Edit - Field Description

Field Name	Description
Select Remittance Type	The type or remittance to be mapped to the merchant. The remittance type can be: • **Funds Out** • **Collect Funds**
Merchant Id	The unique ID assigned to the merchant by the bank. This field cannot be edited.
Merchant Description	The description of the merchant. This field is editable.
Accounts	**Information specified in below fields are related to accounts**.
Debit Account Details	**Information specified in below fields are related to debit account details**.
Account Type	The type of account associated with the merchant, e.g. CASA. This field is editable.
Account Number	The merchant's credit account number. This field is editable.
Confirm Account Number	Re-enter the merchant's account number to confirm the same if the account number has been changed. This field is editable.
Response Redirections	**Information specified in below fields are related to response redirections**.
Success URL	The URL for sending the response of the transaction if it is a successful transaction.
Failure URL	The URL for sending the response of the transaction if it is a failed transaction.
Checksum Details	**Information specified in below fields are related to checksum details**.
Checksum Type	The checksum type. This field is editable.
Checksum Algorithm	The checksum algorithm. This field is editable.
Security Key	Input the security key. This field is editable. This field appears if a value is selected in **Checksum Algorithm** drop-down list.

6. Perform anyone of the following actions:
   - Update the required fields, click **Save** to save the changes.
   - Click **Cancel** to cancel edit of the merchant maintenance.
   - Click **Back** to navigate to the previous screen.
7. Perform anyone of the following actions:
   - The **Review** screen appears. Verify the details and click **Confirm** to confirm the details.
   - Click **Edit** to make changes if any.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- The administrator is directed to **Merchant Management – Edit** screen with all values (other than Merchant ID) in editable form.
- Click **Cancel** to cancel the operation.

The success message appears along with the status of the transaction.

8. Click **Done**.

4.3 Merchant Management – Collect Funds

This topic describes the information about **Merchant Management – Collect Funds** feature.

Collect Funds refers to money being received to merchant's account/s through Electronic Payment interface (EPI). The Merchant Management screen allows the system administrator to view, create, edit and delete the inward merchant details.

Using this maintenance System/Bank administrator can save the details of Payment aggregator which will act as a medium for transferring the funds to user's wallet account from the external source (Credit card/ Debit card/ Net banking).

- Merchant Management – Collect Funds – View
  This topic describes the systematic instruction to **Merchant Management – Collect Funds – View** option.
- Merchant Management – Collect Funds – Create Merchant
  This topic describes the systematic instruction to **Merchant Management – Collect Funds – Create Merchant** option.
- Merchant Management – Collect Funds – Edit
  This topic describes the systematic instruction to **Merchant Management – Collect Funds – Edit** option.

4.3.1 Merchant Management – Collect Funds – View

This topic describes the systematic instruction to **Merchant Management – Collect Funds – View** option.

On selecting a specific merchant record by clicking on the link provided on the merchant description, the screen displaying the details of the selected inward remittance merchant is displayed.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 4-7 Merchant Management – Collect Funds (ONLINE)– View





Figure 4-8 Merchant Management – Collect Funds (In store)– View



> **Note**
>
> The fields which are marked as Required are mandatory.

Copyright © 2006, 2026, Oracle and/or its affiliates.

For more information on fields, refer to the field description table.

Table 4-6 Merchant Management – Collect Funds – View - Field Description

Field Name	Description
Remittance Type	The type or remittance mapped to the merchant. The remittance type can be: • **Funds Out** • **Collect Funds**
Merchant Id	The unique ID/key assigned to the merchant by the bank.
Merchant Description	The description of the merchant.
QR Code	Click the QR code link to view the QR code assigned to the merchant.
Accounts	**Information specified in below fields are related to accounts**.
Credit Account Details	**Information specified in below fields are related to credit account details**.
Account Type	The type of account associated with the merchant, Only CASA type of accounts are supported.
Account Number	The merchant's account number.
Service Charge Account Details	**Information specified in below fields are related to service charge account details**.
Define another account for service charge	This checkbox is selected if the merchant has another account defined for service charge.
Account Type	The service charge account type associated with the merchant e.g. CASA account. This field appears if **Define Account number for service charge** checkbox is selected.
Account Number	The merchant's account number. This field appears if **Define Account number for service charge** check box is selected.
Default customer's debit account number as request parameter	This check box is selected if the customer's debit account number is defaulted as request parameter.
Merchant Type	Displays the merchant type. It could be: • **Online** • **In store**
Response Redirections	This section is displayed only for the **Online** type of merchant.
Redirection URL	The URL for sending the response of the transaction for redirection.
Success URL	The URL for sending the response of the transaction if it is a successful transaction.
Failure URL	The URL for sending the response of the transaction if it is a failed transaction.
Checksum Details	This section is displayed only for the **Online** type of merchant.
Checksum Type	The checksum type.
Checksum Algorithm	The checksum algorithm.
Security Key	Enter the security key. This field appears if a value is selected in **Checksum Algorithm** drop-down list.

1. Navigate to one of the above paths.

   The **Merchant Management** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

2. Perform anyone of the following actions:
   - Click **Edit** to edit merchant details.
     The user is directed to the **Merchant Management - Edit** screen.
   - Click **Back** to navigate to the previous screen.
   - Click **Cancel** to cancel the transaction.
   - Click **Delete** to delete the merchant maintenance.

   QR code

   The QR code is displayed if the system administrator clicks on the QR code link on the Merchant Management details screen. The administrator is provided with the facility to download the QR code so as to send it to the merchant through any offline mode.

Figure 4-9 QR Code



3. Click icon  to download the QR Code image of the merchant.

4.3.2 Merchant Management – Collect Funds – Create Merchant

This topic describes the systematic instruction to **Merchant Management – Collect Funds – Create Merchant** option.

The system administrator can create a new collect funds remittance merchant so that the bank's customers can receive payments in their wallet using the merchant (payment aggregator) using channel banking.

To create a merchant:

1. Navigate to one of the above paths.


   The **Merchant Management** screen appears.

2. Click **Create**.

   The **Merchant Management – Create** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 4-10 Merchant Management – Collect Funds – Create Merchant



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 4-7 Merchant Management – Collect Funds – Create Merchant - Field Description

Field Name	Description
Select Remittance Type	The type or remittance to be mapped to the merchant. The remittance type can be: • **Funds Out** • **Collect Funds**
Merchant Id	Specify a unique ID by which the merchant will be identified.
Merchant Description	Enter a description of the merchant.
Accounts	**Information specified in below fields are related to accounts**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 4-7 (Cont.) Merchant Management – Collect Funds – Create Merchant - Field Description

Field Name	Description
Credit Account Details	**Information specified in below fields are related to credit account details**.
Account Type	Specify the type of account associated with the merchant, Only CASA type of accounts are supported.
Account Number	Specify the merchant's credit account number.
Confirm Account Number	Re-enter the merchant's account number to confirm the same if the account number has been changed.
Service Charge Account Details	**Information specified in below fields are related to service charge account details**.
Define another account for service charge	This checkbox is selected if the merchant has another account defined for service charge.
Account Type	The service charge account type associated with the merchant e.g. CASA account. This field appears if Define Account number for service charge check box is selected.
Account Number	The merchant's account number. This field appears if Define Account number for service charge check box is selected.
Confirm Account Number	Re-enter the merchant's account number to confirm the same if the account number has been changed.
Default customer's debit account number as request parameter	This check box is selected if the customer's debit account number is defaulted as request parameter.
Select Merchant Type	Specify the merchant type. The options are: • **Online** • **In store**
Merchant Type - In Store	Generated QR code can be downloaded from view merchant, if the **Merchant Type** is selected as **In Store**.
URL	This section is displayed only for the **Online** type of merchant.
Redirection URL	Specify the URL for sending the response of the transaction for redirection.
Success URL	Specify the URL for sending the response of the transaction if it is a successful transaction.
Failure URL	Specify the URL for sending the response of the transaction if it is a failed transaction.
Checksum Details	This section is displayed only for the **Online** type of merchant.
Checksum Type	Specify the checksum type.
Checksum Algorithm	Specify the checksum algorithm.
Security Key	Enter the security key. This field appears if a value is selected in **Checksum Algorithm** drop-down list.

3. In the **Merchant Id** field, enter the ID of the merchant.
4. In the **Merchant Description** field, enter the description of the merchant.
5. Under the section **Credit Account Details** from the **Account Type** list, select the appropriate account type.

Copyright © 2006, 2026, Oracle and/or its affiliates.

6. In the **Account Number** field, enter the account number of the merchant corresponding to the account type selected.
7. In the **Confirm Account Number** field, re-enter the merchant's account number.
8. Under the **Response Redirections** section,
   a. In the **Success URL** field, enter the valid URL.
   b. In the **Failure URL** field, enter the valid URL.
9. Under the **Checksum Details** section,
   a. From the **Checksum Type** drop-down list, select the checksum type.
   b. From the **Checksum Algorithm** drop-down list, select the checksum algorithm.
      i. In the **Security Key** field, enter the security key
10. Under the **Service Charge Details** section,
    - Select the checkbox next to **Define another account for service charge** if the merchant has a different account specified for service charges.
      i. From the **Account Type** list, select the appropriate account type.
      ii. In the **Account Number** field, enter the account number of the merchant corresponding to the account type selected.
      iii. In the **Confirm Account Number** field, re-enter the merchant's account number.
11. Select the checkbox against the **Default customer's debit account number as request parameter** if the customer's debit account number is defaulted as request parameter.
12. If the **Merchant Type** is selected as **Online** in the **Select Merchant Type** field, enter the details below in the **URL** section.
    a. In the **Redirection URL** field, enter the valid URL.
    b. In the **Success URL** field, enter the valid URL.
    c. In the **Failure URL** field, enter the valid URL.
13. If the **Merchant Type** is selected as **Online** in the **Select Merchant Type** field, enter the details below in the **Checksum Details** section.
    a. From the **Checksum Type** drop-down list, select the checksum type.
    b. From the **Checksum Algorithm** drop-down list, select the checksum algorithm.
       i. In the **Security Key** field, enter the security key.
14. Perform anyone of the following actions:
    - Click **Save** to save the Merchant details.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.
15. Perform anyone of the following actions:
    - The **Review** screen appears. Verify the details and click **Confirm** to confirm the details.
    - Click **Edit** to make changes if any.
    - The administrator is directed to **Merchant Management – Create** screen with values in editable form.
    - Click **Cancel** to cancel the operation.

    The success message appears along with the status of the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

16. Click **OK**.

4.3.3 Merchant Management – Collect Funds – Edit

This topic describes the systematic instruction to **Merchant Management – Collect Funds – Edit** option.

The system administrator can edit the details of any Collect Funds remittance merchant maintained in the application. In order to edit the details of any merchant, the user must select the Edit option provided on Merchant Management – View (details) page of the specific merchant.

To edit a merchant:

1. Navigate to one of the above paths.

   The **Merchant Management** screen appears.

2. Perform anyone of the following actions:

   - In the **Merchant Id** field, enter the unique id of the merchant whose details you want to edit.
   - In the **Merchant Description** field, enter the description of the merchant whose details you want to edit.

3. Click **Search**

4. Select the merchant record of which details you want to edit, by selecting the link provided on the merchant description.


   The **Merchant Management – View** screen appears.

5. Click the **Edit** option available on the **Merchant Management– View** screen to edit merchant details.

   The administrator is directed to the **Merchant Management - Edit** screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 4-11 Merchant Management – Collect Funds – Edit



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 4-8 Merchant Management – Collect Funds – Edit - Field Description

Field Name	Description
Select Remittance Type	The type or remittance to be mapped to the merchant. The remittance type can be: • Funds Out • Collect Funds

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 4-8 (Cont.) Merchant Management – Collect Funds – Edit - Field Description

Field Name	Description
Merchant Id	The unique ID assigned to the merchant by the bank. This field cannot be edited.
Merchant Description	The description of the merchant. This field is editable.
Accounts	**Information specified in below fields are related to accounts**.
Credit Account Details	**Information specified in below fields are related to credit account details**..
Account Type	The type of account associated with the merchant, Only CASA type of accounts are supported. This field is editable.
Account Number	The merchant's credit account number. This field is editable.
Confirm Account Number	Re-enter the merchant's account number to confirm the same if the account number has been changed.
Service Charge Account Details	**Information specified in below fields are related to service charge account details**.
Define another account for service charge	This checkbox is selected if the merchant has another account defined for service charge.
Account Type	The service charge account type associated with the merchant e.g. CASA account. This field appears if Define Account number for service charge check box is selected.
Account Number	The merchant's account number. This field appears if Define Account number for service charge check box is selected.
Confirm Account Number	Re-enter the merchant's account number to confirm the same if the account number has been changed.
Default customer's debit account number as request parameter	This check box is selected if the customer's debit account number is defaulted as request parameter.
Select Merchant Type	Specify the merchant type. The options are: • **Online** • **In store**
URL	This section is displayed only for the **Online** type of merchant.
Redirection URL	The URL for sending the response of the transaction for redirection.
Success URL	The URL for sending the response of the transaction if it is a successful transaction.
Failure URL	The URL for sending the response of the transaction if it is a failed transaction.
Checksum Details	This section is displayed only for the **Online** type of merchant.
Checksum Type	The checksum type. This field is editable.
Checksum Algorithm	The checksum algorithm. This field is editable.
Security Key	Enter the security key. This field is editable. This field appears if a value is selected in **Checksum Algorithm** drop-down list.

6. Perform anyone of the following actions:
   - Update the required fields, click **Save** to save the changes.
   - Click **Cancel** to cancel edit of the merchant maintenance.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Back** to navigate to the previous screen.

7. Perform anyone of the following actions:
   - The **Review** screen appears.
     Verify the details and click **Confirm** to confirm the details.
   - Click **Edit** to make changes if any.
   - The administrator is directed to **Merchant Management – Edit** screen with all values (other than Merchant ID) in editable form.
   - Click **Cancel** to cancel the operation.

   The success message appears along with the status of the transaction.
8. Click **Done**.

4.4 Merchant Management - Delete

This topic describes the systematic instruction to **Merchant Management - Delete** option.

The System administrator can delete any merchant maintained in the application.
To delete a merchant:


1. Navigate to one of the above paths.

   The **Merchant Management** screen appears.
2. Perform anyone of the following actions:
   - In the **Merchant Id** field, enter the unique ID of the merchant whose maintenance you want to delete.
   - In the **Merchant Description** field, enter the description of the merchant whose maintenance you want to delete.
3. Click **Search**.

   The **Merchant Management** screen with search results appears based on the search parameters defined.
4. Select the merchant record whose maintenance you want to delete, by selecting the link provided on the merchant description.

   The **Merchant Management – View** screen appears.
5. Click the **Delete** option available on the **Merchant Management – View** screen.
6. The application displays a popup message to confirm the deletion

Figure 4-12 Merchant Management - Delete



Copyright © 2006, 2026, Oracle and/or its affiliates.

7. Perform anyone of the following actions:
   - Click **Yes** to delete the merchant.
     A confirmation page appears with a success message and the status of deletion.
   - Click **No** if you do not wish to delete the Merchant Maintenance.
8. Click **OK**.

4.5 FAQ

1. **Who can create or edit merchants?**
   The System administrator can create and edit the merchants.
2. **Can I specify the account number which is not held within this Bank?**
   No, Merchant account number/GL should be of the same bank.
3. **When will the newly added merchants be available to customers?**
   Newly added merchants will be made available to the customers with immediate effect.
4. **What is the significance of defining separate account numbers for service charge account?**
   Service charges, if applicable, for an online transaction initiated by a customer will be accounted separately in the merchant's account number maintained for service charge credits.

Copyright © 2006, 2026, Oracle and/or its affiliates.

5

Electronic Bill Presentment and Payment

This topic describes the information about **Electronic Bill Presentment and Payment** feature. Users can pay the bills online with this feature.

Electronic bill presentment and payment (EBPP) is a process that enables the billers to create, and present the bills / invoices online to their customers. This feature also enables the customers/ users to pay the bills online. The EBPP services are widely used in many areas like utility bill payment, fund transfer through net banking against various purchases of utility products and services by the users, payment to service providers, mobile/ DTH bill payment etc.

The main advantage of electronic bill presentment and payment is that users/ customers can pay their bills anytime quickly and conveniently, which saves lots of time and paper work.

> **Note**
>
> Electronic bill presentment and payment (EBPP) module will work only with third party and is not yet qualified with UBS.

- Biller Onboarding
  This topic describes the information about **Biller Onboarding**. This option allows the System Administrator to search and view the list of existing billers in the system.

5.1 Biller Onboarding

This topic describes the information about **Biller Onboarding**. This option allows the System Administrator to search and view the list of existing billers in the system.

Bank customers initiate bill (utility) payments from their accounts using channel banking facility by selecting billers maintained by the Bank. Using Biller Onboarding, System Administrators can create billers. The system administrator also defines payment methods accepted by biller (e.g. Current and Savings Account, Credit Card, Debit Card etc) while creating a biller, category of the biller, full address of the biller and location/ area in which the biller operates or provides his services.


System Administrator creates billers, which are then made available to the customers to register themselves with these billers to receive and pay bills online.

Pre-Requisites

- Transaction access is provided to System Administrator.
- Approval rule set up for System Administrator to perform the actions.
- Billers are maintained in core banking application.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 5-1 Workflow



Features Supported In Application

This option allows the System Administrator to:

- Search Biller
- Create Biller
- View Biller
- Edit Biller

Navigation Path: Perform anyone of the following navigation to access **Biller Onboarding**.

- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Onboarding**, Under **Onboarding** , click **Biller Onboarding**.
- From **Bank Administrator Dashboard**, under **Onboarding** widget, click **Biller Onboarding**.
- Biller Onboarding - Search
  This topic describes the systematic instruction to **Biller Onboarding - Search** screen.
- Biller Onboarding - Create
  This topic describes the systematic instruction to **Biller Onboarding - Create** screen.
- Biller Onboarding - View
  This topic describes the systematic instructions to **Biller Onboarding - View** screen.
- Biller Onboarding - Edit
  This topic describes the systematic instructions to **Biller Onboarding - Edit** screen. Users can edit the biller details using this feature.
- Biller Onboarding - Delete
  This topic describes the systematic instruction to **Biller Onboarding - Delete** overlay screen.


5.1.1 Biller Onboarding - Search

This topic describes the systematic instruction to **Biller Onboarding - Search** screen.

Using this option, System Administrators search the existing billers based on parameters like Biller ID, Biller Name, Biller Category and Biller Location. The search result displays a list of all biller types, that is Presentment only, Payment only and Presentment + Payment & Recharge type of billers.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 5-2 Biller Onboarding - Search Biller



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 5-1 Biller Onboarding - Search Biller - Field Description

Field Name	Description
Biller Name	The name of the biller.
Biller Category	The name of the biller category to which the biller belongs.
Biller Location	Location of the biller


To search billers:

1. Navigate to one of the above paths.

   The **Biller Onboarding** screen appears.
2. Perform anyone of the following actions:
   - In the **Biller Name** field, enter the name of the biller that is to be searched.
   - In **Biller Category** field, enter the category to which the biller belongs.
   - In **Biller Location** field, enter the location of the biller.
3. Perform anyone of the following actions:
   - Click **Search** to search the billers.
   - Click **Clear**, if you want to reset the search parameters.
   - Click **Cancel**, if you want to cancel the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 5-3 Biller Onboarding - Search Result



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 5-2 Biller Onboarding - Search Result - Field Description

Field Name	Description
Search Results	**Information specified in below fields are related to search results**.
Biller Name and Id	The name of the biller.
Biller Category	The name of the biller category to which the biller belongs.
Biller Location	Location of the biller

4. Click **Create** to create a new biller.

5.1.2 Biller Onboarding - Create

This topic describes the systematic instruction to **Biller Onboarding - Create** screen.

Using this option, the System Administrator can create a biller with specific labels. System Administrator defines whether the biller accepts:

- Quick Bill Payment(bill payment without customer registration) - for Payment type billers only
- Quick Recharge(pre-paid recharge without customer registration) - for Recharge type billers only
- Bill payments past due date- for presentment only type biller
- Part bill payment - for presentment only type biller

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Excess bill payment - for presentment only type biller

The administrator also defines the various payment methods accepted by the biller like Current and Savings Account, Credit Card, Debit Card etc. System administrator can also upload image of biller's logo and sample bill, if available.

To create a biller:

1. Navigate to one of the above paths.


   The **Biller Onboarding** screen appears.

2. In the **Biller Onboarding** screen, click **Create**.

   The **Biller Onboarding - Create** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 5-4 Create Biller



Note

The fields which are marked as **Required** are mandatory.

Copyright © 2006, 2026, Oracle and/or its affiliates.

For more information on fields, refer to the field description table.

Table 5-3 Create Biller - Field Description

Field Name	Description
Biller Name	The name of the biller.
Biller Type	The option to select biller type. The biller type can be: • **Presentment**: Biller is of Presentment type • **Payment**: Biller is of Payment type • **Presentment and Payment**: Biller is of Presentment + Payment type • **Recharge**: Biller is of Recharge type
Biller Category	Category to which biller belongs, ex: Telecom, Internet etc.
Biller Currency	Currency of the biller.
Biller Status	The status of the biller. The options are: • **Active** • **Inactive**
Sample Bill Image	The image of the physical bill presented by the biller, which is to be uploaded by the user. This helps the user to compare and identify Relationship number fields. This field appears only for biller types Presentment and Presentment and Payment.
Biller Logo	The biller logo which is to be uploaded by the user. This logo appear as an icon on the screen after uploading. Both for biller sample bill and logo JPG & PNG file formats only are supported.
Biller Address	**Information specified in below fields are related to biller address**.
Address Line 1 to 3	Address of the biller.
City	City of the biller.
State	State of the biller.
Country	Country of the biller.
PIN/ Zip Code	Pin/ Zip code of the biller.
Biller Location	Location of the biller. Location could be City or, Country or State or combination of these values.
Biller Specifications	**Information specified in below fields are related to biller specifications**.
Biller Label 1	Relationship # 1 that the user has with the biller. This label will be displayed in customer screens (ex: Add Biller) to capture customer's unique id with biller. The user can select data type, maximum length of the field and whether the field is mandatory or optional. The **Biller Label 1** field is mandatory. Click the **Add Row** link to add more relationships of the user with the biller. The user can add up to 10 rows to define the different biller labels.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 5-3 (Cont.) Create Biller - Field Description

Field Name	Description
Data Type	It captures the biller label data types. The options are: • **Text** • **Numeric** • **Alphanumeric** • **Data** • **List of Values**- allowed to specify the multiple values in the corresponding field which will be further made available to the customer for selection as a part of biller addition. This attribute is available in **Biller Label** field.
Max Length	The maximum length allowed for the biller label. This attribute is available in **Biller Label** field.
Payment Terms and Validations	
Account Number	Account number of the biller.
Allow	Select whether Part Payment, Excess Payment, Late Payment, Quick Bill Payment and Quick Recharge is allowed by the biller. The options are: • **Part Payment**: The option identifies whether the biller allows bill payment for an amount less than bill amount. This option appears for **Presentment** and **Presentment** and **Payment** type of biller. • **Excess Payment**: The option identifies whether the biller allows bill payment for amount more than bill amount. This option appears for **Presentment** and **Presentment and Payment** type of biller. • **Late Payment**: The option identifies whether the biller allows late bill payment i.e. Payment after due date. This option appears for **Presentment** and **Presentment and Payment** type of biller. • **Quick Bill Payment**: The option identifies whether the biller allows Quick bill payment i.e. paying the bills without registering the biller. This option appears for **Payment** and **Presentment and Payment** type of biller. • **Quick Recharge**: The option identifies whether the biller allows Quick recharge i.e. doing recharge transactions without registering the biller. This option appears for **Recharge** type of biller.
Payment Methods	Select the payment method accepted by the biller. The options are: • **CASA** • **Debit Card** • **Credit Card**
Auto Payment Buffer Days	The number of days before bill due date, when the auto payment will be triggered by the system. This field appears for **Presentment and Presentment** and **Payment** type of billers.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 5-3 (Cont.) Create Biller - Field Description

Field Name	Description
Validation Type	The type of validation that the biller will employ to validate customers who add the biller for bill payment through channel banking. The options are: • **Auto** • **Offline** • **Online** For more information on each validation type, refer the Note on Customer Validation, at the end of the **Biller Onboarding – Create** section.
Validation URL	Redirection URL for customer validation. This field appears if you select the **Online** option from the **Validation Type** field. **Note:** Out of the box OBDX does not provide a. File upload/download for offline validation and b. Any adapters for online validations

3. In **Biller Name** field, enter the name of the biller that is to be searched.
4. From the **Biller Type** list, select the appropriate biller type.
5. From the **Biller Category** list, select the appropriate option.
6. From the **Biller Currency** list, select the appropriate option.
7. From the **Biller Status** list, select the appropriate option.
8. Drag image or click **Choose Files** to select and upload the Sample Bill Image and Biller Logo if required.
9. In the **Biller Address** section, enter the relevant address details of the biller.
10. In the **Biller Specifications** section, enter the Relationship # 1 in the Biller Label 1 field.
11. Click the **Add Row** link to add more relationship numbers of the user with the biller.
12. In **Account Number** field, enter the account number of the biller.
13. To enable the Part Payment, Excess Payment, Late Payment, Quick Bill Payment and Quick Recharge facilities, select the appropriate check boxes depending on the Biller Type.
14. To enable the payments from current and savings account, debit card or credit card, select CASA, Debit Card or Credit Card check box.
15. In the **Validation Type** field, select the appropriate option.
16. If you select **Online** as **Validation Type**, enter the redirection URL in the **Validation URL** field.
17. Perform anyone of the following actions.
    - Click **Save** .
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.
18. Perform anyone of the following actions.
    - The **Review** screen appears. Verify the details, and click **Confirm**.
    - Click **Cancel** to cancel the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Back** to navigate to the previous screen.

19. The success message of party preference creation appears.

    Click **OK** to complete the transaction.

> **Note**
>
> 1) Bank Administrator can use the 'Bulk file Upload' feature to create multiple billers.
>
> 2) Customer Validation: When a channel customer does an Add Biller transaction, he is essentially registering with the biller to make online bill payments. At this stage some billers may want to validate that the customer is genuine. The validation is performed based on the Validation Type field, as follows:
>
> - **Auto**: When a biller is on boarded with validation type as Auto, customers who add this biller do not need any validation from biller and their registrations are auto-approved and they can initiate online bill payments to this biller.
> - **Offline**: When a biller is on boarded with validation type as Offline, for retail or corporate customers who add this biller, their registration status is set to Pending. This means that the biller will have to do an offline validation of these registrations. These can either be approved or rejected. OBDX does not provide any OOTB mechanism for downloading Pending registrations and changing their status by the banker or biller.
> - **Online**: When a biller is on boarded with validation type as Online, for retail or corporate customers who add this biller, their registrations need to be validated by the biller, online. The online validation can be a redirect to the biller's website, where validation can be performed through REST type web service. OBDX does not provide any OOTB implementation for the online validation.

5.1.3 Biller Onboarding - View

This topic describes the systematic instructions to **Biller Onboarding - View** screen.


System Administrator can view the list of all the current registered billers. The billers type can be of Presentment, Payment, Presentment & Payment and Recharge type.
To view the biller:

1. Navigate to one of the above paths.
2. Perform anyone of the following actions:
   - The **Biller Onboarding** screen with search results appears. The **Biller Onboarding** screen appears.
   - Click **Clear** to reset the search parameters.
   - Click **Cancel** to cancel the search process.
3. Click the **Biller Name** link of the record for which you want to view the details.

   The **Biller Onboarding - Biller Details** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 5-5 Biller Onboarding - Biller Details



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 5-4 Biller Onboarding - Biller Details - Field Description

Field Name	Description
Biller Details	**Information specified in below fields are related to billers details**.
Biller Name	The name of the biller.
Biller Type	The biller type. The biller type can be: • **Presentment**: Biller is of Presentment type • **Payment**: Biller is of Payment type • **Presentment and Payment**: Biller is of Presentment + Payment type • **Recharge**: Biller is of Recharge type
Biller Category	The biller category.
Biller Currency	Currency of the biller.
Biller Status	The status of the biller. The options are: • **Active** • **Inactive**
Sample Bill Image	The image of the physical bill presented by the biller, and uploaded by the user. This helps the user to compare and identify Relationship number fields. This field appears only for biller types **Presentment and Presentment** and **Payment**.
Biller Logo	The biller logo uploaded by the user. This logo appear as an icon.
Biller Address	**Information specified in below fields are related to billers address**.
Address Line 1 to 3	Address of the biller.
City	City of the biller.
State	State of the biller.
Country	Country of the biller.
PIN/ Zip Code	Pin/ Zip code of the biller.
Biller Location	Location of the biller. Location could be City, Country, State, or combination of these values.
Biller Specifications	**Information specified in below fields are related to billers specifications**.
Biller Label 1	Relationship # 1 that the user has with the biller. The data type, field length and whether the field is mandatory or optional are also displayed.
Payment Terms and Validations	**Information specified in below fields are related to payment terms and validations**.
Account Number	Account number of the biller.
Allow	Field displaying whether Part Payment, Excess Payment, Late Payment, Quick Bill Payment and Quick Recharge is allowed by the biller.
Payment Methods	Payment method accepted by the biller. The options are: • **CASA** • **Debit Card** • **Credit Card**

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 5-4 (Cont.) Biller Onboarding - Biller Details - Field Description

Field Name	Description
Auto Payment Buffer Days	The number of days before bill due date, when the auto payment will be triggered by the system. This field will appear for **Presentment and Presentment** and **Payment** type of billers.
Validation Type	The validation type. The options are: • **Auto** • **Offline** • **Online**
Validation URL	Redirection URL for customer validation. This field appears if the user has selected **Online** option in the **Validation Type** field.

4. Perform anyone of the following actions:
   - Click **Edit** to edit the biller details.
   - Click **Delete** to delete the biller details.
   - Click **Back** to navigate to the previous screen.
   - Click **Cancel** to cancel the transaction.

5.1.4 Biller Onboarding - Edit

This topic describes the systematic instructions to **Biller Onboarding - Edit** screen. Users can edit the biller details using this feature.

Using this option, system administrator can edit the biller details. All the fields are editable except **Biller Id**, **Biller Type**, **Biller Category** and **Biller Currency**.

To edit the biller details:


1. Navigate to one of the above paths.
2. Perform anyone of the following actions;
   - In the **Biller Onboarding** screen, enter the search criteria and click **Search**. The **Biller Onboarding** screen appears.
   - The **Biller Onboarding** screen with search results appears.
   - Click **Clear** to reset the search parameters.
   - Click **Cancel** to cancel the search process.
3. Click the **Biller Name** and Id link of the record for which you want to modify the details.

   The **Biller Onboarding - Biller Details** screen appears.
4. Click **Edit** to edit the biller details

   The **Biller Onboarding - Edit** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 5-6 Biller Onboarding - Edit



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 5-5 Biller Onboarding - Edit - Field Description

Field Name	Description
Biller Name	The name of the biller.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 5-5 (Cont.) Biller Onboarding - Edit - Field Description

Field Name	Description
Biller Type	The option to select biller type. The biller type can be: • **Presentment**: Biller is of Presentment type • **Payment**: Biller is of Payment type • **Presentment and Payment**: Biller is of Presentment + Payment type • **Recharge**: Biller is of Recharge type
Biller Category	The biller category.
Biller Currency	Currency of the biller.
Biller Status	The status of the biller. The options are: • **Active** • **Inactive**
Sample Bill Image	The image of the physical bill presented by the biller, which is to be uploaded by the user. This helps the user to compare and identify Relationship number fields. This field appears only for biller types **Presentment and Presentment** and **Payment**.
Biller Logo	The biller logo which is to be uploaded by the user. This logo appear as an icon on the screen after uploading.
Biller Address	**Information specified in below fields are related to biller address**.
Address Line 1 to 3	Address of the biller.
City	City of the biller.
State	State of the biller.
Country	Country of the biller.
PIN/ Zip Code	Pin/ Zip code of the biller.
Biller Location	Location of the biller. Location could be City, Country, State, or combination of these values.
Biller Specifications	**Information specified in below fields are related to biller specifications**.
Biller Label 1	Relationship # 1 that the user has with the biller. This label will be displayed in customer screens (ex: Add Biller) to capture customer's unique id with biller. The data type, field length and whether the field is mandatory or optional are also displayed against the field and are not editable.
Payment Terms and Validations	**Information specified in below fields are related to payment terms and validations**.
Account Number	Account number of the biller.
Allow	Select whether Part Payment, Excess Payment, Late Payment, Quick Bill Payment and Quick Recharge is allowed by the biller. This field appears only for Presentment type of biller.
Payment Methods	Select the payment method accepted by the biller. The options are: • **CASA** • **Debit Card** • **Credit Card**

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 5-5 (Cont.) Biller Onboarding - Edit - Field Description

Field Name	Description
Auto Payment Buffer Days	The number of days before bill due date, when the auto payment will be triggered by the system. This field will appear for Presentment and Presentment and Payment type of billers.
Validation Type	The option to select the validation type. The options are: • **Auto** • **Offline** • **Online**
Validation URL	Redirection URL for customer validation.

5. In **Biller Name** field, enter the name of the biller that is to be searched, if required.
6. From the **Biller Status** list, select the appropriate option, if required.
7. Click the **Remove link** to remove the uploaded image, and click Choose Files to select and upload a new Sample Bill Image and Biller Logo if required.
8. In the **Biller Address** section, enter the relevant address details of the biller.
9. In the **Biller Specifications** section, edit the Relationship # 1 in the Biller Label 1 field, if required.
10. In **Account Number** field, enter the account number of the biller.
11. To enable the Part Payment, Excess Payment, Late Payment, Quick Bill Payment and Quick Recharge facilities, select the appropriate check boxes depending on the Biller Type.
12. To enable the payments from current and savings account, debit card or credit card, select CASA, Debit Card or Credit Card check box.
13. In the **Validation Type** field, select the appropriate option.
14. If you select **Online** as **Validation Type**, enter the redirection URL in the **Validation URL** field.
15. Perform anyone of the following actions;
    - Click **Save** .
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.
16. Perform anyone of the following actions;
    - The **Review** screen appears. Verify the details, and click **Confirm**.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.

    The success message along with the transaction reference number and status appears.
17. Click **OK** to complete the transaction.

5.1.5 Biller Onboarding - Delete

This topic describes the systematic instruction to **Biller Onboarding - Delete** overlay screen.

Using this option the system administrator can delete an existing biller.

Copyright © 2006, 2026, Oracle and/or its affiliates.


To delete a biller:

1. Navigate to one of the above paths.
2. Perform anyone of the following actions;
   - In the **Biller Onboarding** screen, enter the search criteria and click Search. The **Biller Onboarding** screen appears.
   - The **Biller Onboarding** screen with search results appears.
   - Click **Clear** to reset the search parameters.
   - Click **Cancel** to cancel the search process.
3. Click the **Biller Name** and Id link of the record for which you want to modify the details.

   The **Biller Onboarding - Biller Details** screen appears.
4. Click **Delete**.

   The application prompt the administrator with a message 'Are you sure you want to delete the biller with an option of Yes / No.

Figure 5-7 Biller Onboarding - Delete



5. Click **Yes** to proceed with the deletion request.
   - It will navigate to confirmation page with a success message along with the status and reference number.
   - Click **No** if you do not wish to proceed with deletion.
6. Click **OK** to complete the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

6

Limits Definition

This topic describes the information about **Limits Definition** option.

Limits are defined by the bank to set up amount and duration based restrictions on the transactions that can be carried out by the user.


As part of limits definition maintenance, following types of limits can be defined:

- Transaction: It is the initiation limit with minimum and maximum amount defined typically for a user with role ‘Maker’
- Cumulative: It is the collective transaction amount limit for all the transactions that can be performed during a day/month and maximum number of transaction in a day/month
- Cooling Period: Payee cooling period limit is a time and the amount limit set by the bank during which fund transfer is not allowed or allowed till the specified limit, to a newly added payee.
- Limit package maintenance allows the administrator to map these definitions to every transaction.

Pre-Requisites

- Transaction access is provided to System Administrator.
- Approval rule set up for System Administrator to perform the actions.

Figure 6-1 Workflow



Features Supported In Application

Using this option system administrator can perform the following actions:

- Search/ View Limits
- Create Limit
- Delete Limits

Navigation Path: Perform any one of the following navigation to access **Limits Definition**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- From **System Administrator Dashboard**, under **Limits** widget, click **Limits Definition**.
- From **Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Limits**, Under **Limits** , click **Limits Definition**.
- Limits Definition - View
  This topic describes the systematic instruction to **Limits Definition - View** option. Using this option, administrator can search for particular limit based on different search parameters.
- Limits Definition - Create
  This topic describes the information about **Limits Definition - Create** option. Using this option, System Administrator can create a limit as required.
- Limits Definition - Delete Limit
  This topic describes the systematic instruction to **Limits Definition - Delete Limit** option. Using this option, System Administrator can delete a limit definition created earlier.
- FAQ

6.1 Limits Definition - View

This topic describes the systematic instruction to **Limits Definition - View** option. Using this option, administrator can search for particular limit based on different search parameters.

The search results displays a limit list based on different search filters selected.
If the search parameters are not specified, records of all the limits maintained in the application for selected limit type are displayed.

To search and view limits:


1. Navigate to one of the above paths.

   The **Limits Definition** screen appears.

2. Perform anyone of the following actions:
   - In the **Limits Definition** screen, enter the search parameters and click Search.
     The **Limits Definition** screen with search results appears based on the searched criteria.
   - Click **Clear** to reset the search parameters.
   - Click **Cancel** to cancel the search process.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 6-2 Limits Definition - Search



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 6-1 Limits Definition - Search - Field Description

Field Name	Description
Limit Code	Name of the limit with unique identifier.
Limit Description	Description of the limit.
Limit Type	The limit type are: • **Transaction** – It is the initiation limit with minimum and maximum amount • **Cumulative** – It is a duration based cumulative limit with maximum amount and number of transactions for a day/month • **Cooling Period** – Payee cooling period limit is a time and the amount limit set by the bank during which fund transfer is not allowed or allowed till the specified limit, to a newly added payee.
Search Results	
Limit Code	Name of the limit with unique identifier.
Limit Description	Description of the limit.

Copyright © 2006, 2026, Oracle and/or its affiliates.


Table 6-1 (Cont.) Limits Definition - Search - Field Description

Field Name	Description
Limit Type	The limit type are: • **Transaction** – It is the initiation limit with minimum and maximum amount • **Cumulative** – It is a duration based cumulative limit with max amount and number of transactions for a day/month • **Cooling Period** – Payee cooling period limit is a time and the amount limit set by the bank during which fund transfer is not allowed or allowed till the specified limit, to a newly added payee.

3. Click the **Limit Code** of the record to view the details.

   The **Limits Definition -View** screen appears.

Figure 6-3 Limits Definition - View



4. Perform anyone of the following actions:
   - Click **Delete** to delete the limit.
   - Click **Back** to navigate to the previous screen.
   - Click **Cancel** to cancel the transaction.

6.2 Limits Definition - Create


This topic describes the information about **Limits Definition - Create** option. Using this option, System Administrator can create a limit as required.

To create a transaction limit:

1. Navigate to one of the above paths.
   The **Limits Definition** screen appears.
2. Click **Create**.
   The **Limits Definition - Create** screen with Transaction tab appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 6-4 Limits Definition - Transaction - Create



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 6-2 Limits Definition - Transaction - Create - Field Description

Field Name	Description
Limit Type	The type of limit. The limit type for selection are: • **Transaction** – It is the initiation limit with minimum and maximum amount • **Cumulative** – It is a duration based limit with maximum amount and number of transactions for a day/month • **Cooling Period** – Payee cooling period limit is a time and the amount limit set by the bank during which fund transfer is not allowed or allowed till the specified limit, to a newly added payee.
Limit Code	The name of the limit with unique identifier.
Limit Description	Description of the limit.
Currency	The currency to be set for the limit.
Minimum Amount	The minimum amount for a transaction in selected currency.
Maximum Amount	The maximum amount for a transaction in selected currency.

3. In the **Transaction tab** screen, enter the code in the **Limit Code** field.
4. In the **Limit Description** field, enter the description of the limit.
5. From the **Currency** field, select the appropriate currency for the limits.
6. In the **Minimum Amount** and **Maximum Amount** field, enter the minimum and maximum amount for a transaction in local currency.
7. Perform anyone of the following actions:
   - Click **Save** to Save the created limit.


Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Back** to navigate to the previous screen.
- Click **Cancel** to cancel the transaction.

8. Perform anyone of the following actions:
   - The **Review** screen appears.
     Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

   The success message of party preference creation appears.
9. Click **OK** to complete the transaction.

Figure 6-5 Limits Definition - Cumulative - Create



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 6-3 Limits Definition - Cumulative - Create - Field Description

Field Name	Description
Limit Type	The type of limit. The limit type for selection are: • **Transaction** – It is the initiation limit with minimum and maximum amount • **Cumulative** – It is a duration based limit with maximum amount and number of transactions for a day/month • **Cooling Period** – Payee cooling period limit is a time and the amount limit set by the bank during which fund transfer is not allowed or allowed till the specified limit, to a newly added payee.
Limit Code	The name of the limit with unique identifier.
Limit Description	Description of the limit.
Frequency	The specific duration for which the limits can be utilized and available. The options are: • **Daily** • **Monthly**
Currency	The currency to be set for the limit.
Cumulative Transaction Amount	The collective amount in selected currency for transactions that can be performed in a day.
Maximum Transactions	The maximum number of transactions that can be performed per day.

To create a cumulative limit:


1. Click the **Cumulative** tab.
   The **Limits Definition - Create** screen with Cumulative tab appears.

   Enter the relevant information in **Limit Code** and **Limit Description** field.
2. Enter the relevant information in **Limit Code** and **Limit Description** field.
3. From the **Frequency** field, select the appropriate duration for the limits.
4. From the **Currency** field, select the appropriate currency for the limits.
5. In the **Cumulative Transaction Amount** field, enter the collective amount of transaction in local currency.
6. In the **Maximum Transactions** field, enter the value for maximum number of transactions.
7. Perform anyone of the following actions:
   - Click **Save** to Save the created limit.
   - Click **Back** to navigate to the previous screen.
   - Click **Cancel** to cancel the transaction.
8. Perform anyone of the following actions:.
   - The **Review** screen appears.
     Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

   The success message of party preference creation appears.
9. Click **OK** to complete the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 6-6 Limits Definition - Cooling Period – Create



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 6-4 Limits Definition - Cooling Period – Create - Field Description

Field Name	Description
Limit Type	The type of limit. The limit type for selection are: • **Transaction** – It is the initiation limit with minimum and maximum amount • **Cumulative** – It is a duration based limit with maximum amount and number of transactions for a day/month • **Cooling Period** – Payee cooling period limit is a time and the amount limit set by the bank during which fund transfer is not allowed or allowed till the specified limit, to a newly added payee.
Limit Code	The name of the limit with unique identifier.
Limit Description	Description of the limit.
Currency	The currency to be set for the limit.
From Time	The cooling period start time. It can be in days and/or hours and/or minutes For example a new payee will be 'active' after a cooling period of 0 days & 0 hours & 30 minutes
To Time	The cooling period end time. It can be in days and/or hours and/or minutes. For example a new payee will be 'active' after a cooling period of 0 days & 0 hours & 30 minutes.
Cumulative Transaction Amount	The collective transaction amount in selected currency for a defined cooling period.

Copyright © 2006, 2026, Oracle and/or its affiliates.

To set up multiple amount and time limit slabs:

1. Click the **Cooling Period** tab. The **Limits Definition - Create** screen with Cooling Period tab appears.
2. Enter the relevant information in **Limit Code** and **Limit Description** field.
3. From the **Currency** field, select the appropriate currency for the limits.
4. From the **From Time** and **To Time** field, select the appropriate day, hours and minutes.
5. In the **Cumulative Transaction Amount** field, enter the collective amount that is applicable for the defined cooling period.
6. Click **Add Time Period** if you want to create more than one amount and time limit slabs.
7. Perform anyone of the following actions:
   - Click **Save** to Save the created limit.
   - Click **Back** to navigate to the previous screen.
   - Click **Cancel** to cancel the transaction.
8. Perform anyone of the following actions:
   - The **Review** screen appears.
     Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

   The success message of party preference creation appears.
9. Click **OK** to complete the transaction.

> **Note**
>
> You can  icon click to delete a record. refer

- page 9

6.2.1

The image shows the **Limits Definition** screen with search results appears based on the searched criteria. By clicking the **Limit Code** of the record to view the details.

6.3 Limits Definition - Delete Limit

This topic describes the systematic instruction to **Limits Definition - Delete Limit** option. Using this option, System Administrator can delete a limit definition created earlier.

Limit definition can be deleted only if it is not in use (available as a part of any limit package).
To delete a limit:

1. Navigate to one of the above paths.


   The **Limits Definition - Delete Limit** screen appears.
2. Perform anyone of the following actions:
   - In the **Limits Definition** screen, enter the search parameters and click **Search**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

The **Limits Definition** screen with search results appears based on the searched criteria.

- Click **Clear** to reset the search parameters.
- Click **Cancel** to cancel the search process.


Figure 6-7 Limits Definition - Search



3. Click the **Limit Code** of the record for which you want to view the details.

   The **Limits Definition -View** screen appears.

Figure 6-8 Limits Definition -View




Copyright © 2006, 2026, Oracle and/or its affiliates.

Perform anyone of the following actions:

- Click **Delete**. The **Delete Warning** message appears.
- Click **Back** to navigate to the previous screen.
- Click **Cancel** to cancel the transaction.

Figure 6-9 Delete Limit



4. Perform anyone of the following actions:
   - Click **Yes** to confirm the deletion.
   - Click **No** to cancel the deletion process.

   The success message of transaction submission appears.
5. Click **OK** to complete the transaction.

6.4 FAQ

1. **Can I delete transaction and/ or cumulative/ cooling period limit definitions against a transaction in limit package?**
   No, existing limits against a transaction cannot be deleted; it can only be edited if effective date is starting from a future date..
2. **Can I maintain multiple definitions for each limit type?**
   Yes, you can maintain multiple limit definitions under each limit type.
3. **What is a significance of defining different slab limits in case of cooling period limit type?**
   Payee cooling period limit is a time and the amount limit set by the bank during which fund transfer is not allowed or allowed till the specified limit, to a newly added payee. Administrator can set up 2 or more time slabs to define the payee limits. E.g.
   - 0 mins to 30 Mins – Amount limit – $ 0
   - 31Min to 60 Mins – Amount limit is $ 5000.

   Customer cannot transfer any amount till first 30 mins from the time payee is added. From 31 to 60 mins, customer can maximum transfer upto $ 5000 subject to sufficient transaction and cumulative limits available.

Copyright © 2006, 2026, Oracle and/or its affiliates.

7

Limit Package Management

This topic describes the information about **Limit Package Management** feature.

Limit package is a group of transaction limits. As part of the limit package management, defined limits (created through **Limit Definition**) can be mapped to each transaction or to a transaction group (Created using Transaction Group Maintenance). Each package is associated with a specific channel/Touch point or with a group of Touch points.

A user can be assigned one Retail and multiple Business parties within each entity. Separate limits are applicable for the transaction done by each party.

For Retail Party transactions, the limit package maintained at the user level will be considered and utilized.

For Business Party transactions, the limit package maintained at the party level (as a part of party preference) will be considered and utilized.


The limits packages once created can be mapped to

- Enterprise Roles (Retail/Corporate/Administrator) – using System Rules
- User Segment – using System Rules maintenance
- Party – using Party Preferences (Cumulative User Limits and Cumulative Customer limits)
- User – using User Management

Pre-Requisites

- Transaction access is provided to System Administrator.
- Approval rule set up for System Administrator to perform the actions.
- Transaction aspects - limit parameter is enabled for required transactions.
- Transactions groups are maintained as required.
- Touch Point and touch point groups are maintained as required.
- Limit definitions are maintained.

Figure 7-1 Workflow



Copyright © 2006, 2026, Oracle and/or its affiliates.

Features Supported In Application

Following functions can be performed by the bank administrator as part of the limit package maintenance

- Search/ View Limit Package
- Create Limit Package
- Edit Limit Package
- Clone Limit Package
- Delete Limit Package

Navigation Path: Perform anyone of the following navigation to access **Limit Package Management**.

- From **System Administrator Dashboard**, under **Limits** widget, click **Limit Package Management**.
- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Limits**, Under **Limits** , click **Limit Package Management**.
- Limit Package Management - View
  This topic describes the systematic instruction to **Limit Package Management - View** option.
- Limit Package Management - Create
  This topic describes the systematic instruction to **Limit Package Management - Create**, A new limit package can be create with this option.
- Limit Package Management - Edit
  This topic describes the systematic instruction to **Limit Package Management - Edit**. Using this option, System Administrator can update or edit a limit package created for a specific channel/touch point.
- Limit Package Management - Clone
  This topic describes the systematic instruction to **Limit Package Management - Clone**. With this option user can clone the limit package.
- Limit Package Management - Delete
  This topic describes the systematic instruction to **Limit Package Management - Delete**. Using this option, System Administrator can delete a limit package created for a specific channel/ touch point.
- FAQ

7.1 Limit Package Management - View

This topic describes the systematic instruction to **Limit Package Management - View** option.

Using this option, Administrator can search for specific limit package based on different search parameters like package code, user segments to for which the package is enabled, touch point/touch point groups to which a package can be mapped etc. The search results displays a list or particular limit package/s based on different search filters selected.
If the search parameters are not specified, records of all the packages maintained in the application are displayed.

To search and view limit package:


1. Navigate to one of the above paths.

   The **Limit Package Management** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

2. Perform anyone of the following actions:
   - In the **Limit Package Management** screen.
     Click **Search**. The **Limit Package Management** screen with search results appears based on the searched criteria.
   - Click **Clear** to reset the search parameters.
   - Click **Cancel** to cancel the search process.

Figure 7-2 Limit Package Management - Search



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 7-1 Limit Package Management - Search - Field Description

Field Name	Description
Package Code	The unique code assigned to the limit package.
Package Description	Description of the limit package.
Role	The limit is applicable to specific party or role (s).

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 7-1 (Cont.) Limit Package Management - Search - Field Description


Field Name	Description
Touch Point / Group	Name of the touch point or group mapped to a limit package. • Touch Point – To search the limit packages created with specific touch point • Touch Point Group – To search the limit packages created with specific touch point groups which are manually created by an administrator • Global – To search the limit packages created for global group (A group created automatically with all internal and external touch points) of touch points.
Currency	Currency in which the limit package is created.
Updated On	Date range in which limit packages were updated.
Search Results	**Information specified in below fields are related to search results**.
Package Code	The unique code assigned to the limit package.
Package Description	Description of the limit package.
Touch Point	Name of the touch point mapped to a limit package. If package is assigned to specific Touch Point - Touch Point Name is displayed If package is assigned to specific Touch Point Group - Touch Point Group description is displayed If package is assigned to Global Touch Point Group – value 'Global' is displayed on screen.
Currency	Currency in which the limit package is created.
Updated On	Date on which limit package was updated.
Roles	The limit is applicable to specific party or role (s).

3. Click the **Limit Package Code** of the record for which you want to view the details.

   The **Limits Package Management - View** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 7-3 Limit Package Management - View



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 7-2 Limit Package Management - View - Field Description

Field Name	Description
Limit Package Code	The unique code assigned to the limit package.
Limit Package Description	Description of the limit package.
Touch Point/ Touch Point Group	Name of the touch point or group mapped to a limit package.
Roles	The party or role (s) to which limit is applicable.
Currency	Currency in which the limit package is created.
Transactions / Transaction Groups - Limits	**Information specified in below fields are related to transactions**.
Transactions / Transaction Group Name	Name of the transaction group that is mapped to the limit package.
Effective Date	The date from which the limit package is effective for the transaction/ transaction group.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 7-2 (Cont.) Limit Package Management - View - Field Description

Field Name	Description
Expiry Date	Expiry date of a specific limit linked to a transaction. This field will be displayed only if expiry date is maintained for each transaction.
Cumulative Limit Daily	The daily cumulative limit set for the specific transaction. It displays the limit name and description along with the cumulative transaction amount and transaction count.
Cumulative Limit Monthly	The cumulative limit set for the specific transaction on basis on month. It displays the limit name and description along with the cumulative transaction amount and transaction count.
Transaction Limit	The transaction limit set for the specific transaction. It displays the limit name and description along with the minimum and maximum transaction amount set for the specific transaction.
Cooling Limit	The cooling limit set for the specific transaction. It displays the limit name and description along with the amount and time limit.

4. Perform anyone of the following actions:
   - Click **Clone** to make another limit package with similar details.
   - Click **Edit** to edit the limit package.
   - Click **Delete** to delete the limit.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

7.2 Limit Package Management - Create

This topic describes the systematic instruction to **Limit Package Management - Create**, A new limit package can be create with this option.

An administrator can create a new limit package using this maintenance. User has to define touch point or a touch point group and a currency in which a package is to be created. The touch points and groups defined are listed for selection. An administrator can also create a limit package for Global Touch point group (a group which is created automatically with all available internal and external touch points) A package can also be enabled for mapping at multiple user segments.
An administrator can add multiple transactions and transaction groups in a package and can assign limit definitions created for each transaction and for a group.

Further, these packages can be assigned at each touch point/group level while defining user segment parameters, party preferences and while creating business users.

To create a limit package:

1. Navigate to one of the above paths.


   The **Limit Package Management** screen appears.

2. Click **Create**.

   The **Limit Package Management - Create** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 7-4 Limit Package Management - Create



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 7-3 Limit Package Management - Create - Field Description

Field Name	Description
Limit Package Code	The unique code of the limit package.
Limit Package Description	Description of the limit package.
Touch Point	Touch point or a group of touch point for which a package is to be created. The options are: • **Touch Point** • **Touch Point Group** • **Global**: This a group of touch points created automatically (default touch point group has all internal and external touch points).
Touch Point	Internal and external touch points defined using touch point maintenance is available for selection. This field is displayed and enabled if you select **Touch Point** option in the **Touch Point** field.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 7-3 (Cont.) Limit Package Management - Create - Field Description

Field Name	Description
Touch Point Group	Internal and external touch points groups defined using touch point group maintenance are available for selection. This field is displayed and enabled if you select **Touch Point Group** option in the **Touch Point** field.
Available To Role	User segment/s for which a package is to be enabled for mapping.
Currency	The currency to be set for the limit package.
Transactions/ Transaction Group - Limits	**Information specified in below fields are related to transa.ctions**
Transactions/ Transaction Group Name	The transaction or transaction group name, to assign the limits to it.
Effective Date	Date from which the limits should be applied for a selected transaction or transaction group.
Cumulative Limit Daily	Cumulative transaction limits which are applicable for each day. All the limit definitions maintained with cumulative – daily limit type and with the same currency as defined at package level are listed for selection.
Cumulative Limit Monthly	Cumulative transaction limits which are applicable for each month. All the limit definitions maintained with cumulative – monthly limit type and with the same currency as defined at package level are listed for selection.
Transaction Limit	Transaction minimum and maximum initiation limits. All the limit definitions maintained with transaction – limit type and with the same currency as defined at package level are listed for selection.
Cooling Limit	All the limit definitions maintained with cooling period – limit type and with the same currency as defined at package level are listed for selection.


3. In the **Limit Package Code** field, enter the code for the limit package.
4. In the **Limit Package Description** field, enter the description of the limit package.
5. In the **Touch Point** field, select the appropriate option.
    a. If you select **Touch Point**;
        i. From the **Touch Point** list, select the appropriate option.
    b. If you select **Touch Point Group**;
        i. From the **Touch Point Group** list, select the appropriate option.
    c. Select **Global**, to create a limit package for a group of all touch points.
6. From **Available To Role** list, select the appropriate role.
7. From **Currency** list, select the appropriate currency to be associated with the Limit Package.

    It enables the **Transactions / Transaction Group - Limits** section.
8. From the **Transaction / Transaction Group Name** from the list, select the appropriate option for the limit package in the **Transactions / Transaction Group - Limits** section.

Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> Click **View Details** link to view transaction group details.

Figure 7-5 View Details -Transaction Group Details



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 7-4 View Details -Transaction Group Details - Field Description

Field Name	Description
Group Code	Search the transaction groups with group code.
Group Description	Search the transaction groups with group description.
No. of Transactions	Number of transactions associated with the transaction groups.

9. Select the **Effective Date** from the calendar for the limit package in the **Transactions / Transaction Group - Limits** section.
10. From the **Cumulative Limit Daily**, **Cumulative Limit Monthly**, **Transaction Limit** and **Cooling Limit** lists, select the appropriate limits.
11. Perform anyone of the following actions:
    - Click **Add Transaction** and repeat the steps 4 to 6, if you want to assign limits for more transactions.
    - Click **Add Transaction Group** and repeat the steps 4 to 6, if you want to assign limits for more transactions groups.
12. Perform anyone of the following actions:
    - Click **Save** to save the limit package.
    - Click **Cancel** to cancel the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Back** to navigate to the previous screen.

13. Perform anyone of the following actions:
    - The **Review** screen appears.
      Verify the details, and click **Confirm**.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.

    The success message of transaction submission appears.
14. Click **OK** to complete the transaction.

> **Note**
>
> You can  icon click to delete a transaction or cooling limit of a transaction.

7.3 Limit Package Management - Edit

This topic describes the systematic instruction to **Limit Package Management - Edit**. Using this option, System Administrator can update or edit a limit package created for a specific channel/touch point.


Using this option, System Administrator can update or edit a limit package created for a specific channel/touch point. User is not allowed to edit the code, currency and touch point details, whereas can add or remove the transactions/transaction groups available as a part of package. And also can edit the limit definitions mapped against each type of limit.
To edit a limit package:

1. Navigate to one of the above paths.

   The **Limit Package Management** screen appears.
2. Perform anyone of the following actions:
   - In the **Limit Package Management** screen, click **Search**.
     The **Limit Package Management** screen with search results appears based on the searched criteria.
   - Click **Clear** to reset the search parameters.
   - Click **Cancel** to cancel the search process.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 7-6 Limit Package Management - Search




3. Click the **Limit Package Code** of the record for which you want to modify the details.

   The Limits Management-View screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 7-7 Limit Package Management – View




4. Click **Edit** option available on the **Merchant Management– View** screen to edit merchant details.

   The **Limit Package Management - Edit** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 7-8 Limit Package Management - Edit



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 7-5 Limit Package Management - Edit - Field Description

Field Name	Description
Limit Package Code	The unique code of the limit package. This information cannot be edited.
Limit Package Description	Description of the limit package. Details provided previously will be shown in an editable form.
Available To Role	User segment/s for which a package is enabled for mapping. Details provided previously will be shown in an editable form.
Currency	The currency which is set for the limit package. This information cannot be edited.

Copyright © 2006, 2026, Oracle and/or its affiliates.


Table 7-5 (Cont.) Limit Package Management - Edit - Field Description

Field Name	Description
Transactions/ Transaction Group - Limits	**Information specified in below fields are related to transactions**.
Transactions/ Transaction Group Name	The transaction or transaction group name, to assign the limits to it.
Effective Date	Date from which the limits should be applied for a selected transaction or transaction group.
Expiry Date	Date from which the limits will be deactivated.
Cumulative Limit Daily	Cumulative transaction limits which are applicable for each day. Already assigned package if any is shown in an editable form. All the limit definitions maintained with cumulative – daily limit type and with the same currency as defined at package level are listed for selection.
Cumulative Limit Monthly	Cumulative transaction limits which are applicable for each month. Already assigned limit definition if any is shown in an editable form. All the limit definitions maintained with cumulative – monthly limit type and with the same currency as defined at package level are listed for selection.
Transaction Limit	Transaction minimum and maximum initiation limits. Already assigned definition if any is shown in an editable form. All the limit definitions maintained with transaction – limit type and with the same currency as defined at package level are listed for selection.
Cooling Limit	Already assigned definition if any is shown in an editable form. All the limit definitions maintained with cooling period – limit type and with the same currency as defined at package level are listed for selection.

5. Edit the required details.

> **Note**
>
> Click **View Details** link to view transaction group details.

Figure 7-9 View Details -Transaction Group Details



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 7-6 View Details -Transaction Group Details - Field Description

Field Name	Description
Group Code	Search the transaction groups with group code.
Group Description	Search the transaction groups with group description.
No. of Transactions	Number of transactions associated with the transaction groups.

6. Perform anyone of the following actions:
   - Click **Add Transaction**, if you want to add a new transaction.
   - Click **Add Transaction Group**, if you want to add a new transaction group.
   - Click 

icon to navigate to the previous screen.
7. Perform anyone of the following actions:
   - Click **Save** to save the limit package.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
8. Perform anyone of the following actions:
   - The **Review** screen appears.
     Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

   The success message of transaction submission appears.
9. Click **OK** to complete the transaction.

7.4 Limit Package Management - Clone

This topic describes the systematic instruction to **Limit Package Management - Clone**. With this option user can clone the limit package.

To speed up the process of creating new limit package, System Administrator can clone an existing limit package. All the values available in an existing package are shown in an editable format, administrator is allowed to make changes in it and save the package with different name.

To clone a limit package:

1. Navigate to one of the above paths.


   The **Limit Package Management** screen appears.
2. Perform anyone of the following actions:
   - In the **Limit Package Management** screen, click **Search**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

The **Limit Package Management** screen with search results appears based on the searched criteria.

- Click **Clear** to reset the search parameters.
- Click **Cancel** to cancel the search process.

Figure 7-10 Limit Package Management - Search




3. Click the **Limit Package Code** of the record for which you want to clone the details.

   The **Limits Management-View** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 7-11 Limit Package Management – View




4. Click **Clone**.

   The **Limits Package Management - Create** screen appears with existing limit package details.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 7-12 Limits Package Management - Create



5. Update limit package with required changes.
6. Perform anyone of the following actions:
   - Click **Save** to save the limit package.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
7. Perform anyone of the following actions:
   - The **Review** screen appears.
     Verify the details, and click **Confirm**.
   - Click **Edit** to modify the details.
     The user will be navigated back to the create screen.
   - Click **Cancel** to cancel the transaction.

   The success message of transaction submission appears.
8. Click **OK** to complete the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

7.5 Limit Package Management - Delete

This topic describes the systematic instruction to **Limit Package Management - Delete**. Using this option, System Administrator can delete a limit package created for a specific channel/ touch point.

Using this option, System Administrator can delete a limit package created for a specific channel/ touch point. Deletion of limit package is allowed only if not in use (not mapped at any level).

To delete a limit package:


1. Navigate to one of the above paths.

   The **Limit Package Management** screen appears.

2. Perform anyone of the following actions:

   - In the **Limit Package Management** screen, click **Search**.
     The **Limit Package Management** screen with search results appears based on the searched criteria.
   - Click **Clear** to reset the search parameters.
   - Click **Cancel** to cancel the search process.

Figure 7-13 Limit Package Management - Search




3. Click the **Limit Package Code** of the record for which you want to view the details.

   The **Limits Management-View** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.


Figure 7-14 Limit Package Management – View



4. Click **Delete**.

   The **Delete Warning** message appears.

Figure 7-15 Delete Limit Package



5. Perform anyone of the following actions:
   - Click **Confirm** to confirm the deletion.
   - Click **Cancel** to cancel the deletion process.

   The success message of limit package deletion appears.
6. Click **OK** to complete the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

7.6 FAQ

1. **Can I delete transaction and/ or cumulative limits against a transaction in limit package?**
   No, existing limits against a transaction cannot be deleted; it can only be edited if effective date is starting from a future date.
2. **I am unable to delete a limit through limit maintenance?**
   There is a possibility that the limit that you are trying to delete is associated in the limit package against a transaction(s).
3. **I am unable to delete limits package through limit maintenance?**
   There is a possibility that the limit package that you are trying to delete is associated at any of the entities i.e. User / Party / Segment/ Enterprise Role level.
4. **As part of edit, what can I update in the limits package maintenance?**
   You can edit the transaction and/ or cumulative limits against the transaction.

   You can delete the transaction(s) from the limits package and/or you can also add new transaction(s) as part of the limits package.
5. **What is the significance of Available to Roles in Limits package?**
   The roles defined in Limits package will make the package available to the users of that role only.
6. **Have created/ edited/ deleted Limits and/ or Limits package but it is not reflecting in the system even after a successful maintenance save message?**
   There is a possibility that the maintenance is saved but the status is ‘Pending Approval’.

   For the maintenance, if there is an approval required then the changes will reflect only once the approver(s) approve the submitted request.

   If the setup does not require an approval workflow or is self / auto approved, then the same will reflect immediately.
7. **How can I define the touch point groups?**
   A separate menu option **Touch Point Group Maintenance** is available using which you can maintain internal and external touch point groups.
8. **How can I define the transaction groups?**
   A separate menu option **Transaction Group Maintenance** is available using which you can maintain group of transactions.
9. **Can I manually define Global touch point group?**
   No, Touch Point – Global is nothing but a group of all internal and external touch points available in the application. This group cannot be maintained manually.
10. **Will the limits be applicable for newly added touch point or transactions in a respective groups?**
    Yes, limits will also be applicable for transaction or touch points added at a later stage in respective groups which are mapped as a part of limit package.
11. **How the limit will be utilized, if you add a new transaction to the group for which customers have already initiated transactions during the day but before group formation?**
    Limits assigned at individual transaction level will be utilized for the transaction Initiated before the transaction group formation. These limits will not be considered for group limit utilization.
12. **Can I delete a transaction group which is a part of any limit package?**

Copyright © 2006, 2026, Oracle and/or its affiliates.

No, a transaction group cannot be deleted if a group is already associated with the limit package.

13. **How the limits will be applied if the limit definitions are mapped for a specific transaction and to a group in which the same transaction is available?**
Limits mapped for a transaction and group will be checked. Only if the sufficient limits are available at both the level, then user will be allowed to perform the transaction.

Example:

User level daily transaction limit of Domestic Transfer internet banking channel = 100000

User level daily transaction limit of Domestic Transfer for mobile banking channel = 50000

User level daily consolidated touch points transaction limit for Domestic Transfer = 120000

Days	User action	Internet – Touch Point Limit	Mobile – Touch Point limit	Touch Point Group – User level limits
	For internet as a touch point, Domestic Transfer transaction limit assigned by the Bank is 100000.	100000		120000
	For Mobile as a touch point, Domestic Transfer transaction limit assigned by the Bank is 50000		50000	
	This means, user can perform maximum transaction worth 100000 from internet and maximum of 50000 from mobile daily. And touch point group limit maintained is 120000 for a day User level will override the limits defined at user segment/type level			

Copyright © 2006, 2026, Oracle and/or its affiliates.

Days	User action	Internet – Touch Point Limit	Mobile – Touch Point limit	Touch Point Group – User level limits
	a. User preforms Domestic Transfer transaction worth 20000 from mobile touch point. b. Now, user will be allowed Domestic transfer transaction of 100000 from internet and 30000 from mobile for that day. c. As per touch point group limits, user will be allowed to perform domestic transfer transaction of 100000 from either internet banking OR mobile banking.	100000	30000	100000

Copyright © 2006, 2026, Oracle and/or its affiliates.

Days	User action	Internet – Touch Point Limit	Mobile – Touch Point limit	Touch Point Group – User level limits
	a. User preforms Domestic transfer transaction of 50000 from internet \ on the same day. b. Now, user will be allowed maximum of 50000 Domestic transfer transaction from internet banking and 30000 from mobile banking for that day. c. Whereas, as per consolidated touch point limit, user will be allowed to perform Domestic Transfer transaction worth 50000 from either internet or from mobile.	50000	30000	50000

Copyright © 2006, 2026, Oracle and/or its affiliates.

Days	User action	Internet – Touch Point Limit	Mobile – Touch Point limit	Touch Point Group – User level limits
	a. Now user preforms Domestic transfer transaction of 20000 from mobile. b. Then user will be allowed to perform the transaction of 50000 from internet and 10000 from mobile for that day. c. As per consolidated touch point limit, user will be allowed Domestic Transfer transaction of 30000 from either internet or mobile. d. Now, user will be allowed transaction of 30000 only from internet as consolidated channel limit is reduced to 30000.	50000	10000	30000

Copyright © 2006, 2026, Oracle and/or its affiliates.

Days	User action	Internet – Touch Point Limit	Mobile – Touch Point limit	Touch Point Group – User level limits
	a. After above transaction, if user utilizes 30000 from internet then internet limit will be 20000 b. Now, if user performs Domestic transfer transaction of any amount from mobile or internet then user will be displayed an error message. As touch point group limits are exhausted.	20000	10000	0.00

Copyright © 2006, 2026, Oracle and/or its affiliates.

8

User Limits

This topic describes the systematic instruction to **User Limits** option.

Using this option the System/Bank Administrator can view the current available and utilized limits of specific retail user and also can modify (increase or decrease) the limits as per the requirement.

The user limits can be set for specific transaction level or at transaction group level or for a specific channel or for a group of channels.


The different types of limits are as follows:

- Daily Count- Permitted number of transactions in a day
- Daily Amount- Cumulative amount of transactions in a day
- Monthly Count- Permitted number of transactions in a month
- Monthly Amount- Permitted number of transactions in a month

Pre-requisites

- Transaction access is provided to System Administrator.
- Limit package are assigned.
- Approval rule set up for System/Bank Administrator to perform the actions.

Figure 8-1 Workflow



Features Supported In Application

Following functions can be performed by the System administrator as part of the maintenance:

- Search/ View User Limits
- Edit User Limits

1. Perform any one of the following navigation to access the **User Limits**:
   - From **Bank Administrator Dashboard**, under **Limits**, click **User Limits**.
   - From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Limits**, Under **Limits**, click **User Limits**.

     The **User Limits** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- User Limits - View
  This topic describes the systematic instruction to **User Limits - View** option.
- User Limits - Edit
  This topic describes the systematic instruction to **User Limits - Edit** option.
- FAQ

8.1 User Limits - View

This topic describes the systematic instruction to **User Limits - View** option.

Using this option, System Administrator can search and view the current available and utilized limits of specific retail user.


To search and view user limits:

1. Navigate to one of the above paths.

   The **User Limits** screen appears.


2. Perform anyone of the following actions:
   - Enter the search criteria, click **Search**.
     The search results appear on the **User Limits** screen based on the search parameters.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** if you want to reset the search parameters.

Figure 8-2 User Limits - Search



Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 8-3 User Limits - Search Result



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 8-1 User Limits - Search Result - Field Description

Field Name	Description
User Type	Type of user to be searched. This will be defaulted to **Retail User**.
User Name	To search the retail user with the user name. Partial search is allowed.
More Search Options	**Below fields appears if you click the More Search Options link**.
First Name	Allows to search based on first name or given name of the retail user.
Last Name	Allows to search based on last name/ surname of the retail user.
Email	Allows to search based on email id of the retail user.
Mobile Number	Allows to search based on mobile number of the retail user.
Party ID	Allows to search based on Party id of the retail user.
Search Party Name	**Allows search based on Party name of the retail user**.
Enter Party Name	Party name of the retail user based on which search is to be done.

Copyright © 2006, 2026, Oracle and/or its affiliates.


Table 8-1 (Cont.) User Limits - Search Result - Field Description

Field Name	Description
Search Result	**Information specified in below fields are related to Search Result.**
Full Name	First name and last name of the retail user.
Party ID	Displays the party id of the retail user.
User Name	Displays the retail user's user name.

3. Click the **User Name** of the record for which you want to view the user limits details.

The **User Limits - View** screen appears.

Figure 8-4 User Limits - View



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 8-2 User Limits - View - Field Description

Field Name	Description
Group Code	Search the transaction groups with group code.
User Details	**Information specified in below fields are related to User Details.**
User Type	Type of user whose limits are displayed.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 8-2 (Cont.) User Limits - View - Field Description

Field Name	Description
Party ID	Displays the party id of the retail user.
Full Name	First name and last name of the retail user.
User Name	Displays the retail user's user name.
Touch Point	Name of the touch point of which the limits to be inquired. This will be defaulted to 'Internet' whereas User can change the touch point to view specific limits.
Transactions	Name of the transaction of which the limits to be inquired. This defaulted to the 1st transaction available in the drop-down whereas user can change the transaction to view the transaction specific limits.
View Limits	**Information specified in below fields are related to View Limits**.
Transaction Name	Displays the category wise limits allocation for the transaction which is mapped to the retail user. This section will be displayed if a limits package with selected touch point and transaction is mapped to the user. The categories are: • **Bank Allocated** • **User Customized** • **Utilized** • **Available**
Transaction Group	Displays the category wise limits allocation for the transaction group which is mapped to the retail user. This section will be displayed if a limit package with selected touch point and a transaction group (which has selected transaction) is mapped to the user. The categories are: • **Bank Allocated** • **User Customized** • **Utilized** • **Available**
Channel Group	Displays the category wise limits allocation for the Transaction - channel group which is mapped to the retail user as per Touch Point / Transaction selected. This section will be displayed if a limit package with touch point group (which has selected touch point) and a transaction is mapped to the user. The categories are: • **Bank Allocated** • **User Customized** • **Utilized** • **Available**
Channel and Transaction Group	Displays the category wise limits allocation for the channel group and transaction group which is mapped to the retail user. This section will be displayed if a limit package with touch point group (which has selected touch point) and a transaction group (which has selected transaction) is mapped to the user. The categories are: • **Bank Allocated** • **User Customized** • **Utilized** • **Available**

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 8-2 (Cont.) User Limits - View - Field Description

Field Name	Description
Consolidated Limits	Displays the consolidated category wise limits (Limits assigned at global level for specific transaction) allocation which is mapped to the retail user as per Touch Point / Transaction selected. This section will be displayed if a limit package with Global touch points and a transaction is mapped to the user. The categories are: • **Bank Allocated** • **User Customized** • **Utilized** • **Available**
Consolidated and Transaction Group	Displays the category wise limits (Limits assigned at global level for group of transactions) allocation for the consolidated and transaction group which is mapped to the retail user. This section will be displayed if a limit package with Global touch points and a transaction group (which has selected transaction) is mapped to the user. The categories are: • **Bank Allocated** • **User Customized** • **Utilized** • **Available**

4. From the **Touch Point** list, select the appropriate option whose user limits to be viewed.
5. From the **Transactions** list, select the appropriate option whose user limits to be viewed.
6. Perform anyone of the following actions:
   - Click **Edit** to edit the user limits.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

8.2 User Limits - Edit

This topic describes the systematic instruction to **User Limits - Edit** option.


Using this option, System Administrator can update or edit (increase or decrease) the limits as per the requirement for a specific retail user.
To edit user limits:

1. Navigate to one of the above paths.

   The **User Limits** screen appears.
2. Perform anyone of the following actions:
   - In the **User Limits** screen, click **Search**.
     The **User Limits** screen with search results appears based on the searched criteria.
   - Click **Clear** to reset the search parameters.
   - Click **Cancel** to cancel the search process.

Copyright © 2006, 2026, Oracle and/or its affiliates.


Figure 8-5 User Limits - Search Result



3. Click the **User Name** of the record which you want to modify the details.

   The **User Limits - View** screen appears.

Figure 8-6 User Limits - View




Copyright © 2006, 2026, Oracle and/or its affiliates.

4. Click **Edit**.

   The **User Limits - Edit** screen appears.

Figure 8-7 User Limits - Edit



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 8-3 User Management - Edit User - Field Description

Field Name	Description
User Name	Name of the user (login ID) which is to be created.
User Details	**Information specified in below fields are related to User Details**.
User Type	Type of user whose limits are displayed.
Party ID	Displays the party id of the retail user.
Full Name	First name and last name of the retail user.
User Name	Displays the retail user's user name.
Touch Point	Name of the touch point of which the limits to be inquired.
Transactions	Name of the transaction of which the limits to be inquired.
View Limits	**Information specified in below fields are related to View Limits**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 8-3 (Cont.) User Management - Edit User - Field Description

Field Name	Description
Transaction Name	Displays the category wise limits allocation for the transaction which is mapped to the retail user as per Touch Point / Transaction selected. This section will be displayed if a limits package with selected touch point and transaction is mapped to the user. The categories are: • **Bank Allocated** • **User Customized** • **Utilized** • **Available** • **Revised Limits**: Specify the new user limit for the transaction. This field is editable.
Transaction Group	Displays the category wise limits allocation for the transaction group which is mapped to the retail user as per Touch Point / Transaction selected. This section will be displayed if a limit package with selected touch point and a transaction group (which has selected transaction) is mapped to the user. The categories are: • **Bank Allocated** • **User Customized** • **Utilized** • **Available** • **Revised Limits**: Specify the new user limit for the transaction. This field is editable.
Channel Group	Displays the category wise limits allocation for the channel group which is mapped to the retail user as per Touch Point / Transaction selected. This section will be displayed if a limit package with touch point group (which has selected touch point) and a transaction is mapped to the user. The categories are: • **Bank Allocated** • **User Customized** • **Utilized** • **Available** **Revised Limits**: Specify the new user limit for the transaction. This field is editable.
Channel and Transaction Group	Displays the category wise limits allocation for the channel and transaction group which is mapped to the retail user as per Touch Point / Transaction selected. This section will be displayed if a limit package with touch point group (which has selected touch point) and a transaction group (which has selected transaction) is mapped to the user. The categories are: • **Bank Allocated** • **User Customized** • **Utilized** • **Available** • **Revised Limits**: Specify the new user limit for the transaction. This field is editable.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 8-3 (Cont.) User Management - Edit User - Field Description

Field Name	Description
Consolidated Limits	Displays the consolidated category wise limits allocation which is mapped to the retail user as per Touch Point / Transaction selected. This section will be displayed if a limit package with Global touch points and a transaction is mapped to the user. The categories are: • **Bank Allocated** • **User Customized** • **Utilized** • **Available** • **Revised Limits**: Specify the new user limit for the transaction. This field is editable.
Consolidated and Transaction Group	Displays the category wise limits allocation for the consolidated and transaction group which is mapped to the retail user as per Touch Point / Transaction selected. This section will be displayed if a limit package with Global touch points and a transaction group (which has selected transaction) is mapped to the user. The categories are: • **Bank Allocated** • **User Customized** • **Utilized** • **Available** • **Revised Limits**: Specify the new user limit for the transaction. This field is editable.
Daily Count	Displays the maximum permitted number of transactions in a day to a retail customer. User can specify the revised daily transaction count limit
Daily Amount	Displays the cumulative amount of transactions in a day for a retail customer. User can specify the revised daily transaction cumulative amount limit.
Monthly Count	Displays the maximum permitted number of transactions in a month to a retail customer. User can specify the revised monthly transaction count limit
Monthly Amount	Displays the cumulative amount of transactions in a month for a retail customer. User can specify the revised monthly transaction cumulative amount limit
Effective Date	The date from which the limit is effective for the transaction. This field is editable.
End Date	End date for the set limits availability on transactions. This field is editable.

5. Perform anyone of the following actions:
   - Click **Edit** to edit the user limits. From the **Touch Point** list, select the appropriate option whose user limits to be modified.
     From the **Transactions** list, select the appropriate option whose user limits to be modified.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
6. Edit the required details.
7. Perform anyone of the following actions:

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Save** to save the changes made to the user limits.

  The **Review** screen appears.
- Click **Cancel** to cancel the transaction.
- Click **Back** to navigate to the previous screen.

8. Perform anyone of the following actions:
   - Verify the details, and click **Confirm**.

     The success message of limits updation appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
9. Click **OK** to complete the transaction.

8.3 FAQ

1. **Can I delete transaction and/ or cumulative group of transactions for which the limits are assigned using this function?**
   No, the transactions and/or group of transactions available in the limit package cannot be deleted or new transaction/transaction group can be added using this maintenance.
2. **Will the changes made in the user's limits will be applicable to all other users whom the same package is mapped?**
   No, the changes made in the limits will be applicable only the user of whom the details are being changed. Other users will continue to enjoy the same limits.
3. **Will the changes made in the user's limits will be effective immediately?**
   The limits will be effective from the date mentioned as 'Effective Date' while updating the limits. If the effective date is current date and day 0 flag is set as 'Next Day' for change in limits applicability. Then the changed limits will be applicable from the next day.
4. **How can I reassure of changing the specific limits, as the screen has lot of information?**
   As a part if user limits change review screen, only the transactions of which the limits are changed are shown on the screen with highlighted values. You can recheck the information and confirm the changes.
5. **Can I make the changes in the limits assigned to corporate users?**
   No, changes cannot be done for the limits assigned to corporate users using this maintenance.

Copyright © 2006, 2026, Oracle and/or its affiliates.

9

Transaction Group Maintenance

This topic describes the information about the **Transaction Group Maintenance** option.


Transaction group maintenance enables the System Administrator to create and maintain group of transactions. Administrator can maintain a transaction group for the purpose of defining consolidated transaction limits. Once limits are assigned at transaction group, these limits acts as collective limit for selected transactions in a group.

For e.g., If the cumulative limit daily (for payment transaction group) is set to GBP 2000, then in a day, customer will be allowed to perform transactions up to GBP 2000 only, spanning across all selected transactions in a group.

Pre-Requisites

- Transaction access is provided to system administrator.
- Approval rule set up for system administrator to perform the actions.
- Transactions are available for grouping.

Figure 9-1 Workflow



Features Supported In Application

The administrator can perform the following actions:

- Create Transaction Group
- Search/ View Transaction Group
- Edit Transaction Group
- Delete Transaction Group

Navigation Path: Perform the following navigation to access the **Transaction Group Maintenance**:

From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Limits**, Under**Limits**, click **Transaction Group Maintenance**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Transaction Group Maintenance - View
  This topic describes the systematic instruction to **Transaction Group Maintenance - View** option.
- Transaction Group Maintenance - Create
  This topic describes the systematic instruction to **Transaction Group Maintenance - Create** option.
- Transaction Group Maintenance - Edit
  This topic describes the systematic instruction to **Transaction Group Maintenance - Edit** option.
- Transaction Group Maintenance - Delete
  This topic describes the systematic instruction to **Transaction Group Maintenance - Delete** option.
- FAQ

9.1 Transaction Group Maintenance - View


This topic describes the systematic instruction to **Transaction Group Maintenance - View** option.

Using this option, System Administrator can search and view details of particular transaction group based on different search parameters like group code or group description. The search results displays a summary of matching transaction groups.
Further, System Administrator can view the details of transaction groups created for the purpose of maintaining limits.

To search and view transaction group:

1. Navigate to the above path.
2. Perform anyone of the following actions:
   - In the **Transaction Group Maintenance** screen appears. Enter the search parameters and click **Search**.
     The **Transaction Group Maintenance** screen with search results appears based on the search criteria.
   - Click **Cancel** to cancel the search process.
   - Click **Clear** to clear the search process.

Figure 9-2 Transaction Group Maintenance - Search



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.


Table 9-1 Transaction Group Maintenance - Search - Field Description

Field Name	Description
Group Code	Search the transaction groups with group code.
Group Description	Search the transaction groups with group description.
Search Results	**Information specified in below fields are related to Search Results**.
Group Code	Group code defined for a Transaction Groups.
Group Description	Group description defined for a Transaction Groups.
No. of Transactions	Number of transactions associated with the transaction groups.

3. Click the **Group Code** link of the record to view the transaction group details.

   The **Transaction Group Maintenance - View** screen appears.

Figure 9-3 Transaction Group Maintenance - View



> **Note**
>
> The fields which are marked as Required are mandatory.

Copyright © 2006, 2026, Oracle and/or its affiliates.

For more information on fields, refer to the field description table.

Table 9-2 Transaction Group Maintenance - View - Field Description

Field Name	Description
Group Code	Group code defined for a Transaction Groups.
Group Description	Group description defined for a Transaction Groups.
Transactions	Displays the transactions which are a part of transaction group.

4. Perform anyone of the following actions:
   - Click **Edit** to add or remove the transactions from the transaction group.
   - Click **Delete** to delete the transaction group.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

9.2 Transaction Group Maintenance - Create

This topic describes the systematic instruction to **Transaction Group Maintenance - Create** option.

Using this option, System Administrator can create a new transaction group and can add multiple transactions to a group. Administrator can create multiple transaction groups. Also can add same transactions as a part of multiple groups.
To create a transaction group:


1. Navigate to the above path.

   The **Transaction Group Maintenance** screen appears.

2. Click **Create**.

   The **Transaction Group Maintenance - Create** screen appears.

Figure 9-4 Transaction Group Maintenance - Create



> **Note**
>
> The fields which are marked as Required are mandatory.

Copyright © 2006, 2026, Oracle and/or its affiliates.

For more information on fields, refer to the field description table.

Table 9-3 Transaction Group Maintenance - Create - Field Description

Field Name	Description
Group Code	Unique group code defined for a Transaction Groups.
Group Description	Group description defined for a Transaction Groups.
Transactions	The list of transactions which are a part of transaction group.

3. In the **Group Code** field, enter the code for the transaction group.
4. In the **Group Description** field, enter the description for the transaction group.
5. Click Select **Transactions**, a transaction drop-down appears with the list of transactions grouped according to the type. Multiple transactions can be selected.

> **Note**
>
> All the transactions for which limit flag is enabled will be displayed according to the type.

6. Add required transactions to group.
7. Perform anyone of the following actions:
   - Click **Save** to save the transaction group details.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
8. Perform anyone of the following actions:
   - The **Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

   The success message of Transaction Group Maintenance saved successfully appears along with the transaction reference number.
9. Click **OK** to complete the transaction.

9.3 Transaction Group Maintenance - Edit

This topic describes the systematic instruction to **Transaction Group Maintenance - Edit** option.

Using this option, System Administrator can update or edit a transaction group by adding / removing the transactions associated with the transaction group for purpose of limit maintenance.


To edit a transaction group:

1. Navigate to the above path.
2. Perform anyone of the following actions:
   - The **Transaction Group Maintenance - Edit** screen appears. Click **Search**. Displays the **Transaction Group Maintenance** screen with search results appears based on the searched criteria.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Cancel** to cancel the search process.
- Click **Clear** to reset the search parameters.


Figure 9-5 Transaction Group Maintenance - Search



3. Click the **Group Code** link of the record to view the transaction group details.

   The **Transaction Group Maintenance - View** screen appears.

Figure 9-6 Transaction Group Maintenance - View




4. Click **Edit** to add or remove the transactions from the transaction group.

   The **Transaction Group Maintenance - Edit** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 9-7 Transaction Group Maintenance - Edit



5. Edit the required details, e.g. Group Description, Transactions.
6. Perform anyone of the following actions:
   - Clicking transaction area, a transaction drop-down appears with the list of transactions grouped according to the type to add a new transaction.
   - Click ✕ icon to delete an existing transaction from the group.
7. Perform anyone of the following to access the Transaction Group Maintenance - Edit:
   - Click **Save** to save the transaction group details.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
8. Perform anyone of the following actions:
   - The **Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
9. The success message Transaction Group Maintenance saved successfully appears along with the Transaction reference number.

   Click **OK** to complete the transaction.

9.4 Transaction Group Maintenance - Delete

This topic describes the systematic instruction to **Transaction Group Maintenance - Delete** option.

Using this option, System Administrator can delete the transaction group.


Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> System Administrator cannot delete the transaction group, if the limits are associated with that group, and it is mapped to the user/ party which is in use.

To delete a transaction group:

1. Navigate to the above path.
2. Perform anyone of the following actions:
   - In the **Transaction Group Maintenance** screen appears. Click **Search**. Displays the **Transaction Group Maintenance** screen with search results appears based on the searched criteria.
   - Click **Cancel** to cancel the search process.
   - Click **Clear** to reset the search parameters.

Figure 9-8 Transaction Group Maintenance - Search




3. Click the **Group Code** link of the record to view the transaction group details.

   The **Transaction Group Maintenance -View** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.


Figure 9-9 Transaction Group Maintenance - View



4. Click **Delete**.

   The **Delete Warning** Pop-up Message appears.

Figure 9-10 Delete Transaction Group



5. Perform anyone of the following actions:
   - Click **Yes** to confirm the deletion.
   - Click **No** to cancel the deletion process.
6. The success message of transaction group deletion appears.

   Click **OK** to complete the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

9.5 FAQ

1. **Can I club one transaction as a part of multiple groups?**
   Yes, one transaction can be clubbed as part multiple groups.
2. **Where can I use these transaction groups?**
   You can define a transaction limits using ‘Limit Package Management’ for these transaction groups.
3. **Can I edit a transaction group which is a part of any limit package?**
   Yes, you can edit the transaction group details if a group is already associated with the limit package.
4. **How the limit will be utilized, if you add a new transaction to the group for which customers have already initiated transactions during the day but before group formation?**
   Limits assigned at individual transaction level will be utilized for the transaction Initiated before the transaction group formation. These limits will not be considered for group limit utilization.
5. **Can I delete a transaction group which is a part of any limit package?**
   No, if a transaction group cannot be deleted if a group is already associated with the limit package.

Copyright © 2006, 2026, Oracle and/or its affiliates.

10

Party Account Access

This topic describes the information about **Party Account Access** option. Using this function system administrator can manage access for Current and Savings Accounts, Term Deposit, Loan accounts (Conventional and Islamic) Credit cards for a Business party.

The System/ Bank Administrator can provide access to accounts held by the party with the bank as available in the core banking application or the respective mid-office application. The system/bank administrator will be able to set up account and transaction access for the Business Parties.

Upon navigating to the specific category tab viz. Demand Deposits, Term Deposits, Loans etc., the administrator can select a global check box of **Map all accounts** to enable all the existing accounts under the selected category for channel banking. If specific accounts are required to be given access then the user needs to select the respective check boxes preceding the account number.


> **Note**
>
> Access Management for Loan Accounts are for accounts fetched from Core Banking System i.e. FCUBS. It is not supported for accounts from Oracle Banking Corporate Loan (OBCL) system.

As part of this maintenance, own accounts and transaction mapping as well as accounts of the linked parties can be mapped to the parent party.

Pre-Requisites

- Party preferences should be created for the party for which access is to be maintained
- Channel Access should be enabled for party for which account access is to be maintained
- Account access maintenance for linked party accounts can be done once there is a party to party linkage maintained.
- Transaction access is provided to Bank Administrator.
- Approval rule set up for Bank Administrator to perform the actions.
- Account access maintenance is performed using the Party + Group Corporate combination, rather than Party alone.

Figure 10-1 Workflow



Copyright © 2006, 2026, Oracle and/or its affiliates.

Features Supported In Application

The following options are available as part of this maintenance:

- Party Account Access - Mapping
- Party Account Access – View
- Party Account Access - Edit
- Party Account Access - Delete

Navigation Path: Perform below navigation to access **Party Account Access**.

- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Access Management** , Under **Access Management** , then click **Party Account Access**.
- Party Account Access - Mapping (Create)
  This topic describes the systematic instruction to **Party Account Access - Mapping (Create)** option.
- Party Account Access- View
  This topic describes the systematic instruction to **Party Account Access- View** feature.
- Party Account Access - Edit
  This topic describes the systematic instruction to **Party Account Access - Edit** option.
- Party Account Access - Delete
  This topic describes the systematic instruction to **Party Account Access - Delete** option.

10.1 Party Account Access - Mapping (Create)

This topic describes the systematic instruction to **Party Account Access - Mapping (Create)** option.

The Bank Administrator gets a request with the list of account(s) and transactions for which access needs to be provided to the party.
To provide the party with account and transaction access:

1. Navigate to one of the above paths.

   The **Party Account Access** screen appears.
2. Perform anyone of the following actions:
   - In the **Party ID** enter the party id of the user.
   - In the **Party Name** field, enter the party name of the user.
3. Click **Search**.

   For a searched party, two sections **Own Account Mapping Summary** and **Linked Party Account Mapping Summary** appears.

   Linked party account mapping will only be available if the selected party has Party to Party Linkage maintained.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to clear the search parameters.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 10-2 Party Account Access - Search





Figure 10-3 Party Account Access - Search Result



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.


Table 10-1 Party Account Access - Search Result - Field Description

Field Name	Description
Modules	Banking Module names.
Total Accounts	Total number of accounts available under the party.
Mapped Accounts	Number of accounts mapped to the particular account type.
Modified Accounts	Number of accounts modified for the particular account type.
Auto Mapped Accounts	Mapping status of the accounts. The options can be: • **Auto**: gives default access to all newly added accounts and transactions of the party as soon as the account is opened in future. • **Manual**: gives specific access to future accounts. The new accounts and transactions need to be mapped explicitly if access needs to be provided
Edit or Map	Click on the icon next to every module or click on Map button to edit party account access

4. If there is no mapping done for a party, the count for the **Mapped Accounts** will be **0**.
5. All the accounts held by the selected party as a relationship with the bank as available in the core banking system or the respective mid-office system will be fetched and displayed in the respective categories i.e. Current and Savings Accounts for both Conventional and Islamic, Credit Card, Term Deposit, Loan accounts.
6. Perform anyone of the following actions:
   - Click **Map** or **Edit** (available across each banking module).
     The **Party Account Access - Create** screen appears.
   - Click **Cancel** to cancel the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 10-4 Party Account Access (Create) – Manage Transaction Group tab



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 10-2 Party Account Access (Create) – Manage Transaction Group tab - Field Description


Field Name	Description
Manage Transaction Group	**Information specified in below fields are related to manage transaction group**.
Modules	Select Banking Module to setup account access.
Select Transaction Groups	Select the Transaction group to map transactions and maintaining access in Account Access screens.
Add Transaction Group	Create a new transaction group by clicking the **ADD** button. **Note:** • A new group can also be created by cloning/copying an existing transaction group • Multiple transaction groups can be created. • Transaction groups of one Group Corporate will be available for selection only for that Group Corporate
Add	Following fields appears in overlay window when user click on **Add** to add new transaction group

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 10-2 (Cont.) Party Account Access (Create) – Manage Transaction Group tab - Field Description

Field Name	Description
Name of Transaction Group	Specify the new transaction group to map transactions. Click **Verify** to check the availability the specific Transaction Group name.

Figure 10-5 Party Account Access (Create) – Map Accounts tab



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 10-3 Party Account Access (Create) – Field Description

Field Name	Description
Map Accounts	**Information specified in below fields are related to map accounts**.
Party	Select the party to map accounts.
Module	Select Banking Module to setup account access.
Auto Map	Mapping status of the accounts. The options can be: • **Auto**: gives default access to all newly added accounts and transactions of the party as soon as the account is opened in future. • **Manual**: gives specific access to future accounts. The new accounts and transactions need to be mapped explicitly if access needs to be provided
Action	Select the action to be done for selected transaction group. The options are: • **Map Transaction Group**: Select Transaction Group, then select the account numbers and then click on Save to map the transaction groups to the selected accounts. Multiple transactions can be mapped • **Unmap**: Select Unmap option, specify the transaction group to be unmapped and then select the accounts. On clicking Save, the selected transaction group will be unmapped from the account/accounts.. **Note:** Only one transaction group can be unmapped at a time. A transaction group can be unmapped from All Accounts or Selected Accounts.
Transaction Group	Select one or multiple transaction group/s to be mapped to the selected accounts. Select one transaction group to be unmapped from the selected account/accounts.
Account Selection	Select the account numbers to be mapped to the Transaction groups. User can select all the accounts available under selected party ID or click on filter and select the specific accounts. **Note:** a. System will show a tag as 'Modified' followed by the transaction group name after the account number. b. System displays the Account Number along with the Account Name, Account Currency, and Branch Code.
Delete Party Mapping	Click on **Delete Party Mapping** to delete all the Transaction and party account access maintenance done for corporate party all at once

7. The **Party Account Access** screen has two tabs. Header of the screen shows the **Group Corporate Name** and **Group ID**.

   The **Manage Transaction Group** tab lists down all the modules, transaction groups created.

8. Navigate and select specific module tab (Including viz. Current and Savings Accounts for both Conventional and Islamic, Credit Card, Term Deposit, Loan accounts, Credit in the first column for which account and transaction access mapping maintenance need to be setup.

9. Perform ayone of the following actions:

Copyright © 2006, 2026, Oracle and/or its affiliates.

- The user can create a new transaction group by clicking the '**ADD**' button. On clicking **Add**, a new overlay will open where all the transactions and inquiries will be listed.

  User can provide a name the group and select the required transactions and inquiries, and click the **Save** button.

- Click **Reset** to clear added details in overlay screen.

10. A new group can also be created by cloning/copying an existing transaction group.

    Once the user selects an existing transaction group, system will populate the screen with the transactions selected in the copied group in editable mode.

    User can select or deselect some of the transactions as per his requirements and create a new group by providing a different transaction group name.

11. There will be one factory shipped Transaction group for each module, which will have all transactions and inquiries grouped together.

    > **Note**
    >
    > Factory shipped user group cannot be deleted or modified.

12. Once the transaction group/s are created, user can map these transaction groups to one or multiple accounts .

    Click on **Map Accounts** tab and select **Party**, then select **Transaction Groups**, select the account numbers and then click on **Save** to map the transaction groups to the selected accounts.

13. Click on the **Transaction Group** link, to view the list of transactions within the mapped transaction group in an overlay.

14. Perform anyone of the following actions:

    - Select **All Accounts** option to map/ unmap transaction groups from all accounts.
    - If specific accounts are required to be mapped, then select the respective check boxes preceding the account number.

15. Once the user maps the accounts, system will show a tag as '**Modified**' followed by the transaction group name after the account number.

16. To map the new accounts, select appropriate option from **Auto Map** toggle button;

    Perform anyone of the following actions:

    - Select **Auto** if you wish to allow access to all future accounts across banking module.
    - Select **Manual** if you wish to explicitly map new accounts and transactions.

17. User can unmap the transaction groups by selecting accounts and then clicking on **Save** button to reset their mapping .

18. User can click on **Delete Party Mapping** to delete all the Transaction and account access maintenance done for corporate party in one step.

19. User can drill down his search by applying **Filter** to search an account basis on the account number, transaction group, account access status, account status and currency

20. Perform anyone of the following actions:

    - The **Review** screen appears. Verify the details, and click **Confirm**.
    - Click **Back** to navigate to the previous screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

The screen with success message appears.

21. Click **OK** to complete the transaction.
    - After following above steps the summary of mapped accounts and transactions available for party.

10.2 Party Account Access- View


This topic describes the systematic instruction to **Party Account Access- View** feature.

The Bank Administrator can view the list of account(s) and transactions for which access has been provided to the party.

To search and view the party account and transaction access:

1. Navigate to **Party Account Access** screen.
2. From the **Mapping Summary of Party** drop-down list, select the party ID.
3. For a searched party, summary screen will be displayed with total accounts associated with corporate party, status of the accounts mapped for the internet banking, modified accounts if any and Auto account mapping status.
4. Perform anyone of the following actions:
    - Click the link under the total **Mapped** accounts or **Modified** accounts.
      The **Party Account Access – View (Transaction Mapping)** screen appears. The search result according to the search criteria appears.
    - Click **Cancel** to cancel the transaction.

Figure 10-6 Party Account Access - Search Result



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.


For more information on fields, refer to the field description table.

Table 10-4 Party Account Access - Search Result - Field Description

Field Name	Description
Mapping Summary of Party	The party for which Party accounts access is being viewed
Modules	Banking Module names.
Total Accounts	Total number of accounts available under the party.
Mapped Accounts	Number of accounts mapped to the particular account type.
Modified Accounts	Number of accounts modified for the particular account type.
Auto Mapped Accounts	Mapping status of the accounts. The options can be: • **Auto**: gives default access to all newly added accounts and transactions of the party as soon as the account is opened in future. • **Manual**: gives specific access to future accounts. The new accounts and transactions need to be mapped explicitly if access needs to be provided
Edit or Map	Click on the icon next to every module or click on Map button to edit party account access

5. If there is no mapping done for a party, the count for the **Mapped Accounts** will be ‘0’.
6. All the accounts held by the selected party as a relationship with the bank as available in the core banking system or the respective mid-office system will be fetched and displayed in the respective categories.

Figure 10-7 Party Account Access - View



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 10-5 Party Account Access - View - Field Description

Field Name	Description
Modules	Display name of the product for which account access is being viewed.
Mapped Accounts	Display Account number associated with party, and the mapped transaction groups • Display account number along with the name, currency and status of the account as Active or Inactive. The mapped transaction group names can also be viewed against each account
Transaction Groups Details	Display the Transaction group details which are mapped to each account of the selected party. The details of the transaction group includes information related to transactions and inquiries.

7. The **Party Account Access** details screen has two sections. First column lists down all the Account numbers mapped with the party, including Status of the account (Active or Inactive) and transaction group name.
8. In the second column, user can view the transaction group details with all the transactions and inquiries access.
9. Click **Cancel** to cancel the transaction.
10. Perform anyone of the following actions:
    - Click **Edit / Map** to update the **Party Account Access** account mapping for new accounts and existing accounts.
    - Click **Cancel** to cancel the transaction.
11. Perform anyone of the following actions:
    - Click **Next** to the next logical step.
    - Click **Submit** to submit the steps performed so far for approval.
    - Click **Retain Draft** to save the details entered as draft
    - Click **Cancel** to cancel the transaction.

10.3 Party Account Access - Edit

This topic describes the systematic instruction to **Party Account Access - Edit** option.


The Bank Administrator gets a request with the list of account(s) and transactions for which access details needs to be edited for the party.
To edit account and transaction access for the party:

1. Navigate to **Party Account Access** screen.
2. From the **Mapping Summary of Party** drop-down list, select the party ID.

Copyright © 2006, 2026, Oracle and/or its affiliates.


3. For a searched party, summary screen will be displayed with total accounts associated with corporate party, status of the accounts mapped for the internet banking, modified accounts if any and Auto account mapping status.
4. Perform anyone of the following actions:
   - Click the link under the total **Mapped** accounts or **Modified** accounts.
     The **Party Account Access – View (Transaction Mapping)** screen appears. The search result according to the search criteria appears.
   - Click **Cancel** to cancel the transaction.
5. If there is no mapping done for a party, the count for the **Mapped Accounts** will be **0**.
6. All the accounts held by the selected party as a relationship with the bank as available in the core banking system or the respective mid-office system will be fetched and displayed in the respective categories.
7. Perform anyone of the following actions:
   - Click **Map or Edit** (available across each banking module). The **Party Account Access - Edit** screen appears.
   - Click **Cancel** to cancel the transaction.

Figure 10-8 Party Account Access - Edit



Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 10-9 Party Account Access - Edit Details



8. The **Party Account Access** screen has two tabs.

   Header of the screen shows the Party ID and Party Name. The manage Transaction Group tab lists down all the modules, transaction groups created.

9. Navigate and select specific module tab (Including viz. Current and Savings Accounts for both Conventional and Islamic, Credit Card, Term Deposit, Loan accounts, in the first column for which account and transaction access mapping maintenance need to be setup.

10. Perform anyone of the following actions:

    - The user can create a new transaction group by clicking the '**ADD**' button. On clicking **Add**, a new overlay will open where all the transactions and inquiries will be listed. User can provide a name the group and select the required transactions and inquiries and click the **Save** button.
    - Click **Reset** to clear added details in overlay screen.

11. A new group can also be created by **Cloning/copying an existing transaction group**. Once the user selects an existing **transaction group**, system will populate the screen with the transactions selected in the copied group in editable mode. User can select or deselect some of the transactions as per requirements and create a new group by providing a different transaction group name.

12. There will be one factory shipped **Transaction group** for each module, which will have all transactions and inquiries grouped together.

> **Note**
>
> Factory shipped user groups cannot be deleted or modified.

Copyright © 2006, 2026, Oracle and/or its affiliates.

13. Perform anyone of the following actions:
    - Once the transaction groups are created, user can select specific module, along with the transaction groups and can select **All Accounts** to map the selected transaction group/s to all the existing accounts under the selected party.
    - If transaction groups need to be mapped to specific accounts, then the user needs to select the respective check boxes preceding the account number.
14. Once the user maps the accounts, system will show a tag as **Modified** followed by the transaction group name after the account number.
15. Perform anyone of the following actions:

    To map the new accounts, select appropriate option from **Auto Map** toggle button;
    - Select **Auto** if you wish to allow access to all future Accounts across banking module.
    - Select **Manual** if you wish to explicitly map new accounts and transactions.
16. User can unmap the transaction groups by selecting accounts and then clicking on **Save** button to reset their mapping with **Group Corporate**.
17. User can click on Delete Party Mapping to delete all the transaction and party account access maintenance done for corporate party in one step.
18. User can drill down his search by applying **Filter** to search an account basis on Transaction Group, currency, mapping status.
19. Perform anyone of the following actions:
    - Click **Save** to save the maintenance, and redirect to the review page.
    - Click **Back** to navigate to the previous screen.

    The screen with success message appears.
20. Click **OK** to complete the transaction.

10.4 Party Account Access - Delete

This topic describes the systematic instruction to **Party Account Access - Delete** option.

As part of this option, own account mapping and/or linked party account mapping can be deleted.

To delete account and transaction access for the party:

1. Navigate to one of the **Party Account Access** screen.

   The **Party Account Access - deleted** screen appears.
2. From the **Mapping Summary of Party** drop-down list, select the party ID.
3. For a searched party, summary screen will be displayed with total accounts associated with corporate party, status of the accounts mapped for the internet banking, modified accounts if any and Auto account mapping status.
4. Perform anyone of the following actions:
    - Click the link under the total **Mapped** accounts or **Modified** accounts.
      The **Party Account Access – View (Transaction Mapping)** screen appears. The search result according to the search criteria appears.
    - All the accounts held by the selected party as a relationship with the bank as available in the core banking system or the respective mid-office system will be fetched and displayed in the respective categories .

Copyright © 2006, 2026, Oracle and/or its affiliates.

5. Perform anyone of the following actions:
   - Click **Map or Edit** (available across each banking module). The **Party Account Access - Edit** screen appears.
   - Click **Cancel** to cancel the transaction.
6. Click on **Delete Party Mapping** to delete all the Transaction and account access maintenance done for corporate party in one-step.

   The application prompt the administrator with a message **Are you sure you want to delete Party Account Access setup for linked Party ID – Party name** with an option of Yes / No.
7. Perform anyone of the following actions:
   - Click **Yes** to proceed with the deletion request.
     It will navigate to confirmation page with a success message and the status.
   - Click **No** if you do not wish to proceed with deletion.

   The success message and the status appear.
8. Click **OK** to complete the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

11

User Account Access

This topic describes the information about the **User Account Access** option.


The system/Bank Administrator can set up account and transaction access for the Business Parties. Further, using this option the System/ Bank Administrator can provide access to accounts and transactions to the users mapped to the respective Business parties. If the user has access to multiple business parties, then the bank administrator can set up the Account access individually for each party and user..

> **Note**
>
> User Account Access is a non-mandatory step. If the Admin does not maintain the user account access for any of the Business users, system will refer to the party account access maintained for the associated party ID.

Pre-requisites

- Account Access should be maintained for the party of the user for which access is to be maintained
- Account Access for the party should be maintained for linked party accounts if the user needs access to linked party accounts.
- Party preferences should be created for the party of the user for which access is to be maintained.
- Channel Access should be enabled for party of the user for which account access is to be maintained.
- Transaction access is provided to Bank Administrator.
- Approval rule set up for Bank Administrator to perform the actions.
- User access is maintained at the Party-GCIF combination level, rather than at the Party level alone.

Figure 11-1 Workflow



Features Supported In Application

The following options are available as part of this maintenance:

Copyright © 2006, 2026, Oracle and/or its affiliates.

- User Account Access - Mapping
- User Account Access – View
- User Account Access - Edit
- User Account Access - Delete

Navigation Path: Perform the following navigation to access the **User Account Access**:

From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Access Management** , Under **Access Management** , then click **User Account Access**.

The **User Account Access** screen appears.

- User Account Access - Mapping (Create)
  This topic describes the systematic instruction to **User Account Access - Mapping (Create)** option.
- User Account Access- View
  This topic describes the systematic instruction to **User Account Access- View** option.
- User Account Access - Edit
  This topic describes the systematic instruction to **User Account Access - Edit** option.
- User Account Access - Delete
  This topic describes the systematic instruction to **User Account Access - Delete** option.

11.1 User Account Access - Mapping (Create)

This topic describes the systematic instruction to **User Account Access - Mapping (Create)** option.


This option lets the administrator to provide account access to specific users of a party.
To provide the user with account and transaction access:

1. Navigate to one of the above paths.

   The **User Account Access - Mapping** screen appears.
2. Perform anyone of the following actions:
   - In the **Party ID** enter the party id of the user.
   - In the **Party Name** field, enter the party name of the user.
   - Click **Search**. The system displays the result based on search criteria.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to clear the search parameters.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 11-2 User Account Access – Search



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 11-1 User Account Access – Search - Field Description


Field Name	Description
Party ID	The party ID to be searched by the Bank Administrator.
Party Name	The name of the party.
Search Result	**Information specified in below fields are related to search result**.
Party ID	The party ID searched by the Bank Administrator.
Party Name	The name of the searched party.

3. Click on the **Party ID**.

   For a searched party, there will be a list of users displayed with information like username, full name of the user and an indicator whether there is an account mapping done for the user.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 11-3 User Account Access Details



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 11-2 User Account Access Details - Field Description

Field Name	Description
Party ID	The party ID to be searched by the Bank Administrator.
Party Name	The name of the party.
User Account Access	**Information specified in below fields are related to user account access.**
User Name	The name of the selected user.
Full Name	The full name of the selected user.
Copy Mapping from User	Select this to inherit and copy account maintenance from already setup user to a new user **Note** For a user whose mapping is not done, select the user whose mapping you wish to copy from the **Copy Mapping from User** drop-down list.


Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 11-2 (Cont.) User Account Access Details - Field Description

Field Name	Description
Status	Displays whether mapping of the accounts is done or not. It can be: • **Created** • **Mapped**

4. Select the user ID and click on **Map** to navigate to **Account Access summary**.
5. For a searched user, summary screen will be displayed with total accounts associated with party of that user, status of the accounts mapped for the internet banking for user, modified accounts if any and Auto account mapping status .

Figure 11-4 User Account Access – Summary



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.


Table 11-3 User Account Access – Summary - Field Description

Field Name	Description
User ID	User ID the user.
User Name	User name of the user.
Mapping Summary of Party	The party for which Party accounts access is being viewed
Modules	Banking module names.
Total Accounts	Total number of accounts available under the party that can be map with user.
Mapped Accounts	Number of accounts mapped to the particular account type of user.
Modified Accounts	Number of accounts modified for the particular account type of user.
Auto Mapped Accounts	Mapping status of the accounts. The options can be: • **Auto**: gives default access to all newly added accounts and transactions of the party as soon as the account is opened in future. • **Manual**: gives specific access to future accounts. The new accounts and transactions need to be mapped explicitly if access needs to be provided
Mapping Summary of Modified Transaction Group	**Information specified in below fields are related to Mapping Summary of Modified Transaction Group**.
Mapping Summary of Modified Transaction Group	
Modules	Banking module names.
Modified Groups	Number of transaction groups modified for the particular module.
Edit or Map	Click on the icon next to every module or click on Map button to edit User account access

6. If there is no mapping done for a user, the count for the **Mapped** Accounts will be **0**.
7. All the accounts held by the selected party as a relationship with the bank as available in the core banking system or the respective mid-office system will be fetched and displayed in the respective categories i.e. Current and Savings Accounts for both Conventional and Islamic, Credit Card, Term Deposit, Loan accounts.
8. Perform anyone of the following actions:
   - User Account Access will inherit the account access setup at the party level for all the parties associated to him (party association will be done at the time of user onboarding in user management screen). The screen will show the inherited Maintenance in **User Account Access** screen. In the **Auto Mapped Accounts** field, toggled **ON** to allow access to all future Accounts across banking module.
   - In the **Auto Mapped Accounts** field, toggled **OFF** to explicitly map new accounts and transactions manually.
9. Click on the **Modified Groups count** link to view the details of transaction groups details.
10. Perform anyone of the following actions:
    - Click **Map or Edit** (available across each banking module). The **User Account Access - Create** screen appears.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.


Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 11-5 User Account Access – Manage Transaction Group Tab



Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 11-6 User Account Access – Map Accounts Tab



For more information on fields, refer to the field description table.

Table 11-4 User Account Access – Map Accounts Tab - Field Description

Field Name	Description
User ID	User ID the user for whom account access in being setup
User Name	User name of the user
Manage Transaction Group Tab	**Information specified in below fields are related to Manage Transaction Group Tab.**
Module	Select Banking Module types available under the selected party to setup account access.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 11-4 (Cont.) User Account Access – Map Accounts Tab - Field Description

Field Name	Description
Select Transaction Groups	Select the Transaction group to map transactions and maintain access in Account Access screens. **Note** a. Transaction groups mapped to the accounts at party level will be shown on this screen. b. In user account access, the accounts can be mapped to the same transaction group to which the accounts are mapped at the party level
Transactions Groups	Search and add the transaction groups.
Map Accounts Tab	**Information specified in below fields are related to Map Accounts Tab.**
Mapping Summary of Party	The corporate party for which user accounts access is being viewed.
Modules	Select Banking Module available under the selected party to setup account access
Apply Party level Changes	Toggle to enable to apply party level changes automatically.
Action	Option to map/unmap the transactions and maintain access in Account Access screens of Transaction Groups. The options are: • **Map Transaction Group** • **Unmap** **Note** Only one transaction group can be unmapped at a time. A transaction group can be unmapped from All Accounts or Selected Accounts.
Transaction Groups	Select one or multiple Transaction group/s to map transactions and maintain access in Account Access screens. **Note** a. Transaction groups mapped to the accounts at party level will be shown on this screen. b. In user account access, the accounts can be mapped to the same transaction group to which the accounts are mapped at the party level

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 11-4 (Cont.) User Account Access – Map Accounts Tab - Field Description

Field Name	Description
Account Selection	Select accounts to map the transaction groups. The options are: • **All Accounts** • **Selected Accounts** **Note** System will show a tag as 'Modified' followed by the transaction group name after the account number
All Accounts	Click to select all the accounts available under the selected module.
Selected Accounts	**Information specified in below fields are related to Selected Accounts**.
Selected Accounts	Select the desired accounts to map the transaction group. System displays the Account Number along with the Account Name, Account Currency, and Branch Code.
Number of Accounts Selected	Number of accounts selected under the particular module.
Delete Party Mapping	Click on **Delete Party Mapping** to delete all the Transaction and account access maintenance done for corporate users in one step.

11. In the **Manage Transaction Group** Tab;
    a. Select specific **module** tab (Including viz. Current and Savings Accounts for both Conventional and Islamic, Credit Card, Term Deposit, Loan accounts for which account and transaction access mapping maintenance need to be setup.
    b. Click on the icon to search & select the Transaction group/s under selected module.

       User can modify the transaction group other than the factory shipped to select or deselect the transaction access.
    c. Click on the **Transaction Group** link, the **Transaction Group Details overlay** screen appears.

       Click **Edit to modify** the transaction/ inquires.

       Click **Save** to save the changes.
12. In the **Map Accounts** Tab;
    a. From the **Module** list, select the factory shipped Transaction group under selected module which will have all transactions and inquiries grouped together.

       Note

       Factory shipped user group cannot be deleted or modified.
    b. In the **Apply Party Level Changes** field, toggle to enable to apply party level changes automatically.
    c. In **Action** field, select the desired option to map/ unmap the Transaction Group.

Copyright © 2006, 2026, Oracle and/or its affiliates.

d. If the **Map Transaction Group** option is selected;

e. In the **Transaction Group**s list, select the transaction Group/s to map / unmap from the drop-down list.

f. In **Account Selection** field, select the option to map the transaction groups to all the accounts or specific accounts.

g. Once the transaction group/s are created, user can map these transaction groups to one or multiple accounts . Click on **Map Accounts** tab and select Party, then select Transaction Groups, select the account numbers and then click on **Save** to map the transaction groups to the selected accounts.

h. Click on the **Transaction Group link**, to view the list of transactions within the mapped transaction group in an overlay.

i. Perform anyone of the following actions:

- Select **All Accounts** option to map/unmap transaction groups from all accounts.
- If specific accounts are required to be mapped, then select the respective check boxes preceding the account number.

13. Once the user maps the accounts, system will show a tag as **Modified** followed by the transaction group name after the account number.
14. Perform anyone of the following actions:
    - To map the new accounts, select appropriate option from Auto Map toggle button; Select Auto if you wish to allow access to all future Accounts across banking module.
    - Select **Manual** if you wish to explicitly map new accounts and transactions.
15. Once the user maps the accounts, system will show a tag as **Modified** followed by the transaction group name after the account number.
16. If the **Unmap** option is selected;
    - User can unmap the accounts by selecting accounts and then clicking on **Unmap** button to reset their mapping with Group Corporate.
17. User can click on **Delete Party Mapping** to delete all the Transaction and account access maintenance done for corporate user in one step.
18. Click on the icon to further drill down by applying new sear criteria in Filter overlay screen on basis of Account Number, Transaction Group, Currency, Mapping Status.
19. Perform anyone of the following actions:
    - The **Review** screen appears.
      Verify the details, and click **Submit**.
    - Click **Back** to navigate to the previous screen.

> **Note**
>
> Admin can submit the maintenance after any step. Maintenances saved so far will be sent for approval in one flow. Admin would not be able to make any changes or maintain another step for the same Group Corporate till the time the approval of the wizard is not done.

20. The screen with success message appears along with the transaction reference number.

Copyright © 2006, 2026, Oracle and/or its affiliates.

11.2 User Account Access- View

This topic describes the systematic instruction to **User Account Access- View** option.


The Bank Administrator can view the list of account(s) and transactions for which access has been provided to the user.
To view the account and transaction access:

1. Navigate to one of the above paths.

   The **User Account Access** screen appears.

2. Perform anyone of the following actions:
   - In the **Party ID** enter the party id of the user.
   - In the **Party Name** field, enter the party name of the user.
   - Click **Search**. The system displays the result based on search criteria.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to clear the search parameters.

Figure 11-7 User Account Access – Search



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.


Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 11-5 User Account Access – Search - Field Description

Field Name	Description
Party ID	The party ID to be searched by the Bank Administrator.
Party Name	The name of the party.
Search Result	**Information specified in below fields are related to Search Result**.
Party ID	The party ID searched by the Bank Administrator.
Party Name	The name of the searched party.

3. Displays the information like user ID, contact details of the user and an indicator whether there is an account mapping done for the user.

Figure 11-8 User Account Access Details



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 11-6 User Account Access Details - Field Description

Field Name	Description
Party ID	The party ID to be searched by the Bank Administrator.

Copyright © 2006, 2026, Oracle and/or its affiliates.


Table 11-6 (Cont.) User Account Access Details - Field Description

Field Name	Description
Party Name	The name of the party.
User Account Access	**Information specified in below fields are related to user account access**.
User Name	The name of the selected user.
Full Name	The full name of the selected user.
Copy Mapping from User	Select this to inherit and copy account maintenance from already setup user to a new user **Note** For a user whose mapping is not done, select the user whose mapping you wish to copy from the **Copy Mapping from User** drop-down list.
Status	Displays whether mapping of the accounts is done or not. It can be: • **Created** • **Mapped**

4. For a searched user, summary screen will be displayed with total accounts associated with corporate party of that user, status of the accounts mapped for the internet banking for user, modified accounts if any and Auto account mapping status .

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 11-9 User Account Access – Summary Results



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 11-7 User Account Access - Summary Results - Field Description

Field Name	Description
User ID	User ID the corporate user
User Name	User name of the corporate user
Mapping Summary of Party	The corporate party for which Party accounts access is being viewed
Modules	Banking Module names
Total Accounts	Total number of accounts available under the party that can be map with corporate user.
Mapped Accounts	Number of accounts mapped to the particular account type of corporate user.
Modified Accounts	Number of accounts modified for the particular account type of corporate user.


Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 11-7 (Cont.) User Account Access - Summary Results - Field Description

Field Name	Description
Auto Mapped Accounts	Mapping status of the accounts. The options can be: • **Auto**: gives default access to all newly added accounts and transactions of the party as soon as the account is opened in future. • **Manual**: gives specific access to future accounts. The new accounts and transactions need to be mapped explicitly if access needs to be provided
Edit or Map	Click on the icon next to every module or click on **Map** button to edit User account access

5. If there is no mapping done for a party, the count for the **Mapped Accounts** will be **0**.
6. All the accounts held by the selected party as a relationship with the bank as available in the core banking system or the respective mid-office system will be fetched and displayed in the respective categories.

Figure 11-10 User Account Access – View



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 11-8 User Account Access - View - Field Description

Field Name	Description
Modules	Display name of the product for which account access is being viewed.
Mapped Transaction Group	Display the transaction groups selected to setup the user account access.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 11-8 (Cont.) User Account Access - View - Field Description

Field Name	Description
Transaction Groups Details	Display the Transaction group details with which user account access is maintained along with transaction and inquiries mapped to it.

7. The **User Account Access** details screen has two section.

   First section displays the lists down all the transaction groups mapped.

8. In the second column, user can view the transaction group details with all the transactions and inquiries access.

9. Perform anyone of the following actions:

   - Click **Edit / Map** to update the User Account Access account mapping for new accounts and existing accounts.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

11.3 User Account Access - Edit

This topic describes the systematic instruction to **User Account Access - Edit** option.

The Bank Administrator gets a request with the list of account(s) and transactions for which access details needs to be edited for a selected user of the party.
To edit account and transaction access for the user:

1. Navigate to one of the above paths.

   The **User Account Access** screen appears.

2. Perform anyone of the following actions:

   - In the **Party ID** enter the party id of the user.
   - In the **Party Name** field, enter the party name of the user.

3. Click **Search**.

   The system displays the result based on search criteria.
   For a searched user, summary screen will be displayed with total accounts associated with corporate party of that user, status of the accounts mapped for the internet banking for user, modified accounts if any and Auto account mapping status .

4. Select the user ID and click on **Map** to navigate to **Account Access summary**.

5. From the **Mapping Summary of Party** dropdown list, select the corporate party ID.

6. For a searched user, summary screen will be displayed with total accounts associated with corporate party of that user, status of the accounts mapped for the internet banking for user, modified accounts if any and Auto account mapping status .

7. Perform anyone of the following actions:


   - Click the link under the total **Mapped** accounts or **Modified** accounts.
     The **User Account Access – View (Transaction Mapping)** screen appears. . The search result according to the search criteria appears.
   - Click **Cancel** to cancel the transaction.

8. If there is no mapping done for a user, the count for the **Mapped Accounts** will be **0**.

Copyright © 2006, 2026, Oracle and/or its affiliates.


9. All the accounts held by the selected user as a relationship with the bank as available in the core banking system or the respective mid-office system will be fetched and displayed in the respective categories.
10. Perform anyone of the following actions:
    - Click **Map** or **Edit** (available across each banking module). The **User Account Access - Edit** screen appears.
    - Click **Cancel** to cancel the transaction.

Figure 11-11 User Account Access – Search & Search Result




Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 11-12 User Account Access – Summary




Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 11-13 User Account Access – Manage Transaction Group



Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 11-14 User Account Access – Map Accounts Group



11. The **User Account Access** screen has four section.

    Header of the screen shows the Party ID and Party Name. First column lists down all the modules in tabular form, second column list down the **transaction groups** and third column list down banking module wise **account number**.

12. Navigate and select specific **module** tab (Including viz. Current and Savings Accounts for both Conventional and Islamic, Credit Card, Term Deposit, Loan accounts). In the first column for which account and transaction access mapping maintenance need to be setup.

13. In the second column, There will be one factory shipped **Transaction group** for each module, which will have all transactions and inquiries grouped together.

> **Note**
>
> Factory shipped user group cannot be deleted or modified.

14. Perform anyone of the following actions:

    - Once the transaction groups are created, user can select specific module, along with the transaction groups and can select **All Accounts**to map the selected transaction group/s to all the existing accounts under the selected party.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- If transaction groups need to be mapped to specific accounts, then the user needs to select the respective check boxes preceding the account number.

15. Once the user maps the accounts, system will show a tag as **Modified** followed by the transaction group name after the account number.
16. To map the new accounts, select appropriate option from **Auto Map** toggle button;

    Perform anyone of the following actions:

    - Select **Auto** if you wish to allow access to all future Accounts across banking module.
    - Select **Manual** if you wish to explicitly map new accounts and transactions.
17. User can **Unmap** the transaction groups by selecting accounts, and then clicking on **Save** button to reset their mapping with **Group Corporate**.
18. User can click on **Delete Party Mapping** to delete all the Transaction and account access maintenance done for corporate user in one step.
19. User can drill down his search by applying Filter to search an account basis on Transaction Group, currency, mapping status.

> **Note**
>
> Admin can submit the maintenance after any step. Maintenances saved so far will be sent for approval in one flow. Admin would not be able to make any changes or maintain another step for the same Group Corporate till the time the approval of the wizard is not done.

20. Perform anyone of the following actions:
    - The **Review** screen appears. Verify the details, and click .
    - Click **Cancel** to cancel the transaction.
21. The success message of appears along with the transaction reference number.

11.4 User Account Access - Delete

This topic describes the systematic instruction to **User Account Access - Delete** option.

The Bank Administrator gets a request with the user information of a party for which access details needs to be deleted. As part of this option, own account mapping and/or linked party account mapping can be deleted for a user.
To delete account and transaction access for the user:

1. Navigate to one of the above paths.

   The **User Account Access** screen appears.
2. Perform anyone of the following actions:
   - In the **Party ID** enter the party id of the user.
   - In the **Party Name** field, enter the party name of the user.
3. Click **Search**.


   The system displays the result based on search criteria.
   For a searched user, summary screen will be displayed with total accounts associated with corporate party of that user, status of the accounts mapped for the internet banking for user, modified accounts if any and Auto account mapping status .

Copyright © 2006, 2026, Oracle and/or its affiliates.

4. Select the user ID and click on **Map** to navigate to **Account Access summary**.
5. From the **Mapping Summary of Party** dropdown list, select the corporate party ID.
6. For a searched user, summary screen will be displayed with total accounts associated with corporate party of that user, status of the accounts mapped for the internet banking for user, modified accounts if any and Auto account mapping status .
7. Perform anyone of the following actions:
   - Click the link under the total **Mapped** accounts or **Modified** accounts.
     The **User Account Access – View (Transaction Mapping)** screen appears. The search result according to the search criteria appears.
   - Click **Cancel** to cancel the transaction.
8. User can click on **Delete Party Mapping** to delete all the Transaction and account access maintenance done for business user in one step.

   The **Delete party Mapping** screen appears.

Figure 11-15 User Account Access – Delete party Mapping



9. Perform any one of the following to access the Delete party Mapping.
   - Click **Yes** to delete the party mapping.
   - Click **No** to cancel the process.
10. Click **OK** to complete the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

12

Party Resource Access

This topic describes the information about **Party Resource Access** feature.


Using this maintenance, the System/ Bank Administrator can provide access to Virtual Account Management Resource **Remitter List**. The Party Resource Access screen lists the remitter IDs for the selected Corporate.

The administrator can select a global check box of **Map All Remitter List** to enable all the existing remitter list under the party for channel banking. If specific remitters are required to be given access then the user needs to select the respective check boxes preceding the remitter ID.

Pre-Requisites

- Party preferences should be created for the party for which access is to be maintained
- Channel Access should be enabled for party for which resource access is to be maintained
- Transaction access is provided to Bank Administrator.
- Approval rule set up for Bank Administrator to perform the actions.

Figure 12-1 Workflow



Features Supported In Application

The following options are available as part of this maintenance:

- Party Resource Access - Mapping
- Party Resource Access – View
- Party Resource Access - Edit
- Party Resource Access - Delete

1. From **Dashboard**, click **OnBoarding**, then click **Party Preferences**.
2. From **Dashboard**, click **Party Preferences**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- From **System Administrator Dashboard**, under **Resource Access**, click **Party Resource Access**.
- From **System/ Bank Administrator Dashboard**, click **Toggle menu**, then click **Menu** and then click **Access Management**, Under the **Access Management** , click **Resource Access**, then click **Party Resource Access**.
- Party Resource Access - Mapping (Create)
  This topic describes the systematic instruction to **Party Resource Access - Mapping (Create)** option.
- Party Resource Access- View
  This topic describes the systematic instruction to **Party Resource Access- View** option.
- Party Resource Access - Edit
  This topic describes the systematic instruction to **Party Resource Access - Edit** feature.
- Party Resource Access - Delete
  This topic describes the systematic instruction to **Party Resource Access - Delete** option.

12.1 Party Resource Access - Mapping (Create)


This topic describes the systematic instruction to **Party Resource Access - Mapping (Create)** option.

The Bank Administrator gets a request with the Virtual Account Management Remitter list for which access needs to be provided to the party.
To provide the party with remitters access:

1. Navigate to one of the above paths.

   The **Party Resource Access - Mapping (Create)** screen appears.
2. Perform anyone of the following actions:
   - In the **Party ID** enter the party id of the user.
   - In the **Party Name** field, enter the party name of the user.
3. Perform anyone of the following actions:
   - Click **Search**. For a searched party, **Remitter List Mapping Summary** appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to clear the search parameters.

Figure 12-2 Party Resource Access - Search



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.


For more information on fields, refer to the field description table.

Table 12-1 Party Resource Access - Search - Field Description

Field Name	Description
Party ID	The party id searched by the bank administrator.
Party Name	The name of the party.
Module Name	The name of the module. Only Virtual Account Management (Remitter List) is supported.

4. If there is no mapping done for a party, there will be a message **No Remitter List mapped with Map** button.
5. Perform anyone of the following actions:
   - Click **Map**. The **Party Resource Access - Create** screen appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

Figure 12-3 Party Resource Access - Create



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 12-2 Party Resource Access - Create - Field Description

Field Name	Description
Party ID	The party id searched by the bank administrator.
Party Name	The name of the party.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 12-2 (Cont.) Party Resource Access - Create - Field Description


Field Name	Description
Module Name	The name of the module.
Remitter List Mapping	**Information specified in below fields are related to remitter list mapping**.
Map All Remitter List	Mapping all the existing remitter list IDs to enable for channel banking.
Remitter List ID	List of remitter IDs present for the selected party.
Remitter List Name	Name of the remitter list available under the party.
Status	Status of the remitter list.
New Remitter List Mapping	Mapping of the remitters. The options can be: • **Auto**: gives default access to the all future newly added remitter list IDs and transactions of the party • **Manual**: gives specific access to future remitter list IDs. This is to explicitly map new remitter lists and transactions if access needs to be provided.

6. All the Remitter List IDs of the selected party as a relationship with the bank as available in the VAM mid-office system will be fetched and displayed.
7. Perform anyone of the following actions:
   - Select a global check box of **Map All Remitter List** to enable all the existing remitters for channel banking (on screen, it will serve as a **Select All** function).
   - If specific remitter list IDs are required to be given access then the user needs to select the respective check boxes preceding the remitter ID.
8. To map the new remitters list, select appropriate option from **New Remitter List Mapping** field;

   Perform anyone of the following actions:
   - Select **Auto** if you wish to allow access to all future Remitter List.
   - Select **Manual** if you wish to explicitly map new remitter list and transactions.
9. Perform anyone of the following actions:
   - Click **Next**. The **Party Resource Access - Create** (Transaction Mapping) screen appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 12-4 Party Resource Access - Transaction Mapping - Create



10. To **map** the transactions to the remitter ID.

    click icon against the particular remitter list ID to view the transaction mapping.

11. Select the respective check boxes preceding the transaction to be mapped.
    - Select **Map All Transactions**, if you want to map all the transactions to all remitter lists.

12. Perform anyone of the following actions:
    - Click **Save** to save the changes.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.

13. Perform anyone of the following actions:
    - The **Party Resource Access - Review** screen appears. Verify the details, and click **Confirm**.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.

    The screen with success message appears along with the reference number and status of the transaction.

14. Click **OK** to complete the transaction.

12.2 Party Resource Access- View

This topic describes the systematic instruction to **Party Resource Access- View** option.

The Bank Administrator can view the remitter lists and transactions under each remitter list ID for which access has been provided to the party.

Table 12-3 Field Description

Field Name	Description
Party ID	Party Id of the corporate user.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 12-3 (Cont.) Field Description

Field Name	Description
Party Name	Party name of the corporate user.


To view the remitter and transaction access:

1. Navigate to one of the above paths.

   The **Party Resource Access- View** screen appears.

2. Perform anyone of the following actions:
   - In the **Party ID** field, enter the party id of the user.
   - In the **Party Name** field, enter the party name of the user.
3. Perform anyone of the following actions:
   - Click **Search**. For a searched party, **Remitter List Mapping Summary** appears that provides details of the Total no. of Remitter List IDs and the number of Remitter List IDs mapped.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to reset the details.

Figure 12-5 Party Resource Access - Search



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 12-4 Party Resource Access - Search - Field Description

Field Name	Description
Party ID	The party id searched by the bank administrator.
Party Name	The name of the party.
Module Name	The name of the module.


Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 12-4 (Cont.) Party Resource Access - Search - Field Description

Field Name	Description
Remitter List Mapping Summary	Click on **Resource Type** to view the respective mapping details.
Resource Type	The resource types available under the party for the selected module. Resource type for Virtual Account Management module is Remitter List.
Total Number of Remitter Lists	Total number of remitter lists available under the party.
Number of Remitter Lists Mapped	Number of remitter lists mapped to the party.

4. Perform anyone of the following actions:
   - Click the **Remitter List** link, which will navigate to the view page.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

Figure 12-6 Party Resource Access – View



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 12-5 Party Resource Access – View - Field Description

Field Name	Description
Remitter List Mapping	**Information specified in below fields are related to remitter list mapping**.


Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 12-5 (Cont.) Party Resource Access – View - Field Description

Field Name	Description
Map All Remitter List	Mapping all the remitters of the VAM module to enable for channel banking.
Remitter List ID	List of remitter IDs present in a particular resource type.
Remitter List Name	Name of the remitter list available under the party.
Status	Status of the remitter list.
New Remitter List Mapping	Mapping of the remitters. The options can be: • **Auto**: gives default access to the all future newly added remitter lists and transactions of the party • **Manual**: gives specific access to future remitter lists. This is to explicitly map new remitter lists and transactions if access needs to be provided

5. Perform anyone of the following actions:
   - Click **Next**. The **Party Resource Access - View** screen to view the selected remitter lists and transactions enabled for the selected remitter lists appears.
   - Click **Edit** to modify the remitter list mapping.
   - Click **Delete** to delete the Party Resource Access setup.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

Figure 12-7 Party Resource Access - Transaction Mapping- View



6. Perform anyone of the following actions:
   - Click icon against the particular Remitter List to view the mapped transactions.
   - Click **Edit** to update transaction mapping

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Cancel** to cancel the transaction.
- Click **Back** to navigate to the previous screen.

12.3 Party Resource Access - Edit

This topic describes the systematic instruction to **Party Resource Access - Edit** feature.

The Bank Administrator gets a request with the list of remitter lists and transactions under each Remitter List for which access details needs to be edited for the party.
To edit remitter lists and transaction access for the party:


1. Navigate to one of the above paths.

   The **Party Resource Access - Edit** screen appears.
2. Perform anyone of the following actions:
   - In the **Party ID** field, enter the party id of the user.
   - In the **Party Name** field, enter the party name of the user.
3. Perform anyone of the following actions:
   - Click **Search**. For a searched party, **Remitter List Mapping Summary** appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to reset the details.
4. If there is no mapping done for a party , the message No **Resource mapped for the party** with **Map** option appears.
5. Click the **Remitter Type** link to view/edit the details.

   The **Party Resource Access- View** screen appears.
6. Perform anyone of the following actions:
   - Click **Edit**. The **Party Resource Access - Edit** screen appears.
     This enables the selection and de-selection option against the Remitter List IDs and allows changing the map remitters from Auto to Manual and vice-versa.
   - Click **Next** to go to the next tab (Transaction Mapping).
   - Click **Delete** to delete the Party Resource Access setup.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 12-8 Party Resource Access - Remitter List Mapping - Edit



7. To map the new resources (remitter lists), select appropriate option from **New Remitter List Mapping** field;

   Perform anyone of the following actions:

   - Select **Auto** if you wish to allow access to all future remitter list.
   - Select **Manual** if you wish to allow specific access to all future remitter list.

8. Perform anyone of the following actions:


   - Select the respective check boxes preceding the **Remitter List ID** to be mapped.
   - Select **Map All Remitter** List, if you want to map all the remitters.

9. Perform anyone of the following actions:

   - Click **Next**.The **Party Resource Access - Edit** screen with mapped transaction - to the remitter appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 12-9 Party Resource Access - Transaction Mapping - Edit



10. To map the transactions to the Remitter lists, click against the particular remitter list ID to view the transaction mapping.
11. Perform anyone of the following actions:
    - Select the respective check boxes preceding the transaction to be mapped.
    - Select **Map All Transactions**, if you want to map all the transactions to all remitter list IDs.
12. Perform anyone of the following actions:
    - Click **Save** to save the changes.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.
13. Perform anyone of the following actions:
    - The **Party Resource Access - Review** screen appears. Verify the details, and click **Confirm**.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.

    The screen with success message appears along with the reference number and status of the transaction.
14. Click **OK** to complete the transaction.

12.4 Party Resource Access - Delete

This topic describes the systematic instruction to **Party Resource Access - Delete** option.

As part of this option, remitter list mapping and /transaction mapping can be deleted.
To delete remitter list and transaction access for the party:

Copyright © 2006, 2026, Oracle and/or its affiliates.

1. Navigate to one of the above paths.

   The **Party Resource Access** screen appears.

2. Perform anyone of the following actions:
   - In the **Party ID** enter the party id of the user.
   - In the **Party Name** field, enter the party name of the user.

3. Perform anyone of the following actions:
   - Click **Search**.
     For a searched party, **Remitter List Mapping Summary** section appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to reset the details.

4. If there is no mapping done for a party (own/ linked), the message **No Remitters mapped for the party** with **Map option** appears.

5. Click the **Remitter List** link to view/delete the details.

   The **Party Resource Access - View** screen appears.

6. Click **Delete**.
   - The application prompt the administrator with a message **Are you sure you want to delete Remitter List Mapping setup for Party ID – Party name** with an option of **Yes / No**.

7. Perform anyone of the following actions:
   - Click **Yes** to proceed with the deletion request. It will navigate to confirmation page with a success message and the status.
   - Click **No** if you do not wish to proceed with deletion.

   The success message and the status appears.

8. Click **OK** to complete the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

13

User Resource Access


This topic describes the systematic instruction to **User Resource Access** option.

Using this option the System/ Bank Administrator can set up remitter list mapping and transaction access for user(s) of the corporate party. This maintenance can be done only after the Party Resource Access is setup for the party of the user(s).

Pre-Requisites

- Resource Access should be maintained for the party of the user for which access is to be maintained
- Party preferences should be created for the party of the user for which access is to be maintained
- Channel Access should be enabled for party of the user for which resource access is to be maintained
- Transaction access is provided to Bank Administrator.
- Approval rule set up for Bank Administrator to perform the actions.

Figure 13-1 Workflow



Features Supported In Application

The following options are available as part of this maintenance:

- User Resource Access - Mapping
- User Resource Access – View
- User Resource Access - Edit
- User Resource Access - Delete

Navigation Path: Perform any one of the following navigation to access the **User Resource Access**:

- From **Bank Administrator Dashboard**, under **Resource Access**, click **User Resource Access**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Access Management** , Under **Access Management** , click **Resource Access**, then click **User Resource Access**.
- User Resource Access - Mapping (Create)
  This topic describes the systematic instruction to **User Resource Access - Mapping (Create)** option.
- User Resource Access- Search
  This topic describes the systematic instruction to **User Resource Access- Search** option.
- User Resource Access - Edit
  This topic describes the systematic instruction to **User Resource Access - Edit** option.
- User Resource Access - Delete
  This topic describes the systematic instruction to **User Resource Access - Delete** option.

13.1 User Resource Access - Mapping (Create)


This topic describes the systematic instruction to **User Resource Access - Mapping (Create)** option.

This option allows the administrator to provide access to specific users of a party.
To provide the user with account and transaction access:

1. Navigate to one of the above paths.


   The **User Resource Access - Mapping** screen appears.
2. Perform anyone of the following actions:
   - In the **Party ID** enter the party id of the user.
   - In the **Party Name** field, enter the party name of the user.
3. Perform anyone of the following actions:
   - Click **Search**.
     For a searched party, there will be a list of users displayed with information like user ID, full name of the user and initials of the user.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to clear the search parameters.

Figure 13-2 User Resource Access – Search



Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 13-3 User Resource Access - Search Result



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 13-1 User Account Access - Search Result - Field Description

Field Name	Description
Party ID	The party ID searched by the Bank Administrator.
Party Name	The name of the party.
Search Result	**Information specified in below fields are related to Search Result.**
Initials	Initials of the selected user.
User Name	User name of the selected user.
Full Name	Full name of the selected user.


4. Perform anyone of the following actions:
   - Click the **User Name** link against the user record for which you want to create the mapping.
     The **User Resource Access – Mapping Summary** screen appears.
   - Click **Cancel** to cancel the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Back** to navigate to the previous screen.

5. If there is no mapping done for the user for a party, there will be a message **No Remitter List mapped** with **Map** button.
6. If the access for the party to which the user belongs to is not done, then there will be no **Map** button

Figure 13-4 User Resource Access – Summary Page



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.


Table 13-2 User Resource Access – Summary Page - Field Description

Field Name	Description
Party ID	The party ID searched by the Bank Administrator.
Party Name	The name of the party.
User ID	User ID of the selected user.
User Name	User name of the selected user
Module Name	The name of the module. Only Virtual Account Management (Remitter List) is available.
Remitter List Mapping Summary	

7. Perform anyone of the following actions:
   - Click **Map**.
     The **User Resource Access - Create** screen appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 13-5 User Resource Access - Create



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 13-3 User Resource Access - Create - Field Description

Field Name	Description
Party ID	The party ID searched by the Bank Administrator.
Party Name	The name of the party.
User ID	User ID of the selected user.
User Name	User name of the selected user
Module Name	The name of the module.
Remitter List Mapping	**Information specified in below fields are related to Remitter List Mapping**.
Apply Party Level Changes Automatically	User will get access to remitters that are allowed/ disallowed at the party level.
Map All Remitter List	Mapping all the remitters of the VAM module to the existing resource.
Remitter List ID	List of remitter IDs present in a particular resource type.
Remitter List Name	Name of the remitter list available under the party.
Status	Status of the remitter access for the party


8. All the remitters held by the selected party as a relationship with the bank as available in the core banking system will be fetched and displayed.
9. Perform anyone of the following actions:
   - Select a global check box of **Map All Remitter** List to enable all the existing remitters for channel banking (on screen, it will serve as a **Select All** function).

Copyright © 2006, 2026, Oracle and/or its affiliates.

- If specific remitter is required to be given access to the user, then the bank administrator needs to select the respective check boxes preceding the remitter ID.

10. Select **Apply Party Level Changes Automatically** to automatically apply the party changes.
11. Perform anyone of the following actions:
    - Click **Next**.
      The **User Resource Access - Create** (Transaction Mapping) screen appears.
    - Click **Back** to navigate to the previous screen.
    - Click **Cancel** to cancel the transaction.

Figure 13-6 User Resource Access - Transaction Mapping - Create



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 13-4 User Resource Access - Transaction Mapping - Field Description

Field Name	Description
Party ID	The party ID searched by the Bank Administrator.
Party Name	The name of the party.
User ID	User ID of the selected user.
User Name	User name of the selected user
Module Name	The name of the module.
Transaction Mapping	**Information specified in below fields are related to Transaction Mapping**.

Copyright © 2006, 2026, Oracle and/or its affiliates.


Table 13-4 (Cont.) User Resource Access - Transaction Mapping - Field Description

Field Name	Description
Map All Transactions to All Remitter List	Mapping all the transactions to all the remitter list.
Remitter List ID	List of remitter IDs present in a particular resource type.
Remitter List Name	Name of the remitter list available under the party.
Status	Status of the remitter access for the party

12. To **map** the transactions to the account.

    click ▶ icon against the particular remitter ID to view the transaction mapping.

Figure 13-7 User Resource Access - Transaction Mapping (Map Transaction) - Create



13. Perform anyone of the following actions:
    - Select the respective check boxes preceding the transaction to be mapped.
    - Select **Map All Transactions**, if you want to map all the transactions to all accounts.
14. Select **Apply Party Level Changes Automatically** to automatically apply the party changes.
15. Perform anyone of the following actions:
    - Click **Save**.

      The **User Resource Access - Review** screen appears.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

16. Perform anyone of the following actions:
    - Verify the details, and click **Confirm**.

      The screen with success message appears along with the reference number and status of the transaction.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.
17. Click **OK** to complete the transaction.

13.2 User Resource Access- Search

This topic describes the systematic instruction to **User Resource Access- Search** option.


The Bank Administrator can view the list of remitter(s) and transactions for which access has been provided to the user.
To view the remitter and transaction access:

1. Navigate to one of the above paths.

   The **User Resource Access - Search** screen appears.
2. Perform anyone of the following actions:
    - In the **Party ID** enter the party id of the user.
    - In the **Party Name** field, enter the party name of the user.
3. Perform anyone of the following actions:
    - Click **Search**.
      For a searched party, there will be a list of users displayed with information like user ID, full name of the user and initials of the user.
    - Click **Cancel** to cancel the transaction.
    - Click **Clear** to clear the search parameters.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 13-8 User Resource Access - Search Result



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 13-5 User Account Access - Search Result - Field Description


Field Name	Description
Party ID	The party ID searched by the Bank Administrator.
Party Name	The name of the party.
Search Result	**Information specified in below fields are related to Search Result.**
Initials	Initials of the selected user.
User Name	User name of the selected user.
Full Name	Full name of the selected user.

4. Perform anyone of the following actions:
   - Click the **User Name** link against the user record for which you want to view the details.
     The **User Resource Access – Mapping Summary** screen appears.
   - Click **Cancel** to cancel the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Clear**, if you want to reset the search parameters.

Figure 13-9 User Resource Access – Summary Page



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.


Table 13-6 User Resource Access – Summary Page - Field Description

Field Name	Description
Party ID	The party ID searched by the Bank Administrator.
Party Name	The name of the party.
User ID	User ID of the selected user.
User Name	User name of the selected user
Module Name	The name of the module.
Remitter List Mapping	**Information specified in below fields are related to Remitter List Mapping**.
Resource Type	The resource types available under the party. The resource type can be: • **Remitter List**
Total Number of Remitter Lists	Total number of remitter lists available under the party.
Number of Remitter Lists Mapped	Number of remitter lists mapped to the particular resource type.

5. Perform anyone of the following actions:
   - Click the **Remitter List** link to view the remitter mapping.
     The **User Resource Access – View** screen, displaying remitter list mapping appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 13-10 User Resource Access – View



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 13-7 User Resource Access – View - Field Description

Field Name	Description
Party ID	The party ID searched by the Bank Administrator.
Party ID	The party ID searched by the Bank Administrator.
Party Name	The name of the party.
User ID	User ID of the selected user.
User Name	User name of the selected user.
Module Name	The name of the module.
Remitter List Mapping	**Information specified in below fields are related to Remitter List Mapping**.
Apply Party Level Changes Automatically	User will get access to remitter lists that are allowed/ disallowed at the party level.
Map All Remitter List	Mapping all the remitter lists to the user that are allowed at the party level.
Remitter List ID	Remitter List Identifier.
Remitter List Name	Name of the remitter list available under the party.
Status	Status of the remitter access for the party


6. Perform anyone of the following actions:

   - Click **Next**.
     The **User Resource Access – View** (Transaction Mapping) screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Edit** to modify the remitter list mapping.
- Click **Delete** to delete the User Resource Access setup.
- Click **Cancel** to cancel the transaction.
- Click **Back** to navigate to the previous screen.


Figure 13-11 User Resource Access - Transaction Mapping - View



7. Perform anyone of the following actions:
   - Click against the particular Remitter List to view the mapped transactions.
   - Click **Edit** to edit the mapping.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 13-12 User Resource Access - Transaction Mapping - View Mapping



8. Perform anyone of the following actions:
   - Click **Edit** to update the User Resource Access mapping.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

13.3 User Resource Access - Edit

This topic describes the systematic instruction to **User Resource Access - Edit** option.

The Bank Administrator gets a request with the list of remitter lists and transactions for which access details needs to be edited for a selected user of the party.
To edit remitter list and transaction access for the user:

1. Navigate to one of the above paths.

   The **User Resource Access - Edit** screen appears.
2. Perform anyone of the following actions:
   - In the **Party ID** enter the party id of the user.
   - In the **Party Name** field, enter the party name of the user.
3. Perform anyone of the following actions:
   - Click **Search**.
     For a searched party, there will be a list of users displayed with information like user ID, full name of the user and initials of the user.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to clear the search parameters.
4. Perform anyone of the following actions:

Copyright © 2006, 2026, Oracle and/or its affiliates.


- Click the **User Name** link against the user record for which you want to edit the details. The **User Resource Access – Mapping Summary** screen appears.
- Click **Cancel** to cancel the transaction.
- Click **Back** to navigate to the previous screen.

5. Click the **Remitter List** link.

   The **User Resource Access – View** screen, displaying remitter list mapping appears.

6. Perform anyone of the following actions:
   - Click **Edit**. The **User Resource Access - Edit** screen appears. This enables the selection and de-selection option against the remitter list. There is also an option to edit check box **Apply Party Level Changes Automatically** to apply/ remove the party changes.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

Figure 13-13 User Resource Access – Edit




7. Perform anyone of the following actions:
   - Select the respective check boxes preceding the **Remitter List ID** to be mapped.
   - Select **Map All Remitter** List, if you want to map all the Remitter Lists available. Select/ De-select check box **Apply Party Level Changes Automatically** to apply/ remove the party changes.

8. Perform anyone of the following actions:
   - Click **Next** .
     The **User Resource Access - Edit** screen with mapped remitter list appears.
   - Click **Back** to navigate to the previous screen.
   - Click **Cancel** to cancel the transaction.

9. To map the transactions to the remitter lists, click ▶ icon against the particular **Remitter List ID** to view the transaction mapping.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 13-14 User Resource Access - Transaction- Resource Mapping - Edit



10. Perform anyone of the following actions:
    - Select the respective check boxes preceding the transaction to be mapped.
    - Select Map All Transactions, if you want to map all the transactions to all Remitter Lists.
11. Perform anyone of the following actions:
    - Click **Save**.

      The **User Resource Access - Review** screen appears.
    - Click **Back** to navigate to the previous screen.
    - Click **Cancel** to cancel the transaction.
12. Perform anyone of the following actions:
    - Verify the details, and click **Confirm**.

      The **User Resource Access - Confirmation** screen with success message appears along with the reference number and status of the transaction.
    - Click **Edit** to edit the transaction.
    - Click **Cancel** to cancel the transaction.
13. Click **OK** to complete the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

13.4 User Resource Access - Delete

This topic describes the systematic instruction to **User Resource Access - Delete** option.

The Bank Administrator gets a request with the user information of a party for which access details needs to be deleted. As part of this option, remitter list mapping can be deleted for a user.

To delete remitter and transaction access for the user:

1. Navigate to one of the above paths.

   The **User Resource Access** screen appears.

2. Perform anyone of the following actions:
   - In the **Party ID** enter the party id of the user.
   - In the **Party Name** field, enter the party name of the user.

3. Click **Search**.
   - Click **Search**.
     For a searched party, there will be a list of users displayed with information like user ID, full name of the user and initials of the user.

4. Click the **User Name** link against the user record for which you want to delete the details.

   The **User Resource Access – Mapping Summary** screen appears.

5. Click the **Remitter List** link. The **User Resource Access – View** screen, displaying remitter list mapping appears.

6. Perform anyone of the following actions:
   - Click **Delete**.
     The application will prompt the administrator with a deletion message with an option of Yes / No.
   - Click **Edit** to modify the remitter list mapping.
   - Click **Next** to go to the next screen.

     The **User Resource Access – View** (Transaction Mapping) screen appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

7. Perform anyone of the following actions:
   - Click **Yes** to proceed with the deletion request.

     It will navigate to confirmation page with a success message and the status.
   - Click **No** if you do not wish to proceed with deletion.

8. Click **OK** to complete the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

14

Approvals

This topic describes the information about **Approvals**.

Each user is assigned a particular task to perform as per their position in the hierarchy of the bank/corporate. For instance, some user(s) may be given rights to do data entry for transactions such as domestic fund transfer, draft issuance by logging in to channel banking. Transaction created by initiator in the system is routed to the appropriate authorized signatory or group of signatories for approval depending upon the rules configured. A transaction once approved by all the required approvers gets processed.

Approval Management function enables the Bank Administrator to configure approval flows for various financial and non-financial transactions on channel banking for bank's customers and for administrators.

Approval flow includes configuration of rules for the users with following access types:

- Maker/ Initiator – User who is a creator of the transaction.
- Authorizer/ Approver – User who authorizes the transactions created by the maker. His authorization rights are maintained by an administrator.

Features supported in application

Approval management supported for Bank administrator users includes;


- Approval Workflow Maintenance
- Approval Rule Maintenance

> **Note**
>
> Approval Workflow and Rules can also be maintained for Non Customer Corporates (for which the party id is not maintained in UBS or in Core banking system). For Non Customer Corporate (counterparties on boarded by Corporates) the system will look for the party ID in OBSCF/OBCMS.

Business scenario

AES Corporation wants to enable approval workflow for all financial transactions. The requirement is – All the financial transactions will be initiated by 'Officers' of the corporate. The transactions initiated by 'Officers' should be sent to 'Assistant Managers' for 1st level approval. After the transaction is approved by any one user from a group of 'Assistant Managers' then the transaction should be sent to 'Managers' for final level of approval. The transaction processing should happen only after final approval.

Copyright © 2006, 2026, Oracle and/or its affiliates.



- Workflow Management
  This topic describes the systematic instruction to **Workflow Management** option.
- Approval Rules
  This topic describes the systematic instruction to **Approval Rules** option.
- FAQ

14.1 Workflow Management

This topic describes the systematic instruction to **Workflow Management** option.

Approval workflows are created to support requirements where multiple levels of approval are required in a specific sequence for a transaction/maintenance. Each workflow can be configured to have up to five levels of approval with a specific user or a user group configured at each level.


Workflows can be created independently and can be attached to a specific transaction/ maintenance as part of the Approval Rule configuration.

Prerequisites

- Transaction access is provided to Bank Administrator.
- Party preference is maintained.
- Multiple users are maintained under a party or as Bank Administrators.
- Approval rule set up for Bank Administrator to perform the actions.
- Necessary user groups are maintained using User Group Management.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 14-1 Workflow



Features Supported In Application

Approval Rule maintenance allows Bank Administrator to:

- View Approval Workflows
- Create Approval Workflows
- Edit Approval Workflows

Navigation Path: Perform the following navigation to access the **Workflow Management**

From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Approvals**, Under **Approvals** , click **Workflow Management**.

- Approval Workflow – Select User Type
  This topic describes the systematic instruction to **Approval Workflow – Select User Type** option.
- Approval Workflow - Admin User - Workflow Management
  This topic describes the systematic instruction to **Approval Workflow - Admin User - Workflow Management** option.
- Approval Workflow - Retail & Business User - Workflow Management
  This topic describes the systematic instruction to **Approval Workflow - Retail & Business User - Workflow Management** option.
- FAQ


14.1.1 Approval Workflow – Select User Type

This topic describes the systematic instruction to **Approval Workflow – Select User Type** option.

Bank Administrator logs into the system and navigates to the **Approval Workflow** screen. On accessing the **Approval Workflow Management** menu, bank administrator has to select the user type for whom the workflows are to be maintained.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 14-2 Approval Workflow – Select User Type



1. Navigate to one of the above paths.

   The **Workflow Management** screen appears.

2. Click **Admin User** to access the workflow management of bank administrator users.

   The **Admin Workflow Management** screen appears.

3. Click **Retail & Business User** to access the workflow management for Retail and Business users.

   The **Workflow Management** screen appears.

14.1.2 Approval Workflow - Admin User - Workflow Management

This topic describes the systematic instruction to **Approval Workflow - Admin User - Workflow Management** option.

Further drill down is provided on the each workflow to view the details of the users/ user groups who are the part of workflow.

To view the approval workflow for corporate users:

1. Navigate to one of the above paths.

   The **Workflow Management** screen appears.

2. Enter the search parameters and click **Search**.


   The **Workflow Management** screen with search results appears based on the searched criteria.

3. Click the **Workflow Code** link to view details of the selected Approval Workflow

   The **Workflow Management - View** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 14-3 Approval Workflow Management



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 14-1 Field Description

Field Name	Description
Workflow Code	Code of the already maintained approval workflow.
Workflow Description	Description of the already maintained approval workflow.

4. Perform anyone of the following actions:
   - Click **Create** to create new admin workflow.
     The **Admin Workflow Management – Create** screen appears.
   - Click **Cancel** to cancel the operation and navigate the user back to **Dashboard**.
   - Enter the search parameters and click **Search** to search the matching records.
   - Click **Clear** to clear the input search parameters.

- Admin Workflow Management – Search
  This topic describes the systematic instruction to **Admin Workflow Management – Search** option.
- Admin Workflow Management – View
  This topic describes the systematic instruction to **Admin Workflow Management – View** option.
- Admin Workflow Management – Create
  This topic describes the systematic instruction to **Admin Workflow Management – Create** option.
- Admin Workflow Management - Edit
  This topic describes the systematic instruction to **Admin Workflow Management - Edit** option.

Copyright © 2006, 2026, Oracle and/or its affiliates.

14.1.2.1 Admin Workflow Management – Search

This topic describes the systematic instruction to **Admin Workflow Management – Search** option.

Bank Administrator user can search the workflows maintained for administrator users.


Workflows maintained (if any) for admin users are displayed on the screen after searching with valid input. User can view the details of existing workflow by clicking on the search results or can create new approval workflow using this screen.

To search the approval workflow for admin users:

1. In the **Admin Workflow Management** screen, enter the search parameters and click **Search**.

   The **Admin Workflow Management** screen with search results appears based on the searched criteria.

Figure 14-4 Workflow Management – Search



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 14-2 Field Description

Field Name	Description
Workflow Code	The approval workflow code to search the approval workflows.
Workflow Description	The approval workflow description to search the approval workflows.
Search Result	**Information specified in below fields are related to Search Result**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 14-2 (Cont.) Field Description

Field Name	Description
Workflow Code	Unique code of the already maintained approval workflow.
Workflow Description	Description of the already maintained approval workflow.
Approval Level	Number of approval levels in each workflow.

2. Perform anyone of the following actions:
   - Click the **Work Flow code** link, to view details of the selected Approval Workflow. The **Workflow Management - View** screen appears.
   - Click **Cancel** to cancel the operation and navigate back to **Dashboard**.
   - Click **Clear** to reset the data entered.
   - Click **Create** create new Approval Workflow for admin users.

14.1.2.2 Admin Workflow Management – View

This topic describes the systematic instruction to **Admin Workflow Management – View** option.

Further drill down is given on the each workflow to view the details of the users/ user groups who are the part of workflow.

To view the approval workflow for corporate users:


1. In the **Admin Workflow Management** screen, enter the search parameters and click **Search**.

   The **Admin Workflow Management** screen with search results appears based on the searched criteria.

2. Click the **Work Flow code** link, to view details of the selected Approval Workflow.


   The **Workflow Management - View** screen appears.

Figure 14-5 Workflow Management – View



Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 14-6 Group Details



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 14-3 Field Description

Field Name	Description
View	**Information specified in below fields are related to View**.
Workflow Code	Workflow code is displayed.
Workflow Description	Workflow description is displayed.
Approval Details	**Information specified in below fields are related to Approval Details**.
Approval Level	User / user group maintained at each approval level. There can be up to five levels of approval levels.
User Name / User Groups	User or a user group maintained at each level of approval. On Approval -Workflow screen, Admin User can click on the Name of the user group that is part of the workflow to see the list of users which are part of that Group User can search specific user name, by using the search window on Group Details overlay.

3. Perform anyone of the following actions:
   - Click **Edit** to edit the workflow.
     The **Workflow Management - Edit** screen with values in editable form appears.
   - Click **Cancel** to cancel the operation and navigate back to **Dashboard**.
   - Click **Back** to navigate to the previous screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

14.1.2.3 Admin Workflow Management – Create

This topic describes the systematic instruction to **Admin Workflow Management – Create** option.

Bank Administrator can create approval workflows for the Admin users. By default, user can specify minimum one and maximum five levels of approvals as a part of workflow.


Administrator can set either an individual user or user group of a corporate as a part of each level of approval. Approval type (sequential/non-sequential/no authorization) is defined at the party preference.

To create an approval workflow:

1. In the **Admin Workflow Management** screen, click **Create**.

   The **Admin Workflow Management - Create** screen appears.

Figure 14-7 Admin Workflow Management – Create



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 14-4 Field Description

Field Name	Description
Create	**Information specified in below fields are related to Create**.
Workflow Code	To specify approval workflow code.
Workflow Description	To specify approval workflow description.
Approval Details	Approval levels for a user / user group. You can click **Add** for multi level approval process.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 14-4 (Cont.) Field Description

Field Name	Description
Approval Level	Approval levels for a user / user group. User can click Add for multi level approval process.
User / User Group	To select specific user or a user group at each level of approval.

2. In the **Workflow Code** field, enter the workflow code.
3. In the **Workflow Description** field, enter the name of the workflow.
4. In the **Approval Details** section, from the **Level 1** field, click appropriate user / user group.
5. From the **User Name / User Groups** list, select the approver user name.
6. Perform anyone of the following actions:
   - Click **Add** to add the selected user/ user group at specific level of approval.
   - Click delete icon to remove specific approval level.
7. Enter the party id in the In the **Party Id** field.

   In the **Party Name** field, enter the party name.
8. Perform anyone of the following actions:
   - Click **Save** to save Approval Workflow.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
9. Perform anyone of the following actions:
   - The **Admin Workflow Management - Create - Review** screen appears post necessary validations.
     Verify the details and click **Confirm** to confirm the details.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
10. The success message of saving the created approval workflow appears along with the transaction reference number and status.

    Click **OK** to complete the transaction.

14.1.2.4 Admin Workflow Management - Edit

This topic describes the systematic instruction to **Admin Workflow Management - Edit** option.

This function enables the Bank Administrator to update the description of the workflow and also to remove existing and add the new approval levels. Edited workflows are applicable for new transactions initiated post workflow update, whereas the previously initiated and transactions pending approval follows the old workflow.

To edit an approval workflow:

1. In the **Admin Workflow Management** screen, enter the search parameters and click **Search**.

   The **Admin Workflow Management** screen with search results appears based on the searched criteria.

Copyright © 2006, 2026, Oracle and/or its affiliates.


2. In the **Admin Workflow Management** screen, click the **Work Flow code** link, for which you want to view the details.

   The **Admin Workflow Management - View** screen appears.

3. Click **Edit**.

   The **Admin Workflow Management - Edit** screen appears.

Figure 14-8 Workflow Management - Edit



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 14-5 Field Description

Field Name	Description
Edit	**Information specified in below fields are related to Edit**.
Workflow Code	Workflow code is displayed.
Workflow Description	Workflow description is displayed in editable form.
Approval Details	**Information specified in below fields are related to Approval Details**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 14-5 (Cont.) Field Description

Field Name	Description
Approval Level	Approval levels for a user / user group. Administrator can remove or add approval levels in a workflow.
User Name / User Groups	User or a user group maintained at each level of approval. Administrator can edit an existing user/user group maintained at each level and can also specify user/user group for additional approval level.

4. Edit the required details.
5. Perform anyone of the following actions:
   - Click **Add** to add the selected user/ user group at specific level of approval.
   - Click icon to remove specific approval level.
6. Perform anyone of the following actions:
   - Click **Save** .
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
7. Perform anyone of the following actions:
   - The **Workflow Management - Edit- Review** screen appears post necessary validations.
     Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
8. The success message of saving the approval workflow modification appears along with the transaction reference number and status.

   Click **OK** to complete the transaction and navigate back to ‘Dashboard’.

14.1.3 Approval Workflow - Retail & Business User - Workflow Management

This topic describes the systematic instruction to **Approval Workflow - Retail & Business User - Workflow Management** option.

System displays a screen to enter the party information (party ID or party name) and search party for which the approval workflows are to be maintained/ viewed.

User can enter the party ID (if known) or the party name with a minimum of five characters.


System matches the input provided by the user with the party name records and displays the matching party records.

In case of a party search by party ID, it is an exact match and system displays the workflows maintained if any.

In case of a party search by name, system displays the matching party records. The records have parties listed with both Party ID and Party Name information. User can select the record by clicking on the Party ID from the list.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 14-9 Workflow Management



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 14-6 Field Description

Field Name	Description
Party ID	Party ID to be searched.
Party Name	Party name of the party ID to be searched.
Search Result	**Information specified in below fields are related to Search Result**.
Party ID	Party IDs as per search input. Click on the link to view workflows maintained under the party.
Party Name	Party name of the party ID.

1. Navigate to one of the above paths.

   The **Workflow Management** screen appears.

   - Click **Cancel** to cancel the transaction.
   - Click on **Clear** to clear the input search parameters.

2. Click on the **Party ID** link to view the workflows maintained under the selected party.

Copyright © 2006, 2026, Oracle and/or its affiliates.


- Retail & Business Workflow Management – Summary
  This topic describes the systematic instruction to **Retail & Business Workflow Management – Summary** option.
- Retail & Business Workflow Management – View
  This topic describes the systematic instruction to **Retail & Business Workflow Management – View** option.
- Workflow Management – Create
  This topic describes the systematic instruction to **Workflow Management – Create** option.
- Retail & Business Workflow Management - Edit
  This topic describes the systematic instruction to **Retail & Business Workflow Management - Edit** option.

14.1.3.1 Retail & Business Workflow Management – Summary

This topic describes the systematic instruction to **Retail & Business Workflow Management – Summary** option.

Clicking on **Workflow Code** hyperlink, workflows maintained (if any) under a party are displayed on the screen. User can opt to view the details of existing workflows or can create new approval workflow using this screen.

Figure 14-10 Workflow Management – Summary



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 14-7 Field Description

Field Name	Description
Party ID	Party ID of which workflows to be viewed/ edited.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 14-7 (Cont.) Field Description

Field Name	Description
Party Name	Party name of Party ID of which workflows to be viewed/ edited.
Workflow Code	Code of the already maintained approval workflow. This field will be displayed only if there are existing approval workflows available under a party.
Workflow Description	Description of the already maintained approval workflow. This field will be displayed only if there are existing approval workflows available under a party
Approval Levels	Number of approval levels in each workflow. This field will be displayed only if there are existing approval workflows available under a party.

- Perform anyone of the following actions:
  - Click the **Workflow Code** link to view details of the selected Approval Workflow. The **Workflow Management - View** screen appears.
  - Click **Create**. The **Workflow Management - Create** screen appears.
  - Click **Cancel** to cancel the operation and navigate back to **Dashboard**.
  - Click **Back** to go back to previous screen.

14.1.3.2 Retail & Business Workflow Management – View

This topic describes the systematic instruction to **Retail & Business Workflow Management – View** option.

Further drill down is provided on the each workflow to view the details of the users/ user groups who are the part of workflow.

To view the approval workflow for corporate users:

1. Navigate to one of the above paths.

   The **Workflow Management** screen appears.
2. Perform anyone of the following actions:
   - In the **Workflow Management** screen, enter the party id in the In the **Party Id** field.
   - In the **Party Name** field, enter the party name.
3. Perform anyone of the following actions:
   - Click **Search**. The **Workflow Management** screen with both **Party ID** and **Party Name** appears.
   - Click **Clear** to clear the search parameters.
   - Click **Cancel** to cancel the transaction.
4. In the **Workflow Management** screen, enter the search parameters and click **Search**.

   The **Workflow Management** screen with search results appears based on the searched criteria.
5. Click the **Workflow Code** link to view details of the selected **Approval Workflow**.

   The **Workflow Management - View** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 14-11 Workflow Management – View





Figure 14-12 Group Details



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 14-8 Field Description

Field Name	Description
View	**Information specified in below fields are related to View**.
Party ID	Party ID of which workflows to be viewed/ edited.
Party Name	Party name of Party ID of which workflows to be viewed/ edited.
Workflow Code	Workflow code is displayed.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 14-8 (Cont.) Field Description

Field Name	Description
Workflow Description	Workflow description is displayed.
Approval Details	**Information specified in below fields are related to Approval Details**.
Approval Level	User / user group maintained at each approval level.
User / User Group	User or a user group maintained at each level of approval. On Approval -Workflow screen, Admin User can click on the Name of the user group that is part of the workflow to see the list of users which are part of that Group User can search specific user name, by using the search window on Group Details overlay.

6. Perform anyone of the following actions:
   - Click **Edit** to edit the workflow.
     The **Workflow Management - Edit** screen with values in editable form appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

14.1.3.3 Workflow Management – Create

This topic describes the systematic instruction to **Workflow Management – Create** option.

Bank Administrator can create approval workflows for retail and business users. By default, user can specify minimum one and maximum five levels of approvals as a part of workflow.

Administrator can set either an individual user or user group of a retail and business as a part of each level of approval. Approval type (sequential/non-sequential/no authorization) is defined at the party preference.


To create an approval workflow:

1. Navigate to one of the above paths.

   The **Workflow Management** screen appears.
2. Perform anyone of the following actions:
   - In the **Workflow Management** screen, enter the party id in the In the **Party Id** field.
     Enter the party id in the In the **Party ID** field.
   - In the **Party Name** field, enter the party name.
3. Perform anyone of the following actions:
   - Click **Search**.
     The **Workflow Management** screen with both Party ID and Party Name appears.
   - Click **Clear** to clear the search parameters.
   - Click **Cancel** to cancel the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 14-13 Workflow Management – Party Search



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 14-9 Field Description

Field Name	Description
Party ID	Party ID to be searched.
Party Name	Party name of the party ID to be searched.
Search Result	**Information specified in below fields are related to Search Result.**
Party ID	Party IDs as per search input. Click on the link to view workflows maintained under the party.
Party Name	Party name of the party ID.


4. Perform anyone of the following actions:
   - Enter the search parameters and click **Search** to search the matching records.
   - Click Cancel to cancel the operation and navigate the user back to **Dashboard**.
   - Click on **Clear** to clear the input search parameters.
5. Click on the **Party ID** link to view the workflows maintained under the selected party.
6. Perform anyone of the following actions:

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Create**. The **Workflow Management - Create** screen appears.
- Click the **Workflow Code** link to view details of the selected **Approval Workflow**.

The **Workflow Management - View** screen appears.

Figure 14-14 Workflow Management – Create



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 14-10 Field Description

Field Name	Description
Create	**Information specified in below fields are related to Create**.
Party ID	Party ID of which workflows to be viewed/ edited.
Party Name	Party name of Party ID of which workflows to be viewed/ edited.
Workflow Code	To specify approval workflow code.
Workflow Description	To specify approval workflow description.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 14-10 (Cont.) Field Description

Field Name	Description
Approval Details	**Information specified in below fields are related to Approval Details**.
Approval Level	Approval levels for a user / user group. User can click Add for multi level approval process.
User / User Group	To select specific user or a user group at each level of approval.

7. In the **Workflow Code** field, enter the workflow code.
8. In the **Workflow Description** field, enter the name of the workflow.
9. In the **Approval Details** section, from the **Level 1** field, click appropriate user / user group.
10. From the **User Name / User Groups** list, select the approver user name.
11. Perform anyone of the following actions:
    - Click **Add** to add the selected user/ user group at specific level of approval.
    - Click icon to remove specific approval level.
12. Perform anyone of the following actions:
    - Click **Save** to save Approval Workflow.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.
13. Perform anyone of the following actions:
    - The **Workflow Management - Create - Review** screen appears post necessary validations.
      Verify the details and click **Confirm** to confirm the details.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.
14. The success message of saving the created approval workflow appears along with the transaction reference number and status.

    Click **OK** to complete the transaction.

14.1.3.4 Retail & Business Workflow Management - Edit

This topic describes the systematic instruction to **Retail & Business Workflow Management - Edit** option.

This function enables the Bank Administrator to update the description of the workflow and also to remove existing and add the new approval levels. Edited workflows are applicable for new transactions initiated post workflow update, whereas the previously initiated and transactions pending approval follows the old workflow.

To edit an approval workflow:

1. Navigate to one of the above paths.
2. Perform anyone of the following actions:
    - The **Workflow Management** screen appears.Enter the party id in the **Party Id** field.
    - In the **Party Name** field, enter the party name.

Copyright © 2006, 2026, Oracle and/or its affiliates.


3. Perform anyone of the following actions:
   - Click **Search**.
     The **Workflow Management** screen with both **Party ID** and **Party Name** appears.
   - Click **Clear** to clear the search parameters.
   - Click **Cancel** to cancel the transaction.
4. In the **Workflow Management** screen, enter the search parameters and click **Search**.

   The **Workflow Management** screen with search results appears based on the searched criteria.
5. Click the **Workflow Code** link to view details of the selected **Approval Workflow**.

   The **Workflow Management - View** screen appears.
6. Click the **Workflow Code** link to view details of the selected Approval Workflow.

   The **Workflow Management - View** screen appears.
7. Perform anyone of the following actions:
   - Click **Edit** to edit the workflow.
     The **Workflow Management - Edit** screen with values in editable form appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to go back to the previous screen.

Figure 14-15 Workflow Management - Edit



Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 14-11 Field Description

Field Name	Description
Edit	**Information specified in below fields are related to Edit**.
Party ID	Party ID of which workflows to be viewed/ edited.
Party Name	Party name of Party ID of which workflows to be viewed/ edited.
Workflow Code	Workflow code is displayed.
Workflow Description	Workflow description is displayed in editable form.
Approval Details	**Information specified in below fields are related to Approval Details**.
Approval Level	Approval levels for a user / user group. Administrator can remove or add approval levels in a workflow.
User Name / User Groups	User or a user group maintained at each level of approval. Administrator can edit an existing user/user group maintained at each level and can also specify user/user group for additional approval level.

8. Edit the required details.
9. Perform anyone of the following actions:
   - Click **Add** to add the selected user/ user group at specific level of approval.
   - Click icon to remove specific approval level.
10. Perform anyone of the following actions:
    - Click **Save** .
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.
11. Perform anyone of the following actions:
    - The **Workflow Management - Edit- Review** screen appears post necessary validations.
      Verify the details, and click **Confirm**.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.
12. The success message of saving the approval workflow modification appears along with the transaction reference number and status.

    Click **OK** to complete the transaction and navigate back to **Dashboard**.

14.1.4 FAQ

1. **What is approval management?**
   Approval Management enables a bank administrator to set up approval conditions for various transactions on channel banking. The approval management allows setting up the maker / checker flow, wherein a transaction is initiated by a maker and the same is authorized by a single / multiple checkers depending on the configuration.
2. **What is approval workflow maintenance?**
   Approval workflows are created to support requirements where multiple levels of approval are required in a specific sequence for a transaction/maintenance. Each workflow can be

Copyright © 2006, 2026, Oracle and/or its affiliates.

configured to have up to 5 levels of approval with a specific user or a user group configured at each level.

3. **How many approval levels can I set up in the system?**
   Administrator can set up minimum one and maximum five levels of approvals as a part of approval workflow.
4. **Can I get the list of users associated with a group from workflow management screen?**
   No, list of the users associated with a group cannot be viewed using workflow management screen. However you can view the same from User Group Management screen.

14.2 Approval Rules

This topic describes the systematic instruction to **Approval Rules** option.

This function enables the Bank Administrator to set up conditions for approval as per the bank/ corporate requirements. Rule can be set up for financial transactions, non-financial, non account financial transactions, and for maintenances. Flexibility exists to define approval rules with conditions stating that **Specific transaction** if initiated by a **Specific user/ User group** has to be approved by a **Specific approver/Approver group** along with other attributes like amount range etc.

Pre-Requisites


- Transaction access is provided to Bank Administrator.
- Party preference is maintained for setting up rules for corporates.
- Corporate and Administrator users are maintained.
- Workflow configuration is maintained if approval required is to be set as ‘Yes’.
- Approval rule set up for Bank Administrator to perform the actions.
- Necessary user groups and approval workflows are maintained.

Features Supported In Application

The Approval Rule maintenances allow the bank administrator to:

- Create Approval Rules
- View Approval Rules
- Edit Approval Rules
- Delete Approval Rules

Figure 14-16 Workflow



Copyright © 2006, 2026, Oracle and/or its affiliates.

Navigation Path: Perform the following navigation to access the **Approval Rules**:

From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Approvals**, and then click **Rule Management**, Under **Rule Management**, click **Approval Rules**.


- Approval Rules – Select User Type
  This topic describes the systematic instruction to **Approval Rules – Select User Type** option.
- Approval Rules - Admin User
  This topic describes the systematic instruction to **Approval Rules - Admin User** option.
- Approval Rules - Retail & Business User
  This topic describes the systematic instruction to **Approval Rules - Retail & Business User** option.

14.2.1 Approval Rules – Select User Type

This topic describes the systematic instruction to **Approval Rules – Select User Type** option.

Bank Administrator logs into the system and navigates to the Rule Management screen. On accessing the **Approval Rules Management** menu, Bank Administrator has to select the user type for which the rules are to be maintained.

Figure 14-17 Approval Rules – Select User Type



1. Navigate to one of the above paths.

   The **Approvals Rules Management** screen appears.
2. Click **Admin User** to access the Approval Rules of Bank Administrator users.

   The **Admin Approval Rules** screen appears.
3. Click **Retail & Business User** to access the Approval Rules for **Retail and Business** users.


   The **Approval Rules** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

14.2.2 Approval Rules - Admin User

This topic describes the systematic instruction to **Approval Rules - Admin User** option.

Figure 14-18 Admin Approval Rules



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 14-12 Field Description

Field Name	Description
Rule Code	Search rules with a rules code of the already maintained approval rule.
Rule Description	Search rules with a rule description of the already maintained approval rule.

1. Navigate to one of the above paths.

   The **Administrator Approval Rules** screen appears.

2. Perform anyone of the following actions:
   - Click **Create** to create new admin workflow.
     The **Admin Approval Rules - Create** screen appears.
   - Enter the search parameters and click **Search** to search the matching records.
   - Click **Cancel** to cancel the transaction.
   - Click on **Clear** to clear the input search parameters.

- Admin Approval Rules – Search
  This topic describes the systematic instruction to **Admin Approval Rules – Search** option.
- Admin Approval Rules – View
  This topic describes the systematic instruction to **Admin Approval Rules – View** option.
- Admin Approval Rules – Create
  This topic describes the systematic instruction to **Admin Approval Rules – Create** option.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Admin Approval Rules - Edit
  This topic describes the systematic instruction to **Admin Approval Rules - Edit** option.

14.2.2.1 Admin Approval Rules – Search

This topic describes the systematic instruction to **Admin Approval Rules – Search** option.

Approval rules maintained (if any) for administrator users are displayed on the screen after searching with valid input. User can to view the details of existing rule or can create new approval rule using this screen.

To search the approval rules for admin users:


1. Navigate to one of the above paths.

   The **Admin Approval Rules** screen appears.

2. Enter the search parameters and click **Search**.

   The **Admin Approval Rules** screen with search results appears based on the searched criteria.

Figure 14-19 Admin Approval Rules – Search



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 14-13 Field Description

Field Name	Description
Search Result	**Information specified in below fields are related to Search Result.**
Rule Code	Code of the already maintained approval rule.
Rule Description	Description of the already maintained approval rule.

3. Perform anyone of the following actions:
   - Click the **Rule code** link, to view details of the selected Approval Rule. The **Approval Rules - View** screen appears.
   - Click **Create** to create new Approval Rules for admin users.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

14.2.2.2 Admin Approval Rules – View

This topic describes the systematic instruction to **Admin Approval Rules – View** option.

Further drill down is given on the each workflow to view the details of the users/ user groups who are the part of workflow.

To view the admin approval rules:


1. Navigate to one of the above paths.

   The **Admin Approval Rules** screen appears.

2. Click the **Rule Code** link, for which user wants to view the details.

   The **Admin Approval Rules - View** screen appears.

Figure 14-20 Admin Approval Rules - View



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 14-14 Field Description

Field Name	Description
View	**Information specified in below fields are related to View**.
Rule Code	Approval rule code.
Rule Description	Approval rule description.
Initiator	**Information specified in below fields are related to Initiator**.
Initiator Type	Initiator type specified while creating a rule.
User Name / User Groups	Name of the user or user group defined as initiator for the rule condition.
Transactions	Transaction for which the rule is set up.
Workflow Details	**Information specified in below fields are related to Workflow Details**.
Approval Required	Field displays whether approval is required or not for the set condition.
Workflow Details	Field displays the approval workflow details along with the defined approval levels. This field appears if you select **Yes** in the **Approval Required** field.

3. Perform anyone of the following actions:
   - Click **Edit** to edit the approval rule.
     The **Admin Approval Rule - Edit** screen with values in editable form appears.
   - Click **Delete** to delete the approval rule.
   - Click **Yes** to confirm. User is directed to **Admin Approval Rule – Delete** confirmation page.

   The application will prompt the administrator with a deletion message,

   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

14.2.2.3 Admin Approval Rules – Create

This topic describes the systematic instruction to **Admin Approval Rules – Create** option.

Approval rules can be setup based on the following parameters.

- Transactions
- Initiator
- Specific User
- User Group

Copyright © 2006, 2026, Oracle and/or its affiliates.

Bank Administrator can create multiple approval rules for Administrator users. In a scenario when a transaction is initiated and multiple rules are applicable as per set conditions, then the complex rule amongst all the applicable rules is applied for approval.

User can further define if for a condition, the transaction should be auto approved (which means there is no approval workflow and the transaction gets approved as soon as initiator submits the transaction) or should follow a set approval workflow and should get approved by the defined set of approvers. The same is achieved by attaching a workflow maintained for the administrator users.

To create an approval rule:


1. Navigate to one of the above paths.

   The **Admin Approval Rules** screen appears.

2. Click **Create**.

   The **Admin Approval Rules - Create** screen appears.

Figure 14-21 Admin Approval Rules - Create



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 14-15 Field Description

Field Name	Description
Rule Code	To specify approval rule code.
Rule Description	To specify approval rule description.
Initiator	**Information specified in below fields are related to Initiator**.
Initiator Type	Initiator type who initiates the transaction. This has options as '**User**' and '**User Group**'.
User Name / User Groups	Name of the user or user group as initiator. If initiator is selected as User, then all the users belongs to administrator user segment will be listed for selection. If initiator is selected as **User Group**, then all the user groups belongs to the administrator user segment will be listed for selection.
Transactions	All transactions to set the approval rules are listed. User can select specific transaction or all admin transactions.
Workflow Details	**Information specified in below fields are related toWorkflow Details**.
Approval Required	Option to decide whether approval is required or not for the set condition.
Workflow	Field has description of the approval workflow. All workflows maintained for the administrator type of user segment are listed here along with the defined approval level for each of them. This field appears if you select **Yes** in the **Approval Required** field.

3. In the **Rule Code** field, enter the code.
4. In the **Rule Description** field, enter the rule name.
5. From the **Initiator Type** field, click appropriate user / user group and select the user/ user group.
6. From the **Transaction** list, select the transactions to be mapped to the rule.
7. In the **Workflow Details** section, select whether approval is required for the mapped transactions.
   a. If you select **Yes** option, select the appropriate **Workflow**.
8. Perform anyone of the following actions:
   - Click **Save** to save approval rule.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
9. Perform anyone of the following actions:
   - The **Approval Rule - Create Review** screen appears.
     Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Back** to navigate to the previous screen.

10. The success message of saving the created approval rule appears along with the transaction reference number and status.

    Click **OK** to complete the transaction and navigate back to the 'Dashboard'.

14.2.2.4 Admin Approval Rules - Edit

This topic describes the systematic instruction to **Admin Approval Rules - Edit** option.

Bank Administrator can edit the approval rules. An Administrator is allowed to change the description of the rule and is also allowed to change the parameters associated with the specific approval rule.
Edited rules are applicable for new transactions initiated post rule update. Previously initiated transactions which are pending approval will follow a rule which was applied at the time of transaction initiation.

To edit an approval workflow:

1. Navigate to one of the above paths.

   The **Admin Approval Rules** screen appears.


2. Click the **Rule Code** link, for which you want to view the details.

   The **Admin Approval Rules - View** screen appears.

3. Click **Edit**.

   The **Admin Approval Rules - Edit** screen appears.

Figure 14-22 Admin Approval Rules - Edit



Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 14-16 Field Description

Field Name	Description
Edit	**Information specified in below fields are related to Edit**.
Rule Code	Approval rule code provided by the user.
Rule Description	Approval rule description provided by the user in editable form.
Initiator	**Information specified in below fields are related to Initiator**.
Initiator Type	Initiator type who initiates the transaction will be displayed in editable form.
User Name / User Groups	Name of the user or user group as initiator will be displayed in editable form. If initiator is selected as User, then all the users belonging to the administrator type of user segment will be listed for selection. If initiator is selected as User Group, then all the user groups belonging to the administrator type of user segment will be listed for selection.
Workflow Details	**Information specified in below fields are related to Workflow Details**.
Approval Required	Whether approval is required will be displayed in editable form.
Workflow	Details of the approval workflow along with the defined approval levels for a condition will be displayed in editable form. This field appears if you select **Yes** in the **Approval Required** field.

4. Edit the required details.
5. Perform anyone of the following actions:
   - Click **Save** to save the approval rule.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
6. Perform anyone of the following actions:
   - The **Admin Approval Rule – Edit - Review** screen appears post necessary validations.
     Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
7. The success message of saving the approval rule modification appears along with the transaction reference number and status.

   Click **OK** to complete the transaction and navigate back to the **Dashboard**.

14.2.3 Approval Rules - Retail & Business User

This topic describes the systematic instruction to **Approval Rules - Retail & Business User** option.

This function will enable the Bank Administrator to set up conditions for approval as per the business requirements. A rule can be set up for financial, non-financial, and non-account financial transactions and for maintenance. Flexibility is provided to define approval rules with conditions stating that a ‘specific transaction’, if initiated by a ‘specific user/ user group/All users’, has to be approved by a ‘specific approver/approver group’ along with other attributes like amount range etc.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Approval Rules – Retail & Business User - Search
  This topic describes the systematic instruction to **Approval Rules – Retail & Business User - Search** option.
- Retail & Business Approval Rules – Create
  This topic describes the systematic instruction to **Retail & Business Approval Rules – Create** option.
- Approval Rules – Retail & Business User – Rule Summary
  This topic describes the systematic instruction to **Approval Rules – Retail & Business User – Rule Summary** option.
- Approval Rules – Retail & Business User - View
  This topic describes the systematic instruction to **Approval Rules – Retail & Business User - View** option.
- FAQ

14.2.3.1 Approval Rules – Retail & Business User - Search


This topic describes the systematic instruction to **Approval Rules – Retail & Business User - Search** option.

System displays a screen to enter the party ID or party name to search the approval rules that are maintained. User can enter the party ID (if known) or the party name with a minimum of 5 characters. System matches the input provided by the user with the party name records and displays the matching party records.

In case of a party search by party ID, it is an exact match and system displays the rules maintained if any.

In case of a party search by name, system displays the matching party records. The records have parties listed with both Party ID and Party Name information. User can select the record by clicking on the Party ID from the list.

Figure 14-23 Approval Rules - Retail & Business – Search



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.


Table 14-17 Field Description

Field Name	Description
Party ID	Party ID as per search input.
Party Name	Party name of the party ID.

To search the approval rules for admin users:

1. Navigate to one of the above paths.
2. Perform anyone of the following actions:
   - The **Approval Rules** screen appears. Enter the party ID in the **Party ID** field.
   - In the **Party Name** field, enter the party name.
3. Perform anyone of the following actions:
   - Click **Search** to search the matching records.
     The **Approval Rules** screen with search results appears based on the searched criteria.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to clear the input search parameters.

Figure 14-24 Approval Rules - Retail & Business – Search Result



> **Note**
>
> The fields which are marked as Required are mandatory.

Copyright © 2006, 2026, Oracle and/or its affiliates.


For more information on fields, refer to the field description table.

Table 14-18 Field Description

Field Name	Description
Search Result	**Information specified in below fields are related to Search Result.**
Party ID	List of the Party ID as per search input.
Party Name	List of the Party names of the party IDs as per search input.

4. Perform anyone of the following actions:
   - Click the **Party ID** link, to view details.
     The **Approval Rule - Summary** screen appears.
   - Click **Cancel** to cancel the transaction.

Figure 14-25 Approval Rules - Retail & Business – Summary



5. Perform anyone of the following actions:
   - Click the **Rule Code** link, to view details of the selected Approval Rule.
     The **Approval Rules - View** screen appears.
   - Click **Create** to create new Approval Rules for Retail & Business users.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

14.2.3.2 Retail & Business Approval Rules – Create

This topic describes the systematic instruction to **Retail & Business Approval Rules – Create** option.

Bank Administrator can create approval rules for the Retail & Business users. Administrator is allowed to create an approval rule only if the party preference is maintained and party is in active status.

Approval rules can be setup based on the following parameters.

- Type of Transaction

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Financial Transactions
  This option is used to setup approval rules for the transactions, this involves exchange of money.

  E.g. Money Transfer, Draft Issuance, Redeem Term Deposit etc.
- Non Financial Transactions
  This option is used to setup approval rules for the transaction which are for an account, but does not involve exchange of money.

  E.g. Cheque Book Request, Statement Request, Stop Cheque etc.
- Maintenance
  This option is used to setup approval rules for the transaction which are at the party level and not for a specific account

  E.g. Payee Maintenance, Biller Maintenance etc.
- Administration
  Option is used to setup approval rules for the maintenances which corporate administrator can initiate. These are mainly configurations related transactions for that corporate

  E.g. Account-Transaction mapping, Approval related maintenances etc.
- Non Account Financial Transactions:
  This option is used to setup approval rules for the transaction with amount range and no debit account

  E.g. Initiate LC, Supply Chain Finance related transactions like create Invoice.
- Initiator
  * Specific User
  * User Group
  * All Users
- Accounts
- Transactions
- Currency
- Amount Range

Administrator can create multiple approval rules for party users. In a scenario when a transaction is initiated and multiple rules are applicable as per set conditions, then the complex rule amongst all the applicable rules is applied for approval.

User can further define if for a condition, the transaction should be auto approved (which means there is no approval workflow and the transaction gets approved as soon as initiator submits the transaction) or should follow a set approval workflow and should get approved by the defined set of approvers. The same is achieved by attaching a workflow maintained for the Retail & Business party.

To create an approval rule for Retail & Business user:

1. Navigate to one of the above paths.

   The **Approval Rules** screen appears.
2. Enter the search parameters and click **Search**.

   The **Approval Rules** screen with both **Party ID** and **Party Name** appears.
3. Click the **Party ID** link to view details.

Copyright © 2006, 2026, Oracle and/or its affiliates.


The **Approval Rule - Summary** screen appears.

4. Click **Create**.

   The **Approval Rules - Create** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 14-26 Approval Rules – Retail & Business User - Create



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 14-19 Field Description

Field Name	Description
Party ID	Party ID for which an approval rule is to be maintained.
Party Name	Party name of Party ID for which an approval rule is to be maintained.
Rule Type	Transaction rule type for which the approval rule needs to be set up. The transaction rule for Retail & Business user are: • Financial • Non Financial • Maintenance • Administration • Non Account Financial The transaction rule types for a non-customer Retail & Business user are: • Maintenance • Non Account Financial • Administration
Rule Code	To specify approval rule code.
Rule Description	To specify approval rule description.
Initiator	**Information specified in below fields are related to Initiator**.
Initiator Type	Initiator type who initiates the transaction. This has options as '**User**' , '**User Group**' and '**All Users**'
User / User Group	Name of the user or user group as initiator. If initiator is selected as **User**, then all the users belongs to the party will be listed for selection. If initiator is selected as **User Group**, then all the user groups belongs to the party will be listed for selection. If Initiator is selected as **All Users**, then the rule which is being created is applicable for all users of Corporate Party.
Transactions	Type of transactions to set the approval rules. Type of transactions depends on the selection of rule type.
Accounts	Type of accounts. This field appears if you select **Financial** and **Non Financial** in the **Rule Type** field.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 14-19 (Cont.) Field Description

Field Name	Description
Currency	Currency type in which the financial approval rule for a corporate is defined. This field appears if you select Financial and **Non Account Financial** in the **Rule Type** field. **Note** a. Entity's base currency (maintained in system configuration) will be defaulted in the currency field. b. User will be able to select the currency other than the default currency from the currency list.
Amount Range	**Information specified in below fields are related to Amount Range**.
From Amount/ To Amount	Transactions allowed for the user between the amount range. This field appears if you select Financial and **Non Account Financial** in the **Rule Type** field.
Workflow Details	**Information specified in below fields are related to Workflow Details**.
Approval Required	Option to decide whether approval is required or not for the set condition.
Workflow	Field has description of the approval workflow. All workflows maintained for the party are listed here along with the defined approval level for each of them. This field appears if you select **Yes** in the **Approval Required** field.

5. In the **Rule Type** field, select the appropriate transaction rule type.
6. In the **Rule Code** field, enter the code.
7. In the **Rule Description** field, enter the rule name.
8. From the **Initiator Type** field, click appropriate user / user group and select the user/ user group.
9. From the **Transaction** list, select the transactions to be mapped to the rule.
10. From the **Accounts** list, select the appropriate account, if you have selected **Financial** option in the **Rule Type** field.
11. From the **Currency** list, select the appropriate account currency, if you have selected **Financial** option in the **Rule Type** field.
12. In the **Amount Range** section, enter the appropriate amount if you have selected **Financial** and **Non Account Financial** option in the **Rule Type** field.
13. In the **Workflow Details** section, select whether approval is required for the mapped transactions.
    a. If you select **Yes** option, select the appropriate **Workflow**.
14. Perform anyone of the following actions:
    - Click **Save** to save approval rule.
    - Click **Cancel** to cancel the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Back** to navigate to the previous screen.

15. Perform anyone of the following actions:
    - The **Approval Rule - Create Review** screen appears. Verify the details, and click **Confirm**.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.
16. The success message of saving the created approval rule appears along with the transaction reference number and status.

    Click **OK** to complete the transaction and navigate back to the **Dashboard**.

14.2.3.3 Approval Rules – Retail & Business User – Rule Summary


This topic describes the systematic instruction to **Approval Rules – Retail & Business User – Rule Summary** option.

Bank Administrator logs into the system and navigates to the Rules Management screen, and searches the party. On accessing the party ID, approval rules maintained (if any) for the party mapped to the user are displayed on the screen. User can opt to view the details of existing rules or can create new approval rule using this screen.

Navigation Path: Perform the following navigation to access the **View Rule summary**:

From **Dashboard**, click **Toggle Menu**, then click **Approvals** and then click **Rule Management**, Under **Rule Management** click **Retail & Business User**, then click **Search Party** and then click **View Rule summary**

Figure 14-27 Approval Rule – Search



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 14-20 Field Description

Field Name	Description
Party ID	Party ID for which an approval rule is to be viewed.
Party Name	Party name of Party ID for which an approval rule is to be viewed.
Search Result	**Information specified in below fields are related to Search Result**.
Party ID	List of the Party IDs as per search input.
Party Name	List of the Party names of the party IDs as per search input.


1. Navigate to one of the above paths.

   The **Approval Rule Management** screen appears.

2. Click the **Party ID** link to view details.


   The **Approval Rule - Summary** screen appears.

Figure 14-28 Approval Rule – Summary



Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 14-29 Approval Rule – View Details



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 14-21 Field Description

Field Name	Description
Party ID	Party ID for which an approval rule is to be viewed.
Party Name	Party name of Party ID for which an approval rule is to be viewed.
Search Result	**Information specified in below fields are related to Search Result**.
Rule Code	The approval rule code.
Maker	Initiator type (User ID or User Group Code) of the transaction. This field will be displayed only if existing approval rules are available under a party.
Approval Required	Whether approval is required for each rule maintained.
Workflow Code	The approval workflow code.

3. Perform anyone of the following actions:
   - Click the **Rule code** link, to view details of the selected Approval Rule. The **Approval Rules - View** screen appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
   - Click **Create** to create new Approval Rule for corporate users.

14.2.3.4 Approval Rules – Retail & Business User - View

This topic describes the systematic instruction to **Approval Rules – Retail & Business User - View** option.

On accessing ‘Rules Management’ menu option, and searching rules by providing party ID, summarized view of all the approval rules maintained (if any) for the party are displayed on the screen. Further drill down is given on the each rule to view the details of approval rule.

To view the approval rules for Retail & Business users:

1. Navigate to one of the above paths.

   The **Approval Rules** screen appears.

2. Enter the search parameters and click **Search**.

   The **Approval Rules** screen with both **Party ID** and **Party Name** appears.


3. Click the **Party ID** link, to view details.

   The **Approval Rule - Summary** screen appears.

4. Click the **Rule Code** link, for which you want to view the details.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 14-30 Approval Rule - View



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 14-22 Field Description

Field Name	Description
View	**Information specified in below fields are related to View.**
Party ID	Party ID for which an approval rule is to be viewed.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 14-22 (Cont.) Field Description

Field Name	Description
Party Name	Party name of Party ID for which an approval rule is to be viewed.
Rule Type	Transaction rule type for which the approval rule is set up. The transaction rule for Retail & Business user are: • Financial • Non-Financial • Maintenance • Administration • Non Account Financial The transaction rule types for a non-customer Retail & Business user are: • Maintenance • Non Account Financial • Administration
Rule Code	Approval rule code.
Rule Description	Approval rule description.
Initiator	**Information specified in below fields are related to Initiator**.
Initiator Type	Initiator type specified while creating a rule. **Note** **All Users** will be displayed for **Initiator Type** if rule is created with Initiator type as **All users**
User Name / User Groups	Name of the user or user group defined as initiator for the rule condition.
Transactions	Transaction for which the rule is set up.
Accounts	Field will display the account for which rule being viewed is set up. This field appears if you select **Financial** and **Non Financial** in the **Rule Type** field.
Currency	Currency type in which the financial approval rule for a corporate is defined. This field appears if you select Financial and **Non Account Financial** in the **Rule Type** field. **Note** a. Entity's base currency b. User will be able to select the currency other than the default currency from the currency list.
Amount Range	**Information specified in below fields are related to Amount Range**.
From Amount/ To Amount	Transactions allowed for the user between the amount range. This field appears if you select Financial and **Non Account Financial** in the **Rule Type** field.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 14-22 (Cont.) Field Description

Field Name	Description
Workflow Details	**Information specified in below fields are related to Workflow Details**.
Approval Required	Field displays whether approval is required or not.
Workflow Details	Field displays the approval workflow details along with the defined approval levels. This field appears if you select **Yes** in the **Approval Required** field.

5. Perform anyone of the following actions:
   - Click **Edit** to edit the approval rule.
     The **Approval Rule Management - Edit** screen with values in editable form appears.
   - Click **Delete** to delete the approval rule.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to go back to the previous screen.

   The application will prompt the administrator with a deletion message, click **Yes** to confirm.

   User is directed to **Approval Rule – Delete** confirmation page.

14.2.3.5 FAQ

1. **How many approval levels can I set up in the system?**
   Administrator can set up minimum one and maximum five levels of approvals as a part of approval workflow. Whereas, maximum levels of approvals that the user can set is configurable as Day0.
2. **Which approval rule will get applied when multiple applicable approval rules are found for specific transaction?**
   In a scenario when a transaction is initiated and multiple rules are applicable as per set conditions, then the complex rule amongst all the applicable rules is applied for approval.
3. **What happens to the approval process when approval rule gets edited and a transaction is pending with one of the approver for approval?**
   Edited rules are applicable for new transactions initiated post rule update. Previously initiated transactions which are pending for approval will follow a rule which was applied at the time of transaction initiation.
4. **What happens if the transaction is initiated in the currency in which approval rule is not maintained?**
   If the rule is not maintained in specific currency, then the approval rule set in the local currency for the transaction and amount combination will be applied.
5. **What happens if the approval rule in local currency is not maintained in above scenario?**
   If the approval rule is not set for both transaction currency and local currency, then transaction cannot be initiated.

14.3 FAQ

1. **How many approval levels can I set up in the system?**
   Administrator can set up minimum one and maximum five levels of approvals as a part of approval workflow. Whereas, maximum levels of approvals that the user can set is configurable as Day0.

Copyright © 2006, 2026, Oracle and/or its affiliates.

2. **Which approval rule will get applied when multiple applicable approval rules are found for specific transaction?**
   In a scenario when a transaction is initiated and multiple rules are applicable as per set conditions, then the complex rule amongst all the applicable rules is applied for approval.
3. **What happens to the approval process when approval rule gets edited and a transaction is pending with one of the approver for approval?**
   Edited rules are applicable for new transactions initiated post rule update. Previously initiated transactions which are pending for approval will follow a rule which was applied at the time of transaction initiation.
4. **What happens if the transaction is initiated in the currency in which approval rule is not maintained?**
   If the rule is not maintained in specific currency, then the approval rule set in the local currency for the transaction and amount combination will be applied.
5. **What happens if the approval rule in local currency is not maintained in above scenario?**
   If the approval rule is not set for both transaction currency and local currency, then transaction cannot be initiated.

Copyright © 2006, 2026, Oracle and/or its affiliates.

15

Group Corporate Onboarding

This topic describes the information about **Group Corporate Onboarding** process.

Corporate onboarding is the process that bank undertakes when bringing a new business customer onboard. OBDX furnishes integrating the onboarding workflow to a business rules engine that facilitates uninterrupted corporate onboarding processing. Generally, the customer onboarding process constitutes of multiple activities.

Group corporate onboarding allows the administrator to onboard the corporate party on OBDX along with definition of various attributes including Group Corporate Profiling, Party and User Account Access, User Onboarding, User Group Maintenance, User Reports Mapping, Approvals Workflow and Rules Maintenance etc. in a single flow. After performing these onboarding steps in a single flow, the applications send the same as a single approval.

Group corporate onboarding allows corporate parties belonging to different entities to map under a Group Corporate ID.


Group Corporate onboarding function would be a two-step process. Bank admin would be required to onboard Corporate using his party ID and then proceed to Group Corporate Onboarding wizard.

This maintenance is done only for corporate type of parties and is not applicable for retail & business type of parties. Parameter values maintained against a Group Corporate defines the system behavior for the following:

Flexible Party-to-Group Corporate Association

1. A party can be associated with multiple Group Corporates.
2. Introduction of Owner and Agent relationship types.
3. Accessible Roles for Group Corporate
4. Workflow and Approval Flow preference
5. Party and User level account access
6. User onboarding with multi-entity setup and accessible Party Maintenance
7. User Group Maintenance for Group Corporate users
8. Corporate user report mapping maintenance to generate user reports
9. Approval workflow and Rules setup for banking transaction

Figure 15-1 Workflow



Copyright © 2006, 2026, Oracle and/or its affiliates.

Features supported in Application:

- Setup Group Corporate Onboarding
  - Step 1: Group Corporate Profiling
  - Step 2: Party Account Access
  - Step 3: User Onboarding
  - Step 4: User Group Maintenance
  - Step 5: File Identifier Maintenance
  - Step 6: User Account Access
  - Step 7: Report Mapping
  - Step 8: Workflow Management
  - Step 9: Approval Rules
- View Group Corporate Onboarding Details
- Edit Group Corporate Onboarding Details

Navigation Path: Perform anyone of the following navigation to access **Group Corporate Maintenance**.

- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Corporate Onboarding**, Under **Corporate Onboarding** , click **Group Corporate Onboarding**.
- From **System/ Bank Administrator Dashboard**, under **Corporate Onboarding** widget, click **Group Corporate Maintenance**.
- Group Corporate Onboarding – Search Corporate
  This topic describes the systematic instruction to **Group Corporate Onboarding – Search Corporate** screen.
- Step 1: Group Corporate Profiling
  This topic describes the information about **Group Corporate Profiling** step.
- Step 2: Party Account Access
  This topic describes the information about **Party Account Access** step.
- Step 3: User Onboarding
  This topic describes the information about **User Onboarding** step.
- Step 4: User Group Maintenance
  This topic describes the information about **User Group Maintenance** option.
- Step 6: User Account Access
  This topic describes the information about **User Account Access** option.
- Step 7: Report Mapping
  This topic describes the information about **Report Mapping**
- Step 8: Workflow Management
  This topic describes the information about **Workflow Management** feature.
- Step 9: Approval Rules
  This topic describes the information about **Approval Rules** feature. This function enables the Bank Administrator to set up conditions for approval as well as for Releaser as per the bank/corporate requirements.
- Send to Modify
  This topic describes the systematic instruction to **Send to Modify**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- FAQ

15.1 Group Corporate Onboarding – Search Corporate

This topic describes the systematic instruction to **Group Corporate Onboarding – Search Corporate** screen.

Bank administrator logs in to the application and navigates to the Group Corporate onboarding Screen. On this screen, the administrator will be required to search a Group Corporate and select the required Group Corporate name from the search results, for setting up the onboarding functions.
System allows bank admin to search Group Corporate by using either Group Corporate details or Corporate Party details.

To search using Group Corporate details, application gives a provision to enter the Group Corporate information including Group Corporate ID and Group Corporate Name.

User can enter the Group Corporate ID (if known) or the Group Corporate name with a minimum of 1 characters. System matches the input provided by the user with the Group Corporate name records and displays the matching group corporate records.

User can enter party information including Entity ID, Party ID or Party Name, if searching the Group Corporate using Party details.

User can enter the Entity ID, Party ID (if known) or the Party Name with a minimum of 5 characters. System matches the input provided by the user with the Party Name records and displays the matching group corporate details.

To search Group Corporate (Using Group Corporate Details):

1. Navigate to one of the above paths.

   The **Group Corporate Maintenance** screen appears.

2. In the **Search By** field, select the appropriate option to search the Group Corporate.
   a. If you select the **Group Corporate** option;

      Perform anyone of the following actions:

      i. In the **Group Corporate ID** field, enter the Group Corporate ID whose Group Corporate Details you want to view.

      ii. In the **Group Corporate Name** field, enter the name of the Group Corporate whose Group Corporate Details you want to view.

   b. If you select the **Party** option;

      i. In the **Party ID** field, enter the party ID mapped to Group Corporate you wish to view.

         The **Search Party** popup appears.

      ii. From the **Entity ID** list, select the entity from which party to be searched.

      iii. Perform anyone of the following actions:

         - In the **Party ID** field, enter the party ID to be searched.
         - In the **Party Name** field, enter the name of the party to be searched.

      iv. Perform anyone of the following actions:

         - Click **Search** to search the party mapped to the Group Corporate.

Copyright © 2006, 2026, Oracle and/or its affiliates.


- Click **Cancel** to cancel the transaction.
- Click **Clear** to reset the details.

3. Perform anyone of the following actions:

- Click **Search**.
  The Group Corporate summary screen appears with search results as per the searched criteria

  In case of invalid Group Corporate details, appropriate error message is shown on the screen.
- Click **Clear** to reset the details.
- Click **Cancel** to cancel the transaction.

Figure 15-2 Group Corporate – Search by Group Corporate Name




> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.


Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-3 Group Corporate – Search by Group Corporate ID




Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-4 Group Corporate – Search by Party ID



Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-5 Group Corporate – Search by Party Name



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 15-1 Group Corporate – Search by Party Name - Field Description

Field Name	Description
Search By Group Corporate Details	**Information specified in below fields are related to search by group corporate details**.
Group Corporate ID	Group Corporate ID for which Group Corporate onboarding is to be maintained/ viewed.
Group Corporate Name	Group Corporate Name for which Group Corporate onboarding is to be maintained/ viewed.
Search By Corporate Party Details	**Information specified in below fields are related to search by corporate party details**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 15-1 (Cont.) Group Corporate – Search by Party Name - Field Description

Field Name	Description
Entity ID	Entity ID of the Corporate Party
Party ID	Party ID for which Group Corporate onboarding is to be maintained/ viewed.
Party Name	Party Name for which Group Corporate onboarding is to be maintained/ viewed.
Search Results	**Information specified in below fields are related to search results**.
Group Corporate ID	Group Corporate ID for which Group Corporate onboarding is to be maintained/ viewed.
Group Corporate Name	Group Corporate ID for which Group Corporate onboarding is to be maintained/ viewed.
Onboarding Status	Onboarding status of Group Corporate in Application
Modification Status	Modification status of Group Corporate in Application
Last Updated	Last updated details for the Group Corporate.

4. Perform anyone of the following actions:
   - Click the **Onboarding Status** link, to view details of the selected Group Corporate. The **Group Corporate - View** screen appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to clear the input search preference.

- View Linked Parties under Group Corporate
  This topic describes the information about **View Linked Parties under Group Corporate**screen.
- Comments
  This topic describes the systematic instruction to **Comments**.
- Ready to Submit
  This topic describes the systematic instruction to **Ready to Submit**.

15.1.1 View Linked Parties under Group Corporate

This topic describes the information about **View Linked Parties under Group Corporate**screen.

The Bank Administrator can view the linked parties under Group Corporate on the Group Corporate Onboarding screen.


To search linked parties under GCIF:

1. Click on icon adjacent to the Group Corporate ID. An expansion will be visible on the Group Corporate ID from where the user can view the list of parties mapped to the Group Corporate along with the ID, name and entity details of the party.

> **Note**
>
> Enter the Party Name, and click **Search** to search specific party.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-6 View Linked Parties under Group Corporate



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 15-2 View Linked Parties under Group Corporate - Field Description

Field Name	Description
Search	Allows user to search for the specific Party ID and Name.
Party ID	Display Party ID of the Existing linked party for respective group corporate ID/ Name.
Name	Display Party Name of the Existing linked party for respective group corporate ID/ Name.
Entity	Display Entity of the Existing linked party for respective group corporate ID/ Name.

15.1.2 Comments

This topic describes the systematic instruction to **Comments**.


Click on Comments icon to view / add stage wise comments. These comments can be added by any user involved in the maintenance journey e.g., maker, checker etc.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Note

- The comments can be captured at each resource level.
- Multiple comments can be captured for one resource.
- The user ID and date timestamp will be available for each comment.
- The user can add comments however the added comments cannot be modified or deleted.
- The comments will be available in the activity log for the Group Corporate against the transaction reference number as long as the Group Corporate data is not purged.
- A history of comments will be available in case the maintenance is picked up by another approver of same user group for action. The reference number of the transaction continues to be the same and hence the comments trail can be viewed.

Figure 15-7 Comments Captured



1. Enter the comments.
2. Perform anyone of the following actions:
   - Click **Save** to save the comments.
   - Click **Clear** to reset the data entered.

15.1.3 Ready to Submit

This topic describes the systematic instruction to **Ready to Submit**.

Any user who modifies a resource in the entire Group Corporate maintenance is registered in the system as a contributor. When any user submits a transaction, a check is performed if all the contributors have given readiness for submission or not.

When any user submits a transaction, a check is performed and if all contributors have given readiness, then the transaction gets submitted successfully.

Copyright © 2006, 2026, Oracle and/or its affiliates.


> **Note**
>
> Any user who has not performed any data modification on any step in the Group Corporate onboarding wizard but has only entered comments for a resource will not be considered as a contributor.

1. Update the transaction details and click **Save**.
2. On the **Group Corporate Onboarding** screen on top right corner, click on icon adjacent to **Submission Status**.

   Displays the status of the transaction submission readiness.

> **Note**
>
> The status of the transaction is **In-progress** until the user provides readiness for submission

Figure 15-8 Modified Transaction with status




3. Click **Ready to Submit**.

   The **Ready to Submit Status** modal window appears.

> **Note**
>
> The status of the transaction changes to **Ready to Submit**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-9 Ready to Submit Status modal window



A check is performed and after all contributors have given readiness, the transaction is submitted successfully.

15.2 Step 1: Group Corporate Profiling

This topic describes the information about **Group Corporate Profiling** step.

Group Corporate Profiling will allow the bank administrator to maintain Group Corporate Profiling considering various aspect.

While setting up the Profiling, bank administrator can define the accessible roles at Group corporate level. System will display all the roles available at enterprise level (Application roles are created using Role Transaction Mapping screen).

Administrator can enable corporate administration facility to handle various administrative maintenance on behalf of the Group Corporate . Such delegated users with an administrator role will have restricted scope over these administration functionalities and manage the Group Corporate to which they belong.

Administrator can select and assign the roles available at enterprise level as is, or user can create a custom role for the Group Corporate by cloning a role available at Group Corporate level.

If Administrator creates a custom role for the Group Corporate by cloning a bank role, user can make the changes in that role on the overlay and save it with a different name. Admin will be able to remove touch points, modules, transactions, actions at the time of modifying the role (on the overlay).

User can define the Approval workflow type, if it has to be sequential or parallel.

The admin can also specify whether release facility is enabled at the Group Corporate level or not.

Pre-Requisites

- Transaction access is provided to Bank Administrator.
- Approval rule set up for Bank Administrator to perform the actions.
- Party for which Group corporate needs to be set up is created in core banking application

Copyright © 2006, 2026, Oracle and/or its affiliates.

Party Relationship Maintenance


Table 15-3 Party Relationship Maintenance

Attribute	Description
Party Type	Owner / Agent
Owner Party	May belong to only one Group Corporate
Agent Party	May belong to multiple Group Corporates
Multiple Owners	Supported
Owner Mandatory	No

Rules

1. **Owner**
   - Group Corporate may have zero or more Owners.
   - An Owner party can be mapped to only one Group Corporate.
2. **Agent**
   - Agent parties can be mapped to multiple Group Corporates.
   - Agent parties support cross-group servicing scenarios.

Figure 15-10 Workflow



Navigation Path: Perform anyone of the following navigation to access **Group Corporate Profiling**.

- From **System/ Bank Administrator Dashboard**, under **Corporate Onboarding** , click **Group Corporate Onboarding** and then click **Group Corporate Profiling**.
- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Group Corporate Onboarding**, Under**Group Corporate Onboarding** , click **Group Corporate Profiling**.
- Group Corporate Profiling - Create
  This topic describes the systematic instruction to **Group Corporate Profiling - Create**.
- Group Corporate Profiling - View
  This topic describes the systematic instruction to **Group Corporate Profiling - View** option. Using this option, System/ Bank administrators can search and view profiling details of the existing Group Corporate.
- Group Corporate Profiling - Edit
  This topic describes the systematic instruction to **Group Corporate Profiling - Edit** feature.

Copyright © 2006, 2026, Oracle and/or its affiliates.

15.2.1 Group Corporate Profiling - Create

This topic describes the systematic instruction to **Group Corporate Profiling - Create**.

Using this option, Bank Administrator can configure Group Corporate Profiling for a specific Group Corporate ID.

To setup a Group Corporate Profiling:

1. Navigate to one of the above paths.

   The **Group Corporate Profiling** screen appears.


2. In the **Search By** field, select the appropriate option to search the Group Corporate.
   a. If you select the **Group Corporate** option;
      i. Perform anyone of the following actions:
         - In the **Group Corporate ID** field, enter the Group Corporate ID whose Group Corporate Details you wish to view.
         - In the **Group Corporate Name** field, enter the name of the Group Corporate whose Group Corporate Details you want to view.
   b. If you select the **Party** option;
      i. In the **Party ID** field, enter the party ID mapped to Group Corporate you wish to view.

         The **Search Party** popup appears.
      ii. From the **Entity ID** list, select the entity from which party to be searched.
      iii. Perform anyone of the following actions:
         - In the **Party ID** field, enter the party ID to be searched.
         - In the **Party Name** field, enter the name of the party to be searched.
      iv. Perform anyone of the following actions:
         - Click **Search** to search the party mapped to the Group Corporate.
         - Click **Cancel** to cancel the transaction.
         - Click **Clear** to rest the entered details.
3. Click **Search**.

   The **Group Corporate summary** screen appears with search results as per the searched criteria.
4. Select **Group Corporate ID**, from Group Corporate summary details.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-11 Group Corporate Profiling – Create



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 15-4 Group Corporate Profiling – Create - Field Description

Field Name	Description
Group Corporate Name	Name of the group corporate.
Global Role	**Information specified in below fields are related to global role**.
Bank Roles	Display all the roles available at enterprise level.
Entity Specific Roles	The roles associated with different entities.
Customer Role	Create a custom role for the Group Corporate by cloning a role available at Group Corporate level. **Note:** Admin will be able to assign a mix of bank roles and custom roles to a Group Corporate
Workflow Preferences	The preference to implement the workflow. Possible value will be • **Corporate Level** • **Rule Level**
Approval Flow	Define the Approval workflow type. Possible value will be • **Sequential** • **Parallel** • **No Approval** This field is enabled if **Corporate Level** option is selected in **Workflow Preferences** field.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 15-4 (Cont.) Group Corporate Profiling – Create - Field Description

Field Name	Description
Approval Routing Type	Define the approval routing type. Possible value will be • **Auto**- System will resolve the rule and the transaction will be sent for approval as per the rule resolved by the system. A rule which is having amount slab closest to the transaction amount will be resolved. The user will not have an option to select the approval workflow if routing type is Auto • **Manual**- User will be able to select a workflow from the resolved rules as part of transaction initiation **Note:** a. In case system resolves multiple rules with different min-max slabs, then as per rule resolution logic, it will resolve the rule which has the nearest 'max' value in the defined slab. i. A Day 0 configuration is provided to define if weightage needs to be checked during rule evaluation (Auto-routing/ Manual routing) • If the Day 0 configuration is yes, then the rules will be evaluated irrespective of the currency. However, the final rule which is resolved will be as per the calculated weightage – If the Day 0 configuration is yes, then the rules will be evaluated irrespective of the currency. However, the final rule which is resolved will be as per the calculated weightage – If the Day 0 configuration is no, then he rules will be evaluated irrespective of the currency. All the rules falling within the amount range (post currency conversion) will be resolved. Whichever approver picks the transaction first, that rule will be the final resolved rule
Release Facility	Specify whether the release functionality is enabled or disabled at the Group Corporate level. The options are: • **Enabled**- it means the transaction release facility is enabled at Group Corporate level. If enabled, all the transactions as per the specified rule, will be sent for release to the configured users/ user groups post successful approval at all levels • **Disabled**- it means the transaction release facility is disabled at Group Corporate level. If disabled, the transactions will not be sent to the releaser post successful approval at all levels
Corporate Administrator Facility	Set this flag if Corporate Admin facility is required for the Group Corporate.
Accessible Roles for Corporate Administrator	Select the Roles that should be available to Corporate admin for onboarding new users

5. In the **Bank Role Name** field, select the checkbox (s) against the application roles and assign the Application Roles available at enterprise level (This Application roles are created using Role Transaction Mapping screen).
6. From the **Custom Role** list, select the role if a custom role is required to be added for the Group Corporate.
7. Click **Add role** to create application role.


   The **Map Transaction** overlay screen appears.
8. Perform anyone of the following actions:

Copyright © 2006, 2026, Oracle and/or its affiliates.


- The **Application Role Creation** screen to add transaction modules and touch points appears.
- Click **Cancel** to cancel the transaction.

Create Custom Role - Application Role Creation
Using this option, System Administrator can select and assign the roles available at enterprise level as is, or can create a custom role for the Group Corporate by cloning a role available at Group Corporate level and map transactions to it for the selected touch points.

Figure 15-12 Application Role Creation



Copyright © 2006, 2026, Oracle and/or its affiliates.



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 15-5 Application Role Creation - Field Description

Field Name	Description
Create Customer Role	**Information specified in below fields are related to create customer role.**
Application Role Name	Name of the application role.
Custom Application Role Name	Name for the Custom Application role.
Description	Displays the the description of the application role.
User Type	Displays the user type for whom an application role is to be created.
Touch Point Type	Displays the touch point type for whom an application role is to be created.
Role Type	Displays the role type for whom an application role is to be created.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 15-5 (Cont.) Application Role Creation - Field Description

Field Name	Description
Map Transactions	**Information specified in below fields are related to map transactions**.
Module Name	The modules for which the transaction mapping is to be done. Transactions under the selected modules will get displayed for mapping
Map Transactions to Touch Points	The internal touch points for which the transaction mapping is done for application role. All the internal touch point maintained in the system gets displayed here. This field is displayed and enabled, only if you select the Internal option in the Touch Point Type field.
Transaction Name	Name of transaction to be mapped to the application role.
Action	Name of the action that can be performed for that transaction by the user to which this application role is assigned. • **Perform**- This action allows the user to perform or initiate that transaction and should be given to maker role. • **Approve**- This action allows the user to approve that transaction and should be provided to approval role • **View**- This action allows the user to view the initiated and approved transactions by other users and should be given to viewer role • **Check**- This action allows the user to check the initiated transactions by other users and should be given to checker role • **Release**- This action allows the user to release the initiated transactions by other users and should be given to releaser role

9. In the **Application Role Name** field, the existing application role from which the clone of the application role is being created will be displayed.
10. In the **Custom Application Role Name** field, enter the name of the application role.
11. Select appropriate **Module Name** for transactions mapping.
12. Select the check box against the list of **Touch Points** to map the transactions to selected touch points.
13. Perform anyone of the following actions:
    - Click **Next** to proceed to next step.
    - Click **Back** to go back to previous step.
14. To map the **Transactions** to the role, click ▶ icon against the particular module, then select the transaction type, and then transactions to be mapped
15. Perform anyone of the following actions:
    - Select the respective check boxes preceding to transaction to be mapped.
    - Select the checkbox at every transaction header level if you want to map all the transactions belong to that parent transactions at one instance.
16. Perform anyone of the following actions:
    - Click **Save** to save the changes.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.
17. Select the appropriate **Workflow Preference** to specify the preference to implement the workflow, whether at Corporate Level or at Rule Level.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- If **Workflow Preference** is selected as **Corporate Level**;
  i. Select the **Approval Flow** to define the Approval workflow type, if it has to be **sequential** or **parallel** or **No Approval** is required.

18. Select the **Approval Routing Type**;

    Perform anyone of the following actions:

    - Select **Auto** if you wish system should resolve the rule and send the transaction for approval as per the rule resolved by the system.
    - Select Manual if you wish to allow initiator to choose workflow from the resolved rules as part of transaction initiation.

19. Select the **Release Facility** flag if the release functionality needs to be enabled at Group Corporate level.
20. Select the **Corporate Administrator Facility** flag if Corporate Admin facility is required for the Group Corporate.
21. Select **Accessible Roles for Corporate Administrator** field, select the Roles that should be available to Corporate admin for onboarding new users.
22. Perform anyone of the following actions:

    - Click **Save** to save the maintenance, and redirect to the review page.
    - Click **Back** to navigate back to previous screen.
    - Click **Next** to proceed to the next logical step.
    - Click **Submit** to submit the steps performed so far for approval.
    - Click **Retain Draft** to save the details entered as draft.
    - Click **Cancel** to cancel the transaction.

    > **Note**
    >
    > Admin can submit the maintenance after any step. Maintenances saved so far will be sent for approval in one flow. Admin would not be able to make any changes or maintain another step for the same Group Corporate till the time the approval of the wizard is not done.

23. The **Review** screen appears. Verify the details, and click **Submit**.

    - Click **Edit** to modify the details entered.
    - Click **Next** to proceed to next step.
    - Click **Retain Draft** to save all the steps completed so far, and allow Admin resume the same application.
    - Click **Cancel** to cancel the transaction.

    The success message appears along with the transaction reference number.

24. Click **OK** to complete the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

15.2.2 Group Corporate Profiling - View

This topic describes the systematic instruction to **Group Corporate Profiling - View** option. Using this option, System/ Bank administrators can search and view profiling details of the existing Group Corporate.

To search and view Profiling details of the Group Corporate:

1. Navigate to one of the above paths.

   The **Group Corporate Profiling** screen appears.

2. In the **Search By** field, select the appropriate option to search the Group Corporate.
   a. If you select the **Group Corporate** option;
      i. Perform anyone of the following actions:
         - In the **Group Corporate ID** field, enter the Group Corporate ID whose Group Corporate Details you wish to view.
         - In the **Group Corporate Name** field, enter the name of the Group Corporate whose Group Corporate Details you want to view.
   b. If you select the **Party** option;
      i. In the **Party ID** field, enter the party ID mapped to Group Corporate you wish to view.

         The **Search Party** popup appears.
      ii. From the **Entity ID** list, select the entity from which party to be searched.
      iii. Perform anyone of the following actions:
         - In the **Party ID** field, enter the party ID to be searched.
         - In the **Party Name** field, enter the name of the party to be searched.
      iv. Perform anyone of the following actions:
         - Click **Search** to search the party mapped to the Group Corporate.
         - Click **Cancel** to cancel the transaction.
         - Click **Clear** to rest the entered details.
3. Click **Search**.

   The **Group Corporate summary** screen with search results appears based on the searched criteria.


   In case of invalid **Group Corporate** details, error message is shown on the screen.

   - Click **Clear** to reset the details.
   - Click **Cancel** to cancel the transaction.
4. Click the link under the **Onboarding Status or Modification Status** column.

   The search result according to the search criteria appears

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-13 Group Corporate Profiling – View



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 15-6 Group Corporate Profiling – View - Field Description

Field Name	Description
Group Corporate Name	Name of the group corporate.
Global Role	**Information specified in below fields are related to global role**.
Bank Roles	Display all the roles mapped at Group Corporate level.
Entity Specific Roles	The roles associated with a particular entity. **Note:** • If an application role is assigned to an entity to which the administrator is not mapped, then the administrator is not able to access the role for view/modify/delete. • If a Group Corporate specific application role is created by extending an existing entity specific application role, the entity mapping applicable to the parent role from which the Group Corporate specific application role has been created, would be applicable to the Group Corporate specific application role. An administrator will not be able to modify the **Entity** of custom application roles once created.
Custom Role	Display the custom role assigned for the Group Corporate (If any) by cloning a role available at Group Corporate level. **Note:** Admin will be able to assign a mix of bank roles and custom roles to a Group Corporate.
Workflow Preferences	Display the workflow preference set up to implement the workflow. Possible values will be • **Corporate Level** • **Rule Level**
Approval Flow	Display the Approval workflow type, Possible values will be • **Sequential** • **Parallel** • **No Approval** This field is enabled if **Corporate Level** option is selected in **Workflow Preferences** field.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 15-6 (Cont.) Group Corporate Profiling – View - Field Description

Field Name	Description
Approval Routing Type	Displays the approval routing type. Possible value will be • **Auto** • **Manual** **Note:** a. IIn case system resolves multiple rules with different min-max slabs, then as per rule resolution logic, it will resolve the rule which has the nearest **max** value in the defined slab. i. A Day 0 configuration is provided to define if weightage needs to be checked during rule evaluation (Auto-routing/ Manual routing) • If the Day 0 configuration is yes, then the rules will be evaluated irrespective of the currency. However, the final rule which is resolved will be as per the calculated weightage – If the Day 0 configuration is yes, then the rules will be evaluated irrespective of the currency. However, the final rule which is resolved will be as per the calculated weightage – If the Day 0 configuration is no, then he rules will be evaluated irrespective of the currency. All the rules falling within the amount range (post currency conversion) will be resolved. Whichever approver picks the transaction first, that rule will be the final resolved rule
Release Facility	Displays the whether the release functionality is enabled or disabled at Group Corporate level.
Corporate Administrator Facility	Display the flag if Corporate Admin facility is maintained for the Group Corporate.
Accessible Roles for Corporate Administrator	Display the Roles that made available to Corporate admin for onboarding new users

View Custom Role - Application Role

Using this option, System Administrator can view the custom created application role details assigned for viewing Group corporate at enterprise level.

Table 15-7 View Custom Role - Application Role - Field Description

Field Name	Description
View Custom Role	**Information specified in below fields are related to view custom role**.
Application Role Name	Name of the application role.
Custom Application Role Name	Name for the Custom Application role
Module Name	The modules for which the transaction mapping is done. Transactions under the selected modules will get displayed for mapping
Map Transactions to Touch Points	The internal touch points for which the transaction mapping is done for application role. All the internal touch point maintained in the system gets displayed here. This field is displayed and enabled, only if you select the Internal option in the Touch Point Type field.
Transaction Name	Name of transaction mapped to the application role.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 15-7 (Cont.) View Custom Role - Application Role - Field Description

Field Name	Description
Action	Name of the action that can be performed for that transaction by the user to which this application role is assigned. • **Perform**- This action allows the user to perform or initiate that transaction and should be provided to maker role. • **Approve**- This action allows the user to approve that transaction and should be given to approval role • **View**- This action allows the user to view the initiated and approved transactions by other users and should be given to viewer role • **Check**- This action allows the user to check the initiated transactions by other users and should be given to checker role • **Release**- This action allows the user to release the initiated transactions by other users and should be given to releaser role

5. Perform anyone of the following actions:
   - Click **Back** to navigate back to previous screen.
   - Click **Next** to proceed to the next logical step.
   - Click **Submit** to submit the steps performed so far for approval.
   - Click **Retain Draft** to save the details entered as draft.
   - Click **Cancel** to cancel the transaction.

15.2.3 Group Corporate Profiling - Edit

This topic describes the systematic instruction to **Group Corporate Profiling - Edit** feature.

This function enables administrator user to edit the exiting Group Corporate Profiling details.
To edit the Profiling details of the Group Corporate:

1. Navigate to one of the above paths.

   The **Group Corporate Profiling** screen appears.
2. In the **Search By** field, select the appropriate option to search the Group Corporate.
   a. If you select the **Group Corporate** option;
      i. Perform anyone of the following actions:
         - In the **Group Corporate ID** field, enter the Group Corporate ID whose Group Corporate Details you wish to view.
         - In the **Group Corporate Name** field, enter the name of the Group Corporate whose Group Corporate Details you want to view.
   b. If you select the **Party** option;
      i. In the **Party ID** field, enter the party ID mapped to Group Corporate you wish to view.

         The **Search Party** popup appears.
      ii. From the **Entity ID** list, select the entity from which party to be searched.
      iii. Perform anyone of the following actions:
         - In the **Party ID** field, enter the party ID to be searched.
         - In the **Party Name** field, enter the name of the party to be searched.

Copyright © 2006, 2026, Oracle and/or its affiliates.

iv. Perform anyone of the following actions:

- Click **Search** to search the party mapped to the Group Corporate.
- Click **Cancel** to cancel the transaction.
- Click **Clear** to rest the entered details.

3. Perform anyone of the following actions:

- Click **Search**.
  The **Group Corporate summary** screen with search results appears based on the searched criteria.

  In case of **invalid Group Corporate** details, error message is shown on the screen.
- Click **Clear** to reset the details.
- Click **Cancel** to cancel the transaction.

4. Click the link under the **Onboarding Status or Modification Status** column.

   The search result according to the search criteria appears


5. Click on the  icon adjacent to **Group Corporate Name** field to modify the name of the Group Corporate.

- Enter the new Group Corporate name, and click **Check Availability** to check the uniqueness of the name.

> **Note**
>
> If the user ID is already used.
>
> i. Displays **Available** status if new name assigned is unique and can be used.
>
> ii. The  icon is provided to reset and re-enter the new name.
>
> iii. **Available** status is shown if new name assigned is unique and hence can be used.
>
> iv. If user clicks on **Save** without checking the availability, system displays the an error message.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-14 Group Corporate Profiling – Edit



Copyright © 2006, 2026, Oracle and/or its affiliates.

6. Click **Edit** to edit the Group Corporate Profiling details.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 15-8 Group Corporate Profiling – Edit - Field Description

Field Name	Description
Group Corporate Name	Name of the group corporate. This field is editable.
Global Role	**Information specified in below fields are related to global role**.
Bank Roles	All the roles available at enterprise level. This field is editable.
Customer Roles	Create a custom role for the Group Corporate by cloning a role available at Group Corporate level. This field is editable. **Note:** Admin will be able to assign a mix of bank roles and custom roles to a Group Corporate.
Entity Specific Roles	The roles associated with a particular entity. This field is editable. **Note:** • If an application role is assigned to an entity to which the administrator is not mapped, then the administrator is not able to access the role for view/modify/delete. • If a Group Corporate specific application role is created by extending an existing entity specific application role, the entity mapping applicable to the parent role from which the Group Corporate specific application role has been created, would be applicable to the Group Corporate specific application role. An administrator will not be able to modify the **Entity** of custom application roles once created.
Customer Role	Create a custom role for the Group Corporate by cloning a role available at Group Corporate level. This field is editable. **Note:** Admin will be able to assign a mix of bank roles and custom roles to a Group Corporate.
Workflow Preferences	The preference to implement the workflow. This field is editable. Possible value will be • **Corporate Level** • **Rule Level**

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 15-8 (Cont.) Group Corporate Profiling – Edit - Field Description

Field Name	Description
Approval Flow	Define the Approval workflow type. This field is editable. Possible value will be • **Sequential** • **Parallel** • **No Approval** This field enable if **Corporate Level** option is selected in **Workflow Preferences** field.
Approval Routing Type	Define the approval routing type. This field is editable. Possible value will be • **Auto**- System will resolve the rule and the transaction will be sent for approval as per the rule resolved by the system. A rule which is having amount slab closest to the transaction amount will be resolved. The user will not have an option to select the approval workflow if routing type is Auto • **Manual**- User will be able to select a workflow from the resolved rules as part of transaction initiation **Note:** a. In case system resolves multiple rules with different min-max slabs, then as per rule resolution logic, it will resolve the rule which has the nearest **max** value in the defined slab. i. A Day 0 configuration is provided to define if weightage needs to be checked during rule evaluation (Auto-routing/ Manual routing) • If the Day 0 configuration is yes, then the rules will be evaluated irrespective of the currency. However, the final rule which is resolved will be as per the calculated weightage – If the Day 0 configuration is yes, then the rules will be evaluated irrespective of the currency. However, the final rule which is resolved will be as per the calculated weightage – If the Day 0 configuration is no, then he rules will be evaluated irrespective of the currency. All the rules falling within the amount range (post currency conversion) will be resolved. Whichever approver picks the transaction first, that rule will be the final resolved rule
Release Facility	Specify whether the release functionality is to be enabled or disabled at Group Corporate level. This field is editable.
Corporate Administrator Facility	Set this flag if Corporate Admin facility is required for the Group Corporate. This field is editable.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 15-8 (Cont.) Group Corporate Profiling – Edit - Field Description

Field Name	Description
Accessible Roles for Corporate Administrator	Select the Roles that should be available to Corporate admin for onboarding new users. This field is editable.


7. In the **Bank Role Name** field, select the checkbox (s) against the application roles and assign the **Application Roles** available at enterprise level (This Application roles are created using Role Transaction Mapping screen).
8. From the **Custom Role** list, select the role, if a custom role is required to be added for the Group Corporate.
9. Click **Add role** to create application role.

   The **Map Transaction** overlay screen appears.
10. Perform anyone of the following actions:
    - The **Application Role Creation** screen to add transaction modules and touch points appears.
    - Click **Cancel** to cancel the transaction and to go back to previous screen.


Create Customer Role - Application Role Creation

Using this option, System Administrator can select and assign the roles available at enterprise level as is, or he can create a custom role for the Group Corporate by cloning a role available at Group Corporate level and map transactions to it for selected touch points.

Figure 15-15 Application Role Creation



Copyright © 2006, 2026, Oracle and/or its affiliates.



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 15-9 Application Role Creation - Field Description

Field Name	Description
Create Customer Role	**Information specified in below fields are related to create customer role.**
Application Role Name	Name of the application role.
Custom Application Role Name	Name for the Custom Application role
Module Name	The modules for which the transaction mapping is to be done. Transactions under the selected modules will get displayed for mapping

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 15-9 (Cont.) Application Role Creation - Field Description

Field Name	Description
Map Transactions to Touch Points	The internal touch points for which the transaction mapping is done for application role. All the internal touch point maintained in the system gets displayed here. This field is displayed and enabled, only if you select the Internal option in the Touch Point Type field.
Transaction Name	Name of transaction to be mapped to the application role.
Action	Name of the action that can be performed for that transaction by the user to which this application role is assigned. • **Perform**- This action lets the user to perform or initiate that transaction and should be given to maker role. • **Approve**- This action lets the user to approve that transaction and should be given to approval role • **View**- This action lets the user to view the initiated and approved transactions by other users and should be given to viewer role • **Check**- This action allows the user to check the initiated transactions by other users and should be given to checker role • **Release**- This action allows the user to release the initiated transactions by other users and should be given to releaser role

11. In the **Application Role Name** field, the existing application role from which the clone of the application role is being created will be displayed.
12. In the **Custom Application Role Name**, enter the name of the application role.

> **Note**
>
> Enter the new **Custom Application Role Name**, and click **Check Availability** to check the uniqueness of the name.

13. Select appropriate **Module Name** for transactions mapping.
14. Select the check box against the list of **Touch Points** to map the transactions to selected touch points.
15. Perform anyone of the following actions:
    - Click **Next** to proceed to the next logical step.
    - Click **Back** to navigate to the previous screen.
16. To map the **Transactions** to the role, click ▶ icon against the particular module, then select the transaction type, and then transactions to be mapped
17. Perform anyone of the following actions:
    - Select the respective check boxes preceding to transaction to be mapped.
    - Select the checkbox at every transaction header level if you want to map all the transactions belong to that parent transactions at one instance.
18. Perform anyone of the following actions:
    - Click **Save** to save the changes.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

19. Select the appropriate **Workflow Preference** to specify the preference to implement the workflow, whether at Corporate Level or at Rule Level.
    - Select the **Approval Flow** to define the Approval workflow type, if it has to be sequential or parallel or No Approval is required.
20. Select the **Approval Routing Type**;

    Perform anyone of the following actions:
    - Select **Auto** if you wish system should resolve the rule and send the transaction for approval as per the rule resolved by the system.
    - Select **Manual** if you wish to allow initiator to choose workflow from the resolved rules as part of transaction initiation.
21. Select the **Release Facility** flag if the release functionality needs to be enabled at Group Corporate level.
22. the **Accessible Roles for Corporate Administrator** field, select the roles that should be available to Corporate Administrator for onboarding new users.
23. Perform anyone of the following actions:
    - Click **Save** to save the maintenance, and redirect to the review page.
    - Click **Next** to proceed to the next logical step.
    - Click **Submit** to submit the steps performed so far for approval.
    - Click **Retain Draft** to save the details entered as draft.
    - Click **Cancel** to cancel the transaction.

    > **Note**
    >
    > Admin can submit the maintenance after any step. Maintenances saved so far will be sent for approval in one flow. Admin would not be able to make any changes or maintain another step for the same Group Corporate till the time the approval of the wizard is not done.
24. Perform anyone of the following actions:
    - The **Review** screen appears. Verify the details, and click **Submit**.
    - Click **Edit** to modify the details entered.
    - Click **Next** to proceed to next step.
    - Click **Retain Draft** to save all the steps completed so far, and allow Admin resume the same application.
    - Click **Cancel** to cancel the transaction.

    The success message appears along with the transaction reference number.
25. Click **OK** to complete the transaction.

15.3 Step 2: Party Account Access

This topic describes the information about **Party Account Access** step.

System/Bank Administrator can set up account and transaction access at the Group corporate level. The System/ Bank Administrator can provide access to accounts held by the corporate

Copyright © 2006, 2026, Oracle and/or its affiliates.

parties associated with Group corporate with as available in the core banking application or the respective mid-office application.

Bank administrator can set up the Account access for multiple corporate parties under Group Corporate a single step

Using this function system administrator can manage access for Current and Savings Accounts for both Conventional and Islamic, Credit Card, Term Deposit, Loan accounts along with Liquidity Management enabled Real Accounts (including External Accounts if any) and VAM enabled Real and virtual accounts for a Corporate.

Upon navigating to the specific category tab viz. Demand Deposits, Term Deposits, Loans etc., the administrator can select a global check box of **Map accounts** for All ,to enable all the existing accounts under the selected category for channel banking. If specific accounts are required to be given access then the user needs to select the respective check boxes preceding the account number.


> **Note**
>
> Access Management for Loan Accounts is for accounts fetched from Core Banking System i.e. FCUBS. It is not supported for accounts from Oracle Banking Corporate Loan (OBCL) system.

As part of this maintenance, Accounts and Transaction mapping maintenance can be done for all the corporate party ID mapped under Group Corporate in a single step.

Pre-requisites

- Party preferences should be created for the party for which access is to be maintained
- Channel Access should be enabled for party for which account access is to be maintained
- Transaction access is provided to Bank Administrator.
- Approval rule set up for Bank Administrator to perform the actions.

Figure 15-16 Workflow



Features Supported In Application

The following options are available as part of this maintenance:

- Party Account Access - Mapping
- Party Account Access – View
- Party Account Access - Edit
- Party Account Access - Delete

Copyright © 2006, 2026, Oracle and/or its affiliates.

Navigation Path: Perform anyone of the following navigation to access **Party Account Access**.

- From **System/ Bank Administrator Dashboard**, under **Corporate Onboarding** , click **Group Corporate Onboarding** and then click **Party Account Access**.
- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Group Corporate Onboarding**, Under**Group Corporate Onboarding** , click **Party Account Access**.
- Party Account Access – Create
  This topic describes the systematic instruction to **Party Account Access – Create**. Using this option, Bank Administrator can maintain Accounts and Transaction access for the corporate parties associated with a specific Group Corporate ID.
- Party Account Access - View
  This topic describes the systematic instruction to **Party Account Access - View** feature.
- Party Account Access- Edit
  This topic describes the systematic instruction to **Party Account Access- Edit** feature.
- Party Account Access- Delete
  This topic describes the systematic instruction to **Party Account Access- Delete** option.

15.3.1 Party Account Access – Create

This topic describes the systematic instruction to **Party Account Access – Create**. Using this option, Bank Administrator can maintain Accounts and Transaction access for the corporate parties associated with a specific Group Corporate ID.


To provide the corporate party (Associated to Group Corporate) with account and transaction access:

1. Navigate to one of the above paths.

   The **Party Account Access** screen appears.
2. From the **Mapping Summary** of Party dropdown list, select the corporate party id.
3. For a searched party, summary screen will be displayed with total accounts associated with corporate party, status of the accounts mapped for the internet banking, modified accounts if any and Auto account mapping status .

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-17 Mapping Summary of Party



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 15-10 Mapping Summary of Party - Field Description

Field Name	Description
Mapping Summary of Party	The corporate party for which Party accounts access is being viewed
Modules	Banking Module names
Total Accounts	Total number of accounts available under the party.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 15-10 (Cont.) Mapping Summary of Party - Field Description

Field Name	Description
Mapped Accounts	Number of accounts mapped to the particular account type.
Modified Accounts	Number of accounts modified for the particular account type.
Auto Mapped Accounts	Mapping status of the accounts. The options can be: • **Auto**: gives default access to all newly added accounts and transactions of the party as soon as the account is opened in future. • **Manual**: gives specific access to future accounts. The new accounts and transactions need to be mapped explicitly if access needs to be provided
Edit or Map	Click on the icon next to every module or click on Map button to edit party account access

4. If there is no mapping done for a party, the count for the **Mapped Accounts** will be ‘0’
5. All the accounts held by the selected party as a relationship with the bank as available in the core banking system or the respective mid-office system will be fetched and displayed in the respective categories i.e. Current and Savings Accounts for both Conventional and Islamic, Credit Card, Term Deposit, Loan accounts along with Liquidity Management enabled Real Accounts (including External Accounts if any) and VAM enabled Real and virtual accounts for a Corporate.
6. Click **Map** or **Edit** (available across each banking module).

   The **Party Account Access - Create** screen appears.

   - Click **Cancel** to cancel the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-18 Party Account Access (Create) – Manage Transaction Group tab





Figure 15-19 Add Transaction Group



> **Note**
>
> The fields which are marked as Required are mandatory.

Copyright © 2006, 2026, Oracle and/or its affiliates.


For more information on fields, refer to the field description table.

Table 15-11 Party Account Access (Create) – Manage Transaction Group tab - Field Description

Field Name	Description
Manage Transaction Group	**Information specified in below fields are related to manage transaction group**.
Modules	Select Banking Module to setup account access.
Select Transaction Groups	Select the Transaction group to map transactions and maintaining access in Account Access screens.
Add Transaction Group	Create a new transaction group by clicking the **ADD** button. **Note:** • A new group can also be created by cloning/copying an existing transaction group • Multiple transaction groups can be created. • Transaction groups of one Group Corporate will be available for selection only for that Group Corporate
Add	Following fields appears in overlay window when user click on **Add** to add new transaction group
Name of Transaction Group	Specify the new transaction group to map transactions. Click **Verify** to check the availability the specific Transaction Group name.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-20 Party Account Access (Create) – Map Accounts tab



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 15-12 Party Account Access (Create) – Map Accounts tab - Field Description

Field Name	Description
Map Accounts	**Information specified in below fields are related to map accounts**.
Party	Select the party to map accounts.
Module	Select Banking Module to setup account access.
Auto Map	Mapping status of the accounts. The options can be: • **Auto**: gives default access to all newly added accounts and transactions of the party as soon as the account is opened in future. • **Manual**: gives specific access to future accounts. The new accounts and transactions need to be mapped explicitly if access needs to be provided
Action	Select the action to be done for selected transaction group. The options are: • **Map Transaction Group**: Select Transaction Group, then select the account numbers and then click on Save to map the transaction groups to the selected accounts. Multiple transactions can be mapped • **Unmap**: Select Unmap option, specify the transaction group to be unmapped and then select the accounts. On clicking Save, the selected transaction group will be unmapped from the account/accounts.. **Note:** Only one transaction group can be unmapped at a time. A transaction group can be unmapped from All Accounts or Selected Accounts.
Transaction Group	Select one or multiple transaction group/s to be mapped to the selected accounts. Select one transaction group to be unmapped from the selected account/accounts.
Account Selection	Select the account numbers to be mapped to the Transaction groups. User can select all the accounts available under selected party ID or click on filter and select the specific accounts. **Note:** a. System will show a tag as 'Modified' followed by the transaction group name after the account number. b. System displays the Account Number along with the Account Name, Account Currency, and Branch Code.
Delete Party Mapping	Click on **Delete Party Mapping** to delete all the Transaction and party account access maintenance done for corporate party all at once

7. The **Party Account Access** screen has two tabs. Header of the screen shows the Group Corporate Name and Group ID. The manage Transaction Group tab lists down all the **modules, transaction groups** created.
8. Navigate and select specific **module** tab (Including viz. Current and Savings Accounts for both Conventional and Islamic, Credit Card, Term Deposit, Loan accounts along with Liquidity Management enabled Real Accounts (including External Accounts if any) and VAM enabled Real and virtual accounts for a Corporate.) in the first column for which account and transaction access mapping maintenance need to be setup.
9. The user can create a new **transaction group** by clicking the '**ADD**' button. On clicking **Add**, a new overlay will open where all the transactions and inquiries will be listed. User

Copyright © 2006, 2026, Oracle and/or its affiliates.

can provide a name the group and select the required transactions and inquiries and click the **Save** button.

- Click **Reset** to clear added details in overlay screen.

10. A new group can also be created by **cloning/copying an existing transaction group**. Once the user selects an existing **transaction group**, system will populate the screen with the transactions selected in the copied group in editable mode. User can select or deselect some of the transactions as per his requirements and create a new group by providing a different transaction group name
11. There will be one factory shipped **Transaction group** for each module, which will have all transactions and inquiries grouped together.

> **Note**
>
> Factory shipped user group cannot be deleted or modified.

12. Once the transaction group/s are created, user can map these transaction groups to one or multiple accounts . Click on **Map Accounts** tab and select Party, then select Transaction Groups, select the account numbers and then click on **Save** to map the transaction groups to the selected accounts.
13. Click on the **Transaction Group** link, to view the list of transactions within the mapped transaction group in an overlay.
14. Select **All Accounts** option to map/ unmap transaction groups from all accounts.
    - If specific accounts are required to be mapped, then select the respective check boxes preceding the account number.
15. Once the user maps the accounts, system will show a tag as '**Modified**' followed by the transaction group name after the account number.
16. To map the new accounts, select appropriate option from **Auto Map** toggle button; ;
    - Select **Auto** if you wish to allow access to all future Accounts across banking module.
    - Select **Manual** if you wish to explicitly map new accounts and transactions.
17. User can unmap the transaction groups by selecting accounts and then clicking on **Save** to reset their mapping.
18. User can click on **Delete Party Mapping** to delete all the Transaction and account access maintenance done for corporate party in one step.
19. User can drill down his search by applying Filter to search an account basis on the account number, transaction group, account access status, account status and currency.
20. Perfoem anyone of the following actions.
    - Click **Save** to save the maintenance, and redirect to the review page.
    - Click **Next** to proceed to the next logical step.
    - Click **Submit** to submit the steps performed so far for approval.
    - Click **Retain Draft** to save the details entered as draft.
    - Click **Cancel** to cancel the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> Admin can submit the maintenance after any step. Maintenances saved so far will be sent for approval in one flow. Admin would not be able to make any changes or maintain another step for the same Group Corporate till the time the approval of the wizard is not done.

21. The **Review** screen appears. Verify the details, and click **Submit**.
    - Click **Edit** to modify the details entered.
    - Click **Next** to proceed to next step.
    - Click **Retain Draft** to save all the steps completed so far, and allow Admin resume the same application.
    - Click **Cancel** to cancel the transaction.

    The success message appears along with the transaction reference number.
22. Click **OK** to complete the transaction.

15.3.2 Party Account Access - View

This topic describes the systematic instruction to **Party Account Access - View** feature.


The Bank Administrator can view the list of account(s) and transactions for which access has been provided to the party.
To Search and view the party account and transaction access:

1. Navigate to one of the above paths.

   The **Party Account Access** screen appears.
2. From the **Mapping Summary** of Party dropdown list, select the corporate party id.
3. For a searched party, summary screen will be displayed with total accounts associated with corporate party, status of the accounts mapped for the internet banking, modified accounts if any and Auto account mapping status .
4. Click the link under the total **Mapped accounts** or **Modified accounts**, The **Party Account Access – View** (Transaction Mapping) screen appears. The search result according to the search criteria appears
   - Click **Cancel** to cancel the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-21 Party Account Access - Summary Results



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 15-13 Party Account Access - Summary Results - Field Description

Field Name	Description
Modules	Banking Module names
Total Accounts	Total number of accounts available under the party.
Mapped Accounts	Number of accounts mapped to the particular account type.
Modified Accounts	Number of accounts modified for the particular account type.


Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 15-13 (Cont.) Party Account Access - Summary Results - Field Description

Field Name	Description
Auto Mapped Accounts	Mapping status of the accounts. The options can be: • **Auto**: gives default access to all newly added accounts and transactions of the party as soon as the account is opened in future. • **Manual**: gives specific access to future accounts. The new accounts and transactions need to be mapped explicitly if access needs to be provided
Edit or Map	Click on the icon next to every module or click on Map button to edit party account access

5. If there is no mapping done for a party, the count for the **Mapped Accounts** will be **0**.
6. All the accounts held by the selected party as a relationship with the bank as available in the core banking system or the respective mid-office system will be fetched and displayed in the respective categories

Figure 15-22 Party Account Access – View



> **Note**
>
> The fields which are marked as Required are mandatory.

Copyright © 2006, 2026, Oracle and/or its affiliates.

For more information on fields, refer to the field description table.

Table 15-14 Party Account Access – View - Field Description

Field Name	Description
Modules	Display name of the product for which account access is being viewed.
Mapped Accounts	Display Account number associated with corporate party, and the mapped transaction groups • Display account number along with the name, currency and status of the account as Active or Inactive. The mapped transaction group names can also be viewed against each account
Transaction Groups Details	Display the Transaction group details which are mapped to each account of the selected party. The details of the transaction group includes information related to transactions and inquiries.

7. The Party Account Access details screen has two sections. First column lists down all the Account numbers mapped with the corporate party, including Status of the account (Active or Inactive) and transaction group name.
8. In the second column, user can view the **transaction group** details with all the transactions and inquiries access.
   - Click **Cancel** to cancel the transaction.
9. Click **Edit / Map** to update the **Party Account Access** account mapping for new accounts and existing accounts.
   - Click **Cancel** to cancel the transaction.
10. Perform anyone of the following actions.
    - Click **Next** to proceed to the next logical step.
    - Click **Submit** to submit the steps performed so far for approval.
    - Click **Retain Draft** to save the details entered as draft.
    - Click **Cancel** to cancel the operation.

15.3.3 Party Account Access- Edit

This topic describes the systematic instruction to **Party Account Access- Edit** feature.

The Bank Administrator gets a request with the list of account(s) and transactions for which access details needs to be edited for the party.

To Search and Edit the party account and transaction access:

1. Navigate to one of the above paths.

   The **Party Account Access** screen appears.
2. From the **Mapping Summary of Party** dropdown list, select the corporate party id.
3. For a searched party, summary screen will be displayed with total accounts associated with corporate party, status of the accounts mapped for the internet banking, modified accounts if any and Auto account mapping status .
4. Click the link under the total **Mapped accounts** or **Modified accounts**, The **Party Account Access – View** (Transaction Mapping) screen appears. . The search result according to the search criteria appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.


- Click **Cancel** to cancel the transaction.

5. If there is no mapping done for a party, the count for the **Mapped Accounts** will be **0**.
6. All the accounts held by the selected party as a relationship with the bank as available in the core banking system or the respective mid-office system will be fetched and displayed in the respective categories
7. Click **Map** or **Edit** (available across each banking module).

   The **Party Account Access - Edit** screen appears.


   - Click **Cancel** to cancel the transaction.

Figure 15-23 Party Account Access – Edit



Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-24 Party Account Access – Edit Details



8. The **Party Account Access** screen has two tabs. Header of the screen shows the Group Corporate Name and Group ID. The manage Transaction Group tab lists down all the **modules, transaction groups** created.
9. Navigate and select specific **module** tab (Including viz. Current and Savings Accounts for both Conventional and Islamic, Credit Card, Term Deposit, Loan accounts along with Liquidity Management enabled Real Accounts (including External Accounts if any) and VAM enabled Real and virtual accounts for a Corporate.) in the first column for which account and transaction access mapping maintenance need to be setup.
10. The user can create a new **transaction group** by clicking the '**ADD**' button. On clicking Add, a new overlay will open where all the transactions and inquiries will be listed. User can provide a name the group and select the required transactions and inquiries and click the **Save** button.
    - Click **Reset** to clear added details in overlay screen.
11. A new group can also be created by **cloning/copying** an existing transaction group. Once the user selects an existing **transaction group**, system will populate the screen with the transactions selected in the copied group in editable mode. User can select or deselect some of the transactions as per requirements and create a new group by providing a different transaction group name.
12. There will be one factory shipped **Transaction group** for each module, which will have all transactions and inquiries grouped together.

Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> Factory shipped user groups cannot be deleted or modified.

13. Once the transaction groups are created, user can select specific module, along with the transaction groups and can select **All Accounts**to map the selected transaction group/s to all the existing accounts under the selected party.
    - If transaction groups need to be mapped to specific accounts, then the user needs to select the respective check boxes preceding the account number.
14. Once the user maps the accounts, system will show a tag as **Modified** followed by the transaction group name after the account number.
15. To map the new accounts, select appropriate option from **Auto Map** toggle button; Select **Auto** if you wish to allow access to all future Accounts across banking module.
    - Select **Manual** if you wish to explicitly map new accounts and transactions.
16. User can **unmap** the transaction groups by selecting accounts and then clicking on **Save** to reset their mapping with Group Corporate.
17. User can click on **Delete Party Mapping** to delete all the transaction and party account access maintenance done for corporate party in one step.
18. User can drill down his search by applying filter to search an account basis on Transaction Group, currency, mapping status
19. Perfoem anyone of the following actions.
    - Click **Save** to save the maintenance, and redirect to the review page.
    - Click **Cancel** to cancel the transaction.
    - Click **Submit** to submit the steps performed so far for approval.
    - Click **Retain Draft** to save the details entered as draft.
    - Click **Cancel** to cancel the transaction.


> **Note**
>
> Admin can submit the maintenance after any step. Maintenances saved so far will be sent for approval in one flow. Admin would not be able to make any changes or maintain another step for the same Group Corporate till the time the approval of the wizard is not done.

20. The **Review** screen appears. Verify the details, and click **Submit**.
    - Click **Edit** to modify the details entered.
    - Click **Next** to proceed to next step.
    - Click **Retain Draft** to save all the steps completed so far, and allow Admin resume the same application.
    - Click **Cancel** to cancel the transaction.
21. The success message appears along with the transaction reference number

Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> Following flow explains the Drill down options to search by applying Filter to search an account for Virtual Accounts Management & Liquidity Management module –

Figure 15-25 Virtual Account Management (Real Account) Tab



To view Virtual Account Management - Real Accounts:

22. Navigate to one of the above paths.

    The **Party Account Access** screen appears.


23. In the **Account Number** field, enter the exact Real Account number.
    - From the **Branch name** drop down, select the Branch name.
    - From the **Transaction groups**, select the transaction group.
    - From the **Account Access Status** field, select an appropriate status.
    - From the **Currency** field, select the required currency.

24. Click **Apply** to Apply the filter.
    - Click **Reset** to reset the entered data.

25. The user can filter through two sections :
    a. On the basis of the Account Number.
    b. A combination of branch name, currency filters and other parameters . After the OR division, the user can use these search parameters alone or in a combination to filter search results.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-26 Liquidity Management Tab -



To view Liquidity Management Accounts:

26. Navigate to one of the above paths.


    The **Party Account Access** screen appears.

27. In the **Account Number** field, enter the exact Real Account number.
    - From the **Branch name** drop down, select the Branch name.
    - From the **Transaction groups**, select the transaction group.
    - From the **Account Access Status** field, select an appropriate status.
    - From the **Currency** field, select the required currency.

28. Click **Apply** to Apply the filter.
    - Click **Reset** to reset the entered data.

29. The user can filter through two sections :
    a. On the basis of the Account Number.
    b. A combination of branch name, currency filters and other parameters . After the OR division, the user can use these search parameters alone or in a combination to filter search results.

Figure 15-27 Virtual Accounts Tab -



Copyright © 2006, 2026, Oracle and/or its affiliates.

To view Virtual Accounts:

30. Navigate to one of the above paths.

    The **Party Account Access** screen appears.

31. In the **Virtual Account Number** field, enter the exact Virtual Account number.
    - In the **Virtual Account Name** field, enter the Virtual Account Name.
    - From the **Virtual Entity** search, select the Virtual Entity name.
    - From the **Branch name** drop down, select the Branch name.
    - From the **Transaction groups** , select the transaction group.
    - From the **Account Access Status** field, select an appropriate status.
    - From the **Status** drop down, select the status.
    - From the **Currency** field, select the required currency

32. Click **Apply** to Apply the filter.
    - Click **Reset** to reset the entered data.

33. The user can filter through two sections :
    a. On the basis of the Account Number.
    b. A combination of branch name, currency filters and other parameters . After the OR division, the user can use these search parameters alone or in a combination to filter search results .

15.3.4 Party Account Access- Delete

This topic describes the systematic instruction to **Party Account Access- Delete** option.

As part of this option, party account mapping can be deleted.
To delete account and transaction access for the party:

1. Navigate to one of the above paths.

   The **Party Account Access** screen appears.

2. From the **Mapping Summary of Party** dropdown list, select the corporate party id.
3. For a searched party, summary screen will be displayed with total accounts associated with corporate party, status of the accounts mapped for the internet banking, modified accounts if any and Auto account mapping status .
4. Click the link under the total **Mapped accounts** or **Modified accounts**, The **Party Account Access – View** (Transaction Mapping) screen appears. The search result according to the search criteria appears
   - All the accounts held by the selected party as a relationship with the bank as available in the core banking system or the respective mid-office system will be fetched and displayed in the respective categories .
5. Click **Map** or **Edit** (available across each banking module).
   - The **Party Account Access - Edit** screen appears.
   - Click **Cancel** to cancel the transaction.
6. Click on **Delete Party Mapping** to delete all the Transaction and account access maintenance done for corporate party in one-step.

Copyright © 2006, 2026, Oracle and/or its affiliates.

The application prompt the administrator with a message **Are you sure you want to delete Party Account Access setup for linked Party ID – Party name** with an option of Yes / No.

7. Click **Yes** to proceed with the deletion request.
   - It will navigate to confirmation page with a success message and the status.
   - Click **No** if you do not wish to proceed with deletion.
8. Click **OK** to complete the transaction.
9. Click **Save** to save the maintenance, and redirect to the review page.
   - Click **Cancel** to cancel the transaction.
   - Click **Submit** to submit the steps performed so far for approval.
   - Click **Retain Draft** to save the details entered as draft.
   - Click **Cancel** to cancel the transaction.
10. The **Review** screen appears. Verify the details, and click **Submit**.
    - Click **Edit** to modify the details entered.
    - Click **Next** to proceed to next step.
    - Click **Retain Draft** to save all the steps completed so far, and allow Admin resume the same application.
    - Click **Cancel** to cancel the transaction.

    The success message of user creation appears along with the transaction reference number.

15.4 Step 3: User Onboarding

This topic describes the information about **User Onboarding** step.

Using this step user(s) is onboarded under a Group Corporate. This function allow system/ bank administrator to create a new user from scratch or by copying an existing user.

User Management function enables System/ Bank Administrator to onboard and manage users and their login credentials for channel banking access.

This function also lets the System/Bank Administrator to define the various touch points from which the user can access the channel banking and limit package applicable for the same.

In a multi entity scenario, this function enables system/ bank administrator to provide access to multiple entities to users.

When Corporate User switches to an accessible entity, the roles associated with the new entity are applicable, allowing the user to perform transactions specific to the switched entity (accessible entity).

Roles mapped to the specific entity shall be available for mapping it to the users.

Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> - When an administrator creates/modifies a user through User Management either via Group Corporate onboarding (for corporate user) or via standalone screens (for administrator and retail user), the global roles would be available for assignment to the user in the same manner as is available in the current system, however, the entity specific roles would be listed in Entity-specific sections for each user. Administrator will be able to map multiple roles to the user under each entity.

The user details also shows the list all the user groups associated with a particular user. In order to remove a particular user from a user group, the administrator must manually go to the particular user group screen and remove the user.

A DND (do not disturb) flag is also enabled at User Onboarding level. It allows System/ Bank Administrator to enable/disable Do not disturb (DND) Flag for Mandatory Alerts. User will not receive any alerts for the transactions marked as DND. User will receive the alerts only after performing any transactions of respective category post removing DND flag.

Internal Users

- System Administrator
- Bank Administrator


External Users

- Corporate User
- Corporate Administrator

Pre-Requisites

- User Segment and Application roles are maintained
- Transactions are associated with each Application role
- Transaction (User Management) access is provided to System/Bank Administrator.
- Approval rule set up for Bank administrator to perform the actions.
- Party Preference is maintained for corporate user

Figure 15-28 Workflow



Navigation Path: Perform anyone of the following navigation to access **User Onboarding tab**.

- From **System/ Bank Administrator Dashboard**, under **Corporate Onboarding** , click **Group Corporate Onboarding** and then click **User Onboarding tab**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Group Corporate Onboarding**, Under**Group Corporate Onboarding** , click **User Onboarding tab**.
- User Management - Search and View
  This topic describes the systematic instruction to **User Management - Search and View**. Using this option, System/ bank administrators can search and view details of the existing users.
- User Management - Edit
  This topic describes the systematic instruction to **User Management - Edit**. This function enables the Administrator to edit the existing user details.
- User Management - Create
  This topic describes the systematic instruction to **User Management - Create**. This function allows the administrator to create internal and external users.

15.4.1 User Management - Search and View

This topic describes the systematic instruction to **User Management - Search and View**. Using this option, System/ bank administrators can search and view details of the existing users.

Default search is available with User Name, but the user can also be searched by providing other details like First Name, Last Name, Party ID. Email ID and Mobile Number.

To search for a user:


1. Navigate to one of the above paths.

   The **User Onboarding** screen appears.
2. Enter the search criteria, click **Search**.

   The search results appear on the **User Management** screen based on the search parameters.
   - Click **Cancel** if you want to cancel the transaction.
   - Click **Clear** if you want to reset the search parameters.
   - Click **Create** to create the to create internal and external users.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-29 User Management - Search




> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-30 User Management - More Search Options



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 15-15 User Management - More Search Options - Field Description

Field Name	Description
User Name	To search the user with the user name. Partial search is allowed.
More Search Options	Below fields appears if you click the More Search Options link.
First Name	Allows to search based on first name or given name of the user.
Last Name	Allows to search based on last name/ surname of the user.
Email	Allows to search based on email id of the user.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 15-15 (Cont.) User Management - More Search Options - Field Description


Field Name	Description
Mobile Number	Allows to search based on mobile number of the user. **Note**: Select international subscriber dialing (ISD) code along with the mobile number to search the user.
Party ID	Allows to search based on Party id.

To view the user details:

3. Enter the search criteria and click **Search** in the **User Management screen**.

   The search results appear based on the search parameters.

Figure 15-31 User Management - Search Results



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 15-16 User Management - Search Results - Field Description

Field Name	Description
Search Results	**Information specified in below fields are related to search results**.
User Name	User Name of the user.
Full Name	First name and last name of the user.
Action	Status of the user.

4. Click the **User Name** link of the record for which you want to view the user details.

   The **User Management - View** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-32 User Management – View



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 15-17 User Management – View - Field Description

Field Name	Description
View	**Information specified in below fields are related to view**.
User Type	Type of user. The user will be: • **Corporate User**
Group Corporate ID	Group Corporate ID mapped to the user is displayed.
Party ID	Party ID for which the user is created will be displayed.
Personal Information	**Information specified in below fields are related to persona; information**.
User Name	Name of the user (login ID) of the user.
Title	Title of the user. The options are: • **Mr** • **Mrs** • **Miss** • **Ms** • **Dr** • **Master**
First Name	First name of the user.
Middle Name	Middle name of the user.
Last Name	Last name/ surname of the user.
Date of Birth	Date of birth of the user.
Contact Details	
Email ID	Email id of the user.
Contact Number (Mobile)	Mobile number of the user.
Contact Number (Land Line)	Phone number (land line) number of the user.
Address Line 1-4	Address of the user.
Country	Country of the user.
City	City in which the user resides.
Zip Code	The postal code of the city in which the user resided.
User Groups And Global Roles	
User Groups	The list of all user groups to which the selected user belongs. **Note:** a. This information is read-only and hence cannot be modified. b. If a particular user needs to be removed from a user group, then the administrator must manually go to the particular user group screen and remove the user.
Roles	The global roles which are mapped to the users.

Copyright © 2006, 2026, Oracle and/or its affiliates.


Table 15-17 (Cont.) User Management – View - Field Discription

Field Name	Description
Is Corporate Administrator	Displays whether the corporate user is corporate administrator or not.
DND Alerts	**Information specified in below fields are related to DND alerts**.
DND Alerts	The list of categories for which DND is configured.
Device Registration	**Information specified in below fields are related to device registration**.
Android Devices	This option shows if the user has registered futura Bank application on any android devices/s. Enabling of the device happens when the user installs and registers on the app on the android device. Administrator cannot manually enable the device. If the Administrator deregisters the device, the user gets logged out from all the android devices and his alternate login gets disabled from all the android devices on which the user has installed the application.
iOS Devices	This option shows if the user has registered futura Bank application on any iOS devices/s. Enabling of the device happens when the user installs and registers on the app on the iOS device. Administrator cannot manually enable the device. If the Administrator deregisters the device, the user gets logged out from all the iOS devices and his alternate login gets disabled from all the iOS devices on which the user has installed the application.
Push Notifications	**Information specified in below fields are related to push notifications**.
Android Devices	This option shows if the user has registered for push notifications for android devices. Enabling of the push notification is done by user himself and administrator cannot do the same. If the administrator disables this, the user will stop getting notifications as a pop-up message (push notification) on the user's registered mobile number.
iOS Devices	This option shows if the user has registered for push notifications for iOS devices. Enabling of the push notification is done by user himself and administrator cannot do the same. If the administrator disables this, the user will stop getting notifications as a pop-up message (push notification) on the user's registered mobile number. **Note:** To receive push notification user will have to allow the same on the device settings.
Primary Entity Details	**Information specified in below fields are related to primary entity details**.
Entity Name	Primary Entity name associated to the user.
Map Parties	**Information specified in below fields are related to map parties**.
Primary Party	Primary Entity name associated to the user.
Accessible Parties	Accessible Entities associated to the user.
Limits	Limits attached to the user.
Touch Points	Name of touch points/ groups maintained under a specific entity for which the limit packages are mapped.
Map Roles	Displays the roles to which the entities are mapped.
Accessible Entity Details	**Information specified in below fields are related to acceessible entity details**.
Entity Name	Accessible Entity name associated to the user.
Map parties	**Information specified in below fields are related to map parties**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 15-17 (Cont.) User Management – View - Field Discription

Field Name	Description
Primary Party	Primary Party ID details of the user is associated with the New Entity
Accessible Parties	Accessible Party Details that user has access.
Limits	Limits package associated to the user for the accessible entity.
Touch Points/ Group	Name of touch points/ groups maintained under a specific entity for which the limit packages are mapped.
Map Role	The roles to which the entities are mapped.

5. Perform anyone of the following actions.
   - Click **Edit** to edit the user details.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate back to previous screen.
   - Click 

to download the user details.
   - Click **Next** to proceed to the next logical step.
   - Click **Submit** to submit the steps performed so far for approval.
   - Click **Retain Draft** to save the details entered as draft.
   - Click **Cancel** to cancel the transaction.


- usermgmnt-search

Copyright © 2006, 2026, Oracle and/or its affiliates.

15.4.2 User Management - Edit

This topic describes the systematic instruction to **User Management - Edit**. This function enables the Administrator to edit the existing user details.

Figure 15-33 User Management – Edit



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 15-18 User Management – Edit - Field Description

Field Name	Description
Edit	**Information specified in below fields are related to edit**.
Party ID	Party ID for which the user is created will be displayed. This is editable field.
Personal Information	**Information specified in below fields are related to personal information**.
User Name	Name of the user (login ID) of the user.
Title	Title of the user. This is editable field. The options are: • **Mr** • **Mrs** • **Miss** • **Ms** • **Dr** • **Master**
First Name	First name of the user. This is editable field.
Middle Name	Middle name of the user. This is editable field.
Last Name	Last name/ surname of the user. This is editable field.
Date of Birth	Date of birth of the user. This is editable field.
Contact Details	**Information specified in below fields are related to contact details**.
Email ID	Email id of the user. This is editable field.
Business Contact Number (Mobile)	The contact number of the user alongwith an international subscriber dialing (ISD) code. If user type is **Retail and Business User**, value is fetched from the core banking application and defaulted.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 15-18 (Cont.) User Management – Edit - Field Description

Field Name	Description
Contact Number (Mobile)	The mobile number of the user alongwith an international subscriber dialing (ISD) code. If user type is **Retail & Business** , value is fetched from the core banking application and defaulted. This is editable field.
Contact Number (Land Line)	Phone number (land line) number of the user. This is editable field.
Address Line 1-4	Address of the user. This is editable field.
Country	Country of the user. This is editable field.
City	City in which the user resides. This is editable field.
Zip Code	The postal code of the city in which the user resided. This is editable field.
Roles	Application roles mapped to the user. In case of multi entity setup, these roles will be for the default/home entity of the user. This is editable field.
User Groups And Global Roles	
User Groups	The list of all user groups to which the selected user belongs. This is editable field. **Note:** 1. This information is read-only and hence cannot be modified. 2. If a particular user needs to be removed from a user group, then the administrator must manually go to the particular user group screen and remove the user.
Roles	The global roles which are mapped to the users. This is editable field.
Is Corporate Administrator	Define whether the corporate user is corporate administrator or not. This is editable field.
DND Alerts	**Information specified in below fields are related to DND alerts**.
Category	Select the categories for which DND (do not disturb) needs to be enabled. All the categories for which DND is applicable are listed for selection.
Device Registration	This is non editable section.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 15-18 (Cont.) User Management – Edit - Field Description

Field Name	Description
Android Devices	This option shows if the user has registered futura Bank application on any android devices/s. Enabling of the device happens when the user installs and registers on the app on the android device. Administrator cannot manually enable the device. If the Administrator deregisters the device, the user gets logged out from all the android devices and his alternate login gets disabled from all the android devices on which the user has installed the application.
iOS Devices	This option shows if the user has registered futura Bank application on any iOS devices/s. Enabling of the device happens when the user installs and registers on the app on the iOS device. Administrator cannot manually enable the device. If the Administrator deregisters the device, the user gets logged out from all the iOS devices and his alternate login gets disabled from all the iOS devices on which the user has installed the application.
Push Notifications	This is non editable section.
Android Devices	This option shows if the user has registered for push notifications for android devices. Enabling of the push notification is done by user himself and administrator cannot do the same. If the administrator disables this, the user will stop getting notifications as a pop-up message (push notification) on the user's registered mobile number.
iOS Devices	This option shows if the user has registered for push notifications for iOS devices. Enabling of the push notification is done by user himself and administrator cannot do the same. If the administrator disables this, the user will stop getting notifications as a pop-up message (push notification) on the user's registered mobile number. **Note** To receive push notification user will have to allow the same on the device settings.
Primary Entity Details	**Information specified in below fields are related to primary entity details**.
Entity Name	Primary Entity name associated to the user.
Map Parties	**Information specified in below fields are related to map parties**.
Primary Party	Primary Entity name associated to the user.
Accessible Parties	Accessible Entities associated to the user.
Limits	Limits attached to the user.
Touch Points	Name of touch points/ groups maintained under a specific entity for which the limit packages are mapped.
Map Roles	Displays the roles to which the entities are mapped.
Accessible Entity Details	**Information specified in below fields are related to accessible entity details**.
Entity	Accessible Entity name associated to the user.
Map parties	**Information specified in below fields are related to map parties**.
Primary Party	Primary Party ID details of the user is associated with the New Entity

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 15-18 (Cont.) User Management – Edit - Field Description

Field Name	Description
Accessible Parties	Accessible Party Details that user has access.
Limits	Limits package associated to the user for the accessible entity.
Touch Points/ Group	Name of touch points/ groups maintained under a specific entity for which the limit packages are mapped.
Map Role	The roles to which the entities are mapped.

To edit or update a user details:

1. Navigate to one of the above paths.

   The **User Onboarding** screen appears.

2. Enter the search criteria and click **Search**.

   The search results appear on the **User Management** screen based on the search parameters.

   - Click **Clear** if you want to reset the search parameters.
   - Click **Cancel** to cancel the transaction.

3. In the **User Management - Search Results** section, click the **User Name** link of the record for which you want to edit the user details.

   The **User Management - View** screen appears.

4. Click **Edit** to update the user information.
5. From the **Party ID** list, select the Party ID for which the user is created.
6. In the **Personal Information** section, enter the required details.
7. In the **Contact Details** section, enter the required details.
8. In the **User Groups and Global Roles** section, select the checkbox (s) against the **Roles** field to map roles to the user.
9. In the **Is Corporate Administrator** field, select the appropriate option to define whether the corporate user is corporate administrator or not.
10. In the **Category** field, select the checkbox(es) categories for which DND (do not disturb) needs to be enabled.
11. In the **Accessible Entity Details** section, add the accessible entities for the user.
12. In the **Limits** section,
    a. In the **Touch Points** section, select the touch points to be mapped to user.
    b. Select the appropriate limit package under the **Package** for each touch point column.
    c. In the **Map Roles** field, select the checkbox(es) adjacent to roles to which the entities are to be mapped.
13. In the **Accessible Entity** section, add the accessible entities for the user and select the party and limits for that entity (applicable only if Bank has Multi Entity setup).
    a. In the **Primary Party ID** field, Sselect the Primary Party ID detailsmapped to of the user which is associated with the New Entity.
    b. In the **Limits** section, select the appropriate limit package under the Package for each touch point column.


Copyright © 2006, 2026, Oracle and/or its affiliates.

c. In the **Touch Points** section, select the touch points to be mapped to user.

d. Select the appropriate limit package under the **Package** for each touch point column.

e. In the **Map Roles** field, select the checkbox(es) adjacent to roles to which the entities are to be mapped.

Figure 15-34 Touch Points Group - View Details



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 15-19 Touch Points Group - View Details - Field Description

Field Name	Description
Group Code	Group code defined for touch point group.
Group Description	Group description defined for touch point groups.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 15-19 (Cont.) Touch Points Group - View Details - Field Description

Field Name	Description
Group Type	Type of touch point i.e. whether touch point is of type internal or external.
Touch Points	List of the internal or external touch points.

14. Perform anyone of the following actions.
    - Click **Save** to save the maintenance, and redirect to the review page.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate back to previous screen.
    - Click **Next** to proceed to the next logical step
    - Click **Submit** to submit the steps performed so far for approval.
    - Click **Retain Draft** to save the details entered as draft.
    - Click **Cancel** to cancel the transaction.
15. The **Review** screen appears. Verify the details, and click **Confirm**.
    - Click **Cancel** to cancel the operation.
    - Click **Back** to navigate to the previous screen.

    The success message of updates appears.

15.4.3 User Management - Create


This topic describes the systematic instruction to **User Management - Create**. This function allows the administrator to create internal and external users.

System/Bank Administrator logs into the system and navigates to the User Management screen.

> **Note**
>
> In case of multi entity implementation, if the system/bank administrator has access to multiple entities, then the administrator can select the entity from the entity switcher on which the user needs to be onboarded. The selected entity of the user as part of onboarding will be the default/home entity of the user being created.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-35 Group corporate Onboarding - User Onboarding



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 15-20 Group corporate Onboarding - User Onboarding - Field Discription

Field Name	Description
New	Allows selecting a Parent Party ID of the user.
Copy From	Allows to select an already created user (user created under the same Group Corporate) and screen will display the copied data for all the sections except Personal and Contact information. System/ Bank Administrator would require to fill Personal and Contact information and he can make the changes in the copied data as well.
Party ID	Parent Party ID of the user for mapping it to the user.

To onboard a user:

1. Navigate to one of the above paths.

   The **User Onboarding** screen appears.
2. In the **User Management** screen, Click **Create**.
3. Select the option to create a new or by copying an existing user.
4. If you select **New** option;

   - From the **Party ID** list, select a Parent Party ID of the user.

     The **Personal Information, Contact Details, Touch Points, Roles, Limits and Accessible Entity** sections appear.
5. If you select the **Copy From** option;

   a. The **User Search** popup window appears.


   b. Enter the search criteria, and click **Search**.

      The search results appear on the **Search User** screen based on the search parameters.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Clear** if you want to reset the search parameters.

Figure 15-36 User Management – User Search



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 15-21 User Management – User Search - Field Description


Field Name	Description
Search	**Information specified in below fields are related to search**.
User Name	To search the user with the user name. Partial search is allowed.
First Name	Allows to search based on first name or given name of the user.
Last Name	Allows to search based on last name/ surname of the user.
Search Results	**Information specified in below fields are related to search results**.
User ID	User ID of the user.
First Name	First Name of the user.
Last Name	Last Name of the user.

c. Click the **User ID** link of the record for which you want to onboard.

The **Personal Information, Contact Details, Touch Points, Roles, Limits and Accessible Entity** sections appear.


Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-37 User Onboarding



Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-38 DND Alerts - Category Details



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 15-22 User Onboarding - Field Discription

Field Name	Description
Create	**Information specified in below fields are related to create**.
Personal Information	**Information specified in below fields are related to personal information**.
User Name	Name of the user (login ID) of the user.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 15-22 (Cont.) User Onboarding - Field Discription

Field Name	Description
Title	Title of the user. The options are: • **Mr** • **Mrs** • **Miss** • **Ms** • **Dr** • **Master**
First Name	First name of the user.
Middle Name	Middle name of the user.
Last Name	Last name/ surname of the user.
Date of Birth	Date of birth of the user.
Contact Details	**Information specified in below fields are related to contact details**.
Email ID	Email id of the user.
Business Contact Number (Mobile)	The contact number of the user alongwith an international subscriber dialing (ISD) code. If user type is **Retail and Business User**, value is fetched from the core banking application and defaulted.
Contact Number (Mobile)	The mobile number of the user alongwith an international subscriber dialing (ISD) code. If user type is **Retail & Business** , value is fetched from the core banking application and defaulted. This is editable field.
Contact Number (Land Line)	Phone number (land line) number of the user.
Address Line 1-4	Address of the user.
Country	Country of the user.
City	City in which the user resides.
Zip Code	The postal code of the city in which the user resided.
Roles	Application roles mapped to the user. In case of multi entity setup, these roles will be for the default/home entity of the user.
Global Roles	**Information specified in below fields are related to global roles**.
Roles	The global roles which are mapped to the users.
Is Corporate Administrator	Define whether the corporate user is corporate administrator or not.
Touch Points	**Information specified in below fields are related to touch points**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 15-22 (Cont.) User Onboarding - Field Discription

Field Name	Description
Selected Touch Points	The touch points (banking channels) selected for a user to perform transactions. The touch points could be: • Mobile Application • Mobile (Responsive) • Internet • Missed Call Banking • SMS Banking • Wearables • Snapshot • Siri / Chatbot • API Access • Soft Token Application
DND Alerts	**Information specified in below fields are related to DND alerts**.
Category	The categories for which DND needs to be enabled. All the categories for which DND is applicable are available for selection. **Note:** Click on **category** link to view list of all the events for which alerts will not be sent to the user.
Primary Entity	**Information specified in below fields are related to primary entity**.
Entity Name	Primary Entity name associated to the user.
Map Parties	**Information specified in below fields are related to map parties**.
Primary Party	Primary party name associated to the user.
Accessible Parties	Accessible Party Details that user has access.
Limits	Limits attached to the user.
Touch Points/ Group	Name of touch points/ groups maintained under a specific entity for which the limit packages are mapped.
Package	Name of the limit package mapped against specific touch points / touch point groups.
Touch Points	The touch points (banking channels) selected for a user to perform transactions. The touch points could be: • Mobile Application • Mobile (Responsive) • Internet • Missed Call Banking • SMS Banking • Wearables • Snapshot • Siri / Chatbot • API Access • Soft Token Application
Map Roles	The roles to which the entities are mapped.
Accessible Entity Details	**Information specified in below fields are related to accessible entity details**.
Entity	Accessible Entity name associated to the user.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 15-22 (Cont.) User Onboarding - Field Discription

Field Name	Description
Map Parties	**Information specified in below fields are related to map parties**.
Primary Party	Primary Party ID details of the user is associated with the New Entity.
Accessible Parties	Accessible Party Details that user has access.
Limits	Limits package associated to the user for the accessible entity.
Touch Points	The touch points (banking channels) selected for a user to perform transactions.
Package	Name of the limit package mapped against specific touch points / touch point groups.
Map Role	The roles to which the entities are mapped.


6. In the **User Name** field, enter the required details. Click **Check Availability** to check the uniqueness of the user ID. If the user ID is already used, then enter a unique valid username.
7. In the rest of the **Personal Information** section, enter the required details.
8. In the **Contact Details** section, enter the required details.
9. In the **Global Roles** section, select the checkbox (s) against the **Roles** field to map roles to the user.
10. In the **Is Corporate Administrator** field, select the appropriate option to define whether the corporate user is corporate administrator or not.
11. In the **Category** field, select the checkbox(es) categories for which DND (do not disturb) needs to be enabled.
12. In the **Accessible Parties** field in the **Map Parties** section, select the parties to map with user.
13. In the **Limits** section,
    a. In the **Touch Points** section, select the touch points to be mapped to user.
    b. Select the appropriate limit package under the **Package** for each touch point column.
    c. In the **Map Roles** field, select the checkbox(es) adjacent to roles to which the entities are to be mapped.
14. In the **Accessible Entity** section, add the accessible entities for the user and select the party and limits for that entity (applicable only if Bank has Multi Entity setup).
    a. In the **Primary Party ID** field, Sselect the Primary Party ID detailsmapped to of the user which is associated with the New Entity.
    b. In the **Limits** section, select the appropriate limit package under the Package for each touch point column.
    c. In the **Touch Points** section, select the touch points to be mapped to user.
    d. Select the appropriate limit package under the **Package** for each touch point column.
    e. In the **Map Roles** field, select the checkbox(es) adjacent to roles to which the entities are to be mapped.
    f. Click **Add Entities** button, to add accessible entity to a user.

Touch Points Group - View Details

Copyright © 2006, 2026, Oracle and/or its affiliates.

This pop-up screen appears on clicking ⓘ beside a touch point group in the **Limits** section, which appears when onboarding corporate user types.

Figure 15-39 Touch Points Group - View Details



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 15-23 Touch Points Group - View Details - Field Description

Field Name	Description
Group Code	Group code defined for touch point group.
Group Description	Group description defined for touch point groups.
Group Type	Type of touch point i.e. whether touch point is of type internal or external.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 15-23 (Cont.) Touch Points Group - View Details - Field Description

Field Name	Description
Touch Points	List of the internal or external touch points.

15. Perform anyone of the following actions.
    - Click **Save** to save the maintenance, and redirect to the review page.
    - Click **Next** to proceed to the next logical step
    - Click **Submit** to submit the steps performed so far for approval.
    - Click **Retain Draft** to save the details entered as draft.
    - Click **Cancel** to cancel the transaction.

> **Note**
>
> Admin can submit the maintenance after any step. Maintenances saved so far will be sent for approval in one flow. Admin would not be able to make any changes or maintain another step for the same Group Corporate till the time the approval of the wizard is not done.

16. The **Review** screen appears. Verify the details, and click **Submit**.
    - Click **Add Another** to add another maintenance of the same step.
    - Click **Edit** to modify the details entered.
    - Click **Next** to proceed to next step.
    - Click **Retain Draft** to save all the steps completed so far, and allow Admin resume the same application.
    - Click **Cancel** to cancel the transaction.

    The success message of user creation appears along with the transaction reference number.

15.5 Step 4: User Group Maintenance

This topic describes the information about **User Group Maintenance** option.

User group is a set of x users with similar interests and goals.

Using User Group maintenance option Bank administrator can maintain the user groups of corporate users of Group corporate irrespective of Corporate Party. User Groups will be created at the Group Corporate level.

User groups maintained by administrators for corporate users are used while creating approval workflows and approval rules.


Prerequisites:

- Transaction access is provided to Bank Administrator.
- Multiple corporate users are maintained.
- Approval rule set up for Bank administrator to perform the actions.
- Party preference for which the groups are to be created is maintained and is active.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- User groups are maintained at the Group Corporate level and are available to all eligible parties under the selected Group Corporate.

Figure 15-40 Workflow



Features Supported In Application

User Group Management allows Bank Administrator to:

- Create User Groups
- View User Groups
- Modify User Groups

Navigation Path:

- From **System/ Bank Administrator Dashboard**, under **Corporate Onboarding** , click **Group Corporate Onboarding** and then click **User Group**.
- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Group Corporate Onboarding**, Under**Group Corporate Onboarding** , click **User Group**.
- User Groups – Create
  This topic describes the systematic instruction to **User Groups – Create** option.
- User Groups – Summary & View
  This topic describes the systematic instruction to **User Groups – Summary & View**.
- User Groups – Edit
  This topic describes the systematic instruction to **User Groups – Edit** feature. With this option user can edit the description of existing user groups.

15.5.1 User Groups – Create

This topic describes the systematic instruction to **User Groups – Create** option.

Bank Administrator can create a new User Group for the Group Corporate ID by using this option. Only the users of single Group Corporate ID can be clubbed together in a User Group. Administrator can create multiple user groups and one user can be part of multiple user groups. Bank Administrator will be allowed to create user group even without adding a single user.

To create a user group:


1. Navigate to one of the above paths.

   The **User Group** screen appears.

2. The User selection screen appears. Select the appropriate option.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-41 User Group - Create



> **Note**
>
> The fields which are marked as Required are mandatory.


For more information on fields, refer to the field description table.

Table 15-24 User Group - Create - Field Description

Field Name	Description
Group Code	To specify User Group code.
Group Description	To specify User Group description.
User Information	Search and select user to map with User Group which is being created

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-42 Search User



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 15-25 Field Description

Field Name	Description
Search User	**Information specified in below fields are related to search user**.
Username	Search User by using User name to map with user group
First Name	Search and select user by using First name and add a user to the user group. Users belonging to the same Group Corporate will be listed.
Last Name	Search and select user by using Last name and add a user to the user group. Users belonging to the same Group Corporate will be listed.
Search Result	**Information specified in below fields are related to search result**.
Username	Display username of the searched user
First Name	Display First name of the searched user
Last Name	Display Last name of the searched user

3. Click **Create**.
4. In the **Group Code** field, enter the group code.
5. In the **Group Description** field, enter the group name.
6. In the **User Group** section, Click **Add** to add the selected user in the User Group.

   Click on the **Select User** link, the **Select User** popup appears.

   Search the user by adding search criteria, and click **Search**.

   Based on search criteria, search result appears.

   Click on the user which to be added, and click **Add** to add to table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> Once added, the user name will be removed from the user drop-down to avoid duplication of users.
>
> Click  icon to remove a user from the User Group.

7. Click **Save** to save the maintenance, and redirect to the review page.
   - Click **Next** to proceed to the next logical step.
   - Click **Submit** to submit the steps performed so far for approval.
   - Click **Retain Draft** to save the details entered as draft.
   - Click **Cancel** to cancel the transaction.

> **Note**
>
> Admin can submit the maintenance after any step. Maintenances saved so far will be sent for approval in one flow. Admin would not be able to make any changes or maintain another step for the same Group Corporate till the time the approval of the wizard is not done.

8. Click **Add Another** to add another maintenance of the same step.
   - Click **Edit** to modify the details entered.
   - Click **Next** to proceed to next step.
   - Click **Retain Draft** to save all the steps completed so far, and allow Admin resume the same application.
   - Click **Cancel** to cancel the transaction.

15.5.2 User Groups – Summary & View

This topic describes the systematic instruction to **User Groups – Summary & View**.

Once the logged in Bank Administrator navigates to User Group Management screen, and searches User Group Code. User groups maintained if any under the Group Corporate would be displayed on the screen. User can opt to view the details of existing user groups.
The summarized view of all the user groups created (if any) for the Group corporate is displayed on the screen. Further drill down is given on each user group to view the details of the users who are part of the user group.

To search and view User Group details of the Group Corporate:


1. Navigate to one of the above paths.

   The **User Groups** screen appears.

2. In **User Group Management** screen, in the **Group Code** or in **Group Description** enter the respective details.
3. Click **Search**. **User groups maintained** if any under the **Group Code** or **Group Description** are displayed on the screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-43 Summary screen



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.


Table 15-26 Summary screen - Field Description

Field Name	Description
Search User Group	**Information specified in below fields are related to search user group**.
Group Code	Enter User group code
Group Description	Enter Description provided to the user group.
Search Result	**Information specified in below fields are related to search result**.
Group Code	Display user group code
Group Description	Display description provided to the user group
User Count	Display Number of users available in each user group

4. Click on **Group Code** hyperlink to view details of list of users associated with entered user group.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-44 User Group – View



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 15-27 User Group – View - Field Description

Field Name	Description
Group Code	Display user group code
Group Description	Display description provided to the user group
User Information	**Information specified in below fields are related to user information**.
Username	Username of the user who is part of the user group is displayed. Click on the link to view the user details.
Name	Display name of the User
Mobile Number	Display Mobile Number of the user that maintain with bank

5. Perform anyone of the following actions.
   - Click **Back** to navigate back to previous screen.
   - Click **Next** to proceed to the next logical step
   - Click **Submit** to submit the steps performed so far for approval.
   - Click **Retain Draft** to save the details entered as draft.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Cancel** to cancel the transaction.

15.5.3 User Groups – Edit

This topic describes the systematic instruction to **User Groups – Edit** feature. With this option user can edit the description of existing user groups.

This function enables the Bank Administrator to edit the description of existing user groups mapped under Group Corporate. Bank Administrator can also add new users and remove existing users of the user group as part of this function.
A check is performed on minimum and maximum number of users allowed as a part of user group while adding or removing the users from the user group.

To edit or update a user group:


1. Navigate to one of the above paths.

   The **User Groups** screen appears.

2. In **User Group Management** screen, in the **Group Code** or in **Group Description** enter the Respective details.

3. Click **Search**. **User groups maintained** if any under the **Group Code** or **Group Description** are displayed on the screen.

Figure 15-45 Summary screen



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 15-28 Summary screen - Field Description


Field Name	Description
Search User Group	**Information specified in below fields are related to search user group.**
Group Code	Enter User group code.
Group Description	Enter Description provided to the user group.
Search Result	**Information specified in below fields are related to search result.**
Group Code	Display user group code.
Group Description	Display description provided to the user group.
User Count	Display Number of users available in each user group.

4. Click on **Group Code** hyperlink to view details of list of users associated with entered user group.
5. Click **Edit** to edit the user group.

   The **User Groups - Edit** screen displays the mapping of the user group.

   - Click **Cancel** to cancel the transaction.

Figure 15-46 User Group – Edit



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 15-29 User Group – Edit - Field Discription

Field Name	Description
Edit	**Information specified in below fields are related to edit**.
Group Code	Display user group code
Group Description	Enter Description provided to the user group.
User Information	**Information specified in below fields are related to user information**.
Username	Username of the user who is part of the user group is displayed. Click on the link to view the user details.

6. In the **User Group** section, Click **Add** to add the selected user in the User Group. Once added, the user name will be removed from the user drop-down to avoid duplication of users.

   Click  icon to remove a user from the User Group.

7. Click **Save** to save the maintenance, and redirect to the review page.
   - Click **Next** to proceed to the next logical step.
   - Click **Submit** to submit the steps performed so far for approval.
   - Click **Retain Draft** to save the details entered as draft.
   - Click **Cancel** to cancel the transaction.
8. The **Edit** to modify the details entered.
   - Click **Add Another** to add another maintenance of the same step.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate back to previous screen.

   The success message of user group creation appears along with the transaction reference number.

15.6 Step 6: User Account Access

This topic describes the information about **User Account Access** option.

Using this option the Bank Administrator can set up account and transaction access for user(s) of the Group Corporate. This maintenance can be done only after the Party Account Access is setup for the parent party of the user(s). The user level mapping of accounts and transactions must be done to provide access to the accounts for performing transactions to the specific user. If this step is not followed, the corresponding user will not be able to view any accounts on the dashboard screen or at the individual transactions.

User Account Access is an optional step. If the administrator does not maintain User Account Access for a corporate user, the system refers to the Party Account Access rules maintained for the user's associated Party ID.

When User Account Access is created, updated, or deleted as part of Group Corporate onboarding, the changes are processed asynchronously through the GCIF framework. The GCIF scheduler periodically verifies whether the User Account Access changes have been successfully persisted in the main domain before updating the onboarding request status.


Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The persistence validation and onboarding request status updates are performed automatically by the GCIF scheduler. No additional action is required from the Bank Administrator after submitting a User Account Access request.

Pre-requisites

- Account Access should be maintained for the corporate party of the user for which access is to be maintained
- Account Access for the party should be maintained for associated party accounts if the user needs access to associated party accounts.
- Party preferences should be created for the party of the user for which access is to be maintained
- Channel Access should be enabled for party of the user for which account access is to be maintained
- Transaction access is provided to Bank Administrator.
- Approval rule set up for Bank Administrator to perform the actions.

Figure 15-47 Workflow



Features supported in Application:

The following options are available as part of this maintenance:

- User Account Access - Mapping
- User Account Access – View
- User Account Access - Edit
- User Account Access - Delete

Navigation Path: Perfrom anyone of the following navigation to access **User Account Access**.

- From **System/ Bank Administrator Dashboard**, under **Corporate Onboarding** , click **Group Corporate Onboarding** and then click **User Account Access**.
- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Group Corporate Onboarding**, Under**Group Corporate Onboarding** , click **User Account Access**.
- User Account Access – Create
  This topic describes the information about **User Account Access – Create** option. This option lets the administrator to provide account access to specific users of a party.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- User Account Access – View
  This topic describes the systematic instruction to **User Account Access – View**.
- User Account Access – Edit
  This topic describes the information about **User Account Access – Edit**.
- User Account Access – Delete
  This topic describes the systematic instruction to **User Account Access – Delete** option.

15.6.1 User Account Access – Create

This topic describes the information about **User Account Access – Create** option. This option lets the administrator to provide account access to specific users of a party.


Using this option, Bank Administrator can maintain Accounts and Transaction access for the corporate users associated with a specific Group Corporate ID.

To provide the user with account and transaction access:

1. Navigate to one of the above paths.
   The **User Account Access** screen appears.
2. In the **User Search** field search users for whom Transaction Account access need to be maintained.
   - Select the user from list displayed below.
3. Select the user ID and click on **Map** to navigate to **Account Access summary**

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-48 User Account Access – Search and Search Result



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 15-30 User Account Access – Search and Search Result - Field Description

Field Name	Description
User Name	To search the user with the user name. Partial search is allowed.
More Search Options	Below fields appears if you click the **More Search Options** link.

Copyright © 2006, 2026, Oracle and/or its affiliates.


Table 15-30 (Cont.) User Account Access – Search and Search Result - Field Description

Field Name	Description
First Name	Allows to search based on first name or given name of the user.
Last Name	Allows to search based on last name/ surname of the user.
Email	Allows to search based on email id of the user.
Mobile Number	Allows to search based on mobile number of the user. **Note:** Select international subscriber dialing (ISD) code along with the mobile number to search the user.
Party ID	Allows to search based on Party id.
Search Result	**Information specified in below fields are related to search results**.
User ID	User ID the corporate user.
User Name	User name of the corporate user.
Copy Mapping from User	Select this to Inherit and copy account maintenance from already setup user to new user.
Status	Displays the account mapping status for the corporate user. • **Mapped**: Corporate user for which accounts mapping is being done and authorized. • **Modified**: Corporate user for which accounts mapping is being done but pending approval by authorizer. • **Deleted**: Corporate user for which accounts mapping is deleted.

4. From the **Mapping Summary of Party** dropdown list, select the corporate party id associated with Corporate User.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
5. For a searched user, summary screen will be displayed with total accounts associated with corporate party of that user, status of the accounts mapped for the internet banking for user, modified accounts if any and Auto account mapping status.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-49 User Account Access – Summary



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 15-31 User Account Access – Summary - Field Description

Field Name	Description
User ID	User ID the corporate user
User Name	User name of the corporate user
Mapping Summary of Party	The corporate party for which Party accounts access is being viewed
Modules	Banking module names.
Total Accounts	Total number of accounts available under the party that can be map with corporate user.
Mapped Accounts	Number of accounts mapped to the particular account type of corporate user.
Modified Accounts	Number of accounts modified for the particular account type of corporate user.

Copyright © 2006, 2026, Oracle and/or its affiliates.


Table 15-31 (Cont.) User Account Access – Summary - Field Description

Field Name	Description
Auto Mapped Accounts	Mapping status of the accounts. The options can be: • **Auto**: gives default access to all newly added accounts and transactions of the party as soon as the account is opened in future. • **Manual**: gives specific access to future accounts. The new accounts and transactions need to be mapped explicitly if access needs to be provided
Mapping Summary of Modified Transaction Group	**Information specified in below fields are related to mapping summary of modified transaction group**.
Modules	Banking module names.
Modified Groups	Number of transaction groups modified for the particular module.
Edit or Map	Click on the icon next to every module or click on Map button to edit User account access

6. If there is no **mapping done** for a user, the count for the Mapped Accounts will be **0**.
7. All the accounts held by the selected party as a relationship with the bank as available in the core banking system or the respective mid-office system will be fetched and displayed in the respective categories i.e. Current and Savings Accounts for both Conventional and Islamic, Credit Card, Term Deposit, Loan accounts along with Liquidity Management enabled Real Accounts (including External Accounts if any) and VAM enabled Real and virtual accounts for a Corporate.
8. User Account Access will inherit the account access setup at the party level for all the parties associated to him (party association will be done at the time of user onboarding in user management screen). The screen will show the inherited Maintenance in **User Account Access** screen. In the **Auto Mapped Accounts** field, toggled **ON** to allow access to all future Accounts across banking module.
    - In the **Auto Mapped Accounts** field, toggled **OFF** to explicitly map new accounts and transactions manually.
9. Click **Map** or **Edit** (available across each banking module).
   The **User Account Access - Create** screen appears.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.


Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-50 User Account Access – Manage Transaction Group



Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-51 User Account Access – Map Accounts Tab



Note

The fields which are marked as Required are mandatory.

Copyright © 2006, 2026, Oracle and/or its affiliates.

For more information on fields, refer to the field description table.

Table 15-32 User Account Access – Summary - Field Description

Field Name	Description
User ID	User ID the corporate user for whom account access in being setup.
User Name	User name of the corporate user.
Manage Transaction Grouptab.	
Module	Select Banking Module types available under the selected party to setup account access.
Select Transaction Groups	Select the Transaction group to map transactions and maintain access in Account Access screens. **Note:** a. Transaction groups mapped to the accounts at party level will be shown on this screen. b. In user account access, the accounts can be mapped to the same transaction group to which the accounts are mapped at the party level
Transactions Groups	Search and add the transaction groups.
Map Accounts Tab	
Mapping Summary of Party	The corporate party for which user accounts access is being viewed.
Modules	Select Banking Module available under the selected party to setup account access.
Apply Party level Changes	Toggle to enable to apply party level changes automatically.
Action	Option to map/unmap the transactions and maintain access in Account Access screens of Transaction Groups. The options are: a. Map Transaction Group b. Remove Transaction Group Mapping **Note:** Only one transaction group can be unmapped at a time. A transaction group can be unmapped from All Accounts or Selected Accounts.
Account Selection	Select accounts to map the transaction groups. The options are: • All Accounts - map selected transaction groups to all accounts within the system. • Selected Accounts - map transaction groups to selected accounts **Note:** a. System will show a tag as 'Modified' followed by the transaction group name after the account number. b. Accounts will be mapped only when selected transaction group is present at Party Level.
All Accounts	Click to select all the accounts available under the selected module.
Selected Accounts	Search and select the account(s) using using various search criteria.
Filter Criteria	
Account Number	Search by entering a complete or partial account number (minimum of 5 characters).

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 15-32 (Cont.) User Account Access – Summary - Field Description

Field Name	Description
Transaction Groups	Search for accounts currently mapped with specific transaction groups.
Account Access Status	Search for accounts based on their account access status.
Account Status	Search for accounts based on their current status.
Account Currency	Search for accounts based on account currency.
Search Result	
Account Numbers	Displays the list of accounts based on search criteria. **Note:** Administrator can select one or multiple accounts from the result. Information presented with each listed account number includes the Account Name, Account Currency, Transaction Group, and Branch Code.
Number of Accounts Selected	Number of accounts selected under the particular module.
Replace existing groups with selected transaction groups	Select this option to replace the existing transaction group mappings with the newly selected transaction groups. **Note:** If the option is not checked, the selected transaction groups are appended to the already mapped groups for the account.
Delete Party Mapping	Click on **Delete Party Mapping** to delete all the Transaction and account access maintenance done for corporate users in one step.

10. In the **Manage Transaction Group** Tab;
    a. Select specific **module** tab (Including viz. Current and Savings Accounts for both Conventional and Islamic, Credit Card, Term Deposit, Loan accounts along with Liquidity Management enabled Real Accounts (including External Accounts if any) and VAM enabled Real and virtual accounts for a Corporate.) for which account and transaction access mapping maintenance need to be setup.
    b. Click on the icon to search & select the **Transaction group/s** under selected module.
    User can modify the transaction group other than the factory shipped to select or deselect the transaction access.
    c. Click on the **Transaction Group** link, the **Transaction Group Details** overlay screen appears.
    Click **Edit** to modify the transaction/ inquires.
    Click **Save** to save the changes.
11. In the **Map Accounts** Tab;
    a. i. In the **Transaction Group**s list, select the transaction Group/s to map / unmap from the drop-down list.
    ii. In **Account Selection** field, select the option to map the transaction groups to all the accounts or specific accounts.
    iii. Map single or multiple transaction groups to either all accounts or specific selected accounts.
        i. If **All Accounts** option is selected,the transaction groups will be mapped to all available accounts.
        ii. If the **Selected Accounts** option is selected ,

Copyright © 2006, 2026, Oracle and/or its affiliates.

Click the icon.

The **Filter** overlay screen appears where administrators can search for accounts using various criteria like Account Number, Accounts with Mapped Transaction Groups, Account Status, Account Currency.

i. Click **Apply** to search the accounts based on the search criteria. The list of accounts gets displayed based on criteria entered.

ii. Select the one or multiple accounts from the results by selecting the respective check boxes preceding the account number.


iii. Perform one of the following actions:

- Click **Add**.

  The account(s) gets added for mapping to transaction groups.

- Click **Reset** the clear the details entered.

Figure 15-52 Map Transaction Group – Filter Criteria



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> i. Click **Add More Accounts** to add additional accounts for mapping to transaction group
>
> ii. **Additional Mapping Considerations**
>
> - If a specific transaction group mapping is unavailable for an account at the party level, the account number will be displayed in a disabled form and will not be available for selection.
> - Administrators have the option to add additional accounts from the accounts selected in a previous set.

12. Select the **Replace existing groups with selected transaction groups** field, user can **unmap** the accounts by selecting accounts and then clicking on **Unmap** to reset their mapping with Group Corporate.
    a. Choose the desired option;If the checkbox is checked, the system will replace existing transaction group mappings with the newly selected groups;otherwise, the selected groups are added to the existing mappings.
13. Upon user account mapping, the system appends a **Modified** tag followed by the transaction group name to the account number.
14. Perform one of the following actions:
    - To map the new accounts, select appropriate option from **Auto Map** toggle button;

      Select **Auto** if you wish to allow access to all future Accounts across banking module.
    - Select **Manual** if you wish to explicitly map new accounts and transactions.
15. User can click on **Delete Party Mapping** to delete all the Transaction and account access maintenance done for corporate user in one step.
16. Perform one of the following actions:
    - Click **Save** to map the transaction groups to the selected accounts.

      Click **Review** screen appears.
    - Verify the details, and click **Submit**.
    - Click **Back** to navigate back to previous screen.
    - Click **Next** to proceed to the next logical step.
    - Click **Submit** to submit the steps performed so far for approval.
    - Click **Retain Draft** to save the details entered as draft.
    - Click **Cancel** to cancel the transaction.

> **Note**
>
> Admin can submit the maintenance after any step. Maintenances saved so far will be sent for approval in one flow. Admin would not be able to make any changes or maintain another step for the same Group Corporate till the time the approval of the wizard is not done.

Copyright © 2006, 2026, Oracle and/or its affiliates.

15.6.2 User Account Access – View

This topic describes the systematic instruction to **User Account Access – View**.

The Bank Administrator can view the list of account(s) and transactions for which access has been provided to the user.

To view the account and transaction access:


1. Navigate to one of the above paths.

   The **User Account Access** screen appears.

2. In the **User Search** field search users for whom Transaction Account access is being viewed.
   - Select the user from list displayed below.
3. Select the user ID and click on **Map** to navigate to **Account Access summary**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-53 User Account Access – Search and Search Result



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.


Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 15-33 User Account Access – Search and Search Result - Field Description

Field Name	Description
Search (User)	User quick search panel so search user for setting up the account access.
Search Result	**Information specified in below fields are related to search result**.
User ID	User ID the corporate user
User Name	User name of the corporate user
Copy Mapping from User	Select this to Inherit and copy account maintenance from already setup user to new user
Status	Displays the account mapping status for the corporate user. • **Mapped**: Corporate user for which accounts mapping is being done and authorized. • **Modified**: Corporate user for which accounts mapping is being done but pending approval by authorizer. • **Deleted**: Corporate user for which accounts mapping is deleted.

4. From the **Mapping Summary of Party** dropdown list, select the corporate party id associated with Corporate User.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
5. For a searched user, summary screen will be displayed with total accounts associated with corporate party of that user, status of the accounts mapped for the internet banking for user, modified accounts if any and Auto account mapping status.

Figure 15-54 User Account Access – Summary Results



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.


Table 15-34 User Account Access – Summary Results - Field Description

Field Name	Description
User ID	User ID the corporate user
User Name	User name of the corporate user
Mapping Summary of Party	The corporate party for which Party accounts access is being viewed
Modules	Banking module names.
Total Accounts	Total number of accounts available under the party that can be map with corporate user.
Mapped Accounts	Number of accounts mapped to the particular account type of corporate user.
Modified Accounts	Number of accounts modified for the particular account type of corporate user.
Auto Mapped Accounts	Mapping status of the accounts. The options can be: • **Auto**: gives default access to all newly added accounts and transactions of the party as soon as the account is opened in future. • **Manual**: gives specific access to future accounts. The new accounts and transactions need to be mapped explicitly if access needs to be provided
Edit or Map	Click on the icon next to every module or click on Map button to edit User account access

6. If there is no **mapping done** for a user, the count for the Mapped Accounts will be **0**.
7. All the accounts held by the selected party as a relationship with the bank as available in the core banking system or the respective mid-office system will be fetched and displayed in the respective categories

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-55 User Account Access – View



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 15-35 User Account Access – View - Field Discription

Field Name	Description
Modules	Display name of the product for which account access is being viewed.
Mapped Transaction Group	Display the transaction groups selected to setup the user account access.
Transaction Groups Details	Display the Transaction group details with which user account access is maintained along with transaction and inquiries mapped to it.

8. The User Account Access details screen has two section. First section displays the lists down all the transaction groups mapped.
9. In the second column, user can view the **transaction group** details with all the transactions and inquiries access.
10. Click **Edit / Map** to update the **User Account Access** account mapping for new accounts and existing accounts.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Back** to navigate to the previous screen.
- Click **Next** to proceed to the next logical step.
- Click **Submit** to submit the steps performed so far for approval.
- Click **Retain Draft** to save the details entered as draft.
- Click **Cancel** to cancel the transaction.

15.6.3 User Account Access – Edit

This topic describes the information about **User Account Access – Edit**.


The Bank Administrator gets a request with the list of account(s) and transactions for which access details needs to be edited for a selected user of the party.

To Search and Edit the User account and transaction access:

1. Navigate to one of the above paths.
   The **User Account Access** screen appears.
2. In the **User Search** field search users for whom Transaction Account access is being viewed.
   - Select the user from list displayed below.
3. Select the user ID and click on **Map** to navigate to **Account Access summary**.
4. From the **Mapping Summary of Party** dropdown list, select the corporate party id.
5. For a searched user, summary screen will be displayed with total accounts associated with corporate party of that user, status of the accounts mapped for the internet banking for user, modified accounts if any and Auto account mapping status .
6. Click the link under the total **Mapped accounts** or **Modified accounts**, The **User Account Access – View** (Transaction Mapping) screen appears. . The search result according to the search criteria appears
   - Click **Cancel** to cancel the transaction.
7. If there is no **mapping done** for a user, the count for the Mapped Accounts will be **0**.
8. All the accounts held by the selected user as a relationship with the bank as available in the core banking system or the respective mid-office system will be fetched and displayed in the respective categories
9. Click **Map** or **Edit** (available across each banking module).
   The **User Account Access - Edit** screen appears.


Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-56 User Account Access – Search and Search Result




Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-57 User Account Access – Summary




Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-58 User Account Access – Manage Transaction Group



Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-59 User Account Access – Map Accounts Tab



10. The User Account Access screen has four section. Header of the screen shows the User ID and User Name. First column lists down all the **modules** in tabular form, second column list down the **transaction groups** and third column list down banking module wise **account number**

11. Navigate and select specific **module** tab (Including viz. Current and Savings Accounts for both Conventional and Islamic, Credit Card, Term Deposit, Loan accounts along with

Copyright © 2006, 2026, Oracle and/or its affiliates.

Liquidity Management enabled Real Accounts (including External Accounts if any) and VAM enabled Real and virtual accounts for a Corporate.) in the first column for which account and transaction access mapping maintenance need to be setup.

12. In the second column, There will be one factory shipped **Transaction group** for each module, which will have all transactions and inquiries grouped together.

> **Note**
>
> Factory shipped user group cannot be deleted or modified.

13. Once the transaction groups are created, user can select specific module , along with the transaction groups and can select **All Accounts**to map the selected transaction group/s to all the existing accounts under the selected party.
    - If transaction groups need to be mapped to specific accounts, then the user needs to select the respective check boxes preceding the account number.
14. Once the user maps the accounts, system will show a tag as **'Modified'** followed by the transaction group name after the account number.
15. To map the new accounts, select appropriate option from **Auto Map** toggle button; select **Auto** if you wish to allow access to all future Accounts across banking module.
    - Select **Manual** if you wish to explicitly map new accounts and transactions.
16. User can **unmap** the transaction groups by selecting accounts and then clicking on **Save** to reset their mapping with Group Corporate
17. User can click on **Delete Party Mapping** to delete all the Transaction and account access maintenance done for corporate user in one step.
18. User can drill down his search by applying Filter to search an account basis on Transaction Group, currency, mapping status
19. Perform anyone of the following actions.
    - Click **Save** to save the maintenance, and redirect to the review page.
    - Click **Next** to proceed to the next logical step.
    - Click **Submit** to submit the steps performed so far for approval.
    - Click **Retain Draft** to save the details entered as draft.
    - Click **Cancel** to cancel the transaction.

> **Note**
>
> Admin can submit the maintenance after any step. Maintenances saved so far will be sent for approval in one flow. Admin would not be able to make any changes or maintain another step for the same Group Corporate till the time the approval of the wizard is not done.


20. The **Review** screen appears. Verify the details, and click **Submit**.
    - Click **Edit** to modify the details entered.
    - Click **Next** to proceed to next step.
    - Click **Cancel** to cancel the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

21. The success message of user creation appears along with the transaction reference number

> **Note**
>
> Following flow explains the Drill down options to search by applying Filter to search an account for Virtual Accounts Management & Liquidity Management module.

Figure 15-60 Virtual Account Management (Real Account) Tab-




To view Virtual Account Management - Real Accounts:

1. Navigate to one of the above paths.
   The **User Account Access** screen appears.
2. In the **Account Number** field, enter the exact Real Account number.
   - From the **Branch** name drop down, select the Branch name.
   - From the **Account Access Status** field, select an appropriate status.
   - From the **Currency** field, select the required currency.
3. Click **Apply** to Apply the filter.
   - Click **Reset** to reset the entered data.
4. The user can filter through two sections :
   a. On the basis of the Account Number.
   b. A combination of branch name, currency filters and other parameters. The user can use these search parameters alone or in a combination to filter search results.

Copyright © 2006, 2026, Oracle and/or its affiliates.


Figure 15-61 Liquidity Management Tab -



To view Liquidity Management Accounts:

1. Navigate to one of the above paths.
   The **User Account Access** screen appears.
2. In the **Account Number** field, enter the exact Real Account number.
   - From the **Branch name** drop down, select the Branch name.
   - From the **Account Access Status** field, select an appropriate status.
   - From the **Currency** field, select the required currency.
3. Click **Apply** to Apply the filter.
   - Click **Reset** to reset the entered data.
4. The user can filter through two sections :
   a. On the basis of the Account Number.
   b. A combination of branch name, currency filters and other parameters. The user can use these search parameters alone or in a combination to filter search results.

Figure 15-62 Virtual Accounts Tab -



To view Virtual Accounts:

Copyright © 2006, 2026, Oracle and/or its affiliates.

1. Navigate to one of the above paths.
   The **User Account Access** screen appears.
2. In the **Virtual Account Number** field, enter the exact Virtual Account number.
   - In the **Virtual Account Name** field, enter the Virtual Account Name.
   - From the **Virtual Entity** search, select the Virtual Entity name.
   - From the **Branch name** drop down, select the Branch name.
   - From the **Account Access Status** field, select an appropriate status.
   - From the **Status** drop down, select the status.
   - From the **Currency** field, select the required currency
3. Click **Apply** to apply the filter.
   - Click **Reset** to reset the entered data.
4. The user can filter through two sections :
   a. On the basis of the Account Number.
   b. A combination of branch name, currency filters and other parameters. The user can use these search parameters alone or in a combination to filter search results.

15.6.4 User Account Access – Delete

This topic describes the systematic instruction to **User Account Access – Delete** option.

The Bank Administrator gets a request with the user information of a party for which access details needs to be deleted. As part of this option, account mapping can be deleted for a user.
To delete account and transaction access for the User:


1. Navigate to one of the above paths.

   The **User Report Mapping** screen appears.
2. In the **User Search** field search users for whom Transaction Account access is to modify.
   - Select the user from list displayed below.
3. Select the user ID and click on **Map** to navigate to **Account Access summary**.
4. From the **Mapping Summary of Party** dropdown list, select the corporate party id.
5. For a searched user, summary screen will be displayed with total accounts associated with corporate party of that user, status of the accounts mapped for the internet banking for user, modified accounts if any and Auto account mapping status .
6. Click the link under the total **Mapped accounts** or **Modified accounts**, The **User Account Access – View** (Transaction Mapping) screen appears. .

   The search result according to the search criteria appears.
   - Click **Cancel** to cancel the transaction.
7. User can click on **Delete Party Mapping** to delete all the Transaction and account access maintenance done for corporate user in one step.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-63 User Account Access – Delete party Mapping



8. Click **Yes** to delete the party mapping.
   - Click **No** to cancel the process.
9. Perform anyone of the following actions.
   - Click **Save** to save the maintenance, and redirect to the review page.
   - Click **Next** to proceed to the next logical step.
   - Click **Submit** to submit the steps performed so far for approval.
   - Click **Retain Draft** to save the details entered as draft.
   - Click **Cancel** to cancel the transaction.

> **Note**
>
> Admin can submit the maintenance after any step. Maintenances saved so far will be sent for approval in one flow. Admin would not be able to make any changes or maintain another step for the same Group Corporate till the time the approval of the wizard is not done.

10. The **Review** screen appears. Verify the details, and click **Submit**.
    - Click **Edit** to modify the details entered.
    - Click **Next** to proceed to next step.
    - Click **Retain Draft** to save all the steps completed so far, and allow Admin resume the same application.
    - Click **Cancel** to cancel the transaction.

    The success message of user creation appears along with the transaction reference number

15.7 Step 7: Report Mapping

This topic describes the information about **Report Mapping**

The user report mapping maintenance allows the Bank Administrators to map the report or set of reports to first to at group corporate level and then at the a specific corporate user. The corporate users can generate and view the reports to which they have an access. If **map to all**

Copyright © 2006, 2026, Oracle and/or its affiliates.

user option is enabled , then the reports mapped at the group corporate level will be automatically mapped to all the user in the group Corporate. If disabled, you can select the user and map the reports manually.

Bank Administrator searches a corporate user, onboarded on Group corporate and view the reports mapped to him, he can also un-map the reports from specific corporate user so that access of the specific report/ s can be removed to that corporate user.

Report Mapping Request Processing - Report Mapping requests submitted through Group Corporate Onboarding are processed asynchronously through the GCIF framework. After a create, update, or delete request is submitted, the GCIF scheduler verifies whether the requested report mapping changes have been successfully persisted in the main domain before updating the onboarding request status.

Pre-requisites

- Transaction access is provided to System Administrator
- Approval rule set up for Administrator to perform the actions

Navigation Path: Perform anyone of the following navigation to access **Report Mapping tab**.

- From **System/ Bank Administrator Dashboard**, under **Corporate Onboarding** , click **Group Corporate Onboarding** and then click **Report Mapping tab**.
- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Group Corporate Onboarding**, Under**Group Corporate Onboarding** , click **Report Mapping tab**.
- User Report Mapping – Search & View
  This topic describes the systematic instruction to **User Report Mapping – Search & View**Using this option Bank Administrator can search and view the reports mapped to the user.
- User Report Mapping - Create
  This topic describes the systematic instruction to **User Report Mapping - Create**. Using this option Bank Administrator can map the reports to a specific corporate user.
- User Report Mapping - Edit
  This topic describes the systematic instruction to **User Report Mapping - Edit**. Using this option Bank Administrator can edit the mapping or un-map the reports from specific corporate user.

15.7.1 User Report Mapping – Search & View

This topic describes the systematic instruction to **User Report Mapping – Search & View**Using this option Bank Administrator can search and view the reports mapped to the user.

To search and view the reports mapping:

1. Navigate to one of the above paths.


   The **Group Corporate Profiling** screen appears.
2. In the **Map Report to** field, select the appropriate option whose mapped reports to be viewed.
   a. If you select **Group Corporate** option;

      System displays the report mapping summary at group corporate level.
   b. If you select **User** option;
      i. Enter the search criteria, click **Search**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- The **User Report Mapping** screen with search results appears.
- Click **Clear** to clear the search parameters.
- Click **Cancel** to cancel the transaction.

Figure 15-64 User Report Mapping - Mapping Summary (User Level)



Note

The fields which are marked as Required are mandatory.

Copyright © 2006, 2026, Oracle and/or its affiliates.


For more information on fields, refer to the field description table.

Table 15-36 User Report Mapping - Mapping Summary (User Level) - Field Description

Field Name	Description
Map Report to	Select the appropriate option whose mapped reports to be viewed. The options are: • **Group Corporate** • **User**
User - Map Report to	Below fields appears if you select **User** option in the **Map Report to** field.
User ID	To search the user with the user ID. Partial search is allowed.
First Name	To search the user with the user first name. Partial search is allowed.
Last Name	To search the user with the user last name. Partial search is allowed.
Email	To search the user with the email address of the user. Partial search is allowed.
Mobile Number	To search the user with the mobile number of the user. Partial search is allowed. **Note:** Select international subscriber dialing (ISD) code along with the mobile number to search the user.
Party ID	To search the user with the party ID. Partial search is allowed.
Search Result	**Information specified in below fields are related to search result**.
Initials	The initials of the user.
User Name	User name of the corporate user.
Full Name	The full name of the corporate user.
Mapping	Displays whether the file identifier is mapped to the user. • - denotes that the report is mapped to the user • - denotes that the report is not mapped to the user.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-65 User Report Mapping – Mapping Summary (Group Corporate Level)



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 15-37 User Report Mapping – Mapping Summary (Group Corporate Level) - Field Description

Field Name	Description
Map Report to	Select the appropriate option whose mapped reports to be viewed. The options are: • **Group Corporate** • **User**
Mapping Summary	**Information specified in below fields are related tomapping summary**.
Report ID	Unique id assigned to the mapped report.

Copyright © 2006, 2026, Oracle and/or its affiliates.


Table 15-37 (Cont.) User Report Mapping – Mapping Summary (Group Corporate Level) - Field Description

Field Name	Description
Description	Description of the report.
Formats	Formats in which a report can be generated.

3. Click ⓘ against the record for which you want to view the details.

The **User Report Mapping - View** screen appears.

Figure 15-66 User Report Mapping - View



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 15-38 User Report Mapping - View - Field Description

Field Name	Description
User Name	Name of the corporate user.
User ID	User ID of the corporate user.
Mapping Summary	**Information specified in below fields are related to mapping summary**.
Report ID	Unique id assigned to the mapped report.
Description	Description of the report.
Formats	Formats in which a report can be generated.

4. Perform anyone of the following actions.
   - Click **Edit** to update the user report mapping.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate back to previous screen.
   - Click **Next** to proceed to the next logical step.
   - Click **Submit** to submit the steps performed so far for approval.
   - Click **Retain Draft** to save the details entered as draft.
   - Click **Cancel** to cancel the transaction.

15.7.2 User Report Mapping - Create

This topic describes the systematic instruction to **User Report Mapping - Create**. Using this option Bank Administrator can map the reports to a specific corporate user.

To setup a Group Corporate Profiling:


1. Navigate to one of the above paths.

   The **User Report Mapping** screen appears.
2. Enter the search criteria, click **Search**.
   - Click **Clear** to clear the search parameters.
   - Click **Cancel** to cancel the transaction.
3. Click  icon of user record, for which you want to map the report/ s.

   The **User Report Mapping** screen to create the report mapping appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-67 User Report Mapping - Create



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 15-39 User Report Mapping - Create - Field Description

Field Name	Description
User Name	Name of the corporate user.
User ID	User ID of the corporate user.
Mapping Summary	**Information specified in below fields are related to mapping summary**.
Report ID	Unique id assigned to a report.
Description	Description of the report.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 15-39 (Cont.) User Report Mapping - Create - Field Description

Field Name	Description
Formats	The format in which the report is to be generated. The format could be PDF, XLSX.

4. In the **Mapping Summary** section, select the report id of the report which you want to map to the user.
5. Perform anyone of the following actions.
   - Click **Save** to save the maintenance, and redirect to the review page.
   - Click **Back** to navigate back to previous screen.
   - Click **Next** to proceed to the next logical step
   - Click **Submit** to submit the steps performed so far for approval.
   - Click **Retain Draft** to save the details entered as draft.
   - Click **Cancel** to cancel the transaction.
6. The **Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Add Another** to add another maintenance of the same step.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate back to previous screen.

   The success message appears along with the transaction reference number and status of the transaction.

15.7.3 User Report Mapping - Edit

This topic describes the systematic instruction to **User Report Mapping - Edit**. Using this option Bank Administrator can edit the mapping or un-map the reports from specific corporate user.

To edit a User Report Mapping:

1. Navigate to one of the above paths.

   The **User Report Mapping** screen appears.
2. Enter the search criteria, click **Search**.


   The **User Report Mapping** screen with search results appears.
   - Click **Clear** to clear the search parameters.
   - Click **Cancel** to cancel the transaction.
3. Click icon against the record for which you want to view the details.

   The **User Report Mapping - View** screen appears.
4. Click **Edit**.

   The **User Report Mapping - Edit** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-68 User Report Mapping - Edit



5. View the details of report mapping already saved. Select or de-select the report id record to map / un-map a report to a user.
   - Click **Cancel** to cancel the transaction.
6. Perform anyone of the following actions.
   - Click **Save** to save the modified details.
   - Click **Back** to navigate to previous screen.
   - Click **Next** to proceed to the next logical step.
   - Click **Submit** to submit the steps performed so far for approval.
   - Click **Retain Draft** to save the details entered as draft.
   - Click **Cancel** to cancel the transaction.
7. The **Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to previous screen.

   The success message appears along with the transaction reference number and status of the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

15.8 Step 8: Workflow Management

This topic describes the information about **Workflow Management** feature.

Approval workflows are created to support requirements where multiple levels of approval are required in a specific sequence for a transaction/maintenance. Each workflow can be configured to have up to five levels of approval with a specific user or a user group configured at each level. The number of levels can be configured.

Workflows can be configured for approval as well as release.

Workflows can be created independently and can be attached to a specific transaction/ maintenance as part of the Approval Rule configuration.

The approver is responsible for giving formal authorization to proceed with a transaction. The approver decides to approve or reject the transaction based on its validity and compliance with regulations.

The checker is responsible for verifying the accuracy and completeness of the transaction details before they are approved or released. The checker reviews supporting documents and ensures all information is correct and complete.

The releaser is responsible for the final step of authorizing and executing the transaction, often after it has been checked and approved. The releaser initiates the actual release of funds or completion of the transaction.

Workflow Type: The workflow can be created for Approval or Release types of flows.

Within the **Approval** workflow type, user can configure either an approver or checker at each level. The Approval workflow can be setup with a specific user or a user group configured at each level. The number of levels is configurable for **Approval** workflow type. There is no restriction on the count of checkers/approvers within an **Approval** workflow type.


Within the **Release** workflow type, user can configure a releaser workflow. The Release workflow can be setup with a specific user or a user group configured at a single level. Only 1 level can be configured for **Release** workflow type.

Pre-Requisites

- Transaction access is provided to Bank Administrator.
- Party preference is maintained.
- Multiple users are maintained under a party or as Bank Administrators
- Approval rule set up for Bank Administrator to perform the actions.
- Necessary user groups are maintained using User Group Management.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-69 Workflow



Navigation Path: Perform anyone of the following navigation to access **Workflow Management tab**.

- From **System/ Bank Administrator Dashboard**, under **Corporate Onboarding**, click **Group Corporate Onboarding** and then click **Workflow Management tab**.
- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Group Corporate Onboarding**, Under**Group Corporate Onboarding** , click **Workflow Management tab**.
- Workflow Management – Summary
  This topic describes the systematic instruction to **Workflow Management – Summary**. User can view the workflows with this screen.
- Workflow Management – View
  This topic describes the systematic instruction to **Workflow Management – View**. User can view the details pf the workflow with this screen.
- Workflow Management – Create
  This topic describes the information about **Workflow Management – Create**. Bank administrator can create approval workflows for corporate users with this option.
- Workflow Management - Edit
  This topic describes the systematic instruction to **Workflow Management - Edit**. This function enables the Bank Administrator to update the description of the workflow and also to remove existing and add new approval levels.


15.8.1 Workflow Management – Summary

This topic describes the systematic instruction to **Workflow Management – Summary**. User can view the workflows with this screen.

User can opt to view the details of existing workflows or can create new approval workflow using this screen based on the choose workflow type.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-70 Workflow Management – Summary



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 15-40 Workflow Management – Summary - Field Description

Field Name	Description
Workflow Code	Enter the approval workflow code to be searched.
Workflow Description	Enter the description of the approval workflow to be searched.
Workflow Type	Specify the workflow type to be searched. The options are: • **Approval** • **Release**
Search Result	**Information specified in below fields are related to search results**.
Workflow Code	Code of the already maintained approval workflow. This field will be displayed only if there are existing approval workflows available.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 15-40 (Cont.) Workflow Management – Summary - Field Description

Field Name	Description
Workflow Description	Description of the already maintained approval workflow. This field will be displayed only if there are existing approval workflows available.
Approval Levels	Number of approval levels in each workflow. This field will be displayed only if there are existing approval workflows available.
Workflow Type	Displays the type of workflow whether it is for Approval or Release.

To setup a Group Corporate Profiling:

1. Navigate to one of the above paths.

   The **Workflow Management** screen appears.
2. In the **Workflow Code** field, enter the approval workflow code to be searched.
3. In the **Workflow Description** field, enter the description of the approval workflow to be searched.
4. In the **Workflow Type** field, select the type of workflow to be searched.
5. Click **Search**.

   The **Workflow Management** screen with search results appears based on the searched criteria.
6. Click the **Workflow Code** link to view details of the selected Approval Workflow.

   The **Workflow Management - View** screen appears.
   - Click **Create**.

     The **Workflow Management - Create** screen appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

15.8.2 Workflow Management – View

This topic describes the systematic instruction to **Workflow Management – View**. User can view the details pf the workflow with this screen.

Further drill down is provided on each workflow to view the details of the users/ user groups who are a part of the workflow.

To view the approval workflow for corporate users:

1. Navigate to one of the above paths.


   The **Workflow Management** screen appears.
2. In the **Workflow Management** screen, enter the search parameters and click **Search**.

   The **Workflow Management** screen with search results appears based on the searched criteria.
3. Click the **Workflow Code** link to view details of the selected Approval Workflow.

   The **Workflow Management - View** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-71 Workflow Management – View



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 15-41 Workflow Management – View - Field Description

Field Name	Description
View	**Information specified in below fields are related to view field**.
Workflow Code	Workflow code is displayed.
Workflow Description	Workflow description is displayed.
Workflow Type	The type of workflow i.e. whether it is for approval or release.
Approval Details	**Information specified in below fields are related to approval details**.
Approval Level	User / user group maintained at each approval level.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 15-41 (Cont.) Workflow Management – View - Field Description

Field Name	Description
User / User Group	User or a user group maintained at each level of approval. On Approval -Workflow screen, Admin User can click on the Name of the user group that is part of the workflow to see the list of users which are part of that Group. User can search specific user name, by using the search window on Group Details overlay.
Release Details	**Information specified in below fields are related to release details**.
User / User Group	Displays the user or a user group maintained to release the transaction.

4. Click **Edit** to edit the workflow.

   The **Workflow Management - Edit** screen with values in editable form appears.

   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
   - Click **Next** to proceed to the next logical step.
   - Click **Submit** to submit the steps performed so far for approval.
   - Click **Retain Draft** to save the details entered as draft.
   - Click **Cancel** to cancel the transaction.

15.8.3 Workflow Management – Create

This topic describes the information about **Workflow Management – Create**. Bank administrator can create approval workflows for corporate users with this option.

By default, user can specify minimum one and maximum five levels of approvals as a part of workflow.

Bank admin can also create workflow for release if the Release Facility is enabled at Group Corporate Level. Admin can specify user or user group who will release the transaction. All the users and user groups created under the Corporate Group will be made available for mapping.

If level type is Approver, the user can provide multiple levels within the workflow. Each level can be specified as an Approver or Checker and for each level (approver or checker), the type can be selected as User or User Group.


Note

1. Release functionality can be configured only for corporate user's transactions.
2. Only one level of releaser can be configured in the workflow.
3. The same user can act on the same transaction only once in a particular role (checker or approver). For example, the same user can check the same transaction only once as a checker.
4. The bank needs to operationally ensure that approver levels are also added. If only checkers are added and no approver is added, then the transaction will be processed without an approver.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Administrator can set either an individual user or user group of a corporate as part of each approval level. Approval type (sequential/non-sequential/no authorization) is defined at the party preference.

Figure 15-72 Workflow Management – Create



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 15-42 Workflow Management – CreateField Description

Field Name	Description
Create	**Information specified in below fields are related to create.**
Workflow Code	To specify approval workflow code.
Workflow Description	To specify approval workflow description.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 15-42 (Cont.) Workflow Management – CreateField Description

Field Name	Description
Workflow Type	Specify whether the workflow which the administrator is creating are for approval or for release functionality. The options are: • **Approval** • **Release**
Approval Details	Below fields appears if you select **Approval** option in the **Workflow Type** field.
Level Type	Specify the level type for the workflow. The options are: • **Approver** • **Checker**
Level	Approval levels for a user / user group. User can click Add for multi-level approval process.
User / User Group	To select specific user or a user group at each level of approval. **Note**: All the users and user groups created under the Group Corporate will be made available for mapping.
Release Details	Below fields appears if you select **Release** option in the **Workflow Type** field.
User / User Group	To select specific user or a user group to release the transaction. **Note**: 1. All the users and user groups created under the Group Corporate will be available for mapping. 2. Only one level of releaser can be configured in the workflow.

To create an approval workflow:

1. Navigate to one of the above paths.
   The **Workflow Management** screen appears.
2. Click on the **Add Another** to create new create approval workflows for corporate users.

   The **Workflow Management – Create** appears.
3. In the **Workflow Code** field, enter the workflow code.
4. In the **Workflow Description** field, enter the name of the workflow.
5. If you have selected **Approval** option in the **Workflow Type** field;
   a. In the **Level Type** field, specify the level type for workflow.
   b. In the **Level 1** field, select the appropriate user / user group in the Approval Details section.
   c. Click icon to add appropriate user / user group.

      The **User Search** popup appears. All the users and User groups created under the Group Corporate will be available for assigning at various approval levels.

Copyright © 2006, 2026, Oracle and/or its affiliates.




Table 15-43 Workflow Management – User Search - Field Description

Field Name	Description
Search	**Information specified in below fields are related to search**.
User Name	To search the user with the user name. Partial search is allowed.
First Name	Allows to search based on first name or given name of the user.
Last Name	Allows to search based on last name/ surname of the user.
Search Results	**Information specified in below fields are related to search results**.
User ID	User ID of the user.
Full Name	Full Name of the user.
Last Name	Last Name of the user

d. From the **User Name / User Groups** list, click & select the approver user name at specific level of approval.

- Click icon to remove user/ user group.

e. Click **Add** to add the selected user/ user group at specific level of approval.

- Click icon to remove specific approval level.

6. If you have selected **Release** option in the **Workflow Type** field;

a. In the **Level 1** field, select the appropriate user / user group in the **Approval Details** section.

b. Click icon to add appropriate user / user group.

The **User Search** popup appears. All the users and User groups created under the Group Corporate will be available for assigning at various approval levels.

7. Perform anyone of the following actions.

- Click **Save** to save approval workflow.
- Click **Back** to navigate back to previous screen.
- Click **Next** to proceed to the next logical step.
- Click **Submit** to submit the steps performed so far for approval.
- Click **Retain Draft** to save the details entered as draft.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Cancel** to cancel the transaction.

8. Perform anyone of the following actions.
   - Click **Edit** to modify the details entered.
   - Click on **Add Another** to new Workflow.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate back to previous screen.

   The success message of saving the created approval workflow appears along with the transaction reference number and status.

15.8.4 Workflow Management - Edit

This topic describes the systematic instruction to **Workflow Management - Edit**. This function enables the Bank Administrator to update the description of the workflow and also to remove existing and add new approval levels.

Edited workflows are applicable for new transactions initiated post workflow update, whereas the previously initiated and pending approval transactions pending will follow the old workflow.
To edit an approval workflow:

1. Navigate to one of the above paths.

   The **Workflow Management** screen appears.
2. In the **Workflow Management** screen, enter the search parameters and click **Search**.


   The **Workflow Management** screen with search results appears based on the searched criteria.
3. Click the **Workflow Code** link to view details of the selected Approval Workflow.

   The **Workflow Management - View** screen appears.
4. Click **Edit** to edit the workflow.

   The **Workflow Management - Edit** screen with values in editable form appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-73 Workflow Management - Edit



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 15-44 Workflow Management - Edit - Field Description

Field Name	Description
Edit	**Information specified in below fields are related to edit field.**
Workflow Code	Workflow code is displayed.
Workflow Description	Workflow description is displayed in editable form.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 15-44 (Cont.) Workflow Management - Edit - Field Description

Field Name	Description
Workflow Type	Type of workflow can be selected as Approval or Release. The options are: • **Approval** • **Release**
Approval Details	**Below fields appears if you select Approval option in the Workflow Type field.**
Level Type	Specify the level type for the workflow. The options are: • **Approver** • **Checker**
Level	Approval levels for a user / user group. Administrator can remove or add approval levels in a workflow. This is editable field.
User Name / User Groups	User or a user group maintained at each level of approval. Administrator can edit an existing user/user group maintained at each level and can also specify user/user group for additional approval level. This is editable field.
Release Details	**Below fields appears if you select Release option in the Workflow Type field.**
User / User Group	To select specific user or a user group to release the transaction. This is editable field. **Note:** All the users and user groups created under the Group Corporate will be made available for mapping.

5. Edit the required details.
6. Click **Add** to add the selected user/ user group at specific level of approval.
   - Click  icon to remove specific approval level.
7. Perform anyone of the following actions.
   - Click Save to save Approval Workflow.
   - Click **Back** to navigate back to previous screen.
   - Click **Next** to proceed to the next logical step.
   - Click **Submit** to submit the steps performed so far for approval.
   - Click **Retain Draft** to save the details entered as draft.
   - Click **Cancel** to cancel the transaction.
8. Perform anyone of the following actions.
   - Click **Edit** to modify the details entered.
   - Click on **Add Another** to add new Workflow.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate back to previous screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

The success message of saving the approval workflow modification appears along with the transaction reference number and status.

9. Click **OK** to complete the transaction.

15.9 Step 9: Approval Rules

This topic describes the information about **Approval Rules** feature. This function enables the Bank Administrator to set up conditions for approval as well as for Releaser as per the bank/ corporate requirements.

A rule can be set up for financial, non-financial, non-account financial transactions and for maintenances. Flexibility is provided to define approval rules with conditions stating that **specific transaction** if initiated by a **specific user/ user group/All users** has to be approved by a **specific approver/approver group** along with other attributes like amount range etc.

For an approval rule, the user has an option to select one workflow within which different levels are available for approver and checker. The release rules should be resolved at the time of transaction initiation. The users mapped at the time of transaction initiation will be able to release the transaction. The rules specific to release can be configured for a combination of initiator type (user, user group), transactions and accounts. User can set up the release rule only for those transactions for which the release functionality is required. If no rule is configured for a combination of values, then it will be considered as **no release required**. All the transactions as per the specified rule, will be sent for release to the configured users/user groups post successful approval at all levels.

When Approval Rules are created, updated, or deleted as part of Group Corporate onboarding, the changes are processed asynchronously through the GCIF framework. The GCIF scheduler periodically validates whether the approval rule changes have been successfully persisted in the main domain before updating the onboarding request status.

The scheduler validates persistence based on the requested operation:

Table 15-45 Validation Criteria

Operation	Validation Criteria
Create	The approval rule is available in the main domain.
Update	The persisted approval rule matches the requested changes.
Delete	The approval rule is no longer available in the main domain.

> **Note**
>
> The persistence validation and status updates are performed automatically by the GCIF scheduler. No additional action is required from the Bank Administrator after submitting an approval rule onboarding request.

Pre-Requisites

- Transaction access is provided to Bank Administrator
- Party preference is maintained for setting up rules for corporates
- Corporate and Administrator users are maintained
- Workflow configuration is maintained if approval required is to be set as ‘Yes’

Copyright © 2006, 2026, Oracle and/or its affiliates.


- Approval rule set up for Bank Administrator to perform the actions
- Necessary user groups and approval workflows are maintained
- Approval rules can be configured at the Party-GCIF combination level, allowing different approval structures for the same Party under different Group Corporates.

Features supported in application

The Approval Rule maintenances allow the bank administrator to:

- Create Approval Rules
- View Approval Rules
- Edit Approval Rules
- Delete Approval Rules

Figure 15-74 Workflow



Navigation Path: Perfrom anyone of the following navigation access to **Approval Rules tab**.

- From **System/ Bank Administrator Dashboard**, under **Corporate Onboarding** , click **Group Corporate Onboarding** and then click **Approval Rules tab**.
- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Group Corporate Onboarding**, Under**Group Corporate Onboarding** , click **Approval Rules tab**.
- Approval Rules – Summary
  This topic describes the systematic instruction to **Approval Rule - Summary** screen.
- Approval Rules - View
  This topic describes the systematic instruction to **Approval Rule - View** feature.
- Approval Rules - Edit
  This topic describes the systematic instruction to **Approval Rule - Edit** feature.
- Approval Rule – Create
  This topic describes the systematic instruction to **Approval Rule - Create**.


Copyright © 2006, 2026, Oracle and/or its affiliates.

15.9.1 Approval Rules – Summary

This topic describes the systematic instruction to **Approval Rule - Summary** screen.

Bank Administrator logs into the system and navigates to the Rules Management screen. User can opt to view the details of existing Approval Rules or can create new approval rule using this screen.

Figure 15-75 Rules Management – Summary



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 15-46 Rules Management – Summary - Field Description

Field Name	Description
Rule Code	Search with Approval rule code.
Rule Description	Search with Approval rule description.
Rule Applicable For	Search whether rule is applicable for Release or Approval.
Search Result	**Information specified in below fields are related to search results**.
Rule Code	The Approval rule code.
Rule Description	The Approval rule description.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 15-46 (Cont.) Rules Management – Summary - Field Description

Field Name	Description
Maker	Initiator type (User ID or User Group Code) of the transaction. This field will be displayed only if existing approval rules are available.
Approval Required	Whether approval is required for each rule maintained.
Change Type	Displays the status of the record i.e. if it is created or modified.
Rule Applicable for	Displays the whether the approval rule is applicable for Release or Approval.

1. Navigate to one of the above paths.

   The **Approval Rules** screen appears.
2. In the **Rule Code** field, enter the approval Rule code to be searched.
3. In the **Rule Description** field, enter the description of the approval Rule to be searched.
4. In the **Rule Applicable For** field, specify whether the approval rule is applicable for Release or Approval.
5. Click **Search**.

   The **Rule Management** screen with search results appears based on the searched criteria.
6. Click the **Rule code** link, to view details of the selected Approval Rule.
   - The **Approval Rules - View** screen appears.
   - Click on **Add Another** to add the **Approval Rules**.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
   - Click **Create** to create new Approval Rule for corporate users.

15.9.2 Approval Rules - View

This topic describes the systematic instruction to **Approval Rule - View** feature.

On accessing **Rules Management** menu option, and searching rules, summarized view of all the approval rules maintained (if any) for the party are displayed on the screen. Further drill down is given on each rule to view the details of approval rule.
To view the approval rules for corporate users:

1. Navigate to one of the above paths.


   The **Approval Rules** screen appears.
2. In the **Approval Rules** screen, enter the search parameters and click Search.

   The **Approval Rules** screen with search results appears based on the searched criteria.
3. Click the **Rule Code** link, for which you want to view the details.

   The **Approval Rules - View** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-76 Approval Rules View



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 15-47 Approval Rules View - Field Description

Field Name	Description
View	**Information specified in below fields are related to view**.
Rule Type	Transaction rule type for which the approval rule is set up. The transaction rule for corporate user are: • **Financial** • **Non Financial** • **Maintenance** • **Non Account Financial** • **Administration** • **Service Request**
Rule Code	Approval rule code.
Rule Description	Approval rule description.
Rule Applicable For	Displays for which the rule is set up. It could be: • **Approval** • **Releaser**
Initiator	**Information specified in below fields are related to initiator**
Initiator Type	Initiator type specified while creating a rule. **Note**: **All Users** will be displayed for Initiator Type if rule is created with Initiator type as **All users**
User Name / User Groups	Name of the user or user group defined as initiator for the rule condition.
Party ID	Displays one or multiple Party IDs mapped to the selected Group Corporate ID.
Transactions	The transactions for which the rule is being set up. The options are: • **All Transactions** • **Select Specific Transactions** • **All Service Request** – rule will be applicable for all the service requests available in the form builder • **Select Specific Category** – all the service request categories available in the form builder will be listed for selection where one category can be selected • **Select Specific Service Request** - all the service requests available in the form builder will be listed for selection where one service requests can be checked Type of transactions available depends on the selection of rule type. The option **All Service Requests, Specific Service Request or Specific Category** is enabled only if the **Service Request** option is selected in **Rule Type** field.
Accounts	Field will display the accounts along with their names mapped based on the Party ID selection for which rule being viewed is set up. The options are: • **All Accounts** • **Select Specific Accounts** This field appears if you select **Financial** and **Non Financial** in the **Rule Type** field.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 15-47 (Cont.) Approval Rules View - Field Description

Field Name	Description
Currency	Currency type in which the financial approval rule for a corporate is defined. This field appears if you select **Financial** and **Non Account Financial** in the **Rule Type** field. **Note:** a. Entity's base currency (maintained in System Configuration) will be defaulted in the currency field. b. User will be able to select the currency other than the default currency from the currency list.
Amount Range	**Information specified in below fields are related to amount range**.
From Amount/ To Amount	Transactions allowed for the user between the amount range. This field appears if you select **Financial** and **Non Account Financial** in the **Rule Type** field.
Workflow Details	**Information specified in below fields are related to workflow details**.
Approval Required	Field displays whether approval is required or not. The options are: • **Yes** • **No**
Approval Type	Displays the Approval workflow type. Possible value will be: • **Sequential** • **Parallel** This field is displayed if **Yes**option is selected in **Approval Required** field and when workflow preference is set at **Rule Level** in Group Corporate Profiling setup.
Workflow	Field displays the approval workflow details along with the defined approval levels. For release, it displays the release workflow details. This field appears if you select **Yes** in the **Approval Required** field.

4. Click **Edit** to edit the approval rule.
   - The **Approval Rule - Edit** screen with values in editable form appears.
   - Click **Delete** to delete the approval rule.
   - Click **Back** to navigate back to previous screen.
   - Click **Next** to proceed to the next logical step.
   - Click **Cancel** to cancel the transaction.
   - Click **Retain Draft** to save the details entered as draft.

15.9.3 Approval Rules - Edit

This topic describes the systematic instruction to **Approval Rule - Edit** feature.

Bank Administrator can edit the approval rules. An administrator is allowed to change the description of the rule and is also allowed to change the parameters associated with the specific approval rule.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Edited rules are applicable for new transactions initiated post rule update. Previously initiated transactions which are pending approval will follow a rule which was applied at the time of transaction initiation.

To edit an approval workflow:

1. Navigate to one of the above paths.

   The **Approval Rules** screen appears.

2. In the **Approval Rules** screen, enter the search parameters and click Search.

   The **Approval Rules** screen with search results appears based on the searched criteria.

3. Click the **Rule Code** link, for which you want to view the details.


   The **Approval Rules - View** screen appears.

4. Click **Edit** to edit the approval rule.

   The **Approval Rule - Edit** screen with values in editable form appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-77 Approval Rules - Edit



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 15-48 Approval Rules - Edit - Field Description

Field Name	Description
Edit	**Information specified in below fields are related to edit**.
Rule Type	Transaction rule type for which the approval rule is set up will be displayed. The rule type cannot be modified. The transaction rule for corporate user are: • **Financial** • **Non Financial** • **Maintenance** • **Non Account Financial** • **Administration** • **Service Request**
Rule Code	Approval rule code provided by the user.
Rule Description	Approval rule description provided by the user in editable form.
Rule Applicable For	The rule applicable for Release or Approval in editable form. The rule applicable for cannot be modified
Initiator	**Information specified in below fields are related to initiator**.
Initiator Type	Initiator type who initiates the transaction will be displayed in editable form. **Note** If **All Users** is selected, then the rule being created is applicable for all users of Corporate Party
User Name / User Groups	Name of the user or user group as initiator will be displayed in editable form. If initiator is selected as User, then all the users belonging to the party will be listed for selection. If initiator is selected as User Group, then all the user groups belonging to the party will be listed for selection.
Party ID	The one or multiple Party IDs mapped to the selected Group Corporate ID will be displayed in editable form.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 15-48 (Cont.) Approval Rules - Edit - Field Description

Field Name	Description
Transactions	The transactions to set the approval rules will be displayed in editable form. The options are: • **All Transactions** • **Select Specific Transactions** • **All Service Request** – rule will be applicable for all the service requests available in the form builder • **Select Specific Category** – all the service request categories available in the form builder will be listed for selection where one category can be selected • **Select Specific Service Request** - all the service requests available in the form builder will be listed for selection where one service requests can be checked Type of transactions available depends on the selection of rule type. The option **All Service Requests, Specific Service Request or Specific Category** is enabled only if the **Service Request** option is selected in **Rule Type** field.
Accounts	Type of accounts based on the Party ID selection will be displayed in editable form. The options are: • **All Accounts** – If selected, the rule can be setup for all accounts within the selected Party IDs • **Select Specific Accounts** – Specific accounts can be selected for which the rule is applicable. The Party ID, Account Type and Account Numbers along with their names are listed for selection This field appears if you select **Financial and Non Account Financial** in the **Rule Level** field.
Currency	Currency type in which the financial approval rule for a corporate is defined.
Amount Range	**Information specified in below fields are related to amount raange**.
From Amount/ To Amount	Transactions allowed for the user between the defined amounts ranges will be displayed in editable form. This field appears if you select **Financial and Non Account Financial** in the **Rule Level** field.
Workflow Details	
Approval Required	Whether approval is required will be displayed in editable form. The options are: • **Yes** • **No**
Approval Type	Define the Approval workflow type. Possible value will be • **Sequential** • **Parallel** This field is enabled if **Yes** option is selected in **Approval Required** field and when workflow preference is set at **Rule Level** in Group Corporate Profiling setup.
Workflow	Details of the approval workflow within which different levels are available for approver and checker will be displayed in editable form. For release, the release workflow can be selected. This field appears if you select **Yes** in the **Approval Required** field.

5. Edit the required details.

Copyright © 2006, 2026, Oracle and/or its affiliates.

6. Click **Save** to save approval rule.
   - Click **Back** to navigate back to previous screen.
   - Click **Next** to proceed to the next logical step.
   - Click **Submit** to submit the steps performed so far for approval.
   - Click **Retain Draft** to save the details entered as draft.
   - Click **Cancel** to cancel the transaction.
7. The **Approval Rule - Edit Review** screen appears.
   - Verify the details, and click **Confirm**.
   - Click on **Add Another** to add new Workflow.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate back to previous screen.

   The success message of saving the approval rule modification appears along with the transaction reference number and status.
8. Click **OK** to complete the transaction.

15.9.4 Approval Rule – Create

This topic describes the systematic instruction to **Approval Rule - Create**.

Bank Administrator can create approval rules for the corporate users. In Approval Rules, Bank Administrator can define the rule conditions for various type of transactions.

Approval rules can be setup based on the following parameters.

Type of Transaction:

- Financial Transactions
  - This option is used to setup approval rules for the transactions, this involves exchange of money.
  - E.g. Money Transfer, Draft Issuance, Redeem Term Deposit etc.
- Non Financial Transactions
  - This option is used to setup approval rules for the transaction which are for an account but does not involve exchange of money.
  - E.g. Cheque Book Request, Statement Request, Stop Cheque etc.
- Maintenance
  - This option is used to setup approval rules for the transaction which are at the party level and not for a specific account
  - E.g. Payee Maintenance, Biller Maintenance etc.
- Non Account Financial Transactions:
  - This option is used to setup approval rules for the transaction with amount range and no debit account
  - E.g. Initiate LC, Supply Chain Finance related transactions like create Invoice.
- Initiator
  - Specific User

Copyright © 2006, 2026, Oracle and/or its affiliates.


  - User Group
  - All Users
- Party ID
  - This option allows to select one or multiple Party IDs
- Accounts
  - All Accounts based on party selection
  - Select Specific Accounts based on party selection
- Transactions
  - All Transactions
  - Select Specific Transactions
- Currency
- Amount Range
- Service Requests
  - All Service Requests
  - Specific Service Request
  - Specific Category

Administrator can create multiple approval rules for corporate users. In a scenario when a transaction is initiated and multiple rules are applicable as per set conditions, then the most applicable rule amongst all the resolved rules is applied for approval.

User can further define if for a condition, the transactions should be auto approved (which means there is no approval workflow and the transactions gets approved as soon as initiator submits the transactions) or should follow a set approval workflow and should get approved by the defined set of approvers. The same is achieved by attaching a workflow maintained for the corporate party.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-78 Approval Rules – Corporate User - Create



Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 15-49 Approval Rules – Corporate User - Create - Field Description

Field Name	Description
Rule Type	Transaction rule type for which the approval rule needs to be set up. The transaction rule for corporate user are: • **Financial** • **Non Financial** • **Maintenance** • **Non Account Financial** • **Administration** • **Service Request**
Rule Code	To specify approval rule code.
Rule Description	To specify approval rule description.
Rule Applicable For	Specify the rule applicable for Release or Approval. The options are: • **Approval** • **Release**
Initiator	**Information specified in below fields are related to initiator**.
Initiator Type	Initiator type who initiates the transaction. The options are: • **User** - For creating an approval rule for a single user. A lookup will be provided to search for a specific user • **User Group** - For creating an approval rule for a User Group • **All Users** - For creating an approval rule of all the users of the Group Corporate
User / User Group	Name of the user or user group as initiator. If initiator is selected as User, then all the users belonging to the party will be listed for selection. If initiator is selected as User Group, then all the user groups belonging to the party will be listed for selection. If Initiator is selected as **All Users**, then the rule being created is applicable for all users of Corporate Party.
Party ID	The one or multiple Party IDs to be mapped to the selected Group Corporate ID.
Transactions	Select the transactions for which the rule is being set up. The options are: • **All Transactions** • **Select Specific Transactions** • **All Service Request** – rule will be applicable for all the service requests available in the form builder • **Select Specific Category** – all the service request categories available in the form builder will be listed for selection where one category can be selected • **Select Specific Service Request** - all the service requests available in the form builder will be listed for selection where one service requests can be checked Type of transactions available depends on the selection of rule type. The option **All Service Requests, Specific Service Request or Specific Category** is enabled only if the **Service Request** option is selected in **Rule Type** field.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 15-49 (Cont.) Approval Rules – Corporate User - Create - Field Description

Field Name	Description
Accounts	Specify the accounts mapped based on the Party ID selection for which rule being viewed is set up. The options are: • **All Accounts** - Allow to select all the accounts of the selected Party ID • **Select Specific Accounts** - Allow to select specific accounts within each party ID Based on the Party ID selection, accounts associated to the party ID are available for selection. This field appears if you select **Financial and Non Financial** in the **Rule Type** field.
Counts of Accounts Mapped	Displays the number of accounts mapped to the Group Corporate.
Currency	Currency type in which the financial approval rule for a corporate is defined. This field appears if you select **Financial and Non Account Financial** in the **Rule Type** field. **Note:** 1. Entity's base currency (maintained in system configuration) will be defaulted in the currency field. 2. User will be able to select the currency other than the default currency from the currency list.
Amount Range	**Information specified in below fields are related to amount range**.
From Amount/ To Amount	Transactions allowed for the user between the amount range. This field appears if you select **Financial and Non Account Financial** in the **Rule Type** field.
Workflow Details	**Information specified in below fields are related to workflow details**.
Approval Required	Option to decide whether approval is required or not for the set condition. The options are: • **Yes** • **No**
Approval Type	Define the Approval workflow type. Possible value will be • **Sequential** • **Parallel** This field is enabled if **Yes** option is selected in **Approval Required** field and when workflow preference is set at **Rule Level** in Group Corporate Profiling setup.
Workflow	All workflows maintained for the party are listed here along with the defined approval level for each of them. Select one workflow within which different levels are available for approver and checker. For release, the release workflow can be selected. This field appears if you select **Yes** in the **Approval Required** field.

To create an approval rule for corporate user:

1. Navigate to one of the above paths.

   The **Approval Rules** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

2. In the **Rule Type** field, select the appropriate transaction rule type.
3. In the **Rule Code** field, enter the code.
4. In the **Rule Description** field, enter the rule name.
5. In the **Rule Applicable** For field, specify the rule applicable for Release or Approval.
6. From the **Initiator Type** field, click appropriate user / user group and select the user/ user group or Select **All Users**.
7. Click icon to add appropriate user / user group.

   The **Search User to Copy Mapping** popup appears.

Figure 15-79 Approval Rules – Search User




Table 15-50 Approval Rules – Search User - Field Description

Field Name	Description
Search	**Information specified in below fields are related to search**.
User ID	To search the user with the user ID. Partial search is allowed.
First Name	Allows to search based on first name or given name of the user.
Last Name	Allows to search based on last name/ surname of the user.
Search Results	**Information specified in below fields are related to search results**.
User ID	User ID of the user.
Full Name	Full Name of the user.

   a. From the **User Name / User Groups** list, click & select the user ID.
8. Click **Add** to add the selected user/ user group as a initiator.
9. From the **Party ID** list, click and select one or multiple Party IDs to be mapped to the selected Group Corporate ID.
10. From the **Transaction** list, select the transactions to be mapped to the rule.

- If you have selected Select **Specific Transactions** option, select one or multiple transactions within modules to mapped to the selected Group Corporate ID.

  Click icon to search and add specific transaction from the search lookup.

Copyright © 2006, 2026, Oracle and/or its affiliates.

11. If you have selected **Financial** option in the **Rule Type** field;
    a. From the **Accounts** list, select the appropriate accounts.
        i. If you have selected **Select Specific Accounts** option;
            i. Click the Party ID whose accounts needs to be mapped, and then select one or multiple accounts to mapped to the selected Group Corporate.

> **Note**
>
> Click icon to search and add specific account from the search lookup.

    b. From the **Currency** list, select the appropriate account currency.
12. If you have selected **Financial** and **Non Account Financial** option in the **Rule Type** field;
    - In the **Amount Range** section, enter the appropriate amount.
13. In the **Workflow Details** section, select whether approval is required for the mapped transactions.
    - If you select **Yes** option,
        i. In the **Approval Type** field, select approval workflow type.
        ii. From the **Workflow** list, select the appropriate Workflow.
14. Click **Save** to save approval rule.
    - Click **Back** to navigate back to previous screen.
    - Click **Next** to proceed to the next logical step.
    - Click **Submit** to submit the steps performed so far for approval.
    - Click **Retain Draft** to save the details entered as draft.
    - Click **Cancel** to cancel the transaction.
15. The **Review** screen appears.
    - Verify the details, and click **Confirm**.
    - Click on **Add Another** to add the **Approval Rule**.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate back to previous screen.

    The success message of saving the created approval rule appears along with the transaction reference number and status.

15.10 Send to Modify

This topic describes the systematic instruction to **Send to Modify**.

Approver dashboard is available for Bank administrator users whose main responsibility is of approving the transactions initiated by Bank administrator in maker role. Approver has the responsibility to ensure correctness of the maintenances as per the bank and corporate mandate, to ensure speedy and accurate processing.

When the maker sends the Group Corporate Onboarding maintenance for approval, the approver will have an option to send the maintenance back for modification.

Copyright © 2006, 2026, Oracle and/or its affiliates.


When the transaction is sent back for modification, then all the users who have access to perform modifications on Group Corporate onboarding will be able to view the maintenance in their activity log. Any of the users can pick up the transaction and make the necessary modification.

> **Note**
>
> During **Send to Modify**, the comments capture by approver are optional.The bank needs to handle operationally to ensure that specific comments are captured during send for modification.

1. Login to OBDX internet banking application as an approver.
2. On the **Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Transactions**, Under**Transactions**, click **Pending for Approval**, and then select **Group Corporate Wizard**.

   The **Pending for Approval** screen appears.

Figure 15-80 Send to Modify - Pending for Approval screen




3. Click on the **Reference No** link adjacent to record which to be modify/ approve/reject/lock.

   The **Group Corporate Onboarding** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-81 Send to Modify - Group Corporate Onboarding screen



4. Click **Send to Modify** to send the Group Corporate Onboarding maintenance back to maker for modification.

   A popup appears.

5. Enter the comments while sending for modification to specify the reason for sending the maintenance for modification.

6. Click **Send to Modify** to save the comments and send the maintenance to maker for modification.


   Click **Cancel** to cancel the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

7. Now login to **OBDX** internet banking application as an maker.
8. View the **Group Corporate Onboarding maintenance** in **My Initiated List** tab from the **Transactions** menu, and make the necessary modifications and send back to approver.
9. On re-login as approver, then the modified data will be highlighted for the approver to understand the changes.


> **Note**
>
> a. For all the updated values, the previous as well as new value will be shown The modified value will be highlighted even in cases when the maker modifies any existing data and send it for approval
>
> b. Click on the **View Update** to view the new changes in case the field has multiple values.

Figure 15-82 View Update



Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 15-83 Modified data highlight



10. Click on highlighted data to view the modifications.
11. Verify the changes and approve the transaction.

15.11 FAQ

Step 1: Group Corporate Profiling

1. **Can administrator modify Bank role before assigning to Group Corporate?**
   No, if the Administrator assigns a Bank role to Group Corporate, all the entitlements available in the selected roles will be assigned at Group Corporate level. Any modification required in the bank roles can be done using Role transaction mapping screen. If in future bank assigns a new transaction access in the bank role (from Role transaction mapping screen), it will automatically be given to the all the Group Corporates having that roles mapped
2. **Is mapping of custom role is mandatory?**
   No. Administrator can select and assign the roles available at enterprise level as is, or he can create a custom role as per his requirement for the Group corporate by cloning a role available at Group Corporate level.

   Admin will be able to assign a mix of bank roles and custom roles to a Group Corporate.
3. **Are the Customize bank roles will be applicable across the application?**
   No, The Customize bank role will be available only for the Group Corporate for which it was created. Any changes done in the bank roles, from which this custom role has been created, will not have any impact on the custom created roles
4. **What is sequential and parallel type of approval flow?**
   Under Sequential approval flow, the approval can be done only in the sequence as mentioned in approval workflow. It is **Non-Sequential** type of approval flow, which does not follow any specific sequence. Any user (who is part of the approval flow) from any approval level can pick up the transaction/maintenance and approve it. This will be applicable across Group Corporate
5. **What is the approval currency?**
   Approval Currency is the preferred currency for setting up the approval rules.

Copyright © 2006, 2026, Oracle and/or its affiliates.

6. **How can the user define Sequential or Parallel approval flow at the Corporate Level and Rule Level?**
   During Group Corporate Profiling setup, the user has an option to select the workflow preference at Corporate Level or Rule Level. If Corporate Level is specified, then the approval flow (Sequential/Parallel/No Approval) can be captured on the same screen. If Rule Level is selected, then the approval flow (Sequential/Parallel) must be specified during rule creation.

Step 2: Party Account Access

1. **Is it necessary to setup Party Account Access Management before setting up User Account Access for Group Corporate?**
   Yes. For the Group Corporate, the party account access setup must be done before the user level mapping of accounts and transactions
2. **What is the significance of Transactions or Inquiry Group?**
   Transaction groups are for the purpose of grouping transactions and maintaining access in Account Access screens.

   There will be one factory shipped Transaction group for each module, which will have all transactions and inquiries grouped together. Factory shipped user group cannot be deleted or modified.

   A new group can also be created by cloning/copying an existing transaction group. Deletion of custom transaction group will be allowed.

   Transaction groups of one Group Corporate will be available for selection only for that Group Corporate
3. **Can we setup Party Account Access for multiple corporate parties associated with Group Corporate in single flow?**
   Yes, All the party ID mapped under Group Corporate will be listed in the dropdown. Admin can select one party at a time and setup the party account access for the same .Once he is done he can follow the same flow by selecting another party for Account maintenance before final submission.

   OR

   He can save the application in draft for further modification.
4. **What is the significance of Auto and Manual option in Map Accounts?**
   This feature allows the administrator to configure access policies for accounts and associated transactions, which may get added subsequently in the future.

   Auto: Gives access to the newly added accounts and transactions of the party as soon as the account is opened. This option can be selected whenever bank administrator wishes to provide access by default

   Manual: Denies the newly added accounts and transactions by default. This is to ensure that access to accounts and transactions is provided only upon receiving specific instructions from corporates
5. **Will Party Account Access – Deletion for a party (Own/Linked) lead to automatic deletion of User Account Access?**
   Yes. Deletion of account access for a party will lead to automatic deletion of access for the users of that party.

Step 3: User Onboarding

1. **Who can create / update the user at Group Corporate level?**
   System administrator and bank administrator can create or edit the users.
2. **Does the application allows admin to create new user by cloning the exiting one?**
   Yes. An option to create a new user from by copying an existing user is provided.

Copyright © 2006, 2026, Oracle and/or its affiliates.

If **Copy** is selected, admin will be able to select an already created user (user created under the same Group Corporate) and screen will be displayed the copied data for all the sections except Personal and Contact information. Admin will be require to fill Personal and Contact information and he can make the changes in the copied data as well.

3. **Can one assign multiple Application roles to a user?**
   Yes, multiple Application roles can be assigned to the user. All the Roles (both Enterprise and Customer) mapped at the Group Corporate level will be available for selection while setting up the user management.
4. **What is the significance of primary and Accessible parties?**
   Corporate users at Group Corporate level will have one primary party and multiple assessable parties for each entity. Show primary party selected on the top will by default as selected under Primary Party for that Entity.

Step 4: User Group Maintenance

1. **Is the user selection for user group maintenance is depends on the parent party?**
   No, user selection is not depend upon the parent corporate party. Application will list down the entire user associated with group corporate for user group creation irrespective of parent party.
2. **Can a user be the part of multiple user groups created under a Group Corporate?**
   Yes, same user can be part of multiple user groups under group corporate. Whereas, User Group would be allowed to create even without adding a single user.
3. **Can I delete an existing user group?**
   No, user groups cannot be deleted but can be edited. Administrator can add new users and remove existing users of the user group.

Step 5: User Account Access

1. **If user is associated with one parent corporate party and multiple accessible parties, then will he be allowed to setup account access for the corporate parties in single flow?**
   Yes, All the party ID mapped under Group Corporate and associated with corporate user will be listed in the dropdown. Admin can select one party at a time and setup the user account access for the same .Once he is done he can follow the same flow by selecting another party for user Account maintenance before final submission.

   OR

   He can save the application in draft for further modification.
2. **Will Party Account Access – Deletion for a party lead to automatic deletion of User Account Access?**
   Yes, deletion of account access for a party will lead to automatic deletion of access for the users of that party.
3. **If I remove access of account(s) and transaction(s) for a party, will it lead to automatic access removal for the users of that party?**
   Yes, access removal at party level for an account and/or transaction will automatically remove access at user level of the selected party.
4. **Have mapped/edited/deleted user account access for a party but it is not reflecting in the system even after a successful maintenance save message?**
   There is a possibility that the maintenance is saved but the status is ‘Pending Approval’. For the maintenance, if there is an approval required then the changes will reflect only once the approver(s) approve the submitted request. If the setup does not require an approval workflow or is self / auto approved, then the same will reflect immediately.

Step 6: User Report Mapping

Copyright © 2006, 2026, Oracle and/or its affiliates.

1. **What is the significance of user report mapping?**
   The user report mapping maintenance allows the Bank Administrators to map the report or set of reports to a specific corporate user. The corporate users can generate and view the reports to which they have an access.
2. **Is the user selection for user report mapping maintenance is depends on the parent party?**
   No, user selection is not depend upon the parent corporate party. Application will list down the entire user associated with group corporate for user report mapping irrespective of parent party.

Step 7: Workflow Management

1. **Is the user selection for workflow maintenance is depends on the parent party?**
   No, user selection is not depend upon the parent corporate party. Application will list down the entire user associated with group corporate for workflow maintenance irrespective of parent party.
2. **What is approval workflow maintenance?**
   Approval workflows are created to support requirements where multiple levels of approval are required in a specific sequence for a transaction/maintenance. Each workflow can be configured to have up to five levels of approval with a specific user or a user group configured at each level.
3. **How many approval levels can I set up in the system?**
   Administrator can set up minimum one and maximum five levels of approvals as a part of approval workflow.
4. **Can I get the list of users associated with a group from workflow management screen?**
   Yes, list of the users associated with a group can be viewed using workflow management screen.

Step 8: Approval Rules

1. **Is the user selection for workflow maintenance is depends on the parent party?**
   No, user selection is not depend upon the parent corporate party. Application will list down the entire user associated with group corporate for approval -rules maintenance irrespective of parent party.
2. **How many approval levels can I set up in the system?**
   Administrator can set up minimum one and maximum five levels of approvals as a part of approval workflow. Whereas, maximum levels of approvals that the user can set is configurable as Day0.
3. **What happens if the transaction is initiated in the currency in which approval rule is not maintained?**
   If the rule is not maintained in specific currency, then the application will check the preferred currency selected while setting up the group corporate.
4. Explain [AB1] by examples how the rules are resolved during auto and manual approval routing?
   If the Day 0 configuration is yes (i.e., weightage needs to be checked), then the rules will be evaluated irrespective of the currency. However, the final rule which is resolved will be as per the calculated weightage.

   If the Day 0 configuration is no (i.e., weightage need not be checked), then the rules will be evaluated irrespective of the currency, and all the rules falling within the amount range (post currency conversion) will be resolved. For Manual Routing, whichever rule the maker picks up will be the resolved rule. For Auto Routing, the nearest ‘max’ value logic will be checked and the rule with nearest max slab will be evaluated. However, if two rules have

Copyright © 2006, 2026, Oracle and/or its affiliates.

the same nearest ‘max’ slab, then whichever approver picks the transaction first, that rule will be the final resolved rule.

Some use cases are listed below for better understanding:

Table 15-51 Use Case 1: Rule CCY = TXN CCY

Maintenance	System Behavior
Entity Base CCY – AED Approval Type – Auto Routing Rules maintained are as follows: Rule 1 - CCY – USD, Amount Range 5k to 25k Rule 2 - CCY – QAR, Amount Range 50k to 100k Rule 3 - CCY – BHD, Amount Range 5k to 10k The customer is initiating a transaction in BHD 9K (equivalent to USD 23.8k, QAR 86.9k) *Considering all other rule criteria are matching	Applicable Rules*: Day 0 – when weightage check is enabled Rule 3 - CCY – BHD, Amount Range 5k to 10k **Reason** – System will evaluate all the rules irrespective of any currency. The rules (Rule 1, Rule 2 and Rule 3) falling within the transaction range will be resolved, however as per the weightage logic, the rule maintained in TXN CCY will have higher weightage. Hence only Rule 3 will be resolved Day 0 – when weightage check is disabled Rule 1 - CCY – USD, Amount Range 5k to 25k Rule 2 - CCY – QAR, Amount Range 50k to 100k Rule 3 - CCY – BHD, Amount Range 5k to 10k Reason – System will evaluate all the rules irrespective of any currency without checking any rule weightage Note: Out of the box, the weightage check will always be enabled for auto routing.

Table 15-52 Use Case 2: Rule CCY = Entity Base CCY

Maintenance	System Behavior
Entity Base CCY – AED Approval Type – Auto Routing Rules maintained are as follows: Rule 1 - CCY – USD, Amount Range 5k to 25k Rule 2 - CCY – QAR, Amount Range 50k to 100k Rule 3 - CCY – AED, Amount Range 50k to 100k The customer is initiating a transaction in BHD 10K (equivalent to USD 26.5k, AED 97.5k, QAR 96.5k) *Considering all other rule criteria are matching	Applicable Rules*: Day 0 – when weightage check is enabled Rule 2 - CCY – QAR, Amount Range 50k to 100k Rule 3 - CCY – AED, Amount Range 50k to 100k **Reason** – The system will check if any rule is available in the TXN CCY as per weightage logic. If the TXN CCY rule is not available, all the other rules irrespective of any CCY will be applicable provided it matches the amount slab Day 0 – when weightage check is disabled Rule 2 - CCY – QAR, Amount Range 50k to 100k Rule 3 - CCY – AED, Amount Range 50k to 100k **Reason** – System will evaluate all the rules irrespective of any currency without checking any rule weightage Note: Out of the box, the weightage check will always be enabled for auto routing.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 15-53 Use Case 3: Rule CCY = Multiple TXN CCY rules

Maintenance	System Behavior
Entity Base CCY – AED Approval Type – Auto RoutingRules maintained are as follows: Rule 1 - CCY – USD, Amount Range 5k to 25k Rule 2 - CCY – QAR, Amount Range 50k to 100k Rule 3 - CCY – BHD, Amount Range 5k to 10k Rule 4 - CCY – BHD, Amount Range 9k to 10k Rule 5 - CCY – BHD, Amount Range 10k to 50k Rule 6 - CCY – AED, Amount Range 50k to 100k The customer is initiating a transaction in BHD 10K (equivalent to USD 26.5k, AED 97.5k, QAR 96.5k) *Considering all other rule criteria are matching	Applicable Rules*: Day 0 – when weightage check is enabled Rule 3 - CCY – BHD, Amount Range 5k to 10k Rule 4 - CCY – BHD, Amount Range 9k to 10k Reason – System will evaluate all the rules irrespective of any currency, however as per the weightage and 'to/max' amount logic, the rule maintained in TXN CCY will have higher weightage. Hence Rule 3 and Rule 4 will be resolved. Based on the users approving at each level, exact rule will be determined Day 0 – when weightage check is disabled Rule 2 - CCY – QAR, Amount Range 50k to 100k Rule 3 - CCY – BHD, Amount Range 5k to 10k Rule 4 - CCY – BHD, Amount Range 9k to 10k Rule 5 - CCY – BHD, Amount Range 10k to 50k Rule 6 - CCY – AED, Amount Range 50k to 100k **Reason** – System will evaluate all the rules irrespective of any currency without checking any rule weightage **Note**: Out of the box, the weightage check will always be enabled for auto routing.

Table 15-54 Use Case 4: Rule CCY = TXN CCY (Flexi Routing)

Maintenance	System Behavior
Entity Base CCY – AED Approval Type – Flexi Routing Rules maintained are as follows: Rule 1 - CCY – USD, Amount Range 5k to 25k Rule 2 - CCY – QAR, Amount Range 50k to 100k Rule 3 - CCY – BHD, Amount Range 5k to 10k Rule 4 - CCY – BHD, Amount Range 9k to 10k Rule 5 - CCY – BHD, Amount Range 10k to 20k Rule 6 - CCY – AED, Amount Range 50k to 100k The customer is initiating a transaction in BHD 9K (equivalent to USD 23.8k, AED 87.6k, QAR 86.9k) *Considering all other rule criteria are matching	Applicable Rules*: Day 0 – when weightage check is enabled Rule 3 - CCY – BHD, Amount Range 5k to 10k Rule 4 - CCY – BHD, Amount Range 9k to 10k **Reason** – System will evaluate all the rules irrespective of any currency, however as per the weightage and **to/max** amount logic, the rule maintained in TXN CCY will have higher weightage Day 0 – when weightage check is disabled Rule 1 - CCY – USD, Amount Range 5k to 25k Rule 2 - CCY – QAR, Amount Range 50k to 100k Rule 3 - CCY – BHD, Amount Range 5k to 10k Rule 4 - CCY – BHD, Amount Range 9k to 10k Rule 5 - CCY – BHD, Amount Range 10k to 20k Rule 6 - CCY – AED, Amount Range 50k to 100k **Reason** – System will evaluate all the rules irrespective of any currency. Maker will be expected to select one rule and route for approval.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 15-55 Use Case 5: Sequential/Non-Sequential Rules (Flexi Routing)

Maintenance	System Behavior
Entity Base CCY – AED Approval Type – Flexi Routing Rules maintained are as follows: Rule 1 - CCY – USD, Amount Range 5k to 25k Rule 2 - CCY – QAR, Amount Range 50k to 100k Rule 3 - CCY – BHD, Amount Range 5k to 10k (Sequential) Rule 4 - CCY – BHD, Amount Range 9k to 10k (Non-Sequential) The customer is initiating a transaction in BHD 9K (equivalent to USD 23.8k, QAR 86.9K) *Considering all other rule criteria are matching	Applicable Rules*: Day 0 – when weightage check is enabled Rule 3 - CCY – BHD, Amount Range 5k to 10k (Sequential) Reason – System will evaluate all the rules irrespective of any currency, however as per the weightage and 'to/max' amount logic, the rule maintained in TXN CCY will have higher weightage. In this case based on the Day0 configuration, the default behavior is 'Sequential' rule which needs to be given precedence. However, bank can change this configuration to **Non-sequential** rule to be given precedence Day 0 – when weightage check is disabled Rule 1 - CCY – USD, Amount Range 5k to 25k Rule 2 - CCY – QAR, Amount Range 50k to 100k Rule 3 - CCY – BHD, Amount Range 5k to 10k Rule 4 - CCY – BHD, Amount Range 9k to 10k **Reason** – System will evaluate all the rules irrespective of any currency. Maker will be expected to select one rule and route for approval.

Table 15-56 Use Case 6: Sequential/Non-Sequential Rules (Auto Routing)

Maintenance	System Behavior
Entity Base CCY – AED Approval Type – Auto Routing Rules maintained are as follows: Rule 1 - CCY – USD, Amount Range 5k to 25k Rule 2 - CCY – QAR, Amount Range 50k to 100k Rule 3 - CCY – BHD, Amount Range 5k to 10k (Sequential) Rule 4 - CCY – BHD, Amount Range 9k to 10k (Non-Sequential) The customer is initiating a transaction in BHD 9K (equivalent to USD 23.8k) *Considering all other rule criteria are matching	Applicable Rules*: Day 0 – when weightage check is enabled Rule 3 - CCY – BHD, Amount Range 5k to 10k (Sequential) In case of auto routing, based on the Day0 configuration, the default behavior is **Sequential** rule which needs to be given precedence. However, bank can change this configuration to **Non-sequential** rule to be given precedence Day 0 – when weightage check is disabled Rule 1 - CCY – USD, Amount Range 5k to 25k Rule 2 - CCY – QAR, Amount Range 50k to 100k Rule 3 - CCY – BHD, Amount Range 5k to 10k Rule 4 - CCY – BHD, Amount Range 9k to 10k **Reason** – System will evaluate all the rules irrespective of any currency. Maker will be expected to select one rule and route for approval.

Use Case 7: **Rule Weightage Logic**

Entity Base CCY – **AED**

Copyright © 2006, 2026, Oracle and/or its affiliates.

Rules maintained are as follows:

Table 15-57 Use Case 7: Rule Weightage Logic

Rules	Accounts	Transactions	CCY	Amount Slab	Approval Flow
Rule 1	10000909 10000908 10000907	All Financial Transactions <International Fund Transfer is a part of Payment Transaction Group>	USD	5k to 25k	Group A > Group B > Group C
Rule 2	All Accounts	International Fund Transfer	AED	50k to 100k	Group A > Group D > Group E
Rule 3	All Accounts	International Fund Transfer	BHD	5k to 10k	Group A > Group C > User X
Rule 4	10000908 10000907	International Fund Transfer, Multiple Payment Transactions	BHD	9k to 10k	User P > User Q

The customer is initiating an **International Fund Transfer** from account **10000907** of **BHD** 9K (equivalent to USD 23.8k, AED 87.6k)

Applicable Rules

Auto Routing (when weightage check is enabled) -

Rule 4 - CCY – **BHD,** Amount Range 9k to 10k

Reason – System will first check if the matching rule is available in TXN CCY (BHD). There are 2 rules available in BHD, Rule 3 and Rule 4. However, in auto routing only Rule 4 will be resolved as specific values are maintained for account and transactions as compared to Rule 3.

Flexi Routing (when weightage check is disabled) -

Rule 1- CCY – **USD**, Amount Range 5k to 25k

Rule 2- CCY – **AED**, Amount Range 50k to 100k

Rule 3 - CCY – **BHD**, Amount Range 5k to 10k

Rule 4 - CCY – **BHD**, Amount Range 9k to 10k

Reason – System will evaluate all the rules irrespective of any currency. As all the rules fall within the amount range, hence all the rules will be displayed to the user for selection.

Copyright © 2006, 2026, Oracle and/or its affiliates.

16

Party Migration

This topic describes the systematic instruction to **Party Migration** feature. Using this feature a party can be moved from one Group Corporate to another Group Corporate.

System displays a screen to enter the party information (party ID or party name) and search party for which the movement of party is to be done. Party migration can be updated to an existing or new Group Corporate.

Before movement, a simulation needs to be generated to show the conflicts/impacted areas due to Party migration. The simulation will be generated module wise to view impact of party migration. The user can view the current generated simulations as well as the historical simulations generated for the movement of selected Party ID.

The administrator must manually take corrective actions on the conflicting impacted areas, post which only the party migration can be initiated.

> **Note**
>
> After rectification of all conflicted impacts, the simulation needs to be re-generated to validate for any remaining conflicts.

The impact of Party movement

- If mapping (Party Migration) is done to an existing Group Corporate, then the common roles and touch points between the new Group Corporate and user being moved will be assigned to the respective user
- If mapping (Party Migration) is done to new Group Corporate, then a default role will be assigned to the user and touch points common to default role and respective user will be mapped to that user
- User will be able to access the reports mapped to the user at Party level even after moving the Party under new Group Corporate
- The user’s personal and contact information along with limits will be retained during movement to the new Group Corporate
- Moved Party will not be available under the old Group corporate and any mapping of the moved Party with the users of old Group Corporate will get deleted
- Any approval rule created exclusively for the accounts of moved Party will not be automatically moved along with the Party
- The users moving to new Group Corporate along with the Party will not be able to view the details of transactions/maintenances (happened in the other Party s of previous Group Corporate) where they have acted as either ‘maker or approver’.
- The users moving to new Group Corporate along with the Party will be able to view the details of transactions/maintenances (happened in the Party before movement) where they have acted as either ‘maker or approver’. They will be able to view this data through their respective activity logs

Copyright © 2006, 2026, Oracle and/or its affiliates.


- Also, the users who are part (either maker or approver) of any transaction/maintenance in the Party before movement, and are not moving with the Party , will not be able to view that data in their respective activity logs
- If the user being moved has a User Level Alert Subscription, then the Alert Subscription Configuration will be retained for the Party being moved but will be dropped for other Party s

Once the admin user simulates the party movement and all the conflicts are resolved, the user can migrate the party to new group corporate. On submission, the maintenance is sent for an approval if configured. Once the maintenance is authorized, the party will get mapped to the new Group corporate. Post party migration, the user can search the Party based upon Party ID or Party Name and view details of the movement. Details related to all the impacted areas will be displayed. This data will be available module wise which can be viewed as well as downloaded in PDF format. The migration information of the historic movements can also be viewed if in future the same party needs to be migrated again.

Navigation Path: Perform anyone of the following navigation to access **Party Migration**.

- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Corporate Onboarding** , Under **Corporate Onboarding** , click **Party Migration**.
- From **System/ Bank Administrator Dashboard**, under **Corporate Onboarding** widget, click **Party Migration**.

Figure 16-1 Party Migration – Party Search (Party ID/Party Name)



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 16-1 Party Migration – Party Search (Party ID/Party Name) - Field Description

Field Name	Description
Search	**Information specified in below fields are related to search**.
Party ID	Search by party ID for which the party migration to be done.
Party Name	Search by party name of a party for which the party migration to be done.
Search Result	**Information specified in below fields are related to search result**.
Party ID	Party ID for which the party migration to be done.
Party Name	Party Name of a party for which the party migration to be done.
Status	Displays the status of the searched party. It could be: • **Simulation in Conflict** • **Migration Success**

To search party for party migration and generate the stimulation report:

1. Navigate to the above path.


   The **Party Migration** screen appears.

2. Perform anyone of the following actions:
   - In the **Party ID** field, enter the party ID whose party migration to be done.
   - In the **Party Name** field, enter the name of the party whose party migration to be done.
3. Perform anyone of the following actions:
   - Click **Search**.
     The system displays the matching party records. The records have parties listed with both **Party ID** and **Party Name** information.

     User can select the record by clicking on the **Party ID** from the list.
   - Click **Clear** to reset the details.
   - Click **Cancel** to cancel the transaction.
4. Click on the **Party ID** link to view the existing Group Corporate ID and Name to which the Party is currently mapped.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 16-2 Party Migration – Map to Existing/ New Group Corporate



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 16-2 Party Migration – Map to Existing/ New Group Corporate - Field Description

Field Name	Description
Party ID	Displays the Party ID for which the party migration is to be done.
Party Name	Displays the Name of the party for which the party migration to be done.
Entity ID	Displays the Entity ID of the Corporate Party. **Note**: Party Migration allowed within same entity.
Mapped Group Corporate	Displays the existing Group Corporate ID to which party is mapped.
Change Party Mapping To	
Map to Group Corporate	Specify if new mapping for Party is to an existing Group Corporate or to a new Group corporate.
Group Corporate	Group Corporate ID for which party migration is to be done.
Search Group Corporate	This popup appears, if user wishes to move Party to existing Group Corporate.
Group Corporate ID	Search by existing Group Corporate ID to which the Party is being moved.
Group Corporate Name	Search by existing Group Corporate Name to which the Party is being moved.
Search Result	**Information specified in below fields are related to search result**.
Group Corporate ID	Existing Group Corporate ID to which the Party is being moved.

Copyright © 2006, 2026, Oracle and/or its affiliates.


Table 16-2 (Cont.) Party Migration – Map to Existing/ New Group Corporate - Field Description

Field Name	Description
Group Corporate Name	Existing Group Corporate Name to which the Party is being moved.

5. In **Change Party Mapping To** section, perform below steps.
   a. In the **Map to Group Corporate** field, select the desired option for new mapping for Party whether it is from an existing Group Corporate or to a new Group corporate.
   b. If **Existing** option is selected in the **Map to Group Corporate** field,
      i. Click icon against the **Group Corporate** field, the **Search Group Corporate** popup window appears.
         i. Perform anyone of the following actions:
            - Click and enter the **Group Corporate ID** in the **Group Corporate ID** field to which the Party is being moved.
            - In the **Group Corporate Name** field, enter the existing name of the Group Corporate to which the Party is being moved.
         ii. Perform anyone of the following actions:
            - Click **Search**. The existing Group Corporate appears based on search criteria.
            - Click **Reset** to reset the details.
   c. If **New** option is selected in the **Map to Group Corporate** field,
      i. In the **Group Corporate** field, enter the new Group Corporate to which the Party is being moved.
      ii. Click **Check Availability** to check the uniqueness of the user ID. If the Group Corporate is already used, then enter a unique valid Group Corporate name.
6. Click **Simulate Migration** to generate reports module wise showing module wise impact of party migration . User can also view the report generation status.

   The **Warning** popup appears to restrict the channel access to the party while the simulation is being generated so that no further changes to the party will be allowed.

Figure 16-3 Simulate Migration Warning popup




Copyright © 2006, 2026, Oracle and/or its affiliates.

a. Perform anyone of the following actions:
   - Click **Proceed** to continue the process.
     In **Simulation** section list of total reports generated after stimulation gets displayed.
   - Click **Cancel** to cancel the transaction.

b. Click ▶ icon to expand and view the details of reports module wise.

c. Perform anyone of the following actions:
   - Click on the **Download** link against the respective module to download the stimulation migration report.
   - Click **Discard Migration** to revert the party migration changes. It removes all the simulation reports generated from the system for the party being moved.


Figure 16-4 Discard Migration popup



   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate back to the previous screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 16-5 Simulate Migration



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 16-3 Simulate Migration - Field Description

Field Name	Description
Party ID	Displays the Party ID for which the party migration to be done.
Party Name	Displays the Party Name of a party for which the party migration to be done.
Entity ID	Displays the Entity ID of the Corporate Party. **Note:** Party migration is allowed within same entity.
Mapped Group Corporate	Displays the existing Group Corporate ID to which party is mapped.
Status	Displays the stimulation status.
Simulation	Following fields appears after the stimulation report is generated module wise for the party is being migrated.


Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 16-3 (Cont.) Simulate Migration - Field Description

Field Name	Description
Party ID	Displays the Party ID for which the party migration to be done.
Party Name	Displays the Party Name of a party for which the party migration to be done.
Source Group Corporate	Displays the existing Group Corporate ID to which party is mapped.
Target Group Corporate	Specify new Group Corporate to which the Party is being migrated.
Creation Date	The date and time of stimulation report generated.
Summary	Displays the summary of total stimulation report generated along with its status and count. The options are: • **Success** • **Failed** • **Conflict** • **Pending**
Module Name	Name of the module whose stimulation reports are generated before party migration.
Module Status	The simulation generation status can also be viewed. The options are: • **Success**: Party impact present with no conflict • **Failure**: Simulation fails due to technical error • **Conflict**: Simulation comprises of atleast one conflict • **Pending**: Awaiting for response
Download	Click on the **Download** link to download the respective simulation in PDF format. **Note:** Click on the **Download All** link to download all the modules reports.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 16-6 Historical Simulation



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 16-4 Historical Simulation -Field Description

Field Name	Description
Historical Stimulation	This section displays the all the previous list of stimulation reports. Following fields appears after the stimulation report is regenerated module wise for the party is being migrated. **Note**: This section is displayed only if the stimulation report is generated for the same party multiple times to resolved the Failure / Conflict type of report.
Party ID	Displays the Party ID for which the party migration to be done.
Party Name	Displays the Party Name of a party for which the party migration to be done.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 16-4 (Cont.) Historical Simulation -Field Description

Field Name	Description
Source Group Corporate	Displays the existing Group Corporate ID to which party was mapped.
Target Group Corporate	Displays the new Group Corporate to which the Party is migrated.
Creation Date	The date and time of stimulation report generated.
Summary	Displays the summary of total stimulation report generated along with its status and count. The options are: • **Success** • **Failed** • **Conflict** • **Pending**

Perform anyone of the following actions:

- Click **Historical Migration** to view all the previous list of stimulation reports module wise.
- Click **Migrate Party** to initiate the request to party migration between group corporates.
- The **Confirmation** popup window appears.

a. Perform anyone of the following actions:
   - Click **No** to cancel the process.
   - Click **Yes** to proceed the party migration. The success message of request initiation for party migration.

   i. Click on the **Party Migration** link to view the status of the migration.

      System redirect to the **Party Migration** screen.

      i. Perform anyone of the following actions:
         - In the **Party ID** field, enter the party ID whose party migration is done.
         - In the **Party Name** field, enter the name of the party whose party migration is done.

      ii. Click **Search**.

          The system displays the party details along with migration history details.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 16-7 Post Party Migration Details




Table 16-5 Post Party Migration Details - Field Description

Field Name	Description
Migration Details This section is displayed post party migration.	
Source Group Corporate	Displays the source Group Corporate ID to which party was mapped.
Target Group Corporate	Displays the new Group Corporate to which the Party is migrated.
Creation Date	Displays the date and time of party migration is executed.
Status	Displays the status of the migration.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 16-5 (Cont.) Post Party Migration Details - Field Description

Field Name	Description
Summary	Click on the **Simulation and Migration Details** link to view the summary of total stimulation report generated along with its status and count while migrating.

Sample Migration Reports:

Figure 16-8 Pre Migration Report

Party Migration Simulation

Module: Liquidity Management

futura bank

Party ID: 004325 | Party Name: Air Asia India

MIGRATION DETAILS:

Party ID:	Party Name:	Entity Name	Source Group Corporate	Destination Group Corporate	Movement Reference ID
004325	Air Asia India	UBS OBPM 14.4 HEL Branch	002402 | Saketh	003106 | TGCIF	01838

CONFLICT:

Due to the movement of party 004325, out of the Group Corporate 002402, the following liquidity structures are impacted.These structures could have accounts from other parties that are part of Group Corporate 002402, Saketh. To resolve these conflicts
1. Manually remove the accounts listed below from the respective liquidity structure.
2. In the liquidity management product processor,manually remove/update the party linkages maintained for the Party 004325.

Party ID & Name owning the structure	Liquidity Structure Code & Description	Account Number	AccountName
004325 | Air Asia India	STLF8UA2MP5S | Structure Sweep 003	xxxxxxxxxxx0049	GBP Account 04
004324 | Tata Group of Companies	ST845OEIPUM8 | Sweep Structure 001	xxxxxxxxxxx0044	GBP Account 04
004324 | Tata Group of Companies	ST845OEZPUM8 | Sweep Structure 001	xxxxxxxxxxx0044	GBP Account 04
004324 | Tata Group of Companies	STLF8US1MP5S | Structure Sweep 002	xxxxxxxxxxx0011	GBP Account 01
004324 | Tata Group of Companies	STLF8US1MP5S | Structure Sweep 002	xxxxxxxxxxx0022	GBP Account 02
004324 | Tata Group of Companies	STNGW1P7ZJXS | Structure Test 001	xxxxxxxxxxx0022	GBP Account 02
004324 | Tata Group of Companies	STNGW1P7ZJXS | Structure Test 001	xxxxxxxxxxx0011	GBP Account 01

Simulation generated by SDADMIN | Aug 4, 2022 4:31:48 AM

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 16-9 Post Migration Report



Post Party Migration
Module: Liquidity Management

futura bank

Party ID: 003038 | Party Name: KeronBohr

MIGRATION DETAILS:

Party ID	Party Name	Entity Name	Source Group Corporate	Destination Group Corporate	Movement Reference ID
003038	KeronBohr	UBS OBPM 14.4HEL Branch	000555 | GCIF3558	000802 | MUSTUCORP	02052

Party has been successfully migrated to the new Group Corporate.

Simulation generated by superadmin | Aug 12, 2022 9:46:22 AM

Copyright © 2006, 2026, Oracle and/or its affiliates.

17

Origination Workflow Maintenance

This topic describes the **Origination Workflow Maintenance** feature available to bank administrators.

Banks across different geographies can have varied requirements with regards to the information captured and sequence in which this information is captured in product application forms available to end customers online.

Origination Workflow Maintenance is an administrative maintenance using which the bank administrator can design the application form for each product category as well as for the bundled application. In addition to defining the sequence in which each section should flow in an application form, the administrator can also use this feature to define which Online KYC mode is to be enabled for the prospect applicants applying for any product that belongs to a specific product category. The administrator can also wish to disable Online KYC for any product category, as required.

There will be a default workflow defined in the system as part of Day0 definition for each of the product categories along with identified set of steps.

The administrator can create and maintain the priority to be assigned to each product category that can be part of a bundled application. This will dictate the sequence of steps within the bundled application form.

The bank administrator will have an option to view the workflow maintained for each of the product categories. If the workflow defined for a product category does not suit the bank requirements, the administrator can opt to customize the workflow by re-arranging the steps, enabling or disabling optional steps and also defining online KYC modes.

> **Note**
>
> 1. A system configuration flag to enable/disable Online KYC at the entity level is now available. If this flag is disabled, then Online KYC will not be applicable for any product application for the specific entity. The Online KYC section will also not be displayed as part of the Origination Workflow Maintenance of any product category.
> 2. Selfie mode of Online KYC (powered by Jumio) is not supported on cloud. And it will be disabled by default.

Pre-requisites

- Transaction access is provided to Bank Administrators.
- Default Workflows with set of steps applicable for each product category is defined in the system.
- A default prioritization is defined for each product category that can be part of a bundled application.

Features supported

Workflow Maintenance allows the Bank Administrator to maintain:

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Single Product Application Workflows
- Online KYC in Single Product Application Workflows
- Prioritization of Single product application workflows within a Bundled Application Workflow

> **Note**
>
> This functionality is provided to bank administrators to maintain Retail as well as Small and medium Business (SMB) Product Origination workflows.
>
> In the case of retail originations, joint account applications workflow maintenance is also possible for product categories that support joint applications.
>
> The Disbursement & Repayment step in Insta Personal Loan Applications (Generic and US Region) cannot be removed from the application form workflow as it is mandatory for the processing of insta loans.

Navigation Path: Perform the following navigation to access **Origination Workflow Maintenance**.

- From the **System/ Bank Administrator Dashboard**, click the **Toggle Menu**, then click **Menu** and then click **Others**, under **Others**, click **Origination Workflow Maintenance**.
- Single Product Application – View & Modify
- Single Product Application
  This topic describes the in formation about **Single Product Application** option.
- Bundled Product Application - View & Modify
- FAQ

17.1 Single Product Application – View & Modify

Using this option, the Bank Administrator can view the retail or business workflow defined for a single/individual product application and if required, can also modify the workflow.

To view and/or modify the origination workflow of a single product category application:

1. Navigate to the above paths.


   The **Origination Workflow Maintenance** screen appears.

2. On the landing page, select Workflow Type, Product Type, Product Category, and Application Type (if applicable).

   On selecting values for these fields, the workflow for the selected Product Category and other selected parameters, appears on the screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 17-1 Origination Workflow Maintenance



> **Note**
>
> The fields which are marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 17-1 Origination Workflow Maintenance – Single Product - Field Description

Field Name	Description
Workflow Type	Workflows can be configured for Retail as well as Business products. Select the desired option. The options are: • **Retail Workflow** • **Business Workflow**
Product Type	Select the desired product application for which the workflow needs to be viewed or custom workflow is to be defined. The options are: • **Single Product** • **Bundled Product**

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 17-1 (Cont.) Origination Workflow Maintenance – Single Product - Field Description

Field Name	Description
Product Category	Select the product category for which the workflow needs to be viewed or configured. The list will be populated based on the Day 0 configurations done in the application. The options available for Retail are: • **Savings Accounts** • **Checking Accounts** • **Term Deposits** • **Credit Cards** • **Auto Loans** • **Unsecured Personal Loans** • **Wallets** • **Home Loans** • **Education Loans** The options available for Business are: • **Savings Accounts** • **Checking Accounts** • **Term Loans** • **Working Capital Loans** This field appears only if the **Single Product Application** tab is selected in the **Product Type** field.
Application type	Select whether this workflow is for a single or a joint account application. This option is available only for Retail Workflows and based on the product category selected, i.e. this option only appears if joint applications are supported for the product category selected.

3. Perform one of the following actions:
   a. Under **Online KYC Maintenance**, enable/disable Online KYC for primary/joint applicants. If you wish to enable Online KYC for a specific applicant role, you will need to select the KYC mode by switching the toggle button next to the KYC mode of choice, On.
   b. Under **Application Workflow Maintenance**, modify the order of the steps of the application form.
   c. Under **Application Workflow Maintenance**, enable/disable any optional step with the help of the toggle buttons displayed against the optional steps.
   d. Perform anyone of the following actions:
      i. Click the **Submit** button to save any changes made to the workflow.
      ii. Click **Back** to navigate to the previous screen.

17.2 Single Product Application

This topic describes the in formation about **Single Product Application** option.

Using this option, Bank administrator can view the sequence in which the origination steps will be presented as a part of the default workflow to the end customer when an application is initiated for the product available under the selected product category.

Administrator can further define the custom workflow for each product category if required.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Edit Custom Workflow
  This topic describes the systematic instruction to **Edit Custom Workflow** option. Using this option, the bank administrator can choose to create a new application workflow if required for the specific product category.

17.2.1 Edit Custom Workflow

This topic describes the systematic instruction to **Edit Custom Workflow** option. Using this option, the bank administrator can choose to create a new application workflow if required for the specific product category.

Using this option, the bank administrator can choose to edit the custom application workflow, if required, for the specific product category. The administrator can simply drag and drop the steps to change the sequence. Additionally, the administrator can also choose to enable/ disable Online KYC for product applications belonging to that product category. If enabling Online KYC, the administrator can specify which mode of Online KYC to enable. It is to be noted, that the sequence of certain steps, such as Review, Terms of Service and Confirm cannot be changed.

The administrator can even view and compare the custom workflow with the default workflow set for the selected product category and make changes accordingly. Any optional step can be disabled, in which case that step will not appear in the application form.

The custom workflow is automatically activated upon creation. All the steps configured in the product origination workflow will be part of the application form in the sequence defined.

The sequence, defined in the workflow that is active, will have an impact on bundled applications.

To edit the origination workflows:

1. Navigate to the above paths.

   The **Origination Workflow Configuration** screen appears.


2. The custom workflow is visible on the main screen adjacent to the default workflow.

   Click **Reset** to edit the workflow.

   The workflow becomes editable and the administrator can rearrange the steps in the order as
   required and can also enable or disable Online KYC and if enabling Online KYC, can also define
   the mode to be enabled.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 17-2 Origination Workflow Configuration - Customize Workflow



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 17-2 Origination Workflow Configuration - Edit Customize Workflow - Field Description

Field Name	Description
Workflow Details	**Information specified in below fields are related to workflow details.**
Default Workflow	Default application workflow defined for the selected product category is displayed on the screen It depicts the sequence in which the sections of the application form will flow, if the default workflow is enabled.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 17-2 (Cont.) Origination Workflow Configuration - Edit Customize Workflow - Field Description

Field Name	Description
Custom Workflow	Displays the customized application workflow for the selected product. Drag and drop blocks to customize the application workflow. The user can change the sequence of the steps and can also delete optional steps. Additionally the user can select the mode of Online KYC to be enabled or can also disabled Online KYC completely, if desired.
Activate	An activate button is present at the bottom of both the default and custom workflows. User can select to activate one of the workflows.
Reset	A reset button is provided below the custom workflow. This button resets all the changes to the custom workflow including re-ordering and deletion of steps and makes the custom workflow similar to the default workflow.

3. Click any cards marked with ⋮ icon and move the card to the position of choice.

> **Note**
>
> You can click  icon to and enable or disable the an optional step from the application flow if not required.

4. Perform anyone of the following actions:
   - Click **Submit** to save the transaction.
   - Click **Back** to navigate to the previous screen.
5. Perform anyone of the following actions:
   - The **Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
6. Click **OK** to complete the transaction.

17.3 Bundled Product Application - View & Modify

Using this option, the Bank Administrator can create and maintain the priority to be assigned to each product category that can be part of a bundled application. This will dictate the sequence of steps within the bundled application form.

Based on the product category sequence, the workflows defined for each single/individual product application are considered to auto-generate the workflow for a bundled application. When the bundled application is initiated by the end-user, common sections across the different products will appear only once to the end-user. However, the steps that are unique to each product application will be sequenced based on the priority set as a part of bundled application workflow maintenance for the products selected by the customer in the bundle.

Assume, the following is the workflow defined at each product category (defined using Single Product Application – custom flow) and the priority set against each product category (Defined using Bundled application – custom flow).

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 17-3 Priority set in bundled application workflow

Checking Account (Priority set in bundled application workflow - 1)	Personal Loan (Priority set in bundled application workflow - 2)	Auto Loan (Priority set in bundled application workflow - 3)
-	Upload Documents	Upload Documents
Personal Information	Financial Profile	Home Loan Requirements
Account Specifications	Personal Loan Requirements	Personal Information
Review	Personal Information	Financial Profile
Terms of Service	Employment Information	Employment Information
Confirmation	Review	Review
-	Terms of Service	Terms of Service
-	Confirmation	Confirmation

Now assume that the guest user/prospect applicant is applying for a bundled application consisting of one product from all the above three product categories, on the digital platform. In this scenario, the sequence of steps in the bundled application form will be as follows:

1. Personal Information
2. Account Specifications
3. Financial Profile
4. Personal Loan Requirements
5. Employment Information
6. Home Loan Requirements
7. Review
8. Terms of Service
9. Confirmation

- Bundled Product Application – View & Modify
  This topic describes the options provided to the bank administrator to maintain the prioritization of single/individual product categories within a bundled application workflow.
- Edit Custom Workflow
  This topic describes the systematic instruction to **Edit Custom Workflow** option.

17.3.1 Bundled Product Application – View & Modify

This topic describes the options provided to the bank administrator to maintain the prioritization of single/individual product categories within a bundled application workflow.

To view and/or modify the bundled application workflow:


1. Follow the steps mentioned under the Navigation Path under section 17 above.

   The **Origination Workflow Maintenance** screen appears.
2. On the landing page, select Workflow type of choice.
3. Select the product type as **Bundled Product**.

   On making the above selections, the **Bundled Product Workflow** appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 17-3 Origination Workflow Maintenance



> **Note**
>
> The fields which are marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 17-4 Origination Workflow Maintenance - Bundled Product - Field Description

Field Name	Description
Product Priority for Bundled Application	**Information specified in the fields below are related to product priority for bundled applications**.
Current Workflow	Displays the current product category prioritization applicable for a bundled application form. The bank administrator can change the product category priority as per their requirements.
View Updated Workflow	Clicking on this option opens an overlay layer on which the administrator can select products to identify the sequence in which the sections of a bundled application will flow, if those products are part of a bundled application. The Bank Administrator can select any 3 product categories to view sequence of the bundled application form steps. **Note: The maximum products allowed to be selected in a bundled application is 3 products)**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

4. Perform one of the following action:
   a. Click on the **View Updated Workflow** link to view the product categories and sequence of the applicable stages in bundled application.


      The overlay layer on which the administrator can view the impact of any changes made on the bundled applications, appears.

      OR

   b. Click **Submit** to save the changes made.

   c. Click **Back** to navigate to the previous screen.

Figure 17-4 Bundled Application Flow



> **Note**
>
> The fields which are marked as **Required** are mandatory.

Copyright © 2006, 2026, Oracle and/or its affiliates.

For more information on fields, refer to the field description table.

Table 17-5 Bundled Application Flow - Field Description

Field Name	Description
Product Categories	Displays the product categories offered by the bank in card form. The User can select the product categories to view the sequence in which the sections of the bundled application form will appear if these products are selected by the customer in the bundled application. The user can select maximum of 3 product categories.
Application Flow	Displays the default application flow for the bundle application that comprises of the selected product categories.

a. In the **Select Product Categories to see Application Flow** field, select the checkbox against the product category card which you wish to add in Bundle application, and whose application workflow to configured.

b. Click **OK** to add the product categories to bundle application.

17.3.2 Edit Custom Workflow

This topic describes the systematic instruction to **Edit Custom Workflow** option.

Using this option, bank administrator can edit the custom bundled application. The workflow will be automatically activated upon creation.

To edit the bundle application workflow:

1. Navigate to the above paths.

   The **Origination Workflow Configuration** screen appears.


2. The custom workflow is visible on the main screen adjacent to the default workflow.

3. Click the cards marked with ⋮ icon and drop to the area where it needs to be placed in workflow.

> **Note**
>
> You can click  icon to and enable or disable the an optional step from the application flow if not required.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 17-5 Origination Workflow Configuration - Customize Bundle Workflow




4. Click on the **View Updated Workflow** link to select the product categories and application stages flow in bundle application.

   The **Proposed Application Flow** overlay screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 17-6 Proposed Application Flow



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 17-6 Proposed Application Flow - Field Description

Field Name	Description
Product Categories	Displays the product categories offered by the bank in card form. The User can select the product categories to view the sequence in which the sections of the bundled application form will appear if these products are selected by the customer in the bundled application. The user can select maximum of 3 product categories.
Application Flow	Displays the default application flow for the bundle application that comprises of the selected product categories.

a. In the **Select Product Categories to see Application Flow** field, select the checkbox against the product category card which you wish to add in Bundle application, and whose application workflow to configured.

b. Click **OK** to add the product categories to bundle application.

> **Note**
>
> Click **Reset** to enable editing the workflow.

5. Perform anyone of the following actions:
   - Click **Submit** to save the transaction.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

17.4 FAQ

1. **What will be the expected system behaviour if an optional step is enabled in a product category application workflow?**
   If a step that is configured as optional, is enabled for a product category application workflow, it will appear in the sequence defined but will be optional i.e. the applicant will be able to skip the step without filling information in that step.
2. **What will happen to the applications which are in draft status with the old origination workflow?**
   The application will be processed as per the new workflow defined by the banker. The information which is already filled by the customer will be pre-populated. In addition, the user will be asked to provide the information if any as per the newly configured workflow.
3. **Can I configure the workflows at the product level available under each product category?**
   No, as of now the bank administrator is allowed to maintain workflows at product category level only.

Copyright © 2006, 2026, Oracle and/or its affiliates.

18

Product Maintenance

This topic describes the information about **Product Maintenance** feature. Product Maintenance feature allows the System Administrator to map products to users from the channel.

System Administrator can map products maintained in the core banking system to different User type and all the users falling under that user type can open accounts for the mapped products only. This option is currently enabled for Term Deposit and Recurring Deposit module.

For example: A user can open a term deposit or a recurring deposit only under those products which are mapped to the User Type/ /Party Type/User Segment assigned to the user. Products which are not mapped, will not be available (for opening deposit accounts) to a channel user. This will be a part of Day 1 setup.

> **Note**
>
> For User Type – Retail, & Business, product mapping can be done for User Type, Party Type and User Segment combination.

Pre-requisites

- Transaction access is provided to System Administrator.
- Approval rule is set up for System Administrator to perform the actions.
- Necessary products are maintained in core banking application.

Features Supported In Application

The module supports following features:

- View Product Maintenance
- Edit Product Maintenance
- Create Product Maintenance

Navigation Path: Perform anyone of the following navigation to access **Product Maintenance** .

- From **System Administrator Dashboard**, under **Configuration** widget, click **Product Maintenance** .
- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu**, and then click **Configuration** , Under **Configuration** , click **Product Maintenance** .
- Product Maintenance - View
  This topic describes the systematic instruction to **Product Maintenance - View** option. Using Product Maintenance view option, System Administrators can view the list of products mapped to the product module.
- Product Maintenance - Edit
  This topic describes the systematic instruction to **Product Maintenance - Edit** option. This function enables the System Administrator to edit the product mapping.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Product Maintenance - Create
  This topic describes the systematic instruction to **Product Maintenance - Create** option. This option enables the System Administrator to select the products and map it to the Product Module.
- FAQ

18.1 Product Maintenance - View

This topic describes the systematic instruction to **Product Maintenance - View** option. Using Product Maintenance view option, System Administrators can view the list of products mapped to the product module.


The System Administrator can view the mapping details by clicking the User Segments link.
To view the product mapping:

1. Navigate to one of the above paths.

   The **Product Maintenance** screen with mapped products appears.

   - Click **Cancel** to cancel the transaction.

Figure 18-1 Product Maintenance



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 18-1 Product Maintenance - Field Description

Field Name	Description
User Type	The user type available for mapping products. The user types are **Corporate** and **Retail & Business**.
Party Type	If the User Type is selected as **Retail and Business** then a new option Party Type is shown. The possible values are Retail and Business. Based on the party type selected, product mapping will be shown in the search results.
Product Module	Following product modules are available for mapping: • **Term Deposit** • **Recurring Deposit**
Product Type	The type of products available to be mapped to the user segment or to the role for that product module.
Search Result	**Information specified in below fields are related to search result**.
User Type	The user for which products are mapped.
Party Type	The Type of party for the user. Applicable only for user type Retail & Business user
User Segment	The user segments for which products mapped. This field is applicable only for Retail user type.
Products Mapped	The number of products mapped to the user segment or user type for that product type and product module.

2. Click the **Product Mapped** link of the user record for which you want to view the details.

   The **Product Maintenance - View** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 18-2 Product Maintenance - View




Table 18-2 Product Maintenance - View - Field Description

Field Name	Description
View	**Information specified in below fields are related to view**.
User Type	The user for which products are mapped.
Party Type	The Type of party for the user. Applicable only for user type Retail & Business user.
Product Module	Following product modules are available for mapping: • **Term Deposit** • **Recurring Deposit** **Note:** For corporate only Term Deposit product module is available
Product Type	The type of product under the selected module for which the product list needs to be fetched .
User Segment	The user segment for which products are mapped. This field is applicable only for Retail user type.
Product Name	Name of the product which is mapped to the user type for the selected product type and product module.
Expiry Date	The expiry date of the product. If the product is expired, an 'Expired' flag is shown against the product.
Status	The current status of the product.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 18-2 (Cont.) Product Maintenance - View - Field Description

Field Name	Description
Currency	The currency in which products are maintained.
Minimum Amount	The minimum permissible amount for opening deposit under the selected product.
Maximum Amount	The maximum permissible amount for opening deposit under the selected product.

3. Perform anyone of the following actions:
   - Click **Edit** to edit the user-segment - product mapping.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

18.2 Product Maintenance - Edit

This topic describes the systematic instruction to **Product Maintenance - Edit** option. This function enables the System Administrator to edit the product mapping.

The System Administrator can map or delete the products to the product module.
To search feedback template:


1. Navigate to one of the above path.

   The **Product Maintenance** screen appears.
2. Click the **Product Mapped** link of the user record for which you want to edit the details.

   The **Product Maintenance - View** screen appears.
3. Perform anyone of the following actions:
   - Click **Edit** to edit the user-segment - product mapping. The **Product Maintenance - Edit** screen appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 18-3 Product Maintenance - Edit



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 18-3 Product Maintenance - Edit - Field Description

Field Name	Description
Edit	**Information specified in below fields are related to edit**.
User Type	The user for which products are mapped.
Party Type	The Type of party for the user. Applicable only for user type **Retail & Business** user.
Product Module	One of the following product modules for which the mapping is to be edited: • **Term Deposit** • **Recurring Deposit**
Product Type	The list of product type, available for mapping.
User Segment	The user segment, for which products are mapped.
Product Name	Name of the product which is mapped to the user type for the selected product type and product module.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 18-3 (Cont.) Product Maintenance - Edit - Field Description

Field Name	Description
Expiry Date	The expiry date of the product. If the product is expired, an 'Expired' flag is shown against products.
Status	The current status of the product.
Currency	The currency in which products are maintained.
Minimum Amount	The minimum permissible amount for opening deposit under the selected product.
Maximum Amount	The maximum permissible amount for opening deposit under the selected product.

4. Edit View the defined values for fields, in an editable form.
5. Edit the required details.
6. Perform anyone of the following actions:
   - Click **Save** to save the changes.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
7. Perform anyone of the following actions:
   - The **Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

   The success message of transaction submission appears along with the transaction reference number and status.
8. Click **OK** to complete the transaction.

18.3 Product Maintenance - Create

This topic describes the systematic instruction to **Product Maintenance - Create** option. This option enables the System Administrator to select the products and map it to the Product Module.


To create a new product mapping:

1. Navigate to one of the above path.

   The **Product Maintenance** screen appears.
2. Select the **User Type** for which the product mapping needs to be maintained.
3. Select the **User Segment** (applicable only for Retail user type).

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 18-4 Product Maintenance




4. Click **Map** Products.

   The **Product Maintenance - Create** screen appears.

> **Note**
>
> The **Map Products** link is available only if no products are mapped to the user segment.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 18-5 Product Maintenance - Create



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 18-4 Product Maintenance - Create - Field Description

Field Name	Description
Create	Information specified in below fields are related to create.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 18-4 (Cont.) Product Maintenance - Create - Field Description

Field Name	Description
User Type	The user for which products are mapped.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 18-4 (Cont.) Product Maintenance - Create - Field Description

Field Name	Description
Party Type	The Type of party for the user. Applicable only for user type Reta

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 18-4 (Cont.) Product Maintenance - Create - Field Description

Field Name	Description
	il & Business user.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 18-4 (Cont.) Product Maintenance - Create - Field Description

Field Name	Description
Product Module	Following product modules are available for mapping: •

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 18-4 (Cont.) Product Maintenance - Create - Field Description

Field Name	Description
	• Deposit Recurring Deposit

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 18-4 (Cont.) Product Maintenance - Create - Field Description

Field Name	Description
Product Type	The list of product, available for mapping.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 18-4 (Cont.) Product Maintenance - Create - Field Description

Field Name	Description
User Segment	The user segment, for which product are to be mapped.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 18-4 (Cont.) Product Maintenance - Create - Field Description

Field Name	Description
Product Name	Name of the product which is mapped to other user type for these sel

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 18-4 (Cont.) Product Maintenance - Create - Field Description

Field Name	Description
	ectedproducttypeandproductmodule.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 18-4 (Cont.) Product Maintenance - Create - Field Description

Field Name	Description
Expiry Date	The expiry date of the product. If the product is expired, an 'Exp

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 18-4 (Cont.) Product Maintenance - Create - Field Description

Field Name	Description
	ired' flag is shown against products.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 18-4 (Cont.) Product Maintenance - Create - Field Description

Field Name	Description
Status	The current status of the product. **Note:** Only the active product

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 18-4 (Cont.) Product Maintenance - Create - Field Description

Field Name	Description
	tsaredisplayed.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 18-4 (Cont.) Product Maintenance - Create - Field Description

Field Name	Description
Currency	The currency in which products are maintained.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 18-4 (Cont.) Product Maintenance - Create - Field Description

Field Name	Description
Minimum Amount	The minimum permissible amount for opening deposit under these

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 18-4 (Cont.) Product Maintenance - Create - Field Description

Field Name	Description
	elected product.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 18-4 (Cont.) Product Maintenance - Create - Field Description

Field Name	Description
Maximum Amount	The maximum permissible amount for opening deposit under these

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 18-4 (Cont.) Product Maintenance - Create - Field Description

Field Name	Description
	lected product.

5. From the **User Type** list, select user for which products are mapped.
6. From the **Product Module** list, select product modules which are available for mapping.
7. From the **Product Type** list, select product type available for mapping.
8. Select the checkbox(s) for the product which has to be mapped to the user.
9. In the **Minimum Amount** field, enter the minimum permissible amount for opening deposit under the selected product.
10. In the **Maximum Amount** field, enter the maximum permissible amount for opening deposit under the selected product.
11. Perform anyone of the following actions:
    - Click **Save** to save the mapping.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.
12. Perform anyone of the following actions:
    - The **Review** screen appears. Verify the details, and click **Confirm**.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.

    The success message of transaction submission appears along with the transaction reference number and status.
13. Click **OK** to complete the transaction.

18.4 FAQ

1. **For which type of products, product mapping functionally is available?**

Copyright © 2006, 2026, Oracle and/or its affiliates.

As of now, product mapping feature is enabled only for Term Deposit and Recurring Deposit type of products for retail users and Term Deposit for corporate users.

2. **Can customer view the account details of an account opened under a product which is not mapped?**
   Yes, user can view the account details of an account opened under a product which is not mapped. The restriction will only be for opening new account from channel.
3. **What will happen once the products mapped gets expired?**
   The expired products will no longer be available for product mapping. Also customers will not be able to open new accounts using expired product.
4. **What will happen if the products are not mapped to any user segment and are only mapped to user type?**
   In this case, all the products mapped to the user type will be available for account opening to the users associated to that user type.

Copyright © 2006, 2026, Oracle and/or its affiliates.

19

Analytics Dashboard

This topic describes the information about **Analytics Dashboard** screen.

The analytics dashboard provides insight into digital banking platform usage patterns and customer trends. It helps the bank's product managers to gain a complete understanding of how products are used, helps improve decision-making by providing easy performance indicators, and keep track of progress over a period of time. It presents key metrics neatly on a user interface that shows trends and changes in data over time.

An option to download the information presented on the screen is also provided.

Following KPIs (Key Performance Indicator) and widgets are displayed in on the Analytics Dashboard:

KPIs:

- Total Users
- Active Users
- Logins
- Average Transactions
- Average Time Spent

Widgets:

- Total Users
- User Status
- Users by Touch Points
- Segment Distribution
- Business User Statistics
- User logins by devices
- User Activity
- Device Preferences
- Age wise Primary Touch points Usage
- Top 20 Transactions

To view analytic dashboard:

1. Perform any one of the following navigation to access the **Analytics Dashboard** screen:
   - From **System/ Bank Administrator Dashboard**, click **Toggle Menu** , then click **Menu** and then click **Controls & Monitoring** , Under **Controls & Monitoring** , click **Analytics Dashboard** .
   - From **Search Bar**, type **Controls & Monitoring - Analytics Dashboard** .
2. Navigate to one of the above paths.


   The **Analytics Dashboard** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

3. Select the user type from the drop-down list.


   The search results appears based on the selected user type. By default Retail user and the KPIs/Widgets associated with it appear.

Figure 19-1 Analytic Dashboard – Retail User




Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 19-2 Analytic Dashboard – Business User



Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 19-3 Analytic Dashboard – Retail & Business User



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 19-1 Alerts Maintenance - Create - Field Description

Field Name	Description
User Type	Type of user. The user can be: • **Retail** • **Business** • **Retail & Business**
Widgets	Following are the widgets gets displayed on dashboard
KPIs	Following are the different performance indicators shown
Total Users	This card displays change in total users on month-by-month basis (in %), and the status based on that.
Active Users	This card displays the change in active users in the last month on a month-by-month basis (in%) and the status based on that.
Logins	This card displays the change in total number of logins (in %) per month in comparison to the last month, and the status based on that.
Average Transactions	This card displays the average transactions performed per session on month-by-month basis (in %), and the status based on that.
Average Time Spent	This card displays the average time spent to complete a task for transactions by user in comparison to the last month (in %), and the status based on that.
Status	The status displayed on performance indicators. The options are: • **Excellent** - > +10% • **Good** – between +5% and +10% • **Neutral** – between -5% and +5% • **Warning** - between -10% and -5% • **Critical** - >-10%
Widgets	Following are the widgets gets displayed on dashboard
Total Users	This graph provides a quick snapshot of the total users and active users in the last 12 months. The user can view the more information in each month by hovering over each slice of the graph.
User Status	This widget displays the allocation of different users (in %) in donut graph form. It provides view of the deleted users and active users with respect to total number of users. The user can view detailed information by hovering over a donut graph in each slice.
Users by touch points	This graph provides a quick snapshot of the total users with respect to some selected touch point. The user can view the more information in each touch point by hovering over each slice of the graph.
Segment Distribution	This widget displays the allocation of different users as per the segment (in %) in donut graph form. The user can view detailed information by hovering over a donut graph in each slice.
Business User Statistics	This widget displays the number of users per business (in %) in donut graph form.
User Logins by Devices	This chart enables the users to track the distribution of user logins across different devices and mostly used touch points for selected quarter. The user can view the more information in each device by hovering over each slice of the graph.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 19-1 (Cont.) Alerts Maintenance - Create - Field Description

Field Name	Description
User Activity	This widget helps identify the users logins frequency for the selected quarter. The user can view detailed information by hovering over a donut graph in each slice.
Device Preferences	The bank can identify the users who are using the multiple devices for accessing the platform their banking needs. The user can view detailed information by hovering over a donut graph in each slice.
Age wise Primary Touch Points Usage	The users can explore the age-wise device usage trends using this widget. The user can view detailed information by hovering over a donut graph in each slice.
Top 20 Transactions	This widget enables the user to gain insights into the most widely used transactions, providing a snapshot of user behaviour while accessing the banking services through channel banking platform. The user can view the more information in transaction listed by hovering over each slice of the graph.

4. Click **Download** to download the details report in pdf & CSV format.

- FAQ

19.1 FAQ

1. **Can the user modify the widget, KPIs or change the parameters on which the graph will be plotted?**
   Though the option has been provided to the bank users to select the date ranges to get the desired details for certain widgets for the selected period; these widgets, KPIs or filter criteria cannot be modified using configuration. However configuration properties has been provided for modification of the KPI performance indicators from back-end.

Copyright © 2006, 2026, Oracle and/or its affiliates.

20

Quick Forms - Service Request

This topic describes the information about **Quick Forms - Service Request** feature.

Quick Forms is a powerful tool designed to streamline data collection, enhance customer service, and improve operational efficiency for banks. The solution enables customers to complete simple transactions, provide feedback, register complaints, or request services from any device, at any time, without needing to visit a branch. Banks can leverage these forms for various purposes, including surveys, lead registrations, launch simple transactions and more.

The feature provides an intuitive interface for easy form creation, offering the flexibility to customize form fields, design, and logic to meet the specific needs of the bank. It enables bank to efficiently captures data with built-in input validation, ensuring a smooth customer experience while optimizing internal processes.

Quick Forms - Quick Forms Service Request transaction allows the bank staff to define service requests by defining its attributes and by building the form which are made available for Retail and Corporate users for creating a new Service Request or submitting surveys, leads etc.

The quick Forms screen is divided in three sections – Request Parameters, Build Form and Preview

Request Parameters section lets the System/Bank Administrator to create a service requests by defining attributes like, SR Name, description, Product, Category name, SR type, Service mode, severity, and status etc..

Banks can choose to configure quick forms as either Online or Offline processing. Online Forms are required to be integrated with backend systems, such as CRM or core banking software, enabling automated, real-time processing of requests. Responses from backend systems are displayed to customers instantly, improving service speed and accuracy. Integration with the underlying back-end system can be done through OBRH, which provide the capability to integrate the quick forms with the request and response services/APIs of the anck-end product processors. Additionally, banks have the ability to transform the values sent to the host system using OBRH, enhancing data management and processing efficiency. The Offline forms are reviewed by bank staff, who manually process requests and update statuses. Forms are routed to the appropriate staff members based on predefined workflows and access permissions, ensuring that each request is handled by the right team or individual. The status updates by the bank users are displayed to the customer.Second tab which is the **Form Builder** page lets the System/Bank administrator define the request form and the fields that needs to be available on the Service Request screen to retail user. Field attributes like field name, field type, allowed characters and error message with respect to that field can also be defined for each field. For file upload field, there will be an option to allow single file upload or multiple file upload.

Preview Section lets the administrator preview the Service Request form created in the same way as it will be shown to the retail user while raising the Service Request.

Pre-Requisites

- Transaction access is provided to System/Bank Administrator.

Features Supported In Application

The module supports following features:

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Create Service Requests Form
- Search and View Service Request
- Copy and Create a new Request
- Export Service Request
- Edit Service Requests

Navigation Path: Perform anyone of the following navigation to access **Quick Forms - Service Request**.

- From **System/ Bank Administrator Dashboard**, under **Templates** widget, click **Quick Forms - Service Request**.
- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Templates**, Under **Templates** , click **Quick Forms - Service Request**.

- Quick Forms Definition - Summary
  This topic describes the systematic instruction to **Quick Forms Definition - Summary** screen.
- Quick Form Definition - Search and View
  This topic describes the systematic instruction to **Quick Form Definition - Search and View**option.
- Quick Forms - Service Request - Create
  This topic describes the systematic instruction to **Quick Forms - Service Request - Create** feature. Quick Forms Service Request feature allows the System/Bank Administrator to create new Service requests.
- Quick Forms - Service Request – Edit
  This topic describes the systematic instruction to **Quick Forms - Service Request – Edit** feature.
- Deactivate/Activate Service Request
  This topic describes the systematic instruction to **Deactivate/Activate Service Request** feature.
- FAQ

20.1 Quick Forms Definition - Summary

This topic describes the systematic instruction to **Quick Forms Definition - Summary** screen.

Last three quick forms that are created by the administrator are by default displayed on the **Quick Forms – Service Request** Definition summary screen.


To view the service requests:

1. Navigate to one of the above paths.

   The **Quick Forms – Service Request** screen with recent added service requests appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 20-1 Quick Forms – Service Request Definition - Summary



2. Click icon against a specific form to create a new form by copying the definition of that service request.

3. Click icon against a form to export the a Form definition which can be imported in another environment.

20.2 Quick Form Definition - Search and View

This topic describes the systematic instruction to **Quick Form Definition - Search and View**option.

The System/Bank Administrator can search and view Quick Form using a search criteria.
To search and view an existing Service Request definition:

1. Navigate to one of the above paths.


   The **Quick Forms – Service Request** screen appears.

2. Perform anyone of the following actions:
   - In the **Request Name** field, enter the name of the Form.
   - In the **Request Description field**, enter the description of the Form.
   - From the **Product Name** list, select the name of the product.
   - From the **Request Type** list, select the type of request.

3. Perform anyone of the following actions:
   - Click **Search**. The **Service Request Definition** screen with search results appears based on the searched criteria.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to clear the search parameters.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 20-2 Quick Forms – Service Request - Search



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 20-1 Quick Forms – Service Request - Search - Field Description

Field Name	Description
Search Criteria	**Information specified in below fields are related to search criteria.**
Request Name	The name of the Form that is to be searched.
Request Description	The description of the Form.
Product Name	The name of the product for which Form is to be searched.
Request Type	Select the type of Form to be displayed in the search result records. The options are: • **Complaint** • **Feedback** • **Query** • **Request** • **Lead** • **Fraud**

Copyright © 2006, 2026, Oracle and/or its affiliates.


Table 20-1 (Cont.) Quick Forms – Service Request - Search - Field Description

Field Name	Description
Search Results	**Information specified in below fields are related to search results**.
Request Name	The name of the Form.
Request Description	The description of the Form.
User Type	Displays the user type for which the request is created.
Product Name	The name of the product.
Request Type	The type of Form.
Activation Status	The link to activate or de-activate the Form. The statuses are: • **Active** • **Inactive**
Action	The administrator can either create a new Form Definition by copying a form or can export the request to create the same request in some other environment.
Recently Added Forms	**Information specified in below fields are related to recently added forms**.
Request Name	The name of the Form that is added recently.
Created On	Date on which the form is created.
Actions	The actions which can be performed from requests. The options are: • **Copy** • **Export**

4. Perform anyone of the following actions:
   - Click the **Request Name** of the record for which you want to view the details. The **Quick Form – Service Request - View** screen appears.
   - In the **Recently Added Service Request** section click the **Form** that you want to view.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 20-3 Quick Form – Service Request - View



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 20-2 Quick Form – Service Request - View - Field Description

Field Name	Description
Request Parameters	**Information specified in below fields are related to request parameters**.
Applicable User Types	Display the user types for which the Form is created.
Request Name	The name of the Form.
Request Description	The description of the Form.
Product Name	The name of the product for which service request is applicable.
Request Category Name	The category name that appears on the business user's screen.
Request Type	The type of Form.
Service Mode	The type of the service whether online or offline.
Service Id	The service id for interface, required for online type of service request. **Note:** Bank needs to integrate with OBRH to send and receive the response against this service id.
Applicable Status	The statuses that are applicable for the service request. **Note:** User will be able to take action on the request in the same order in which the statuses are maintained here.
Severity	The severity of the service request.
Activation Status	The option to activate or deactivate the service request. The statuses are: • **Active** • **Inactive**
Build Your Form	**This section displays all the fields available in the form builder for the selected Service Request definition**
Text Box	**Information specified in below fields are related to text box**.
Type Label Name	The label name of the field. This field is mandatory if the user selects Text box.
Type Hint Text	The hint text to explain the field.
Field Length - Min Value-Max Value	The field length of the text box for the text to be entered.
Allowed Characters	Characters that should be allowed in the text box as input. The options are: • **Alphabets** • **Numbers** • **Alphanumeric** • **Alphanumeric with space** • **Alphanumeric with special characters**
Validations	The validation to define whether the field is mandatory or optional.
Error Message	The error message to be displayed to the business user if he does not enter data in the field which is defined as mandatory field.
Radio Button	**Information specified in below fields are related radio button**.
Type Label Name	The label name of the field.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 20-2 (Cont.) Quick Form – Service Request - View - Field Description

Field Name	Description
Type Value 1	The first option of the radio button field.
Type Value 2	The second option of the radio button field.
Validations	The validation to define whether the field is mandatory or optional.
Error Message	The error message to be displayed to the business user if he does not enter data in the field which is defined as mandatory field.
Check Box - Multiple Choice	**Information specified in below fields are related to check box - multiple choice**.
Type Value	The label name of the multiple-choice field.
Type Value 1	The first option of the multiple-choice field.
Type Value 2	The second option of the multiple-choice field.
Validations	The validation to define whether the field is mandatory or optional.
Error Message	The error message to be displayed to the business user if he does not enter data in the field that is defined as mandatory field.
Drop List Static	**Information specified in below fields are related to drop list static**.
Type Value	The label name of the drop-down list field.
Combo Box for Drop - down values	The combo box to enter the options of the drop-down list.
Validations	The validation to define whether the field is mandatory or optional.
Error Message	The error message to be displayed to the business user if he does not enter data in the field that is defined as mandatory field.
Drop List Dynamic	**Information specified in below fields are related to drop list dynamic**.
Type Value	The label name of the drop-down list field.
Service Id	The service id from which the drop-down list will be fetched.
Validations	The validation to define whether the field is mandatory or optional.
Error Message	The error message to be displayed to the business user if he does not enter data in the field that is defined as mandatory field.
File Upload	**Information specified in below fields are related to file upload**.
Type Label Name	The label name of the field, against which the user has to upload the file.
Validations	The validation to define whether the field is mandatory or optional.
Allow Multiple Files	The radio to select whether multiple file upload is allowed or not.
Error Message	The error message to be displayed to the business user if he does not enter data in the field that is defined as mandatory field.
Multi Select	**Information specified in below fields are related to multi select**.
Type Value	The label name of the multi select field.
Combo Box for Drop - down values	The combo box to enter the options of the multi select field.
Validations	The validation to define whether the field is mandatory or optional.
Error Message	The error message to be displayed to the business user if he does not enter data in the field that is defined as mandatory field.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 20-2 (Cont.) Quick Form – Service Request - View - Field Description

Field Name	Description
Predefined Elements	The fields that are already defined and are commonly used, can be added directly in the business user form. Value for these fields gets auto populated, administrator can only define the label name, validations and error message for the same. Following predefined elements are defined in this option: • **Account Number**: Text box to enter the account number of the user. This field populates all active accounts for the customer who is raising that Service Request when displayed on the Service request form. • **Account Number & Debit Card**: Drop-down to select the account number and debit card. This field populates all active accounts and debit cards (for the selected account) for the customer who is raising that Service Request when displayed on the Service request form. • **Gender**: Drop-down to select the gender of the user. • **Salutation**: Drop-down to select the salutation of the user • **Date**: Date picker to select the date • **Country And States**: Drop-down to select the country and state of the user
Page Elements	The page elements consists of text that needs to be displayed to the business user. The page elements are: • Confirmation Message: confirmation message that is to be displayed to the business user after submission of the request.
Information Box	This field displays the information header, text and icon uploaded by administrator that should be available to the retail user in information panel section while raising this service request.

5. Perform anyone of the following actions:
   - Click **Edit** to edit the service request.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen

> **Note**
>
> The above mentioned fields appear in the **Build Your Form** section depending upon the on type of field you have selected to build the service request definition.

20.3 Quick Forms - Service Request - Create

This topic describes the systematic instruction to **Quick Forms - Service Request - Create** feature. Quick Forms Service Request feature allows the System/Bank Administrator to create new Service requests.

The Quick Forms Service Request involves following steps to create a service request form.

- Request Parameters: This step involves entering the request name, description, product, type of form etc.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Build Your Form: In this steps System/ Bank administrator defines the various form fields and its attributes like field name, field type, field validations and error message which will be used to create business user's 'Service Request' screen for raising a new SR.
- Preview: After completing the screen creation System/Bank administrator previews the created form in this step.

To create a new service request:


1. Navigate to one of the above paths.

   The **Quick Forms - Service Request** screen appears.

2. Click **Create**

   The **Quick Forms - Service Request- Create** screen appears.

Figure 20-4 Quick Forms - Service Request - Request Parameters



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 20-3 Quick Forms - Service Request - Request Parameters - Field Description

Field Name	Description
User Type	Specify the user type for whom the Form that is to be created. The options are: • **Corporate User** • **Retails User**
Request Name	The name of the Form that is to be created.
Request Description	The description of the form.
Product Name	The name of the product for which the form is applicable. Service request definition will get listed in the business user's login, under the Product name selected in this field. Click the **Add New** link to add a new product that is not listed in the drop-down list.
Request Category Name	Category list gets populated on the basis of the product name selected. Service request definition will get listed in the business user's login, under the category name selected in this field. Click the **Add New** link to add a category that is not listed in the drop-down list.
Request Type	The type of service request. The options are: • **Complaint** • **Feedback** • **Query** • **Request** • **Lead** • **Fraud**
Service Mode	Select whether the request is online or offline.
Service Id	Enables when service mode is online. Bank need to integrate with OBRH to send and receive response through OBRH using the service id configured.
Applicable Status	Field is applicable only for Offline type of service request. The statuses that should be applicable for the service request. Administrator can select multiple status in this field. Default status for any request that raised by user will in 'Initiated' status. **Note:** User will be able to take action on the request in the same order in which the statuses are maintained here.
Severity	The severity of the service request.
Activation Status	The option to activate or de-activate the service request. Only Active requests will be available for getting raised by business user. The statuses are: • **Active** • **Inactive**


3. In the **User Type** field, select the appropriate user type for whom the service request that is to be created
4. In the **Request Name** field, enter the name of the service request.
5. In the **Request Description** field, enter the description of the service request.
6. Perform anyone of the following actions:

Copyright © 2006, 2026, Oracle and/or its affiliates.

- From **Product Name** list, select the appropriate product for the service request.
- Click the **Add New** link, if you want to add a product that is not listed in the drop-down list.

7. Perform anyone of the following actions:
   - From **Request Category Name** list, select the appropriate product category for the service request.
   - Click the **Add New** link, if you want to add a new product category that is not listed in the drop-down list.
8. From **Request Type** list, select the appropriate type of service request.
9. From **Applicable Status** list, select the status applicable for the service request.
10. From **Severity** list, select the severity of the service request.
11. In the **Activation Status** toggle field, select the activation status of the service request.
12. Perform anyone of the following actions:
    - Click **Next**. The **Quick Forms - Service Request - Build Your Form** screen appears.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.

Figure 20-5 Quick Forms - Service Request - Build Your Form



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 20-4 Quick Forms - Service Request - Build Your Form - Field Description

Field Name	Description
Header	**Information specified in below fields are related to header**.
H1 Page Header	Page header for the request form. By default the header is available on the form, there it is shown is disabled mode on the left side panel.
H2 Section Header	The section header of the request form.
H3 Sub Header	The section sub header of the request form.
Form Fields	**Information specified in below fields are related to form fields**.
Text Box	**Information specified in below fields are related to text box**.
Type Label Name	The label name of the field. This fields is mandatory If the user selects Text box.
Type Hint Text	The hint text to explain the field.
Field Length - Min Value-Max Value	Minimum and maximum field length of the text box for the text to be entered.
Allowed Characters	Characters that should be allowed in the text box as input. The options are: • **Alphabets** • **Numbers** • **Alphanumeric** • **Alphanumeric with space** • **Alphanumeric with special characters**
Validations	The validation to define whether the field is mandatory or optional.
Error Message	The error message to be displayed to the business user if he does not enter data in the field that is defined as mandatory field.
Radio Button	**Information specified in below fields are related to radio button**.
Type Label Name	The label name of the field.
Type Value 1	The first option of the radio button field.
Type Value 2	The second option of the radio button field.
Add More Values	The button to add more options to the radio button.
Validations	The validation to define whether the field is mandatory or optional.
Error Message	The error message to be displayed to the business user if he does not enter data in the field that is defined as mandatory field.
Check Box - Multiple Choice	**Information specified in below fields are related to check box - multiple choice**.
Type Value	The label name of the multiple-choice field.
Type Value 1	The first option of the multiple-choice field.
Type Value 2	The second option of the multiple-choice field.
Add More Values	The button to add more options to the multiple-choice check box.
Validations	The validation to define whether the field is mandatory or optional.
Error Message	The error message to be displayed to the business user if he does not enter data in the field that is defined as mandatory field.
Drop List Static	
Type Value	The label name of the drop-down list field.
Combo Box for Drop - down values	The combo box to enter the options of the drop-down list.
Validations	The validation to define whether the field is mandatory or optional.
Error Message	The error message to be displayed to the business user if he does not enter data in the field that is defined as mandatory field.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 20-4 (Cont.) Quick Forms - Service Request - Build Your Form - Field Description

Field Name	Description
Drop List Dynamic	**Information specified in below fields are related to drop list dynamic**.
Type Value	The label name of the drop-down list field.
Service Id	The service id from which the drop-down list will be fetched.
Validations	The validation to define whether the field is mandatory or optional.
Error Message	The error message to be displayed to the business user if he does not enter data in the field that is defined as mandatory field.
File Upload	**Information specified in below fields are related to file upload**.
Type Label Name	The label name of the field, where the user want to upload the file.
Validations	The validation to define whether the field is mandatory or optional.
Allow Multiple Files	The radio to select whether multiple file upload is allowed or not.
Error Message	The error message to be displayed to the business user if he does not enter data in the field that is defined as mandatory field.
Multi Select	**Information specified in below fields are related to multi select**.
Type Value	The label name of the multi select field.
Combo Box for Drop - down values	The combo box to enter the options of the multi select field.
Validations	The validation to define whether the field is mandatory or optional.
Error Message	The error message to be displayed to the business user if he does not enter data in the field that is defined as mandatory field.
Predefined Elements	The fields that are already defined and are commonly used, can be added directly in the business user form. Value for these fields gets auto populated, administrator can only define the label name, validations and error message for the same. Following predefined elements are defined in this option: • **Account Numbe**r: Text box to enter the account number of the user. This field populates all active accounts for the customer who is raising that Service Request when displayed on the Service request form. • **Account Number & Debit Card**: Drop-down to select the account number and debit card. This field populates all active accounts and debit cards (for the selected account) for the customer who is raising that Service Request when displayed on the Service request form. • **Gender**: Drop-down to select the gender of the user • **Salutation**: Drop-down to select the salutation of the user • **Date**: Date picker to select the date • **Country And States**: Drop-down to select the country and state of the user
Page Elements	The page elements consists of text that needs to be displayed to the business user. The page elements are: **Confirmation Message**: confirmation message that is to be displayed to the business user after submission of the request.
Information Header	The header name and the information notes that is to be displayed on information panel section of the Service request page of the business user.

Copyright © 2006, 2026, Oracle and/or its affiliates.

13. In the **H1 Page Header** field, enter the header of the service request form and click  icon.
14. Select the **H2 Section Header** and **H3 Sub Header** field (if required) and enter the H2 header name and H3 sub header name on the request form.
15. In the **Form Fields**,


    click the **Text Box** field if required, the text box section appears.

    a. In the **Type Label Name** field, enter the label name of the field.
    b. In the **Field Length** field, enter the minimum and maximum value for the length of the field.
    c. In the **Allowed Characters** field, select the appropriate option.
    d. In the **Error Message** field, enter the error message to be displayed to the business user.
    e. Perform anyone of the following actions:
        - Click **Save** to save the details.
        - Click **Copy** if you want to make the copy of this field with similar field attributes.
16. Perform anyone of the following actions:
    - In the **Form Fields**, click the **Radio button** field if you want to add radio button in the business user request form the radio button section appears.
    - Click **Add More Values** to add more options of radio button.
17. Perform anyone of the following actions:
    - Enter the required detail and click **Save** to save the details.
    - Click **Copy** if you want to make the copy of this field with similar field attributes.
18. You can also add Check Box, Drop-Down list, Multi Select fields, if required to build the business user request form.
19. You can drag and drop the field attributes window, if you want to change the sequence of the fields.
20. Click the **Predefined Elements** section, if you want to add the fields that are already defined.
21. In the **Page Elements** field select **Confirmation message**, enter the required text message which you want to appear in the business user form on the confirmation page.
22. In the **Information box**, enter the header name and the information notes that you want to appear in the right side of the business user service request form.

    Click the **Upload** icon, if you want to upload an image.
23. Perform anyone of the following actions:
    - Click **Next**. The **Quick Forms - Service Request - Preview** screen appears.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 20-6 Quick Forms - Service Request - Preview



24. Perform anyone of the following actions:
    - Click **Save** to save the details.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.
25. Perform anyone of the following actions:
    - The **Review** screen appears. Verify the details, and click **Confirm**.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.

    The success message appears along with the reference number and status.
26. Click **OK** to complete the transaction.

- Copy and Create a new Request or Export the Request
  This topic describes the systematic instruction to **Copy and Create a new Request or Export the Request** option.

Copyright © 2006, 2026, Oracle and/or its affiliates.

20.3.1 Copy and Create a new Request or Export the Request

This topic describes the systematic instruction to **Copy and Create a new Request or Export the Request** option.

This option allows the system administrator to create a new service request by either copying the already existing service request or exporting the request.
To create a new service request by copying the existing service request:


1. Navigate to one of the above paths.

   The **Service Request Definition** screen appears.

2. In the **Service Request** screen, enter the search criteria.
3. Click **Search**.

   The **Service Request Definition** screen with search results appears based on the searched criteria.

Figure 20-7 Service Request Definition



4. Perform anyone of the following actions:

   - Click icon against the record for which you want to create a new service request definition. A confirmation message of creating a copy of the service request appears.
   - Click **OK** to continue to the **Quick Forms - Service Request** screen. A copy of the Service requests selected will get open in editable mode, administrator can define a new name for the request, change the required fields and save the request.
   - In the **Recently Added Service Request** section click icon against the record for which you want to create a new service request definition.

5. Perform anyone of the following actions:

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click  icon against the record for which you want to export the Service Request definition which can be imported in another environment. .JSON file will get downloaded which is a hashed file.
- In the **Recently Added Service Request** section click against the record for which you want to export.

20.4 Quick Forms - Service Request – Edit

This topic describes the systematic instruction to **Quick Forms - Service Request – Edit** feature.

The System Administrator can edit the available Service Requests definitions only if there are no service requests raised by the business user for that SR definition.
To modify the service request definition:


1. Navigate to one of the above paths.

   The **Quick Forms - Service Request** screen appears.
2. Perform anyone of the following actions:
   - Enter the search criteria and click **Search**.The **Quick Forms - Service Request** Defination screen with search results appears based on the searched criteria.
   - In the **Recently Added Service Request** section, click the **Service Request** that you want to modify.
3. Click the **Request Name** of the record for which you want to edit the details.

   The **Quick Forms - Service Request - View** screen appears.
4. Perform anyone of the following actions:
   - Click **Edit** to edit the service request.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 20-8 Quick Forms - Service Request – Edit



All fields will be editable.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 20-5 Quick Forms - Service Request – Edit - Field Description

Field Name	Description
Request Name	The name of the service request that is to be created.
Request Description	The description of the service request.
Product Name	The name of the product for which service request is applicable. Service request definition will get listed in the business user's login, under the product name selected in this field. Click the **Add New** link to add a product that is not in the drop-down list.
Request Category Name	Service request definition will get listed in the business user's login, under the category name selected in this field. Click the **Add New** link to add a category that is not in the drop-down list.

Copyright © 2006, 2026, Oracle and/or its affiliates.


Table 20-5 (Cont.) Quick Forms - Service Request – Edit - Field Description

Field Name	Description
Request Type	The type of service request. The options are: • **Complaint** • **Feedback** • **Query** • **Request** • **Lead** • **Fraud**
Service Mode	Select whether the request is online or offline.
Service Id	Enables when service mode is online. Bank need to integrate with OBRH to send and receive response through OBRH using the service id configured.
Applicable Status	The statuses that should be applicable for the service request. Default status for any request that raised by user will in 'Initiated' status. **Note:** User will be able to take action on the request in the same order in which the statuses are maintained here.
Severity	The severity of the service request.
Activation Status	The option to activate or de-activate the service request. The statuses are: • **Active** • **Inactive**

5. Perform anyone of the following actions:
   - Edit the required details and click **Next**.The **Quick Forms - Service Request - Build Your Form** screen appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.


Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 20-9 Quick Forms - Service Request – Edit - Build Your Form



Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 20-10 Quick Forms - Service Request – Edit - Preview



All fields will be editable.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 20-6 Quick Forms - Service Request – Edit - Build Your Form - Field Description

Field Name	Description
Header	**Information specified in below fields are related to header**.
H1 Page Header	Page header for the request form.
H2 Section Header	The section header of the request form.
H3 Sub Header	The section sub header of the request form.
Form Fields	**Information specified in below fields are related to form fields**.
Text Box	**Information specified in below fields are related to text box**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 20-6 (Cont.) Quick Forms - Service Request – Edit - Build Your Form - Field Description

Field Name	Description
Type Label Name	The label name of the field. This fields is mandatory If the user selects Text box.
Type Hint Text	The hint text to explain the field.
Field Length - Min Value-Max Value	The field length of the text box for the text to be entered.
Allowed Characters	Characters that should be allowed in the text box as input. The options are: • **Alphabets** • **Numbers** • **Alphanumeric** • **Alphanumeric with space** • **Alphanumeric with special**
Validations	The validation to define whether the field is mandatory or optional.
Error Message	The error message to be displayed to the business user if he does not enter data in the field that is defined as mandatory field.
Radio Button	**Information specified in below fields are related to radio button**.
Type Label Name	The label name of the field.
Type Value 1	The first option of the radio button field.
Type Value 2	The second option of the radio button field.
Add More Values	The button to add more options to the radio button.
Validations	The validation to define whether the field is mandatory or optional.
Error Message	The error message to be displayed to the business user if he does not enter data in the field that is defined as mandatory field.
Check Box - Multiple Choice	**Information specified in below fields are related to check box - multiple choice**.
Type Value	The label name of the multiple-choice field.
Type Value 1	The first option of the multiple-choice field.
Type Value 2	The second option of the multiple-choice field.
Add More Values	The button to add more options to the multiple-choice check box.
Validations	The validation to define whether the field is mandatory or optional.
Error Message	The error message to be displayed to the business user if he does not enter data in the field that is defined as mandatory field.
Drop List Static	
Type Value	The label name of the drop-down list field.
Combo Box for Drop - down values	The combo box to enter the options of the drop-down list.
Validations	The validation to define whether the field is mandatory or optional.
Error Message	The error message to be displayed to the business user if he does not enter data in the field that is defined as mandatory field.
Drop List Dynamic	
Type Value	The label name of the drop-down list field.
Service Id	The service id from which the drop-down list will be fetched.
Validations	The validation to define whether the field is mandatory or optional.
Error Message	The error message to be displayed to the business user if he does not enter data in the field that is defined as mandatory field.
File Upload	

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 20-6 (Cont.) Quick Forms - Service Request – Edit - Build Your Form - Field Description

Field Name	Description
Type Label Name	The label name of the field, where the user want to upload the file.
Validations	The validation to define whether the field is mandatory or optional.
Allow Multiple Files	The radio to select whether multiple file upload is allowed or not.
Error Message	The error message to be displayed to the business user if he does not enter data in the field that is defined as mandatory field.
Multi Select	**Information specified in below fields are related to multi select**.
Type Value	The label name of the multi select field.
Combo Box for Drop - down values	The combo box to enter the options of the multi select field.
Validations	The validation to define whether the field is mandatory or optional.
Error Message	The error message to be displayed to the business user if he does not enter data in the field that is defined as mandatory field.
Predefined Elements	The fields that are already defined and are commonly used, can be added directly in the business user form. The predefined elements can be Account Number, Gender, Salutation, Date, Country And States etc.
Page Elements	The page elements consists of text that needs to be displayed to the business user, like confirmation message that is to be displayed to the user after completion of the transaction.
Information Header	The header name and the information notes that is to be displayed on information panel section of the Service request page of the business user.

6. Perform anyone of the following actions:
   - Edit the required details.
   - You can add more fields if required from **Form Fields** section.
7. Perform anyone of the following actions:
   - Click **Next**.
     The **Quick Form - Service Request - Preview** screen appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
8. Perform anyone of the following actions:
   - Click **Save** to save the changes.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
9. Perform anyone of the following actions:
   - The **Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

   The success message of transaction submission appears along with the transaction reference number and status.
10. Click **OK** to complete the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

20.5 Deactivate/Activate Service Request

This topic describes the systematic instruction to **Deactivate/Activate Service Request** feature.

System/Bank Administrator can deactivate the Service Request which is no longer required by the bank and it will not be available to the business users.

The System/Bank administrator can also activate the service requests whenever it is required by the bank.

To deactivate the service request:

1. Navigate to one of the above paths.

   The **Quick Form – Service Request** Defination screen appears.


2. Enter the search criteria and click **Search**.

   The **Service Request Definition** screen with search results appears based on the searched criteria.

3. Click the **Activation Status** link, of the service request record, which you want to deactivate.

   The **Service Request Definition screen** with Update Activation Status pop-up box appears.

Figure 20-11 Deactivate/Activate Service Request



4. Toggle the **Status** switch to activate/ deactivate.
5. In the **Remarks** field, enter the remarks.
6. Click **OK**.

   The success message appears.

20.6 FAQ

1. **How can I change the sequence of fields defined on form builder while creating the Service Request-form?**
   You can drag and drop the fields for changing the sequence of the form fields at the time of creation.

Copyright © 2006, 2026, Oracle and/or its affiliates.

2. **Can I edit the fields on preview page?**
   No, you cannot edit the form fields on preview page, but you can go back to form builder page and edit the fields.
3. **Can I edit an existing Service Request Form?**
   You can only update a Service Request form only if there are no service request raised for that Service Request- form, by business users.
4. **Can I delete a Service Request –form?**
   No, Service Request form cannot be deleted. However you can deactivate the Service Request –form and it will stop appearing in the business user's login.
5. **Can I create two Service Request forms with the same names?**
   No, Service Request Forms are unique, so two forms cannot have the same names.
6. **Can I maintain the Service Request forms in the language other than English?**
   No, as of now using this maintenance service request forms can be built in English only.

Copyright © 2006, 2026, Oracle and/or its affiliates.

21

User Group - Service Request Mapping

This topic describes the systematic instruction to **User Group - Service Request Mapping** option.

Using this screen, the bank admin user can map the service requests to the user groups. A specific user group can be mapped to either all service requests or specific service requests. Once User Groups are mapped to all or specific service requests, bank admin users in that group will be able to work on the raised service requests.

The bank needs to ensure that the user group-service request mapping is maintained. Administrator will be able to enable the specific service request only when Service Request is mapped to the specific user group.

If service requests are mapped at the product level like CASA, Loan etc. to the specific user group and later a new service request gets added under the product, then the service request will be automatically mapped to the user group.

Similarly if the service requests are already raised by the corporate users and later the service request gets assigned to a new group, then the new group will be able to view the service requests raised before the **User Group-Service Request Mapping** was done.

In case the access of the specific service request or service request group (product level) is removed from the user group, the check will be performed real-time and only those user groups who have access will be able to work on the respective service requests.

The new users who are mapped to the user group, will get access to the service requests automatically (as they are now a part of the user group).


> **Note**
>
> 1. When the service request is fully approved by the corporate approver, the service request will be assigned to the bank admin user group for resolution.
> 2. Alert will be sent to the maker when the service request is initiated and alerts will be sent to the admin users of the selected user group, once the service request is assigned (i.e., once it is fully approved).

Pre-requisites

- Transaction access is provided to System Administrator.
- Approval rule set up for System Administrator to perform the actions.
- Administrator user groups are maintained.
- Maintain applicable subjects, for each Module.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 21-1 Workflow



Features supported in Application:

The following options are available as part of this maintenance:

- Search User Group - Service Request Mapping
- Create User Group - Service Request Mapping
- Modify User Group - Service Request Mapping

Navigation Path: Perform any one of the following navigation to access the **User Group - Service Request Mapping**

- From **System/ Bank Administrator Dashboard**, under **Communications** widget, click **User Group - Service Request Mapping**.
- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Communications**. Under **Communications**, click **User Group - Service Request Mapping**.

The **User Group - Service Request Mapping** screen appears.

- User Group - Service Request Mapping - Search
  This topic describes the systematic instruction to **User Group - Service Request Mapping - Search** option.
- User Group - Service Request Mapping - Create
  This topic describes the systematic instruction to **User Group - Service Request Mapping - Create** option.
- User Group - Service Request Mapping - Modify
  This topic describes the systematic instruction to **User Group - Service Request Mapping - Modify** option.
- FAQ

21.1 User Group - Service Request Mapping - Search

This topic describes the systematic instruction to **User Group - Service Request Mapping - Search** option.

User Group – Service Request mapping search option allows System Administrator to view the existing User Group - Service Request Mapping.

To view User Group - Service Request Mapping:


1. Navigate to one of the above paths.

Copyright © 2006, 2026, Oracle and/or its affiliates.

The **User Group - Service Request Mapping** screen appears.

2. Perform anyone of the following actions:
   - In the **Mapping Code** field, enter the user group - service request code for which you want to view the details.
   - In the **Description** field, enter the user group - service request mapping description for which you want to view the details.
   - From the **Group Code** list, select the group code already maintained to view the details of the same.
3. Perform anyone of the following actions:
   - Click **Search** to display results based on search criteria.
   - Click **Clear** to reset the details.
   - Click **Cancel** to cancel the transaction.

Figure 21-2 User Group - Service Request Mapping - Search



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 21-1 User Group - Service Request Mapping - Search - Field Description


Field Name	Description
Mapping Code	The user group - service request mapping code.
Description	The user group - service request mapping description.
Group Code	The group code to enquire about user group service request mapping, already maintained.

4. Click the **Mapping Code** for which you want to view the mapping details.

   The **User Group - Service Request Mapping - View** screen displays the mapping of service request to the user group.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 21-3 User Group - Service Request Mapping - View



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as required are mandatory.

For more information on fields, refer to the field description table.

Table 21-2 User Group - Service Request Mapping - View - Field Description

Field Name	Description
Mapping Code	The user group - service request mapping code.
Description	The user group - service request mapping description.
Mapping Details	**Information specified in below fields are related to Mapping Details**.
Group Code	The group code assigned to user group service request mapping.
Service Requests	The list of all service request maintained. **Note** a. All Service Request: if this is checked, then all service requests will be mapped with selected group code within the CASA, TD, Loans, Credit Cards modules. b. List of Individual Service Request: Module wise list of service requests will be available with check box against those. If this is checked, then individual service request is mapped with selected group code within the CASA, TD, Loans, Credit Cards and other modules.

5. Perform one of the following navigation to access the **User Group - Service Request Mapping - View**:
   - Click **Edit** to edit the service requests mapping details.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

21.2 User Group - Service Request Mapping - Create

This topic describes the systematic instruction to **User Group - Service Request Mapping - Create** option.

Using User Group – Service Request mapping - Create option, System Administrator can create the user group - Service Request mapping.

To create User Group - Service Request Mapping:

1. Navigate to one of the above paths.

   The **User Group - Service Request Mapping** screen appears.

2. Perform anyone of the following actions:
   - Click **Create**.


Copyright © 2006, 2026, Oracle and/or its affiliates.

The **User Group - Service Request Mapping - Create** screen appears.

- Click **Back** to navigate to the previous screen.
- Click **Cancel** to cancel the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 21-4 User Group - Service Request Mapping - Create



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 21-3 User Group - Service Request Mapping - Create - Field Description

Field Name	Description
Mapping Code	The user group - service request mapping code.
Description	The user group - service requests mapping description.
Mapping Details	**Information specified in below fields are related to Mapping Details**.
Group Code	The group code to create user group service request mapping.
Service Requests	The list of all service request maintained. **Note** a. All Service Request: if this is checked, then all service requests will be mapped with selected group code within the CASA, TD, Loans, Credit Cards modules. b. List of Individual Service Request: Module wise list of service requests will be available with check box against those. If this is checked, then individual service request is mapped with selected group code within the CASA, TD, Loans, Credit Cards and other modules.

3. In the **Mapping Code** field, enter the user group - service request mapping code.
4. In the **Description** field, enter the user group - service request mapping description.
5. From the **Group Code** list, select the appropriate option.
6. Perform anyone of the following actions:
   - Select the respective check boxes preceding the service request to be mapped.
   - Select **All Subjects** check box, if you want to map all subjects.
7. Update the required details.
8. Perform anyone of the following actions:
   - Click **Save** to save the modified details.

     The **Review** screen appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
9. Perform anyone of the following actions:
   - Verify the details, and click **Confirm**.

     The success message of creation of user group - service request mapping along with the transaction reference number appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Cancel** to cancel the transaction.
- Click **Edit** to modify the details.

10. Click **OK** to complete the transaction.

> **Note**
>
> a. If the mapping setup requires an approval workflow, the maintenance will be initiated. Once approved by the required number of approvers, the mapping will be in effect.
>
> b. If the setup does not require an approval or is self / auto approved, then the mapping will be in effect immediately.

21.3 User Group - Service Request Mapping - Modify

This topic describes the systematic instruction to **User Group - Service Request Mapping - Modify** option.

Using User Group – Service Request Mapping - Modify option; System Administrator can edit the user group - Service Request mapping.

To edit the User Group - Service Request Mapping:

1. Navigate to one of the above paths.


   The **User Group - Service Request Mapping** screen appears.

2. Perform anyone of the following actions:
   - In the **Mapping Code** field, enter the user group - service request mapping code for which you want to view the details.
   - In the **Description** field, enter the user group - service request mapping description for which you want to view the details.
   - From the **Group Code** list, select the group code already maintained to view the details of the same.
3. Click **Search** to display results based on search criteria.
4. Click the **Mapping Code** for which you want to view the mapping details.

   The **User Group - Service Request Mapping - View** screen displays the mapping of service request to the user group.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 21-5 User Group - Service Request Mapping - Edit



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 21-4 User Group - Service Request Mapping - Edit - Field Description

Field Name	Description
Mapping Code	The user group - service request mapping code.
Description	The user group - service requests mapping description.
Mapping Details	**Information specified in below fields are related to Mapping Details**.
Group Code	The group code to create user group service request mapping.
Service Requests	The list of all service request maintained. **Note** a. All Service Request: if this is checked, then all service requests will be mapped with selected group code within the CASA, TD, Loans, Credit Cards modules. b. List of Individual Service Request: Module wise list of service requests will be available with check box against those. If this is checked, then individual service request is mapped with selected group code within the CASA, TD, Loans, Credit Cards and other modules.

5. Perform anyone of the following actions:
   - Select the respective check boxes preceding the service request to be mapped.
   - Select **All Subjects** check box, if you want to map all service requests.
6. Update the required details.
7. Perform anyone of the following actions:
   - Click **Save** to save the modified details.

     The **Review** screen appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
8. Perform anyone of the following actions:
   - Verify the details, and click **Confirm**.

     The success message of update along with the transaction reference number appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Edit** to modify the details.
9. Click **OK** to complete the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> a. If the mapping setup requires an approval workflow, the maintenance will be initiated. Once approved by the required number of approvers, the mapping will be effected.
>
> b. If the setup does not require an approval workflow or is self / auto approved, then the mapping will be effected immediately.

21.4 FAQ

1. **If a user has been mapped to all service requests in the CASA module, what does it mean?**
   If the user group is mapped to all service requests in CASA, bank admin users in that group will be able to work on the raised service requests with respect to that module, and if later a new service request gets added under the product, then the service request will be automatically mapped to the user group.
2. **How does this maintenance help the bank and its customers?**
   This set-up allow bank admin user to map the service requests to the user groups so bank admin users in that group can work on the raised service requests.
3. **Can bank enable service request without User Group – Service Request mapping?**
   No, unless the User Group – Service Request mapping maintenance is done for the all group or specific group is done, bank cannot enable service request.

Copyright © 2006, 2026, Oracle and/or its affiliates.

22

Resource Bundle Maintenance

This topic provides the systematic instructions for user to maintain resource bundle based on the user's current locale.

Resource bundles contain locale-specific objects. When your program needs a locale-specific resource, a String for example, your program can load it from the resource bundle that is appropriate for the current user's locale.

These Resource bundles are maintained inside `digx_fw_resource_bundle` table. We have grouped these bundles based on modules inside `digx_fw_resource_bundle_mapping` table.

At a time any single resource from these bundles can be selected at this screen and its Resource values/display names for corresponding supported user locale can be updated simultaneously (bulk update).

Features Supported In Application

This option allows the System Administrator to:

- Search Resource Bundle
- View Resource Bundle
- Edit Resource Bundle

1. Perform anyone of the following navigation to access the **Resource Bundle Maintenance** screen.
    - From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Configuration** . Under **Configuration** , click **Resource Bundle Maintenance**.
    - From the Search bar, type **Configuration – Resource Bundle Maintenance**and press **Enter**.

The **Resource Bundle Maintenance** screen appears.

- Resource Bundle Maintenance - Search & View
  This topic describes the systematic instruction for user to view existing resource bundle maintained.
- Resource Bundle Maintenance - Edit
  This topic describes the systematic instruction for user to modify existing resource bundle maintained.

22.1 Resource Bundle Maintenance - Search & View

This topic describes the systematic instruction for user to view existing resource bundle maintained.

Bank Administrator can search existing resource bundle maintained based on the modulename, resource name and bundle name.

To search and view the Resource Bundle:


1. Navigate to the **Resource Bundle Maintenance** screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

2. From the **Module Name** list, select the module name by which you wish to search resource.
3. From the **Bundle Name** field, select the bundle name by which you wish to search resource.
4. From the **Resource Name** list, select the resource name by which you wish to search resource.
5. Perform one of the following actions:
   - Click **Search**.

     Based on selected Resource Name a table containing all the available user locales and their corresponding resource display names for that resource will appear.

Figure 22-1 Resource Bundle Maintenance– Search Result



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 22-1 Resource Bundle Maintenance– Search Result- Field Description

Field Name	Description
Module Name	Specify the module by which you wish to search resource.
Bundle Name	Specify the bundle from bundles mapped to selected Moduleby which you wish to search resource.
Resource Name	Specify the resource from resources mapped to selected Bundle by which you wish to search resource.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 22-1 (Cont.) Resource Bundle Maintenance– Search Result- Field Description

Field Name	Description
Search Results	
User Locale	Displays theall User locale supported by the system.
Resource Value	Displays the Resource Display Name corresponding to User Locale for that Resource Name.

- Click **Cancel** to cancel the transaction.
- Click **Clear** to reset the data entered.

22.2 Resource Bundle Maintenance - Edit

This topic describes the systematic instruction for user to modify existing resource bundle maintained.


Using this option, the administrator can simultaneously update all Resource Values corresponding to all user Locales for selected resource.

To edit or modify resource bundle:

1. Search the resource bundle by specifying search criteria and click **Search**.

   The system displays the list of all User Locale and their corresponding Resource Values for selected Resource Name.
2. Click **Edit** against the record to update the locale specific resource value.

Figure 22-2 Resource Bundle Maintenance– Edit



3. Perform one of the following actions:
   - Click **Save** to update the changes.

     The **Review** screen appears.
   - Click **Cancel** to cancel the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Back** to navigate back to previous screen.

4. Perform one of the following actions:
   - Verify the details, and click **Confirm**.

     The success message with reference number & status appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate back to previous screen.
5. Click **OK** to complete the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

23

Network Purpose Code Mapping

This topic describes the systematic instruction to **Network Purpose Code Mapping** option.

For certain countries, it is mandatory to capture purpose code of the payment for both domestic and Cross border transfers. In this option the provision is made for the customer to input the Purpose Code while initiating Domestic / Cross border payments.

> **Note**
>
> This is supported only for the Domestic / Cross border payments.

Pre-requisites

- Transaction access is provided to System Administrator

Features supported in application


- Edit purpose code mapping

To update the network purpose code mapping:

1. Perform anyone of the following navigation to access the **Network Purpose Code Mapping** screen.
   - From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Payments**, Under **Payments** , click **Network Purpose Code Mapping**.
   - From the Search bar, type **Payments – Network Purpose Code Mapping** and press **Enter**.

   The **Network Purpose Code Mapping** screen appears.
2. From the **Select Network** list, select the desired network whose purpose code mapping you wish to modify.

Figure 23-1 Network Purpose Code Mapping



Copyright © 2006, 2026, Oracle and/or its affiliates.


Table 23-1 Network Purpose Code Mapping - Field Description

Field Name	Description
Select Network	The network to be mapped with purpose code. The options are: • **Cross Border Swift** • **RTGS (for India region)** • **NEFT (for India region)** • **IMPS (for India region)** • **SEPA Credit (for SEPA region)** • **SEPA Instant (for SEPA region)**
Selected Purpose Codes	Displays the list of purpose code mapped with selected network.

3. Click **Edit**.

   The **Network Purpose Code Mapping** screen in editable mode appears.

Figure 23-2 Network Purpose Code Mapping- Edit



4. Click within the **Select Purpose Code** input field and select the purpose code from the list that you want to add to the mapping.
5. Perform one of the following actions:
   - Click **Save** to mapped the purpose code(s) with selected network.

     The **Review** screen appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Undo Edit** to reset the changes made.

   > **Note**
   >
   > Click the **X** icon to remove the purpose code from the mapping list.

6. Perform one of the following actions:
   - Verify the details, and click **Confirm**.

     The success message with reference number & status appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Cancel** to cancel the transaction.
- Click **Back** to navigate back to the previous screen.

7. Click **OK** to complete the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

24

Template Maintenance

This topic describes the information about **Terms and Conditions Maintenance** option.

Using this option the bank can customize the format of the downloads for the transactions supporting downloads. Bank Administrator can download the XSL template, make the necessary changes, and upload it back into the system.

> **Note**
>
> Bank user will be able to make change to only one file at a time.
> **Caution:** Template customization is technical in nature and should be performed by bank users with a strong understanding of XSL templates and the OBDX structure. It is recommended that only users with significant expertise in XSL templates make modifications, as improper changes may disrupt existing functionality.

The **Updates History** feature enables bank administrators to download previously uploaded templates from the history log.

Pre-requisites

- Transaction access is provided to Bank Administrator.

Features supported in application

- View Template
- Edit Template

Navigation Path: Perform the one of the following navigation to access **Template Maintenance**.

- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Configuration**. Under **Configuration** , click **Template Maintenance**.
- From the Search bar, type **Configuration – Template Maintenance**and press **Enter**.

The **Template Maintenance** screen appears.

- View Templates
  This topic describes the systematic instruction for user to view the transaction templates maintained.
- Edit Templates
  This topic describes the systematic instruction for Bank Administrator to upload updated templates back into the system against a transaction.

24.1 View Templates

This topic describes the systematic instruction for user to view the transaction templates maintained.


To search and view the templates:

Copyright © 2006, 2026, Oracle and/or its affiliates.

1. Navigate to the **Template Maintenance** screen.

   The application displays the list of templates available in customization.

Figure 24-1 Template Maintenance – Summary



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 24-1 Template Maintenance – Summary - Field Description

Field Name	Description
Filter	Search the specific template by transaction name.
Template	The template name of the transaction.
Category	The template category of the transaction.
Template Name	The template name of the transaction with .xsl format.
Action	The actions can be performed. The options are: • - allows to modify the .xsl template & re-upload • - allows to download the template in .xsl format • - allows to view the past history of template uploads

2. In the **Filter** field, enter the template name to search the specific template and press Enter.

   The system displays the template based on search data entered.


Copyright © 2006, 2026, Oracle and/or its affiliates.

3. Perform one of the following actions:

   - Click (Edit) icon to modify the .xsl template & re-upload. For more information refer section **Edit Template.**
   - Click (Download) icon to download the template in .xsl format.
   - Click (Uploads History) to view the past history of template uploads.

     The **Update History** overlay screen appears.

Figure 24-2 Update History



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 24-2 Template Maintenance – Summary - Field Description

Field Name	Description
Template	The template name of the transaction.
Template Name	The name of the transaction template with the .xsl file extension.
Category	The template category of the transaction.
Last Updated	The date and time at which the template was last modified.
Updated By	Name of the user who updated the template.

a. – Click (Download) icon against the record to download the specific template in .xsl format.

Copyright © 2006, 2026, Oracle and/or its affiliates.

24.2 Edit Templates

This topic describes the systematic instruction for Bank Administrator to upload updated templates back into the system against a transaction.

To update the template:


1. Navigate to the **Template Maintenance** screen.

   The application displays the list of templates maintained for the transactions.

2. Click the (Edit) icon to modify the .xsl template.

   The popup screen appears which allow user to upload the template.

Figure 24-3 Template Maintenance – Summary- Edit



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 24-3 Template Maintenance – Summary- Edit - Field Description

Field Name	Description
Template	The template name of the transaction.
Category	The template category of the transaction.
Template Name	The name of the transaction template with the .xsl file extension.
Drag and Drop	The option to browse or drag and drop the .xsl template file for uploading. : The maximum allowable image size is 5MB, and the acceptedNote formats is XSL.
Remark	Specify remarks for the transaction template, if required.

3. In the **Drag and Drop** field browse or drag and drop the template file directly into the field for uploading.

Copyright © 2006, 2026, Oracle and/or its affiliates.

The system displays the name of the selected file(s) below the upload field.

4. In the **Remark** field, enter a remark or note for the uploaded transaction template.
5. Perform one of the following actions:
   - Click **Apply** to upload the updated transaction template file.

     The **Confirmation** popup appears.

     – Click **Proceed** to update the template.

       The success message of template updation along with reference number appears.

     – Click **Cancel** to cancel the transaction
   - Click **Cancel** to cancel the transaction

Copyright © 2006, 2026, Oracle and/or its affiliates.

25
Feedback

This topic describes the information about **Feedback**.

Customer experience and satisfaction are very important aspects for the banks and it differentiates one bank from another, hence measuring customer satisfaction is exceedingly important. Feedback capture allows the customers to express their opinion on the services offered by the bank.

The following capabilities are available as part of feedback:

- Feedback Template definition
- Feedback capture on transaction completion
- General Feedback capture
- Feedback Analytics

As part of feedback template definition, the administrator can define the feedback question, the rating scale, question and option set along with deciding the set of transaction(s) for which feedback capture needs to be enabled.

The business users i.e. retail and corporate users will get an option to capture feedback on completion of transaction depending upon whether the transaction is part of the feedback template applicable to the role of the user.

The business user also has an option to capture general feedback if required and not necessarily perform a transaction to capture feedback.

Feedback captured by the user in terms of the rating and the options selected on the subsequent questions asked are stored in the system for the bank to carry out analysis for corrective actions if required. The administrator will have an option to view the details.

- Feedback Template Maintenance
  This topic describes the information about **Feedback Template Maintenance** option.
- FAQ
- Feedback Analytics
  This topic describes the information about **Feedback Analytics**. Using this option, the System Administrator can analyse the feedback given by users.

25.1 Feedback Template Maintenance

This topic describes the information about **Feedback Template Maintenance** option.

Using this option, the System Administrator can maintain the feedback templates by defining the feedback question, selecting the rating scale, adding new questions along with new options, selecting the transactions for which feedback capture needs to be enabled.

The administrator can also decide whether an additional question is to be asked for a scale weight and select the applicable options for the question.

Navigation Path: Perform anyone of the following navigation to access **Feedback Template**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- From **System Administrator Dashboard**, under **Templates** widget, click **Feedback Template**.
- From **System Administrator Dashboard**, under **Others**, click **Feedback**.
- From **System/ Bank Administrator Dashboard**, click **Toggle Menu** , then click **Menu** and then click **Templates**, Under **Templates** , click **Feedback Template**.
- Feedback Template Maintenance - Search
  This topic describes the systematic instruction to **Feedback Template Maintenance - Search** screen.
- Feedback Template Maintenance - Edit
  This topic describes the systematic instruction to **Feedback Template Maintenance - Edit** option.
- Feedback Template Maintenance - Create
  This topic describes the systematic instruction to **Feedback Template Maintenance - Create** option.

25.1.1 Feedback Template Maintenance - Search


This topic describes the systematic instruction to **Feedback Template Maintenance - Search** screen.

To search feedback template:

1. Navigate to one of the above paths.

   The **Feedback Template Maintenance** screen appears.
2. In the **Template ID** field, enter an appropriate template ID if you wish to search by template ID.
3. In the **Template Name** field, enter the name of the template to be searched.
4. Select appropriate role(s) if you wish to search the template based on the parameter **Applicable to Role**.
5. Perform anyone of the following action:
   - Click **Search**.
   - Click **Clear** to reset the search parameters.
   - Click **Cancel** to cancel the transaction.

Figure 25-1 Feedback Template Maintenance - Search



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.


For more information on fields, refer to the field description table.

Table 25-1 Feedback Template Maintenance - Search - Field Description

Field Name	Description
Template ID	Specify the template ID you want to search.
Template Name	Specify the template name you want to search.
Applicable To Role	Select the role if you wish the search the template based on the role.
Search Results	**Information specified in below fields are related to search results**.
Template ID	Displays the template ID of the applicable template based on the search criteria.
Template Name	Displays the template name of the applicable template based on the search criteria.
Applicable To Role	The role to which the searched feedback template is applicable.


6. Click the link under the **Template ID** column.
   - The **Feedback Template Maintenance** screen appears with the details of the feedback template i.e. template ID, template name, feedback question, question and option set along with the set of transactions for which template is applicable.

Figure 25-2 Feedback Template – View




Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 25-3 Select Scale – View




Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 25-4 Link Transaction – View



Copyright © 2006, 2026, Oracle and/or its affiliates.



7. Perform anyone of the following actions:

   - Click  icon against the respective section to edit the feedback template.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

25.1.2 Feedback Template Maintenance - Edit

This topic describes the systematic instruction to **Feedback Template Maintenance - Edit** option.

Using this option, the administrator can modify details in the feedback template i.e. update feedback question, change the rating scale, add new questions and options, add / remove transactions from the template.

To edit or modify feedback template:

1. Navigate to one of the above paths.

   The **Feedback Template Maintenance** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

2. Search the Feedback template by specifying different search criteria and click **Search**.

   The search results appear on the **Feedback Template Maintenance** screen based on the search parameters.

3. In the **Template Name** field, enter the name of the template to be searched.
4. Click the link under the **Template ID** column.

   The **Feedback Template Maintenance** screen appears.

5. Perform anyone of the following actions:

   - Click  icon to edit the details in respective section of the feedback template.
   - The **Feedback Template Maintenance - Edit** screen appears.
   - Click **Clear** to reset the search parameters.
   - Click **Cancel** to cancel the transaction.

6. Perform anyone of the following actions.

   - Click **Search**.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

7. The administrator will be navigated to the respective section i.e. feedback template details or scale definition or select question or link transaction depending on the edit option selected against the respective section.
8. As part of feedback template details, feedback question, template ID, template name and applicable to role can be modified.
9. As part of scale definition, the administrator can change the rating scale.
10. As part of select question section, the administrator can add new questions and also add new options for existing as well as new questions defined.
11. As part of link transaction section, the administrator can add new transactions as well as remove existing transactions.

    Administrator can also add new options, to the existing questions associated to each scale weight of the rating scale applicable to general feedback as well as for transactions.

12. Perform anyone of the following actions:

    - Edit the required details in the respective section and click **Save** if you need to go to review page.
    - Click **Next**, to go to the next step in the process and edit details wherever required.
    - Click **Back** to navigate to the previous screen.
    - Click **Cancel** to cancel the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 25-5 Feedback Template - Edit






Figure 25-6 Select Scale - Edit




Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 25-7 Select Question – Edit



Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 25-8 Link Transaction - Edit



13. Perform anyone of the following actions:
    - The **Review** screen appears.Verify the details, and click **Confirm**.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

The success message with reference number appears.

14. Click **OK** to complete the transaction.

25.1.3 Feedback Template Maintenance - Create

This topic describes the systematic instruction to **Feedback Template Maintenance - Create** option.

Using this option, the administrator can create feedback template for a specific user type i.e. retail / corporate by defining the details i.e. the feedback question, selecting the rating scale, addition of new questions along with options, select transactions for which the feedback capture needs to be enabled.

To create feedback template:

1. Navigate to one of the above paths.


   The **Feedback Template Maintenance** screen appears.

2. click **Create**.

   The **Feedback Template Maintenance - Create** screen appears.

3. In the **Template ID** field, enter the template ID.
4. In the **Template Name** field, enter the name of the template.
5. Select the role(s) for which the feedback template is applicable by selecting check box in the **Applicable to Role** field.
6. In the **Feedback Question** field, enter the name of the feedback question.

Figure 25-9 Feedback Template Maintenance - Create



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 25-2 Feedback Template Maintenance - Create - Field Description

Field Name	Description
Template ID	Enter the template ID.


Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 25-2 (Cont.) Feedback Template Maintenance - Create - Field Description

Field Name	Description
Template Name	Enter the template name for the template being created.
Applicable To Role	Select the role(s) for which the template will be applicable. You can select multiple roles and the system will resolve the template based on the role of the user when the user wishes to capture feedback.
Feedback Question	Define the feedback question. This is the question that will be asked to the user as part of feedback capture on which he/she can rate on the rating scale.

7. Perform anyone of the following actions:
   - Click **Next**.
     The **Feedback Template Maintenance** screen is displayed.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

Figure 25-10 Feedback Template Maintenance - Select Scale



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.


Table 25-3 Feedback Template Maintenance - Select Scale - Field Description

Field Name	Description
Select Scale	Select the required scale. The scale will be available for the user to rate as part of feedback capture.

Copyright © 2006, 2026, Oracle and/or its affiliates.

8. In the **Select Scale** field, select the appropriate option.
9. Perform anyone of the following actions:
   - Click **Next**.
     The **Feedback Template Maintenance** screen is displayed.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

Figure 25-11 Feedback Template Maintenance - Select Question



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 25-4 Feedback Template Maintenance - Select Question - Field Description

Field Name	Description
Select Question	**Information specified in below fields are related to select question**.
Question	Displays the default questions as defined in the system. The user can add new questions as part of the template definition. The default questions as well as the newly added questions will be associated to the scale weight of the rating scale.
Options	Displays the default options as defined in the system. The user can add new options as part of the template definition. The newly added options can be associated to the existing default questions as well as newly added questions.


10. Click in the **Options** field to add more options to the existing questions.
11. To add a new question, type the question in the text area in **Add another question** and click the **Add button**.
12. Once the question is added, click in the **Options** field to add answers to the newly added questions.

> **Note**
>
> Click  icon to delete the newly added question.

13. Perform anyone of the following actions:
    - Click **Next**.
    - The **Feedback Template Maintenance** screen is displayed.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 25-12 Feedback Template Maintenance - Link Transaction



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 25-5 Feedback Template Maintenance - Link Transaction - Field Description

Field Name	Description
Link Transactions	**Information specified in below field is related to link transactions**.
Feedback Type	Indicates whether feedback type is general or is specific to transaction. The options are: • **General**: This is very generic in nature and not feedback specific to a transaction. The template defined will be applicable when the user wishes to leave feedback generally through the menu option. • **Transactions**: This is in case wherein administrator wants to define the template very specific to a set of transaction or a set of transactions.

14. Select the applicable feedback type i.e. general or transactions or both
15. If you select **General** option, there will be a panel available to define questions along with options against each of the scale weights of the rating scale. It is not mandatory to assign a question to each scale weight.
16. If you select **Transaction** option, there will be a panel available to select the transactions in the **Select transaction** field and also define questions along with options against each of the scale weights of the rating scale. It is not mandatory to assign a question to each scale weight.
17. Perform anyone of the following actions:
    - Click **Save** to save the template information.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.
18. Perform anyone of the following actions:
    - The **Review** screen appears.Verify the details, and click **Confirm**.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.

25.2 FAQ

1. **Can I define multiple feedback questions as part of the template definition?**
   No. Only one feedback question can be defined as part of the template and this will be asked to the business user on which he/she will rate. The same question will be applicable to General feedback and for transactions.
2. **What is the relevance of the questions and option set defined as part of select question section?**

Copyright © 2006, 2026, Oracle and/or its affiliates.

The questions and options defined as part of the select question section are used for association to the scale weights if required which will be asked to the user on he/she selecting the weight on the rating scale as part of actual feedback capture.

3. **Can I have separate questions associated at scale weight level for different transactions?**
   Yes, you will need to select and group transactions for which you wish to have common questions and options at scale weight level. Click on Add Another Transaction to add transactions that require different set of questions and options at scale weight level.
4. **Can I remove the questions associated at scale weight level as part of edit?**
   No.Currentlyquestions once defined can't be removed.
5. **Can the same feedback template be applicable to multiple roles?**
   Yes, provided multiple roles have been selected in the 'Applicable to Role' field.

25.3 Feedback Analytics

This topic describes the information about **Feedback Analytics**. Using this option, the System Administrator can analyse the feedback given by users.

Feedback Analytics gives the bank a quick analysis of the feedback information collected from the customers. The analytics covers information about the average of feedback ratings that transactions have got, trends in how the average ratings have changed the top and bottom transactions in terms of ratings etc. The analytics helps banks in quickly identifying the pain points in customer journeys and points out the specific areas for improvement and action.

The following information will be available to the administrator as part of analytics:

- Top three and bottom three transactions: Shows the top three and bottom three transactions based on user given rating
- Individual Transactions: Shows the user given ratings, distribution of the ratings given, the answer options chosen for the associated question & change of ratings over three time periods for an individual transaction
- All Transactions : Shows the user given ratings, distribution of the ratings given, and change of ratings over three time periods
- General Feedback: Shows the user's general feedback i.e. Average rating for the selected time period, Rating over time (last month, last quarter, last year), Recent comments by user grouped based on ratings, and the Customer response for the question associated with each rating

Navigation Path: Perform anyone of the following navigation to access **Feedback Analytics**.

- From **System Administrator Dashboard**, under **Controls & Monitoring** widget, click **Feedback Analytics**.
- From **System/ Bank Administrator Dashboard**, click **Toggle Menu** , then click **Menu** and then click **Controls & Monitoring**, Under **Controls & Monitoring** , click **Feedback Analytics**.
- Top Three and Bottom Three Transactions
  This topic describes the information about **Top Three and Bottom Three Transactions**.
- Individual Transactions
  This topic describes the systematic instruction to **Individual Transactions** tab.
- All Transactions
  This topic describes the systematic instruction to **All Transactions**.


Copyright © 2006, 2026, Oracle and/or its affiliates.

- General Feedback
  This topic describes the systematic instruction to **General Feedback** screen.

25.3.1 Top Three and Bottom Three Transactions

This topic describes the information about **Top Three and Bottom Three Transactions**.

Figure 25-13 Top three and bottom three transactions



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 25-6 Top Three and Bottom Three Transactions - Field Description

Field Name	Description
Top / Bottom 3 Transactions	Displays the top / bottom three transactions in graphical format. It also displays the ratings given by the user to that particular transaction.

25.3.2 Individual Transactions

This topic describes the systematic instruction to **Individual Transactions** tab.


To view individual transactions:

1. Navigate to one of the above path.

   The **Feedback Analytics** screen appears.
2. From the **Data Set** list, select the user for which the transaction is to be searched.
3. From the **Touch Point** list, select the banking channel.
4. From the **Select Transaction** list, select the transaction name for which the feedback is to be searched.
5. From the **Time Frame** list, select the duration in number of months / years.
6. Perform anyone of the following actions:
   - Click **Submit**.
     The search results are displayed.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to clear the search criteria.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 25-14 Individual Transactions



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 25-7 Individual Transactions - Field Description

Field Name	Description
Data Set	Select the type of the user from the list. The options are: • **Administrator** • **Corporate User** • **Retail User**

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 25-7 (Cont.) Individual Transactions - Field Description

Field Name	Description
Touch Point	Select the banking touch point from the list. The options are: • **Mobile Application** • **Internet** • **Mobile (Responsive)** • **Wearables** • **Missed Call Banking** • **SMS Banking** • **Siri / Chatbot** • **Snapshot**
Select Transaction	Select the transaction from the list for which you wish to analyze the feedback.
Time Frame	Select the time period for which you wish analyze the feedback. You can search the feedback on the basis of time range, by entering the **From Date** and **To Date**. The **From Date** and **To Date** fields are displayed, if you select **Select Period** option from the **Time Frame** field.

25.3.3 All Transactions

This topic describes the systematic instruction to **All Transactions**.


To view all transactions:

1. Navigate to one of the above path.

   The **Feedback Analytics** screen appears.
2. From the **Data Set** list, select the user for which the transaction is to be searched.
3. From the **Touch Point** list, select the banking channel.
4. From the **Select Transaction** list, select the transaction name for which the feedback is to be searched.
5. From the **Time Frame** list, select the duration in number of months / years.
6. Perform anyone of the following actions:
   - Click **Submit**.
     The search results are displayed.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to clear the search criteria.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 25-15 All Transactions



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 25-8 All Transactions - Field Description

Field Name	Description
All Transactions	Displays the feedback for all transactions and for a period. The feedback is segregated in: • Ratings for All Transactions: It is a rating given by the users for all transactions across available data groups and touch point for last one year. • Rating Over Time: It is a rating given for a period of time, for example, one month, three month and one year.

25.3.4 General Feedback

This topic describes the systematic instruction to **General Feedback** screen.

To view general feedback:


1. Navigate to one of the above path.

   The **Feedback Analytics** screen appears.
2. From the **Data Set** list, select the user type for which general feedback is to be viewed.
3. From the **Touch Point** list, select the banking channel for which feedback information needs to be viewed.
4. From the **Time Frame** list, select the duration for which the feedback information needs to be viewed.
5. Perform anyone of the following actions:

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Submit**.
  The results are displayed based on the search criteria input.
- Click **Cancel** to cancel the transaction.
- Click **Clear** to clear the search criteria.

Figure 25-16 General Feedback



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 25-9 General Feedback - Field Description

Field Name	Description
Data Set	Select the type of the user from the list. The options are: • **Corporate User** • **Retail User**
Touch Point	Select the touch point from the list. The options are: • **Internet** • **Mobile (Responsive)** • **Mobile Application**
Time Frame	Select the time period for which you wish analyze the feedback from the customer. You can search the feedback on the basis of time range, by entering the **From Date** and **To Date**. The **From Date** and **To Date** fields are displayed, if you select **Select Period** option from the **Time Frame** field.
Search Result	

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 25-9 (Cont.) General Feedback - Field Description

Field Name	Description
General Feedback	Displays the general feedback details for and the selected search parameters. • **Ratings**: It displays the percentage of ratings for each rating given by the users as part of general feedback. It also displays the average rating value and also displays the total no. of ratings. • **Rating Over Time**: It displays the general feedback ratings given over a time period i.e. last month, last quarter, last year. • **Customer Review**: It displays the recent 5 comments provided by users and grouped based on ratings. • **Customer Response**: It displays responses chosen by users for the question associated with each rating

Copyright © 2006, 2026, Oracle and/or its affiliates.

26
SMS Banking


This topic describes the systematic instruction to **SMS Banking** option.

SMS and Missed call banking gives business user the control to manage his/her account whenever and wherever needed by sending a SMS or by giving a missed call on a designated number.
Business user just needs to register his/her mobile number with the bank and explicitly opt for SMS/Missed Call banking services to access the required information.

Using this option, the system administrator can maintain the following templates:

- **SMS Banking**: The template for an event and locale combination can be created by defining the input keyword, data attributes, whether PIN required and response message.
- **Missed Call Banking**: The template for an event and locale combination can be created by defining the contact number on which the customer would need to give a missed call and response message.

Figure 26-1 SMS Banking - Search



To search SMS template:

1. Navigate to anyone of the following to access **SMS and Missed Call Banking**.


   The **SMS Banking** screen appears.

   - From **System Administrator Dashboard**, under **Templates** widget, click **SMS and Missed Call Banking** and then click **SMS**.
   - From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Templates**, Under **Templates** , click **SMS and Missed Call Banking**.
2. From the **Event Name** list, select the appropriate event.
3. From the **Locale** list, select the language.
4. Perform anyone of the following actions:

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Search**.
  The **View** screen appears, depending on the search criteria.
- Click **Cancel** to cancel the transaction.

Figure 26-2 SMS Banking - View



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 26-1 SMS Banking - View - Field Description

Field Name	Description
Event Name	Select the event name.
Locale	Select the locale of the template. Currently only 'English' is supported
Event Name	Displays the event name as selected on the search page for which the template details are to be viewed.
Locale	Displays the language in which the SMS template is defined i.e. input syntax as well as the response message
Pin Required	Indicates whether PIN is required while requesting information from the bank.
Input	Displays the input syntax containing the keyword, data attribute(s) and PIN (if required) for the selected event and locale combination The format in which the user needs to send the text message with the required attribute(s) to receive appropriate information. For example: If the account holder wishes to receive account balance information from the bank and the template is defined as MBAL <PIN> <AccountNumber>, user's PIN is defined as 5678, and account number is AT30012100012, then user will need to send SMS as MBAL 5678 AT30012100012.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 26-1 (Cont.) SMS Banking - View - Field Description

Field Name	Description
Response	Displays the response message along with the data attributes as defined for the event and locale combination. It is the response message that the account holder would be receiving on sending a SMS for a specific inquiry or transaction
Data Attributes	Displays the data attributes used as part of response message for the respective event.

5. Perform anyone of the following actions:
   - Click **Edit** to if you want to edit the SMS template.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

- SMS Banking - Edit
  This topic describes the systematic instruction to **SMS Banking - Edit** option.
- Missed Call Banking - Search
  This topic describes the systematic instruction to **Missed Call Banking - Search** option.
- Missed Call Banking - Edit
  This topic describes the systematic instruction to **Missed Call Banking - Edit** option.
- FAQ

26.1 SMS Banking - Edit

This topic describes the systematic instruction to **SMS Banking - Edit** option.

Using this option, System Administrator can modify the SMS Banking template defined for an event and locale combination.

To edit or update a SMS template:

1. Navigate to one of the above path.

   The **SMS Banking** screen appears.


2. Select the Event and Locale and click **Search**.

   You will be navigated to the SMS Banking Template in View mode.

3. Perform anyone of the following actions:
   - Click **Edit** to modify the details.
     The **SMS Banking- Edit** screen appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 26-3 SMS Banking - Edit



4. As part of edit, you can modify the keyword defined for the event, include new data attributes in the input syntax or remove existing data attributes, modify the response message and also include new data attributes as part of response message.
5. Perform anyone of the following actions:
   - Click **Save** to update the changes.
     Click **Back** to navigate to the previous screen.
   - Click **Cancel** to cancel the transaction.
6. Perform anyone of the following actions:
   - The **Review** screen appears.
     Verify the details, and click **Confirm**.
   - Click **Back** to navigate to the previous screen.
   - Click **Cancel** to cancel the transaction.
7. The success message about modification appears.

   Click **OK** to complete the transaction.

26.2 Missed Call Banking - Search


This topic describes the systematic instruction to **Missed Call Banking - Search** option.

Navigation Path: Perform the following navigation to access **Missed Call**.

- From **Administrator Dashboard**, click **Templates**, then click **SMS and Missed Call Banking** and then click **Missed Call**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 26-4 Missed Call Banking – Search




To search Missed Call Banking template:

1. Navigate to the above path.

   The **Missed Call** screen appears.
2. From the **Event Name** list, select the appropriate event.
3. From the **Locale** list, select the language.
4. Perform anyone of the following actions:
   - Click **Search**.
     The **View** screen appears, depending on the search criteria.
   - Click **Cancel** to cancel the transaction.

Figure 26-5 Missed Call Banking - View



> **Note**
>
> The fields which are marked as Required are mandatory.

Copyright © 2006, 2026, Oracle and/or its affiliates.

For more information on fields, refer to the field description table.

Table 26-2 Missed Call Banking - View - Field Description

Field Name	Description
Event Name	Select the event name from the list.
Locale	Select the locale of the template. Currently only **English** is supported.
Event Name	Displays the event name as selected on the search page for which the template details are to be viewed
Locale	Displays the locale as selected on the search page for which the template details are to be viewed It is the language in which the information is communicated to the account holder on request.
Contact Number	Displays the contact number defined for the selected event and locale combination on which the user needs to give a missed call to get the required information.
Response	Displays the response message as defined for the event and locale combination with the required data attributes. It is the response message that the account holder would be receiving when he gives a missed call on a specific contact number
Data Attributes	Data attributes that are used as part of response message for the respective event.

5. Perform anyone of the following actions:
   - Click **Edit** to if you want to edit the missed call template.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

26.3 Missed Call Banking - Edit

This topic describes the systematic instruction to **Missed Call Banking - Edit** option.

Using this option, System Administrator can modify the Missed Call Banking template defined for an event and locale combination.

To edit or update a missed call template:

1. Navigate to one of the above path.

   The **Missed Call** screen appears.

2. Select the Event and Locale from the list and click **Search**.


   You will be navigated to the **Missed Call Banking** template in View mode.

3. Click **Edit** to if you want to edit the missed call template.

   The **Missed Call Banking- Edit** screen appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 26-6 Missed Call Banking - Edit



4. As part of edit, you can modify the contact number as well as the response message
5. Edit the required details.
6. Click **Save** to update the changes.
   - Click **Back** to navigate to the previous screen.
   - Click **Cancel** to cancel the transaction.
7. The **Review** screen appears.

   Verify the details, and click **Confirm**.
   - Click **Back** to navigate to the previous screen.
   - Click **Cancel** to cancel the transaction.
8. The success message about modification appears.

   Click **OK** to complete the transaction.

26.4 FAQ

1. **How can the business user register for SMS Banking?**
   User can send a SMS with the required keywords and data attributes defined by the bank to a specified contact number. User needs to send the SMS from his/her registered mobile number with the bank. Alternatively he/she can login to Internet Banking and register for SMS Banking.
2. **Is it mandatory to have a PIN in each of the request for SMS Banking?**
   It will depend on the template defined for event and locale combination. If PIN is required, then user needs to define the PIN as part of registration process and subsequently send that as part of the request.
3. **Does the user need to specify an account number as part of the request while sending SMS?**
   No, it is not necessary. If the user does not specify the account number, system will return response for the primary account number if defined.
4. **For which account does system return the response in case of Missed Call Banking?**

Copyright © 2006, 2026, Oracle and/or its affiliates.

System will always return the response for the primary account number (if defined) on receipt of request through missed call banking

5. **User is unable to receive information and getting an error, how can he/she find the correct keyword?**
   User might be getting an error due to keyword and/or account number not being valid or the required data attributes not present. He/she can find the keywords by sending a help message and system will return the set of business functions supported through SMS Banking along with keywords for each of the transactions.

6. **Should the user be on-boarded on channel platform for him/her to access SMS Banking?**
   Yes, the user needs to be on-boarded on OBDX with SMS Banking as a touch point enabled to access SMS Banking.

Copyright © 2006, 2026, Oracle and/or its affiliates.

27

System Rules

This topic describes the systematic instruction to **System Rules** option.

System rules are defined to set different parameters for each enterprise role (User Type- Retail, Corporate and Administrator). Various parameters that can be set for each enterprise role are Party Mapping required Limits check, Party Preferences check, Account Transaction Mapping and Approvals check, Group Corporate Check. Enabling these parameters at enterprise role, enforces the system to check if respective maintenances are available for users associated with those enterprise roles.
E.g. if Approval check flag is enabled for **Corporate User** type of enterprise role; then transactions initiated by corporate type of users will follow the approval maintenance for a party mapped to user and vice versa.

The flag **Group Corporate** is applicable only for **Corporate User** type of enterprise role. This flag in System Rules screen defines the mode of corporate onboarding.

If **Group Corporate** flag is set **ON** then Bank administration will be able to onboard Group Corporate. The **Group Corporate** flag is enabled by default and always **ON**.


When in the **Enterprise Role** field user type is selected as **Corporate User**, then the **Group Corporate** flag will get displayed in non-editable mode.

This screen allows the System Administrator to search and view existing system rules, and create new system rule.

Pre-Requisites

- Transaction access is provided to System Administrator.
- Approval rule set up for System Administrator to perform the actions.
- Enterprise roles are maintained in application.
- Touch point groups are maintained, if required.
- Limit packages are maintained.

Figure 27-1 Workflow



Features Supported In Application

Copyright © 2006, 2026, Oracle and/or its affiliates.

This option allows the System Administrator to:


- Maintain system rules
- View system rules
- Edit system rules

Navigation Path: Perform the anyone of the following navigation to access **System Rules**.

- From **System Administrator Dashboard**, Under **Configuration** widget, click **System Rules**.
- From **System/ Bank Administrator Dashboard**, click **Toggle menu**, then click **Menu** and then click **Configuration**, Under **Configuration** , click **System Rules**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 27-2 System Rules



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 27-1 System Rules - Field Description

Field Name	Description
Enterprise Role	Name of enterprise roles set in application. The options can be: • **Corporate User** • **Administrator** • **Retail User** On selecting an application role, system rules maintained if any, are shown in editable form.
Party Mapping Required	Party mapping check is required for a particular enterprise role or not.
Party Preferences Check	Party preferences check is required or not.
Account Transaction Mapping	Account transaction mapping check is required or not.
Approvals Check	Approvals check is required or not.
Account Relationship Check	Account Relationship check is required or not. **Note:** The Account relationship check has to be disabled for the corporate user.
Group Corporate Check	Group Corporate onboarding is required for corporate or not. **Note:** 1. The **Group Corporate** flag is enabled by default and always **ON**. When in the **Enterprise Role** field user type is selected as **Corporate User**, then the **Group Corporate** flag will get displayed in non-editable mode. 2. Group Corporate flag = **On**, then Bank administration will be able to onboard Group Corporate.
Limits Check	Limits check is required or not.
Limits - Entity Level Configuration	**If limit check is required, assign a limit package.** In case of multi entity set up, limit packages needs to be mapped at each entity level.
Name of the entity	Name of entity under which limit packages are to be mapped is shown in the header.
Touch Points/ Group	Name of touch points/ groups under a specific entity to whom the limit packages are to be mapped. Also an option is provided to map the limit package at Global level (a group created with all internal and external touch points)
Package	List of the packages which are to be mapped to a touch points/ groups. Only limit packages maintained for the selected touch point will get listed here.

To set the system rules:

1. Navigate to one of the above paths.

   The **System Rules** screen appears.

2. From the **Enterprise Role** list, select the appropriate option.

Copyright © 2006, 2026, Oracle and/or its affiliates.

3. In the **Party Mapping Required** field, select the appropriate option.
4. In the **Party Preferences Check** field, select the appropriate option.
5. In the **Account Transaction Mapping Check** field, select the appropriate option.
6. In the **Approvals Check** field, select the appropriate option.
7. In the **Account Relationship Check** field, select the appropriate option.
8. In the **Group Corporate Check** field, select the appropriate option.
9. In the **Limits Check** field, select the appropriate option.

   a. Click icon of desired entity to whom limit package to be mapped.

      Displays the list of touch points/ groups to map limit package.

   b. From the **Package** list, select the appropriate option.


      > **Note**
      >
      > Click icon to refresh the option.

   c. Repeat steps a to b of step 8 for all touch points/ groups.

      i. Click icon to view the details of touch points group.

         The **View Details -Touch Point Group** popup window appears.

Figure 27-3 View Details -Touch Point Group



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 27-2 View Details -Touch Point Group - Field Description

Field Name	Description
Group Code	Group code defined for a touch point group.
Group Description	Group description defined for a touch point groups.
Touch Point Group Type	Type of touch point i.e. whether touch point is of type internal or external.
Touch Points	List of the internal or external touch points.

10. Perform anyone of the following actions:
    - Click **Submit** to save system rules.
    - Click **Cancel** to cancel the transaction.

    The success message appears.
11. Perform anyone of the following actions:
    - The **System Rules - Review** screen appears. Verify the details, and click **Confirm**.
    - Click **Back** to navigate to the previous screen.
    - Click **Cancel** to cancel the transaction.
12. The success message of System Rules maintenance appears along with the transaction reference number.

    Click **OK** to complete the transaction.

- FAQ

27.1 FAQ

1. **Who can create-edit this maintenance?**
   System Administrator can create and edit this maintenance.
2. **How can I find out what checks are granted to a particular role and can I change it?**
   You can select a role and view the checks mapped to the role, you can also edit the type of checks.
3. **How can I group the touch points?**
   A separate menu option ‘Touch Point Group Maintenance’ is available to the system administrator user to maintain the groups. Groups maintained under specific entity are shown on the System Rules screen against which a consolidated limit package can be assigned.
4. **Is it mandatory to map packages for all the touch points and groups available under each entity?**
   Mapping the limit packages for each touch point and for all groups available under each entity is not mandatory. But it is mandatory to map a limit package at Global level for each entity.

Copyright © 2006, 2026, Oracle and/or its affiliates.

28

Timer Maintenance

This topic provides the systematic instructions for user to view, update, enable or disable the existing timers.

This feature allows users to schedule a specific event to run at fixed intervals. The Bank Admin can set the timer for the event and is also allowed to view and update the event details as needed.

Timer Maintenance feature allows the system administrator to view, update, enable or disable the existing timers, where they can reschedule or enable / disable the existing timers it will reflect with immediate action on the fly without need for restarting system, which mean they will get triggered with next execution date as per the updated schedule.

> **Note**
>
> On update or enable/disable Timer it will reflect the schedulers of all active entities exists within OBDX.

Pre-requisites

- Transaction access is provided to System Administrator.
- Approval rule set up for System Administrator to perform the actions.
- Default Timers comes with Base product and customized Timers which are defined within the OBDX can be modified.

Features Supported In Application

This option allows the System Administrator to:

- Search Timer
- View Details of Timer and description of Cron Expression (represents run schedule in human readable description form)
- Edit Timer schedule
- Enable / Disable existing Timer

1. Perform anyone of the following navigation to access the **Timer Maintenance** screen.
   - From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Configuration** . Under **Configuration** , click **Timer Maintenance**.
   - From the Search bar, type **Configuration – Timer Maintenance**and press **Enter**.

The **Timer Maintenance** screen appears.

- View Timer
  This topic describes the systematic instruction for user to view existing timer maintained.
- Update Timer
  This topic describes the systematic instruction for user to modify the execution schedule of the underlying Timer.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- FAQ

28.1 View Timer

This topic describes the systematic instruction for user to view existing timer maintained.

The option shows list of all Timers within OBDX system and allow to search required timer to do maintenance on it. It will display the details of Timer on which we are allowed to perform maintenance.


> **Note**
>
> Description is not stored in System, it is the description explaining the Cron Expression indicating the running schedule of the underlying Timer.

To search and view the timer :

1. Navigate to the **Timer Maintenance** screen.

   The **Timer Maintenance** screen appears.

Figure 28-1 Timer Maintenance – Search



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 28-1 Timer Maintenance – Search - Field Description


Field Name	Description
Timer ID	Name of event for whose timer details to be searched.

2. From the **Timer ID** list, select the event whose timer details to be searched.
3. Click **Search**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

It displays the details of the selected Timer and show the details in **Timer Details** screen.

Figure 28-2 Timer Maintenance – Timer Details (View)



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 28-2 Timer Maintenance – Timer Details (View) - Field Description

Field Name	Description
Timer ID	Name of event for which timer is to be set.
Enabled	Displays the whether the timer is active or not.
Expression	Displays the expression set for the selected event. The format to set the timer is **<Seconds><Minutes><Hours><Day of Month Month><Day Of Week>.** **Note** a. Click the ⓘ icon to view the expression format. b. Click the **Validate Expression** to execute the expression and validate it.
Description	Displays the expression details.

28.2 Update Timer

This topic describes the systematic instruction for user to modify the execution schedule of the underlying Timer.

Also, administratorcan enable disable the execution of the Timer within System.
To update the timer details:


Copyright © 2006, 2026, Oracle and/or its affiliates.

1. Navigate to the **Timer Maintenance** screen.
2. From the **Timer ID** list, select the event whose timer is to be set.
3. Click **Search**.

   The details of selected event appears.
4. Click **Edit** to modify the execution schedule of the underlying Timer.

   The **Timer Details** appears in editable mode.
5. Update the Expression, and click on the **Validate Expression** to ensure the expression is as per the supported format and understand it in human readable form through description.

Figure 28-3 Timer Maintenance – Timer Details (Edit)



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 28-3 Timer Maintenance – Timer Details (Edit) - Field Description

Field Name	Description
Timer ID	Name of event for which timer is to be set.
Enabled	Enable or disable the switch to activate or deactivate the timer.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 28-3 (Cont.) Timer Maintenance – Timer Details (Edit) - Field Description

Field Name	Description
Expression	Specify the expression for the selected event. The format to set the timer is **<Seconds> <Minutes> <Hours> <Day of Month Month> <Day Of Week> <Year>**. **Note** a. Click the ⓘ icon to view the expression format. b. Click the **Validate Expression** to execute the expression and validate it.
Description	Displays the expression details.

6. Edit the required details.
7. Perform one of the following actions:
   - Click **Save** to update the changes.

     The **Review** screen appears.
   - Click **Back** to navigate back to previous screen.
   - Click **Cancel** to cancel the transaction.
8. Perform one of the following actions:
   - Verify the details, and click **Confirm**.

     The success message with reference number appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate back to previous screen.
9. Click **OK** to complete the transaction.

28.3 FAQ

1. **List the supported valid range and allowed special characters in Cron expression parts?**
   Below is the list of supported valid range and allowed special characters in Cron expression parts,

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 28-4 Cron expression - Supported valid range and allowed special characters

Part	Valid Range	Allowed Special Characters
Second	0-59	* , /
Minute	0-59	* , /
Hour	0-23	* , /
Day Of Month	1-31	* , / , ?
Month	1-12 or JAN-DEC	* , /
Day Of Week	1-7 or SUN – SAT	* , / , ?
Year	1970 - 2099	* , /

Format is,

<Second><SPACE><Minute><SPACE><Hour><SPACE><DayOfMonth><SPACE><Month><SPACE><DayOfWeek><SPACE><Year>

Example:

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 28-5 Cron expression - Supported valid range and allowed special characters

Cron Expression	Description
* */5 * * JAN ? *	Every Second, Every 5 minutes starting from 0 minute, every h

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 28-5 (Cont.) Cron expression - Supported valid range and allowed special characters

Cron Expression	Description
	our, everydayonJanmonth, everyyear

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 28-5 (Cont.) Cron expression - Supported valid range and allowed special characters

Cron Expression	Description
* 10/5 * * JAN ? *	Every Second, Every 5 minutes starting from 10 minute, every

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 28-5 (Cont.) Cron expression - Supported valid range and allowed special characters

Cron Expression	Description
	hour, everydayonJanmonth, everyyyear

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 28-5 (Cont.) Cron expression - Supported valid range and allowed special characters

Cron Expression	Description
0 0 5/2 * * ? *	At 0 second, at 0 minute, every 2 hours starting from 5 hour, eve

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 28-5 (Cont.) Cron expression - Supported valid range and allowed special characters

Cron Expression	Description
	rydayeverymontheveryyear

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 28-5 (Cont.) Cron expression - Supported valid range and allowed special characters

Cron Expression	Description
0 0 5/2 ? * ? *	Invalid Cron Expression, specifying both day of month and day

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 28-5 (Cont.) Cron expression - Supported valid range and allowed special characters

Cron Expression	Description
	of week not supported

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 28-5 (Cont.) Cron expression - Supported valid range and allowed special characters

Cron Expression	Description
0 0 5/2 * * * *	Invalid Cron Expression, specifying both day of month and day

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 28-5 (Cont.) Cron expression - Supported valid range and allowed special characters

Cron Expression	Description
	of week not supported

Note

a. Support for specifying both a day-of-week AND a day-of-month parameter is not implemented within the Quartz framework which is core of OBDX Timer Framework.

b. Special character like L, W, #, Comma, Hyphen are currently not supported by OBDX Timer Framework.

Copyright © 2006, 2026, Oracle and/or its affiliates.

29

First Time Login

This topic describes the systematic instruction to **First Time Login** screen.

Whenever a new user logs into the application for the first time with the user name and password provided by bank, there are certain tasks that he/she needs to fulfil before being able to access the online services of the bank. These steps are configured by Bank and can include accepting Terms and Conditions, Setting up Security Question, My profile and limit information. The first time login event are configurable at Entity Level. Bank Admin would be able to define the mandatory and skippable steps for each entity.

Post first time login to the application , system will check the configured steps for the logged in entity and will be displayed to user. Once the user completes the first time login steps for his primary entity, and switches to another entity, system will check if the user has completed the first time login steps for the switched entity, if not system will ask the user to complete the same for the switched entity.

> **Note**
>
> Each step will either have Next or Skip button basis on the configuration (mandatory/ optional) done by Bank Administrator.
> User will be allowed to skip Non-Mandatory Steps.

Pre-Requisites

- Transaction access is provided to System Administrator.
- Enterprise roles are maintained in application.
- Touch point groups are maintained, if required.
- Limit packages are maintained.

Features Supported In Application

This option allows the System Administrator to:


- Maintain First Time Login Event
- View First Time Login Event
- Edit First Time Login Event

Navigation Path: Perform the below navigation to access **First Time Login**

- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Configuration**, Under **Configuration** , click **First Time Login**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 29-1 First Time Login



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 29-1 First Time Login - Field Description

Field Name	Description
Enterprise Role	Name of enterprise roles set in application. The options can be: • **Corporate User** • **Administrator** • **Retail User** On selecting an application role, system rules maintained if any, are shown in editable form.
First Time Login Steps	First time login steps to be followed or not. Administrator can also configure the steps along with the order of the steps that need to be displayed to use.
First Time Login Steps - Enabled	**Below field are displayed if the First Time Login Steps option is enabled**.
Select	Option to decide whether that transaction is to be displayed as part of the first time login steps.
Name of Screen	Name of the transaction which is to be included as part of First Time Login Steps process.
Level	Display the Level for First Time Login event .whether its Entity or Enterprise Level (non-editable)
Mandatory	Option which will decide whether the transaction is mandatory to execute as part of First Time Login Steps process.
Reorder	Order in which the transactions will get displayed when the user logs in for the first time. Administrator can click on the reorder icon and configure the order of steps in which these steps need to be displayed to user.

Copyright © 2006, 2026, Oracle and/or its affiliates.

To set up the First Time Login Steps:

1. Navigate to the above paths.

   The **First Time Login** screen appears.

2. In the **First Time Login Steps** field, select the appropriate option.

   a. To include in the **First Time Login Steps** process, select the checkbox(s) against the transaction and configure the steps.

   b. Slide Mandatory option to enabled /disabled the execution of transaction in the **First Time Login Steps** process.

   c. Slide ↑ ↓ icon to set order in which transaction are executed in the **First Time Login Steps** process.

3. Perform anyone of the following actions:

   - Click **Submit** to save **First Time Login** events.
   - Click **Cancel** to cancel the transaction.
   - The success message appears.

4. Perform anyone of the following actions:

   - The **First Time Login - Review** screen appears.Verify the details, and click **Confirm**.
   - Click **Back** to navigate to the previous screen.
   - Click **Cancel** to cancel the transaction.

   The success message of **First Time Login** maintenance appears along with the transaction reference number.

5. Click **OK** to complete the transaction.

- FAQ

29.1 FAQ

1. **Who can create-edit this maintenance?**
   System Administrator can create and edit this maintenance.
2. **How can I find out first time login checks are granted to a particular role and can I change it?**
   You can select a role and view the first time login checks mapped to the role, you can also edit the type of checks ,reorder it and define it those checks are mandatory or not post login to the application
3. **If user closes the window without completing any mandatory step post first time login in to application , what will be the system behaviour?**
   In case the user closes the window without completing any mandatory step, user will be asked to set up the same in his subsequent login.

Copyright © 2006, 2026, Oracle and/or its affiliates.

30

Transaction Aspects

This topic describes the information about the **Transaction Aspects** option.

Using this option, System Administrator can define the aspects for a transaction. Depending on the aspects defined for a transaction through this maintenance, the transaction will be available/ unavailable for selection in the respective maintenance screen.

User can view the aspects for a selected transaction and also edit the aspects i.e. enable/ disable the aspects for the selected transaction.

The following aspects are available for a transaction:

- Limits Check
- Approvals
- Grace Period
- Working Window
- Blackout
- 2 Factor Authentication
- Audit
- e-Receipts
- Customer Relationship Matrix

Pre-Requisites

System Administrator has access to the specified transaction

> **Note**
>
> There are certain transactions in the system for which all the aspects are not applicable. In such cases on selection of the transaction, the aspect(s) that are not applicable will not get displayed to user.

Features supported in Application:

- View Transaction Aspects
- Edit Transaction Aspects

Navigation Path: Perform any one of the following navigation to access the **Transaction Aspects**:

- From **System Administrator Dashboard**, under **Configuration** widget, click **Transaction Aspects**.
- From **System/ Bank Administrator Dashboard**, click **Toggle Menu** , then click **Menu** and then click **Configuration**, Under **Configuration** , click **Transaction Aspects**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- View Transaction Aspects
  This topic describes the systematic instruction to **View Transaction Aspects** option.
- Update Transaction Aspects
  This topic describes the systematic instruction to **Update Transaction Aspects** option.

30.1 View Transaction Aspects


This topic describes the systematic instruction to **View Transaction Aspects** option.

System Administrator can view the aspects enabled/disabled for a transaction.
To view the transaction aspects:

1. Navigate to one of the above paths.

   The **Transaction Aspects** screen appears.
2. From the **Transaction** list, select the transaction for which you wish to view the defined aspects.

Figure 30-1 Transaction Aspects



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.


Table 30-1 Transaction Aspects - Field Description

Field Name	Description
Transaction	The name of the transaction for which aspects are to be listed.

3. Perform anyone of the following actions:
   - Click **Search**. The **Transaction Aspects- View** screen appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to reset the selected transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 30-2 Transaction Aspects - View



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 30-2 Transaction Aspects - View - Field Description

Field Name	Description
Transaction	The name of the transaction for which aspects are to be listed.
Aspects	**Information specified in below fields are related to aspects**.
List of Aspects	The list of aspects for a transaction.

4. Perform anyone of the following actions:
   - Click **Edit** to modify the aspects.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

30.2 Update Transaction Aspects

This topic describes the systematic instruction to **Update Transaction Aspects** option.

Using this option user can update the listed aspects for a transaction by enabling or disabling it.

To modify the transaction aspects:

1. Navigate to one of the above path.


   The **Transaction Aspects** screen appears.
2. From the **Transaction** list, select the appropriate transaction.
3. Click **Search**.

   The **Transaction Aspects- View** screen appears.
4. Perform anyone of the following actions:

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Edit** to modify the aspects i.e. the aspect for a transaction can be enabled/ disabled. The **Transaction Aspects- Edit** screen appears.
- Click **Cancel** to cancel the transaction.
- Click **Back** to navigate to the previous screen.

Figure 30-3 Transaction Aspects- Edit



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 30-3 Transaction Aspects- Edit - Field Description

Field Name	Description
Transaction	The name of the transaction for which aspects are to be updated.
Aspects	**Information specified in below fields are related to aspects**.
List of Aspects	The list of aspects applicable for the selected transaction.

5. Click on the toggle button against the respective aspect to enable/disable the aspect.
6. Perform anyone of the following actions:
   - Click **Save** to confirm the changes.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
7. Perform anyone of the following actions:
   - The **Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Edit** to make the changes if any. User is directed to the **Transaction Aspects- Edit** screen with values in editable form.
   - Click **Cancel** to cancel the transaction.

   The success message appears confirming the modification of aspects for the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

31
ATM / Branch Maintenance

This topic describes the information about **ATM / Branch Maintenance** feature.

ATM Branch Locator feature available to the bank customers enables the users to locate the bank's ATMs/ branches available within a specific radius of his current location.

Default radius is 2.5 Kms which can be configured by updating the value of `DEFAULT_SEARCH_RADIUS` `indigx_fw_config_all_b.` Changed value will be in effect post server restart.

For the customers, to fetch the relevant information related to ATMs and Branches, System Administrator maintains the data at their local databases. The details of ATMs and Branches are fetched from the core banking application, which is further enriched and stored in local database. This is a one-time activity at the time of implementation. Subsequently, as and when branches and ATMs are added, or any details regarding them updated, the administrator performs the necessary updates to the bank database.


Using this option, the System Administrator can search and view the ATM/ branch and its details (Fetched from core banking application) which include branch/ ATM ID, branch name, address details, phone number, work timings and services offered by the bank. New ATM and branch details can also be manually added, viewed and edited.

The System Administrator can manually add new branch/ ATM details one by one, or add multiple branches / ATMs details simultaneously through file upload.

Pre-requisites

- Transaction access is provided to System Administrator.
- Approval rule set up for System Administrator to perform the actions.
- ATM and Branches are maintained in core banking application.

Figure 31-1 Workflow



Features Supported In Application

- Add ATM/ branches
- View ATM/ branches
- Edit ATM/ branches
- Delete ATM / branches

Copyright © 2006, 2026, Oracle and/or its affiliates.

Navigation Path: Perform anyone of the following navigation to access **ATM/ Branch Maintenance**.

- From **System Administrator Dashboard**, under **Configuration** widget, click **ATM/ Branch Maintenance**.
- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu**, and then click **Configuration**, Under **Configuration** , click **ATM/ Branch Maintenance**.
- ATM/ Branch Maintenance - Search
  This topic describes the information about **ATM/ Branch Maintenance - Search** screen. Using this option, System Administrator can search for particular ATM/ Branch based on search parameters.
- ATM/ Branch Maintenance - Add
  This topic describes the information about **ATM/ Branch Maintenance - Add** screen. Using this option, System Administrator can add ATM or branch details.
- ATM/ Branch Maintenance - Edit
  This topic describes the information about **ATM/ Branch Maintenance - Edit** screen. Using this option, System Administrator can update or edit an ATM/ branch details.
- ATM/ Branch Maintenance - Delete
  This topic describes the information about **ATM/ Branch Maintenance - Delete** screen. Using this option, System Administrator can search for particular ATM/ Branch based on search parameters.
- FAQ

31.1 ATM/ Branch Maintenance - Search

This topic describes the information about **ATM/ Branch Maintenance - Search** screen. Using this option, System Administrator can search for particular ATM/ Branch based on search parameters.

The search results display a list of ATM/ Branch corresponding to the search inputs.
If the search parameters are not specified, records of all the limits maintained in the application are displayed.


To search the ATM/ branch:

1. Navigate to one of the above paths.

   The **ATM/ Branch Maintenance** screen appears.
2. Perform anyone of the following actions:
   - Click **Search**. The **ATM/ Branch Maintenance - Search** screen with search results appears based on the searched criteria.
   - Click **Clear** to clear the search criteria.
   - Click **Cancel** to cancel the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 31-2 ATM/ Branch Maintenance - Search



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 31-1 ATM/ Branch Maintenance - Search - Field Description


Field Name	Description
Country	Select the country in which you want to locate a branch or ATM of the bank.
City	Select the city in which you want to locate a branch or ATM of the bank.
ATM/ Branch ID	Unique key to identify the ATM / Branch. Specify valid Branch / ATM ID maintained in the system.
ATM/ Branch	Select if the search is for a branch or ATM.
Search Result	**Information specified in below fields are related to search result**.
ATM/ Branch ID	Unique key of the ATM / Branch.
Address	The address of the ATM / branch that corresponds with the ATM / branch ID.

3. View the search results. Click the **ATM/ Branch ID** link of the record for which you want to view the details.

   The **ATM/ Branch Maintenance - View** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 31-3 ATM/ Branch Maintenance - View



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 31-2 ATM/ Branch Maintenance - View - Field Description

Field Name	Description
ATM/ Branch ID	Unique key to identify the ATM / branch.
ATM/ Branch Name	Name of the ATM / branch.
Latitude	The location of the ATM/ branch in term of latitude which is the angular distance, north or south of the equator (an imaginary circle around the Earth halfway between the North Pole and the South Pole).
Longitude	The location of the ATM/ branch in term of longitude which is angular distance, east or west of the prime meridian (an imaginary line running from north to south through Greenwich, England).
Address Line 1 - 4	The address of the ATM / branch that corresponds with the ATM / branch ID.
City	The city of the ATM / branch that corresponds with the ATM / branch ID.
Country	The country of the ATM / branch.
Work Timings	The operating hours of the branch / ATM. This field appears if you are viewing the details of a Branch of the bank.
Additional Details	Additional details if any. This field appears if you are viewing the details of a Branch of the bank.
Phone Number	The phone number of the branch / ATM. This field appears if you are viewing the details of a Branch of the bank.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 31-2 (Cont.) ATM/ Branch Maintenance - View - Field Description

Field Name	Description
Services Offered	The services offered by the bank branch / ATM.

4. Perform anyone of the following actions:
   - Click **Edit** to edit the ATM/ branch details.
   - Click **Delete** to delete the ATM/ branch details.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

31.2 ATM/ Branch Maintenance - Add

This topic describes the information about **ATM/ Branch Maintenance - Add** screen. Using this option, System Administrator can add ATM or branch details.

Single ATM/ branch details can be added directly using the Add ATM/ branch Details screen. Multiple ATMs or branches can be added by uploading a File.
Adding ATM/ branches feature allows the bank administrator to:

- Add Single ATM/ Branches
- Add Multiple ATM/ Branches

To add an ATM/ Branch:


1. Navigate to one of the above paths.

   The **ATM/ Branch Maintenance** screen appears.

2. Click **Create**.

   The **ATM/ Branch Maintenance - Add ATM/ Branch Details** screen appears.

Figure 31-4 ATM/ Branch Maintenance - Add Single ATM/ Branch Details



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.


Table 31-3 ATM/ Branch Maintenance - Add Single ATM/ Branch Details - Field Description

Field Name	Description
Add ATM/ Branch Details	**Information specified in below fields are related to add ATM/ branch details**.
Add New – ATM / Branch	Buttons to be selected for adding either the ATM or the branch details. The buttons are: • **ATM** • **Branch**

3. In the **Add New** field, click the appropriate button to add the ATM or branch details.

   The **ATM/ Branch Maintenance - Add ATM/ Branch Details** screen with options to add single or multiple ATM/ Branch details appear.

Figure 31-5 ATM/ Branch Maintenance - Add ATM/ Branch Details



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 31-4 ATM/ Branch Maintenance - Add ATM/ Branch Details - Field Description


Field Name	Description
Add New – ATM / Branch	Buttons for adding either the ATM or the branch details.
Input Type	Options to add single or multiple ATM/ branch details. • **Add Single ATM/ Branches** • **Add Multiple ATM/ Branches**
File	Select the file to be uploaded.

4. In the **Input Type** field, click the appropriate option to add the single or multiple ATM/ branch details.

   a. If you select **Single ATM/ Branches** option, the fields for adding the details appears on the **ATM/ Branch Maintenance - Add ATM/ Branch Details** screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 31-6 Add Single ATM/ Branches Details



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 31-5 Add Single ATM/ Branches Details - Field Description

Field Name	Description
Add ATM/ Branch Details	**Information specified in below fields are related to add ATM/ branch details**.
Add New – ATM / Branch	Buttons for adding either the ATM or the branch details.
Input Type	Options to add single or multiple ATM/ branch details. • **Single ATM/ Branch** • **Multiple ATMs/ Branches via file upload (.xml format only)**
ATM/ Branch ID	Unique key to identify the ATM / branch.
ATM/ Branch Name	Name of the ATM / branch which is to be added.
Coordinates	The location of the new ATM/ branch in term of latitude which is the angular distance, north or south of the equator (an imaginary circle around the Earth halfway between the North Pole and the South Pole). The location of the new ATM/ branch in term of longitude which is angular distance, east or west of the prime meridian (an imaginary line running from north to south through Greenwich, England). Click the Search Location link to auto populate the coordinates value.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 31-5 (Cont.) Add Single ATM/ Branches Details - Field Description

Field Name	Description
Address Line 1 - 4	The address of the ATM / branch that corresponds with the ATM / branch ID.
City	The city in which a branch or ATM of the bank is located.
Country	The country a branch or ATM of the bank is located.
Work Timings	The operating hours of the branch This field appears if you click **Branch** button in the **Add New** field.
Additional Details	Additional details if any. This field appears if you click **Branch** button in the **Add New** field.
Phone Number	The phone number of the branch / ATM. This field appears if you click **Branch** button in the **Add New** field.
Alternate Phone Number	A contact number other than your main phone number, if you have any. This field appears if you click **Branch** button in the **Add New** field.
Services Offered	Services offered by the bank. Following services are offered if you click **ATM** button in the **Add New** field. (The information will be fetched based on the data maintained as Day 0). • **Non-Metro ATM** • **Metro ATM** • **Cardless Cash** Following services are offered if you click **Branch** button in the **Add New** field. (The information will be fetched based on the data maintained as Day 0). • **Wealth branch** • **Loan Servicing Branch** • **Forex Branch** • **Gold Loan Branch** • **Touch Banking Branch** • **Lockers Enabled Branch** • **Retail Branch**

b. In the **ATM/ Branch ID** field, enter the unique id for ATM/ branch.

c. In the **ATM/ Branch Name** field, enter the name of the new ATM/ branch.

d. In the **Coordinates** field, click the **Search Location** link to enter the location.

   The coordinate value appears in the field.

e. In the **Address Line 1, 2** field, enter the address of the new ATM/ branch.

f. In the **City** field, enter the city of the ATM/ branch.

g. From the **Country** list, select the country of the new ATM/ branch.

h. In the **Phone Number** field, enter the phone number of the bank branch.

i. Perform anyone of the following actions:

   - Click **Add** to add the ATM/ branch details.
   - Click **Cancel** to cancel current transaction.

j. Perform anyone of the following actions:

   - The **Add ATM/ Branch Details - Review** screen appears post necessary validations.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Verify the details, and click **Confirm**.
- Click **Edit** to make the changes if any.
- User is directed to the **Add ATM/ Branch Details** screen with values in editable form.
- Click **Cancel** to cancel current transaction.


k. The success message of saving the ATM/ Branch maintenance appears along with the transaction reference number and status of the transaction.

Click **OK** to complete the transaction and navigate back to **Dashboard**.

5. In the **ATM/ Branch Maintenance - Add Branch Details** screen, if you select **Multiple ATM/ Branches** option.

The **ATM/ Branch Maintenance - Add ATM/ Branch Details** screen for uploading the files appears.

Figure 31-7 ATM/ Branch Maintenance - Add Multiple ATM/ Branch Details



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 31-6 ATM/ Branch Maintenance - Add Multiple ATM/ Branch Details - Field Description

Field Name	Description
Add ATM/ Branch Details	**Information specified in below fields are related to add ATM/ branch details**.
Add New	Buttons to be selected for adding either the ATM or the branch details.
Input Type	Options to add single or multiple ATM/ branch details. • **Single ATM/ Branch** • **Multiple ATM/ Branches**
File	Select the file to be uploaded.

6. In the **Input Type** field, click the appropriate option to add the single or multiple ATM/ branch option.

Copyright © 2006, 2026, Oracle and/or its affiliates.

a. If you select **Multiple ATM/ Branches** option, the fields for uploading file (specific file format is mentioned here – XML only) appears on the **ATM/ Branch Maintenance - Add ATM/ Branch Details** screen.

b. In the **File** field, select the file to be uploaded.

c. Click **Add** to add the ATM/ branch details.

   - Click **Cancel** to cancel current transaction.

d. The **Add ATM/ Branch Details - Review** screen appears post necessary validations.

   - Verify the details, and click **Confirm**.
   - Click **Edit** to make the changes if any.
   - User is directed to the **Add ATM/ Branch Details** screen with values in editable form.
   - Click **Cancel** to cancel current transaction.

e. The success message of saving the ATM/ Branch maintenance appears along with the transaction reference number and status of the transaction.

   Click **OK** to complete the transaction and navigate back to **Dashboard**.

Figure 31-8 ATM file template example

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<ATMs xmlns:datatype="http://datatype.fc.ofss.com" xmlns:validationdtoapp="http://validation.dto.app.fc.ofss.com" xmlns:dtocommondomainframework="
http://dto.common.domain.framework.fc.ofss.com" xmlns:ns4="http://enumeration.fc.ofss.com">
    <ATM>
        <coordinates>
            <latitude>19.1547995</latitude>
            <longitude>72.8562558</longitude>
        </coordinates>
        <ID>DBA001</ID>
        <name>Demo Bank Branch1</name>
        <PostalAddress>
            <datatype:city>Mumbai</datatype:city>
            <datatype:country>INDIA</datatype:country>
            <datatype:line1>Line1</datatype:line1>
            <datatype:line2>Line2</datatype:line2>
        </PostalAddress>
        <Services>
            <id>3</id>
        </Services>
        <Services>
            <id>2</id>
        </Services>
        <type>ATM</type>
    </ATM>
    <ATM>
        <coordinates>
            <latitude>19.16</latitude>
            <longitude>72.86</longitude>
        </coordinates>
        <ID>DBA002</ID>
        <name>Demo Bank Branch2</name>
        <PostalAddress>
            <datatype:city>Nagpur</datatype:city>
            <datatype:country>INDIA</datatype:country>
            <datatype:line1>Line1</datatype:line1>
            <datatype:line2>Line2</datatype:line2>
        </PostalAddress>
        <Services>
            <id>5</id>
        </Services>
        <Services>
            <id>2</id>
        </Services>
        <type>ATM</type>
    </ATM>
</ATMs>
```

Figure 31-9 Output

```
1547995 72.8562558 DBA001 Demo Bank Branch1 Mumbai INDIA Line1 Line2 3 2 ATM 19.16 72.86 DBA002 Demo Bank Branch2 Nagpur INDIA Line1 Line2 5 2 ATM
```


Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 31-10 Branch file template example

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<Branches xmlns:datatype="http://datatype.fc.ofss.com" xmlns:validationdtoapp="http://validation.dto.app.fc.ofss.com" xmlns:dtocommondomainframework="
http://dto.common.domain.framework.fc.ofss.com" xmlns:ns4="http://enumeration.fc.ofss.com">
    <!-- Sample Record to Upload branch -->
<Branch>
        <coordinates>
            <latitude>17.900840</latitude>
            <longitude>102.5332620</longitude>
        </coordinates>
        <ID>STBRECORD01</ID>
        <name>ST Bank KM8</name>
        <PostalAddress>
            <datatype:city>Vientiane</datatype:city>
            <datatype:country>LAO PEOPLES DEMOCRATIC REPUBLIC</datatype:country>
            <datatype:line1>Somvang Village</datatype:line1>
            <datatype:line2>Hadsayfong District</datatype:line2>
        </PostalAddress>
        <Services>
            <id>1</id>
        </Services>
        <Services>
            <id>7</id>
        </Services>
        <type>BRANCH</type>
        <phone>
            <number>021-315712</number>
        </phone>
        <workDays>Mon-Fri</workDays>
        <Timings>09:00-17:00</Timings>
        <!-- In case of multiple branch timings required -->
        <workDays>Sat</workDays>
        <Timings>09:00-17:00</Timings>
    </Branch>

    <Branch>
        <coordinates>
            <latitude>17.900840</latitude>
            <longitude>102.5332620</longitude>
        </coordinates>
        <ID>STBRECORD02</ID>
        <name>ST Bank KM8</name>
        <PostalAddress>
            <datatype:city>Vientiane</datatype:city>
            <datatype:country>LAO PEOPLES DEMOCRATIC REPUBLIC</datatype:country>
            <datatype:line1>Somvang Village</datatype:line1>
            <datatype:line2>Hadsayfong District</datatype:line2>
        </PostalAddress>
        <Services>
            <id>1</id>
        </Services>
        <Services>
            <id>7</id>
        </Services>
        <type>BRANCH</type>
        <phone>
            <number>021-315712</number>
        </phone>
        <workDays>Mon-Fri</workDays>
        <Timings>09:00-17:00</Timings>
        <!-- In case of multiple branch timings required -->
        <workDays>Sat</workDays>
        <Timings>09:00-17:00</Timings>
    </Branch>

</Branches>
```

Figure 31-11 Output

17.900840 102.5332620 STBRECORD01 ST Bank KM8 Vientiane LAO PEOPLES DEMOCRATIC REPUBLIC Somvang Village Hadsayfong District 1 7 BRANCH 021-315712 Mon-Fri 09:00-17:00 Sat 09:00-17:00 17.900840 102.5332620 STBRECORD02 ST Bank KM8 Vientiane LAO PEOPLES DEMOCRATIC REPUBLIC Somvang Village Hadsayfong District 1 7 BRANCH 021-315712 Mon-Fri 09:00-17:00 Sat 09:00-17:00

31.3 ATM/ Branch Maintenance - Edit

This topic describes the information about **ATM/ Branch Maintenance - Edit** screen. Using this option, System Administrator can update or edit an ATM/ branch details.

To edit an ATM/ branch details:

1. Navigate to one of the above paths.

   The **ATM/ Branch Maintenance** screen appears.

2. Perform anyone of the following actions:
   - Click **Search**. The **ATM/ Branch Maintenance** screen with search results appears based on the search criteria.
   - Click **Clear** to reset the search parameters.
   - Click **Cancel** to cancel the search process.
3. Click the **ATM/ Branch ID** link of the record for which you want to view the details.


Copyright © 2006, 2026, Oracle and/or its affiliates.

The **ATM/ Branch Maintenance - View** screen appears.

4. Click **Edit** to edit the ATM/ branch details.

The **ATM/ Branch Maintenance - Edit** screen appears.

Figure 31-12 ATM/ Branch Maintenance - Edit



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 31-7 ATM/ Branch Maintenance - Edit - Field Description

Field Name	Description
ATM/ Branch ID	Unique key to identify the ATM / branch. This field is not editable.
ATM/ Branch Name	Name of the ATM / branch which is to be edited.
Latitude	The location of the ATM/ branch in term of latitude which is the angular distance, north or south of the equator (an imaginary circle around the Earth halfway between the North Pole and the South Pole).
Longitude	The location of the ATM/ branch in term of longitude which is angular distance, east or west of the prime meridian (an imaginary line running from north to south through Greenwich, England).
Address Line 1 - 4	The address of the ATM / branch that corresponds with the ATM / branch ID.
City	The city of the ATM / branch that corresponds with the ATM / branch ID.
Country	The country of the ATM / branch.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 31-7 (Cont.) ATM/ Branch Maintenance - Edit - Field Description

Field Name	Description
Work Timings	The operating hours of the branch / ATM. This field is only applicable when the user is editing details of the **Branch**.
Additional Details	Additional details if any. This field appears if you are viewing the details of a Branch of the bank.
Phone Number	The phone number of the branch / ATM. This field is only applicable when the user is editing details of the **Branch**.
Services Offered	The services offered by the bank branch/ ATM.

5. In the **ATM/ Branch Name** field, edit the name of the new ATM/ branch if required.
6. In the **Coordinates** field, click the **Search Location** link to enter the location.
7. In the **Address Line 1, 2** field, edit the address of the new ATM/ branch if required.
8. In the **City** field, edit the city of the ATM/ branch (if required).
9. From the **Country** list, select the country of the new ATM/ branch.
10. In the **Phone Number** field, edit the phone number of the bank branch if required.
11. Perform anyone of the following actions:
    - Click **Save** to update the ATM/ branch details.
    - Click **Cancel** to cancel current transaction.
    - Click **Back** to navigate to the previous screen.
12. Perform anyone of the following actions:
    - The **Edit ATM/ Branch Details - Review** screen appears post necessary validations. Verify the details, and click **Confirm**.
    - Click **Edit** to make the changes if any.
    - User is directed to the **Add ATM/ Branch Details** screen with values in editable form.
    - Click **Cancel** to cancel current transaction.
13. The success message of saving the ATM/ Branch maintenance appears along with the status of the transaction.

    Click **OK** to complete the transaction and navigate back to ‘Dashboard’.

31.4 ATM/ Branch Maintenance - Delete

This topic describes the information about **ATM/ Branch Maintenance - Delete** screen. Using this option, System Administrator can search for particular ATM/ Branch based on search parameters.

The search results display a list of ATM/ Branch corresponding to the search inputs.
If the search parameters are not specified, records of all the limits maintained in the application are displayed.

To search the ATM/ branch:

1. Navigate to one of the above paths.

Copyright © 2006, 2026, Oracle and/or its affiliates.


The **ATM/ Branch Maintenance** screen appears.

2. Perform anyone of the following actions:
   - Click **Search**. The **ATM/ Branch Maintenance** screen with search results appears based on the search criteria.
   - Click **Clear** to reset the search parameters.
   - Click **Cancel** to cancel the search process.
3. Click the **ATM/ Branch ID** link of the record for which you want to view the details

   The **ATM/ Branch Maintenance - View** screen appears.
4. Click **Delete** to delete the ATM/ branch details.

   The application will prompt the administrator with a deletion message with an option of Yes / No.

Figure 31-13 ATM/ Branch Maintenance - Delete



5. Perform anyone of the following actions:
   - Click **Yes** to delete ATM / Branch. It will navigate to confirmation page with a success message and the status.
   - Click **No** if you do not wish to delete the ATM / Branch.
6. Click **OK** to complete the transaction.

31.5 FAQ

1. **In which format I can upload a file with ATM and Branch details?**
   You can upload a file in xml format to add new branches and ATMs.
2. **Do I need to remember the latitude and longitude while updating single ATM/ Branch?**
   No, you may search the location. Based on the location selected latitude and longitude data will be auto fetched and shown on the screen.
3. **Can I edit the address and other details of already saved ATM/Branch?**
   Yes, an option to edit the information of already saved ATM/Branches is provided.

Copyright © 2006, 2026, Oracle and/or its affiliates.

32

Product Mapping

This topic describes the information about **Product Mapping** feature. Product Mapping feature allows the System Administrator to map products to users from the channel.

System Administrator can map products maintained in the core banking system to different User type and all the users falling under that user type can open accounts for the mapped products only. This option is currently enabled for Term Deposit and Recurring Deposit module.


For example: A user can open a term deposit or a recurring deposit only under those products which are mapped to the User Type/ /Party Type/User Segment assigned to the user. Products which are not mapped, will not be available (for opening deposit accounts) to a channel user. This will be a part of Day 1 setup.

> **Note**
>
> For User Type – Retail, & Business, product mapping can be done for User Type, Party Type and User Segment combination.

Pre-requisites

- Transaction access is provided to System Administrator.
- Approval rule is set up for System Administrator to perform the actions.
- Necessary products are maintained in core banking application.

Workflow



Features Supported In Application

The module supports following features:

- View Product Mapping
- Edit Product Mapping
- Create Product Mapping

Navigation Path: Perform anyone of the following navigation to access **Product Mapping** .

Copyright © 2006, 2026, Oracle and/or its affiliates.

- From **System Administrator Dashboard**, under **Configuration** widget, click **Product Mapping** .
- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu**, and then click **Configuration** , Under **Configuration** , click **Product Mapping** .
- Product Mapping - View
  This topic describes the systematic instruction to **Product Mapping - View** option. Using Product Mapping view option, System Administrators can view the list of products mapped to the product module.
- Product Mapping - Edit
  This topic describes the systematic instruction to **Product Mapping - Edit** option. This function enables the System Administrator to edit the product mapping.
- Product Mapping - Create
  This topic describes the systematic instruction to **Product Mapping - Create** option. This option enables the System Administrator to select the products and map it to the Product Module.
- FAQ

32.1 Product Mapping - View

This topic describes the systematic instruction to **Product Mapping - View** option. Using Product Mapping view option, System Administrators can view the list of products mapped to the product module.


The System Administrator can view the mapping details by clicking the User Segments link.
To view the product mapping:

1. Navigate to one of the above paths.

   The **Product Mapping** screen with mapped products appears.

   - Click **Cancel** to cancel the transaction.

Figure 32-1 Product Mapping



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.


Table 32-1 Product Mapping - Field Description

Field Name	Description
User Type	The user type available for mapping products.
Product Module	Following product modules are available for mapping: • **Term Deposit** • **Recurring Deposit**
Product Type	The type of products available to be mapped to the user segment or to the role for that product module.
Search Result	**Information specified in below fields are related to search result**.
User Type	The user for which products are mapped.
User Segment	The user segments for which products mapped. This field is applicable only for Retail user type.
Products Mapped	The number of products mapped to the user segment or user type for that product type and product module.

2. Click the **Product Mapped** link of the user record for which you want to view the details.

The **Product Mapping - View** screen appears.

Figure 32-2 Product Mapping - View



Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 32-2 Product Mapping - View - Field Description

Field Name	Description
View	**Information specified in below fields are related to view**.
User Type	The user for which products are mapped.
Product Module	Following product modules are available for mapping: • **Term Deposit** • **Recurring Deposit** **Note:** For corporate only Term Deposit product module is available
Product Type	The type of product under the selected module for which the product list needs to be fetched .
User Segment	The user segment for which products are mapped. This field is applicable only for Retail user type.
Product Name	Name of the product which is mapped to the user type for the selected product type and product module.
Expiry Date	The expiry date of the product. If the product is expired, an 'Expired' flag is shown against the product.
Status	The current status of the product.
Currency	The currency in which products are maintained.
Minimum Amount	The minimum permissible amount for opening deposit under the selected product.
Maximum Amount	The maximum permissible amount for opening deposit under the selected product.

3. Perform anyone of the following actions:
   - Click **Edit** to edit the user-segment - product mapping.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

32.2 Product Mapping - Edit

This topic describes the systematic instruction to **Product Mapping - Edit** option. This function enables the System Administrator to edit the product mapping.


The System Administrator can map or delete the products to the product module.
To search feedback template:

1. Navigate to one of the above path.

   The **Product Mapping** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.


Figure 32-3 Product Mapping



2. Click the **Product Mapped** link of the user record for which you want to edit the details.

   The **Product Mapping - View** screen appears.

Figure 32-4 Product Mapping - View




3. Perform anyone of the following actions:

   - Click **Edit** to edit the user-segment - product mapping. The **Product Mapping - Edit** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Cancel** to cancel the transaction.
- Click **Back** to navigate to the previous screen.

Figure 32-5 Product Mapping - Edit



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 32-3 Product Mapping - Edit - Field Description

Field Name	Description
Edit	**Information specified in below fields are related to edit**.
User Type	The user for which products are mapped.
Product Module	One of the following product modules for which the mapping is to be edited: • **Term Deposit** • **Recurring Deposit**
Product Type	The list of product type, available for mapping.
User Segment	The user segment, for which products are mapped.
Product Name	Name of the product which is mapped to the user type for the selected product type and product module.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 32-3 (Cont.) Product Mapping - Edit - Field Description

Field Name	Description
Expiry Date	The expiry date of the product. If the product is expired, an 'Expired' flag is shown against products.
Status	The current status of the product.
Currency	The currency in which products are maintained.
Minimum Amount	The minimum permissible amount for opening deposit under the selected product.
Maximum Amount	The maximum permissible amount for opening deposit under the selected product.

4. Edit View the defined values for fields, in an editable form.
5. Edit the required details.
6. Perform anyone of the following actions:
   - Click **Save** to save the changes.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
7. Perform anyone of the following actions:
   - The **Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

   The success message of transaction submission appears along with the transaction reference number and status.
8. Click **OK** to complete the transaction.

32.3 Product Mapping - Create

This topic describes the systematic instruction to **Product Mapping - Create** option. This option enables the System Administrator to select the products and map it to the Product Module.


To create a new product mapping:

1. Navigate to one of the above path.

   The **Product Mapping** screen appears.
2. Select the **User Type** for which the product mapping needs to be maintained.
3. Select the **User Segment** (applicable only for Retail user type).

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 32-6 Product Mapping




4. Click **Map** Products.

   The **Product Mapping - Create** screen appears.

> **Note**
>
> The **Map Products** link is available only if no products are mapped to the user segment.

Figure 32-7 Product Mapping - Create



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 32-4 Product Mapping - Create - Field Description

Field Name	Description
Create	Information specified in below fields are related to create.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 32-4 (Cont.) Product Mapping - Create - Field Description

Field Name	Description
User Type	The user for which products are mapped.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 32-4 (Cont.) Product Mapping - Create - Field Description

Field Name	Description
Product Module	Following product modules are available for mapping: •

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 32-4 (Cont.) Product Mapping - Create - Field Description

Field Name	Description
	• Deposit Recurring Deposit

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 32-4 (Cont.) Product Mapping - Create - Field Description

Field Name	Description
Product Type	The list of product, available for mapping.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 32-4 (Cont.) Product Mapping - Create - Field Description

Field Name	Description
User Segment	The user segment, for which products are to be mapped.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 32-4 (Cont.) Product Mapping - Create - Field Description

Field Name	Description
Product Name	Name of the product which is mapped to the user entity for these sel

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 32-4 (Cont.) Product Mapping - Create - Field Description

Field Name	Description
	ectedproducttypeandproductmodule.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 32-4 (Cont.) Product Mapping - Create - Field Description

Field Name	Description
Expiry Date	The expiry date of the product. If the product is expired, an 'Exp

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 32-4 (Cont.) Product Mapping - Create - Field Description

Field Name	Description
	ired' flag is shown against products.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 32-4 (Cont.) Product Mapping - Create - Field Description

Field Name	Description
Status	The current status of the product. **Note:** Only the active product

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 32-4 (Cont.) Product Mapping - Create - Field Description

Field Name	Description
	tsaredisplayed.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 32-4 (Cont.) Product Mapping - Create - Field Description

Field Name	Description
Currency	The currency in which products are maintained.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 32-4 (Cont.) Product Mapping - Create - Field Description

Field Name	Description
Minimum Amount	The minimum permissible amount for opening deposit under these

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 32-4 (Cont.) Product Mapping - Create - Field Description

Field Name	Description
	elected product.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 32-4 (Cont.) Product Mapping - Create - Field Description

Field Name	Description
Maximum Amount	The maximum permissible amount for opening deposit under these

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 32-4 (Cont.) Product Mapping - Create - Field Description

Field Name	Description
	lected product.

5. From the **User Type** list, select user for which products are mapped.
6. From the **Product Module** list, select product modules which are available for mapping.
7. From the **Product Type** list, select product type available for mapping.
8. Select the checkbox(s) for the product which has to be mapped to the user.
9. In the **Minimum Amount** field, enter the minimum permissible amount for opening deposit under the selected product.
10. In the **Maximum Amount** field, enter the maximum permissible amount for opening deposit under the selected product.
11. Perform anyone of the following actions:
    - Click **Save** to save the mapping.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.
12. Perform anyone of the following actions:
    - The **Review** screen appears. Verify the details, and click **Confirm**.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.

    The success message of transaction submission appears along with the transaction reference number and status.
13. Click **OK** to complete the transaction.

32.4 FAQ

1. **For which type of products, product mapping functionally is available?**

Copyright © 2006, 2026, Oracle and/or its affiliates.

As of now, product mapping feature is enabled only for Term Deposit and Recurring Deposit type of products for retail users and Term Deposit for corporate users.

2. **Can customer view the account details of an account opened under a product which is not mapped?**
   Yes, user can view the account details of an account opened under a product which is not mapped. The restriction will only be for opening new account from channel.
3. **What will happen once the products mapped gets expired?**
   The expired products will no longer be available for product mapping. Also customers will not be able to open new accounts using expired product.
4. **What will happen if the products are not mapped to any user segment and are only mapped to user type?**
   In this case, all the products mapped to the user type will be available for account opening to the users associated to that user type.

Copyright © 2006, 2026, Oracle and/or its affiliates.

33

User Profile Maintenance

This topic describes the systematic instruction to **User Profile Maintenance** option.

This function enables the System/Bank Administrator user to manage the user profile details that needs to be shown and needs to be made available for modification for Retail users. Details maintained on user profile includes date of birth, PAN card number, Aadhar number, passport number, national ID, driving license, communication address, email ID, and contact number, fax number, etc.


In a multi entity scenario, Administrator can do this setup for each entity by selecting the entity.

> **Note**
>
> For the business users to be able to modify the 'My Profile' fields, the modification of those fields should be allowed in FCUBS or in the backend Host System.
>
> FCUBS has a separate maintenance for allowing modification of user's details, please make sure that modification of the required user details in enabled (if the FCUBS is configured as a backend system).

Pre-requisites

- User must have a valid Login credentials
- Transaction access is provided to system administrator.
- Approval rule set up for Bank administrator to perform the actions.

Figure 33-1 Workflow



Features supported in application

The administrator can perform the following actions:

- View User Profile
- Edit User Profile

1. Perform any one of the following navigation to access the **User Profile Maintenance**:
   - From **System/ Bank Administrator Dashboard**, under **Configuration** widget, click **User Profile Maintenance**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- From **System/ Bank Administrator Dashboard**, click **Toggle Menu** , then click **Menu** and then click **Configuration**, Under **Configuration** , click **User Profile Maintenance**.

The **User Profile Maintenance**screen appears.

- User Profile - View
  This topic describes the systematic instruction to **User Profile - View** option.
- User Profile - Edit
  This topic describes the systematic instruction to **User Profile - Edit** option.
- FAQ

33.1 User Profile - View


This topic describes the systematic instruction to **User Profile - View** option.

This screen displays the setup done for user profile maintenance done for user type -Retail
To view user profile details:

- Navigate to one of the above paths.

  The **User Profile Maintenance** screen appears, the user profile maintained for the user appears.

Figure 33-2 User Profile Maintenance- View



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 33-1 User Profile Maintenance- View - Field Description

Field Name	Description
User Type	Displays the user type for whom the user profile is to be created. The user can be: • **Retail**
Details to be displayed on User Profile	
Personal Information	Displays the personal details maintained for the bank/system administrator for being shown to business user on his/her profile. The options against each field are: • **Enable**: If the toggle is displayed as enabled, that field can be modified by the business user. • **Disable**: If the toggle is displayed as disabled, that field cannot be modified by the business user.
Contact Information	Displays the contact details maintained for the bank/system administrator for being shown to business user on his/her profile. The options against each field are: • **Enable**: If the toggle is displayed as enabled, that field can be modified by the business user. • **Disable**: If the toggle is displayed as disabled, that field cannot be modified by the business user.

33.2 User Profile - Edit

This topic describes the systematic instruction to **User Profile - Edit** option.

This function enables the bank/system administrator to modify the existing setup done for user profile details.
To modify user profile details:


1. Navigate to one of the above paths.

   The **User Profile Maintenance** screen appears, if the user profile is already maintained for user, appears on **User Profile Maintenance- View** screen.

2. Perform anyone of the following actions:
   - Click **Edit** to modify the user profile details.
   - The **User Profile Maintenance - Edit** screen appears with the details.
   - Click **Cancel** to cancel the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 33-3 User Profile Maintenance- Edit



3. Modify the required details, e.g. date of birth, PAN number, Aadhar number, passport number communication address and phone number, fax number etc.
4. Perform anyone of the following actions:
   - Click **Save** to save the user profile details.

     The **Review** screen appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
5. Perform anyone of the following actions:
   - Verify the details, and click **Confirm**.

     The success message of user profile maintenance completed successfully appears along with the transaction reference number and status.
   - Click **Cancel** to cancel the transaction.
   - Click **Edit** to modify the user profile details.
6. Click **OK** to complete the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

33.3 FAQ

1. **For which type of products, product mapping functionally is available?**
   As of now, product mapping feature is enabled only for Term Deposit and Recurring Deposit type of products for retail users and Term Deposit for corporate users.
2. **Can customer view the account details of an account opened under a product which is not mapped?**
   Yes, user can view the account details of an account opened under a product which is not mapped. The restriction will only be for opening new account from channel.
3. **What will happen once the products mapped gets expired?**
   The expired products will no longer be available for product mapping. Also customers will not be able to open new accounts using expired product.
4. **What will happen if the products are not mapped to any user segment and are only mapped to user type?**
   In this case, all the products mapped to the user type will be available for account opening to the users associated to that user type.

Copyright © 2006, 2026, Oracle and/or its affiliates.

34

Payee Restriction Setup

This topic describes the information about **Payee Restriction Setup** feature.

Bank customers add payees or beneficiaries to transfer funds from one account to another. Bank can limit the number of payees that can be added by the retail user in a day.

Payee Restriction set up maintenance allows the System Administrator to restrict the number of payees that a retail user can create for each payment network per day.


System Administrator can also restrict the total number of payees irrespective of payment network that the retail user can create per day.

Payee restriction setup can be done for a User type and also for a User type and Segment combination.

Pre-Requisites

- Transaction access is provided to System Administrator
- Approval rule set up for System Administrator to perform the actions

Figure 34-1 Workflow



Features supported in Application:

Payee Restriction Setup maintenance is created only once at the 'Day 1' configuration by the System Administrator. However it can later be viewed and modified.

This option allows an administrator to:

- Create Payee Restriction Maintenance
- View Existing Maintenance
- Edit Maintenance

Navigation Path: Perform anyone of the following navigation to access **Payee Restrictions**.

- From **System Administrator Dashboard**, under **Payments** widget, click **Payee Restrictions**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- From **System/ Bank Administrator Dashboard**, click **Toggle Menu** , then click **Menu** and then click **Payments**, Under **Payments**, click **Payee Restrictions**.
- Payee Restriction Setup - View
  This topic describes the systematic instruction to **Payee Restriction Setup - View** option. Using this option, administrator can search for particular payee restriction set up based on different search parameters.
- Payee Restriction Setup - Edit
  This topic describes the systematic instruction to **Payee Restriction Setup - Edit** option.
- Payee Restriction Setup - Create
  This topic describes the systematic instruction to **Payee Restriction Setup - Create** option. Using this option, System Administrator can setup payee restriction for a specific payment network.
- FAQ

34.1 Payee Restriction Setup - View

This topic describes the systematic instruction to **Payee Restriction Setup - View** option. Using this option, administrator can search for particular payee restriction set up based on different search parameters.

The search results displays a payee restriction set up based on search filters selected. System displays the payee restriction set up for the search criteria entered. When System Administrator user is accessing Payee Restriction Set-up for the very first time, the limit set up for payment network type is defaulted to ‘No’.


To view payee restriction setup:

1. Navigate to one of the above paths.

   The **Payee Restriction Setup** screen appears.
2. From the **User Type** list, select the appropriate user whose payee restriction setup to be viewed.
3. From the **User Segment** list, select the appropriate name of segment whose payee restriction setup to be viewed.
4. Perform anyone of the following actions:
   - Click **View**. The **Payee Restriction Setup** screen with payee restriction setup appears.
   - Click **Cancel** to cancel the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 34-2 Payee Restriction Setup



> **Note**
>
> The fields which are marked as Required are mandatory.


For more information on fields, refer to the field description table.

Table 34-1 Payee Restriction Setup - Field Description

Field Name	Description
User Type	Select the user type for which payee restriction setup details needs to be searched.
User Segment	Select the name of segment or which payee restriction setup details needs to be searched.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 34-3 Payee Restriction Setup- View



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 34-2 Payee Restriction Setup- View - Field Description

Field Name	Description
User Type	The user type for which payee restriction setup is done.
User Segment	The user segment for which payee restriction setup is done.
Cumulative Payee Restriction	Whether the cumulative payee restriction is enabled or not.
Total number of Payees permitted per day	Displays the total number of payees that are permitted, if the cumulative payee restriction is enabled.
Internal Payment	**Information specified in below fields are related to internal payment**.
Account Payee - Payee Restriction	Whether the account payee restriction is enabled or not, for internal payment.
Payees Per Day	Displays the total number of payees that are permitted, if the account payee restriction for internal payment is enabled.
Domestic Payment	**Information specified in below fields are related to domestic payment**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 34-2 (Cont.) Payee Restriction Setup- View - Field Description

Field Name	Description
Account Payee - Payee Restriction	Whether the account payee restriction is enabled or not, for domestic payment. For India region this will be applicable for all the payments falling under domestic type of payment (NEFT, RTGS and IMPS).
Payees Per Day	Displays the total number of payees that are permitted, if the account payee restriction for internal payment is enabled.
Draft Payee - Payee Restriction	Whether the account payee restriction is enabled or not, for a domestic draft payment.
Payees Per Day	Displays the total number of payees that are permitted, if the account payee restriction for internal payment is enabled.
International Payment	**Information specified in below fields are related to international payment**.
Account Payee - Payee Restriction	Whether the account payee restriction is enabled or not, for international payment.
Payees Per Day	Displays the total number of payees that are permitted, if the account payee restriction for international payment is enabled.
Draft Payee - Payee Restriction	Whether the account payee restriction is enabled or not, for international draft payment.
Payees Per Day	Displays the total number of payees that are permitted, if the account payee restriction for international draft payment is enabled.

5. Perform anyone of the following actions:
   - Click **Edit** to edit the payee restriction set up.
     The **Payee Restriction Set-up-Edit** screen with values in editable form appears.
   - Click **Cancel** to cancel the transaction.

34.2 Payee Restriction Setup - Edit

This topic describes the systematic instruction to **Payee Restriction Setup - Edit** option.

System Administrator can modify existing payee restriction maintenance.
Using this option, System Administrator can edit the payee restriction option for a specific payment network. Also an edit is permitted on number of payees per payment network and for cumulative combined limit irrespective of payment network.

To edit a payee restriction setup:


1. Navigate to one of the above paths.

   The **Payee Restriction Setup** screen appears.
2. Select the **User Type** for which the product mapping needs to be maintained
3. Click **Edit**.

   The **Payee Restriction Setup - Edit** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 34-4 Payee Restriction Setup - Edit



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 34-3 Payee Restriction Setup - Edit - Field Description

Field Name	Description
User Type	The user type for which payee restriction setup is done.
User Segment	The user segment for which payee restriction setup is done.
Cumulative Payee Restriction	Whether the cumulative payee restriction is enabled or not. This field is not editable.
Total number of Payees permitted per day	Displays the total number of payees that are permitted, if the cumulative payee restriction is enabled. This field will only be displayed if cumulative payee restriction is enabled.
Internal Payment	**Information specified in below fields are related to internal payment**.
Account Payee - Payee Restriction	Whether the account payee restriction is enabled or not, for internal payment. For India region this will be applicable for all the payments falling under domestic type of payment (NEFT, RTGS and IMPS).

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 34-3 (Cont.) Payee Restriction Setup - Edit - Field Description

Field Name	Description
Payees Per Day	Displays the total number of payees that are permitted, if the account payee restriction for internal payment is enabled. Field will not be displayed if Account - Payee Restriction for Internal Payment is disabled.
Domestic Payment	**Information specified in below fields are related to domestic payment**.
Account Payee - Payee Restriction	Whether the account payee restriction is enabled or not, for domestic payment.
Draft Payee - Payee Restriction	Whether the account payee restriction is enabled or not, for a domestic draft payment.
Payees Per Day	Displays the total number of payees that are permitted, if the account payee restriction for internal payment is enabled. Field will not be displayed if Draft - Payee Restriction for Domestic Payment is disabled.
International Payment	**Information specified in below fields are related to international payment**.
Account Payee - Payee Restriction	Whether the account payee restriction is enabled or not, for international payment.
Payees Per Day	Displays the total number of payees that are permitted, if the account payee restriction for international payment is enabled. Field will not be displayed if International Payment - Payee Restriction for Domestic Payment is disabled.
Draft Payee - Payee Restriction	Whether the account payee restriction is enabled or not, for international draft payment.
Payees Per Day	Displays the total number of payees that are permitted, if the account payee restriction for international draft payment is enabled. Field will not be displayed if International Draft - Payee Restriction for Domestic Payment is disabled.

4. In the **Cumulative Payee Restriction/ Account Payee - Payee Restriction/ Draft Payee - Payee Restriction** field, select the appropriate option.
   a. If user select **Yes** option:

      Perform anyone of the following actions:

      - Edit the values in **Total number of Payees permitted per day** field.
      - Click or icon to edit the values.

   b. If user select **No** option:

      i. Fields Total Number of payees per day and Payees per day are not displayed for respective payment type.
5. Select the transactions whose details you want to edit.
6. Perform anyone of the following actions:
   - Click **Save** to save the changes made to the payee restriction set up. The message box informing that the changes will be effective next day appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
7. Perform anyone of the following actions:

Copyright © 2006, 2026, Oracle and/or its affiliates.

- The **Payee Restriction Set-up – Edit – Review** screen appears. Verify the details, and click **Confirm**.
- Click **Cancel** to cancel the transaction.
- Click **Back** to navigate to the previous screen.

The success message of **Payee Restriction Set-up – Edit** appears along with the transaction reference number.

8. Click **OK** to complete the transaction.

34.3 Payee Restriction Setup - Create

This topic describes the systematic instruction to **Payee Restriction Setup - Create** option. Using this option, System Administrator can setup payee restriction for a specific payment network.

System Administrator can setup Payee Restriction at the **Day 1** configuration for a user type or a user type and user segment combination.
Administrator can also define permitted number of payees per payment network along with the cumulative combined limit for the number of payees irrespective of payment network.

To create payee restriction setup:


1. Navigate to one of the above paths.

   The **Payee Restriction Setup** screen appears.

2. From **User Type** list, select appropriate user for whom payee restriction setup is to be done.
3. From the **User Segment** list, select appropriate user segment for whom payee restriction setup is to be done.
4. Click **View**.

   The popup message of Payee Restriction Setup for the selected segment not done appears.

Figure 34-5 Payee Restriction Setup screen



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.


For more information on fields, refer to the field description table.

Table 34-4 Payee Restriction Setup screen - Field Description

Field Name	Description
User Type	The user type for which payee restriction setup is done.
User Segment	The user segment for which payee restriction setup is done.


5. Perform anyone of the following actions:
   - Click **Set Up Now** to create Payee Restriction Setup. **Payee Restriction Setup - Create** screen appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

Figure 34-6 Payee Restriction Setup screen



Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 34-7 Payee Restriction Setup - Create



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 34-5 Payee Restriction Setup screen - Field Description

Field Name	Description
Cumulative Payee Restriction	Enable cumulative payee restriction to define the total number of payees across the network types
Total number of Payees permitted per day	Specify the total number of payees that are permitted, if the cumulative payee restriction is enabled. This field will only be displayed if cumulative payee restriction is enabled.
Internal Payment	**Information specified in below fields are related to internal payment**.
Account Payee - Payee Restriction	Enable cumulative payee restriction to define the number of payees for internal payment. For India region this will be applicable for all the payments falling under domestic type of payment (NEFT, RTGS and IMPS).
Payees Per Day	Specify the total number of payees that are permitted, if the account payee restriction for internal payment is enabled. Field will not be displayed if Account - Payee Restriction for Internal Payment is disabled.
Domestic Payment	**Information specified in below fields are related to domestic payment**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 34-5 (Cont.) Payee Restriction Setup screen - Field Description

Field Name	Description
Account Payee - Payee Restriction	Enable cumulative payee restriction to define the number of payees for domestic payment.
Payees Per Day	Specify the total number of payees that are permitted, if the account payee restriction for internal payment is enabled. Field will not be displayed if Account Payee Restriction for Domestic Payment is disabled.
Draft Payee - Payee Restriction	Enable cumulative payee restriction to define the number of payees for a domestic draft payment.
Payees Per Day	Specify the total number of payees that are permitted, if the account payee restriction for internal payment is enabled. Field will not be displayed if Draft - Payee Restriction for Domestic Payment is disabled.
International Payment	**Information specified in below fields are related to international payment**
Account Payee - Payee Restriction	Enable cumulative payee restriction to define the number of payees for international payment.
Payees Per Day	Specify the total number of payees that are permitted, if the account payee restriction for international payment is enabled. Field will not be displayed if International Payment - Payee Restriction for Domestic Payment is disabled.
Draft Payee - Payee Restriction	Enable cumulative payee restriction to define the number of payees for international draft payment.
Payees Per Day	Specify the total number of payees that are permitted, if the account payee restriction for international draft payment is enabled. Field will not be displayed if International Draft - Payee Restriction for Domestic Payment is disabled.

6. In the **Cumulative Payee Restriction/ Account Payee - Payee Restriction/ Draft Payee - Payee Restriction** field, select the appropriate option.
   a. If user select **Yes** option:

      Perform anyone of the following actions:

      - Update the values for the **Total number of Payees permitted per day** or **Payees Per Day** fields.
      - Click or icon to increase or decrease the values.

   b. If user select **No** option:

      i. Fields Total Number of payees per day and Payees per day are not displayed for respective payment type.
7. Select the transactions whose details you want to define.
8. Perform anyone of the following actions:
   - Click **Save** to save the changes made to the payee restriction set up. The message box informing that the changes will be effective next day appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
9. Perform anyone of the following actions:
   - The **Payee Restriction Set-up– Review** screen appears. Verify the details, and click **Confirm**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Cancel** to cancel the transaction.
- Click **Back** to navigate to the previous screen.

The success message of **Payee Restriction Set-up** creation appears along with the transaction reference number.

10. Click **OK** to complete the transaction.

34.4 FAQ

1. **Will edited maintenance be applicable from immediate effect?**
   No, edited maintenance will be applicable from next calendar date.
2. **What happens if the user's cumulative payee limit for a day is fully utilized but network for which he is creating a payee is available?**
   System will first check the availability of cumulative payee limit. If available, will check network level payee availability limit. If both the conditions are met, user is allowed to create a payee.
3. **Is this maintenance is also applicable for corporate type of users?**
   No, currently this maintenance is applicable only to Retail Users.

Copyright © 2006, 2026, Oracle and/or its affiliates.

35
Forex Deal Maintenance

This topic describes the information about **Forex Deal Maintenance**.

Using this option System Administrator can maintain currency pair. The maintained currency pairs are made available to corporate users to book deals and utilize those while making payments.

Features supported in application

Using this option System Administrator can perform the following actions:

- Maintain currency Pair

Navigation Path: Perform anyone of the following navigation to access **Forex Deal Maintenance**.

- From **System Administrator Dashboard**, under **Payments** widget, click **Forex Deal Maintenance**.
- From **System/ Bank Administrator Dashboard**, click **Toggle Menu** , then click **Menu** and then click **Payments**, Under **Payments** , click **Forex Deal Maintenance**.
- Add Currency Pairs
  This topic describes the systematic instruction to **Add Currency Pairs** screen.
- Update Forex Deal
  This topic describes the systematic instruction to **Update Forex Deal**.

35.1 Add Currency Pairs

This topic describes the systematic instruction to **Add Currency Pairs** screen.


Using this option System Administrator can define currency pairs.
To add currency pair:

1. Navigate to one of the above paths.

   The **Forex Deal Maintenance** screen appears.
2. From the **Currency Pair** list, select the appropriate currency pair.


Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 35-1 Forex Deal Maintenance - Add Currency Pair



3. Click **Add** to add the currency pair.

Figure 35-2 Forex Deal Maintenance - Create



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 35-1 Forex Deal Maintenance - Create - Field Description

Field Name	Description
Add Currency Pair Details	**Information specified in below fields are related to add currency pair details.**
Currency Pair	List of the permissible currency combinations in which corporate user can book a deal.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 35-1 (Cont.) Forex Deal Maintenance - Create - Field Description

Field Name	Description
Selected Currency Pairs	**Information specified in below fields are related to selected currency pairs**.
Currency Pair	The maintained currency pair for corporate users.
Action	Allows user to maintain i.e. delete the selected currency pairs.

4. The Currency pair gets added in the **Selected Currency Pairs** section.
5. Click icon to delete the added currency pair.
6. Perform anyone of the following actions:
   - Click **Save** to save the changes.
   - Click **Cancel** to cancel the transaction.
   - Click **Reset** to clear the entered details.
7. Perform anyone of the following actions:
   - The **Forex Deal Maintenance - Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate back to previous screen.

   The success message of Forex Deal Maintenanceappears along with the transaction reference number.
8. Click **OK** to complete the transaction and navigate back to **Dashboard**.

35.2 Update Forex Deal

This topic describes the systematic instruction to **Update Forex Deal**.

Using this option, System Administrator can modify active currency pairs maintained in the application. System Administrator can delete the existing maintained currency pair.
To update forex deal:


1. Navigate to one of the above paths.

   The **Forex Deal Maintenance** screen appears.
2. Click **Edit Active Pairs**.

   The list of active currency pairs maintained in application appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 35-3 Forex Deal Maintenance- Edit



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 35-2 Forex Deal Maintenance- Edit - Field Description

Field Name	Description
Active Currency Pairs	**Information specified in below fields are related to active currency pairs**.
Action	Allows user to maintain i.e. delete the existing currency pairs.

3. Click icon to delete the selected currency pair.
4. Perform anyone of the following actions:
   - Click **Save** to save the changes.
   - Click **Cancel** to cancel the transaction.
   - Click **Reset** to clear the entered details.
5. Perform anyone of the following actions:
   - The **Forex Deal Maintenance - Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate back to previous screen.

   The success message of Forex Deal Maintenanceappears along with the transaction reference number.
6. Click **OK** to complete the transaction and navigate back to **Dashboard**.

Copyright © 2006, 2026, Oracle and/or its affiliates.


36
Biller Category Maintenance

This topic describes the information about **Biller Category Maintenance**

Using this function System Administrator can create new biller categories and can upload an image (image file type allowed SVG & PNG only) for that biller, which will appears as icon for these categories. These categories are mapped to billers when system administrator is creating billers. E.g. administrator can create biller category as **Insurance** and link this Biller Category when creating Insurance billers like **United Healthcare** and **Healthspring** and **WellCare Health Plans**.

The System administrators can change the order of the categories as per their priority by dragging the categories. In the Biller Category drop-down these categories appear in the same order for selection to the customers, as defined by the administrators.

Figure 36-1 Workflow



Pre-Requisites

- Transaction access is provided to System Administrator.
- Approval rule set up for System Administrator to perform the actions.

Features supported in Application:

This option allows the System Administrator to:

- Manage Biller Category
- Add Biller Category
- Edit Biller Mapping Category
- Delete Biller Category

Navigation Path: Perform anyone of the following navigation to access **Biller Category Maintenance**.

- From **System Administrator Dashboard**, under **Payments** widget, click **Biller Category Maintenance**.
- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Payments**, Under **Payments** , click **Biller Category Maintenance**.

Copyright © 2006, 2026, Oracle and/or its affiliates.


- Biller Category Maintenance - Summary
  This topic describes the systematic instruction to **Biller Category Maintenance - Summary**.
- Biller Category Maintenance - Add Category
  This topic describes the systematic instruction to **Biller Category Maintenance - Add Category**.
- Biller Category Maintenance - Edit Category
  This topic describes the systematic instruction to **Biller Category Maintenance - Edit Category**.
- Biller Category Maintenance - Delete
  This topic describes the systematic instruction to **Biller Category Maintenance - Delete**.

36.1 Biller Category Maintenance - Summary

This topic describes the systematic instruction to **Biller Category Maintenance - Summary**.

Biller Category Maintenance screen displays a list of all the billers along with the biller icon and number of billers mapped to the selected biller category.

Figure 36-2 Biller Category Maintenance - Summary



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 36-1 Field Description

Field Name	Description
Biller Icon	Select the transaction from the list for which you wish to analyze the feedback.
Biller Category	The name of the biller category.
Mapped Billers	The number of billers mapped to the category at a given point of time.


To create a new product mapping:

1. Navigate to one of the above paths.

   The **Biller Category Maintenance** screen appears.

2. Perform anyone of the following actions:
   - Click the **Biller Category** link to view the details of a biller category.
   - Click **Search** to search the biller category.
   - Click **Create** to create biller category.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

Figure 36-3 Biller Category Maintenance - View



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 36-2 Biller Category Maintenance - View - Field Description

Field Name	Description
Category Name	The name of the biller category.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 36-2 (Cont.) Biller Category Maintenance - View - Field Description

Field Name	Description
Biller Logo	The image associated with the category.
Sub Category Details	**Information specified in below field is related to sub category details**.
Sub Category Name	The name of the biller sub category.

36.2 Biller Category Maintenance - Add Category

This topic describes the systematic instruction to **Biller Category Maintenance - Add Category**.

Using this option, the System Administrator can add a new biller category.
To add a new biller category:


1. Navigate to one of the above paths.

   The **Biller Category Maintenance** screen appears.

2. Click **Create** to create biller category.

   The **Biller Category Maintenance** screen with a row to add new category appears.

Figure 36-4 Biller Category Maintenance - Create Category



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 36-3 Biller Category Maintenance - Create Category - Field Description

Field Name	Description
Category Name	The name of the biller category. Category name should be unique. Category name entered here will appear as a Biller Category drop-down to the customers screens.
Biller Logo	The image associated with the category. Displays the preview of the image uploaded for the category.
Biller Logo	Browse or drag and drop image associated with the biller category. Displays the preview of the image uploaded for the category.
Subcategory Name	The name of the sub biller category.

3. In the **Biller Category** field, enter the name of the biller category.
4. Drag and drop the biller logo or browse the biller logo.
   - OBDX provides a set of icons for categories out of the box. These image files have to be copied to the user's local drive before selection. Alternatively user can select his own icon images as long as they are in SVG or PNG format.
5. In the **Subcategory Name** field, enter the name of the sub biller category.
6. Perform anyone of the following actions:
   - Click **Add** to add subcategory of the biller.
   - Click  to delete the subcategory of the biller.
   - Click **Save** to save the changes and create biller category.
   - Click **Back** to navigate back to previous screen.
   - Click **Cancel** to cancel the transaction.
   - Click on the **Remove** link to remove the uploaded image and upload a new biller image.

   The success message of saving the biller category appears along with the status and reference number.
7. Click **OK** to complete the transaction.

36.3 Biller Category Maintenance - Edit Category

This topic describes the systematic instruction to **Biller Category Maintenance - Edit Category**.

System Administrator can modify the existing biller category using this screen.
To edit a biller category:


1. Navigate to one of the above paths.

   The **Biller Category Maintenance** screen appears.
2. Search the biller categories.
3. Click on the **Biller Category** link to which you want to edit the biller category.
4. Click **Edit** to update the biller category details.

   The **Biller Category Maintenance** screen appears in the editable form.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 36-5 Biller Category Maintenance - Edit Category



5. Update the details.
6. Perform anyone of the following actions:
   - Click **Save** to save the changes of a biller category.
   - Click **Back** to navigate back to previous screen.
   - Click **Cancel** to cancel the transaction.

   The success message of saving the biller category appears along with the status and reference number.
7. Click **OK** to complete the transaction.

36.4 Biller Category Maintenance - Delete

This topic describes the systematic instruction to **Biller Category Maintenance - Delete**.

As part of this option, only those biller category can be deleted if there are no billers mapped to the existing biller category.

To delete a biller category:

1. Navigate to one of the above paths.


   The **Biller Category Maintenance** screen appears.
2. Search the biller categories.
3. Click on the **Biller Category** link which you want to edit the biller category.
4. Click **Edit** to update the biller category details.

   The **Biller Category Maintenance** screen appears in the editable form.
5. Click **Delete** to delete the biller category.

   The **Delete Category** popup appears. The application prompt the administrator with a message **Are you sure you want to delete the category** with an option of **Yes** or **No**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 36-6 Biller Category Maintenance - Delete



Perform anyone of the following actions:

- Click **Yes** to proceed with the deletion request.It will navigate to confirmation page with a success message along with the status and reference number.
- Click **No** if you do not wish to proceed with deletion.

6. Click **OK** to complete the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

37

Touch Point Maintenance

This topic describes the information about the **Terms and Conditions - View**.

Touch points are different channels/medium through which transactions or inquiries can be performed in OBDX.

Touch points in OBDX are of type **Internal** and **External**.

Internal Touch points are defined as part of Day 0 definition whereas External Touch Points are typically third party applications that can be defined by the System Administrator as part of onboarding in OBDX.

Internal Touch Points defined/available as parts of OBDX system are as follows:

- Internet
- Mobile App
- Mobile Browser
- SMS
- Missed Call
- Siri/Chatbot
- Snapshot
- Wearables

External Touch Points enable the user to perform inquiries and transactions from Third Party applications provided the user has provided consent to the Third Party Application. Each Third Party application i.e. Client defined on the OAuth Server is onboarded as an External Touch Point.


As part of Touch Point Maintenance, Touch Points can be defined/created, viewed/inquired and modified by the System Administrator.

Prerequisites

- Transaction Access has been provided to the System Administrator
- Approval Rules have been setup for approval of Touch Point Maintenance

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 37-1 Workflow



Features supported in application

The administrator can perform the following actions:

- Search/ View Touch Point
- Create Touch Point
- Edit Touch Point

Navigation Path: Perform any one of the following navigation to access the **Touch Points**:

- From **System Administrator Dashboard**, under **Authorization and Access Controls** widget, click **Touch Points**.
- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Authorization and Access Controls**, Under **Authorization and Access Controls** , click **Touch Points**.
- Touch Point Maintenance - View
  This topic describes the systematic instruction to **Touch Point Maintenance - View** option.
- Touch Point Maintenance - Edit
  This topic describes the systematic instruction to **Touch Point Maintenance - Edit** option. Using this option, System Administrator can modify the details of a touch point.
- Touch Point Maintenance - Create
  This topic describes the systematic instruction to **Touch Point Maintenance - Create** , Using this option, System Administrator can create new touch point of type Internal or External.

37.1 Touch Point Maintenance - View

This topic describes the systematic instruction to **Touch Point Maintenance - View** option.


To view touch points:

1. Navigate to one of the above paths.
2. Perform anyone of the following actions:
   - The **Touch Point Maintenance** screen appears. Enter the search parameters and click **Search**. The **Touch Point Maintenance** screen with search results appears based on the search criteria.
   - Click **Cancel** to cancel the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Clear** to reset the search parameters.

Figure 37-2 Touch Point Maintenance - Search



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 37-1 Touch Point Maintenance - Search - Field Description


Field Name	Description
Touch Point ID	Specify the touch point ID to search a specific Touch point by ID.
Touch Point Name	Specify the touch point name to search a Touch point by name.
Search Results	**Information specified in below fields are related to search results**.
Touch Point Name and ID	Displays the touch point name and unique ID defined for a Touch point.
Touch Point Type	Displays the touch point type i.e. internal/ external against the Touch points.

3. Click the **Touch Point Name and ID** link to view details of the touch point.

   The **Touch Point Maintenance - View** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 37-3 Touch Point Maintenance - View



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 37-2 Touch Point Maintenance - View - Field Description

Field Name	Description
Touch Point ID	Unique ID defined for the Touch Point.
Touch Point Name	Name of the touch point.
Touch Point Type	Type of touch point i.e. whether touch point is of type internal or external.
Client ID	Client ID of the touch point if touch point is of type internal or external.
Scope	The applicable scope(s) defined for touch point in case of type **External**.
Upload Logo	The logo of the Third Party. This field is displayed if the **Touch Point Type** is **External**.
Touch Point Status	Status of the Touch Point i.e. whether it is Inactive or Active. If touch point is marked as Inactive, then the system will not honor the request i.e. transaction or inquiry is initiated from that touch point.
Headless Mode	Mode in which the touch point operates i.e. headless mode enabled / disabled. If headless mode is enabled, it means the touch point is capable of working without user interface and session parameters. **Note:** By default, the mode is in disabled state.
Two Factor Authentication	Two Factor Authentication enabled / disabled for the touch point.
Default Available	Touch point default available to users. If enabled, then the user gets access to touch points which are default available.
Self On Board Touch Points	Whether the user can self on board himself on the touch point or by bank administrator.
Skip First Time Login Flow	Displays if Skip First Time Login Flow option is checked by the user. If this option is enabled for the selected touch point, user will not be shown the first time login steps (configured in system rule), when he/she logs in for the first time.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 37-2 (Cont.) Touch Point Maintenance - View - Field Description

Field Name	Description
Consent Required	To decide if Consent definition and validation is required for a Touch Point i.e. TPPs. For UK/Berlin Open Banking, it should always be defined as **Y**.

4. Perform anyone of the following actions:
   - Click **Edit** to modify touch point details.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate back to previous screen.

37.2 Touch Point Maintenance - Edit

This topic describes the systematic instruction to **Touch Point Maintenance - Edit** option. Using this option, System Administrator can modify the details of a touch point.


To modify touch point details:

1. Navigate to one of the above paths.
2. Perform anyone of the following actions:
   - The **Touch Point Maintenance** screen appears. Enter the search parameters and click **Search**. The **Touch Point Maintenance** screen with search results appears based on the search criteria.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to reset the search parameters.
3. Click the **Touch Point Name and ID** link to view details of the touch point.

   The **Touch Point Maintenance - View** screen appears.
4. Perform anyone of the following actions:
   - Click **Edit** to modify the touch point details.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate back to previous screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 37-4 Touch Point Maintenance - Edit



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 37-3 Touch Point Maintenance - Edit - Field Description

Field Name	Description
Touch Point ID	Displays the Unique ID for the Touch Point and cannot be modified.
Touch Point Name	Displays the name of the touch point. The same can be modified.
Touch Point Type	Displays the type of touch point i.e. whether touch point is of type internal or external. The same can be modified.
Client ID	Displays the Client ID of the touch point if touch point is of type External. The same can be modified. This field is mandatory for External type of touch point.
Scope	Displays the applicable scope(s) defined for touch point in case of type External. The same can be modified i.e. new scopes can be added and/or existing can be removed.
Upload Logo	The logo of the Third Party. This field is displayed if the **Touch Point Type** is **External**.
Touch Point Status	Displays the status of touch point. The same can be modified to enable to an active state or disable to make it inactive.
Headless Mode	Displays the mode in which the touch point operates i.e. headless mode enabled / disabled. The same can be modified to enable/ disable the mode.
Two Factor Authentication	Displays if Two Factor Authentication is enabled/disabled for the touch point. The same can be modified.
Default Available	Displays if Touch point is available to users by default. If enabled, then the user gets access to touch points which are default available.
Self On Board Touch Points	Displays if Touch point can be on boarded by the user. The same can be modified.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 37-3 (Cont.) Touch Point Maintenance - Edit - Field Description

Field Name	Description
Skip First Time Login Flow	Displays if Skip First Time Login Flow option is checked by the user. If this option is enabled for the selected touch point, user will not be shown the first time login steps (configured in system rule), when he/she logs in for the first time. The same can be modified.
Consent Required	To decide if Consent definition and validation is required for a Touch Point i.e. TPPs. For UK/Berlin Open Banking, it should always be defined as 'Y'. The same can be modified.

5. Modify the required details, e.g. Touch Point Name, Touch Point Type, Client ID, Scope, Logo, Touch Point Status, Headless Mode, Two Factor Authentication, Default Available and Self On board Touch Points.
6. Perform anyone of the following actions:
   - Click **Save** to save the template information.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
7. Perform anyone of the following actions:
   - The **Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

   The success message of Touch Point Maintenance saved successfully appears along with the transaction reference number.
8. Click **OK** to complete the transaction.

37.3 Touch Point Maintenance - Create

This topic describes the systematic instruction to **Touch Point Maintenance - Create** , Using this option, System Administrator can create new touch point of type Internal or External.

To create a touch point:


1. Navigate to one of the above paths.

   The **Touch Point Maintenance** screen appears.
2. Click **Create**.

   The **Touch Point Maintenance - Create** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 37-5 Touch Point Maintenance - Create



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 37-4 Touch Point Maintenance - Create - Field Description

Field Name	Description
Touch Point ID	Specify the unique ID for the Touch Point.
Touch Point Name	Specify the name for the Touch Point.
Touch Point Type	Select the type of Touch point type i.e. whether the type is Internal or External
Client ID	Specify the Client ID for the touch point. This field is mandatory for External Type of Touch point.
Scope	Specify the applicable scope(s) for the touch point. This field is enabled, if you select **External** option in the **Touch Point Type** field.
Upload Logo	Upload logo of the Third Party Provider through browse and upload image option. This field is enabled, if you select **External** option in the **Touch Point Type** field.
Touch Point Status	Select the status for the touch point i.e. whether it is active/inactive.
Headless Mode	Select the mode in which the touch point operates i.e. whether headless mode is to be enabled for a touch point. **Note:** By default this mode is in disabled state.
Two Factor Authentication	Select if Two Factor Authentication is required for a touch point.
Default Available	Select if Touch point is to be default made available to users. If enabled, then the user gets access to touch points which are default available

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 37-4 (Cont.) Touch Point Maintenance - Create - Field Description

Field Name	Description
Self On Board Touch Points	Select if user will self on board himself on the touch point or by the bank administrator. If the bank administrator on boards the user on a touch point, then the same needs to be disabled.
Skip First Time Login Flow	Select if user wants to skip the first time login flow for a touch point. If this option is enabled for the selected touch point, user will not be shown the first time login steps (configured in system rule), when he/she logs in for the first time.
Consent Required	Select if user wants Consent definition and validation is required for a Touch Point i.e. TPPs. For UK/Berlin Open Banking, it should always be defined as **Y**.

3. In the **Touch Point ID** field, enter the unique ID for the touch point.
4. In the **Touch Point Name** field, enter the name for touch point.
5. In the **Touch Point Type** field, select the appropriate option i.e. Internal or External.
6. In the **Client ID** field, enter the client ID.
   - If you select **External**;
     i. Click **Scope**; select the appropriate scope from the drop-down.
     ii. Click on upload icon to upload a logo for the external type of touch point.
7. Click the **Touch Point Status** toggle to enable it to mark the touch point ‘Active’.
8. Click the **Headless Mode** toggle to enable the touch point in headless mode.
9. Click the **Two Factor Authentication** toggle to enable 2FA for a touch point.
10. Click the **Default Available** toggle to make the touch point available to users by default in case of self-onboarding.
11. Click the **Self On board Touch Point** toggle if the user will self-onboard himself on the touch point and not by bank administrator.
12. Click the **Skip First Time Login Flow** toggle if the user wants to skip it for touch point.
13. Perform anyone of the following actions:
    - Click **Save** to save the template information.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.
14. Perform anyone of the following actions:
    - The **Review** screen appears. Verify the details, and click **Confirm**.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.

    The success message of touch point creation successfully appears along with the transaction reference number.
15. Click **OK** to complete the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

38

Touch Point Group Maintenance

This topic describes the information about **Touch Point Group Maintenance**.


Touch points are different channels e.g. Internet, Mobile, SMS, Third Party applications etc. through which the OBDX services can be accessed. This maintenance enables the System Administrator user to group two or multiple touch points together for the purpose of defining common limits for a transaction accessed from any Touch point grouped together.

Further this maintenance facilitates user to view and modify the touch point groups.

Pre-requisites

- Transaction access is provided to system administrator.
- Approval rule set up for system administrator to perform the actions.
- Multiple touch points are maintained.

Figure 38-1 Workflow



Features Supported In Application

The administrator can perform the following actions:

- Create Touch Point Groups
- Search/ View Touch Point Groups
- Edit Touch Point Groups

Navigation Path: Perform any one of the following navigation to access the **Touch Point Groups**:

- From **System Administrator Dashboard**, click **Authorization and Access Controls**, then click **Touch Point Groups**.
- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu**, and then click **Authorization and Access Controls**, In the **Authorization and Access Controls** screen, click **Touch Point Groups**.
- Touch Point Group Maintenance - View
  This topic describes the systematic instruction to **Touch Point Group Maintenance - View** option.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Touch Point Group Maintenance - Edit
  This topic describes the systematic instruction to **Touch Point Group Maintenance - Edit** option. Using this option, System Administrator can add or remove the touch points from the touch point group.
- Touch Point Group Maintenance - Create
  This topic describes the systematic instruction to **Touch Point Group Maintenance - Create** option.
- FAQ


38.1 Touch Point Group Maintenance - View

This topic describes the systematic instruction to **Touch Point Group Maintenance - View** option.

Using this option, System Administrator can search and view details for particular touch point groups based on different search parameters like group code and/or group description.
To search and view touch point group:

1. Navigate to one of the above paths.
2. Perform anyone of the following actions:
   - The **Touch Point Group Maintenance** screen appears. Enter the search parameters and click **Search**. The **Touch Point Group Maintenance** screen with search results appears based on the search criteria.
   - Click **Cancel** to cancel the search process.
   - Click **Clear** to reset the search parameters.

Figure 38-2 Touch Point Group Maintenance - Search



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.


Table 38-1 Touch Point Group Maintenance - Search - Field Description

Field Name	Description
Group Code	Search the touch point groups with group code.
Group Description	Search the touch point groups with group description.
Search Results	**Information specified in below fields are related to search results**.
Group Code	Displays the group code defined for Touch Point Groups.
Group Description	Displays the group description defined for Touch Point Group.
No of Touch Points	Displays the number of touch points associated with the touch point groups.

3. Click the **Group Code** link to view the touch point group details.

The **Touch Point Group Maintenance - View** screen appears.

Figure 38-3 Touch Point Group Maintenance - View



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 38-2 Touch Point Group Maintenance - View - Field Description

Field Name	Description
Group Code	Group code defined for touch point group.
Group Description	Group description defined for touch point groups.
Touch Point Group Type	Type of touch point group i.e. whether touch point group type is internal or external.
Internal Touch Points	Displays internal touch points which are part of touch point group in disable mode.
External Touch Points	Displays external touch points which are part of touch point group in disable mode.

Copyright © 2006, 2026, Oracle and/or its affiliates.

4. Perform anyone of the following actions:
   - Click **Edit** to add or remove the touch points from the touch point group.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

38.2 Touch Point Group Maintenance - Edit

This topic describes the systematic instruction to **Touch Point Group Maintenance - Edit** option. Using this option, System Administrator can add or remove the touch points from the touch point group.

Clubbing of touch points as a part of multiple groups is not allowed. Touch points already grouped as a part of other groups will not be available for selection.
To modify touch point group:


1. Navigate to one of the above paths.
2. Perform anyone of the following actions:
   - The **Touch Point Group Maintenance** screen appears. Enter the search parameters and click **Search**. The **Touch Point Group Maintenance** screen with search results appears based on the search criteria.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to reset the search parameters.
3. Click the **Group Code** link to view details of the touch point.

   The **Touch Point Group Maintenance - View** screen appears.
4. Click **Edit**.

   The **Touch Point Group Maintenance - Edit** screen appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate back to previous screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 38-4 Touch Point Group Maintenance - Edit



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 38-3 Touch Point Group Maintenance - Edit - Field Description

Field Name	Description
Group Code	Group code defined for touch point group.
Group Description	Group description defined for touch point groups.
Touch Point Group Type	Displays the type of touch point group i.e. whether touch point group is of type internal or external. The same can be modified.
Touch Points	**Information specified in below fields are related to touch points**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 38-3 (Cont.) Touch Point Group Maintenance - Edit - Field Description

Field Name	Description
Internal Touch Points	Displays all the internal touch points. Touch points which are the part of a group will be shown as pre-selected. **Note:** 1) User can de-select a pre-selected internal touch points which are already part of the group. 2) Other Internal touch points which are not part of any other group will be listed for selection. 3) The touch points which are already a part of one of the groups will be shown in disable mode. (one Touch point can be part of on group only)
External Touch Points	Displays all the external touch points. Touch points which are the part of a group will be shown as pre-selected. **Note:** 1) User can de-select an external touch points which are already part of a group will be shown as pre-selected. 2) Other external touch points which are not part of any other group will be listed for selection. 3) The touch points which are already a part of one of the group will be shown in disable mode.

5. Modify the required details, e.g. Group Description, Internal / External Touch Points.
6. Perform anyone of the following actions:
   - Click **Save** to save the touch point group details.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
7. Perform anyone of the following actions:
   - The **Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

   The success message of Touch Point Group Maintenance saved successfully appears along with the transaction reference number.
8. Click **OK** to complete the transaction.

38.3 Touch Point Group Maintenance - Create

This topic describes the systematic instruction to **Touch Point Group Maintenance - Create** option.

Using this option, System Administrator can create a new touch point group and add touch points to a group.

Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> System Administrator cannot club one touch point as part of multiple groups. While creating group, touch points which are already part of a group will not be available for selection.

To create a touch point group:


1. Navigate to one of the above paths.

   The **Touch Point Group Maintenance** screen appears.

2. Click **Create**.

   The **Touch Point Group Maintenance** screen appears.

Figure 38-5 Touch Point Group Maintenance - Create



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 38-4 Touch Point Group Maintenance - Create - Field Description

Field Name	Description
Group Code	Unique group code defined for touch point group.
Group Description	Touch point group description defined for touch point groups.
Touch Point Group Type	Select the type of Touch point group type i.e. whether the type is Internal or External.
Touch Points	
Internal Touch Points	Displays all the internal touch points maintained. **Note:** 1) Internal touch points which are not part of any other group will be listed for selection. 2) Touch points which are already a part of any other group will be shown in disabled mode.
External Touch Points	Displays all the external touch points maintained. **Note:** 1) External touch points which are not part of any other group will be listed for selection. 2) Touch points which are already a part of any other group will be shown in disabled mode.

3. In the **Group Code** field, enter the unique group code for touch point group.
4. In the **Group Description** field, enter the touch point group description.
5. In the **Touch Points** field, select the checkbox against the Internal / External Touch Points.

> **Note**
>
> To select all available Internal / External Touch Points in one instance, select the checkbox adjacent to Internal / External Touch Points.

6. Perform anyone of the following actions:.
   - Click **Save** to save the Touch point group details.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
7. Perform anyone of the following actions:
   - The **Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

   The success message of Touch Point Group Maintenance saved successfully appears along with the transaction reference number.

38.4 FAQ

1. **From where can I get the list of touch points which I can club together?**

Copyright © 2006, 2026, Oracle and/or its affiliates.

Internal and external touch points maintained by the System Administrator using ‘Touch Point Maintenance’ will be listed for group creation.

2. **Can I club internal and external touch points together in one group?**
   No, clubbing of internal and external touch points together in one group is not allowed.
3. **Can I club one touch point as a part of multiple groups?**
   No, one touch point can be a part of only one group.
4. **Where can I use these touch point groups?**
   You can create a transaction limit package using ‘Limit Package Management’ for touch point group.

Copyright © 2006, 2026, Oracle and/or its affiliates.

39

Role Maintenance

This topic describes the information about the **Role Maintenance**.

The OBDX application has many roles for different type of users defined under different user types i.e. Retail & Business, Corporate, and Admin. These roles are defined for internal as well as for external touch points.

In case of Business user type, roles can be mapped at the time of specifying the Party Preference for Business type of party. The end user will be able to see/access only those transactions and widgets based on the roles mapped at the Party Level while inquiring about contextual information

Application roles mapped to Internal Touch Points (Internet, Mobile Application, SIRI, Chatbot, etc.) are used by OBDX itself, whereas Application roles mapped to External Touch Points are defined for being used by third party system. Each External role is mapped to a scope (defined in Identity Management System) and the same scopes are mapped to External Touch Points in **Touch Point Maintenance** screen.

For Internal Touch Points, a user can perform only those transactions which are mapped to the application role assigned to that user. Whereas for External Touch Points, third party system can only perform only those transactions (on behalf of the user), which are mapped to the application role, mapped to the scope assigned to that external touch point (third party system).

Using this option the system administrator can define an Application role along with entity information. However, mapping an Entity to a role is not mandatory. If no entity is mapped to an application role, it would be globally available across all entities. Factory shipped roles will be always ‘Global’ roles.

Application Roles are mapped to Entitlements for various Touch Points, so that System Administrator can decide which all transactions should be available for which touch points.

Apart from the transactions, OBDX widgets are also available as entitlement and can be mapped to the application roles.

System displays only those menu options widgets and dashboard which are mapped to the application role assigned to the logged in user. For e.g. If a user with application role ‘Retail’ does not have access to transactions widgets & dashboard related to Wealth Management module, then those transactions, widgets and dashboard will not be shown on the UI to user.

System Administrator user will be able to map transactions and privileges such as Perform, Approve and View, Release and Check to the various roles.

> **Note**
>
> The users can have access only to those transactions, dashboards and widget which are mapped to the role associated to the him/her.

Prerequisites

- Transaction access is provided to System Administrator.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Approval rule set up for System Administrator to perform the actions.

Features supported in application

Using this option System Administrator can perform the following actions:

- Create Application Roles
- View Application Roles
- Edit Application Roles
- Delete Application Roles

Navigation Path: Perform the following navigation to access the **Role Maintenance**.

- From **System Administrator Dashboard**, under **Authorization and Access Controls** widget, click **Role Maintenance**.
- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Authorization and Access Controls**. Under **Authorization and Access Controls** , click **Role Maintenance**.
- Search & View Application Role
  This topic describes the systematic instruction to **Search & View Application Role** option. Using this option, System Administrator can search application roles based on the search criteria.
- Edit Application Role
  This topic describes the systematic instruction to **Edit Application Role** option. Using this option System Administrator can edit or update the details of an existing role transaction mapping.
- Delete Application Role
  This topic describes the systematic instruction to **Delete Application Role** option. Using this option System Administrator can delete an existing role transaction mapping.
- Create Application Role
  This topic describes the systematic instruction to **Create Application Role** option. Using this option System Administrator can define an application role and map transactions to it for selected touch points.
- FAQ

39.1 Search & View Application Role

This topic describes the systematic instruction to **Search & View Application Role** option. Using this option, System Administrator can search application roles based on the search criteria.

By default all the application roles will be displayed on this screen, Administrator can filter the list by entering the values in search criteria.
To search & view application role/ application roles:


1. Navigate to one of the above paths.

   The **Role Transaction Mapping** screen appears.
2. In the **User Type** field, select the user type.
3. In the **Touchpoint Type** field, select desired option.
4. In the **Role Type** field, select the desired option. If entity specific is selected, the entity needs to be specified

Copyright © 2006, 2026, Oracle and/or its affiliates.

5. In the **Touchpoint Type** field, select desired option.
6. In the **Role Type** field, select the desired option.
7. In the **Application Role Name** field, enter the name of the application role.
8. Perform anyone of the following actions:
   - Click **Search**. The search result based on search criteria displayed in **Application Role Details** section.
   - Click **Clear** to reset the search parameters.
   - Click **Cancel** to cancel the transaction.

Figure 39-1 Search Application Roles - Search Results



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 39-1 Search Application Roles - Search Results - Field Description


Field Name	Description
User Type	User type for which the application role is created. Retail & Business User , Corporate User and Administrator are three user types available in the application.
Touchpoint Type	Type of the touch point. The options are: • **Internal** • **External**
Role Type	Type of the role. The options are: • **Global** • **Entity Specific** - For entity specific, the entity needs to be selected
Application Role Name	Name of the application role.
Application Role Details	Application roles can be views based on Touch Point Type-Internal and External in different tabs. Application roles are grouped and displayed User Segment wise.
Application Role Name	Name of the application role.
Application Role Description	Description of the application role.

9. Click on the **Application Role Name** to view the details.

   The **Role Maintenance - View** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 39-2 Role Maintenance - View



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 39-2 Role Maintenance - View - Field Description

Field Name	Description
Application Role View	**Information specified in below fields are related to application role view**.
Application Role Name	Name of the application role.
Description	Description of the application role.
User Type	User type for which the application role is created.
Touch Point Type	Type of Touch Point.
User Segment	Segment of the user for which the application role is created. This is applicable only for **Retail & Business user** type and **Internal** touch point type.
Map Transactions	**Information specified in below fields are related to map transactions**.
Module Name	Name of the module for which role transaction mapping is done.
Map Transactions to Touch Points	Touch points for which the transaction mapping is done for application role.
Transactions	Displays all the transactions for the selected module which are mapped to the application role for the selected touch points. Transactions are grouped under Transaction Categories and Module. The transactions are logically grouped for ease of mapping on **Role Maintenance** screen.
Type of Action	Name of the action that can be performed for that transaction by the user to which this application role is assigned. • **Perform**- This action lets the user to perform or initiate those transactions and should be given to maker role. • **View**- This action lets the user to view the initiated and approved transactions by other users and should be given to viewer role. • **Check**- This action lets the user to check those transactions to which he/she has access and should be given to checker role. • **Approve**- This action lets the user to approve those transactions and should be given to approver role • **Release**- This action lets the user to release those transactions to which he/she has access and should be given to releaser role

10. Click ▶ icon against the particular category to view the transaction mapping details.
11. Perform anyone of the following actions:

    - Click to  icon modify the transaction role mapping. The **Role Maintenance** screen appears in editable form.
    - Click **Delete** To delete the application role along with the transaction mapping. (Deletion of any role is only allowed if there are no users attached to that role).
    - Click **Back** to navigate to the previous screen.
    - Click **Cancel** to cancel the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

39.2 Edit Application Role

This topic describes the systematic instruction to **Edit Application Role** option. Using this option System Administrator can edit or update the details of an existing role transaction mapping.


To modify role transaction mapping:

1. Navigate to one of the above paths.

   The **Role Maintenance** screen appears.
2. Repeat step 1 to 4 of **Search Application Role** section.
3. Click icon against the **Map Transactions**.

   Screen in editable mode appears.

Figure 39-3 Role Transaction Mapping - Edit



> **Note**
>
> Application Role Name, User Type, and Touch Point Type fields cannot be edited.


4. Update the role description if required.
5. Add/ remove the user segment as per requirement.
6. Select/ deselect module names for which the transaction mapping is to be done.

Copyright © 2006, 2026, Oracle and/or its affiliates.

7. Check/uncheck the touch points for which the transaction mapping is to be done.
8. Perform anyone of the following actions:
   - Click **Next** to link/ delink transactions.
   - Click **Back** to go back to previous screen.

> **Note**
>
> If the administrator deselects a module from Module name field, transaction mapping done for all the transactions under that module will get removed for that module. Similarly if the administrator unchecks and existing touch point, transaction mapping done for all modules for that touch point will get removed for that Touch Point.

Copyright © 2006, 2026, Oracle and/or its affiliates.




9. Modify the transactions mapping for different touch points.

   Click ▶ icon against the particular category to view and update the transaction mapping.

Copyright © 2006, 2026, Oracle and/or its affiliates.


10. Click on the next touch point tab, a pop up window appears for asking **Copy data from touch point**.

Figure 39-4 Copy data from touch point Confirmation popup window



a. Click **Yes** to select the touch point from which the data has to be copied.
b. Copy transaction mapping details of touch point to another popup window.

Figure 39-5 Copy data from touch point Confirmation popup window



a. From the Select list, select the touch point from the list.
b. Perform anyone of the following actions:
   - Click **Apply**.
   - Click **No**. to do the mapping operationally.
11. Modify the transactions mapping for current touch points if required.
12. Perform anyone of the following actions:

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Save** to save the updates.
- Click **Cancel** to cancel the transaction.
- Click **Back** to navigate to the previous screen.

13. The screen with success message appears.

    Click **OK** to close the message screen.

39.3 Delete Application Role

This topic describes the systematic instruction to **Delete Application Role** option. Using this option System Administrator can delete an existing role transaction mapping.


Deletion of any role is only allowed if there are no users attached to that role.
To delete role transaction mapping:

1. Navigate to one of the above paths.

   The **Role Maintenance** screen appears.
2. Repeat step 1 to 4 of **Search Application Role** section.
3. Click **Delete** to delete the application role along with the transaction mapping.

   The **Delete Warning** message appears.

Figure 39-6 Delete Application Role



4. From the **Time Frame** list, select the duration for which the feedback information needs to be viewed.
5. Perform anyone of the following actions:
   - Click **Yes**. The **Role Maintenance** screen with the successful role deletion message appears.
   - Click **No** to cancel the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

39.4 Create Application Role

This topic describes the systematic instruction to **Create Application Role** option. Using this option System Administrator can define an application role and map transactions to it for selected touch points.

To create an application role transaction mapping:


1. Navigate to one of the above paths.

   The **Role Maintenance** screen appears.

2. Click **Create**.

   The **Role Maintenance - Create** screen appears.

Figure 39-7 Application Role Creation



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 39-3 Application Role Creation - Field Description

Field Name	Description
Application Role Name	Name of the application role.
Description	Description of the application role.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 39-3 (Cont.) Application Role Creation - Field Description

Field Name	Description
User Type	Type of the user for which the application role is to be created. The options are: • **Retail & Business User** • **Corporate User** • **Administrator**
Touch Point Type	Type of Touch Point. The options are: • **Internal**: (for internal touch points like internet, Mobile Application, Siri, Chatbot etc.) • **External** : (for third Party applications)
User Segment	User segments of selected user type for which the maintenance is to be done. This field is applicable only for **Retail & Business user type** and **Internal touch point** type.
Role Type	Type of the role. The options are: • **Global** • **Entity Specific** **Note:** Mapping an Entity to a role will not be a mandatory step. If no entity is mapped to an application role, it would be globally available across all entities. Factory shipped roles will be always 'Global' roles.
Map Transactions	In following section user can do entitlement mapping.
Module Name	The modules for which the transaction mapping is to be done. Transactions under the selected modules will get displayed for mapping. **Note:** Select **All** option from the drop-down to select all modules.
Map Transactions to Touch Points	The internal touch points for which the transaction mapping is done for application role. All the internal touch point maintained in the system gets displayed here.
Transactions	**Information specified in below fields are related to transactions**.
Transaction Name	Name of transaction to be mapped to the application role.
Action	Name of the action that can be performed for that transaction by the user to which this application role is assigned. • **Perform**- This action lets the user to perform or initiate those transactions and should be given to maker role. • **View**- This action lets the user to view the initiated and approved transactions by other users and should be given to viewer role. • **Check**- This action lets the user to check those transactions to which he/she has access and should be given to checker role. • **Approve**- This action lets the user to approve those transactions and should be given to approver role • **Release**- This action lets the user to release those transaction and should be given to releaser role
Scope Name	List the scopes for the external touch point. This field is displayed and enabled, if you select **External** option in the **Touch Point Type** field. Once a scope is mapped to a role, it cannot be mapped to any other role.

3. In the **Application Role** Name field, enter the name of the application role.
4. In the **Description** field, enter the description of the application role.


Copyright © 2006, 2026, Oracle and/or its affiliates.

5. From the **User Type** list, select appropriate type for which role is to be created.
6. From the **Touch Point** Type list, select appropriate option.
   a. If you select **External**;
      i. From the **Scope Name** list, select the appropriate scope to map to application role.
   b. If you select **Internal and User Type as Retail & Business**;
      i. From the **User Segment** list, select the appropriate segments for which maintenance is to be done.
      ii. If you select **Internal**;
         i. From the **Role Type** list, select the role type **Global** or If there is any specific role then select **Entity Specific**.
            i. If you select **Entity Specific** option, then select the Entity specific role from list.
7. From the **Role Type** list, select the role type Global or If there is any specific role then select **Entity Specific**.

   - If you select **Entity Specific** option, then select the Entity specific role from list.

8. Perform anyone of the following actions:
   - Click **Map Transaction** to map transaction to the role. The **Application Role Creation** screen to add transaction modules and touch points appears.
   - Click **Back** to navigate back to previous screen.
   - Click **Cancel** to cancel the transaction.

Figure 39-8 Role Maintenance - Application Role Creation



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.


Table 39-4 Role Maintenance - Application Role Creation - Field Description

Field Name	Description
Map Transactions	In following section user can do entitlement mapping.
Module Name	The modules for which the transaction mapping is to be done. Transactions under the selected modules will get displayed for mapping. **Note:** Select **All** option from the drop-down to select all modules.
Map Transactions to Touch Points	The internal touch points for which the transaction mapping is done for application role. All the internal touch point maintained in the system gets displayed here.

9. Select appropriate modules for transactions mapping.
10. Select the check box (against the list of Touch Points to map the transactions to selected touch points.
11. Perform anyone of the following actions:
    - Click **Next**. The entitlement mapping section Map Transaction appears.
    - Click **Clear** to reset the entered details.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 39-9 Role Maintenance - Map Transaction



> **Note**
>
> The fields which are marked as Required are mandatory.

Copyright © 2006, 2026, Oracle and/or its affiliates.


For more information on fields, refer to the field description table.

Table 39-5 Role Maintenance - Map Transaction - Field Description

Field Name	Description
Transactions	**Information specified in below fields are related to transactions**.
Transaction Name	Name of transaction to be mapped to the application role. The transactions are logically grouped for ease of mapping on **Role Maintenance** screen. **Note:** It is mandatory to map the transactions under the **Essential** category to the application role.
Action	Name of the action that can be performed for that transaction by the user to which this application role is assigned. • **Perform**- This action lets the user to perform or initiate those transactions and should be given to maker role. • **View**- This action lets the user to view the initiated and approved transactions by other users and should be given to viewer role. • **Check**- This action lets the user to check those transactions to which he/she has access and should be given to checker role. • **Approve**- This action lets the user to approve those transactions and should be given to approver role • **Release**- This action lets the user to release those transaction and should be given to releaser role

12. Click on the desired Touch Point tab for e.g. Internet.
13. To map the transactions to the role, click ▶ icon against the particular module, then select the transaction type, and then transactions to be mapped.
14. Perform anyone of the following actions:
    - Select the respective check boxes preceding to transaction to be mapped.
    - Select the checkbox at header level if you want to map all the transactions below that at one instance.
15. Click on the next touch point tab, a pop up window appears for asking **Copy data from touch point**.

Figure 39-10 Copy data from touch point Confirmation popup window




Copyright © 2006, 2026, Oracle and/or its affiliates.

a. Click **Yes** to select the touch point from which the data has to be copied.

b. Copy transaction mapping details of touch point to another popup window.

Figure 39-11 Copy data from touch point Confirmation popup window



a. From the **Select** list, select the touch point from the list.

b. Perform anyone of the following actions:

- Click **Apply**.
- Click **No**. to do the mapping operationally.

16. Perform anyone of the following actions:
    - Click **Save** to save the changes.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.
17. Perform anyone of the following actions:
    - The **Role Maintenance - Review** screen appears. Verify the details, and click **Confirm**.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.
18. The screen with success message of **Application Role Policy Map** appears.

    Click **OK** to complete the transaction.

39.5 FAQ

1. **Is it mandatory to map transactions to the created application role?**
   Yes. You will need to associate transactions for at least one module for a touch point, once an application role is created.
2. **Do I need to mandatorily map transactions for each touch point for the new application role created?**

Copyright © 2006, 2026, Oracle and/or its affiliates.

No, it is not mandatory to map transactions for each touch point for the new role created but if the same are not defined then on initiation of transaction from that touch point, system will give an access denied message.

3. **Why am I unable to select an action against a specific entitlement for a transaction?**
   This could be because that the specific action is not applicable or relevant for an entitlement i.e. approve as an action is not applicable to inquiry entitlement for a transaction.

4. **Can I copy the same transaction mapping for an application role from one touch point to another?**
   Yes, you can copy the details along with an option to decide from which touch point the details need to be copied. On selection of a touch point, system will prompt to select the touch point from which the entitlements need to be copied. If you had selected ‘No’ and later wish to copy the details, then you will need to click on the touch point tab again for the system to provide that option.

5. **Once I select the module and touch points for transaction mapping to an application, can I include additional modules and touch points?**
   Yes, you can click on ‘Edit’ and include additional modules and touch points for mapping.

6. **Can I associate multiple scopes to an application role of type external and how are they associated to external touch points?**
   No. Only one scope can be mapped to an application role to map transactions. Once a scope is mapped to an application role, that scope cannot be mapped to another application role. Multiple scopes can be associated to an external touch point as part of touch point definition and the same scope can be mapped to different external touch points.

Copyright © 2006, 2026, Oracle and/or its affiliates.

40 Entitlements


This topic describes the information about **Entitlements**.

Entitlements are the transactions that the user can perform. Each Entitlement is linked to a single or group of resources. Access of these entitlements to a role is given basis on the necessity and relevance of entitlement to that role. For creation of role and mapping entitlements to that role please refer to Role Transaction Mapping screen.

Pre-Requisites

- Transaction access is provided to System Administrator.

Figure 40-1 Workflow



Features supported in Application:

Using this option system administrator can perform the following actions:

- View Entitlement
- Edit Entitlement

Navigation Path: Perform anyone of the following navigation to access **Entitlements**.

- From **System Administrator Dashboard**, under **Authorization and Access Controls** widget, click **Entitlements**.
- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Authorization and Access Controls**. Under **Authorization and Access Controls** , click **Entitlements**.
- Entitlements - View
  This topic describes the systematic instruction to **Entitlements - View** screen.
- Entitlements - Edit
  This topic describes the systematic instruction to **Entitlements - Edit** screen.

40.1 Entitlements - View

This topic describes the systematic instruction to **Entitlements - View** screen.

Using this option, Administrator can search and view the existing entitlements.
To search entitlement (s):


Copyright © 2006, 2026, Oracle and/or its affiliates.

1. Navigate to one of the above paths.

   The **Entitlements** screen appears.

2. From the **Module Name** list, select the appropriate module for which the entitlements are to be viewed.
3. From the **Category Name** list, select the appropriate category of the selected module.
4. Enter the entitlement name.
5. Perform anyone of the following actions:
   - Click **Search**.
   - The based on the search criteria the list of entitlements appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to reset the entered details.
   - Enter the value directly in the **Entitlement Name** field and Click **Search**.

Figure 40-2 Entitlements - View



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 40-1 Entitlements - View - Field Description

Field Name	Description
Module Name	Name of the module under which all transactions are maintained. This field lists all the module names for the entitlements maintained in the system.
Category Name	Name of the category.
Entitlement Name	Name of entitlement/ transaction.
Entitlement Details	**Information specified in below fields are related to entitlement details**.
Module Name	Name of the module under which all transactions/ entitlements are maintained.
Category Name	Name of the category under the module. Under each module entitlements are grouped under a category.
Transaction Name	Name of entitlement/ transaction.
Service	Displays the list of service resources mapped to the entitlements.
User Interface Component	Displays the list of user interface components mapped to entitlements.
Action Name	Name of available actions for an entitlement. The options are: • **Approve** • **Perform** • **View**
Resource Name	Name of the resources mapped to entitlement for each action-Approve/Perform/View under Services or User Interface Component.

6. Click icon against the particular category to view the entitlement under that category.
7. Select the **Service** or **User Interface Component** tab to view respective details.
8. Perform anyone of the following actions:
   - Click icon to update entitlement details.
   - Click **Cancel** to cancel the transaction.

40.2 Entitlements - Edit

This topic describes the systematic instruction to **Entitlements - Edit** screen.

Using this option, Administrator can add or delete the resources under Services and User Interface Component.

To update entitlement details:


1. Navigate to one of the above paths.

   The **Entitlements** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

2. From the **Module Name** list, select the appropriate module for which the entitlements are to be viewed.
3. From the **Category Name** list, select the appropriate category of the selected module.
4. Enter the entitlement name.
5. Perform anyone of the following actions:
   - Click **Search**.
   - The based on the search criteria the list of entitlements appears.
   - Enter the value directly in the **Entitlement Name** field and Click **Search**.
6. Click icon against the particular category to view the entitlement under that category.
7. Click icon to update entitlement details.
   - The **Entitlements - Edit** screen appears.

Figure 40-3 Entitlements - Edit



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 40-2 Entitlements - Edit - Field Description

Field Name	Description
Module Name	Name of the module under which all transactions are maintained. This field lists all the module names for the entitlements maintained in the system.
Category Name	Name of the category.
Entitlement Name	Name of entitlement/ transaction.
Service	Displays the list of service resources mapped to the entitlements.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 40-2 (Cont.) Entitlements - Edit - Field Description

Field Name	Description
User Interface Component	Displays the list of user interface components mapped to entitlements.
Action Name	Name of available actions for an entitlement. The options are: • **Approve** • **Perform** • **View**
Resource Name	Name of the resources mapped to entitlement for each action-Approve/Perform/View under Services or User Interface Component.

8. Select the **Service** or **User Interface Component** tab to update the respective details.
9. Perform anyone of the following actions:
   - Click **Add Resources** link to add resource. This field populates all the existing resources in the system for selection.
   - Select the existing resources and click **Delete** link to delete the selected resource.
10. Perform anyone of the following actions:
    - Click **Save** to save the changes made to the entitlements.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.
11. Perform anyone of the following actions:
    - The **Review** screen appears. Verify the details, and click **Confirm**.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.

    The success message of entitlements updation appears.
12. Click **OK** to complete the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

41

User Segment Maintenance

This topic describes the systematic instruction to **User Segment Maintenance** option.

In order to offer appropriate product and services to the customers, banks can employ some method of segmentation. Banks can group customers into different segments on the basis of different attributes of the customer; it could be demographic information, geographical information, behavioral information etc.


Banks can have different communication mailers, authentication mechanisms, transaction limits and branding aspects on the basis of customer segmentation.

User segment maintenance screen allows the system administrator to create new segments and subsequently use these segments to define specific maintenances at user segment level. Limits can also be defined specific to a user segment. Within each user segment, limits package can be associated to different touch points.

Pre-Requisites

- Transaction access is provided to System / Bank Administrator.
- Application roles are maintained

Figure 41-1 Workflow



Pre-Requisites

- Transaction access is provided to System Administrator.
- Approval rule set up for System Administrator to perform the actions.

Features supported in Application:

- Create User Segment
- Search and View User Segment
- Edit User Segment

Navigation Path: Perform any one of the following navigation to access the **User Segments Maintenance**:

- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Authorization and Access Controls**. Under **Authorization and Access Controls** , click **User Segments Maintenance**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- From **System/ Bank Administrator Dashboard**, under **Authorization and Access Controls** widget, click **User Segments Maintenance**.
- User Segment Maintenance - Search
  This topic describes the systematic instruction to **User Segment Maintenance - Search** option.
- User Segment Maintenance - Edit
  This topic describes the systematic instruction to **User Segment Maintenance - Edit** option.
- User Segment Maintenance - Create
  This topic describes the systematic instruction to **User Segment Maintenance - Create** option.
- FAQ

41.1 User Segment Maintenance - Search

This topic describes the systematic instruction to **User Segment Maintenance - Search** option.

Using this option, System Administrator user can search the user segments maintained for retail users. The search result displays matching results based on search criteria entered. System Administrator can view details of a specific segment by selecting the segment ID to get required details for a segment.


To search user segments:

1. Navigate to one of the above paths.

   The **User Segment Maintenance** screen appears.
2. Perform anyone of the following actions:
   - In the **Segment Code** field, enter the segment code whose details you want to view.
   - In the **Segment Name** field, enter the name of the segment whose details you want to view.
   - From the **User Type** list, select the user type for which you wish to view user segment details. Currently only segments for user type ‘Retail’ can be defined.
3. Perform anyone of the following actions:
   - Click **Search**. The search results appear on the **User Segment Maintenance** screen based on the search parameters.
   - Click **Clear** to reset the details.
   - Click **Cancel** to cancel the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 41-2 User Segment Maintenance- Search Result



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 41-1 User Segment Maintenance- Search Result - Field Description


Field Name	Description
Search Parameters	**Information specified in below fields are related to Search Parameters.**
Segment Code	Enter the segment code of the segment that needs to be searched.
Segment Name	Enter the name of the segment that needs to be searched
User Type	Select the user type for which segment details needs to be searched
Search Result	**Information specified in below fields are related to Search Result.**
Segment Code	System displays the code of the segment(s) based on the search criteria input.
Segment Name	System displays the name of segment(s) based on the search criteria input.
User Type	System will display the user type i.e. Retail / Corporate against each of the search result.
Status	System displays the status of the segment whether it is active/ inactive.

4. Click the **Segment Code** link of the record for which you want to view the user segment details.

Copyright © 2006, 2026, Oracle and/or its affiliates.

The **User Segment Maintenance - View** screen appears.

Figure 41-3 User Segment Maintenance- View



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 41-2 User Segment Maintenance- View - Field Description

Field Name	Description
Segment Code	System displays the Segment Code of the segment that was selected to view details.
Segment Name	System displays the name of the segment that was selected to view details.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 41-2 (Cont.) User Segment Maintenance- View - Field Description

Field Name	Description
User Type	System displays the user type of the segment that was selected to view the details.
Allowed Application Roles	System displays the application roles that are mapped to the selected segment.
Status	System displays the current status of the selected segment i.e. whether the segment is active / inactive. **Note** If the user segment is no longer active and needs to be disabled then the same can be done in **Edit** mode.
Limits - Touch Points /Group/ Global Limits package can be optionally attached at user segment level. All the touch points and touch point groups maintained in the system are listed under each entity in case of multi entity setup. Limits Package can be mapped for each touch point and for a touch point group.	
Touch Points/ Group/ Global	Name of touch points/ groups/ global under a specific entity (with all internal and external touch points).
Internal Touch Points Group for All	Displays the touch points which are the part of a group.
Touch Points	Displays the touch points (banking channels) which allows a user to perform transactions using the touch points. The touch points could be: • **Mobile Application** • **Mobile (Responsive)** • **Internet** • **Mobile Banking** • **Missed Call Banking** • **SMS Banking** • **Wearables** • **Snapshot** • **Siri / Chatbot**

5. Perform anyone of the following actions:
   - Click **Edit** to modify the segment details.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

41.2 User Segment Maintenance - Edit

This topic describes the systematic instruction to **User Segment Maintenance - Edit** option.

Using this option, System Administrator can modify the details of the existing user segment.
To edit the user segment details:

1. Navigate to one of the above paths.

   The **User Segment Maintenance** screen appears.

2. Perform anyone of the following actions:

Copyright © 2006, 2026, Oracle and/or its affiliates.

- In the **Segment Code** field, enter the segment code whose details you want to modify.
- In the **Segment Name** field, enter the name of the segment whose details you want to modify.
- From the **User Type** list, select the user type whose user segment details you want to modify.


3. Perform anyone of the following actions:
   - Click **Search**.

     The search results appear on the **User Segment Maintenance** screen based on the search parameters.
   - Click **Clear** to reset the details.
   - Click **Cancel** to cancel the transaction.
4. Click **Edit** to modify the User Segment details.

   The **User Segment Maintenance - Edit** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 41-4 User Segment Maintenance - Edit



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 41-3 User Segment Maintenance - Edit - Field Description

Field Name	Description
Segment Code	System displays the segment code of the segment selected and is non-editable.
Segment Name	System displays the name of the selected segment and is available for edit.
User Type	System displays the User type for the selected segment and is non-editable
Allowed Application Roles	System displays the application roles that have been mapped to the selected segment and are available for edit. As part of edit, new application roles can be mapped and existing roles can be removed.
Status	System displays the current status of the user segment and is available for edit. **Note** You can modify the segment status to Active if the current state is Inactive and vice-versa.
Limits	**Information specified in below fields are related to Limits**.
Limit - Touch Points /Group Limits package can be optionally attached at user segment level. All the touch points and touch point groups maintained in the system are listed under each entity in case of multi entity setup. Limits Package can be mapped for each touch point and for a touch point group.	
Touch Points/ Group	Name of touch points/ groups maintained under a specific entity to which the limit packages can be mapped.
Package	System lists the packages available for mapping to a touch point/ touch point group. If there was any limits package to a touch point/ group mapped earlier, it will be shown in editable form.
Actions	Click icon to reset the limit packages defined for a segment.

5. Edit the required details i.e. segment name, allowed Application Roles, Status, and Limits package for any of the touch point/touch point group.
6. Perform anyone of the following actions:
   - Click **Save** to save the changes.

     The **Review** screen appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
7. Perform anyone of the following actions:
   - Verify the details, and click **Confirm**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

The success message of modification appears.

- Click **Cancel** to cancel the transaction.
- Click **Back** to navigate to the previous screen.

8. Click **OK** to complete the transaction.

41.3 User Segment Maintenance - Create

This topic describes the systematic instruction to **User Segment Maintenance - Create** option.

Using this option, System Administrator can create new user segment for a user type ‘Retail’.
To create the user segment:

1. Navigate to one of the above paths.


   The **User Segment Maintenance** screen appears.

2. Click **Create**.

   The **User Segment Maintenance - Create** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 41-5 User Segment Maintenance- Create



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 41-4 User Segment Maintenance- Create - Field Description

Field Name	Description
Segment Code	Enter the unique code for the user segment to be created.
Segment Name	Enter the name of the user segment to be created.
User Type	Select the User type from the list for which the user segment is to be created. Currently only user type 'Retail' is supported
Allowed Application Roles	Select the application role(s) that needs to be associated to the user segment being created. The selected application role(s) will be by default available to the users to whom the created segment is associated.
Limits	**Information specified in below fields are related to Limits**.
Limit - Touch Points /Group In this section user can define limits package for a user segment so that, bank can have varying limits depending on the segment of the user.	
Touch Points/ Group	Name of touch points/ groups maintained under a specific entity to which the limit packages can be mapped. **Note** The limits package will be associated to a touch point/touch point within a segment. It is not mandatory to associate limits package to each touch point / touch point group.
Package	Select the limits package from the list of packages available for mapping to a touch points/ groups.
Actions	Click  icon to reset the limit packages selected against the touch point.

3. In the **Segment Code** field, enter the unique code for the user segment to be created.
4. In the **Segment Name** field, enter the name of the user segment to be created.
5. In the **User Type** list, select the appropriate user type for the user segment being created.
6. In the **Allowed Application Roles** list, select the application role(s) to be mapped to the segment.
7. In the **Limits** section, select the limit packages to be mapped to touch points / touch point from the limit package list. The limits package selected as part of this definition will be applicable to the users to whom this segment is associated and will also depend on the limits preference applicability.

Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> Click icon to reset the limit packages applicable to a segment.

8. Perform anyone of the following actions:
   - Click **Save** to save the user segment details.

     The **Review** screen appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
9. Perform anyone of the following actions:
   - Verify the details, and click **Confirm**.

     The success message of transaction completion appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
     The user will be navigated back to the create screen.
10. Click **OK** to complete the transaction.

41.4 FAQ

1. **Is it mandatory to create a User Segment as part of Day 1 maintenances?**
   No. It is not mandatory to create User Segments as part of Day 1 definition. If User Segments are created, then the same will be available for association to user as part of User Onboarding but it is not mandatory to associate user segment to business users as part of onboarding.
2. **What is the relationship between User Segment and Application Roles?**
   Association of application roles to user segment is not mandatory. Multiple application roles can be assigned to a user segment and those application roles will be by default available to all users who are assigned that segment. The same application role can be mapped to multiple user segments.
3. **Can I remove specific application role(s) from the user level if I associate user segment?**
   The application role(s) that are mapped to a user segment cannot be removed from the user if the segment is associated to the user, however the application role(s) that are not associated to any user segment will be available for mapping/unmapping at user level.
4. **What will happen if I disable a Segment which is associated to Users?**
   Access to all the maintenances done on that segment level like Dashboard Builder, Product mapping, 2FA, Limits will not be referred. System will start referring to the maintenance done for the User Type associated to the users attached to the disabled segment, for Dashboard Builder, Product mapping, 2FA and Limits.

   Users associated to the disabled segment will not have access to the application roles attached to that segment, hence bank user should attach new segment or application operationally to those users.

Copyright © 2006, 2026, Oracle and/or its affiliates.

42

Authentication

This topic describes the information about **Authentication** screen.

Passwords are the most common form of authentication used in the world today. But passwords can easily be forgotten and commonly compromised. Two-factor authentication (2FA) adds an extra layer of security by requiring users to use two different authentication factors to verify their identity.

The two step verification or 2 Factor Authentication is an extra layer of security that is known as "multi factor authentication" that requires not only a password and username but also something that only, and only, the user knows e.g. tokens, OTP, answer of security questions etc. Using a Two Factor Authentication process can help to lower the number of cases of identity theft on the Internet, as well as phishing via email. For security reason authentication is used by user (Retail/ Corporate) while performing transactions through digital platform.

The Two Factor Authentication requires two different kinds of evidence before executing transaction successfully. This option enables the System Administrator to maintain authentication pattern for each transaction of a specific user segment.

Second Factor authentication can be set for each User type (Retail & Corporate) and for user type and User Segment combination (as of now user segment is only available for Retail user type).

This maintenance can be setup for each entity in a multi entity setup, which enables banks in defining different authentication mode for a same transaction for each entity.

In a multi entity setup, if the user is changing his entity, post login, then system should ask for second factor authentication.

The types of 2 factor authentication used are as follows:

- OTP : A onetime password will sent on user’s registered mobile number or email id .
- Security Questions: User will be asked to answer the security questions set up by him.
- Random Number based Soft Token: The token randomly changes on the soft token app after the system defined time, and user will be required to enter the same on screen to authenticate the transaction.
- Time based Soft Token : It is a time based soft token that gets generated on the soft token application. Token gets expired after a defined time and user will be required to generate a new token.
- Push Notifications based 2FA :User will get a push notification to authenticate and complete a transactions on his registered device (mobile/wearable), on initiation of a transaction from a different form factor .
- Since the user is required to authenticate the transaction on the device where he has received the push notification, It acts as an additional security wherein the user can approve/reject the transaction only from his registered device. For receiving push notifications user should allow the same for the respective app on his device.


Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> Two factor authentication is only for retail and corporate user.

Pre-requisites

- Transaction access is provided to System Administrator.
- Approval rule set up for Bank Administrator to perform the actions.
- Transactions are enabled for 2 Factor Authentication aspect.

Figure 42-1 Workflow



Features supported in Application:

The following options are available as part of this maintenance:

- View Authentication
- Edit Authentication
- Create Authentication

Navigation Path: Perform anyone of the following navigation to access **Authentication**screen.

- From **System/ Bank Administrator Dashboard**, under **Security** widget, click **Authentication**.
- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Security**. Under **Security** , click **Authentication**.
- Authentication - View
  This topic describes the information about **Authentication - View** screen.
- Authentication - Edit
  This topic describes the information about **Authentication - Edit** screen.
- Authentication - Create
  This topic describes the information about **Authentication - Create** screen.
- FAQ

Copyright © 2006, 2026, Oracle and/or its affiliates.

42.1 Authentication - View


This topic describes the information about **Authentication - View** screen.

On accessing **Authentication** menu, system displays the existing maintenance available for selected user segment to view the authentication setup for user segment.
To view the authentication setup for user segment:

1. Navigate to one of the above paths.

   The **Authentication** screen appears.
2. From the **Enterprise Role** list, select the appropriate role.
3. From the **User Segment** list, select the appropriate user segment.

Figure 42-2 Authentication Setup



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 42-1 Authentication Setup - Field Description

Field Name	Description
Enterprise Role	Name of enterprise roles set in application. The options are: • **Retail User** • **Corporate User**
User Segment	The user segments maintained by the Bank (applicable for Retail User type only).

4. Perform anyone of the following actions:
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to go back to **Dashboard**.
   - Click **View** to view the 2FA maintained for the user segment.


Copyright © 2006, 2026, Oracle and/or its affiliates.

- The **Authentication - View** screen appears.


> **Note**
>
> a. If the existing maintenance is not available for selected user segment, message will be displayed **2 Factor Authentication for this user segment has not been set up yet** with the **Set up now** button which launches the screen to maintain 2 Factor Authentication.
>
> b. Only OTP should be maintained as the second factor authentication mode for **Wallet Registration** event. Other second factor authentication modes like Soft Token and Security Questions are not supported for this event.
>
> c. 2FA mode Push Notification based 2FA is not supported for the following transactions:
>
> - Login
> - Push Notification registration
> - Soft Token registration
>
> d. If the user is changing his entity post login, system will check the 2FA mode configured for Login event for the changed/destination entity, and if the 2FA mode for 'Login' event is different for the changed/destination entity then the user will be asked for the incremental second factor authentication (as per the setup).
>
> e. If the 2FA mode is same for both the entities, then on switching the entity user will not be asked for any second factor authentication.
>
> f. Following modes of 2FA will be supported on Login event :
>
> - OTP
> - OTP
> - Soft Token

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 42-3 Authentication Setup- View



Copyright © 2006, 2026, Oracle and/or its affiliates.



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 42-2 Authentication Setup- View - Field Description

Field Name	Description
View	**Information specified in below fields are related to view**.
Enterprise Role	View the enterprise role for which the 2 Factor Authentication is set-up.
User Segment	View the user segment for which the 2 Factor Authentication is set-up.
Transactions	**Information specified in below fields are related to transactions**.
Transaction Type	The transaction type for which the 2 Factor Authentication is set-up.
Level 1	Displays the first level of two factor authentication mode (Security Questions, One Time Password, Soft Token, Push Notification based 2FA) set for the transaction type.
Number of Question	Number of security questions to be asked from user at level 1 authentication. This field appears only if the **Security Question** option is selected as the **Authentication**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 42-2 (Cont.) Authentication Setup- View - Field Description

Field Name	Description
Level 2	Displays the second level of two factor authentication mode (Security Questions, One Time Password , Soft Token, Push Notification based 2FA) set for the transaction type.
Number of Question	Number of security questions to be asked from user at level 2 authentication. This field appears only if the **Security Question** option is selected in the **Authentication**.

5. Perform anyone of the following actions:
   - Click **Edit** to update the details, the screen in editable mode appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

42.2 Authentication - Edit

This topic describes the information about **Authentication - Edit** screen.

System Administrator can modify existing authentication maintenance.
To edit the authentication setup:

1. Navigate to one of the above paths.

   The **Authentication** screen appears.
2. From the **Enterprise Role** list, select the appropriate role.
3. From the **User Segment** list, select the appropriate user segment (if applicable).
4. Click **View** to view the 2 Factor Authentications maintained for the user segment.

   The **Authentication - View** screen appears.
5. Click **Edit**.


   The **Authentication – Edit** screen with values in editable form appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 42-4 Authentication - Edit



Copyright © 2006, 2026, Oracle and/or its affiliates.



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 42-3 Authentication - Edit - Field Description

Field Name	Description
Edit	**Information specified in below fields are related to edit**.
Enterprise Role	The enterprise role for which the 2 Factor Authentication is set-up.
User Segment	The user segment for which the 2 Factor Authentication is set-up.
Transactions	**Information specified in below fields are related to transactions**.
Transaction Type	The transaction type for which the 2 Factor Authentication is set-up.
Level 1	The first level of two factor authentication mode (Security Questions, One Time Password , Soft Token, Push Notification based 2FA) set for the transaction type. The options are: • **None** • **Security Question** • **One Time Password** • **Soft Token** • **Push Notification**

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 42-3 (Cont.) Authentication - Edit - Field Description

Field Name	Description
Number of Question	Number of security questions to be asked from user at level 1 authentication. This field appears only if the **Security Question** option is selected as the **Authentication**mode.
Level 2	The second level of two factor authentication mode (Security Questions, One Time Password , Soft Token, Push Notification based 2FA) set for the transaction type. The options are: • **None** • **Security Question** • **One Time Password** • **Soft Token** • **Push Notification**
Number of Question	Number of security questions to be asked at level 2 authentication. This field appears only if the **Security Question** option is selected as the **Authentication** mode.

6. In **Transactions** section, in **Level 1** of authentication select the appropriate option.
   - If user selects **Security Question** option: In the Number of questions field enter the number of security questions to be asked.
7. In the **Number of questions** field enter the number of security questions to be asked.
8. In **Transactions** section, in **Level 2** of authentication select the appropriate option.
   - If user selects **Security Question** option: In the Number of questions field enter the number of security questions to be asked.
9. In the **Number of questions** field enter the number of security questions to be asked.

> **Note**
>
> Click **Apply to all** to apply the same kind of level 1 & level 2 authentication for all transaction types.

10. Perform anyone of the following actions:
    - Click **Save** to save the changes made.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.
11. Perform anyone of the following actions:
    - The **Authentication Review** screen appears.
    - Click **Edit** to make the changes if any.
    - The **Authentication – Edit** screen with values in editable form screen appears.
    - Click **Cancel** to cancel the operation.

    The success message of authentication setup appears along with the transaction reference number.
12. Click **OK** to complete the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

42.3 Authentication - Create

This topic describes the information about **Authentication - Create** screen.

System Administrator can create authentication maintenance if the maintenance is not available.


To create the authentication setup for user segment:

1. Navigate to one of the above paths.

   The **Authentication** screen appears.

2. From the **Enterprise Role** list, select the appropriate role.
3. From the **User Segment** list, select the appropriate user segment (if applicable).

Figure 42-5 Authentication Setup



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 42-4 Authentication Setup - Field Description


Field Name	Description
Enterprise Role	The enterprise role for which the 2 Factor Authentication is set-up.
User Segment	The user segments maintained by the Bank. The options are: • **Retail User** • **Corporate User**

4. Perform anyone of the following actions:
   - Click **Cancel** to cancel the transaction.
   - Click **View** to view the 2 Factor Authentications maintained for the user segment. The **Authentication - View** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> If the existing maintenance is not available for selected user segment, message will be displayed "Authentication for this user segment has not been set up yet" with a setup now button.


Figure 42-6 Authentication - Create



5. Click **Set up now** to create new 2Factor Authentication.

   The **Authentication - Create** screen appears.


Figure 42-7 Authentication - Create



Copyright © 2006, 2026, Oracle and/or its affiliates.



Copyright © 2006, 2026, Oracle and/or its affiliates.



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 42-5 Authentication - Create - Field Description

Field Name	Description
Create	**Information specified in below fields are related to create**.
Enterprise Role	The enterprise role for which the 2 Factor Authentication is set-up.
User Segment	The user segment for which the 2 Factor Authentication is set-up from. The options are: • **Retail User** • **Corporate User**
Transactions	**Information specified in below fields are related to transactions**.
Transaction Type	The transaction type for which the 2 Factor Authentication is set-up.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 42-5 (Cont.) Authentication - Create - Field Description

Field Name	Description
Level 1	The first level of two factor authentication mode (Security Questions, One Time Password , Soft Token, Push Notification based 2FA) set for the transaction type. The options are: • **None** • **Security Question** • **One Time Password(OTP)** • **Soft Token** • **Push Notification**
Number of Question	Number of security questions to be asked from user at level 1 authentication. This field appears only if the **Security Question** option is selected as the **Authentication**mode.
Level 2	The second level of two factor authentication mode (Security Questions, One Time Password , Soft Token, Push Notification based 2FA) set for the transaction type. The options are: • **None** • **Security Question** • **One Time Password(OTP)** • **Soft Token** • **Push Notification**
Number of Question	Number of security questions to be asked from user at level 2 authentication. This field appears only if the **Security Question** option is selected as the **Authentication** mode.

6. In **Transactions** section, in **Level 1** of authentication select the appropriate option.
   - If user selects **Security Question** option: In the Number of questions field enter the number of security questions to be asked.
7. In **Transactions** section, in **Level 2** of authentication select the appropriate option.
   - If user selects **Security Question** option: In the Number of questions field enter the number of security questions to be asked.

> **Note**
>
> Click **Apply to all** to apply the same kind of level 1 & level 2 authentications for all transaction types.

8. Perform anyone of the following actions:
   - Click **Save** to save the changes made.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

   The **Authentication Create– Review** screen appears.
9. Perform anyone of the following actions:
   - The **Authentication Create– Review** screen appears. Verify the details, and click **Confirm**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Edit** to make the changes if any. The **Authentication – Edit** screen with values in editable form appears.
- Click **Cancel** to cancel the operation.

The success message of Authentication setup appears along with the transaction reference number.

10. Click **OK** to complete the transaction.

42.4 FAQ

1. **Can I also set the 2 Factor Authentication for transaction approval?**
   You don't have to set up separate 2 Factor Authentication for transaction approval. The 2 Factor Authentication set for transaction initiation will also applied for transaction approval as well.
2. **When will the changes made in authentication maintenance be applied?**
   Changes made in the authentication maintenance will be effective from an immediate effect. This will be applicable to new transactions initiated as well as for transactions pending for approval post the changes are effective.
3. **Is it mandatory to set authentication method at both the levels?**
   No, you may set 1 level authentication for specific transaction. This can be achieved by selecting specific authentication method at level 1 and by specifying **None** option at level 2.
4. **Can I set No additional authentication required for specific transaction?**
   Yes, this can be achieved by selecting **None** option at level1 and level 2. No additional authentication is required for transaction initiation and approval if both levels are set as **None**.
5. **Where can I define which security questions to be asked to the users?**
   A separate maintenance **Manage Security Questions** is available to set the up the questions which are to be asked to the users as a part of authentication process.
6. **Is it mandatory to set up 2 factor authentication for a User Type and User Segment Combination**
   No, User Segment is an optional field and is applicable for only for Retail type of users. If the Bank doesn't want to setup the authentication for a user segment, they can simply do it for each user type.
7. **Can I set up this maintenance for each entity in case of a multi entity setup?**
   Yes, Authentication can be setup for each entity in case of a multi entity setup. User can select the entity from the entity selection drop-down available on the top right corner of the application to set up the maintenance.
8. **If Push notifications is set a second factor authentication, then how will the user authenticate a transaction ?**
   User will receive a push notification on his registered device (mobile/wearable), he can click on the notification and authenticate and complete the transaction on the device where he has received the notification.
9. **If the user initiates a transaction form his mobile app and Push notification is set as the 2FA for that transaction , in this case where will he receive the push notification ?**
   User will receive the notification on his registered device i.e. mobile or wearable. He can complete the transaction by clicking on the same on the mobile itself.

Copyright © 2006, 2026, Oracle and/or its affiliates.

43

Security Questions Maintenance

This topic describes the information about **Security Questions Maintenance** feature.

This function allows the System Administrator to set up security questions, which will then be used as another layer of security (Over & above the Login credentials), before a user (Retail/ Corporate/ Administrator) can complete transactions through the internet channel.

Through the Manage Security Questions functionality, the administrator user can create and modify security questions. user can add the security questions, if required.

Features Supported In Application


The following options are available to the administrator user as part of this maintenance:

- View Security Questions
- Edit Security Questions (Add new)
- Setup Security Questions (1st time setup)

Pre-requisites

- Transaction access is provided to System Administrator.

Figure 43-1 Workflow



Navigation Path: Perform the following navigation to access the **Security Questions Maintenance**.

- From **System Administrator Dashboard**, under **Security** widget, click **Security Questions Maintenance**.
- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Security**. Under **Security** , click **Security Questions Maintenance**.
- View Security Questions
  This topic describes the systematic instruction to **View Security Questions** option.
- Security Questions Maintenance - Edit
  This topic describes the systematic instruction to **Security Questions Maintenance - Edit** option.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Security Questions Maintenance - Create
  This topic describes the systematic instruction to **Security Questions Maintenance - Create** option.
- FAQ

43.1 View Security Questions


This topic describes the systematic instruction to **View Security Questions** option.

On accessing **Manage Security Questions** option, system displays the existing security questions already maintained if any.
To view the existing security questions maintenance:

1. Navigate to one of the above paths.

   The **Security Questions Maintenance** screen appears.

Figure 43-2 Security Questions Maintenance - View



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 43-1 Security Questions Maintenance - View - Field Description

Field Name	Description
View	**Information specified in below fields are related to view.**
Questions	The list of security questions set for users, as an added layer of security.

Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> If the first-time maintenance is not already done, a message will be displayed **Security Questions has not been set up yet**. With a button alongside – **Set up now**

2. Perform anyone of the following actions:
   - Click **Edit** to update the set of security questions. An editable screen appears.
   - Click **Cancel** to cancel the transaction.

43.2 Security Questions Maintenance - Edit

This topic describes the systematic instruction to **Security Questions Maintenance - Edit** option.

System Administrator can modify existing maintenance for security questions. Administrator is allowed to add security questions but cannot delete the existing questions.
To edit the security questions set:

1. Navigate to one of the above paths.


   The **Security Questions Maintenance** screen appears.
2. Click **View** to view the security questions already set.

   The **Security Questions Maintenance - View** screen appears.
3. Click **Edit**.

   The **Security Questions Maintenance – Edit** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 43-3 Security Questions Maintenance - Edit



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 43-2 Security Questions Maintenance - Edit - Field Description

Field Name	Description
Edit	**Information specified in below fields are related to edit.**
Questions	This section displays the security questions.
Questions	The list of security questions.

4. Click **Add More** to add more security questions.
   - Type the new question to be added in the set.
5. Perform anyone of the following actions:
   - Click **Confirm** to save the changes made.
   - Click **Cancel** to cancel the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Back** to navigate to the previous screen.

6. Perform anyone of the following actions:
   - The **Security Questions Maintenance – Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
7. The success message of security question setup appears along with the transaction reference number.

   Click **OK** to complete the transaction.

43.3 Security Questions Maintenance - Create


This topic describes the systematic instruction to **Security Questions Maintenance - Create** option.

As a part of first-time maintenance of Security Questions, the System Administrator can set-up security questions.
To set security questions:

1. Navigate to one of the above paths.

   The **Security Questions Maintenance** screen appears.

Figure 43-4 Security Question Maintenance - Setup




> **Note**
>
> Since the security question maintenance is not available, message will be displayed **Security Questions have not been set up yet**. Alongside a button – **Set up now**

2. Click **Set up now** to set-up security questions.

   The **Security Questions Maintenance - Create** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 43-5 Security Questions Maintenance - Create



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 43-3 Security Questions Maintenance - Create - Field Description

Field Name	Description
Create	**Information specified in below fields are related to create**.
Questions	The list of security questions

3. Type the security question to be added.

> **Note**
>
> Click icon adjacent to question to delete the particular question.

4. Click **Add More** to add more security questions.
   - Type the new question to be added in the set.
5.
   - Click **Save** to save the changes made.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
6. Perform anyone of the following actions:
   - The **Security Questions Maintenance – Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
7. The success message of security question setup appears along with the transaction reference number.

   Click **OK** to complete the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

43.4 FAQ

1. **Can I delete the existing security questions?**
   No, you can add more questions, but cannot delete the existing questions.
2. **How many questions will be asked to the user as layer of security?**
   Number of questions to be asked shall be defined while defining ‘Authentication’ mode using ‘Authentication’ maintenance.

Copyright © 2006, 2026, Oracle and/or its affiliates.

44

Password Policy Maintenance

This topic describes the information about **Password Policy Maintenance** option. Password policy maintenance enables System Administrator to define password parameters for users.

Using this option System Administrator can create, view and edit, password policy for different user types (Admin, Retail and Corporate). Password policy maintenance contains following sections:


- Password Validators: This section contains the validations for a password. The validations include minimum and maximum length of the password, allowed characters in a password, repetitive and successive characters allowed, details to be excluded in the password like, date of birth, first and last name, user ID and party ID and Bank defined restricted passwords. User can also define, number of successive incorrect attempts allowed, and number of previous passwords disallowed.
- Password Expiry Parameters: This section contains details about password expiry period in days, first password expiry period in days and whether to force user to change password if there is a change in password policy(so that users can change their password as per the new password policy).

> **Note**
>
> This feature will only be available with OBDX DB authenticator as Identity Management System.

Prerequisites

- Provide transaction access to System Administrator.

Figure 44-1 Workflow



Navigation Path: Perform anyone of the following navigation to access **Password Policy Maintenance**.

- From **System/ Bank Administrator Dashboard**, under **Security** widget, click **Password Policy Maintenance**.
- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Security**. Under **Security** , click **Password Policy Maintenance**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Password Policy Maintenance - Search
  This topic describes the systematic instruction to **Password Policy Maintenance - Search** option.
- Password Policy Maintenance - View
  This topic describes the systematic instruction to **Password Policy Maintenance - View** option.
- Password Policy Maintenance - Create
  This topic describes the systematic instruction to **Password Policy Maintenance - Create** option.
- Password Policy Maintenance - Edit
  This topic describes the systematic instruction to **Password Policy Maintenance - Edit** option.
- FAQ

44.1 Password Policy Maintenance - Search


This topic describes the systematic instruction to **Password Policy Maintenance - Search** option.

To search password policy:

1. Navigate to one of the above paths.

   The **Password Policy Maintenance** screen appears.
2. In the **Policy Name** field, enter the password policy name.
3. Perform anyone of the following actions:
   - Click **Search**. The search results corresponding to the search criteria are displayed.
   - Click **Clear** to reset the entered details.
   - Click **Cancel** to cancel the transaction.

Figure 44-2 Password Policy Maintenance - Search



> **Note**
>
> The fields which are marked as Required are mandatory.

Copyright © 2006, 2026, Oracle and/or its affiliates.

For more information on fields, refer to the field description table.

Table 44-1 Password Policy Maintenance - Search - Field Description

Field Name	Description
Search Criteria	**Information specified in below fields are related to search criteria**.
Policy Name	Password policy name.
Policy Description	Brief description of the password policy.
Search Result	**Information specified in below fields are related to search result**.
Policy Name	Password policy name.
Policy Description	Brief description of the password policy.
User Type	Type of users for which the password policy to be applied.

44.2 Password Policy Maintenance - View


This topic describes the systematic instruction to **Password Policy Maintenance - View** option.

To view password policy details:

1. Navigate to one of the above paths.

   The **Password Policy Maintenance** screen appears.
2. In the **Policy Name** field, enter the password policy name.
3. Perform anyone of the following actions:
   - Click **Search**. The search results corresponding to the search criteria are displayed.
   - Click **Clear** to reset the selected transaction.
   - Click **Cancel** to cancel the transaction.

Figure 44-3 Password Policy Maintenance - Search




4. Click the **Policy Name** link of the record for which you want to view the password policy details.

   The **Password Policy Maintenance - View** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 44-4 Password Policy Maintenance - View



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 44-2 Password Policy Maintenance - View - Field Description

Field Name	Description
User Type	Indicates the user type for which the password policy is applied. Multiple user types can be selected for a single policy. The user type are: • **Corporate User** • **Administrator** • **Retail User**
Policy Name	Password policy name.
Policy Description	Brief description of the password policy.
Password Validators	**Information specified in below fields are related to password validators**.
Password Length	The minimum and maximum length of the password.
Allowed Characters	Characters allowed in the password. Different types of characters are: • **Upper Case** • **Lower Case** • **Special Characters** • **Numbers**

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 44-2 (Cont.) Password Policy Maintenance - View - Field Description

Field Name	Description
Allowed Special Characters	The allowed Special characters in the password. The example of special characters could be, @, #, &, etc. This field only gets enabled if the Administrator has allowed special characters in the password (in Allowed Characters field).
Repetitive Characters Allowed	Number of repetitive characters allowed in the password. For example: If you enter 2 in this field, user can enter 2 repetitive characters in his password like aabcd. If user enters aaabcd as his password, system will display error.
Successive Characters Allowed	Number of successive characters allowed. For example: If you enter 4 in this field, then user cannot enter four successive characters (aaaa/1111) in the password.
Exclusion Details in Password	The exclusion options. It can be multiple values. Exclusion details includes: • **First Name** • **Last Name** • **User ID** • **Date of Birth** • **Party ID**
Restricted Password	The restricted password. The multiple commonly used passwords which are entered by user which the Bank does not want it's user to define as password.. For example: If you enter restricted password as Password123, the system does not allow the user to set his password as 'Password123'.
Successive Invalid Login Allowed	The number of attempts allowed for login with incorrect password. User will get locked once he reached the maximum invalid attempts allowed.
Previous Password Disallowed	The disallowed number of historic passwords. For example: If you enter 5 in this field user can not define his last five passwords as his new password.
Password Expiry Parameters	**Information specified in below fields are related to password expiry parameters**.
Password Expiry Period	The number of days after which the password will get expired.
Password Warning Period	The period in days in this field, post which user will get a warning message to change his password. This field gets only enabled if the **Password Expiry Period** is set.
First Password Expiry Period	The number of days after which user's first system generated password will get expired.
Force Password Change with Policy Change	The check box to force change the password if there is a change in any of the parameter in the password validators section.

5. Perform anyone of the following actions:
   - Click **Edit** if you want to edit the password policy details.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

44.3 Password Policy Maintenance - Create


This topic describes the systematic instruction to **Password Policy Maintenance - Create** option.

To create a new password policy:

1. Navigate to one of the above paths.

   The **Password Policy Maintenance** screen appears.
2. From the **Enterprise Role** list, select the appropriate role.
3. To apply the password policy, select the appropriate user type.
4. In the **Policy Name** field, enter the password policy name.
5. In the **Policy Description** field, enter the password description.
6. In the **Password Validators** section, enter the minimum and maximum length of the password in the min and max field.

Figure 44-5 Create New Password Policy



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 44-3 Create New Password Policy - Field Description

Field Name	Description
User Type	Indicates the user type for which the password policy is applied. Multiple user types can be selected for a single policy. The user type are: • **Corporate User** • **Administrator** • **Retail User**
Policy Name	Password policy name.
Policy Description	Brief description of the password policy.
Password Validators	**Information specified in below fields are related to password validators**.
Password Length	The minimum and maximum length of the password.
Allowed Characters	Characters allowed in the password. Different types of characters are: • **Upper Case** • **Lower Case** • **Special Characters** • **Numbers**
Mandatory	Select the **Mandatory** check box to make the selected allowed character mandatory in the password. This field only gets enabled if the user has selected 'Allowed' for that character.
Mandatory Characters Allowed	Enter the number of mandatory characters that should be present in the password. This field only gets enabled if the user has selected 'Mandatory' for that character.
Allowed Special Characters	Enter the allowed Special characters in the password. The example of special characters could be, @, #, &, etc. This field only gets enabled if the Administrator has allowed special characters in the password (in Allowed Characters field).
Repetitive Characters Allowed	Number of repetitive characters allowed in the password. For example: If you enter 2 in this field, user can enter 2 repetitive characters in his password like aabcd. If user enters aaabcd as his password, system will display error.
Successive Characters Allowed	Number of successive characters allowed. For example: If you enter 4 in this field, then user cannot enter four successive characters (aaaa/1111) in the password.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 44-3 (Cont.) Create New Password Policy - Field Description

Field Name	Description
Exclusion Details in Password	Select the exclusion option from the list. You can select multiple values from the list. Exclusion details includes: • **First Name** • **Last Name** • **User ID** • **Date of Birth** • **Party ID**
Restricted Password	Enter the restricted password. User can input multiple commonly used passwords which the Bank does not want it's user to define as password. For example: If you enter restricted password as Password123, the system does not allow the user to set his password as 'Password123'.
Successive Invalid Login Allowed	Enter the number of attempts allowed for login with incorrect password. User will get locked once he reached the maximum invalid attempts allowed.
Previous Password Disallowed	Enter the disallowed number of historic passwords. For example: If you enter 5 in this field user can not define his last five passwords as his new password.
Password Expiry Parameters	**Information specified in below fields are related to password expiry parameters**.
Password Expiry Period	Enter the number of days after which the password will get expired.
Password Warning Period	Enter the period in days in this field, post which user will get a warning message to change his password. This field should only be enabled if the **Password Expiry Period** is set.
First Password Expiry Period	Enter the number of days after which user's first system generated password will get expired.
Force Password Change with Policy Change	Select the check box to force change the password if there is a change in any of the parameter in the password validators section.

7. Perform anyone of the following actions:
   - Click **Save** to save the password policy details.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
8. Perform anyone of the following actions:
   - The **Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

   The success message of password creation appears along with the transaction reference number.
9. Click **OK** to complete the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

44.4 Password Policy Maintenance - Edit

This topic describes the systematic instruction to **Password Policy Maintenance - Edit** option.


To edit password policy:

1. Navigate to one of the above paths.

   The **Password Policy Maintenance** screen appears.
2. In the **Policy Name** field, enter the password policy name.
3. Click **Search**.

   The search results corresponding to the search criteria are displayed.

Figure 44-6 Edit Password Policy - Search



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 44-4 Edit Password Policy - Search - Field Description

Field Name	Description
Search Criteria	**Information specified in below fields are related to search criteria.**
Policy Name	Password policy name.
Policy Description	Brief description of the password policy.
Search Result	**Information specified in below fields are related to search result.**
Policy Name	Password policy name.
Policy Description	Brief description of the password policy.

Copyright © 2006, 2026, Oracle and/or its affiliates.


Table 44-4 (Cont.) Edit Password Policy - Search - Field Description

Field Name	Description
User Type	Type of users for which the password policy to be applied.

4. Click the password policy name in the **Policy Name** column.
5. Click **Edit**.

   The password policy details screen is displayed.

Figure 44-7 Edit Password Policy



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 44-5 Edit Password Policy - Field Description

Field Name	Description
User Type	Indicates the user type for which the password policy is applied. Multiple user types can be selected for a single policy. The user type are: • **Corporate User** • **Administrator** • **Retail User**
Policy Name	Password policy name.
Policy Description	Brief description of the password policy.
Password Validators	**Information specified in below fields are related to password validators**.
Password Length	The minimum and maximum length of the password.
Allowed Characters	Characters allowed in the password. Different types characters are: • **Upper Case** • **Lower Case** • **Special Characters** • **Number**
Mandatory	Select the Mandatory check box to make the selected allowed character mandatory in the password. This field only gets enabled if the user has selected 'Allowed' for that character.
Mandatory Characters Allowed	Number of mandatory characters that should be present in the password. This field only gets enabled if the user has selected 'Mandatory' for that character.
Allowed Special Characters	Special characters allowed in the password. The example of special characters could be, @, #, &, etc. This field only gets enabled if the Administrator has allowed special characters in the password (in Allowed Characters field).
Repetitive Characters Allowed	Number of repetitive characters allowed in the password. For example: If you enter 2 in this field, user can enter 2 repetitive characters in his password like, aabcd. If user enters aaabcd as his password, system will display error.
Successive Characters Allowed	Number of successive characters allowed. For example: If you enter 4 in this field, then user cannot enter four successive characters (aaaa/1111) in the password.
Exclusion Details in Password	Select the exclusion option from the list. You can select multiple values from the list. Exclusion details includes: • **First Name** • **Last Name** • **User ID** • **Date of Birth** • **Party ID**
Restricted Password	Enter the restricted password. User can input multiple commonly used passwords which the Bank does not want it's user to define as password. For example: If you enter restricted password as Password123, the system does not allow the user to set his password as 'Password123'.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 44-5 (Cont.) Edit Password Policy - Field Description

Field Name	Description
Successive Invalid Login Allowed	Enter the number of attempts allowed for login with incorrect password. User will get locked once he reached the maximum invalid attempts allowed.
Previous Password Disallowed	Enter the disallowed number of historic passwords. For example: If you enter 5 in this field user can not define his last five passwords as his new password.
Password Expiry Parameters	**Information specified in below fields are related to password expiry parameters**.
Password Expiry Period	Enter the number of days after which the password will get expired.
Password Warning Period	Enter the period in days in this field, post which user will get a warning message to change his password. This field should only be enabled if the **Password Expiry Period** is set.
First Password Expiry Period	Enter the number of days after which user's first system generated password will get expired.
Force Password Change with Policy Change	Select the check box to force change the password if there is a change in any of the parameter in the password validators section.

6. Modify the appropriate details.
7. Perform anyone of the following actions:
   - Click **Save** to save the password policy details.
   - Click **Cancel** to cancel the transaction.
8. Perform anyone of the following actions:
   - The **Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

   The success message of password creation appears along with the transaction reference number.
9. Click **OK** to complete the transaction.

44.5 FAQ

1. **If I edit a password policy, will the new policy be applied for the existing users mapped under the user category?**
   Yes, the new password policy will get applied to existing as well as new users.
2. **If an existing password policy has changed will the existing users be asked to change their password to meet criteria as per the new policy**
   Existing users will only be asked to change their password if the **Force Password Change with Policy Change** checkbox is checked in the password policy.
3. **Will the user be shown any warning before the password expiry?**
   Yes, user will be shown a message on his dashboard prompting him to change his password starting from the number of days maintained in password warning period until the password gets expired.
4. **Can the Bank define more than one password policy for a user type (Administrator/ Corporate/Retail)?**
   No, only one policy can be defined for a particular user type.

Copyright © 2006, 2026, Oracle and/or its affiliates.

5. **Can the System Administrator delete a Password policy?**
   No, deletion of password policy is not permitted; however system administrator can make changes to the existing password policy.

Copyright © 2006, 2026, Oracle and/or its affiliates.

45
Security Keys

- Password Encryption and Decryption with Public and Private Key Pairs
  This topic describes the information about **Password Encryption and Decryption with Public and Private Key Pairs** option.
- API Key
  This topic describes the information about the **API Key**.
- JWT Encryption Key
  This topic describes the systematic instruction to **JWT Encryption Key** option.

45.1 Password Encryption and Decryption with Public and Private Key Pairs

This topic describes the information about **Password Encryption and Decryption with Public and Private Key Pairs** option.

Encryption and decryption allow communication between two parties to disguise information. The sender encrypts information before sending it and the receiver decrypts the information after receiving it. While in transit, the information is encrypted to ensure that it is protected from an intruder.

Public and Private key pair helps to encrypt information that ensures sensitive data is protected during transmission. Whatever is encrypted with a Public Key can only be decrypted by its corresponding Private Key and vice versa.

45.2 API Key

This topic describes the information about the **API Key**.


The API key is a unique identifier that helps authentication server handle non authenticated requests. This is required by asynchronous requests such as File upload, alerts, etc. to communicate with the authentication server. Hence, as a part of Day 1 activity, API Key should be mandatorily generated by clicking the **Generate** button.

Navigation Path: Perform the following navigation to access the **API Key**.

From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Security**. Under **Security** , click **Security Keys**, then click **API Key**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 45-1 API Key




45.3 JWT Encryption Key

This topic describes the systematic instruction to **JWT Encryption Key** option.

A JSON web token is a JSON object to represent a set of information. On sign in, user is authenticated and JWT token is generated. This JWT is subsequently passed to make API calls.
To keep sensitive information hidden from the bearer (client) or third parties, JWT should be encrypted.

A single key can be used to encrypt the data, if the JWT is encrypted with the key then the data can be decrypted using the same key.

Figure 45-2 Security Keys



To generate the security keys:

1. From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Security**. Under **Security**, click **Security Keys**.

   The **Security Keys** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

2. The default behaviour in the product will be no encryption for password as well as JWT.
3. If encryption needs to be enabled, then the system administrator should generate the respective keys.
4. Click **Generate** against the **Public and Private Key Pair**.

   System will generate public as well as private keys.
5. Click **Generate** against the **JWT Encryption Key**.

   System will generate the symmetric key for encryption.
6. Click **OK** to complete the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

46

User Group - Subject Mapping

This topic describes the systematic instruction to **User Group - Subject Mapping** option.


This maintenance facilitates mapping of subjects, to user groups in the bank, to streamline communication between the bank's users and its end customers.

Once User Groups are mapped to certain transactions or modules, users, in that group can reply to communication pertaining to the specific subject. The communication channel used is the bank's secure mailbox. For instance, employees in the Credit Card department of the bank will be able to reply to / address queries raised by customers who are overdue on their payments or who want to seek clarification on their monthly statement.

Pre-requisites

- Transaction access is provided to System Administrator.
- Approval rule set up for System Administrator to perform the actions.
- Administrator user groups are maintained.
- Maintain applicable subjects, for each Module.

Figure 46-1 Workflow



Features supported in Application:

The following options are available as part of this maintenance:

- Search User Group - Subject Mapping
- Create User Group - Subject Mapping
- Modify User Group - Subject Mapping

Copyright © 2006, 2026, Oracle and/or its affiliates.

Navigation Path: Perform any one of the following navigation to access the **User Group Subject Mapping**:

- From **System/ Bank Administrator Dashboard**, under **Communications** widget, click **User Group Subject Mapping**.
- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Communications**. Under **Communications**, click **User Group Subject Mapping**.

The **User Group Subject Mapping** screen appears.

- User Group - Subject Mapping - Search
  This topic describes the systematic instruction to **User Group - Subject Mapping - Search** option.
- User Group - Subject Mapping - Create
  This topic describes the systematic instruction to **User Group - Subject Mapping - Create** option.
- User Group - Subject Mapping - Modify
  This topic describes the systematic instruction to **User Group - Subject Mapping - Modify** option.
- FAQ

46.1 User Group - Subject Mapping - Search

This topic describes the systematic instruction to **User Group - Subject Mapping - Search** option.


User Group – subject mapping search option allows System Administrator to view the existing User Group - Subject Mapping.
To view User Group - Subject Mapping:

1. Navigate to one of the above paths.

   The **User Group - Subject Mapping** screen appears.
2. Perform anyone of the following actions:
   - In the **Mapping Code** field, enter the user group - subject mapping code for which you want to view the details.
   - In the **Description** field, enter the user group - subject mapping description for which you want to view the details.
   - From the **Group Code** list, select the group code already maintained to view the details of the same.
3. Click **Search**.
   - Click **Clear** to reset the details.
   - Click **Cancel** to cancel the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 46-2 User Group - Subject Mapping - Search



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 46-1 User Group - Subject Mapping - Search - Field Description


Field Name	Description
Mapping Code	The user group - subject mapping code.
Description	The user group - subject mapping description.
Group Code	The group code to enquire about user group subject mapping, already maintained.

4. Click the **Mapping Code** for which you want to view the mapping details.

   The **User Group - Subject Mapping - View** screen displays the mapping of subject to the user group.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 46-3 User Group - Subject Mapping - View



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 46-2 User Group - Subject Mapping - View - Field Description

Field Name	Description
Mapping Code	The user group - subject mapping code.
Description	The user group - subject mapping description.
Mapping Details	**Information specified in below fields are related to Mapping Details**.
Group Code	The group code assigned to user group subject mapping.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 46-2 (Cont.) User Group - Subject Mapping - View - Field Description

Field Name	Description
Subjects	The list of all subjects maintained. **Note** 1) All Subjects: if this is checked, then all subjects will be mapped with selected group code within the CASA, TD, Loans, Credit Cards modules. 2) List of Individual Subject: Module wise list of subjects will be available with check box against those. If this is checked, then individual subject is mapped with selected group code within the CASA, TD, Loans, Credit Cards and other modules.

5. Perform anyone of the following actions:
   - Click **Edit** to edit the subject mapping details.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

46.2 User Group - Subject Mapping - Create

This topic describes the systematic instruction to **User Group - Subject Mapping - Create** option.

Using User Group – Subject mapping - Create option, System Administrator can create the user group - subject mapping.


To create User Group - Subject Mapping:

1. Navigate to one of the above paths.

   The **User Group - Subject Mapping** screen appears.
2. Perform anyone of the following actions:
   - Click **Create**. The **User Group - Subject Mapping - Create** screen appears.
   - Click **Back** to navigate to the previous screen.
   - Click **Cancel** to cancel the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 46-4 User Group - Subject Mapping - Create



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 46-3 User Group - Subject Mapping - Create - Field Description

Field Name	Description
Mapping Code	The user group - subject mapping code.
Description	The user group - subject mapping description.
Mapping Details	**Information specified in below fields are related to Mapping Details**.
Group Code	The group code assigned to user group subject mapping.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 46-3 (Cont.) User Group - Subject Mapping - Create - Field Description

Field Name	Description
Subjects	The list of all subjects maintained. **Note** a. All Subjects: if this is checked, then all subjects will be mapped with selected group code within the CASA, TD, Loans, and Credit Cards modules. b. List of Individual Subject: Module wise list of subjects will be available with check box against those. If this is checked, then individual subject is mapped with selected group code within the CASA, TD, Loans, Credit Cards and other modules.

3. In the **Mapping Code** field, enter the user group - subject mapping code.
4. In the **Description** field, enter the user group - subject mapping description.
5. From the **Group Code** list, select the appropriate option.
6. Perform anyone of the following actions:
   - Select the respective check boxes preceding the subject to be mapped.
   - Select **All Subjects** check box, if you want to map all subjects.
7. Update the required details.
8. Perform anyone of the following actions:
   - Click **Save** to save the modified details.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
9. Perform anyone of the following actions:
   - The **Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the transaction.
   - Click **Edit** to modify the details.
10. The success message of creation of user group - subject mapping along with the transaction reference number appears.

    Click **OK** to complete the transaction.

46.3 User Group - Subject Mapping - Modify

This topic describes the systematic instruction to **User Group - Subject Mapping - Modify** option.

Using User Group – Subject Mapping - Modify option; System Administrator can edit the user group - subject mapping.

To edit the User Group - Subject Mapping:

1. Navigate to one of the above paths.


Copyright © 2006, 2026, Oracle and/or its affiliates.

The **User Group - Subject Mapping** screen appears.

2. Perform anyone of the following actions:
   - In the **Mapping Code** field, enter the user group - subject mapping code for which you want to view the details.
   - In the **Description** field, enter the user group - subject mapping description for which you want to view the details.
   - From the **Group Code** list, select the group code already maintained to view the details of the same.
3. Click **Search** to display results based on search criteria.
4. Click the **Mapping Code** for which you want to view the mapping details.

   The **User Group - Subject Mapping - View** screen displays the mapping of subject to the user group.

Figure 46-5 User Group - Subject Mapping - Edit



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 46-4 User Group - Subject Mapping - Edit - Field Description

Field Name	Description
Mapping Code	The user group - subject mapping code.
Description	The user group - subject mapping description.
Mapping Details	**Information specified in below fields are related to Mapping Details**.
Group Code	The group code assigned to user group subject mapping.
Subjects	The list of all subjects maintained. **Note** a. All Subjects: if this is checked, then all subjects will be mapped with selected group code within the CASA, TD, Loans, and Credit Cards modules. b. Individual Subject: if this is checked, then individual subject is mapped with selected group code within the CASA, TD, Loans, Credit Cards modules.

5. Perform anyone of the following actions:
   - Select the respective check boxes preceding the subject to be mapped.
   - Select **All Subjects** check box, if you want to map all subjects.
6. Update the required details.
7. Perform anyone of the following actions:
   - Click **Save** to save the modified details.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
8. Perform anyone of the following actions:
   - The **Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the transaction.
   - Click **Edit** to modify the details.
9. The success message of update along with the transaction reference number appears.

   Click **OK** to complete the transaction.

46.4 FAQ

1. **If a user has been mapped to all subjects in the CASA module, what does it mean?**
   If the bank user is mapped to all subjects in CASA, he will be able to receive and reply to the business users on those CASA subjects.
2. **How does this maintenance help the bank and its customers?**
   This set-up is a way to allow or restrict access, to the users of the bank. This enables a secure communication channel between the bank and its end customers.
3. **I am an employee of the bank, and I belong to the user group that is mapped to all Term Deposits subjects. Can I initiate an email and send it to the customer?**

Copyright © 2006, 2026, Oracle and/or its affiliates.

No, you cannot initiate a correspondence with a customer, you can only reply to his queries on Term Deposits, through the mailbox.

Copyright © 2006, 2026, Oracle and/or its affiliates.

47

Alerts Templates

This topic describes the information about **Alerts Templates** screen. This option allows the System Administrator to define required parameters for each alert that is to be sent to the banks internal (Administrators) and external users (Business users).

User can define the alert messages to be sent to different recipients on different channels. Also the type of alert Mandatory or subscribed can be defined by the user for each event.

Application also supports actionable alerts. Actionable alerts help user taking an action on the alert message received so that he/she does not have to navigate to the respective transaction manually to take specific action on the message. These alerts can be defined for any of the delivery mode i.e. email, SMS, push notification and on screen.

> **Note**
>
> If both Retail and Business parties are mapped to a user, then the alerts behavior will be as below:
>
> 1. For the transactions done in a Retail Party, alert will be sent to the user's contact information available in the respective core banking application.
> 2. For the transactions done in a Business Party, alert will be sent to the user's contact information available at the user level in Digital Banking.

Factory shipped Actionable Alerts:

Corporate Approval – User will be able to click on the link available in the alert and he or she will be redirected to transaction approval page.

Pre-requisites

- Transaction access is provided to System Administrator.
- Approval rule set up for System Administrator to perform the actions.
- Various events are maintained

Features supported in Application:

The available features available to System Administrator users in the application:

- View alerts templates already maintained
- Create a new alert template
- Edit an alert template
- Delete an alert template

Navigation Path: Perform anyone of the following navigation to access **Alerts Templates**

- From **System/ Bank Administrator Dashboard**, under **Communications** widget, click **Alerts Templates**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Communications**. Under **Communications** , click **Alerts Templates**.
- View Alert Template
  This topic describes the information about **View Alert Template** screen. Using this option, System Administrator can search and view the details of any alerts maintained based on the search parameters.
- Create Alert Template
  This topic describes the information about **Create Alert Template** screen. Using this option, the System Administrator defines the alerts.
- Update Alert Template
  This topic describes the information about **Update Alert Template** screen. Using this option, System Administrator can edit the details of selected alerts template defined in the application.
- Delete Alert Template
  This topic describes the information about **Delete Alert Template** screen.
- FAQ

47.1 View Alert Template

This topic describes the information about **View Alert Template** screen. Using this option, System Administrator can search and view the details of any alerts maintained based on the search parameters.


If the search parameters are not specified, records of all the alerts maintained in the application are displayed (i.e. a blank search is allowed).
To view alert templates:

1. Navigate to one of the above paths.

   The **Alerts Templates** screen appears.
2. From the **Event Group** list, select the appropriate option whose alerts you to view.
3. From the **Event Name** list, select the event, for which one wants to view the alerts maintained.
4. Perform anyone of the following actions:
   - Click **Search**. The alerts maintained appear based on the entered search parameters.
   - Click **Create** to create new alert template.
   - Click **Clear** to reset the details.
   - Click **Cancel** to cancel the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 47-1 Alerts Templates- Search



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 47-1 Alerts Templates- Search - Field Description


Field Name	Description
Event Group	Name of the event for which alert is maintained.
Event Name	The event activity associated with the alert based on the event group name selection.
Search Results	**Information specified in below fields are related to search details**.
Description	The details about the alert template. Click on the link to view the details of the alert template.
Locale	Language in which the message is defined.
Delivery Mode	The delivery mode through which the alert is to be sent. The options are: • **Secure Mail Box**: Alert is sent as a message to customer's secured mail box (mailbox available within OBDX). • **Email**: alert is to be sent as an email • **SMS**: alert is to be sent as an SMS on the user's mobile number • **Push Notification**: notifications are sent as a banner or pop-up message on the user's mobile number • **WhatsApp**

5. To view the details of a specific alert template, click on the **Description** link, in the Search Results table.

   The **Alert Templates- View** screen with maintained details appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 47-2 View Alert Templates



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 47-2 View Alert Templates - Field Description

Field Name	Description
Event Group	Name of the event for which alert is maintained.
Event Name	The event activity associated with the alert based on the Module name selection.
Alert Type	The type of alert i.e. if the alert is a subscription based alert or is one that is sent by the bank by default (mandatory). The options are: • **S**: Subscribed • **M**: Mandatory (Bank Notification)
Description	The details about the alert template.
Locale	Language in which the message is defined.
Subject	The subject as specified in the template.
Message	
Subject	The subject as specified in the template.
Message	The content of the template.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 47-2 (Cont.) View Alert Templates - Field Description

Field Name	Description
Delivery Mode	The delivery mode through which the alert is to be sent. The options are: • **Secure Mail Box**: Alert is sent as a message to customer's secured mail box (mailbox available within OBDX). • **Email**: alert is to be sent as an email • **SMS**: alert is to be sent as an SMS on the user's mobile number • **Push Notification**: notifications are sent as a banner or pop-up message on the user's mobile number • **WhatsApp**

6. Perform anyone of the following actions:
   - Click **Edit** to edit the alerts details.
   - Click **Delete** to delete the alert. (Only non-mandatory alerts can be deleted).
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to previous screen.

47.2 Create Alert Template

This topic describes the information about **Create Alert Template** screen. Using this option, the System Administrator defines the alerts.

User has to select the module-event combination for which the alert needs to be maintained. Further user has to select the recipients for whom the alerts need to be sent on an event.
To create an alert template:


1. Navigate to one of the above paths.

   The **Alerts Templates** screen appears.

2. Click **Create** to create an alert.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 47-3 Create Alert Template



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 47-3 Create Alert Template - Field Description

Field Name	Description
Event Group	Name of the event for which alert is to be created. The options are: • **Term Deposits** • **Current and Savings Account** • **Loan** • **Originations** • **Payments** • **Host** • **User Management** • **Back Office** • **File Upload** • **Approvals** • **Credit Card** • **PFM** • **Reports** • **Wallets**
Event Name	The event activity associated with the alert based on the event group selection.
Description	The details about the alert template.
Locale	Language in which the message is defined.
Subject	The subject as specified in the template.
Delivery Mode	The delivery mode through which the alert is to be sent. The options are: • **Secure Mail Box**: Alert is sent as a message to customer's secured mail box (mailbox available within OBDX). • **Email**: alert is to be sent as an email • **SMS**: alert is to be sent as an SMS on the user's mobile number • **Push Notification**: notifications are sent as a banner or pop-up message on the user's mobile number. **Note:** For Push Notification alerts, user can define separate sound/notification tone for different notifications so that, there can be a clear differentiation in the tone between an update (related to an account) and promotions. • **WhatsApp**

3. From the **Event Group** list, select the appropriate option for whom alert template you wish to create
4. From the **Event Name** list, select the appropriate option which you want to create alert.
5. In the **Description** field, enter the description for the alert template to be created
6. From the **Locale** list, select the appropriate option
7. In the **Subject** field, enter the subject for the alert template.
8. In the **Delivery Mode** field, select the appropriate option.
9. Perform anyone of the following actions:
   - Click **Save** to save the details entered.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate back to previous screen.
10. Perform anyone of the following actions:

Copyright © 2006, 2026, Oracle and/or its affiliates.

- The **Review** screen appears. Verify the details, and click **Confirm**.
- Click **Back** to navigate back to previous screen.
- Click **Cancel** to cancel the transaction.

The success message appears.

11. Click **OK** to complete the transaction.

47.3 Update Alert Template

This topic describes the information about **Update Alert Template** screen. Using this option, System Administrator can edit the details of selected alerts template defined in the application.

To create an alert:

1. Navigate to one of the above paths.

   The **Alert Maintenance** screen appears.

2. Perform anyone of the following actions:
   - Enter the search criteria, and click **Search**. The alert templates maintained appear based on the entered search parameters.
   - Click **Create** to create new alert template.
   - Click **Clear** to reset the details.
   - Click **Cancel** to cancel the transaction.
3. Click on alert template description link whose details you want to modify.


   The **Alert Template- View** screen with maintained details appears.

4. Click **Edit** to edit the alert template details.

   The **Update Alert Template** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 47-4 Update Alert Template



5. Update the required fields. Module Name, Event Name and Alert Type fields are read only, and cannot be edited.

> **Note**
>
> Event Group, Event Name, Alert Type, and LocaleModule Name, Event Name and Alert Type fields are read only, and cannot be edited.

6. Click to enable / disable the delivery mode, by clicking the check box.
7. Click **Save** to update the alert maintenance.

   User will be directed to the **Update Alert Template - Review** page post necessary validations.
8. Perform anyone of the following actions:
   - The **Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Edit** to make the changes if any. The **Update Alert Template** screen with values in editable form appears.
   - Click **Cancel** to cancel the transaction.

   The success message appears.
9. Click **Done** to complete the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

47.4 Delete Alert Template

This topic describes the information about **Delete Alert Template** screen.

Using this option, you can search and delete an existing alert template.


> **Note**
>
> The mandatory alerts cannot be deleted.

To delete an alert:

1. Navigate to one of the above paths.

   The **Alert Templates** screen appears.
2. Repeat steps 1 to 2 of **Update Alert Template** section.
3. Click **Delete** to delete an alert template.
4. The **Delete Template** popup message appears, click **Yes**.
5. The **Alert Template** screen with the successful object deletion message appears.
6. Click **OK** to complete the transaction.

Figure 47-5 Delete Alert Template



The list of events for Alert Maintenance,

Table 47-4 Events for Alert Maintenance

SR No.	Description	Event
1	UPI transfer Account failed	ADHOC_UPI_ACCOUNT_FAILURE
2	UPI transfer Account Successful	ADHOC_UPI_ACCOUNT_SUCCESS
3	UPI transfer VPAID failed	ADHOC_UPI_VPAID_FAILURE
4	UPI transfer VPAID Successful	ADHOC_UPI_VPAID_SUCCESS
5	System Rejected Transaction	AP_SYSTEM_REJECTED_TRANSACTION
6	Onboard Counter Party Initiated	ASP_COUNTER_PARTY_CREATE_INITIATED
7	Send Non-customer Link to upload KYC documents	ASP_COUNTER_PARTY_KYC_UPLOAD

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 47-4 (Cont.) Events for Alert Maintenance

SR No.	Description	Event
8	Create Help Desk Session	BO_HELPDESKSESSION_CREATE
9	Delete Help Desk Session	BO_HELPDESKSESSION_DELETE
10	Replace Credit Card Successful	CC_REPLACE_CARD
11	Collateral Evaluation Offer Success Alert	CF_APPLICATION_OFFER_SUCCESS
12	Collateral Revaluation Offer Success Alert	CF_APPLICATION_REVAL_OFFER_SUCCESS
13	Collateral Revaluation Application Submission Success Alert	CF_APPLICATION_SUCCESS
14	Collateral Evaluation Application Submission Success Alert	CF_APPLICATION_SUCCESS
15	Account Status Changed	CH_ACCOUNT_STATUS_CHANGED
16	Account Statement Generated	CH_ACC_STATEMENT_GENERATION
17	CASA Adhoc Statement Request	CH_ADHOC_STATEMENT_REQUEST
18	ATM Cash Withdrawal	CH_ATM_CASH_WITHDRAWAL
19	Account Balance Changed	CH_BALANCE_CHANGED
20	Bill Payment Debited	CH_BILL_PAYMENT
21	Cash Deposited	CH_CASH_CREDIT
22	Cash Refund Credited	CH_CASH_REFUND
23	Stop/Unblock Cheque Number	CH_CHEQUENUMBERINSTRUCTION
24	Stop/Unblock Cheque Range	CH_CHEQUERANGEINSTRUCTION
25	Cheque Book Request	CH_CHEQUE_BOOK_REQUEST
26	Cheque Clearance Credited	CH_CHEQUE_CLEARED_CR
27	Cheque Clearance Debited	CH_CHEQUE_CLEARED_DR
28	Debit Card Payment	CH_DEBIT_CARD_PAYMENT
29	E-Statement Subscription	CH_ESTATEMENT_SUBSCRIPTION
30	External Transfer Credited	CH_EXTERNAL_TRANSFER_CR
31	External Transfer Debited	CH_EXTERNAL_TRANSFER_DR
32	Future Dated Payment Instruction Failed	CH_FUTURE_INSTRUCTION_FAILURE
33	Internal Transfer Credited	CH_INTERNAL_TRANSFER_CR
34	Internal Transfer Debited	CH_INTERNAL_TRANSFER_DR
35	Inward Cheque returned	CH_INWARD_CHEQUE_RETURNED
36	Maintenance Charges Debited	CH_MAINTAINENCE_CHARGES_DR
37	Outward Cheque returned	CH_OUTWARD_CHEQUE_RETURNED
38	Standing Instruction Payment Instruction Failure	CH_SI_INSTRUCTION_FAILURE
39	Create Sweep-in Instruction	CH_SWEEP_IN_CASA_CREATION
40	Delete Sweep-in Instruction	CH_SWEEP_IN_CASA_DELETE
41	Create Sweep-in Instruction	CH_SWEEP_IN_FD_CREATION
42	Delete Sweep-in Instruction	CH_SWEEP_IN_FD_DELETE
43	Forget Password	FORGOTPASSWORD_ALERT_ON_SUCCESS

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 47-4 (Cont.) Events for Alert Maintenance

SR No.	Description	Event
44	File Status Changed - Approved Successfully	FU_FILE_APPROVAL_SUCCESS
45	File Status Changed - Approved Successfully	FU_FILE_APPROVAL_SUCCESS
46	File Status Changed - Deleted Successfully	FU_FILE_DELETE_SUCCESS
47	Error in file processing	FU_FILE_ERROR_OCCUR
48	Error in file processing	FU_FILE_ERROR_OCCUR
49	File Status Changed - Processed Successfully With Exception	FU_FILE_PROCESSEXCP_SUCCESS
50	File Status Changed - Processed Successfully	FU_FILE_PROCESSING_IN_PROGRESS_SUCCESS
51	File Status Changed - Processed Successfully	FU_FILE_PROCESSING_IN_PROGRESS_SUCCESS
52	File Status Changed - Processed Successfully	FU_FILE_PROCESS_SUCCESS
53	File Status Changed - Uploaded Successfully	FU_FILE_UPLOAD_SUCCESS
54	File verification failed during preprocessing	FU_FILE_VERIFICATION_FAILURE
55	File Status Changed - Verified Successfully	FU_FILE_VERIFICATION_SUCCESS
56	Forex Deal Created Successfully	FX_DEAL_CREATION
57	initiateLoanApplication	GR_initiateLoanApplication_create
58	Invoice Accepted Sucess Alert	INV_INVOICE_ACCEPTED
59	Invoice Canceled Sucess Alert	INV_INVOICE_CANCELLED
60	Invoice Creation Sucess Alert	INV_INVOICE_CREATED
61	Invoice Rejected Sucess Alert	INV_INVOICE_REJECTED
62	Invoice Modified Sucess Alert	INV_INVOICE_UPDATED
63	Loan Repayment	LN_ACOUNT_REPAYMENT
64	Loan Drawdown Application Success Alert	LN_APPLICATION_DRAWDOWN_SUCCESS
65	Structure Creation	LQM_STRUCTURE_CREATION
66	Structure Execution	LQM_STRUCTURE_EXECUTION
67	Structure Status Resumed	LQM_STRUCTURE_STATUS_A
68	Structure Status Paused	LQM_STRUCTURE_STATUS_P
69	Structure Updation	LQM_STRUCTURE_UPDATION
70	Push OOB 2FA	OOB_AUTHENTICATION
71	Associate Coapplicants successful	OR_ASSOCIATE_COAPPLICANTS
72	Origination Current Submission	OR_CURRENT_SUBMISSION
73	Origination Loan Submission	OR_LOAN_SUBMISSION
74	Saved Originations Application	OR_SAVE_SUBMISSION
75	Origination Savings Submission	OR_SAVINGS_SUBMISSION
76	UPI transfer Account using payee failed	PAYEE_UPI_ACCOUNT_FAILURE
77	UPI transfer Account using payee successul	PAYEE_UPI_ACCOUNT_SUCCESS

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 47-4 (Cont.) Events for Alert Maintenance

SR No.	Description	Event
78	UPI transfer VPAID using payee failed	PAYEE_UPI_VPAID_FAILURE
79	UPI transfer VPAID using payee successul	PAYEE_UPI_VPAID_SUCCESS
80	Biller registration auto pay cancelled Successful	PC_AUTOPAY_CANCEL_SUCCESS
81	Biller registration auto pay modified Successful	PC_AUTOPAY_UPDATE_SUCCESS
82	Biller registration auto pay setup Successful	PC_AUTO_PAY_SUCCESS
83	Biller Creation	PC_BILLER_CREATION
84	Delete Biller Successful	PC_BILLER_DELETE_SUCCESS
85	Biller Deletion	PC_BILLER_DELETION
86	Biller registration Successful	PC_BILLER_REGISTRATION_SUCCESS
87	Biller Updation	PC_BILLER_UPDATION
88	Create bill Successful	PC_BILL_CREATION_SUCCESS
89	Bill Payment Initiation	PC_BILL_PAYMENT_INITIATION
90	Demand Draft Fund Transfer Payee Modification	PC_DEMAND_DRAFT_PAYEE_MODIFICATION
91	Domestic Demand Draft Initiation	PC_DOMESTIC_DRAFT_INITIATION
92	Domestic Draft Pay Later Initiation	PC_DOMESTIC_DRAFT_INSTRUCTION_INITIATION
93	Domestic Demand Draft Payee Creation	PC_DOMESTIC_DRAFT_PAYEE_CREATION
94	Domestic Demand Draft Payee Deletion	PC_DOMESTIC_DRAFT_PAYEE_DELETION
95	Domestic Fund Transfer Payee Creation	PC_DOMESTIC_PAYEE_CREATION
96	Domestic Fund Transfer Payee Deletion	PC_DOMESTIC_PAYEE_DELETION
97	Domestic Fund Transfer Payee Modification	PC_DOMESTIC_PAYEE_MODIFICATION
98	Domestic Payer Deletion	PC_DOMESTIC_PAYER_DELETION
99	Domestic Payer Creation	PC_DOMESTIC_PAYER_INITIATION
100	Domestic Payin Initiation	PC_DOMESTIC_PAYIN_INITIATION
101	Domestic Fund Transfer Pay Later Initiation	PC_DOMESTIC_TRANSFER_INITIATION
102	Domestic Fund Transfer Initiation	PC_DOMESTIC_TRANSFER_INITIATION
103	Domestic Fund Transfer SI Initiation	PC_DOMESTIC_TRANSFER_SI_INITIATION
104	External Transfer Initiation	PC_EXTERNAL_TRANSFER_INITIATION
105	Internal Transfer Initiation	PC_FX_INTERNAL_TRANSFER_INITIATION
106	Internal Transfer Initiation	PC_FX_INTERNAL_TRANSFER_INITIATION
107	International Fund Transfer Initiation	PC_FX_INTERNATIONAL_TRANSFER_INITIATION

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 47-4 (Cont.) Events for Alert Maintenance

SR No.	Description	Event
108	International Fund Transfer Initiation	PC_FX_INTERNATIONAL_TRANSFER_INITIATION
109	Own Account Transfer Initiation	PC_FX_OWN_TRANSFER_INITIATION
110	Own Account Transfer Initiation	PC_FX_OWN_TRANSFER_INITIATION
111	Cancellation of Standing Instructions	PC_INSTRUCTION_CANCELLATION
112	Internal Fund Transfer Payee Creation	PC_INTERNAL_PAYEE_CREATION
113	Internal Fund Transfer Payee Deletion	PC_INTERNAL_PAYEE_DELETION
114	Internal Fund Transfer Payee Modification	PC_INTERNAL_PAYEE_MODIFICATION
115	Internal Fund Transfer Initiation	PC_INTERNAL_TRANSFER_INITIATION
116	Internal Fund Transfer Pay Later Initiation	PC_INTERNAL_TRANSFER_INITIATION
117	Internal Fund Transfer SI Initiation	PC_INTERNAL_TRANSFER_SI_INITIATION
118	International Demand Draft Initiation	PC_INTERNATIONAL_DRAFT_INITIATION
119	International Draft Pay Later Initiation	PC_INTERNATIONAL_DRAFT_INSTRUCTION_INITIATION
120	International Demand Draft Payee Creation	PC_INTERNATIONAL_DRAFT_PAYEE_CREATION
121	International Demand Draft Payee Deletion	PC_INTERNATIONAL_DRAFT_PAYEE_DELETION
122	International Fund Transfer Payee Creation	PC_INTERNATIONAL_PAYEE_CREATION
123	International Fund Transfer Payee Deletion	PC_INTERNATIONAL_PAYEE_DELETION
124	International Fund Transfer Payee Modification	PC_INTERNATIONAL_PAYEE_MODIFICATION
125	International Fund Transfer Pay Later Initiation	PC_INTERNATIONAL_TRANSFER_INITIATION
126	International Fund Transfer Initiation	PC_INTERNATIONAL_TRANSFER_INITIATION
127	International Fund Transfer SI Initiation	PC_INTERNATIONAL_TRANSFER_SI_INITIATION
128	Self Transfer Pay Later Initiation	PC_OWN_TRANSFER_INITIATION
129	Self Transfer Initiation	PC_OWN_TRANSFER_INITIATION
130	Self Transfer SI Initiation	PC_OWN_TRANSFER_SI_INITIATION
131	Peer to Peer Fund Transfer Payee Creation	PC_P2P_PAYEE_CREATION
132	Peer to Peer Fund Transfer Payee Deletion	PC_P2P_PAYEE_DELETION
133	Peer to peer Fund Transfer Payee Modification	PC_P2P_PAYEE_MODIFICATION
134	Peer to Peer Fund Transfer Initiation - Receiver	PC_PEER_TO_PEER_RECEIVER_INITIAION
135	Peer to Peer Fund Transfer Confirmation	PC_PEER_TO_PEER_SENDER_CONFIRMATION

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 47-4 (Cont.) Events for Alert Maintenance

SR No.	Description	Event
136	Peer to Peer Fund Transfer Initiation - Sender	PC_PEER_TO_PEER_SENDER_INITIATION
137	Cancellation of Pending Instructions	PC_PENDING_INSTRUCTION_CANCELLATION
138	QR Payment	PC_QR_TRANSFER_INITIATION
139	Biller registration schedule pay cancelled Successful	PC_SCHEDULED_PAY_CANCEL_SUCCESS
140	Biller registration schedule pay setup Successful	PC_SCHEDULED_PAY_SUCCESS
141	Biller registration schedule pay modified Successful	PC_SCHEDULED_PAY_UPDATE_SUCCESS
142	Update Payee	PC_UPDATE_PAYEE_SUCCESS
143	Token Generation	PI_AUTHENTICATION_TOKEN_GENERATION
144	Token Generation for a day	PI_AUTHENTICATION_TOKEN_GENERATION_DAY
145	Token Generation through media	PI_AUTHENTICATION_TOKEN_GENERATION_MEDIA
146	Financial Transaction Token Generation through media	PI_AUTHENTICATION_TOKEN_GENERATION_MEDIA_FIN
147	Non-Financial Transaction Token Generation through media	PI_AUTHENTICATION_TOKEN_GENERATION_MEDIA_NONFIN
148	CREATE NOMINEE	PI_NOMINEE_CREATION
149	DELETE NOMINEE	PI_NOMINEE_DELETE
150	UPDATE NOMINEE	PI_NOMINEE_UPDATE
151	Amend Recurring Deposit	RD_ACCOUNT_AMENDMENT
152	Create Recurring Deposit	RD_ACCOUNT_CREATION
153	Redeem Recurring Deposit	RD_ACCOUNT_REDEMPTION
154	Recurring Deposit Adhoc Statement Request	RD_ADHOC_STATEMENT_REQUEST
155	User Registration	REGISTRATION_ALERT_ON_SUCCESS
156	Report Request	RT_REPORT_GENERATION
157	Rewards Initiation	RW_SEND_NOTIF
158	Create Associated Party Initiated	SCF_ASSOCIATED_PARTY_CREATE_INITIATED
159	SCF Finance Request Successful	SCF_FINANCE_CREATE_SUCCESSFUL
160	SCF Finance Repayment Successful	SCF_FINANCE_REPAY_SUCCESSFUL
161	SCF Invoice Accept Successful	SCF_INVOICE_ACCEPT_SUCCESSFUL
162	SCF Invoice Cancel Successful	SCF_INVOICE_CANCEL_SUCCESSFUL
163	SCF Invoice Creation Initiated	SCF_INVOICE_CREATE_SUCCESSFUL
164	SCF Invoice Reject Successful	SCF_INVOICE_REJECT_SUCCESSFUL

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 47-4 (Cont.) Events for Alert Maintenance

SR No.	Description	Event
165	SCF Invoice Update Successful	SCF_INVOICE_UPDATE_SUCCESSFUL
166	SCF Program Creation Initiated	SCF_PROGRAM_CREATION_INITIATED
167	SCF Program Update Initiated	SCF_PROGRAM_UPDATE_INITIATED
168	Forget User Id	SMS_USERNAME_ALERT_ON_SUCCESS
169	Service Request Closure Success	SR_SERVICE_REQUEST_CLOSURE
170	Service Request Submission Failure	SR_SERVICE_REQUEST_SUBMISSION_FAILURE
171	Service Request Submission Alert Notification	SR_SERVICE_REQUEST_SUBMISSION_NOTIFICATION_SUCCESS
172	Service Request submission Success	SR_SERVICE_REQUEST_SUBMISSION_SUCCESS
173	Transaction Blackout create Successful	TB_CREATE_SUCCESS
174	Transaction Blackout delete Successful	TB_DELETE_SUCCESS
175	Transaction Blackout update Successful	TB_UPDATE_SUCCESS
176	Amend Term Deposit	TD_ACCOUNT_AMENDMENT
177	Term Deposit Closure	TD_ACCOUNT_CLOSURE
178	Create Term Deposit	TD_ACCOUNT_CREATION
179	Open Term Deposit	TD_ACCOUNT_OPENING
180	Redeem Term Deposit	TD_ACCOUNT_REDEMPTION
181	Change in Term Deposit Account Status	TD_ACCOUNT_STATUS_CHANGED
182	Term Deposit Adhoc Statement Request	TD_ADHOC_STATEMENT_REQUEST
183	Transaction Approved	TRANSACTION_APPROVED
184	Update User Party Account Access - Auto Approved	TRANSACTION_AUTO_APPROVED
185	Create Rule - Auto Approved	TRANSACTION_AUTO_APPROVED
186	Delete Rule - Auto Approved	TRANSACTION_AUTO_APPROVED
187	Update Rule - Auto Approved	TRANSACTION_AUTO_APPROVED
188	Add User in UserGroup - Auto Approved	TRANSACTION_AUTO_APPROVED
189	Create UserGroup - Auto Approved	TRANSACTION_AUTO_APPROVED
190	Delete User from UserGroup - Auto Approved	TRANSACTION_AUTO_APPROVED
191	Update UserGroup - Auto Approved	TRANSACTION_AUTO_APPROVED
192	Create Workflow - Auto Approved	TRANSACTION_AUTO_APPROVED
193	Update Workflow - Auto Approved	TRANSACTION_AUTO_APPROVED
194	Create File Identifier Maintenance - Auto Approved	TRANSACTION_AUTO_APPROVED
195	Delete File Identifier Maintenance - Auto Approved	TRANSACTION_AUTO_APPROVED
196	Update File Identifier Maintenance - Auto Approved	TRANSACTION_AUTO_APPROVED
197	Create User FI Mapping - Auto Approved	TRANSACTION_AUTO_APPROVED

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 47-4 (Cont.) Events for Alert Maintenance

SR No.	Description	Event
198	Update User FI Mapping - Auto Approved	TRANSACTION_AUTO_APPROVED
199	Create Party Preference - Auto Approved	TRANSACTION_AUTO_APPROVED
200	Update Party Preference - Auto Approved	TRANSACTION_AUTO_APPROVED
201	System Rules - Auto Approved	TRANSACTION_AUTO_APPROVED
202	User Creation - Auto Approved	TRANSACTION_AUTO_APPROVED
203	User Modification - Auto Approved	TRANSACTION_AUTO_APPROVED
204	Create Party to Party Relationship - Auto Approved	TRANSACTION_AUTO_APPROVED
205	Delete Party to Party Relationship - Auto Approved	TRANSACTION_AUTO_APPROVED
206	Update Party to Party Relationship - Auto Approved	TRANSACTION_AUTO_APPROVED
207	Amend Term Deposit - Auto Approved	TRANSACTION_AUTO_APPROVED
208	Open Term Deposit - Auto Approved	TRANSACTION_AUTO_APPROVED
209	Redeem Term Deposit - Auto Approved	TRANSACTION_AUTO_APPROVED
210	Term Deposit Adhoc Statement Request - Auto Approved	TRANSACTION_AUTO_APPROVED
211	Term Deposit Top-Up - Auto Approved	TRANSACTION_AUTO_APPROVED
212	Account Relationship Maintenance - Auto Approved	TRANSACTION_AUTO_APPROVED
213	Account Relationship Maintenance - Auto Approved	TRANSACTION_AUTO_APPROVED
214	Create Biller - Auto Approved	TRANSACTION_AUTO_APPROVED
215	Delete Biller - Auto Approved	TRANSACTION_AUTO_APPROVED
216	Update Biller - Auto Approved	TRANSACTION_AUTO_APPROVED
217	Forex Deal Creation - Auto Approved	TRANSACTION_AUTO_APPROVED
218	Create Biller Registration - Auto Approved	TRANSACTION_AUTO_APPROVED
219	Delete Biller Registration - Auto Approved	TRANSACTION_AUTO_APPROVED
220	Update Biller Registration - Auto Approved	TRANSACTION_AUTO_APPROVED
221	Create Bill Payment - Auto Approved	TRANSACTION_AUTO_APPROVED
222	Delete Bill Payment - Auto Approved	TRANSACTION_AUTO_APPROVED
223	Update Bill Payment - Auto Approved	TRANSACTION_AUTO_APPROVED
224	Create Structure - Auto Approved	TRANSACTION_AUTO_APPROVED
225	Edit Structure - Auto Approved	TRANSACTION_AUTO_APPROVED
226	Execute Structure - Auto Approved	TRANSACTION_AUTO_APPROVED
227	Create Structure - Auto Approved	TRANSACTION_AUTO_APPROVED
228	Create Structure - Auto Approved	TRANSACTION_AUTO_APPROVED
229	Update internal payee - Auto Approved	TRANSACTION_AUTO_APPROVED
230	Update International payee - Auto Approved	TRANSACTION_AUTO_APPROVED

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 47-4 (Cont.) Events for Alert Maintenance

SR No.	Description	Event
231	Update Domestic payee - Auto Approved	TRANSACTION_AUTO_APPROVED
232	Update DemandDraft payee - Auto Approved	TRANSACTION_AUTO_APPROVED
233	Create Task Group - Auto Approved	TRANSACTION_AUTO_APPROVED
234	Delete Task Group - Auto Approved	TRANSACTION_AUTO_APPROVED
235	Update Task Group - Auto Approved	TRANSACTION_AUTO_APPROVED
236	Create Limit Package - Auto Approved	TRANSACTION_AUTO_APPROVED
237	Delete Limit Package - Auto Approved	TRANSACTION_AUTO_APPROVED
238	Update Limit Package - Auto Approved	TRANSACTION_AUTO_APPROVED
239	Create Limit - Auto Approved	TRANSACTION_AUTO_APPROVED
240	Delete Limit - Auto Approved	TRANSACTION_AUTO_APPROVED
241	Domestic Fund Transfer File Upload For FLA - Auto Approve	TRANSACTION_AUTO_APPROVED
242	Domestic Fund Transfer File Upload For RLA - Auto Approve	TRANSACTION_AUTO_APPROVED
243	Internal Fund Transfer File Upload For FLA - Auto Approved	TRANSACTION_AUTO_APPROVED
244	Internal Fund Transfer File Upload For RLA - Auto Approved	TRANSACTION_AUTO_APPROVED
245	International Fund Transfer File Upload For FLA - Auto Appr	TRANSACTION_AUTO_APPROVED
246	International Fund Transfer File Upload For RLA - Auto Appr	TRANSACTION_AUTO_APPROVED
247	Mixed Fund Transfer File Upload For FLA - Auto Approved	TRANSACTION_AUTO_APPROVED
248	Mixed Fund Transfer File Upload For RLA - Auto Approved	TRANSACTION_AUTO_APPROVED
249	Stop/Unblock Cheque - Auto Approved	TRANSACTION_AUTO_APPROVED
250	Request Cheque Book - Auto Approved	TRANSACTION_AUTO_APPROVED
251	CASA Adhoc Statement Request - Auto Approved	TRANSACTION_AUTO_APPROVED
252	Loan Settlement - Auto Approved	TRANSACTION_AUTO_APPROVED
253	Biller Deletion - Auto Approved	TRANSACTION_AUTO_APPROVED
254	Update Party Biller Relation - Auto Approved	TRANSACTION_AUTO_APPROVED
255	Biller Creation - Auto Approved	TRANSACTION_AUTO_APPROVED
256	Domestic Draft Request - Auto Approved	TRANSACTION_AUTO_APPROVED
257	International Draft Request - Auto Approved	TRANSACTION_AUTO_APPROVED
258	Adhoc Domestic Payment - Auto Approved	TRANSACTION_AUTO_APPROVED
259	Adhoc Internal Payment - Auto Approved	TRANSACTION_AUTO_APPROVED
260	Adhoc International Payment - Auto Approved	TRANSACTION_AUTO_APPROVED

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 47-4 (Cont.) Events for Alert Maintenance

SR No.	Description	Event
261	Payment Instruction Cancellation - Auto Approved	TRANSACTION_AUTO_APPROVED
262	Domestic Draft Pay Later Request - Auto Approved	TRANSACTION_AUTO_APPROVED
263	International Draft Pay Later Request - Auto Approved	TRANSACTION_AUTO_APPROVED
264	Domestic Fund Transfer Instruction - Auto Approved	TRANSACTION_AUTO_APPROVED
265	International Fund Transfer Instruction - Auto Approved	TRANSACTION_AUTO_APPROVED
266	Internal Fund Transfer Instruction - Auto Approved	TRANSACTION_AUTO_APPROVED
267	Self Transfer Instruction - Auto Approved	TRANSACTION_AUTO_APPROVED
268	Demand Draft Payee Creation - Auto Approved	TRANSACTION_AUTO_APPROVED
269	Domestic Transfer Payee Deletion - Auto Approved	TRANSACTION_AUTO_APPROVED
270	Domestic Transfer Payee Creation - Auto Approved	TRANSACTION_AUTO_APPROVED
271	Internal Transfer Payee Deletion - Auto Approved	TRANSACTION_AUTO_APPROVED
272	Internal Transfer Payee Creation - Auto Approved	TRANSACTION_AUTO_APPROVED
273	International Transfer Payee Deletion - Auto Approved	TRANSACTION_AUTO_APPROVED
274	International Transfer Payee Creation - Auto Approved	TRANSACTION_AUTO_APPROVED
275	Domestic Fund Transfer - Auto Approved	TRANSACTION_AUTO_APPROVED
276	International Fund Transfer - Auto Approved	TRANSACTION_AUTO_APPROVED
277	Bill Payment - Auto Approved	TRANSACTION_AUTO_APPROVED
278	Internal Fund Transfer - Auto Approved	TRANSACTION_AUTO_APPROVED
279	Self Transfer - Auto Approved	TRANSACTION_AUTO_APPROVED
280	Financial Transaction Auto Approved	TRANSACTION_AUTO_APPROVED
281	Non-Financial Transaction Auto Approved	TRANSACTION_AUTO_APPROVED
282	Maintenance Transaction Auto Approved	TRANSACTION_AUTO_APPROVED
283	Amount Financial Transaction Auto Approved	TRANSACTION_AUTO_APPROVED
284	Create Party Account Access - Auto Approved	TRANSACTION_AUTO_APPROVED
285	Delete Party Account Access - Auto Approved	TRANSACTION_AUTO_APPROVED
286	Update Party Account Access - Auto Approved	TRANSACTION_AUTO_APPROVED
287	Create User Party Account Access - Auto Approved	TRANSACTION_AUTO_APPROVED

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 47-4 (Cont.) Events for Alert Maintenance

SR No.	Description	Event
288	Delete User Party Account Access - Auto Approved	TRANSACTION_AUTO_APPROVED
289	Financial Transaction Processed By Host	TRANSACTION_F_PROCESSED_BY_HOST
290	Delete User from UserGroup - Initiated	TRANSACTION_INITIATED
291	Update UserGroup - Initiated	TRANSACTION_INITIATED
292	Create Workflow - Initiated	TRANSACTION_INITIATED
293	Update Workflow - Initiated	TRANSACTION_INITIATED
294	Create File Identifier Maintenance - Initiated	TRANSACTION_INITIATED
295	Delete File Identifier Maintenance - Initiated	TRANSACTION_INITIATED
296	Update File Identifier Maintenance - Initiated	TRANSACTION_INITIATED
297	Create User FI Mapping - Initiated	TRANSACTION_INITIATED
298	Update User FI Mapping - Initiated	TRANSACTION_INITIATED
299	Create Party Preference - Initiated	TRANSACTION_INITIATED
300	Update Party Preference - Initiated	TRANSACTION_INITIATED
301	System Rules - Initiated	TRANSACTION_INITIATED
302	User Creation - Initiated	TRANSACTION_INITIATED
303	User Modification - Initiated	TRANSACTION_INITIATED
304	Create Party to Party Relationship - Initiated	TRANSACTION_INITIATED
305	Delete Party to Party Relationship - Initiated	TRANSACTION_INITIATED
306	Update Party to Party Relationship - Initiated	TRANSACTION_INITIATED
307	Create Task Group - Initiated	TRANSACTION_INITIATED
308	Delete Task Group - Initiated	TRANSACTION_INITIATED
309	Update Task Group - Initiated	TRANSACTION_INITIATED
310	Create Limit Package - Initiated	TRANSACTION_INITIATED
311	Delete Limit Package - Initiated	TRANSACTION_INITIATED
312	Update Limit Package - Initiated	TRANSACTION_INITIATED
313	Create Limit - Initiated	TRANSACTION_INITIATED
314	Delete Limit - Initiated	TRANSACTION_INITIATED
315	Domestic Fund Transfer File Upload For FLA - Initiated	TRANSACTION_INITIATED
316	Domestic Fund Transfer File Upload For RLA - Initiated	TRANSACTION_INITIATED
317	Internal Fund Transfer File Upload For FLA - Initiated	TRANSACTION_INITIATED
318	Internal Fund Transfer File Upload For RLA - Initiated	TRANSACTION_INITIATED
319	International Fund Transfer File Upload For FLA - Initiated	TRANSACTION_INITIATED

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 47-4 (Cont.) Events for Alert Maintenance

SR No.	Description	Event
320	International Fund Transfer File Upload For RLA - Initiated	TRANSACTION_INITIATED
321	Mixed Fund Transfer File Upload For FLA - Initiated	TRANSACTION_INITIATED
322	Mixed Fund Transfer File Upload For RLA - Initiated	TRANSACTION_INITIATED
323	Stop/Unblock Cheque - Initiated	TRANSACTION_INITIATED
324	Request Cheque Book - Initiated	TRANSACTION_INITIATED
325	CASA Adhoc Statement Request - Initiated	TRANSACTION_INITIATED
326	Loan Settlement - Initiated	TRANSACTION_INITIATED
327	Biller Deletion - Initiated	TRANSACTION_INITIATED
328	Update Party Biller Relation - Initiated	TRANSACTION_INITIATED
329	Biller Creation - Initiated	TRANSACTION_INITIATED
330	Domestic Draft Request - Initiated	TRANSACTION_INITIATED
331	Financial Transaction Initiated	TRANSACTION_INITIATED
332	Non-Financial Transaction Initiated	TRANSACTION_INITIATED
333	Maintenance Transaction Initiated	TRANSACTION_INITIATED
334	Amount Financial Transaction Initiated	TRANSACTION_INITIATED
335	Create Party Account Access - Initiated	TRANSACTION_INITIATED
336	Delete Party Account Access - Initiated	TRANSACTION_INITIATED
337	Update Party Account Access - Initiated	TRANSACTION_INITIATED
338	Create User Party Account Access - Initiated	TRANSACTION_INITIATED
339	Delete User Party Account Access - Initiated	TRANSACTION_INITIATED
340	Update User Party Account Access - Initiated	TRANSACTION_INITIATED
341	Create Rule - Initiated	TRANSACTION_INITIATED
342	Delete Rule - Initiated	TRANSACTION_INITIATED
343	Update Rule - Initiated	TRANSACTION_INITIATED
344	Add User in UserGroup - Initiated	TRANSACTION_INITIATED
345	Create UserGroup - Initiated	TRANSACTION_INITIATED
346	International Draft Request - Initiated	TRANSACTION_INITIATED
347	Adhoc Domestic Payment - Initiated	TRANSACTION_INITIATED
348	Adhoc Internal Payment - Initiated	TRANSACTION_INITIATED
349	Adhoc International Payment - Initiated	TRANSACTION_INITIATED
350	Payment Instruction Cancellation - Initiated	TRANSACTION_INITIATED
351	Domestic Draft Pay Later Request - Initiated	TRANSACTION_INITIATED
352	International Draft Pay Later Request - Initiated	TRANSACTION_INITIATED
353	Domestic Fund Transfer Instruction - Initiated	TRANSACTION_INITIATED

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 47-4 (Cont.) Events for Alert Maintenance

SR No.	Description	Event
354	International Fund Transfer Instruction - Initiated	TRANSACTION_INITIATED
355	Internal Fund Transfer Instruction - Initiated	TRANSACTION_INITIATED
356	Self Transfer Instruction - Initiated	TRANSACTION_INITIATED
357	Demand Draft Payee Creation - Initiated	TRANSACTION_INITIATED
358	Domestic Transfer Payee Deletion - Initiated	TRANSACTION_INITIATED
359	Domestic Transfer Payee Creation - Initiated	TRANSACTION_INITIATED
360	Internal Transfer Payee Deletion - Initiated	TRANSACTION_INITIATED
361	Internal Transfer Payee Creation - Initiated	TRANSACTION_INITIATED
362	International Transfer Payee Deletion - Initiated	TRANSACTION_INITIATED
363	International Transfer Payee Creation - Initiated	TRANSACTION_INITIATED
364	Domestic Fund Transfer - Initiated	TRANSACTION_INITIATED
365	International Fund Transfer - Initiated	TRANSACTION_INITIATED
366	Bill Payment - Initiated	TRANSACTION_INITIATED
367	Internal Fund Transfer - Initiated	TRANSACTION_INITIATED
368	Self Transfer - Initiated	TRANSACTION_INITIATED
369	Amend Term Deposit - Initiated	TRANSACTION_INITIATED
370	Open Term Deposit - Initiated	TRANSACTION_INITIATED
371	Redeem Term Deposit - Initiated	TRANSACTION_INITIATED
372	Term Deposit Adhoc Statement Request - Initiated	TRANSACTION_INITIATED
373	Term Deposit Top-Up - Initiated	TRANSACTION_INITIATED
374	Account Relationship Maintenance - Initiated	TRANSACTION_INITIATED
375	Account Relationship Maintenance - Initiated	TRANSACTION_INITIATED
376	Create Biller - Initiated	TRANSACTION_INITIATED
377	Delete Biller - Initiated	TRANSACTION_INITIATED
378	Update Biller - Initiated	TRANSACTION_INITIATED
379	Forex Deal Creation - Initiated	TRANSACTION_INITIATED
380	Create Biller Registration - Initiated	TRANSACTION_INITIATED
381	Delete Biller Registration - Initiated	TRANSACTION_INITIATED
382	Update Biller Registration - Initiated	TRANSACTION_INITIATED
383	Create Bill Payment - Initiated	TRANSACTION_INITIATED
384	Delete Bill Payment - Initiated	TRANSACTION_INITIATED
385	Update Bill Payment - Initiated	TRANSACTION_INITIATED
386	Create Structure - Initiated	TRANSACTION_INITIATED
387	Edit Structure - Initiated	TRANSACTION_INITIATED
388	Execute Structure - Initiated	TRANSACTION_INITIATED

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 47-4 (Cont.) Events for Alert Maintenance

SR No.	Description	Event
389	Create Structure - Initiated	TRANSACTION_INITIATED
390	Create Structure - Initiated	TRANSACTION_INITIATED
391	Update internal payee - Initiated	TRANSACTION_INITIATED
392	Update International payee - Initiated	TRANSACTION_INITIATED
393	Update Domestic payee - Initiated	TRANSACTION_INITIATED
394	Update DemandDraft payee - Initiated	TRANSACTION_INITIATED
395	Financial Transaction Modification Requested	TRANSACTION_MODIFICATION_REQUESTED
396	Maintenance Transaction Modification Requested	TRANSACTION_MODIFICATION_REQUESTED
397	Non-Financial Transaction Modification Requested	TRANSACTION_MODIFICATION_REQUESTED
398	Amount Financial Transaction Modification Requested	TRANSACTION_MODIFICATION_REQUESTED
399	Non-Financial Transaction Processed By Host	TRANSACTION_N_PROCESSED_BY_HOST
400	Transaction Partially Approved	TRANSACTION_PARTIALLY_APPROVED
401	Transaction Rejected	TRANSACTION_REJECTED
402	Transaction Rejected By Host	TRANSACTION_REJECTED_BY_HOST
403	Userprofile Address Update	USERPROFILE_UPDATE_ADDRESS
404	Userprofile Adhaar Number Update	USERPROFILE_UPDATE_ADHAARNO
405	Userprofile Email Update	USERPROFILE_UPDATE_EMAILID
406	Userprofile Fax Update	USERPROFILE_UPDATE_FAX
407	Userprofile PAN Number Update	USERPROFILE_UPDATE_PANNO
408	Userprofile Phone Number Update	USERPROFILE_UPDATE_PHONENO
409	Send User Password	USER_CREDENTIALS_SEND_PASSWORD
410	Send Users Username	USER_CREDENTIALS_SEND_USERNAME
411	Reset Credentials	USER_RESET_PASSWORD
412	Internal Credit Line Created	VAM_CREDIT_LINE_CREATED
413	Internal Credit Line Closed	VAM_CREDIT_LINE_DELETED
414	Internal Credit Line Linkage Created	VAM_CREDIT_LINE_LINKAGE_CREATED
415	Internal Credit Line Linkage Closed	VAM_CREDIT_LINE_LINKAGE_DELETED
416	Internal Credit Line Linkage Updated	VAM_CREDIT_LINE_LINKAGE_UPDATED
417	Internal Credit Line Updated	VAM_CREDIT_LINE_UPDATED
418	Internal Transfer Sucess Alert	VAM_INTERNAL_TRANSFER_SUCCESS
419	Special Rates Created	VAM_SPECIAL_RATE_CREATED
420	Virtual Accounts Structure Creation Sucess Alert	VAM_VIRTUAL_ACCOUNTS_STRUCTURE_CREATION_SUCCESS

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 47-4 (Cont.) Events for Alert Maintenance

SR No.	Description	Event
421	Virtual Accounts Structure Deletion Sucess Alert	VAM_VIRTUAL_ACCOUNTS_STRUCTURE_DELETION_SUCCESS
422	Virtual Accounts Structure Modification Sucess Alert	VAM_VIRTUAL_ACCOUNTS_STRUCTURE_UPDATION_SUCCESS
423	Virtual Account Created	VAM_VIRTUAL_ACCOUNT_CREATED
424	Virtual Account Deleted	VAM_VIRTUAL_ACCOUNT_DELETED
425	Virtual Account Updated	VAM_VIRTUAL_ACCOUNT_UPDATED
426	VAM Virtual Entity Created	VAM_VIRTUAL_ENTITY_CREATED
427	VAM Virtual Entity Deleted	VAM_VIRTUAL_ENTITY_DELETED
428	VAM Virtual Entity Updated	VAM_VIRTUAL_ENTITY_UPDATED
429	Virtual Multi-Currency Account Creation Sucess Alert	VAM_VMCA_CREATION_SUCCESS
430	Virtual Multi-Currency Account Deletion Sucess Alert	VAM_VMCA_DELETION_SUCCESS
431	Virtual Multi-Currency Account Modification Sucess Alert	VAM_VMCA_UPDATION_SUCCESS
432	Virtual Payment Address Create Successful	VIRTUAL_PAYMENT_ADDRESS_CREATE_SUCCESS
433	Wallet PayIn Request	WALLET_PAYIN_REQUEST_ALERT_ON_SUCCESS
434	Wallet Account Opening Successful	WA_WALLET_ACCOUNT_OPENING_ALERT_ON_SUCCESS
435	Wallet Registration Success	WA_WALLET_REGISTRATION_ALERT_ON_SUCCESS
436	Investment Account Creation Alert Sucessfully	WM_MF_ACCOUNT_CREATION_SUCCESS
437	Mutual Fund Delete Order Alert Success	WM_MF_DELETE_ORDER_SUCCESS
438	Mutual Fund Purchase One Time Fund Alert Success	WM_MF_PURCHASE_ONETIME_SUCCESS
439	Mutual Fund SIP Fund Alert Success	WM_MF_PURCHASE_SIP_SUCCESS
440	Mutual Fund Purchase SI Fund Alert Success	WM_MF_PURCHASE_SI_SUCCESS
441	Mutual Fund Redeem One Time Fund Alert Success	WM_MF_REDEEM_ONETIME_SUCCESS
442	Mutual Fund Redeem SWP Fund Alert Success	WM_MF_REDEEM_SWP_SUCCESS
443	Mutual Fund Risk Profile Create Success	WM_MF_RISKPROFILE_CREATE_SUCCESS
444	Mutual Fund Switch One Time Fund Alert Success	WM_MF_SWITCH_ONETIME_SUCCESS
445	Mutual Fund Switch PSTP Alert Success	WM_MF_SWITCH_PSTP_SUCCESS
446	Mutual Fund Switch STP Fund Alert Success	WM_MF_SWITCH_STP_SUCCESS

Copyright © 2006, 2026, Oracle and/or its affiliates.

47.5 FAQ

1. **What is a significance of Mandatory and Subscribe types of alerts?**
   Recipients will get an alert by default for the alert types defined as Mandatory and will have to subscribe for those alerts for which the alert type is defined as **Subscribe**.
2. **What is a reason for applying attribute masking?**
   The main reason for applying masking to a data field is to protect data that is classified as personal identifiable data, personal sensitive data or commercially sensitive data as a communication between the customer and Bank.
3. **Can I define the masking for data attribute available in subject?**
   No, data attribute masking can be defined only for the data available in the message body.
4. **Can I add an attribute masks for more the one data attribute for a specific recipient and channel?**
   Yes, you can add multiple attribute masks for different data attributes for a specific recipient and channel.
5. **Can I delete specific recipient added for an alert event in Alert Maintenance?**
   Yes, administrator can delete specific recipient mapped to an event.
6. **What happens to the in-transit transactions if I edit the alert maintenance for specific recipient?**
   An updated maintenance will be applicable for any new event performed after maintenance is saved successfully.
7. **Can the administrator define any of the existing alerts as an actionable alert by defining the Action ID and Action Text?**
   No, actionable alerts cannot be configured by the Administrator, these alerts are factory shipped or can be defined at the time of implementation. Administrator can only define the Action Text for and can enable/disable the actionable alert.

Copyright © 2006, 2026, Oracle and/or its affiliates.

48
Mailers

This topic describes the information about **Mailers** option.

Mailers are information or messages published by the Bank, to communicate about the Bank's Products, services and other information to its users. Bank may send mailers to announce a limited period promotional product rate, launch of a product or service, etc.

Using this option, the System Administrator creates Mailers which are sent to specific users, parties or user segments. Mailers can be customized to reach some or all users, to be sent now or on a specific date and time, in the future.


Administrator can maintain mailers in all supported languages, to ensure effective communication with customers in their preferred language.

> **Note**
>
> Users can view mailer content (subject and body) in their currently logged-in language. If the administrator has not provided content in that language, the bank's default language will be used.

Pre-requisites

- Transaction access is provided to System Administrator
- Approval rule set up for Administrator to perform the actions

Figure 48-1 Workflow



Features supported in Application:

The Mailers module supports following features:

- Search and View Mailers
- Create Mailers
- Edit Mailers (Only for Scheduled Mailers)
- Delete Mailers (Only for Scheduled Mailers)

Navigation Path: Perform anyone of the following navigation to access the **Mailers** screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- From **System/ Bank Administrator Dashboard**, under **Communications** widget, click **Mailers**.
- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Communications**. Under **Communications** , click **Mailers**.

The **Mailers** screen appears.

- Mailers - Search and View
  This topic describes the information about **Mailers - Search and View** option. Using Mailers – search option, System Administrators can search and view the list of mailers created in the application.
- Mailers - Create
  This topic describes the systematic instruction to **Mailers - Create** function. This function allows the System Administrator to create mailers.
- Mailers - Edit
  This topic describes the systematic instruction to **Mailers - Edit** function.
- Mailers - Delete
  This topic describes the systematic instruction to **Mailers - Delete** option.
- FAQ

48.1 Mailers - Search and View

This topic describes the information about **Mailers - Search and View** option. Using Mailers – search option, System Administrators can search and view the list of mailers created in the application.

System Administrator enters the mailer code or mailer description to search the user, however blank search is also allowed.


The information will be displayed sorted by Date of creation.

To search the mailer:

1. Navigate to one of the above paths.
   The **Mailers** screen appears.
2. Perform anyone of the following actions:
   - In the **Mailer Code** field, enter the mailer code to view the mailer details.
   - In the **Mailer Description** field, enter the mailer description to view the mailer details.
3. Click **Search**.
   Perform anyone of the following actions:
   - The search results appear on the **Mailers** screen.
   - Click **Clear** if you want to reset the search parameters.
   - Click **Cancel** to cancel the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 48-2 Mailers - Search



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 48-1 Mailers - Search - Field Description

Field Name	Description
Mailer Code	The unique key to identify the mailer.
Mailer Description	The description of the mailer corresponding to mailer code.
Search Results	**Information specified in below fields are related to search results**.
Mailer Code	The mailer code.
Mailer Description	The description of the mailer corresponding to mailer code.
Date Created	The date on which the mailer was created.
Send Date	The date on which mailer is sent.
Status	The status of the mailer - viz., scheduled, sent and expired.


To view the mailer details:

1. Navigate to one of the above paths.
   The **Mailers** screen appears.
2. Click the **Mailer Code** link of the record for which you want to view the details.

Copyright © 2006, 2026, Oracle and/or its affiliates.

The search results appear on the **Mailers - View** screen appears.

Figure 48-3 Mailer - View



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 48-2 Mailer - View - Field Description

Field Name	Description
Mail	**Information specified in below fields are related to mail.**
Mailer Code	The unique key to identify the mailer.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 48-2 (Cont.) Mailer - View - Field Description

Field Name	Description
Mailer Description	The description of the mailer corresponding to the mailer code.
Send Date	The date and time on which the mailer was sent.
Expiry Date	The date and time on which the mailer will expire and will stop appearing in user's mailbox.
Send Time	The time on which the mailer was sent.
Priority	The priority of the mailer. The options can be: • **Low** • **Medium** • **High**
Subject	The subject of the mailer.
Mail Body	The content of the main body of the mailer.
Recipients	**Information specified in below fields are related to recipients**.
Send To	The recipients of the mailer. The recipients can be: • **All Corporate Users** • **All Bank Administrator** • **All Retail Users** • **Segmented Users** • **Non-Segmented Users** • **User IDs** • **PartyIDs**

3. Perform anyone of the following actions:
   - Click **Edit** to edit the mailer.
   - Click **Delete** the delete the mailer.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

> **Note**
>
> The **Edit** and **Delete** option is available only for Mailers that have a status as **Scheduled**.

48.2 Mailers - Create

This topic describes the systematic instruction to **Mailers - Create** function. This function allows the System Administrator to create mailers.


The System Administrator creates the content of the mailers, specifies the date - when a mailer is to be sent, priority of the mailer, and the recipients to whom the mailer needs to be sent.
To create a new mailer:

1. Navigate to the **Mailers** screen.
2. Click **Create**.

   The **Mailers - Create** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 48-4 Mailer - Create



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 48-3 Mailer - Create - Field Description

Field Name	Description
Mailer Code	Specify the unique key to identify the mailer.
Mailer Description	The description of the mailer corresponding to the mailer code.
Send Date	The desired date and time for sending the mailer.
Expiry Date	The date and time on which the mailer will expire and it will stop appearing in the user's mailbox.
Priority	The priority of the mailer. The options are: • **Low** • **Medium** • **High**
Mail	The following section displays the list supported languages in which Mailers can be maintain.
Language	Choose the preferred language in which mailer is to be defined. Drill down to add details of the mailer.
Subject	The subject of the mailer.
Mail Body	The content of the main body of the mailer.
Recipients	
Send To	The recipients of the mailer. The options are: • **All Corporate Users** • **All Bank Administrator** • **All Retail Users** • **Segmented Users** • **Non-Segmented Users** • **List of User ID**: This field is enabled, if you click the **Add List of User ID** button. • **List of PartyID**: This field is enabled, if you click the **Add List of Party ID** button.

Copyright © 2006, 2026, Oracle and/or its affiliates.

3. In the **Mailer Code** field, enter the mailer id.
4. In the **Mailer Description** field, enter the mailer description.
5. From the **Send Date** list, select the appropriate date and time to send the mailer.
6. From the **Expiry Date** list, select the appropriate date and time on which the mailer will expire.
7. In the **Priority** field, select the priority to send the mailer.
8. Click on the **Language** for which you wish to maintain the mailer.

   The Content editor the mailer is displayed.

   a. In the **Subject** field, enter the appropriate subject for the mailer.
   b. In the **Mail Body** field, enter the appropriate content for the mailer.
9. Perform anyone of the following actions:

   - To send the mailer, select the type of recipients from the Send To list. Click the icon against the Segmented Users/ Non Segmented Users field to view and select the desired user.
   - Select the check box to select all the segmented users/ non segmented users.
   - Click **Add List of User ID** and enter the user ids, if you want to add specific user ids as mailer recipients.
   - Click **Add List of Party ID** and enter the party ids, if you want to add specific party ids as mailer recipients.
   - Click **Save** to save the details.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
10. Perform anyone of the following actions:

    - The **Review** screen appears. Verify the details, and click **Confirm**.
    - Click **Cancel** to cancel the operation.
    - Click **Back** to navigate to the previous screen.

    The success message of mailer creation appears along with the transaction reference number.
11. Click **OK** to complete the transaction.

48.3 Mailers - Edit

This topic describes the systematic instruction to **Mailers - Edit** function.

This function enables the System Administrator to edit the mailer details.

> **Note**
>
> This option is available only for Mailers, which have status as **Scheduled** (future dated).

To edit or update a mailer details:

Copyright © 2006, 2026, Oracle and/or its affiliates.

1. Navigate to one of the above paths.

   The **Mailers** screen appears.

2. Enter the search criteria, click **Search**.

   The search results appear on the **Mailers** screen.


3. In the **Mailer - Search Results** section, click the **Mailer Code** link of the record for which you want to view the details.

   The search results appear on the **Mailers - View** screen appears.

4. Perform anyone of the following actions:
   - Click **Edit** to edit the mailer. The **Mailers - Edit** screen appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 48-5 Mailers - Edit



> **Note**
>
> The fields which are marked as Required are mandatory.

Copyright © 2006, 2026, Oracle and/or its affiliates.

For more information on fields, refer to the field description table.

Table 48-4 Mailers - Edit - Field Description

Field Name	Description
Edit	
Mailer Code	The unique key to identify the mailer. This field is not editable.
Mailer Description	The description of the mailer corresponding to mailer code.
Send Date	The desired date and time for sending the mailer.
Expiry Date	The date and time on which the mailer will expire.
Priority	The priority of the mailer. The options are: • **Low** • **Medium** • **High**
Mail	The following section displays the list supported languages in which Mailers can be maintain.
Language	Choose the preferred language in which mailer is to be defined. Drill down to add details of the mailer.
Mail	
Subject	The subject of the mailer.
Mail Body	The content for the mail body of the mailer.
Recipients	
Send To	The recipients of the mailer. The options are: • **All Corporate Users** • **All Bank Administrator** • **All Retail Users** • **Segmented Users** • **Non-Segmented Users** • **List of User ID**: This field is enabled, if you click the **Add List of User ID** button. • List of PartyID: This field is enabled, if you click the **Add List of Party ID** button.

5. View the defined values for fields, in an editable form.
6. Modify the required details.
7. Perform anyone of the following actions:
   - Click **Save** to update the changes.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
8. Perform anyone of the following actions:
   - The **Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

   The success message of mailer update appears along with the transaction reference number.

Copyright © 2006, 2026, Oracle and/or its affiliates.

9. Click **OK** to complete the transaction.

48.4 Mailers - Delete

This topic describes the systematic instruction to **Mailers - Delete** option.

Using this option, the System Administrator can delete the mailer.

> **Note**
>
> This option is available only for Mailers, which have status as **Scheduled** (future dated).

To delete the mailer:

1. Navigate to one of the above paths.

   The **Mailers** screen appears.

2. Enter the search criteria, click **Search**.

   The search results appear on the **Mailers** screen.


3. In the **Mailer - Search Results** section, click the **Mailer Code** link of the record for which you want to view the details.

   The search results appear on the **Mailers - View** screen appears.

4. Click **Delete**.

   The application prompt the System Administrator with a delete confirmation message with an option of **Yes / No**.

Figure 48-6 Mailers - Delete



5. Perform anyone of the following actions:
   - Click **Yes** to continue.
   - Click **No** to cancel the deletion process.
6. The screen with success message appears.
   - Click **OK** to complete the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

48.5 FAQ

1. **Can I attach a file while creating a Mailer?**
   No, option to attach files is not supported.
2. **Till which date I can see the mailers which are already sent to the customers?**
   You can view already sent mailers till the date, data is available in the system. This will be based on the Bank's purging policy.
3. **Can I send mailers to specific customers?**
   Mailers can be sent to all the customers (Retail/corporate/Administrators), specific user segments or to specific user(s) by specifying the user IDs or party IDs.
4. **Who will be the recipients of the mailers incase if mailers are targeted for specific party id(s)?**
   The users to whom the party ID is mapped as primary party will receive the mailers on scheduled date and time.

Copyright © 2006, 2026, Oracle and/or its affiliates.

49

Account Aggregation

This topic describes the information about **Account Aggregation** screen. User can link their external bank accounts to OBDX with this feature.

Account aggregation feature allows retail users to link their external bank accounts to OBDX and provides with an ability to view and access all their savings, term deposits and loan accounts information anytime, anywhere using single digital platform. The benefit of account aggregation is that retail users get a snapshot of all financial accounts while being able to easily retrieve account details, such as net balance available across all the current and savings accounts, recent transactions, etc. in one place. Using this feature, the user log on to the application to see all financial accounts, instead of log in to several accounts to tally up a financial overview, which saves time and effort of the user.

As a part of Account Aggregation module OBDX enables a retail user to access external bank accounts, and aggregate accounts with OBDX, the system administrator has to perform **External Bank Maintenance**.

- External Bank Maintenance
  This topic describes the information about **External Bank Maintenance** screen. Using external bank maintenance, System Administrators can add an external bank.

49.1 External Bank Maintenance


This topic describes the information about **External Bank Maintenance** screen. Using external bank maintenance, System Administrators can add an external bank.

The external bank logo, address, URL and other details can be maintained. In addition to this, the authorization details can be captured, that will enable linking of OBDX with the external bank. Multiple external APIs can be saved, to facilitate access of data, which will then be available for the perusal of the OBDX customer.

Prerequisites

- Transaction access is provided to System Administrator
- Approval rule set up for System Administrator to perform the actions

Figure 49-1 Workflow



Copyright © 2006, 2026, Oracle and/or its affiliates.

Features Supported In Application

This option allows the System Administrator to:

- View External Bank Details
- Add External Bank
- Update External Bank Details
- Delete External Bank

Navigation Path: Perform anyone of the following navigation to access **External Bank Maintenance** screen.

- From **System/ Bank Administrator Dashboard**, under **Personal Finance** widget, click **External Bank Maintenance**.
- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Personal Finance**. Under **Personal Finance** , click **External Bank Maintenance**.
- Search and View External Bank's Details
  This topic describes the information about **Search and View External Bank's Details** screen.
- Add External Bank
  This topic describes the information about **Add External Bank** screen.
- Update External Bank's Details
  This topic describes the information about **ATM & Branch Locator** screen. System Administrators can modify Bank details, Authorization details and External API information with this feature.
- Delete External Bank's Details
  This topic describes the information about **ATM & Branch Locator** screen. System Administrators can search and delete existing external bank details with this feature.

49.1.1 Search and View External Bank's Details

This topic describes the information about **Search and View External Bank's Details** screen.


System Administrators can search and view the details of the external banks already maintained in the application.
To view external bank's details:

1. Navigate to one of the above paths.

   The **External Bank Maintenance** screen appears.
2. In the **Bank Name** field, enter the bank name to search for a specific external bank.
3. Perform anyone of the following actions:
   - Click **Search**. List of external banks matching search criteria appears in search summary section.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to reset the details.
   - Click **ADD** to add new external bank.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 49-2 External Bank Maintenance - Search Result



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 49-1 External Bank Maintenance - Search Result - Field Description


Field Name	Description
Bank Logo	The external Bank's logo.
Bank Name	The name of the external bank maintained in OBDX.
Bank URL	The URL of the external bank maintained in OBDX.
Enable OAuth Details	The status of the external bank's authorization details, if enabled or disabled.
Enabled on	If the status of an external bank is enabled, then date and time on which the bank is enabled for customers.

4. Click **Bank Name** link on **External Bank Maintenance** screen.

   The bank details maintained appears on **External Bank Maintenance - View** screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 49-3 External Bank Maintenance - View



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 49-2 External Bank Maintenance - View - Field Description

Field Name	Description
Bank Details	**Information specified in below fields are related to bank details**.
Bank Name	The name of the external bank maintained in OBDX.
Bank Address	The address of the external bank maintained in OBDX.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 49-2 (Cont.) External Bank Maintenance - View - Field Description

Field Name	Description
Bank URL	The URL of the external bank maintained in OBDX.
Bank Logo	The external Bank's logo.
Bank Identifier	The external bank identifier.
OAuth Authorization Details	**Information specified in below fields are related to Oauth authorization details**.
Enable OAuth Details	Displays the authorization details status for the external bank i.e. whether to enable /disable.
Authorization URL	Displays the authorization url.
Token URL	Displays the Token url.
Revoke URL	Displays the Revoke url.
Redirect URL	Displays the Redirect url.
Client ID	Displays the Client ID.
Client Secret Keys	Displays the Client secret keys.
Scope	Displays the applicable scope(s) for the external bank.
External API Details	**Information specified in below fields are related to external API details**.
External API's	Displays the category of external API's exchanged between the Banks.
API URL	Displays the API URL.

5. Perform anyone of the following actions:
   - Click **Edit** to edit the external bank details.
   - Click **Delete** to delete the external bank details.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

49.1.2 Add External Bank

This topic describes the information about **Add External Bank** screen.

System Administrators can add an external bank - so that it is available to the Retail User for account aggregation services (on successful authorization of this maintenance). System Administrators can add external bank details like Bank details, Bank Authorization details, multiple external APIs (to facilitate access of data between OBDX and the External Bank).
To add external bank:

1. Navigate to one of the above paths.


   The **External Bank Maintenance** screen appears.

2. Click **Add**.

   The **External Bank Maintenance** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 49-4 External Bank Maintenance - Add



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 49-3 External Bank Maintenance - Add - Field Description

Field Name	Description
Bank Details	**Information specified in below fields are related to bank details**.
Bank Name	Specify the name of the external bank.
Bank Address	Enter address of the external bank.
Bank URL	Specify the URL of the external bank.
Bank Logo	Upload logo of the bank through browse and upload image option.
Bank Identifier	Enter the external bank identifier.
OAuth Authorization Details	**Information specified in below fields are related to Oauth authorization details** .

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 49-3 (Cont.) External Bank Maintenance - Add - Field Description

Field Name	Description
Enable OAuth Details	Select the authorization details status for the external bank i.e. whether to enable /disable.
OAuth Authorization Details	Below fields is enabled only if the **Enable OAuth Details** field is **enable** under **OAuth Authorization Details** section
Authorization URL	Specify the authorization URL.
Token URL	Specify the Token URL.
Revoke URL	Specify the Revoke url.
Redirect URL	Specify the Redirect url.
Client ID	Specify the Client ID.
Client Secret Keys	Specify the Client secret keys.
Scope	Specify the applicable scope(s) for the external bank.
External API Details	**Information specified in below fields are related to external API details**.
External API's	Select the external API's category, to access data between OBDX and the External Bank. The External API could be to access the following information of the User's External Bank accounts: • Account List • Account Details • Account Summary • Account Activity
API URL	Specify the API URL.

3. In the **Bank Name** field, enter the external bank's name.
4. In the **Bank Address** field, enter the external bank's address.
5. In the **Bank URL** field, enter the external bank's url.
6. Click **Choose Files** or **Drag Files here**, browse and upload image of bank logo.
7. In the **Bank Identifier** field, enter the external bank's identifier.
8. Click the **Enable OAuth Details** toggle button to enable or disable the authorization details.

> **Note**
>
> **OAuth Authorization Details** are maintained for the external bank, if the status of the **Enable OAuth Details** field is enabled.

9. In the **Authorization URL** field, enter the external bank's authorization url.
10. In the **Token URL** field, enter the external bank's token url.
11. In the **Revoke URL** field, enter the external bank's revoke url.
12. In the **Redirect URL** field, enter the external bank's redirect url.
13. In the **Client ID** field, enter the external bank's client ID.
14. In the **Client Secret Keys** field, enter the external bank's client secret keys.
15. In the Scope field, enter the appropriate scope for the external bank.

Copyright © 2006, 2026, Oracle and/or its affiliates.

16. From the **External APIs** list, select the external API's exchanged between the Banks in **External API Details** section.
17. Click **+ Add External API** to add more APIs.

    The list appears to select the APIs.

    a. From the drop-down list, select the appropriate option.
    b. Perform anyone of the following actions:
        - In the **API URL** field, enter the API url.
        - Click  icon against the particular already added External API to delete it.
18. Perform anyone of the following actions:
    - Click **Save** to save the changes.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.

    The **Review** screen appears.
19. Perform anyone of the following actions:
    - Verify the details, and click **Confirm**.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.

    The success message of external bank details creation appears.
20. Click **OK** to complete the transaction.

49.1.3 Update External Bank's Details

This topic describes the information about **ATM & Branch Locator** screen. System Administrators can modify Bank details, Authorization details and External API information with this feature.

System Administrators can view and update the details of the external banks already maintained in the application.
To edit External bank details:

1. Navigate to one of the above paths.


   The **External Bank Maintenance** screen appears.
2. In the **Bank Name** field, enter the bank name to search for a specific external bank.
3. Perform anyone of the following actions:
    - Click **Search**. List of external banks matching search criteria appears in search summary section.
    - Click **Cancel** to cancel the transaction.
    - Click **Clear** to reset the details.
4. Click **Bank Name** link on **External Bank Maintenance** screen.

   The bank details maintained appears on **External Bank Maintenance - View** screen.
5. Click **Edit** to edit the external bank details.

   The **External Bank Maintenance - Edit** screen appears with values in editable form.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 49-5 External Bank Maintenance - Edit



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 49-4 External Bank Maintenance - Edit - Field Description

Field Name	Description
Bank Details	**Information specified in below fields are related to bank details.**
Bank Name	Displays the name of the external bank. This field is editable.
Bank Address	Displays an address of the external bank. This field is editable.
Bank URL	Displays the URL of the external bank. This field is editable.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 49-4 (Cont.) External Bank Maintenance - Edit - Field Description

Field Name	Description
Bank Logo	Displays the logo of the bank. This field is editable.
Bank Identifier	Displays the external bank identifier. This field is editable.
OAuth Authorization Details	**Information specified in below fields are related to Oauth authorization details**.
Enable OAuth Details	Displays the authorization details status for the external bank i.e. whether it is enable /disable. This field is editable.
Authorization URL	Displays the Authorization URL. This field is editable.
Token URL	Displays the Token URL. This field is editable.
Revoke URL	Displays the Revoke url. This field is editable.
Client ID	Displays the Client ID. This field is editable.
Client Secret Keys	Displays the Client keys. This field is editable.
External API Details	**Information specified in below fields are related to external API details**.
External API's	Displays the category of external API's to access data between OBDX and the External Bank. The options are: • **Account List** • **Account Details** • **Account Summary** • **Account Activity** This field is editable.
API URL	Displays the API URL. This field is editable.

6. Update the required details.
7. Perform anyone of the following actions:
   - Click **Save** to update the changes.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
8. Perform anyone of the following actions:
   - The **Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

   The success message of updates appears.
9. Click **OK** to complete the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

49.1.4 Delete External Bank's Details

This topic describes the information about **ATM & Branch Locator** screen. System Administrators can search and delete existing external bank details with this feature.

To delete external bank details:


1. Navigate to one of the above paths.

   The **External Bank Maintenance** screen appears.

2. In the **Bank Name** field, enter the bank name to search for a specific external bank.
3. Perform anyone of the following actions:
   - Click **Search**. List of external banks matching search criteria appears in search summary section.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to reset the details.
4. Click **Bank Name** link on **External Bank Maintenance** screen.

   The bank details maintained appears on **External Bank Maintenance - View** screen.
5. Click **Delete** to delete the external bank details.
6. The **Delete Warning** message appears, click **Yes**.

Figure 49-6 External Bank Maintenance - Delete



7. The **External Bank Maintenance** screen with the successful object deletion message appears.

   Click **OK** to complete the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

50

Spend Category

This topic describes the information about **Spend Category** option. Using this option, the System Administrator can maintain the spend categories.


Spend Category maintenance allows the System Administrator to create, modify or expire categories. For each of the Spend Category, System Administrator shall be able to map its corresponding sub categories under which the transactions will be tagged. This maintenance is done only for retail customers. Any time there can be a maximum of 7 categories available and each will have a unique category code. Spend categories cannot be deleted.

The each spend category can have up to four sub categories each.

Prerequisites

- Transaction access is provided to System Administrator
- Transactions which needs to be mapped to different categories are maintained
- Transaction description must have keywords which can be distinguished by rule engine for classification into subcategories

Figure 50-1 Workflow



Features supported in application

The Spend Category maintenance allows the System Administrator to:

- Search and View Spend Category
- Create Spend Category
- Edit Spend Category
- Add Spend Sub Category
- Edit Spend Sub Category

Navigation Path: Perform anyone of the following navigation to access **Spend Category**.

- From **System/ Bank Administrator Dashboard**, under **Personal Finance** widget, click **Spend Category**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- From **System/ Bank Administrator Dashboard**, click **Toggle Menu** , then click **Menu** and then click **Personal Finance**. Under **Personal Finance** , click **Spend Category**.
- Spend Category - Search
  This topic describes the systematic instruction to **Spend Category - Search** option. Using Spend category search option, System Administrators search the existing spend category.
- Spend Category - Create
  This topic describes the systematic instruction to **Spend Category - Create** option. Using spend category create option, the System Administrator can create new spend categories and sub categories.
- Spend Category - Edit
  This topic describes the systematic instruction to **Spend Category - Edit** option. Using spend category edit option, System Administrator can modify the spend category details.
- FAQ

50.1 Spend Category - Search

This topic describes the systematic instruction to **Spend Category - Search** option. Using Spend category search option, System Administrators search the existing spend category.

The search result displays a particular spend categories based on search criteria entered. If the search parameters are not specified, then it displays all the records.


To search a spend category:

1. Navigate to one of the above paths.

   The **Spend Category Maintenance** screen appears.
2. Perform anyone of the following actions:
   - Enter the search criteria, click **Search**. The search results appear on the **Spend Category** screen based on the search parameters.
   - Click **Clear** if you want to reset the search parameters.
   - Click **Cancel** to cancel the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 50-2 Spend Category - Search



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 50-1 Spend Category - Search - Field Description

Field Name	Description
Category Code	Unique ID maintained for the spend category.
Category Name	Name of the spend category. Transactions are mapped to the category name to classify spending under each category.
Search Results	**Information specified in below fields are related to search results**.
Category Code	Category codes of the searched spend categories.
Category Name	Name of the searched categories.

- Spend Category - View
  This topic describes the systematic instruction to **Spend Category - View** option.

50.1.1 Spend Category - View

This topic describes the systematic instruction to **Spend Category - View** option.

Using spend category view option, the System Administrator can view the spend categories and sub categories.
To view a spend category:

1. Navigate to one of the above paths.

Copyright © 2006, 2026, Oracle and/or its affiliates.

The **Spend Category Maintenance** screen appears.


2. Enter the search criteria, click **Search**.

   The search results appear on the **Spend Category** screen based on the search parameters.

3. Click the **Category Name** link of the record for which you want to view the spend category.

   The **Spend Category - View** screen appears.

Figure 50-3 Spend Category - View



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 50-2 Spend Category - View - Field Description

Field Name	Description
Category Code	Unique ID maintained for the spend category
Category Name	Name of the category. Transactions are mapped to the category name to classify spending under each category.
Sub Category Details	**Information specified in below fields are related to sub category details**.
Sub Category Code	Unique ID maintained for the spend sub-category.
Sub Category Name	Name of the subcategory based on the category name. Transactions can be further classified under the sub categories available under a category. For e.g. Spend category name could be Household Expenses and under that, sub categories could be Grocery, Rent etc.

4. Perform anyone of the following actions:

   - Click **Edit** to if you want to edit the spend category.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Cancel** to cancel the transaction.
- Click **Back** to navigate to the previous screen.

50.2 Spend Category - Create

This topic describes the systematic instruction to **Spend Category - Create** option. Using spend category create option, the System Administrator can create new spend categories and sub categories.

To create a spend category:


1. Navigate to one of the above paths.

   The **Spend Category Maintenance** screen appears.

2. Click **Create**.

   The **Spend Category - Create** screen appears.

Figure 50-4 Spend Category - Create



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 50-3 Spend Category - Create - Field Description

Field Name	Description
Category Code	Unique ID maintained for the spend category.
Category Name	Name of the category. Transactions are mapped to the category name to classify spending under each category.
Sub Category Details	**Information specified in below fields are related to sub category details**.
Sub Category Code	Unique ID maintained for the spend sub-category.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 50-3 (Cont.) Spend Category - Create - Field Description

Field Name	Description
Sub Category Name	Name of the subcategory based on the category name. Transactions can be further classified under the sub categories available under a category. For e.g. Spend category name could be Household Expenses and under that, sub categories could be Grocery, Rent etc.

3. In the **Category Code** field, enter the code for the spend category.
4. In the **Category Name** field, enter the name of the spend category
5. In the **Sub Category Details** section, enter the relevant information for subcategories.
6. Repeat step 4 to add more sub categories to a sub category.

> **Note**
>
> You can click  icon to delete a spend sub category or click **Add** to add more spend sub categories.

7. Perform anyone of the following actions:
   - Click **Save** to save the category and sub category details.
   - Click **Back** to navigate to the previous screen.
   - Click **Cancel** to cancel the transaction.
8. Perform anyone of the following actions:
   - The **Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Edit** to modify the details.
   - The user will be navigated back to the create screen.
   - Click **Cancel** to cancel the transaction.
9. The success message of spend category creation appears.

   Click **OK** to complete the transaction.

50.3 Spend Category - Edit

This topic describes the systematic instruction to **Spend Category - Edit** option. Using spend category edit option, System Administrator can modify the spend category details.

To edit or update a spend category:

1. Navigate to one of the above paths.

   The **Spend Category Maintenance** screen appears.
2. Enter the search criteria, click **Search**.

   The search results appear on the **Spend Category** screen based on the search parameters.
3. Click the **Category Name** link of the record for which you want to view the spend category.

   The **Spend Category - View** screen appears.


Copyright © 2006, 2026, Oracle and/or its affiliates.

4. Click **Edit** to edit the spend category.

   The **Spend Category- Edit** screen appears.

   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to previous screen.

Figure 50-5 Spend Category - Edit



5. Edit the required details.
6. Perform anyone of the following actions:
   - Click **Save** to update the changes.
   - Click **Back** to navigate to the previous screen.
   - Click **Cancel** to cancel the transaction.
7. Perform anyone of the following actions:
   - The **Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Edit** to modify the details.

     The user will be navigated back to the create screen.
   - Click **Cancel** to cancel the transaction.
8. The success message of updates appears.

   Click **OK** to complete the transaction.

50.4 FAQ

1. **How many spend categories can a System Administrator can create?**
   A System Administrator can create maximum of seven categories. However this is a Data base configuration and can be increased or decreased at the time of implementation.
2. **How many spend sub-categories can a System Administrator can create?**
   A System Administrator can create a maximum of four sub-categories under a main category.
3. **What is category code used for?**
   It is used as a unique key to distinguish different categories.

Copyright © 2006, 2026, Oracle and/or its affiliates.

4. **How are the transactions being mapped to the categories?**
   The categories would be linked to a rule engine which will use some keywords in the description of transaction and get mapped to the category or sub category on its own.

Copyright © 2006, 2026, Oracle and/or its affiliates.

51

Goal Category Maintenance

This topic describes the information about **Goal Category Maintenance**.

Goal Category maintenance allows the System Administrator to create, modify or expire goal categories. For each of the Goal Category, System Administrator can map the Product under which the goals will be opened. This maintenance is done only for retail type of parties and is not applicable for corporate type of parties. Any time there can be a maximum of 10 categories available and each will have a unique category code.


Administrator created categories needs to be linked with a product which will decide the other key parameters which will govern the Goal category. These parameters would be:

- Goal Amount Range (Minimum and Maximum Value)
- Interest Rate Offered
- Tenure Range (Minimum and Maximum)

Prerequisites

- Transaction access is provided to System Administrator
- Products which needs to be mapped to different categories are well maintained
- Goal categories to be made are limited and cannot be deleted

Figure 51-1 Workflow



Features Supported In Application

Goal category maintenance available for System administrator include

- Search Goal Category
- Create Goal Category
- Edit Goal Category

Navigation Path: Perform anyone of the following navigation to access **Goal Category**.

- From **System/ Bank Administrator Dashboard**, under **Personal Finance** widget, click **Goal Category**.
- From **System/ Bank Administrator Dashboard**, click **Toggle Menu** , then click **Menu** and then click **Personal Finance**. Under **Personal Finance** , click **Goal Category**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Goal Category - Search
  This topic describes the systematic instruction to **Goal Category - Search** screen.
- Goal Category - Create
  This topic describes the systematic instruction to **Goal Category - Create** option.
- Goal Category - Edit
  This topic describes the systematic instruction to **Goal Category - Edit** screen.
- FAQ

51.1 Goal Category - Search

This topic describes the systematic instruction to **Goal Category - Search** screen.

Using this option, System Administrators can search the existing goal category already created. The search result displays matching results of the goal based on search criteria entered.
If the search parameters are not specified, then it displays all the records. The search criteria comprises of two parameters:


- Category Code
- Category Name

To search a goal category:

1. Navigate to one of the above paths.

   The **Goal Category Maintenance** screen appears.
2. Perform anyone of the following actions:
   - Enter the search criteria, click **Search**. The search results appear on the **Goal Category** screen based on the search parameters.
   - Click **Clear** if you want to reset the search parameters.
   - Click **Cancel** to cancel the transaction.

Figure 51-2 Search Goal Category



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 51-1 Search Goal Category - Field Description

Field Name	Description
Category Code	Unique ID maintained for the category for internal search for bank administrator.
Category Name	Name of the category.
Search Results	**Information specified in below fields are related to search results**.
Category Code	Category code of the searched goal(s).
Category Name	Name of the searched category.
Product Type	Type of product mapped to the category under which the goals are opened.
Product	Name of the product which is mapped to the category.
Status	Status of the category, whether it is active or expired.

- Goal Category - View
  This topic describes the systematic instruction to **Goal Category - View** screen.

51.1.1 Goal Category - View

This topic describes the systematic instruction to **Goal Category - View** screen.

Using Goal category view option, the System Administrator can view the goal categories which already exist.

To view a goal category:

1. Navigate to one of the above paths.

   The **Goal Category Maintenance** screen appears.

2. Enter the search criteria, click **Search**.


   The search results appear on the **Goal Category** screen based on the search parameters.

3. Click the **Category Name** link of the record for which you want to view the goal category.

   The **Goal Category - View** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 51-3 Goal Category - View



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 51-2 Goal Category - View - Field Description

Field Name	Description
Category Code	Unique ID maintained for the category for internal search for bank administrator.
Category Name	Name of the category.
Expiry Date	Expiry date of the goal category. If the expiry date reaches, the user will not able to view the category.
Category Image	Image assigned for goal category.
Product Mapping	**Information specified in below fields are related to product mapping**.
Product	Name of the product mapped to the category under which the goal shall be opened.
Product Details	**Information specified in below fields are related to product details**.
Initial Funding Limit	The initial amount that the user can invest for his goal.
Tenure	The period of the goal created should fall within this range.
Currency	The currency with which a goal can be created.
Interest Rate	Click the **View Interest Rates** hyperlink to view the interest rate slab. Interest rate slab is set for the particular tenure, and is displayed according to the amount selected.
Top Up Allowed	Whether top up for the goal is allowed or not.
Partial Withdrawal Allowed	Whether partial withdrawal of the goal is allowed or not.

Copyright © 2006, 2026, Oracle and/or its affiliates.

4. Perform anyone of the following actions:
   - Click **Edit** if you want to edit the goal category.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to previous screen.

51.2 Goal Category - Create

This topic describes the systematic instruction to **Goal Category - Create** option.

Using Goal category create option, the System Administrator can create new goal categories and sub categories.

To create a goal category:


1. Navigate to one of the above paths.

   The **Goal Category Maintenance** screen appears.

2. Click **Create**.

   The **Goal Category - Create screen appears**.

Figure 51-4 Goal Category - Create



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 51-3 Goal Category - Create - Field Description

Field Name	Description
Category Code	Unique id maintained for the category. Which will be used for internal search for bank administrator.
Category Name	Name of the category.
Expiry Date	Expiry date of the goal category. If the expiry date reaches, the user will not be able to view the category while creating a new goal.
Category Image	Image of the category for which category to be created.
Product Mapping	**Information specified in below fields are related to product mapping**.
Product	Name of the product to be mapped to the category under which the goal shall be opened. Bank maintains different products based on the category of the goal.
Product Details	**Information specified in below fields are related to product details**.
Initial Funding Limit	The initial amount that the user is investing for his goal. It must be within the limits of the product mapped.
Tenure	The period of the goal created should fall within this range.
Currency	The currency with which a goal can be created.
Interest Rate	Click the View Interest Rates hyperlink to view the interest rate slab. Interest rate slab is set for the particular tenure, and is displayed according to the amount selected.
Top Up Allowed	Whether top up for the goal is allowed or not.
Partial Withdrawal Allowed	Whether partial withdrawal of the goal is allowed or not.

3. In the **Category Code** field, enter the code for the goal category.
4. In the **Category Name** field, enter the name of the goal category.
5. From the **Expiry Date** list, select the appropriate date.
6. Click **Choose Files** to choose the category image.
7. From the **Product** list, select the appropriate option.
8. Perform anyone of the following actions:
   - Click **Save** to save the category details.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
9. Perform anyone of the following actions:
   - The **Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

   The success message of goal category creation appears.
10. Click **OK** to complete the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

51.3 Goal Category - Edit

This topic describes the systematic instruction to **Goal Category - Edit** screen.

Using Goal category edit option, System Administrator can modify the goal details at any time during the tenure of the goal. Administrator can edit Category Name, Expiry Date and Interest Rate fields.

To edit or update a goal category:

1. Navigate to one of the above paths.

   The **Goal Category Maintenance** screen appears.

2. Enter the search criteria, click **Search**.


   The search results appear on the **Goal Category** screen based on the search parameters.

3. Click the **Category Name** link of the record for which you want to view the goal category.

   The **Goal Category - View** screen appears.

4. Perform anyone of the following actions:
   - Click **Edit** to edit the goal category. The **Goal Category Edit** screen appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Cancel** to cancel the transaction.

Figure 51-5 Goal Category - Edit



5. Edit the required details.
6. Perform anyone of the following actions:
   - Click **Save** to update the changes.
   - Click **Cancel** to cancel the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Back** to navigate to the previous screen.

7. Perform anyone of the following actions:
   - The **Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

   The success message of updates appears.
8. Click **OK** to complete the transaction.

51.4 FAQ

1. **Can I create a category with unique category code but a common category name?**
   No, category code and category name, both should be unique.
2. **Can I delete a goal category?**
   No, goal category once created cannot be deleted. However you can update an expiry date.
3. **How many Goal categories can be created?**
   Administrator can create a maximum of ten goal categories. At a time there can be a maximum of ten active goal categories. Expired goal categories are treated as inactive categories.

Copyright © 2006, 2026, Oracle and/or its affiliates.

52

Experience Builder

This topic describes the information about **Manage Brand** option.

Banks can have varied requirements with regards to the theme and for look and feel of the application.

Experience Builder is an administrative maintenance that allows the System Administrator to define the theme using brand logo, colors, fonts and font sizes.

Using the **Manage Columns** feature, bank can configure and enable customizable UI display/ download option for the end users. Using this feature, users can personalize the information to be displayed/downloaded from search grid displayed on the screen.

By clicking on **Manage Columns** option available on the screen, user can

- Rearrange columns
- Remove specific columns.

> **Note**
>
> 1. The downloaded report will have the same columns as displayed on the UI as per user preference as well as there will also be an option to modify the column selection while downloading.
> 2. The column preferences setup by the user will be saved for future reference i.e. in case the user revisits this screen, the preferred columns will only be displayed in the table.

System Administrator can configure the style / theme by selecting brand logo, header, background, label, button and font colors, font type and sizes for header text, menu, buttons etc. The administrator can define multiple themes with the above-mentioned attributes and once defined, the administrator can activate one of the themes from the available list. The administrator defines brand attributes for user segments.

This function also enables the System Administrator to create themes which will be available for Retail user for personalizing his view.

At any point in time, the administrator can deactivate a theme and activate another one.

Pre-requisites

- Transaction access is provided to System Administrator

Features supported in application

- View Experience
- Create Experience
- Edit Experience
- Delete Experience

Copyright © 2006, 2026, Oracle and/or its affiliates.


- Mapping
  - Create Mapping
  - View Mapping
  - Delete Mapping

Navigation Path: Perform anyone of the following navigation to access.

- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **User Experience**. Under **User Experience** , click **Experience Builder**.
- From the Search bar, type **User Experience – Experience Builder**and press **Enter**.

The **Experience Builder – Summary** screen appears.

Figure 52-1 Experience Builder – Summary



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 52-1 Experience Builder – Summary - Field Description

Field Name	Description
Experience Builder Name	Displays the theme name as defined.
Experience Builder Description	Displays the theme description as defined.
Date Created	Displays the date of theme creation.
Actions	The available action buttons against the theme are displayed. The action button can be: • **View**: Click to view the created theme.

1. Navigate to the **Experience Builder** screen.

   The application displays the list of experiences.

Copyright © 2006, 2026, Oracle and/or its affiliates.

2. Perform anyone of the following actions:
   - In the **Action** column, click the **View** link to view the already created theme.
   - Click **Create** to create a new theme.
3. Perform anyone of the following actions:
   - Click on the 

icon to download the records in CSV & PDF format.
   - Click on the 

icon to setup a column preference by rearranging or removing columns.

- Experience
  This topic describes the information about **Experience Builder** option.
- Mapping
  This topic describes the information about **Mapping** option.

52.1 Experience

This topic describes the information about **Experience Builder** option.

Using this option System Administrator can create, view and modify the experience.

- Experience Builder - Create
  This topic describes the systematic instruction to **Experience Builder - Create** option.
- Experience Builder - View
  This topic describes the systematic instruction to **Experience Builder - View** option.
- Experience Builder - Edit
  This topic describes the systematic instruction to **Experience Builder - Edit** option.
- Experience Builder - Delete
  This topic describes the systematic instruction to **Experience Builder - Delete** option.

52.1.1 Experience Builder - Create

This topic describes the systematic instruction to **Experience Builder - Create** option.


Using this option, System Administrator can create a new theme for retail, corporate and administrator users.
To create a experience:

1. Navigate to the **Experience Builder** screen.
2. In the **Experience Builder** screen, click **Create Experience**.

   The **Basic Details** screen is displayed.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 52-2 Experience Builder – Basic Details



> **Note**
>
> The fields which are marked as **Required** are mandatory.

For more information on fields, refer to the field description table.


Table 52-2 Experience Builder – Create -Basic Details - Step 1 - Field Description

Field Name	Description
Experience Name	Specify the name for the experience being created.
Experience Description	Specify the description for the experience being created.

3. Click the **Next** button to upload the brand logo from the system.

   The **Brand Logo** screen is displayed.

Figure 52-3 Brand Logo



> **Note**
>
> The fields which are marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 52-3 Brand Logo – Field Description

Field	Description
Brand Logo	Displays the section to manage and upload brand logos.
Light Theme Desktop Version Logo	Upload the logo to be used for the desktop version in light theme.
Select a file or drop one here	Click or drag and drop a file to upload the logo.
Format	Indicates that the supported file format is .PNG.
Recommended Ratio	Specifies that the recommended image ratio is 9:16 or 4:5.
Logo Usage Information	Indicates that the uploaded logo will be used in the header and loader.
Same for Mobile	Select this check-box to use the same logo configuration for mobile devices.
Same for Dark Mode	Select this check-box to apply the same logo configuration for dark mode.

4. Click the **Back** button to navigate to previous screen.
5. Click the **Next** button to specify the styling details.

   The **Overview and Styling** screen is displayed.

Figure 52-4 Overview and Styling




Table 52-4 Overview and Styling – Field Description

Field	Description
Styling	Displays the section to configure styling and appearance settings.
Reset Component Changes	Click this huperlink to reset all styling changes to the default settings.
Enable Notification Sound	Click the toggle status to enable notification sounds.
Is Portal Application	Click the toggle status to indicates whether the application is configured as a portal.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 52-4 (Cont.) Overview and Styling – Field Description

Field	Description
Upload Favicon Image	Click and upload the favicon image to be displayed in the browser tab.
Bank Name	Specify the name of the bank to be displayed in the application.
Page Header Background Colour	Click the toggle status to enable the background color for the page header.
Dashboard Tabs	Click the toggle status to configure the appearance of dashboard tabs.
Strip Colour	Select the color for strips used in the interface. The options are: • **Default** • **Brand Colour** • **Secondary Brand Colour**
Apply Glass Morphism	Click the toggle status to enable to apply a glass morphism visual effect to UI components.
Main Content Background Colour	Select the background color for the main content area. The options are: • **Default** • **Brand Colour** • **Secondary Brand Colour**
Body Background Colour	Select the background color for the application body. The options are: • **Default** • **Brand Colour** • **Secondary Brand Colour**
Header Height	Select the height of the header section. The options are: • **Compact** • **Wide**
Header Padding	Select the padding for the header section The options are: • **Extra Wide** • **Wide** • **Vertical Extra Wide** • **Vertical Wide** .
Body Strip Colour	Select the color for body strips within the interface. The options are: • **Show** • **Hide**
View Style Documentation	Click this huperlink to view the documentation style settings.

Perform one of the following actions:

a. Click the **Exit** button to exit the current screen without saving the changes.

b. Click the **Save** button to save the entered details and applied configurations.

6. Click the **Back** button to navigate to previous screen.
7. Click the **Next** button to specify the styling details.

   The **Typography and Styling** screen is displayed.

Copyright © 2006, 2026, Oracle and/or its affiliates.

a. Click the **Basic** button to specify the basic details.

The **Typography and Styling - Basic** screen is displayed .

Figure 52-5 Typography and Styling - Basic




Table 52-5 Typography – Field Description

Field	Description
Typography	Displays the section to configure font styles for the experience.
Font Preview	Displays a preview of selected font styles including alphabets, numbers, and special characters.
Styling	Displays the section for configuring styling options.
Reset Component Changes	Click the hyperlink to reset all typography and styling changes to default.
Base Font Family	Select the base font family for the application (for example, Arial, sans-serif).
Base URL	specifiy the base URL for font or style references.
View Style Documentation	Click to view detailed documentation for styling and typography.
Exit	Click to exit the screen without saving changes.
Save	Click to save the configured typography settings.

Perform one of the following actions:

i. Click the **Exit** button to exit the current screen without saving the changes.

ii. Click the **Save** button to save the entered details and applied configurations.

b. Click the **Advance** button to specify the advance details.

The **Typography and Styling - Advance** screen is displayed.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 52-6 Typography and Styling - Advance




Table 52-6 Typography and Styling - Advance – Field Description

Field	Description
Select Category	Select the category to configure typography settings. The options are: • **Headings** • **Subheadings** • **Body**
Label	Displays the name of the typography attribute being configured.
Actions	Provides options to edit or reset the selected attribute.

Perform one of the following actions:

i. Click the **Exit** button to exit the current screen without saving the changes.

ii. Click the **Save** button to save the entered details and applied configurations.

8. Click the **Back** button to navigate to previous screen.
9. Click the **Next** button to specify the styling details.

   The **Colour Palettes and Styling** screen is displayed.

   a. Click the **Basic** button to specify the basic colour details.

      The **Colour Palettes and Styling - Basic** screen is displayed.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 52-7 Colour Palettes and Styling - Basic




Table 52-7 Colour Palettes and Styling - Basic – Field Description

Field	Description
Colour Palettes	Displays the section to configure color themes for the experience.
Brand Colour	Displays and allows selection of primary brand color shades.
Contrast Colour	Displays and allows selection of contrast color shades.
Error Message Colour	Displays and allows selection of colors used for error messages.
Information Message Colour	Displays and allows selection of colors used for informational messages.
Warning Message Colour	Displays and allows selection of colors used for warning messages.
Success Message Colour	Displays and allows selection of colors used for success messages.
Styling	Displays the panel to configure styling options.
Reset Component Changes	Click this hyperlink to reset all color and styling changes to default.
Experience Colour	Select the primary color for the experience.
Secondary Brand Colour	Select the secondary brand color.
Error Message Colour (Panel)	Select the color used for error messages in the application.
Information Message Colour (Panel)	Select the color used for informational messages.
Warning Message Colour (Panel)	Select the color used for warning messages.
Success Message Colour (Panel)	Select the color used for success messages.
View Style Documentation	Click this hyperlink to view detailed styling documentation.

Perform one of the following actions:

i. Click the **Exit** button to exit the current screen without saving the changes.

ii. Click the **Save** button to save the entered details and applied configurations.

Copyright © 2006, 2026, Oracle and/or its affiliates.

b. Click the **Advance** button to specify the advance details.

The **Colour Palettes and Styling - Advance** screen is displayed.

Figure 52-8 Colour Palettes and Styling - Advance




Table 52-8 Colour Palettes and Styling - Advance – Field Description

Field	Description
Label	Displays the name of the typography attribute being configured.
Actions	Provides options to edit or reset the selected attribute.

Perform one of the following actions:

i. Click the **Exit** button to exit the current screen without saving the changes.

ii. Click the **Save** button to save the entered details and applied configurations.

10. Click the **Back** button to navigate to previous screen.

11. Click the **Next** button to specify the styling details.

The **Amount Styling** screen is displayed.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 52-9 Amount Styling




Table 52-9 Amount Styling – Field Description

Field	Description
Amount Styling	Displays the section to configure styling for credit and debit amounts.
Credit Amount	Displays the formatted credit amount preview based on selected styling.
Debit Amount	Displays the formatted debit amount preview based on selected styling.
Styling	Displays the panel to configure amount-related styling options.
Reset Component Changes	Click this hyperlink to reset all amount styling configurations to default settings.
Credit Amount Colour	Select the color for displaying credit amounts. The options are: • **Default** • **Brand Colour** • **Neutral Colour** • **Success Colour** • **Error Colour**
Debit Amount Colour	Select the color for displaying debit amounts. The options are: • **Default** • **Brand Colour** • **Neutral Colour** • **Success Colour** • **Error Colour**
Show Inflow/Outflow Icon	Click the toggle to display icons indicating inflow (credit) and outflow (debit) amounts.
View Style Documentation	Click this hyperlink to view detailed styling documentation.

Perform one of the following actions:

a. Click the **Exit** button to exit the current screen without saving the changes.

b. Click the **Save** button to save the entered details and applied configurations.

Copyright © 2006, 2026, Oracle and/or its affiliates.

12. Click the **Back** button to navigate to previous screen.
13. Click the **Next** button to specify the styling details.

    The **Input Fields and Styling** screen is displayed.

    a. Click the **Basic** button to specify the input field details.

       The **Input Fields and Styling - Basic** screen is displayed.

Figure 52-10 Input Fields and Styling - Basic




Table 52-10 Input Fields – Field Description

Field	Description
Input Fields	Displays the section to configure the appearance of input fields.
Label	Represents the placeholder or label text associated with input fields.
Styling	Displays the panel to configure input field styling options.
Reset Component Changes	Click this hyperlink to reset all input field styling changes to default.
Input Field Background Colour	Select the background color for input fields. The options are: • **Default** • **Brand Colour** • **Secondary Brand Colour**
Input Field Style	Select the style or appearance of input fields. The options are: • **Default** • **Underlined** • **Circular** • **Sharp**

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 52-10 (Cont.) Input Fields – Field Description

Field	Description
Link Text Colour	Select the color for link text within input fields. The options are: • **Default** • **Brand Colour** • **Secondary Brand Colour**
Input Field Height	Select the height of input fields. The options are: • **Comfortable** • **Large** • **Compact**
Label Position	Select the position of labels. The options are: • **Top** • **Inside** • **Start**
Direction	Select the layout direction of input fields. The options are: • **Row** • **Column**
Maximum number of columns	Select the maximum columns permitted in the page layout. The options are: • **One** • **Two** • **Three**
View Style Documentation	Click this hyperlink to view detailed styling documentation.

Perform one of the following actions:

i. Click the **Exit** button to exit the current screen without saving the changes.

ii. Click the **Save** button to save the entered details and applied configurations.

b. Click the **Advance** button to specify the advance details.

The **Input Fields and Styling - Advance** screen is displayed.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 52-11 Input Fields and Styling - Advance




Table 52-11 Input Fields and Styling - Advance – Field Description

Field	Description
Select Category	Select the category to configure typography settings. The options are: • **Standard** • **Enabled** • **Focus** • **Disabled**
Label	Displays the name of the typography attribute being configured.
Actions	Provides options to edit or reset the selected attribute.

Perform one of the following actions:

i. Click the **Exit** button to exit the current screen without saving the changes.

ii. Click the **Save** button to save the entered details and applied configurations.

14. Click the **Back** button to navigate to previous screen.
15. Click the **Next** button to specify the styling details.

    The **Buttons and Styling** screen is displayed.

    a. Click the **Basic** button to specify the buttons details.

    The **Buttons and Styling - Basic** screen is displayed.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 52-12 Buttons and Styling - Basic




Table 52-12 Buttons and Styling - Basic – Field Description

Field	Description
Buttons	Displays the section to define the visual style of buttons for user interaction.
Enabled	Displays the default active state of buttons.
Hover	Displays the button appearance when hovered over.
Active	Displays the button appearance when clicked or active.
Disabled	Displays the button appearance when disabled.
Selected	Displays the appearance of selected buttons.
Selected Hover	Displays the appearance when hovering over a selected button.
Selected Disabled	Displays the appearance when a selected button is disabled.
Small Size	Displays button styles for small-sized buttons.
Default Size	Displays button styles for default-sized buttons.
Large Size	Displays button styles for large-sized buttons.
Borderless	Displays buttons without borders.
Outlined	Displays buttons with outlined borders.
Solid	Displays buttons with solid fill styling.
Danger	Displays buttons styled for critical or destructive actions.
Icons + Text	Select to display buttons with both icons and text.
Icons Only	Select to display buttons with icons only.
Text Only	Select to display buttons with text only.
Left	Align button content to the left.
Centre	Align button content to the center.
Right	Align button content to the right.
Styling	Displays the panel to configure button styling options.
Reset Component Changes	Click this hyperlink to reset all button styling changes to default.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 52-12 (Cont.) Buttons and Styling - Basic – Field Description

Field	Description
Button Border Radius	Select the border radius style for buttons. The options are: • **Sharp** • **Smooth** • **Rounded** • **Circular**
Button Colour	Select the color for buttons. The options are: • **Default** • **Brand Colour** • **Secondary Brand Colour**
View Style Documentation	Click this hyperlink to view detailed styling documentation.

Perform one of the following actions:


i. Click the **Exit** button to exit the current screen without saving the changes.

ii. Click the **Save** button to save the entered details and applied configurations.

b. Click the **Advance** button to specify the advance details.

The **Buttons and Styling - Advance** screen is displayed.

Figure 52-13 Buttons and Styling - Advance



Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 52-13 Buttons and Styling - Advance – Field Description

Field	Description
Select Category	Select the category to configure typography settings. The options are: • **Default** • **Enabled** • **Hover** • **Active** • **Selected** • **Selected Hover** • **Disabled** • **Selected Disabled**
Label	Displays the name of the typography attribute being configured.
Actions	Provides options to edit or reset the selected attribute.

Perform one of the following actions:

i. Click the **Exit** button to exit the current screen without saving the changes.

ii. Click the **Save** button to save the entered details and applied configurations.

16. Click the **Back** button to navigate to previous screen.
17. Click the **Next** button to specify the styling details.

    The **Module Cards and Styling** screen is displayed.

Figure 52-14 Module Cards and Styling




Table 52-14 Module Cards – Field Description

Field	Description
Module Cards	Displays the section to configure the appearance of module cards.
Sample Label	Displays a sample label used within the module card.
Sample Value	Displays a sample value within the module card.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 52-14 (Cont.) Module Cards – Field Description

Field	Description
Sample Title	Displays a sample title for the module card.
Styling	Displays the panel to configure module card styling options.
Reset Component Changes	Click this hyperlink to reset all module card styling changes to default.
Card Avatar Background Colour	Select the background color for the card avatar.
Card Highlight	Select the card highlight styling for the module card. The options are: • **None** • **Floating Squares** • **Rotating Squares** • **Shooting Stars** • **Redwood Texture**
View Style Documentation	Click this hyperlink to view detailed styling documentation.

Perform one of the following actions:

a. Click the **Exit** button to exit the current screen without saving the changes.

b. Click the **Save** button to save the entered details and applied configurations.

18. Click the **Back** button to navigate to previous screen.

19. Click the **Save** button to save the details.

    The success message appears along with the status of maintenance.

52.1.2 Experience Builder - View

This topic describes the systematic instruction to **Experience Builder - View** option.

If the defined theme does not suit the requirement, then system administrator can edit the defined experience using the Edit option.

To create a experience:

1. Navigate to the **Experience Builder** screen.


   The application displays the list of experiences.

2. In the **Action** column, click **View** against the brand which you want to view.

> **Note**
>
> Click ● ○ ○ icon to navigate between pages.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 52-15 Experience Builder - View



3. Perform one of the following actions:
   - Click on the**View Uploaded Logo** link to view the brand logo.
   - Click **Edit** to edit the theme.

     The **Experience Builder - Edit** screen appears.
   - Click **Delete** to delete the Experience.
   - Click **Back** to navigate to the previous screen.

52.1.3 Experience Builder - Edit

This topic describes the systematic instruction to **Experience Builder - Edit** option.

If the defined theme does not suit the requirement, then system administrator can edit the defined theme using the Update option.

To edit the experience:

1. Navigate to the **Experience Builder** screen.


   The application displays the list of experiences.
2. In the **Action** column, click **View** against the brand which you want to edit.

   The **Experience Builder - View** screen appears.
3. Perform one of the following actions:
   - Click **Edit** to edit the theme.

     The **Experience Builder** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 52-16 Experience Builder - Edit



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on thefields refer **Field Description : Experience Builder – Create**.

4. Edit the required attributes.
5. Perform one of the following actions:
   - Click **Update** to save the changes.

     The **Review** screen appears.
   - Click **Cancel** to cancel the transaction..
6. Perform one of the following actions:
   - Verify the details.

     Click **Save** to save the details.

     The success message appears along with the status of maintenance.
   - Click **Cancel** to cancel the transaction..
7. Click **OK** to return to the dashboard.

52.1.4 Experience Builder - Delete

This topic describes the systematic instruction to **Experience Builder - Delete** option.

The System Administrator can delete a created brand maintained in the application.
To delete the experience:

1. Navigate to the **Experience Builder** screen.

   The application displays the list of experiences.
2. In the **Action** column, click **View** against the brand which you want to edit.

Copyright © 2006, 2026, Oracle and/or its affiliates.


The **Experience Builder - View** screen appears.

3. Click **Delete** to delete the theme.

   A message appears asking the user to confirm brand deletion. Click **Delete** to confirm deletion of the experience.

   - Click **Cancel** to cancel deletion and return to the**Experience Builder – View** screen.

Figure 52-17 Delete Experience Builder



The success message appears along with the status of maintenance.

4. Click **OK** to return to the dashboard.

52.2 Mapping

This topic describes the information about **Mapping** option.

Using this option System Administrator can map the existing brands to any user, party, role or entity.

- Experience Mapping Search
  This topic describes the systematic instruction to **Brand Mapping Search** option.
- Create Mapping
  This topic describes the systematic instruction to **Create Mapping** option.
- Delete Mapping
  This topic describes the information about **Delete Mapping** option.

Copyright © 2006, 2026, Oracle and/or its affiliates.

52.2.1 Experience Mapping Search

This topic describes the systematic instruction to **Brand Mapping Search** option.

To view the brand mapping details:


1. Navigate to one of the above paths.

   The **Experience Builder** screen appears.

2. Click the **Mapping** tab.

   The **Experience Builder - Mapping** screen appears.

Figure 52-18 Mapping



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 52-15 Mapping - Field Description


Field Name	Description
Mapping Type	A list of options for the mapping type to search which brand it is mapped to appear. The options are: • **User** • **Party** • **Party Type** • **Segment** • **User Type** • **Entity**

3. From the **Mapping Type** list, select the option for which you want to view the mapping.

   The **Experience Builder – Search Results** appear.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 52-19 Experience Builder - Brand Mapping Summary



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 52-16 Experience Builder - Brand Mapping Summary - Field Description

Field Name	Description
Experience Mapping Summary	**Information specified in below fields are related to brand mapping summary**.
Brand Id	The identification number of the mapped theme.
Mapped Value	The value, which is mapped to the experience. The mapped value depends on the selected mapping type. For example, If the mapping type is **user** the mapping value will be **user ID**, If the mapping type is **party** the mapping value will be **party ID**, If the mapping type is **role** the mapping value will be user role, such as **Corporate Retail** and **Administrator**, If the mapping type is **entity** the mapping value will be **entities**.
Mapping Type	The level at which the experience is mapped.
Date Created	The date on which the experience mapping was performed.
Actions	The available actions that can be performed against the experience mapping are displayed. The options can be: • **Delete**

4. Click **Delete** against a record to delete the experience mapping.
   - Click **Create Mapping in the Help Panel**, to create a experience mapping.

52.2.2 Create Mapping

This topic describes the systematic instruction to **Create Mapping** option.

Using this option System Administrator can create a experience mapping.

Copyright © 2006, 2026, Oracle and/or its affiliates.

To create the experience mapping:


1. Navigate to one of the above paths.

   The **Experience Builder** screen appears.

2. Click **Create Mapping button in the Help Panel**.

   The **Experience Builder - Create Mapping** screen appears.

Figure 52-20 Experience Builder - Create Mapping



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 52-17 Experience Builder- Create Mapping - Field Description

Field Name	Description
Mapping Type	Select the level at which the experience is to be mapped. The options are: • **User** • **Party** • **Part Type** • **Segment** • **User Type** • **Entity**
Experience	Select a experience to be mapped at the level selected under Mapping Type.
Mapping Value	Enter a mapping value. This field appears if you select **Party** option from the **Mapping Type** list, click the **Party Search** link and search for a party. The result will populate in the **Mapping Value** field.
Segment	Segment of the user for which the value is to be mapped. This field appears if you select **User Type** optionfrom the **Mapping Type** list.

Copyright © 2006, 2026, Oracle and/or its affiliates.

3. From the **Mapping Type** list, select the appropriate option to be mapped.
4. From the **Brand** list, select a experience.
5. In the **Mapping Value** field, enter the value to be mapped.
   - If you have selected **Party** option from the **Mapping Type** list, **click Party** Search, to search the party Id. The Mapping Value field gets populated.
   - If you have selected User Type option from the Mapping Type list, click Segment list to select the segment.
6. Perform anyone of the following actions.
   - Click **Save**.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to return to the previous screen.

   The success message along with the status of maintenance appears.
7. Click **OK** to return to the dashboard.

52.2.3 Delete Mapping

This topic describes the information about **Delete Mapping** option.

Using this option System Administrator can delete a brand mapping.
To delete a brand mapping:

1. Navigate to one of the above paths.

   The **Experience Builder** screen appears.
2. Select the appropriate option from the **Mapping Type** list.


   The **Experience Mapping Summary** screen appears.
3. Click **Delete** against a mapping record in the action column, that you want to delete.
4. The **Review** screen appears.

   Verify the details, and click **Confirm**.
   - Click **Edit** to make the changes if any.
   - Click **Cancel** to cancel the transaction.

   The success message appears along with the status of maintenance.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 52-21 Delete Mapping



5. Click **OK** to return to the dashboard.

Copyright © 2006, 2026, Oracle and/or its affiliates.

53

Dashboard Overview

This topic describes the information about **Dashboard Overview**.

Dashboard Builder provides an ability to the Bank to build custom dashboards.

Dashboard Builder is an administrative maintenance that allows the System Administrator to create and configure dashboard templates for Retail & Business, Corporate and Administrator users.

For the Retail & Business type of user, the Bank administrator can map brands and dashboards at the Party Type level. Thus while accessing Retail Party and Business Party details, the user will be able to see relevant dashboards and brands.

The administrator can further assign the Dashboards at the party level (Retail or Business)/ user level, however only the transactions and widgets mapped at the party level will be accessible by the user post login.

System Administrator can configure new dashboards by dragging and dropping the desired widget at desired location in template. System administrator can define the dashboard for a user segment, application role, module and for a user type. Facility is provided to search, view, edit and delete the configured dashboards.

These dashboards are responsive and can adapt to any type of device i.e. desktop, mobile and tablet. System allows the user to design new template and preview it for different types of devices before enabling it. The user can also change the size of the widget (expand and compress) and can remove the widget from the template if desired. The widgets on the dashboard auto adjust itself according to the place available on the dashboard.


The administrator can define multiple dashboards with the various attributes/ widgets. Further these templates can be mapped to the roles, party or even to a specific user.

Prerequisites

- Transaction access is provided to System Administrator
- Approval rule set up for System Administrator to perform the actions
- Application roles are maintained in application and widgets are mapped to application roles

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 53-1 Workflow



Features supported in application

Design

- Create New Dashboard
- View Dashboard
- Edit Dashboard
- Delete Dashboard

Mapping

- View Dashboard Mapping
- Create Dashboard Mapping
- Delete Dashboard Mapping

Navigation Path: Perform anyone of the following navigation to access **Dashboard Overview**.

- From **System/ Bank Administrator Dashboard**, under **Templates** widget, click **Dashboard Builder**.
- From **System Administrator Dashboard**, click **Toggle Menu** , then click **Menu** and then click **User Experience**. Under **User Experience** , click **Dashboard Overview**.
- Dashboard Overview– Summary
  This topic describes the information about **Dashboard Overview– Summary** screen.
- Dashboard Overview – View
  This topic describes the systematic instruction to **Dashboard Overview – View** screen. Using this option, System Administrator can view the details of already created dashboard template.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Dashboard Overview – Create
  This topic describes the systematic instruction to **Dashboard Overview – Create** screen. System Administrator can create new custom dashboard template for Retail & Business, Corporate and Administrator user using this option.
- Dashboard Overview – Design – Create Administrator Template
  This topic describes the systematic instruction to **Dashboard Overview – Design – Create Administrator Template** screen.
- Dashboard Overview – Edit
  This topic describes the systematic instruction to **Dashboard Overview – Edit** screen. The system administrator can modify the configured dashboard using the **Edit** option.
- Dashboard Overview – Clone
  This topic describes the systematic instruction to **Dashboard Overview – Clone** screen.
- Dashboard Overview – Delete
  This topic describes the systematic instruction to **Dashboard Overview – Delete** screen.
- Dashboard Mapping – Summary
  This topic describes the systematic instruction to **Dashboard Mapping – Summary** screen.
- FAQ

53.1 Dashboard Overview– Summary


This topic describes the information about **Dashboard Overview– Summary** screen.

Dashboard Overview- Design summary page displays the list of already designed templates, with template name, description, dashboard type, value and date of creation.

To view the Dashboard summary:

1. The administrator can view the dashboard template details by clicking the **View/Edit Dashboard** link in ⋮ menu icon under the **Action** column against the respective template.
2. Navigate to the screen, the **Dashboard Overview** screen appears.

Figure 53-2 Dashboard Overview



Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 53-1 Dashboard Overview - Field Description

Field Name	Description
Create Dashboard	Click to create Dashboard for the specific user segment or module or user type.
View Dashboard	Click to view already created dashboard template.
Create Mapping	Click to create dashboard of the dashboard type, the dashboard template and to a user/party/user segment/user type.
View Mapping	Click to view dashboard mapping already created for the dashboard template with the user/party/user segment/user type.

53.2 Dashboard Overview – View

This topic describes the systematic instruction to **Dashboard Overview – View** screen. Using this option, System Administrator can view the details of already created dashboard template.

The system administrator can view the template in desktop, tablet and for mobile mode by clicking the respective icons.

To search and view a dashboard template:


1. Navigate to one of the above paths.

   The **Dashboard Overview** screen appears.

2. On the **Dashboard Overview** screen, click on **View Dashboard** tab.

   The **Dashboard Listing** screen appears.

Figure 53-3 Dashboard Overview – Dashboard Listing



Copyright © 2006, 2026, Oracle and/or its affiliates.


Table 53-2 Dashboard Overview – Dashboard Listing - Field Description

Field Name	Description
User Type	The user type for which the dashboard template needs to be viewed. The options are: • **Corporate User** • **Administrator** • **Retail & Business User**
Template Name	Name of the template that the administrator can enter to view the specific template.
Search Results	
Template Name	Displays the name of the custom dashboard template.
Description	Displays the description as defined for the custom dashboard template.
Type	Displays the type for which the dashboard template is created i.e. segment, user type or module.
Value	Displays the name of the segment / module for which the dashboard template is defined.
Actions	The available action buttons against the dashboard template are displayed. The action button can be: • **View/Edit Dashboard**: Click to view/edit the created dashboard template. • **Clone Dashboard**: Click to clone an existing dashboard template. • **Delete Dashboard**: Click to delete existing dashboard template. • **Create Mapping**: Click to create dashboard mapping of the dashboard type, the dashboard template to a user/party/user segment/user type.

3. Perform anyone of the following actions:
   - In the **Dashboard Listing** screen, select the appropriate type of user in the **User Type** field. All the dashboard templates of the selected user type appears on the screen.
   - In the **Template Name** field, enter the name of the template that you want to search. The searched dashboard template appears on the screen.
4. Perform anyone of the following actions:
   - In **Action** column against the already created dashboard template, click on the icon, and then click **View/Edit Dashboard** link to view the dashboard template details. The **Dashboard Overview - View Dashboard** screen appears.
   - Click **Create Dashboard** to create a new dashboard template.
   - Click **Back** to navigate to the previous screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 53-4 View Dashboard Template



5. Perform anyone of the following actions:
   - Click **Edit** to modify the template. The **Dashboard Listing – Edit Dashboard** screen appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
   - Click the **Desktop/ Tab/ Mobile** icon to view the template in desktop, tab or mobile mode.

53.3 Dashboard Overview – Create

This topic describes the systematic instruction to **Dashboard Overview – Create** screen. System Administrator can create new custom dashboard template for Retail & Business, Corporate and Administrator user using this option.

As part of creation of custom dashboard, the administrator needs to select the appropriate tab for which the dashboard needs to be created/ designed i.e. user segment or module or user type.
System will facilitate the user with a default dashboard available and the administrator can decide to create a custom dashboard by dragging and dropping new widgets available from the list of widgets.

Following types of dashboard can be created:

- Segment Dashboard - Design dashboard for a user segment
- Application Role Dashboard - Design dashboard for an application role
- Module Dashboard - Design dashboard for the available application modules i.e. CASA, Term Deposit, Loans etc.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- User Type Dashboard - Design dashboard for a user type i.e. Retail & Business, Corporate or Administrator.

To create a new dashboard template:

1. Navigate to one of the above paths.

   The **Dashboard Overview** screen appears.

2. On the **Dashboard Overview** screen, click on **Create Dashboard** tab.

   The **Create Dashboard** screen appears.

Figure 53-5 Create Dashboard Template




Table 53-3 Create Dashboard Template - Field Description

Field Name	Description
Template Description	Description for the template.
Design	The type of device on which the template will be enabled.
Select Module	System lists the dashboard for the segments / user type / module depending on the option selected.
User Type	Select the user type for which the dashboard needs to be created. **Note:** If dashboard needs to be created for a user segment then user type **Retail & Business** needs to be selected. User Segment is not supported for Corporate and Administrator user.
Select Module Icon	Select the dashboard icon that is displayed based on the selected segments / user type / module.
List of Dashboards	System displays the list of dashboards available for selection based on the selected module type.
Template Name	Name of the template that the System Administrator user wants to create.

3. In the **Template Name** field, enter the name of the new template that is to be created.
4. In the **Template Description** field, enter the description of the new template.
5. To enable the template for Desktop/ Tablet / Mobile, select the required options from the **Design** check box.
6. From the **Segment Dashboard/ Application Role Dashboard/ Module Dashboard/ User Type Dashboard** tabs, select the appropriate module.
   - The **Dashboard Overview - Design** screen of the selected module appears.

     For example, Retail & Business is selected from the **User Type Dashboard**.

Copyright © 2006, 2026, Oracle and/or its affiliates.


The **Dashboard Overview - Design template** for retail user appears.

7. In the **User Type** field, select the appropriate user type.

> **Note**
>
> If dashboard needs to be created for a user segment then user type 'Retail & Business' needs to be selected. User Segment is not supported for Corporate and Administrator user.

8. Select the appropriate dashboard from the list of dashboards displayed based on the selected module.
9. Perform anyone of the following actions:
   - Click **Next**. The **Dashboard Overview** template screen appears.
   - Click **Cancel** to cancel the transaction.

Figure 53-6 Create Dashboard Template



10. Click on the desired widgets from the widget list to appear on dashboard.

    Perform anyone of the following actions:
    - In the **Search Widget** field, enter the name of the widget that you want to appear on the dashboard and click icon.
    - Click on the desired widgets of the dashboard to the desired location. System highlights the area where the widget can be placed.
11. Perform anyone of the following actions:
    - Click icon on the upper right corner of the widget, if you want to expand the widget.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click icon on the upper right corner of the widget, if you want to compress the widget.
- Click icon on the upper right corner of the widget, if you want to remove the widget from the dashboard.

12. If the selected widget has multiple widgets on the same like quick links, select the required widget that you want to appear on the dashboard.
13. Perform anyone of the following actions:
    - Click **Save** to save the template information.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.
14. Perform anyone of the following actions:
    - The **Review** screen appears. Verify the details, and click **Confirm**.
    - Click the **Desktop/ Tab/ Mobile** icon to review the created template in desktop, tab or mobile mode.
    - Click **Cancel** to cancel the transaction.

      A warning message of canceling the operation appears.
    - Click **Yes** to confirm.
    - Click **Back** to navigate to the previous screen.

    The success message appears along with the status of transaction.
15. Click **OK** to complete the transaction.

53.4 Dashboard Overview – Design – Create Administrator Template

This topic describes the systematic instruction to **Dashboard Overview – Design – Create Administrator Template** screen.

The system administrator can select a default dashboard available for administrator or can create a custom dashboard by dragging and dropping new widgets available from the list of components.
The administrator can create the administrator dashboard template either by selecting the administrative maintenance or group of administrative functions.

As part of administrative maintenances UI component, there are individual transaction quick links put in a single widget to component mapping available, the administrator user on actual login will be shown only those quick links that user has access to.

As part of system functions UI component, there is a logical group of transactions that can placed as a widget on the dashboard by selecting the administrative function from the group.

To create a new administrative dashboard template:

1. Navigate to one of the above paths.

   The **Dashboard Builder** screen appears.
2. the **Dashboard Overview** screen, click **Create**.

   The **Create Dashboard** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 53-7 Create Dashboard Template – For Administrator User Type




Table 53-4 Create Dashboard Template – For Administrator User Type - Field Description


Field Name	Description
Template Name	Name of the template that the System Administrator user wants to create.
Template Description	Description for the template.
Design	The type of device on which the template will be enabled.
Select Module	System lists the dashboard for the segments / application roles / user type / module depending on the option selected.
User Type	Select administrator from the user type list.
List of Dashboards	System displays the list of dashboards available for selection based on the selected module type.

3. In the **Template Name** field, enter the name of the new template that is to be created.
4. In the **Template Description** field, enter the description of the new template.
5. To enable the template for Desktop/ Tablet / Mobile, select the required options from the **Design** check box.
6. From the **Segment Dashboard/ Application Role Dashboard/ Module Dashboard/ User Type Dashboard** tabs, select the appropriate module.
   - The **Dashboard Overview - Design** screen of the selected module appears.

     To create a dashboard for a newly created administrator application role or to customize the dashboard for an existing administrator application role, user will need to select Application Role Dashboard/ User Type Dashboard tab.
7. In the **User Type** field, select the administrator user.
8. Select the appropriate dashboard from the list of dashboards displayed based on the selected module.
9. Perform anyone of the following actions:
   - Click **Next**. The **Dashboard Overview - Design** template for Administrator appears.
   - Click **Cancel** to cancel the transaction.


Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 53-8 Dashboard Overview - Design – Create Administrator Template



10. Perform anyone of the following actions:
    - Click on the desired widgets from the widget list to appear on the dashboard.
    - In the **Search Widget** field, enter the name of the widget that you want to appear on the dashboard and click icon.
    - Click on the desired widgets of the dashboard to the desired location. System highlights the area where the widget can be placed.
11. Perform anyone of the following actions:
    - Click icon on the upper right corner of the widget, if you want to expand the widget.
    - Click icon on the upper right corner of the widget, if you want to compress the widget.
    - Click icon on the upper right corner of the widget, if you want to remove the widget from the dashboard.
12. If the selected widget has multiple widgets on the same component like **System Administrator Action Card**, select the required widget that you want to appear on the dashboard.

Figure 53-9 Dashboard Overview - Component Input box



Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 53-5 Dashboard Overview - Component Input box - Field Description

Field Name	Description
Component Type	Select the component type, which you want to appear on your dashboard. This field is applicable only if the selected widget has multiple components.

a. From the **Component Type** list, select the widget component that you want to appear on the dashboard.

b. Click **Confirm**.

The selected component appears as a widget on the selected location of your dashboard.

13. Perform anyone of the following actions:
    - Click **Save** to save the template information.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.
14. Perform anyone of the following actions:
    - The **Review** screen appears. Verify the details, and click **Confirm**.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.
    - Click the **Desktop/ Tab/ Mobile** icon to review the template in desktop, tab or mobile mode.

    The success message appears.
15. Click **Go to Dashboard** to view your customized dashboard.

53.5 Dashboard Overview – Edit

This topic describes the systematic instruction to **Dashboard Overview – Edit** screen. The system administrator can modify the configured dashboard using the **Edit** option.

The administrator can edit the dashboard widgets for desktop, tablet or mobile devices by clicking the specific icons.

> **Note**
>
> 1. Dashboard Overview - Edit section is common for Administrator user and business users.
> 2. System Administrator will not be able to edit the factory shipped dashboards.

To edit the configured dashboard:

1. Navigate to one of the above paths.

   The **Dashboard Overview** screen appears.


Copyright © 2006, 2026, Oracle and/or its affiliates.

2. In the **Dashboard Overview - Summary** screen, click the **View** link, against the dashboard, which you want to edit.

   The **Dashboard Overview - View** screen appears.

3. Click the **Edit** link to modify the dashboard template.
   - The **Dashboard Overview** screen appears in edit mode.
   - Click **Delete** to delete the dashboard template.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to previous screen.

Figure 53-10 Edit Dashboard Template



4. Click on the desired widgets to add from the widget list if required.

Copyright © 2006, 2026, Oracle and/or its affiliates.

5. Perform anyone of the following actions:
   - Click icon on the upper right corner of the widget, if you want to expand the widget.
   - Click icon on the upper right corner of the widget, if you want to compress the widget.
   - Click icon on the upper right corner of the widget, if you want to remove the widget from the dashboard.
6. Perform anyone of the following actions:
   - Click **Save** to save the changes.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
7. Perform anyone of the following actions:
   - The **Review** screen appears. Verify the details, and click **Confirm**.
   - Click the **Desktop/ Tablet/ Mobile** icon to review the template in desktop, tablet or mobile mode.
   - Click **Edit** to make the changes if any for the selected device type.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

   The success message appears along with the status of transaction.
8. Click **OK** to complete the transaction.

53.6 Dashboard Overview – Clone

This topic describes the systematic instruction to **Dashboard Overview – Clone** screen.

To speed up the process of creating new dashboard template, System Administrator can clone an existing dashboard template. All the values available in an existing dashboard template are shown in an editable format, administrator is allowed to make changes in it and save the dashboard template with different name.
Following types of dashboard can be created:

- Segment Dashboard - Design dashboard for a user segment
- Module Dashboard - Design dashboard for the available application modules i.e. CASA, Term Deposit, Loans etc.
- User Type Dashboard - Design dashboard for a user type i.e. Retail & Business, Corporate or Administrator.

To clone a new dashboard template:

1. Navigate to one of the above paths.

   The **Dashboard Overview** screen appears.
2. On the **Dashboard Overview** screen, click on **View Dashboard** tab.


   The **Dashboard Overview – Dashboard Listing** screen appears.
3. In **Action** column against the already created dashboard template, click on the icon, and then click **Clone Dashboard** link to clone the dashboard template details.

Copyright © 2006, 2026, Oracle and/or its affiliates.

The **Dashboard Overview – Create** screen appears with existing dashboard template details.

4. The **Dashboard Overview – Create** screen appears with existing dashboard template details.

Figure 53-11 Clone Dashboard Template



5. Update dashboard template with required changes.
6. Perform anyone of the following actions:
   - Click **Save** to save the changes.
   - Click **Cancel** to cancel the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Back** to navigate to the previous screen.

7. Perform anyone of the following actions:
   - The **Review** screen appears. Verify the details, and click **Confirm**.
   - Click the **Desktop/ Tablet/ Mobile** icon to review the template in desktop, tablet or mobile mode.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

   The success message appears along with the status of transaction.
8. Click **OK** to complete the transaction.

53.7 Dashboard Overview – Delete

This topic describes the systematic instruction to **Dashboard Overview – Delete** screen.

The System Administrator can delete the custom dashboard templates maintained in the application. Deleting specific template will also result in deleting the template and revert back to the default dashboard.


To delete the configured dashboard:

1. Navigate to one of the above paths.

   The **Dashboard Overview - Dashboard Listing** screen appears.
2. Perform anyone of the following actions:
   - In **Action** column against the already created dashboard template, click on the ⋮ icon, and then click **Delete Dashboard** link to delete the existing dashboard template. The **Delete Dashboard** popup window appears.
   - Click **Create Dashboard** to create a new dashboard template.
   - Click **Back** to navigate to the previous screen.
3. In the **Dashboard Overview - Summary** screen, click the **View** link, against the dashboard, which you want to delete.

   The **Dashboard Overview - View** screen appears.
4. Click **Delete**.
   - The application prompts the administrator with a warning message **Are you sure you want to switch to default dashboard** with an option of Confirm / Cancel.

Figure 53-12 Dashboard Builder - Delete



5. The application prompts the administrator with a warning message **Dashboard will be deleted permanently** with an option of Delete / Cancel.

Copyright © 2006, 2026, Oracle and/or its affiliates.

6. Perform anyone of the following actions:
   - Click **Delete** to proceed with the deletion request. It will navigate to confirmation page with a success message along with the status and reference number.
   - Click **Cancel** if you do not wish to proceed with deletion.
7. Click **OK** to complete the transaction.

53.8 Dashboard Mapping – Summary

This topic describes the systematic instruction to **Dashboard Mapping – Summary** screen.

Using this option, System Administrator can map the configured dashboards to the user or party, or user type or user segments depending on the dashboard template selected. The system administrator can create mapping and can delete the mapping.


To view the Dashboard mapping summary:

1. Navigate to one of the above paths.

   The **Dashboard Overview** screen appears.
2. In the **Dashboard Overview** screen, click the **View Mapping** .
3. Select the **Mapping Type** from the list i.e. User / Party / Segment / User Type.
4. In the **Dashboard Overview** screen, click the **View Mapping** .

   The **Dashboard Overview - Mapping Summary** screen appears.

Figure 53-13 Dashboard Mapping summary



Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 53-6 Dashboard Mapping summary – Field Description

Field Name	Description
Mapping Type	Select the mapping type to search the dashboard template. The options are: • **User** • **Party** • **Segment** • **User Type**
Dashboard Name	System displays the name of the dashboard template.
Dashboard Type	System displays the type of the dashboard i.e. module / application role / user type.
Mapped Value	System displays the value that is mapped to the template. In case if the dashboard is mapped to the user, user ID to whom the dashboard is mapped will be shown as mapped value. In case if the dashboard is mapped to the party, party ID to whom the dashboard is mapped will be shown as mapped value. In case if the dashboard is mapped to the Role, role name to whom the dashboard is mapped will be shown as mapped value.
Date Created	The date on which template mapping was created.
Actions	Link to delete the mapping.

5. From the **Mapping Type** list, select the appropriate option for which you want to view the mapping.

   The **Dashboard Builder - Mapping Summary** screen appears.

- Create Mapping
  This topic describes the systematic instruction to **Create Mapping** screen.
- Delete Mapping
  This topic describes the systematic instruction to **Delete Mapping** overlay screen.

53.8.1 Create Mapping

This topic describes the systematic instruction to **Create Mapping** screen.

Using this option, System Administrator selects the dashboard type, the dashboard template and then map either to a user/party/user segment/user type. The mapping type will depend on the type of dashboard selected.

To map dashboard templates:

1. Navigate to one of the above paths.

   The **Dashboard Overview** screen appears.

2. Click **Create Mapping**.

   The **Dashboard Overview - Create Mapping** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 53-14 Create Mapping




Table 53-7 Create Mapping - Field Description

Field Name	Description
Dashboard Type	Select the dashboard type that is to be mapped.
User Type	Select the user type for which the dashboard template needs to be mapped.
Template	Select the template from the list that needs to be mapped.
Mapping Type	Select the mapping type i.e. the selected dashboard template to map to the required option. The options are: • **User** • **Party** • **Segment** • **User Type** The mapping type options will also depend on the dashboard type selected i.e. for user type dashboard, system will not have options of User, Party and Segment
Mapping Value	The mapping value will depend on the option selected in the mapping type. For Party selected in the mapping type, the admin can capture the party for which the dashboard template is applicable. For user selected in the mapping type, the admin can capture the user for which the dashboard template is applicable. For segment selected as the mapping type, admin can capture the segment for which the dashboard template is applicable.
Party ID	Party Id to search a party that is to be mapped to the dashboard template. This field appears if you select **Party** option from the **Mapping Type** list.
Party Name	Party name to search a party that is to be mapped to the dashboard template. This field appears if you select **Party** option from the **Mapping Type** list.
User ID	User ID that is to be mapped to the dashboard template. This field appears if you select **User** option from the **Mapping Type** list.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 53-7 (Cont.) Create Mapping - Field Description

Field Name	Description
Select Segment	Select the user segment that is to be mapped to the dashboard template. This field appears if you select **Segment** option from the **Mapping Type** list.

3. From the **Dashboard Type**, select the appropriate dashboard type i.e. Application Role Dashboard or Segment Dashboard or Module Dashboard or User Type Dashboard.
4. From the **User Type**, select the user type for which the Template mapping needs to be done.
5. Select the **Template** from the list that needs to be mapped.
6. From the **Mapping Type** list, select the appropriate option to be mapped.
   a. If you select **User** option, enter the user name.
   b. Perform anyone of the following actions:
      - If you select **Party** option, enter the party Id in the **Party ID** field, and click **Search**. The **Mapping Value** appears. Click link under the Party ID column to view the party details.
      - In the **Party Name** field enter the party name and click **Search**.

        The **Mapping Value** appears. Click link under the Party ID column to view the party details.
      - Click **Cancel** to cancel the transaction.
      - Click **Clear** to clear the entered value.
   c. If you select **Segment** option, select the role from the **User Segment** list.
7. Perform anyone of the following actions:
   - Click **Save**. The success message along with the status of transaction appears.
   - Click **Cancel** to cancel the transaction.

53.8.2 Delete Mapping

This topic describes the systematic instruction to **Delete Mapping** overlay screen.

Using this option System Administrator can delete the templates mapped to a User or Party or User Segment or to a User Type.

To delete the mapped dashboard template:

1. Navigate to one of the above paths.


   The **Dashboard Overview** screen appears.
2. In the **Dashboard Overview** screen, click the **View Mapping** tab.

   The **Dashboard Overview - Mapping summary** screen appears.
3. Select the **Mapping Type** from the list i.e. User / Party / Segment / User Type.
4. In **Action** column against the already created dashboard template, click on the ⋮ icon, and then click **Delete** against the template mapping that you want to delete. T

Copyright © 2006, 2026, Oracle and/or its affiliates.

The application will prompt the administrator with a deletion message with an option of Confirm/ Cancel.

Figure 53-15 Delete Mapping



5. Perform anyone of the following actions:
   - Click **Confirm** to delete the mapping. It will navigate to confirmation page with a success message and the status.
   - Click **Cancel** if you do not wish to delete the mapping.
6. Click **OK** to complete the transaction.

53.9 FAQ

1. **Can I design new widgets using Dashboard Builder functionality?**
   No, designing of a new widget is not allowed using this functionality. Administrator can use the existing widgets and can design the required dashboard.
2. **Can I design different dashboards for different device types (desktop, mobile and tablet) using one template?**
   Yes, you can design different dashboards for different types of devices using one template. An edit option is available while previewing the dashboard on each type of device, which will help the user to make the necessary changes for specific device type.

   However the system will always display the widgets mapped to a combination of application role and internet as touch point, irrespective of any device size the user selects
3. **Can I delete the template that is mapped to a user / party / segment / user type?**
   Yes, you can delete the template that are already mapped to a user / party / segment or user type. A warning message informing about the mapping deletion is shown to the administrator while deleting a template.
4. **Can I map the same template to multiple users or parties?**
   Yes, you can map the same template to multiple parties or users. Separate entries are required for such mapping.
5. **Can the system/bank administrator edit a Factory shipped dashboard ?**
   No, Factory shipped dashboards can't be modified. However system/bank administrator can modify a custom made dashboard.an I design the dashboard and map for administrator types of users (Bank/system administrator and corporate administrator)?
6. **Can I design a dashboard for System Admin or Bank Admin?**
   Yes, you can design the administrative dashboards using Dashboard Builder maintenance.
7. **When will the newly mapped dashboard be visible to the end customer?**
   Newly mapped dashboard will be available to the end user with an immediate effect.
8. **Can an end user (Retail/Corporate users) design their own dashboards or set their preferences to see required widgets?**
   Yes Retail and Corporate users can personalize and design their dashboard.

Copyright © 2006, 2026, Oracle and/or its affiliates.

9. **In case of dashboard templates available at user level, segment level, application role level and user type level, which dashboard will the system resolve? Also what is the order in which the dashboards are resolved?**
   If there is a dashboard template mapped at a user level, then the system will display the user level dashboard on login.

   Before rendering the dashboard, system will first check if there is a dashboard at user level, followed by segment, application role and then at user type.

   In case where a retail user has personalize his/her dashboard, the system will give the priority to user defined dashboard followed by Administrator defined dashboards as user, segment, application role and then at user type.

Copyright © 2006, 2026, Oracle and/or its affiliates.

54

Relationship Maintenance

This topic describes the information about **Relationship Maintenance** feature.

Customer Relationship Maintenance enables the System Administrator to set up the transaction access logic for Bank's retail customers from Digital Banking Platform based on their account - mode of operation or relationship.

E.g. If a customer relationship (Mode of operation) is **Either or Survivor**, provide an access of all transactions whereas, if a customer relationship (Mode of operation) is **Jointly**, provide an access of all Inquiries and restrict all financial transactions from Digital Banking Platform. Such account and transaction access rules can be set up by the System Administrator using **Relationship Maintenance Module**.

This account relationship maintenance is a two-step process.

- Relationship Mapping Maintenance - Using this maintenance System Administrator can map OBDX relationship codes with core banking relationship codes
- Relationship Matrix Definition - Using this maintenance System Administrator can define the transaction access based on the account relationships

- Relationship Mapping
  This topic describes the information about **Relationship Mapping** option.
- Relationship Matrix
  This topic describes the information about **Relationship Matrix** feature.
- FAQ

54.1 Relationship Mapping

This topic describes the information about **Relationship Mapping** option.

Using this option a System Administrator can map OBDX account relationship codes with account relationship codes defined in Core Banking Application so that the corresponding matrix defined in OBDX will be followed based on the available account relationship in the core application.


> **Note**
>
> The relationship matrix maintenance is done using **Relationship Matrix Maintenance** transaction.

Prerequisites:

- Transaction access is provided to System Administrator.
- Account relationship codes are maintained in OBDX and in Core Banking Application.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 54-1 Workflow



Features supported in application

The administrator can perform the following actions:

- Create Relationship Mapping
- Search/ View Relationship Mapping
- Edit Relationship Mapping

Navigation Path: Perform anyone of the following navigation to access **Relationship Mapping**.

- From **System/ Bank Administrator Dashboard**, under **Control & Monitoring** widget, click **Relationship Mapping**.
- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Control & Monitoring**. Under **Control & Monitoring** , click **Relationship Mapping**.
- Relationship Mapping Maintenance - View
  This topic describes the systematic instruction to **Relationship Mapping Maintenance - View** option.
- Relationship Mapping Maintenance - Edit
  This topic describes the systematic instruction to **Relationship Mapping Maintenance - Edit** option. Using this feature administrator can map the newly added relationship codes.

54.1.1 Relationship Mapping Maintenance - View

This topic describes the systematic instruction to **Relationship Mapping Maintenance - View** option.

By accessing this menu option, System Administrator can view the account relationship codes maintained in OBDX and paired with the codes maintained in Core Banking Application. Relationship code maintained in OBDX appears on left side of the screen and paired codes if any appears on right side of the screen

To view relation mapping:

1. Navigate to one of the above paths.


   The **Relationship Mapping Maintenance** screen appears.
2. Perform anyone of the following actions:

Copyright © 2006, 2026, Oracle and/or its affiliates.

- All the relationships maintained under user account appears on **Relationship Mapping Maintenance** screen.
- Click **Edit** to edit the maintenance.
- Click **Cancel** to cancel the transaction.

> **Note**
>
> Instead of the **Edit** option, the **Save** option available if user is accessing it for the first time.

Figure 54-2 Relationship Mapping Maintenance



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 54-1 Relationship Mapping Maintenance - Field Description

Field Name	Description
Relationship Name and ID	Lists all the relationships maintained in OBDX.
Map Relationship	Lists all the relationships maintained in Core Banking Application.

Copyright © 2006, 2026, Oracle and/or its affiliates.

54.1.2 Relationship Mapping Maintenance - Edit

This topic describes the systematic instruction to **Relationship Mapping Maintenance - Edit** option. Using this feature administrator can map the newly added relationship codes.

Using this option, System Administrator is allowed to map the newly added relationship codes with the codes defined in core application. As well as System Administrator can remove the relationship codes which are selected from the default list.

To modify relation mapping:

1. Navigate to one of the above paths.


   The **Relationship Mapping Maintenance** screen appears.

2. All the relationships maintained under user account appears on **Relationship Mapping Maintenance** screen.

   Perform anyone of the following actions:

   - Click **Edit** to edit the maintenance.
   - Click **Cancel** to cancel the transaction.

Figure 54-3 Relationship Mapping Maintenance - Edit



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 54-2 Relationship Mapping Maintenance - Edit - Field Description

Field Name	Description
Relationship Name and ID	To map the OBDX relationships with the relationship codes available in the Core Banking system. **Note:** Lists all the relationships maintained in OBDX.
Map Relationship	Relationship ID to be mapped with OBDX relationship ID. **Note:** Lists all the relationships maintained in Core Banking Application. If an existing mapping is available, a value will be shown in **Map Relation** field.

3. Select the checkbox against Relationship Name and ID to map Core Banking relationships to OBDX relationships.

> **Note**
>
> a. Select the checkbox adjacent to **Relationship Name and ID** in header row to select all relationships in one instance.
>
> b. To unmap the relation mapping, uncheck the checkbox

4. In the **Map Relationship** field, enter the relationships value as maintained in Core Banking Application.
5. Perform anyone of the following actions:
   - Click **Save** to save the relationship mapping maintenance.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
6. Perform anyone of the following actions:
   - The **Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

   The success message of Relationship Mapping Maintenance saved successfully appears along with the transaction reference number.
7. Click **OK** to complete the transaction.

54.2 Relationship Matrix

This topic describes the information about **Relationship Matrix** feature.

Relationship Matrix maintenance allows the System Administrator to define the transaction access based on the account relationships. Administrator can enable or disable each transaction for each relationship code.


OBDX first checks if the transaction is mapped to the role attached to the user and then if it is enabled in relationship matrix. If both the conditions are satisfied, an access of a transaction and of an account is provided to the user.

Prerequisites:

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Transaction access is provided to System Administrator.
- Approval rule set up for System Administrator to perform the actions.
- Account relationship codes are maintained in OBDX and in Core Banking Application.
- Relationship mapping (mapping of OBDX relationship codes with codes maintained in Core Banking application) is maintained.

Figure 54-4 Workflow



Features supported in application

The administrator can perform the following actions:

- View Relationship Matrix
- Edit Relationship Matrix

Navigation Path: Perform anyone of the following navigation to access **Relationship Matrix**.

- From **System/ Bank Administrator Dashboard**, under **Controls & Monitoring** widget, click **Relationship Matrix**.
- From **System Administrator Dashboard**, click **Toggle Menu** , then click **Menu** and then click **Controls & Monitoring**. Under **Controls & Monitoring** , click **Relationship Matrix**.
- Relationship Matrix Maintenance - View
  This topic describes the systematic instruction to **Relationship Matrix Maintenance - View** option.
- Relationship Matrix Maintenance - Edit
  This topic describes the systematic instruction to **Relationship Matrix Maintenance - Edit** option. Using this option, System Administrator can modify the account relationship and transaction access matrix.

54.2.1 Relationship Matrix Maintenance - View

This topic describes the systematic instruction to **Relationship Matrix Maintenance - View** option.

Based on the account relationship and transaction access matrix, System Administrator will know the account relationships IDs for which the channel access has been granted.
To view relationship matrix:

1. Navigate to one of the above paths.


   The **Relationship Matrix Maintenance** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

2. Perform anyone of the following actions:
   - Displays the details maintained under user account relationship and transaction access matrix in **Relationship Matrix Maintenance - View** screen.
   - Click **Edit** to modify the maintenance.
   - Click **Cancel** to cancel the transaction.

> **Note**
>
> Instead of the **Edit** option, the **Save** option available if user is accessing it for the first time.

Figure 54-5 Relationship Matrix Maintenance - View



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 54-3 Relationship Matrix Maintenance - View - Field Description

Field Name	Description
Module Name	Name of the module under which all transactions are maintained for Relationship Matrix. • **Current and Savings** • **Deposits** • **Loans** • **Credit Cards**

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 54-3 (Cont.) Relationship Matrix Maintenance - View - Field Description

Field Name	Description
Transaction Name	Lists all the transactions under a specific module for which a channel access has been granted based on account relationship and transaction access matrix. Under each module transactions are mainly grouped as: • **Inquiry** • **Transactions**
Relationship ID	Lists all the relationship IDs maintained in OBDX for which the codes available in core banking application are mapped.

54.2.2 Relationship Matrix Maintenance - Edit

This topic describes the systematic instruction to **Relationship Matrix Maintenance - Edit** option. Using this option, System Administrator can modify the account relationship and transaction access matrix.

To modify relationship matrix:

1. Navigate to one of the above paths.


   The **Relationship Matrix Maintenance** screen appears.

2. Displays the details maintained under user account relationship and transaction access matrix in **Relationship Matrix Maintenance - View** screen.

3. Click **Edit** to modify the maintenance.

   The **Relationship Matrix Maintenance - Edit** screen appears.

Figure 54-6 Relationship Matrix Maintenance - Edit



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 54-4 Relationship Matrix Maintenance - Edit - Field Description

Field Name	Description
Module Name	Name of the module under which all transactions are maintained for Relationship Matrix. • **Current and Savings** • **Deposits** • **Loans** • **Credit Cards**
Transaction Name	Lists all the transactions of a specific account for which a channel access has been granted based on account relationship and transaction access matrix. The transaction categories are: • **Inquiry** • **Transactions** Select/ deselect the transactions to maintain relationship matrix.
Relationship ID	Lists all the relationship IDs maintained in OBDX for which the codes available in core banking application are mapped.

4. Perform anyone of the following actions:
   - Select the check box available in the header of transaction category (Inquiry and Transactions), to select all transactions for selected category in one instance.
   - Select the check box available against the **Relationship ID**) for each transaction.

   > **Note**
   >
   > a. Select / deselect the check box against the Transaction category (Inquiry and Transactions) to select all transactions under it.
   >
   > b. To unmap the relation mapping, deselect the check box.

5. Repeat step 2 for all modules as per requirement.
6. Perform anyone of the following actions:
   - Click **Save** to save the relationship matrix maintenance.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
7. Perform anyone of the following actions:
   - The **Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

The success message of Relationship Matrix Maintenance saved successfully appears along with the transaction reference number.

8. Click **OK** to complete the transaction.

54.3 FAQ

1. **Is relationship mapping a mandatory step?**
   Yes, relationship mapping is a mandatory step, without which the accounts will not be fetched from the core banking application.
2. **Will all transactions available be listed under a respective module on relationship matrix screen?**
   Transactions for which the Customer Relationship Matrix maintenance flag is enabled in ‘Transaction Aspects’ screen will be listed under the respective modules.
3. **Will a user get the access of a transaction and of an account, based on the relationship matrix definition?**
   No, OBDX first checks if the transaction is mapped to the role attached to the user and then if it is enabled in relationship matrix. If both the conditions are satisfied, access of the transaction and of account is provided to the user.
4. **What will happen if an inquiry access for current and savings accounts module have been granted for a specific relationship code e.g. JAF (Joint and First) and not provided for a non-inquiry transactions?**
   In the above case user having an account with the relationship code JAF, will be able to access all inquiry transactions from digital platform but the account will not be listed in non-inquiry transaction screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

55

Transaction Blackout

This topic describes the information about the **Transaction Blackout** option.

A blackout period is duration of time when access to something usually available is prohibited.


When a System Administrator maintains a transaction blackout, for a period, transaction/s are not accessible to users of the bank's retail and corporate or even to the administrator users for a preset time period.

The system administrator may use the time, when a transaction is blacked-out, to do necessary maintenances.

Pre-Requisites

- Transaction access is provided to System Administrator.
- Approval rule set up for system administrator to perform the actions.

Figure 55-1 Workflow



Access Transaction (during blackout) – Blackout message needs to be displayed

Check the flow, message part is against access of transaction outside blackout period.

Features Supported In Application

The following options are available as part of this maintenance:

- Create a new Transaction Blackout Maintenance
- Search and View Transaction blackouts already maintained
- Delete or Edit transaction blackouts maintained.

Navigation Path: Perform any one of the following navigation to access the **Transaction Blackout**:

- From **System/ Bank Administrator Dashboard**, under **Controls & Monitoring** widget, click **Transaction Blackout**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Controls & Monitoring**. Under **Controls & Monitoring** , click **Transaction Blackout**.
- Transaction Blackout - Search
  This topic describes the systematic instruction to **Transaction Blackout - Search** function.
- Transaction Blackout - Create
  This topic describes the systematic instruction to **Transaction Blackout - Create**, System Administrator can create new transaction blackout maintenance for the selected transaction.
- Transaction Blackout - Edit
  This topic describes the systematic instruction to **Transaction Blackout - Edit**, System Administrator can modify existing blackout instructions using this function.
- Transaction Blackout - Delete
  This topic describes the systematic instruction to **Transaction Blackout - Delete**, System Administrator can delete existing blackout instructions.
- FAQ

55.1 Transaction Blackout - Search

This topic describes the systematic instruction to **Transaction Blackout - Search** function.


This function allows the System Administrator to search for transactions under a particular user type and also to create a new Transaction blackout. The search is available on the basis of User type, Transaction Type, Transaction and date. The search result displays only those transactions under a user type for which the **Transaction Blackout** is maintained.
To search for transactions under a particular user type:

1. Navigate to one of the above paths.

   The **Transaction Blackout** screen appears.
2. Enter the search criteria.
3. Perform anyone of the following actions:
   - Click **Search**, displays results based on search criteria.
   - Click **Clear** to reset the details.
   - Click **Cancel** to cancel the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 55-2 Transaction Blackout- Search



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 55-1 Transaction Blackout- Search - Field Description

Field Name	Description
Date	Date of the transaction blackout.
User Type	The type of user for whom the transaction is blacked out. The user types could be: • **Corporate User** • **Administrator** • **Retail User** • **Prospect**
Transaction Type	Transaction type to be blacked out. The options are: • **Maintenances** • **Administration** • **Inquiries** • **Non-Financial** • **Financial**
Transaction	The specific transaction, for which a blackout is maintained. Transactions list displayed here gets populated basis on the transaction type selected in the previous field.
Search Result	**Information specified in below fields are related to search result**.
Transaction	The specific transaction, for which a blackout is maintained
Start Date	Start date for the blackout.
End Date	End Date End date for the blackout.


Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 55-1 (Cont.) Transaction Blackout- Search - Field Description

Field Name	Description
Blackout Type	Type of black out. • **Full**: Indicates that it will be complete transaction blackout for the set date and time. • **Daily**: Indicates that it will be daily blackout for the set date and time.
Status	The transaction blackout status. The options are: • **Ongoing**: Indicates that blackout is ongoing. • **Scheduled**: Indicates that scheduled for some day in the future.

4. View the table with search results. This table contains the start date and end date of the blackout maintenance. Transaction for which the blackout is applicable, the type of blackout (full or daily) and the status – whether the blackout is ongoing, or scheduled for some day in the future.
5. Click on the field **Transaction** to view more details.

Figure 55-3 Transaction Blackout- View details



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 55-2 Transaction Blackout- View details - Field Description

Field Name	Description
Transaction	The specific transaction, for which a blackout is maintained.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 55-2 (Cont.) Transaction Blackout- View details - Field Description

Field Name	Description
User Type	The type of user for whom the transaction is blacked out. The user types could be: • **Corporate User** • **Administrator** • **Retail User** • **Prospect**
Blackout Type	Type of black out. • **Full**: Indicates that it will be complete transaction blackout for the set date and time. • **Daily**: Indicates that it will be daily blackout for the set date and time.
Start On	Start date and time for the blackout. This field will be displayed if the Blackout type is selected as **Full**.
End On	End date and time for the blackout. This field will be displayed if the Blackout type is selected as **Full**.
Date Range	Blackout start and end date. This field will be displayed if the Blackout type is selected as **Daily**.
Time Range	Blackout start and end time. This field will be displayed if the Blackout type is selected as **Daily**. **Note:** When blackout type is full - the following fields are displayed and enabled: Start On (Date and Time) End On and (Date and Time) When blackout type is Daily - the following fields are displayed and enabled - Date Range - From and To. Time Range - From and To. And, an option to Add Time
Status	The transaction blackout status. The options are: • **Ongoing**: Indicates that blackout is ongoing. • **Scheduled**: Indicates that scheduled for some day in the future.

6. Perform anyone of the following actions:
   - Click **Edit** to edit the maintenance.
   - Click **Delete** to delete the maintenance.
   - Click **Cancel** to cancel the operation.
   - Click **Back** to navigate to the previous screen.

55.2 Transaction Blackout - Create

This topic describes the systematic instruction to **Transaction Blackout - Create**, System Administrator can create new transaction blackout maintenance for the selected transaction.

User needs to select the particular transaction and user type for whom blackout needs to be applied.
Further user can set up blackout type:

- Full – Black out for the entire period.
- Daily - Blackout between start and end time daily, for the days set.

To create new transaction blackout:

Copyright © 2006, 2026, Oracle and/or its affiliates.

1. Navigate to one of the above paths.

   The **Transaction Blackout** screen appears.


2. Click **Create**.
3. From the **Transaction** list select the appropriate option.

> **Note**
>
> - You can select multiple transactions out of the listed transactions for setting up the blackout in one go.
> - There will be an option as **All transactions** in the drop-down, on selecting the same all the listed transactions, will get selected for maintaining the blackout.

4. From the **User Type** select the appropriate option.
5. From the **Blackout Type** select the appropriate option:
6. If you select **Full Day**:
   a. From the **Start On** list, select the start date and time of the transaction blackout.
   b. From the **End On** list, select the end date and time of the transaction blackout.
7. If you select **Daily**:
   a. From the **Date Range** list select the start and end date of the transaction blackout.
   b. From the **Time Range** list select the start and end time of the transaction blackout.

> **Note**
>
> You can click **+Add Time Range** button, to add multiple time options for transaction blackout.

Figure 55-4 Transaction Blackout- Create



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 55-3 Transaction Blackout- Create - Field Description

Field Name	Description
Transaction Type	Transaction type to be blacked out. The options are: • **Maintenances** • **Administration** • **Inquiries** • **Non-Financial** • **Financial**
Transaction	The specific transaction, for which a blackout is to be maintained. **Note:** • You can select multiple transactions out of the listed transactions for setting up the blackout in one go. • There will be an option as **All transactions** in the drop-down, on selecting the same all the listed transactions, will get selected for maintaining the blackout. • Selected transactions will go as an individual maintenance for approval (one approval for one transaction) • Selected transactions will be available as a single maintenance in view and edit. • Multiple selection would be available only at the time of set up. Maintained blackout can be inquired and edited only for one transaction at a time
User Type	The type of user for whom the transaction is blacked out. The user types could be: • **Corporate User** • **Administrator** • **Retail User** • **Prospect**
Blackout Type	Type of black out. • **Full**: A Full transaction blackout prevents access to a transaction from a certain day/time to certain day / time. The transaction is not enabled at all, during a full blackout • **Daily**: A daily transaction blackout prevents access to a transaction for the defined time in a day, over few days. The transaction is enabled, outside of the blackout window, in case of a daily blackout
Start On	Start date and time for the blackout. This field will be displayed if the Blackout type is selected as **Full**.
End On	End date and time for the blackout. This field will be displayed if the Blackout type is selected as **Full**.
Date Range	Blackout start and end date. This field will be displayed if the Blackout type is selected as **Daily**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 55-3 (Cont.) Transaction Blackout- Create - Field Description

Field Name	Description
Time Range	Blackout start and end time. This field will be displayed if the Blackout type is selected as **Daily**. **Note:** When blackout type is full - the following fields are displayed and enabled: Start On (Date and Time) End On and (Date and Time) When blackout type is Daily - the following fields are displayed and enabled - Date Range - From and To. Time Range - From and To. And, an option to Add Time Range

8. Perform anyone of the following actions:
   - Click **Save** to create the transaction blackout. User will be directed to the **Transaction Blackout-Create - review** page post necessary validations.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
9. Perform anyone of the following actions:
   - The **Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

   The success message appears along with the transaction reference number.
10. Click **OK** to complete the transaction.

55.3 Transaction Blackout - Edit

This topic describes the systematic instruction to **Transaction Blackout - Edit**, System Administrator can modify existing blackout instructions using this function.

This screen displays the inputs captured for Daily/Full, End date and End time in the create transaction blackout screen in an editable form. Whereas user is not allowed to edit Transaction.

To modify blackout instructions:

1. Navigate to one of the above paths.

   The **Transaction Blackout** screen appears.
2. Enter the search criteria like **Transaction**, **Date**, or **User Type**.

   > **Note**
   >
   > Alternately, the user can perform a blank search.
3. Perform anyone of the following actions:
   - Click **Search**, displays results based on search criteria.
   - Click **Clear** to reset the details.


Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Cancel** to cancel the transaction.

4. Click on the transaction.
5. Click **Edit** to edit the maintenance.

.

Figure 55-5 Editing a scheduled Maintenance



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 55-4 Editing a scheduled Maintenance - Field Description

Field Name	Description
Transaction	The specific transaction, for which a blackout is to be modified.
User Type	The type of user for whom the transaction is blacked out. The user types could be: • **Corporate User** • **Administrator** • **Retail User** • **Prospect**
Blackout Type	Type of black out. • **Full**: A Full transaction blackout prevents access to a transaction from a certain day/time to certain day / time. The transaction is not enabled at all, during a full blackout • **Daily**: A daily transaction blackout prevents access to a transaction for the defined time in a day, over few days. The transaction is enabled, outside of the blackout window, in case of a daily blackout
Start On	Start date and time for the blackout. This field will be displayed if the Blackout type is selected as **Daily**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 55-4 (Cont.) Editing a scheduled Maintenance - Field Description

Field Name	Description
End On	End date and time for the blackout. This field will be displayed if the Blackout type is selected as **Daily**.
Date Range	Blackout start and end date. This field will be displayed if the Blackout type is selected as **Daily**.
Time Range	Blackout start and end time. This field will be displayed if the Blackout type is selected as **Daily**. **Note:** When blackout type is full - the following fields are displayed and enabled: Start On (Date and Time) End On and (Date and Time) When blackout type is Daily - the following fields are displayed and enabled - Date Range - From and To. Time Range - From and To. And, an option to Add Time Range

6. From the **User Type** select the appropriate option.
7. From the **Blackout Type** select the appropriate option:
8. If you select **Full Day**:
   a. From the **Start On** list, select the start date and time of the transaction blackout.
   b. From the **End On** list, select the end date and time of the transaction blackout.
9. If you select **Daily**:
   a. From the **Date Range** list, select the start and end date of the transaction blackout.
   b. From the **Time Range** list, select the start and end time of the transaction blackout.

> **Note**
>
> You can click **+Add Time Range** button, to add multiple time options for transaction blackout.

10. Perform anyone of the following actions:
    - Click **Save** to button to save Transaction Blackout Maintenance. User is directed to **Transaction Blackout-Edit - review** page post necessary validations.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.
11. Perform anyone of the following actions:
    - The **Review** screen appears. Verify the details, and click **Confirm**.
    - Click **Cancel** to cancel the operation.
    - Click **Back** to navigate to the previous screen.

    The success message appears along with the transaction reference number.
12. Click **OK** to complete the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

55.4 Transaction Blackout - Delete

This topic describes the systematic instruction to **Transaction Blackout - Delete**, System Administrator can delete existing blackout instructions.

User is allowed to delete future dated blackouts. Deleting ongoing blackout will stop the blackout and the transaction will be available to the users post approved by necessary levels of approvals.

To delete maintenance:

1. Navigate to one of the above paths.


   The **Transaction Blackout** screen appears.

2. Enter the search criteria like **Transaction**, **Date**, or **User Type**.

   > **Note**
   >
   > Alternately, the user can perform a blank search.

3. Perform anyone of the following actions:
   - Click **Search**, displays results based on search criteria.
   - Click **Clear** to clear the search criteria.
   - Click **Cancel** to cancel the transaction.
4. Perform anyone of the following actions:
   - Click **Edit** to edit the maintenance.
   - On the **Detailed View** screen, click **Delete** to delete the maintenance.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to previous screen.
5. The Pop-up Message to confirm deletion appears.

Figure 55-6 Deleting an Ongoing / scheduled Maintenances



6. On the Detailed View screen, of the blackout, click **Delete**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

7. The Pop-up Message to confirm deletion appears.
8. Perform anyone of the following actions:
   - Click **Yes** to delete.
   - Click **No** to go back to the maintenance.
9. Perform anyone of the following actions:
   - The **Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the operation.
   - Click **Back** to navigate to the previous screen.

   The success message appears along with the transaction reference number.
10. Click **OK** to complete the transaction.

55.5 FAQ

1. **Can I edit an Ongoing Transaction Blackout?**
   Only the End time and End Date of the ongoing blackout can be edited, that too only if it is greater than the current system date and time.
2. **Can I edit scheduled Transaction Blackout?**
   Yes. System Administrator has more flexibility in editing a scheduled transaction blackout.
3. **Can I delete an ongoing Transaction blackout?**
   Yes, ongoing transaction blackout can be deleted. Deleting ongoing blackout will stop the blackout and the transaction will be available to the users post approved by necessary levels of approvals.
4. **Any notification will be sent to the users about the planned blackout?**
   Administrator can send a notification to the users using the mailers feature available.
5. **What happens when user tries to access the transaction which is blacked out?**
   A message is shown on the screen informing about transaction blackout.

Copyright © 2006, 2026, Oracle and/or its affiliates.

56

Working Window

This topic describes the systematic instruction to **Working Window** option.

A transaction working window is the period in a day, when a transaction can be initiated, approved and processed. This is essentially like business hours, for a transaction. It is a time window within which electronic payments, such as domestic transfers, international transfers etc., must be submitted for an entry in the system so that the transaction is processed with same value date.


A working window is maintained, by the System Administrator for each transaction for which the value date is applicable for processing. In order to enable such transactions on channel, it is mandatory to define the working window for all the days of a week as day 0 maintenance. By doing this maintenance, user defines the channel working window for each day of the week for a specific transaction. Further, administrator can also define the processing pattern if the transaction is initiated by customers after the window is closed. Transactions, that are initiated or approved outside of the working window, are either processed on the next value date or rejected. Transaction working window can also be maintained for specific date which will be considered as exceptional working window, e.g. maintenance for specific public holiday. Working window set for an exception, overrides the normal working window.

Administrator can set up two different weekly and exceptional working windows for a specific transaction for different user types (Retail and Corporate User).

Pre-requisites

- Transaction access is provided to System Administrator
- Approval rule set up for System Administrator to perform the actions
- Enable only those transactions for which the working window maintenance is applicable

Figure 56-1 Workflow



Features Supported In Application

The following options are available as part of this maintenance:

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Create a Transaction Working Window and an Exception for a particular date for all seven days
- Search and View Transaction working windows and Exceptions already maintained
- Delete or Edit transaction working windows / Exceptions maintained.

Navigation Path: Perform any one of the following navigation to access the **Working Window**:

- From **System/ Bank Administrator Dashboard**, under **Controls and Monitoring** widget, click **Working Window**.
- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Controls and Monitoring**. Under **Controls and Monitoring**, click **Working Window**.

- Transaction Working Window - Search
  This topic describes the systematic instruction to **Transaction Working Window - Search** option.
- Transaction Working Window - Create
  This topic describes the systematic instruction to **Transaction Working Window - Create** option.
- Transaction Working Window - Edit
  This topic describes the systematic instruction to **Transaction Working Window - Edit** option.
- Transaction Working Window - Delete
  This topic describes the systematic instruction to **Transaction Working Window - Delete** option.
- FAQ

56.1 Transaction Working Window - Search

This topic describes the systematic instruction to **Transaction Working Window - Search** option.

This function allows the System Administrator to search the working windows which are already maintained. The search is available on the basis of specific date, transaction and user type.

The screen is broadly divided into:

- Normal Window
- Exception Window

To search the working windows:


1. Navigate to one of the above paths.

   The **Transaction Working Window** screen appears.
2. If you select **Normal Window** tab,
   a. Enter the search criteria like **Transaction**, **Effective Date**, or **User Type**.
   b. Perform anyone of the following actions:
      - Click **Search**, displays results based on search criteria.
      - Click **Clear** to clear the search parameters.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Cancel** to cancel the transaction.

Figure 56-2 Search Normal Window



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 56-1 Search Normal Window - Field Description

Field Name	Description
Normal Window	**Information specified in below fields are related to user Normal Window**.
Effective Date	Effective date of working window.
Transaction	The specific financial transaction, for which a working window is maintained.
User Type	The type of user for whom the transaction working window is being maintained. The user types could be: • **Corporate User** • **Retail User**
Search Result	**Information specified in below fields are related to user Search Result**.

Copyright © 2006, 2026, Oracle and/or its affiliates.


Table 56-1 (Cont.) Search Normal Window - Field Description

Field Name	Description
Day of Week	Day of week for which the transaction working window is applicable.
Window Type	Type of working window for the transaction. The type can be: • **Limited Time** • **Open All Day** • **Closed All Day**
From Time	Start time of transaction working window. This field is enabled if you select **Limited Time** from the **Window Type** field.
To Time	End time of transaction working window. This field is enabled if you select **Limited Time** from the **Window Type** field.
Other Details	**Information specified in below fields are related to user Other Details**.
Treatment Outside Normal Window	Indicates the treatment outside normal window: The options are: • **Process on Next Value Date** • **Reject Transaction**

3. View the working window - Current Working Window and Future working window (if any), with the effective date. This is split day wise. Go through the working window time for each day and also how processing is set-up, outside the working window.
4. Perform anyone of the following actions:
   - Click **Edit** to edit the maintenance.
   - Click **Delete** to delete the maintenance.

If you select **Exception Window** tab,

Figure 56-3 Search Exception Window



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.


Table 56-2 Search Exception Window - Field Description

Field Name	Description
Exception Window	**Information specified in below fields are related to Exception Window**.
Exception Date	Exception date for which the transaction is allowed during the specific date or date range. The exception date could be: • **Specific Date**: Transaction allowed for a specific date. • **Date Range**: Transaction allowed during a specified period.
User Type	Type of user, whether the transaction exception is applicable for a retail or corporate user.
Transaction	The specific financial transaction, for which a working window is maintained.
Remarks	Reason for exception.
User Type	Type of user, whether the transaction exception is applicable for a retail or corporate user.
Exceptions	**Information specified in below fields are related to Exceptions**.
Date and Day	Day and date for which the exception is applicable.
Window Type	Transaction exception applicable window. Window types: • **Limited Time**: Transaction is applicable for a limited time. • **Open all Day**: Transaction can be done for the entire day. • **Close all Day**: Transaction is closed for the whole day.
Time Range	Transactions are open during the specific time. This field is enabled, if you select **Limited Time**, option from the **Window Type** list.

5. Click the **Exception Date** field to launch the **Detailed View** screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 56-4 Search Exception Window- Detailed View



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 56-3 Search Exception Window- Detailed View - Field Description

Field Name	Description
Exception Date	Exception date for which the transaction is allowed during the specific date or date range. The exception date could be: • **Specific Date**: Transaction allowed for a specific date. • **Date Range**: Transaction allowed during a specified period.
User Type	Type of user, whether the transaction exception is applicable for a retail or corporate user.
Transaction	The specific financial transaction, for which a working window is maintained.
Remarks	Reason for exception.
Exceptions	**Information specified in below fields are related to user Exceptions**.
Window Type	Type of working window for the exception. Window types: • **Limited Time**: Transaction is enabled, for the set limited time – the business hours of the transaction • **Open all Day**: Transaction is enabled, for the entire day. • **Close all Day**: Transaction is disabled, for the whole day.
Time Range	Business hours of the transaction. This field is enabled, if you select **Limited Time**, option from the **Window Type** list.

Copyright © 2006, 2026, Oracle and/or its affiliates.

6. Perform anyone of the following actions:
   - Click **Edit** to edit the maintenance.
   - Click **Delete** to delete the maintenance.
   - Click **Back** to navigate to the previous screen.
   - Click **Cancel** to cancel the transaction.

56.2 Transaction Working Window - Create


This topic describes the systematic instruction to **Transaction Working Window - Create** option.

System Administrator can create new transaction working window maintenance for the selected transaction. Working window can be set as 'Normal' working window (for all days of the week) and 'Exception Window'.

To create normal window:

1. Navigate to one of the above paths.
   The **Transaction Working Window** screen appears.
2. If you select **Normal Window** tab,
   a. Click **Create**.

Figure 56-5 Create Working Window



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 56-4 Create Working Window - Field Description

Field Name	Description
Effective Date	Effective date of working window.
User Type	The type of user for whom the transaction working window is being maintained. The user types could be: • **Corporate User** • **Retail User**
Transaction	The specific financial transaction, for which a working window is maintained.
Day of Week	Day of week for which the transaction working window is applicable.
Window Type	Type of working window for the transaction. The type can be: • **Limited Time** • **Open All Day** • **Closed All Day**
From Time	Start time of transaction working window. This field is enabled if you select **Limited Time** from the **Window Type** field.
To Time	End time of transaction working window. This field is enabled if you select **Limited Time** from the **Window Type** field.
Other Details	**Information specified in below fields are related to Other Details**.
Treatment Outside Normal Window	Indicates the treatment outside normal window: The options are: • **Process on Next Value Date** • **Reject Transaction**

b. From the **Effective Date** list, select the start date of the transaction working window.

c. From the **Window Type**, select the appropriate option.

d. If you select the **Window Type as Limited Time**, from the **From Time / To Time** list select the start and end time of the transaction working window.

e. In the **Other Details** section, from the **Treatment Outside Normal Window** field, select the appropriate option.

3. Perform anyone of the following actions:
   - Click **Save** to create the transaction working window.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
4. Perform anyone of the following actions:

Copyright © 2006, 2026, Oracle and/or its affiliates.


- The **Review** screen appears. Verify the details, and click **Confirm**.
- Click **Edit** to modify details if any.
- Click **Back** to navigate to the previous screen.

5. The success message is displayed along with the transaction reference number. Click **OK** to complete the transaction.

To create Exception window:

1. Navigate to one of the above paths.
   The **Transaction Working Window** screen appears.
2. Select the working window.
3. If you select **Exception Window** tab,
   a. Click **Create**.

Figure 56-6 Create Exception Window



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 56-5 Create Exception Window - Field Description

Field Name	Description
Exception Date	Exception date or date range, when processing for a transaction, overrides that set in the normal transaction working window. The exception date could be: • **Specific Date**: Exception for a single day • **Date Range**: Exception for a date range

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 56-5 (Cont.) Create Exception Window - Field Description

Field Name	Description
User Type	Type of user, whether the transaction exception is applicable for a retail or corporate user.
Transaction	The specific financial transaction, for which an exceptional working window is maintained.
Remarks	Reason for exception for e.g. a national holiday.
Exceptions	Type of working window for the transaction. Window types: • **Limited Time** • **Open all Day** • **Close all Day**
Window Type	Type of working window for the exception. Window types: • **Limited Time**: Transaction is applicable for a limited time. • **Open all Day**: Transaction can be done for the entire day. • **Close all Day**: Transaction is closed for the whole day.
Time Range	Business hours of the transaction. This field is enabled, if you select **Limited Time**, option from the **Window Type** list.

b. From the **Exception Date** list, select the start date of the working window - exception.

c. From the **Window Type**, select the appropriate option.

d. If you select the **Window Type as Limited Time**, from the **From Time / To Time** list select the start and end time of the working window - exception.

4. Perform anyone of the following actions:
   - Click **Save** to create the transaction working window.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
5. Perform anyone of the following actions:
   - The **Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Edit** to modify details if any.
   - Click **Back** to navigate to the previous screen.
6. The success message is displayed along with the transaction reference number. Click **OK** to complete the transaction.

56.3 Transaction Working Window - Edit

This topic describes the systematic instruction to **Transaction Working Window - Edit** option.

System Administrator can modify existing working window maintenance. In case of normal working window, edit is allowed only if the effective date is a future date. In case of exception working window, future window can be edited current exceptional window can also be edited if the set time is less than the actual time.

1. Navigate to one of the above paths.
   The **Transaction Working Window** screen appears.
2. If you select **Normal Window** tab,

Copyright © 2006, 2026, Oracle and/or its affiliates.

a. Enter the search criteria like **Transaction**, **Effective Date**, or **User Type**.


b. Perform anyone of the following actions:

- Click **Search**, displays results based on search criteria.
- Click **Clear** to clear the search parameters.
- Click **Cancel** to cancel the transaction.

c. Perform anyone of the following actions:

- Click **Edit** to edit the working window, from the Detailed View page.
- Click **Delete** to delete the maintenance.

Figure 56-7 Edit Normal Window



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 56-6 Edit Normal Window - Field Description

Field Name	Description
Effective Date	Effective date of working window.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 56-6 (Cont.) Edit Normal Window - Field Description

Field Name	Description
User Type	The type of user for whom the transaction working window is being maintained. The user types could be: • **Corporate User** • **Retail User**
Transaction	The specific financial transaction, for which a working window is maintained.
Window Type	Type of working window for the transaction. The type can be: • **Limited Time** • **Open All Day** • **Closed All Day**
From Time	Start time of transaction working window. This field is enabled if you select **Limited Time** from the **Window Type** field.
To Time	End time of transaction working window. This field is enabled if you select **Limited Time** from the **Window Type** field.
Other Details	**Information specified in below fields are related to Other Details**.
Treatment Outside Normal Window	Indicates the treatment outside normal window: The options are: • **Process on Next Value Date** • **Reject Transaction**

d. View the effective date, from when the modified maintenance will be effective. Modify if required.

e. The user can view the days of the week – from Monday through Sunday with a drop-down of three values against each day(Open all Day, Closed all day, Limited Time)

> **Note**
>
> For open all day and closed all day options, system defaults from and to time values of– 00:00 and 23:59 hours, for the former and 00:00 hours, for the latter. For the limited time option, specify from and to time, to define the transaction working window.

f. View the preferred processing, when transaction is initiated or approved outside of the working window.
Either Process on Next Value Date or Reject Transaction Modify if required.

3. Perform anyone of the following actions:
   - Click **Save** to create the transaction working window.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
4. Perform anyone of the following actions:
   - The **Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Edit** to modify details if any.

Copyright © 2006, 2026, Oracle and/or its affiliates.


- Click **Back** to navigate to the previous screen.

5. The success message is displayed along with the transaction reference number. Click **OK** to complete the transaction.


To modify exception window:

1. Navigate to one of the above paths.
   The **Transaction Working Window** screen appears.
2. Select the working window.
3. If you select Exception Window tab,
   a. Enter the search criteria like **Transaction**, **Effective Date**, or **User Type**.
   b. Perform anyone of the following actions:
      - Click **Search**, displays results based on search criteria.
      - Click **Clear** to clear the search parameters.
      - Click **Cancel** to cancel the transaction.
      - Click **Edit** to edit the working window - exception, from the Detailed View page.
      - Click **Delete** to delete the maintenance.

Figure 56-8 Edit Exception Window



Copyright © 2006, 2026, Oracle and/or its affiliates.



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 56-7 Edit Exception Window - Field Description

Field Name	Description
Exception Date	Exception date or date range, when processing for a transaction, overrides that set in the normal transaction working window. The exception date could be: • **Specific Date**: Exception for a single day • **Date Range**: Exception for a date range
User Type	Type of user, whether the transaction exception is applicable for a retail or corporate user.
Transaction	The specific transaction, for which exception is being maintained.
Remarks	Reason for exception for e.g. a national holiday.
Exceptions	**Information specified in below fields are related to Exceptions**.
Window Type	Type of working window for the exception. Window types: • **Limited Time**: Transaction is applicable for a limited time. • **Open all Day**: Transaction can be done for the entire day. • **Close all Day**: Transaction is closed for the whole day.
Time Range	Business hours of the transaction. This field is enabled, if you select **Limited Time**, option from the **Window Type** list.

4. Update the required details.
5. Perform anyone of the following actions:

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Save** to create the transaction working window.
- Click **Cancel** to cancel the transaction.
- Click **Back** to navigate to the previous screen.

6. Perform anyone of the following actions:
   - The **Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Edit** to modify details if any.
   - Click **Back** to navigate to the previous screen.
7. The success message is displayed along with the transaction reference number. Click **OK** to complete the transaction.

56.4 Transaction Working Window - Delete

This topic describes the systematic instruction to **Transaction Working Window - Delete** option.


System Administrator can delete existing working window maintenance. User is allowed to delete future dated maintenances.
To delete normal window:

1. Navigate to one of the above paths.

   The **Transaction Working Window** screen appears.
2. If you select **Normal Window** tab,
   a. Enter the search criteria like **Transaction**, **Effective Date**, or **User Type**.
   b. Perform anyone of the following actions:
      - Click **Search**, displays results based on search criteria.
      - Click **Clear** to clear the search parameters.
      - Click **Cancel** to cancel the transaction.
   c. Perform anyone of the following actions:
      - Click **Edit** to edit the working window, from the Detailed View page.
      - Click **Delete** to delete the working window, from the Detailed View page.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 56-9 Delete Normal Window




To delete exception window:

3. Navigate to one of the above paths.

   The **Transaction Working Window** screen appears.

4. If you select **Exception Window** tab,
   a. Enter the search criteria like **Transaction**, **Effective Date**, or **User Type**.
   b. Perform anyone of the following actions:
      - Click **Search**, displays results based on search criteria.
      - Click **Clear** to clear the search parameters.
      - Click **Cancel** to cancel the transaction.
   c. Perform anyone of the following actions:
      - Click **Edit** to edit the working window, from the Detailed View page.
      - Click **Delete** to delete the working window - exception, from the Detailed View page.

Figure 56-10 Delete Exception Window



Copyright © 2006, 2026, Oracle and/or its affiliates.

- The user can delete a future transaction working window or an exception with an effective date in the future.
- Navigate to the particular working window or the exception and click **Delete**. The system displays a pop-up message.

  Perform one of the following action:

  – Click **Confirm**.

    On confirming deletion, system displays a transaction successful message, provides a reference number and the status of the maintenance (e.g. pending approval).

  – Click Cancel. to cancel the transaction.

    The system re-directs to the admin dashboard

56.5 FAQ

1. **Can I set the transaction working window from the current date?**
   No, you cannot set the transaction working window date from current date. You can set that from future date.
2. **If a particular day, have both a normal working window set, and an exception – which will take precedence?**
   Working window set for an exception, overrides the normal working window set.
3. **If the normal working window for a transaction is set for Open all Day and an Exception is set as Closed all Day, will I be able to initiate transaction, on that day?**
   No, I will not be able to initiate the transaction on that day. The transaction will either have the next working day's value date or be rejected.
4. **Can I delete or edit current applicable normal working window?**
   No, current applicable normal working window cannot be edited or deleted. User can add a new window with future effective date.
5. **Can I set 'behavior of transaction outside working window' for exceptional days?**
   No, behavior of transaction outside working window for exceptional date maintenance will remain same as normal window maintenance.

Copyright © 2006, 2026, Oracle and/or its affiliates.

57
Audit Log

This topic describes the information about **Audit Log** screen.

Audit log is set of records that provide information about operations performed in the application and details of the user who has performed it along with date and time when it was performed.

Audit logs are useful both for maintaining security and for auditing any disputed transaction. As part of this function, the bank administrator and/or system administrator can view details about the transactions and maintenances performed by different user(s) in the system.

The administrator can search records by providing specific search parameters and system will display matching records for the search criteria. Maintenances created/edited/deleted/inquired by bank administrator can be audited through this function by the system administrator. Maintenances created/edited/deleted/inquired by corporate administrator can be audited through this function by the bank as well as system administrator.

Transactions carried out by corporate users can be audited if required by the Corporate or Bank administrator and also by system administrator.

Prerequisites

- Transaction access is provided to System and Bank administrator.
- Transactions are available under respective users to check audit log.

Navigation Path: Perform anyone of the following navigation to access **Audit Log** screen.

- From **System/ Bank Administrator Dashboard**, under **Controls and Monitoring** widget, click **Audit Log**.
- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Others** and then click **Controls and Monitoring**. Under **Controls and Monitoring** , click **Audit Log**.
- Search Audit Details
  This topic describes the information about **Search Audit Details** screen.
- FAQ

57.1 Search Audit Details

This topic describes the information about **Search Audit Details** screen.

To view audit log:


1. Navigate to one of the above paths.

   The **Audit Log Maintenance** screen appears.
2. From the **Date and Time** list, select the period for which you want to view the audit log.
3. Perform anyone of the following actions:
   - Enter required search criteria. Click **Search**. **Audit log** appears based on the entered parameters.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Clear** to reset the details.
- Click **Cancel** to cancel the transaction.

Figure 57-1 Audit Log- Search



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 57-1 Audit Log- Search - Field Description

Field Name	Description
Date and Time	The date and time from which audit log is to be generated. The options are: • **Today** • **Yesterday** • **Last 3 days** 3 • **Date Range**
From	Start date and time of the request processing. This field appears if you select **Date Range** option from the **Date and Time** list.
To	End date and time of the request processing. This field appears if you select **Date Range** option from the **Date and Time** list.
Activity	Select specific transaction or maintenance from the list.
Party ID	Party ID of the logged in user for which audit details are logged.
Search Party Name	Click on the **Search Party Name** link, the pop up window appears. User can search the Party ID by entering keywords of party name. • Click **Search** to search the party ID. The search result appears based on party name, select appropriate party. • Click **Clear** to reset the search parameters.
User ID	User ID for which the audit details are logged.
Action	Type of action. The options are: • **Initiated**: To be selected if only initiated transactions are to be searched • **Approved**: To be selected if only transactions/maintenances in approved state are to be searched. • **Enquired**: To be selected if only maintenances which were enquired are to be searched • **Edited**: To be selected if only maintenances which were edited are to be searched • **Created**: To be selected if only maintenances which were created are to be searched • **Deleted**: To be selected if only maintenances which were deleted
Status	Status of the transaction. The options are: • **Success** • **Failed**
User Type	To be selected if the search is to be based on the user type. Multiple user types can be selected. Following are user types. • **Retail User** • **Corporate User** • **Administrator**
Reference Number	Search based on Reference number of the transaction.
Search Result	**Information specified in below fields are related to search results**.
Date / Time	The date and time of the activity i.e. transaction/maintenance.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 57-1 (Cont.) Audit Log- Search - Field Description

Field Name	Description
User ID/ Name	User ID and Name of the user who performed the transaction or carried out the maintenance. Click on the hyperlink available on the User ID to view the Request/ response details of the transaction/maintenance in json format.
Party ID/ Name	Party ID and Party name for which the maintenance or transaction was carried out.
User Type	User type of the user who performed an activity i.e. maintenance/ transaction.
Event	Name of transaction/maintenance for which audit details of transaction are logged.
Action	Name of transaction action. • **Enquired** • **Initiated** • **Created** • **Edited** • **Deleted** • **Approved**
Reference Number	Reference number of the transaction/maintenance.
Status	Status of the transaction. The options are: • **Success** • **Failed**

57.2 FAQ

1. **Do I need to enter all the parameters to search?**
   No. You need to enter at least the date and time criteria to proceed with audit search. Rest of the search parameters are optional and can be entered if the search results are to be narrowed down.
2. **I do not remember the party ID for input, can I search a party if I need to view audit details for a specific party?**
   Yes. You can search a party by clicking **Search Party** and searching the party by entering the party name.
3. **As part of input search criterion/parameters, in the action field there are certain options disabled. Is there a specific reason?**
   If you select any maintenance in the activity field, **Initiated** as an action will not be available.

   If you select any transaction in the activity field, **Created**, **Edited** or **Deleted** as actions will not be available.

Copyright © 2006, 2026, Oracle and/or its affiliates.

58

File Upload

This topic describes the information about **File Upload**.

File Uploads facilitates processing of multiple transactions through a single file. This is a faster way of processing transactions than entering single screen transactions. Salary payments, fund transfers, vendor payments are few examples of financial transactions that can be supported through file upload. A non-financial transaction to facilitate upload of multiple payee details, at a single instance, is also possible through file upload.

OBDX has made File Upload functionality available for both Corporate and Bank Users.

Some of the file uploads available for Corporate User are:

- Internal payments (within the bank)
- Domestic payments (within the country)
- International payments (cross border)
- Mixed payments
- Create Payees / Beneficiaries
- Create Virtual Accounts, Structure & Identifiers

File upload available for Bank User

- Bill Presentment

Oracle Banking Digital Experience File Upload module enables banks to process files of payments according to agreed operational and business rules and save time. File Uploads facility is simple to use, has daily transaction limits and comes with the security of dual / multi signatory approvals.

- File Upload Set up: Enables the administrator to create file identifiers, and map users to file identifiers.
- File Upload Servicing: Enables the corporate user to upload, view and approve files, (files that the user has access to).

File Upload Set up

File Upload set up covers the maintenance part of file upload and is performed by an administrator user. As a part of the initial set-up, the administrator user -

- Creates a File Identifier for a File Template using the **File Identifier** option
- Maps a File Identifier to a user using the **User File Identifier Mapping** option
- File Identifier Maintenance
  This topic describes the information about **File Identifier Maintenance** option. User can process file uploads using this option.
- FAQ
- User File Identifier Mapping
  This topic describes the information about **User File Identifier Mapping** feature.
- FAQ

Copyright © 2006, 2026, Oracle and/or its affiliates.

- File Upload – Bill Presentment
  This topic describes the systematic instruction to **File Upload – Bill Presentment** option. Using this option bank administrator can upload a file containing multiple bills which are to be presented for payment on behalf of the biller.
- Uploaded Files Inquiry
  This topic describes the information about **Uploaded Files Inquiry** option. User can view the files uploaded with this option.
- FAQ

58.1 File Identifier Maintenance

This topic describes the information about **File Identifier Maintenance** option. User can process file uploads using this option.

Bank Administrator can create file identifiers (FI) to upload files for administrator users. This enables the bank administrators to process file uploads. A File Identifier is always mapped to a specific file template. It permits configuration of party preferences like approval type (file level / record level) for a particular type of file.

Prerequisites

- Transaction access is provided to Bank Administrator
- User Creation

Features Supported In Application

- Search File Identifier
- Create File Identifier
- Edit File Identifier

Navigation Path: Perform anyone of the following navigation to access **File Identifier Maintenance**.

- From **System Administrator Dashboard**, under **Quick Links**, click **File Upload** and then click **File Identifier Maintenance**.
- From **System Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **File Upload**. Under **File Upload** , click **File Identifier Maintenance**.
- File Identifier Maintenance – User Type Selection
  This topic describes the systematic instruction to **File Identifier Maintenance – User Type Selection** option.
- File Identifier Maintenance - Administrator User – Summary
  This topic describes the systematic instruction to **File Identifier Maintenance - Administrator User – Summary** option.
- File Identifier Maintenance - Administrator User - Create
  This topic describes the systematic instruction to **File Identifier Maintenance - Administrator User - Create** option. Using this option the administrator user can create a new file identifier.
- File Identifier Maintenance - Administrator User – Edit
  This topic describes the systematic instruction to **File Identifier Maintenance - Administrator User – Edit** option. Using this option the administrator can edit and update a file identifier.

Copyright © 2006, 2026, Oracle and/or its affiliates.


- File Identifier Maintenance - Search and View
  This topic describes the systematic instruction to **File Identifier Maintenance – Search and View** screen.
- File Identifier Maintenance - Create
  This topic describes the systematic instruction to **File Identifier Maintenance - Create** option. Using this option the administrator user can create a new file identifier.
- File Identifier Maintenance – Edit
  This topic describes the systematic instruction to **File Identifier Maintenance – Edit** option. Using this option the administrator can edit and update a file identifier.

58.1.1 File Identifier Maintenance – User Type Selection

This topic describes the systematic instruction to **File Identifier Maintenance – User Type Selection** option.

Bank Administrator logs into the system and navigates to the File Identifier Maintenance screen. On accessing the **File Identifier Maintenance** menu, bank administrator has to select the user type.

Figure 58-1 File Identifier Maintenance – User Type Selection



1. Navigate to one of the above paths.
2. Click **Administrator** to access the file identifier for bank administrator users.

   The **File Identifier Maintenance** screen appears.
3. Click **Corporate User** to access the file identifier of corporate users.

   The **File Identifier Maintenance** screen appears.

58.1.2 File Identifier Maintenance - Administrator User – Summary

This topic describes the systematic instruction to **File Identifier Maintenance - Administrator User – Summary** option.

For the bank administrators the only file upload available is for the uploading of Bill Presentment file. Once the logged in user navigates to File Identifier Maintenance (Administrator User) screen, user can view the record details of the File Identifiers already created.


To search and view the file identifiers:

1. Navigate to one of the above paths.

Copyright © 2006, 2026, Oracle and/or its affiliates.

The **File Identifier Maintenance - Summary** screen appears.

Figure 58-2 File Identifier - Summary



> **Note**
>
> The fields which are marked as **Required** are mandatory.

For more information on fields, refer to the field description table.


Table 58-1 File Identifier - Summary - Field Description

Field Name	Description
File Identifiers	**Information specified in below fields are related to file identifiers**.
Sr. no.	Serial number of the record.
File Identifiers	Unique code/ name assigned as per party preferences for handling of payment files.
Transaction Type	Type of transaction: The Transaction types could be: • **Bulk Bill Upload**
Access Type	Indicates the access level applicable to the file identifier.
Template	Name of the template mapped to the file identifier for processing the payment file.
Approval Type	The approval type is at file level or record level.
Status	Displays the current status of the file identifier.

2. Perform anyone of the following actions:
   - Click the **File Identifier** link against the record, for which you want to view the details. The **File Identifier Maintenance- View** screen appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 58-3 File Identifier Maintenance - View



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 58-2 File Identifier Maintenance - View - Field Description

Field Name	Description
Details	**Information specified in below fields are related to details**.
File Identifier	Unique code/ name assigned for handling of payment files.
File Template	Predefined file templates. Following file templates are available: • **Bulk Bill Upload**
Maximum No of Records	Maximum number of records permissible in the uploaded file.
Partial Processing Tolerance (%)	The partial processing tolerance for a file (in percentage terms). Suppose, the user sets this value at 60% - this implies that if 60% or more, of the records in a file clear the validation stage, then the file can go for further processing. If less than 60% of the records in a file clear the validation stage, then the file is rejected.
Transaction Type	Type of transaction: The Transaction type can be: • **Bulk Bill Upload**
Accounting Type	Indicates the accounting method applicable for the transaction.
File Type	The file type - delimited or fixed length.
Format Type	The format in which file is uploaded. The format could be .CSV, .XLS, .XLSX.
Approval Type	The approval type is at file level or record level. • **File Level** - The approver accepts or rejects the entire file, and all records are either processed or rejected en-masse. • **Record Level**- The approver accepts some records, and rejects others. Payments are processed only for approved records.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 58-2 (Cont.) File Identifier Maintenance - View - Field Description

Field Name	Description
Activation Status	Indicates whether the file identifier is enabled or disabled.
Access Type	Indicates the access level applicable to the file identifier.

3. Perform anyone of the following actions:
   - Click **Edit** to modify the file identifier.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

58.1.3 File Identifier Maintenance - Administrator User - Create

This topic describes the systematic instruction to **File Identifier Maintenance - Administrator User - Create** option. Using this option the administrator user can create a new file identifier.

To create a file identifier:


1. Navigate to one of the above paths.

   The **File Identifier Maintenance** screen appears.

2. Click **Create**.

   The **File Identifier Maintenance - Create** screen appears.

Figure 58-4 File Identifier Maintenance - Create



> **Note**
>
> The fields which are marked as Required are mandatory.

Copyright © 2006, 2026, Oracle and/or its affiliates.

For more information on fields, refer to the field description table.

Table 58-3 File Identifier Maintenance - Create - Field Description

Field Name	Description
Details	**Information specified in below fields are related to details**.
File Identifier	Unique code or name assigned to the uploaded file.
Description	Descriptions corresponding to the file identifier.
File Template	Predefined file templates. Following file templates are available: • **Bulk Bill Upload**
Maximum No of Records	Maximum number of records permissible in the uploaded file.
Partial Processing Tolerance (%)	The partial processing tolerance for a file (in percentage terms). Suppose, the user sets this value at 60% - this implies that if 60% or more, of the records in a file clear the Validation stage, then the file can go for further processing. If less than 60% of the records in a file clear the validation stage, then the file is rejected. This field is enabled if approval is 'Record Type'.
Transaction Type	Type of transaction: The Transaction type could be: • **Bulk Bill Upload**
Accounting Type	Indicates the accounting method applicable for the transaction.
File Type	The file type – delimited or fixed length.
Format Type	The format in which file is uploaded. The format could be CSV, XLS, XLSX.
Approval Type	The approval type is at file level or record level. • **File Level** - The approver accepts or rejects the entire file, and all records are either processed or rejected. • **Record Level**- The approver accepts some records, and rejects others. Payments are processed only for approved records. **Note:** Approval Type cannot be modified once it is created.
Activation Status	Enables the user to activate or deactivate the file identifier.
Access Type	Indicates whether the file identifier is available to all users or restricted to mapped users. • **Public** - Makes the file identifier visible to all admin users. No mapping is required. • **Restricted** - Makes the file identifier visible only to mapped users.
User Level Mapping	Enables the user to map users to the file identifier. **Mapped Users** - Displays the list of users already mapped to the file identifier. This field is displayed only when the **Access Type** is selected as **Restricted**.

3. In the **File Identifier** field, enter the code of the file to be maintained for upload.
4. In the **Description** field, enter the file description corresponding to the file code.
5. From the **File Template** list, select the file template.
6. Select the appropriate **Approval** Type.
7. Perform anyone of the following actions:
   - Click **Save**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Cancel** to cancel the transaction.
- Click **Back** to navigate to the previous screen.

8. Perform anyone of the following actions:
   - The **File Identifier Maintenance - Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the operation.
   - Click **Back** to navigate to the previous screen.

   The success message appears along with the transaction reference number and status.
9. Click **OK** to complete the transaction.

58.1.4 File Identifier Maintenance - Administrator User – Edit

This topic describes the systematic instruction to **File Identifier Maintenance - Administrator User – Edit** option. Using this option the administrator can edit and update a file identifier.

To edit file identifier:


1. Navigate to one of the above paths.

   The **File Identifier Maintenance** screen appears.
2. Click the **File Identifier** link against the record, which you want to modify.

   The **File Identifier Maintenance- View** screen appears.
3. Click **Edit** to edit the file identifier.

   The **File Identifier Maintenance - Edit** screen appears.

Figure 58-5 File Identifier Maintenance - Edit



4. Edit the required fields of file identifiers. E.g. Description, Maximum Number of Records, and Partial Processing Tolerance, Debit Account Number – if required.

Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 58-4 File Identifier Maintenance - Edit - Field Description

Field	Description
Details	Information specified in the below fields is related to the selected file identifier.
File Identifier	Unique code or name assigned as per party preferences for handling payment files.
Description	Description of the file identifier.
File Template	Template mapped to the file identifier for processing the uploaded file.
Maximum No Of Records	Maximum number of records allowed in the uploaded file.
Partial Preprocessing Tolerance (%)	The partial processing tolerance for a file (in percentage terms) Suppose, the user sets this value at 60% - this implies that if 60% or more, of the records in a file clear the Validation stage, then the file can go for further processing. If less than 60% of the records in a file clear the validation stage, then the file is rejected.
Transaction Type	Type of transaction associated with the file identifier. The transaction type could be **Bulk Bill Upload**.
Accounting Type	Indicates the accounting method applicable for the transaction.
File Type	Indicates the structure of the uploaded file, such as Delimited.
Format Type	File formats supported for upload.
Approval Type	Indicates whether approval is applicable at file level or record level.
Activation Status	Enables the user to activate or deactivate the file identifier.
Access Type	Indicates whether the file identifier is available to all users or restricted to mapped users.
Public	Makes the file identifier visible to all admin users. No mapping is required.
Restricted	Makes the file identifier visible only to mapped users.

5. Perform anyone of the following actions:
   - Click **Save** to save the details.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
6. Perform anyone of the following actions:
   - The **File Identifier Maintenance – Edit - Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the operation.
   - Click **Back** to navigate to the previous screen.

   The success message appears along with the transaction reference number and status.
7. Click **OK** to complete the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

58.1.5 File Identifier Maintenance - Search and View

This topic describes the systematic instruction to **File Identifier Maintenance – Search and View** screen.

Once the logged in user navigates to File Identifier Maintenance (for Corporate User) screen, user can search and view the files that are uploaded under a party with the future date with file type as SDSC(Single Debit Single Credit), SDMC (Single Debit Multiple Credit), and MDMC (Multiple Debit Multiple Credit) and view the record details of the File Identifiers already created.


To search and view the file identifiers:

1. Navigate to one of the above paths.

   The **File Identifier Maintenance** screen appears.

2. Perform anyone of the following actions:
   - Click **Search**. The **File Identifier Maintenance** screen with search results appears.
   - Click **Clear** to clear the search parameters.
   - Click **Cancel** to cancel the transaction.

Figure 58-6 File Identifier Maintenance - Search



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.


Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 58-5 File Identifier Maintenance - Search - Field Description

Field Name	Description
File Identifiers	**Information specified in below fields are related to file identifiers**.
Sr. No.	Serial number of the record.
File Identifier	Unique code/ name assigned as per party preferences for handling of payment files.
Description	The description of the file identifier.
Access Type	Indicates the access level applicable to the file identifier such as **Restricted - Party Level**.
Approval Type	The approval type is at file level or record level.
Status	Displays the current status of the file identifier.

3. Perform anyone of the following actions:
   - Click the **File Identifier** link against the record, for which you want to view the details. The **File Identifier Maintenance- View** screen appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

Figure 58-7 File Identifier Maintenance - View



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 58-6 File Identifier Maintenance - View - Field Description

Field Name	Description
Details	**Information specified in below fields are related to details**.
File Identifier	Unique code/ name assigned for handling of payment files.
File Template	Predefined file templates.
Maximum No of Records	Maximum number of records permissible in the uploaded file.
Partial Processing Tolerance (%)	The partial processing tolerance for a file (in percentage terms). Suppose, the user sets this value at 60% - this implies that if 60% or more, of the records in a file clear the validation stage, then the file can go for further processing. If less than 60% of the records in a file clear the validation stage, then the file is rejected.
Debit Account Number	Account number from which amount is to be debited. This field appears for templates having **AcctId defined at FI level**.
Transaction Type	Type of transaction: The Transaction type can be: • Internal Funds Transfer • Domestic Funds Transfer • International Funds Transfer • Mixed Transfer • Internal Payee • Domestic Payee • International Payee • Mixed Payee • Domestic Demand Draft Payee • International Demand Draft Payee • Virtual Account • Virtual Account Structure • Virtual Identifier • Virtual Account Structure • Create Invoice • Bulk Bill Upload
Accounting Type	Accounting type of transaction: The accounting type can be: • SDSC: Single Debit Single Credit • SDMC: Single Debit Multi Credit • MDMC: Multi Debit Multi Credit This field does not appear for **Demand Draft Payees**, **Domestic Payees**, **Internal payees**, **International Payee** and **Mixed Payees**, **Invoice** and **Virtual Account templates**.
File Type	The file type - delimited or fixed length.
Format Type	The format in which file is uploaded. The format could be .CSV, .XML, .XLS, .XLSX.
Approval Type	The approval type is at file level or record level. • File Level - The approver accepts or rejects the entire file, and all records are either processed or rejected en-masse. • Record Level - The approver could approve some records, and rejects others. Payments are processed only for approved records.
Activation Status	Indicates whether the file identifier is enabled or disabled.
Access Type	Indicates the access level applicable to the file identifier.

4. Perform anyone of the following actions:

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Edit** to modify the file identifier.
- Click **Back** to navigate to the previous screen.
- Click **Cancel** to cancel the operation.

58.1.6 File Identifier Maintenance - Create

This topic describes the systematic instruction to **File Identifier Maintenance - Create** option. Using this option the administrator user can create a new file identifier.

To create a file identifier:

1. Navigate to one of the above paths.

   The **File Identifier Maintenance** screen appears.

2. Click **Search**.


   The **File Identifier Maintenance** screen with search results appears.

   - Click **Clear** to clear the search parameters.
   - Click **Cancel** to cancel the transaction.

3. Click **Create**.

   The **File Identifier Maintenance - Create** screen appears.

Figure 58-8 File Identifier Maintenance - Create



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 58-7 File Identifier Maintenance - Create - Field Description

Field Name	Description
Party ID	Party id for whom the file identifier is created.
Party Name	Party name corresponding to the party id.
Details	**Information specified in below fields are related to details**.
File Template	Predefined file templates.
Maximum No of Records	Maximum number of records permissible in the uploaded file.
Partial Processing Tolerance (%)	The partial processing tolerance for a file (in percentage terms). Suppose, the user sets this value at 60% - this implies that if 60% or more, of the records in a file clear the Validation stage, then the file can go for further processing. If less than 60% of the records in a file clear the validation stage, then the file is rejected. This field is enabled if approval is 'Record Type'.
Debit Account Number	Account number from where amount has to be debited. This field appears for templates having **AcctId defined at FI level**.
Transaction Type	Type of transaction: The Transaction type could be: • Internal Funds Transfer • Domestic Funds Transfer • International Funds Transfer • Mixed Transfer • Internal Payee • Domestic Payee • International Payee • Mixed Payee • Domestic Demand Draft Payee • International Demand Draft Payee • Virtual Account • Virtual Account Structure • Virtual Identifier • Virtual Account Structure • Create Invoice • Bulk Bill Upload
Accounting Type	Accounting type of transaction: The accounting type could be: • SDSC: Single Debit Single Credit • SDMC: Single Debit Multi Credit • MDMC: Multi Debit Multi Credit This field does not appear for **Demand Draft Payees**, **Domestic Payees**, **Internal payees**, **International Payee**, **Mixed Payees**, **Invoice** and **Virtual Account** templates.
File Type	The file type – delimited or fixed length.
Format Type	The format in which file is uploaded. The format could be CSV, XML, XLS, XLSX.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 58-7 (Cont.) File Identifier Maintenance - Create - Field Description

Field Name	Description
Approval Type	The approval type is at file level or record level. • **File Level** - The approver accepts or rejects the entire file, and all records are either processed or rejected en-masse. • **Record Level**- The approver accepts some records, and rejects others. Payments are processed only for approved records. **Note:** Approval Type cannot be modified once it is created.
Activation Status	Specifies whether the file identifier is enabled or disabled.
Access Type	The access type is at Private or Public. • **Public** - Makes the file identifier visible to all group corporate users. No mapping is required. • **Restricted** - Makes the file identifier visible only to mapped parties and mapped users.
User Level Mapping	Enables the user to map users to the file identifier. **Available Users** - Displays the list of users available for mapping. **Mapped Users** - Displays the list of users already mapped to the file identifier. This field is displayed only when the **Access Type** is selected as **Restricted**.

4. In the **File Identifier** field, enter the code of the file to be maintained for upload.
5. In the **Description** field, enter the file description corresponding to the file code.
6. From the **File Template** list, select the file template.
   - If you have selected a file template with **AcctId defined at FI level** from the **File Template** list, enter the Debit Account Number.
7. Select the appropriate **Approval Type**.
8. Perform anyone of the following actions:
   - Click **Save**.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
9. Perform anyone of the following actions:
   - The **File Identifier Maintenance - Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the operation.
   - Click **Back** to navigate to the previous screen.

   The success message appears along with the transaction reference number and status.
10. Click **OK** to complete the transaction.

58.1.7 File Identifier Maintenance – Edit

This topic describes the systematic instruction to **File Identifier Maintenance – Edit** option. Using this option the administrator can edit and update a file identifier.

To edit file identifier:

1. Navigate to one of the above paths.

Copyright © 2006, 2026, Oracle and/or its affiliates.


The **File Identifier Maintenance** screen appears.

2. Perform anyone of the following actions:
   - Click **Search**. The **File Identifier Maintenance** screen with search results appears.
   - Click **Clear** to clear the search parameters.
   - Click **Cancel** to cancel the transaction.
3. Click the file identifier record.

   The **File Identifier Maintenance - View** screen appears.
4. Click **Edit** to edit the file identifier mapping.

   The **File Identifier Maintenance - Edit** screen appears.

Figure 58-9 File Identifier Maintenance - Edit



5. Edit the required fields of file identifiers. E.g. Description, Maximum Number of Records, and Partial Processing Tolerance, Debit Account Number – if required.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 58-8 File Identifier Maintenance - Edit - Field Description

Field Name	Description
Details	Information specified in the below fields is related to the selected file identifier.
File Identifier	Unique code or name assigned as per party preferences for handling payment files.
Description	Descriptions corresponding to the file upload code.
File Template	Template mapped to the file identifier for processing the uploaded file.
Maximum No of Records	Maximum Number of records permissible in the uploaded file.
Partial Processing Tolerance (%)	The partial processing tolerance for a file (in percentage terms) Suppose, the user sets this value at 60% - this implies that if 60% or more, of the records in a file clear the Validation stage, then the file can go for further processing. If less than 60% of the records in a file clear the validation stage, then the file is rejected.
Transaction Type	Type of transaction associated with the file identifier. The transaction type could be **Bulk Bill Upload**.
Accounting Type	Indicates the accounting method applicable for the transaction.
File Type	Indicates the structure of the uploaded file, such as Delimited.
Format Type	File formats supported for upload.
Approval Type	Indicates whether approval is applicable at file level or record level.
Activation Status	Enables the user to activate or deactivate the file identifier.
Access Type	Indicates whether the file identifier is available to all users or restricted to mapped users.
Public	Makes the file identifier visible to all group corporate users. No mapping is required.
Restricted	Makes the file identifier visible only to mapped parties and mapped users.

6. Perform anyone of the following actions:
   - Click **Save** to save the details.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
7. Perform anyone of the following actions:
   - The **File Identifier Maintenance – Edit - Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the operation.
   - Click **Back** to navigate to the previous screen.

   The success message appears along with the transaction reference number and status.
8. Click **OK** to complete the transaction.

58.2 FAQ

1. **For bank administrators which transactions have file upload support?**
   Currently the file upload feature for bank administrators is available for addition of billers only.

Copyright © 2006, 2026, Oracle and/or its affiliates.

2. **What are the different transaction types, accounting types and file formats supported?**
The following table details the different transaction types, accounting types and file formats supported. A file identifier with a specific template is a combination of the parameters below:

Table 58-9 Types of Transactions and Accounts and File Formats

Sr. No.	Parameter	Types
1	Transaction Type	Internal funds Transfer Domestic Funds Transfer International Funds Transfer Mixed Transfer Admin Biller (available only for admin user) Payee Files (Internal / Domestic / International Or Mixed Payee Files) Virtual Account related (Accounts, Structure & Identifiers creation) Invoice Creation Bulk Bill Upload
2	Accounting Type	Single Debit, Single Credit (SDSC) Single Debit, Multi Credit (SDMC) Multi Debit, Multi Credit (MDMC)
3	Approval Type	File Level Record Level
4	Format Type	CSV, XML, XLS, XLSX

3. **Why do we have different accounting types?**
File templates support different accounting types, and business users can use the template that best support their needs. Details with business examples below:

Table 58-10 Type of Accounting and Approval with Business Example

Sr. No.	Accounting Type	Business Example	Approval Type
1	Single Debit, Single Credit (SDSC)	A corporate may want to make monthly payments to its various vendors from one central account. So though the debit account is the same across all records, the credit accounts are different and the debit accounting entry is not consolidated.	Record Type or File Type
2	Single Debit, Multi Credit (SDMC)	A corporate may want to make monthly salary payments to all its employees. A single consolidated debit entry is required to be passed, against multiple credits to different accounts.	File Type

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 58-10 (Cont.) Type of Accounting and Approval with Business Example

Sr. No.	Accounting Type	Business Example	Approval Type
3	Multi Debit, Multi Credit (MDMC)	This file format caters to a lot of one to one transfers between two parties for various payments. Organizations that are brokers or intermediaries in trade contracts, may find this format more suitable for their business needs.	Record Type

4. **What is the business rationale of having different approval types?**
   A record type approval, gives more flexibility to the corporate user – in the sense, that even if some records are not validated, the file could still be processed (only those records that have passed validations) and file type approval, gives more control to the corporate user. Since all records in the file have to pass validations, before a file is processed.
5. **Who can create File Identifiers for a corporate party?**
   Only a bank administrator or a corporate administrator with required rights can create file identifiers for a corporate party.
6. **What is a File Upload Template?**
   A template that is used to upload a file is called as file template. It distinguishes one file from another depending on:
   a. Transaction type of the file
   b. Format of the file to be uploaded
   c. Approval type set-up for the file
   d. Accounting type of a payment file

58.3 User File Identifier Mapping

This topic describes the information about **User File Identifier Mapping** feature.

This function can be used by the administrator to map the required file identifier to a specific user or a set of users so that the user can upload and view the required file types. In case of corporate user the mapping will be done for the Party ID and for bank administrators mapping will be done for the User ID.

Prerequisites

- Transaction access is provided to Bank Administrator User Creation
- Party and Account access (for corporate file upload)
- Set up Transaction and account access (for corporate file upload)
- Set up Approval Rules (for corporate file upload)
- File Identifier Maintenance

Features Supported In Application

- Search User File Identifier Mapping
- Create User File Identifier Mapping
- Edit User File Identifier Mapping

Copyright © 2006, 2026, Oracle and/or its affiliates.

Navigation Path: Perform anyone of the following navigation to access **User File Identifier Mapping**.

- From **System/ Bank Administrator Dashboard**, click **Toggle Menu** , then click **Menu** and then click **File Upload**. Under **File Upload** , click **User File Identifier Mapping**.
- From **System Administrator Dashboard**, under **Quick Links** , then click **Menu** and then click **File Upload**.
- User File Identifier Mapping – User Type Selection
  This topic describes the systematic instruction to **User File Identifier Mapping – User Type Selection** screen.
- User File Identifier Mapping – Administrator - Search
  This topic describes the systematic instruction to **User File Identifier Mapping – Administrator - Search** screen. Using this option the administrator can search and view the file identifiers mapped to the user.
- User File Identifier Mapping – Administrator - Create
  This topic describes the systematic instruction to **User File Identifier Mapping – Administrator - Create** option. Using this option the administrator can map the file identifiers to a user.
- User File Identifier Mapping – Administrator - Edit
  This topic describes the systematic instruction to **User File Identifier Mapping – Administrator - Edit** screen. Using this option the administrator can edit and update mapping of a file identifier, to a user.
- User File Identifier Mapping - Corporate User - Search
  This topic describes the systematic instruction to **User File Identifier Mapping - Corporate User - Search** option. Using this option bank administrator can search and view the file identifiers mapped to the corporate user.
- User File Identifier Mapping - Corporate User - Create
  This topic describes the systematic instruction to **User File Identifier Mapping - Corporate User - Create** screen. Using this option the administrator can map the file identifiers to a user.
- User File Identifier Mapping - Corporate User - Edit
  This topic describes the systematic instruction to **User File Identifier Mapping - Corporate User - Edit** screen. Using this option the administrator can edit and update mapping of a file identifier, to a user.


58.3.1 User File Identifier Mapping – User Type Selection

This topic describes the systematic instruction to **User File Identifier Mapping – User Type Selection** screen.

Bank Administrator logs into the system and navigates to the User File Identifier Mapping screen. On accessing the **User File Identifier Mapping** menu, bank administrator has to select the user type.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 58-10 User File Identifier Mapping – User Type Selection



1. Navigate to one of the above paths.

   Click **Administrator** to access the file identifier for bank administrator users.

   The **User File Identifier Mapping** screen appears.
2. Click **Corporate User** to access the file identifier of corporate users.

   The **User File Identifier Mapping** screen appears.

58.3.2 User File Identifier Mapping – Administrator - Search

This topic describes the systematic instruction to **User File Identifier Mapping – Administrator - Search** screen. Using this option the administrator can search and view the file identifiers mapped to the user.


To search and view the file identifiers:

1. Navigate to one of the above paths.

   The **User File Identifier Mapping** screen appears, enter any one search criteria.
2. Perform anyone of the following actions:
   - Click **Search**. The **User File Identifier Mapping** screen with search results appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** if you want to reset the search parameters.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 58-11 User File Identifier Mapping - Search



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 58-11 User File Identifier Mapping - Search - Field Description

Field Name	Description
User Type	The type of user as selected in the User File Identifier Mapping – User Type Selection screen. The options are: • **Administrator** • **Corporate User**
User Name	To search the user with the user name. Partial search is allowed.
More Search Options	Below fields appears if you click the **More Search Options** link.
First Name	To search based on first name or given name of the user.
Last Name	To search based on last name/ surname of the user.
Email	To search based on email id of the user.
Mobile Number	To search based on mobile number of the user.
Search Result	**Information specified in below fields are related to search result**.
Initials	The initials of the user.
User Details	The details of the user like user name or user id.
Contact Details	Email and contact number of the user.

Copyright © 2006, 2026, Oracle and/or its affiliates.


Table 58-11 (Cont.) User File Identifier Mapping - Search - Field Description

Field Name	Description
Mapping	Displays whether the file identifier is mapped to the user. • - denotes that the file identifier is mapped to the user • - denotes that the file identifier is not mapped to the user.

3. Click icon against the file identifier record of which you want to view the details.

The **User File Identifier Mapping - View** screen appears.

Figure 58-12 User File Identifier Mapping - View



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 58-12 User File Identifier Mapping - View - Field Description

Field Name	Description
User Name	User name of the logged-in user.
User Id	User id of the user.
Mapping Summary	**Information specified in below fields are related to mapping summary**.
Header Check Box	The check box to select the records for mapping.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 58-12 (Cont.) User File Identifier Mapping - View - Field Description

Field Name	Description
File Identifier	Unique code assigned to the uploaded file.
Transaction Type	Type of transaction: The transaction type could be: • **Admin Biller**
Approval Type	The approval type is at file level or record level. • **File Level** - The approver accepts or rejects the entire file, and all records are either processed or rejected • **Record Level** - The approver could approve some records, and reject others. Payments are processed only for approved records
Sensitive Data Check	If selected, the users are barred from viewing the contents of the file.

4. Perform anyone of the following actions:
   - Click **Edit** to modify the user file identifier mapping.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

58.3.3 User File Identifier Mapping – Administrator - Create

This topic describes the systematic instruction to **User File Identifier Mapping – Administrator - Create** option. Using this option the administrator can map the file identifiers to a user.

To map a user to a file identifier:


1. Navigate to one of the above paths.

   The **User File Identifier Mapping** screen appears, enter any one search criteria.
2. Perform anyone of the following actions:
   - Click **Search**. The **User File Identifier Mapping** screen with search results appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to clear the search parameters.
3. Click  icon against the file identifier record, for which you want to map the user.

   The **User File Identifier Mapping** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 58-13 User File Identifier Mapping - Create



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 58-13 User File Identifier Mapping - Create - Field Description

Field Name	Description
User Name	User name.
User Id	User id of the user.
Mapping Summary	**Information specified in below fields are related to mapping summary**.
Header Check Box	The check box to select the records for mapping.
File Identifier	Unique code assigned to the uploaded file.
Transaction Type	Type of transaction: The Transaction type could be: • Bulk Bill Upload
Approval Type	The approval type is at file level or record level. • **File Level** - The approver accepts or rejects the entire file, and all records are either processed or rejected • **Record Level** - The approver could approve some records, and reject others. Payments are processed only for approved records
Sensitive Data Check	If selected, the users are barred from viewing the contents of the file.

4. In the **Mapping Summary** section, select the file identifier which you want to map to the user.
5. Check / Uncheck the **Sensitive Data** check field, to enable / disable access to the contents of the file.

Copyright © 2006, 2026, Oracle and/or its affiliates.

6. Perform anyone of the following actions:
   - Click **Save**.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
7. Perform anyone of the following actions:
   - The **User File Identifier Mapping - Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the operation.
   - Click **Back** to navigate to the previous screen.

   The success message appears along with the transaction reference number and status of the transaction.
8. Click **OK** to complete the transaction.

58.3.4 User File Identifier Mapping – Administrator - Edit

This topic describes the systematic instruction to **User File Identifier Mapping – Administrator - Edit** screen. Using this option the administrator can edit and update mapping of a file identifier, to a user.

To edit a User File Identifier Mapping:

1. Navigate to one of the above paths.


   The **User File Identifier Mapping** screen appears.
2. In the **User Name** field, enter the username of the user.
3. Perform anyone of the following actions:
   - Click **Search**. The **User File Identifier Mapping** screen with search results appears.
   - Click **Clear** to clear the search parameters.
   - Click **Cancel** to cancel the transaction.
4. Click  icon against the file identifier record.

   The **User File Identifier Mapping - View** screen appears.
5. Click **Edit**.

   The **User File Identifier Mapping - Edit** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 58-14 User File Identifier Mapping - Edit



6. View the details of File Identifier mapping already saved. Select or de-select the File Identifier record to map / un-map a File Identifier to a user.
7. Check / Uncheck the Sensitive Data Check, to enable / disable the complete access to file content.
8. Perform anyone of the following actions:
   - Click **Save** to save the modified details.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
9. Perform anyone of the following actions:
   - The **User File Identifier Mapping - Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the operation.
   - Click **Back** to navigate to the previous screen.

   The success message appears along with the transaction reference number and status of the transaction.
10. Click **OK** to complete the transaction.

58.3.5 User File Identifier Mapping - Corporate User - Search

This topic describes the systematic instruction to **User File Identifier Mapping - Corporate User - Search** option. Using this option bank administrator can search and view the file identifiers mapped to the corporate user.

To search and view the file identifiers:


1. Navigate to one of the above paths.

   The **User File Identifier Mapping** screen appears, enter any one search criteria.
2. Perform anyone of the following actions:
   - In the **Party Id** field, enter the party id of the user.
   - In the **Party Name** field, enter the name of the party.
3. Perform anyone of the following actions:

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Search**. The **User File Identifier Mapping** screen with search results appears.
- Click **Cancel** to cancel the transaction.
- Click **Clear** to clear the search parameters.

Figure 58-15 User File Identifier Mapping - Search



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 58-14 User File Identifier Mapping - Search - Field Description

Field Name	Description
Party ID	Party ID of the user.
Party Name	Party name corresponding to the party ID.
Users List	**Information specified in below fields are related to users list**.
Initials	The initials of the user.
User Details	The details of the user like user name or user id.
Contact Details	Email and contact number of the user.

Copyright © 2006, 2026, Oracle and/or its affiliates.


Table 58-14 (Cont.) User File Identifier Mapping - Search - Field Description

Field Name	Description
Mapping	Displays whether the file identifier is mapped to the user. • - denotes that the file identifier is mapped to the user • - denotes that the file identifier is not mapped to the user

4. Perform anyone of the following actions:

- Click icon against the file identifier record of which you want to view the details. The **User File Identifier Mapping - View** screen appears.
- Click **Back** to go back to previous screen.
- Click **Cancel** to cancel the transaction.

Figure 58-16 User File Identifier Mapping - View



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 58-15 User File Identifier Mapping - View - Field Description

Field Name	Description
User Name	User name of the logged-in user.
User Id	User id of the user.
Mapping Summary	**Information specified in below fields are related to mapping summary**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 58-15 (Cont.) User File Identifier Mapping - View - Field Description

Field Name	Description
File Identifier	Unique code assigned to the uploaded file.
Transaction Type	Type of transaction: The transaction type could be: • Internal Funds Transfer • Domestic Funds Transfer • International Funds Transfer • Mixed Transfer • Internal Payee • Domestic Payee • International Payee • Mixed Payee • Domestic Demand Draft Payee • International Demand Draft Payee • Create Virtual Accounts • Create Virtual Accounts Structure • Create Virtual Identifier • Create Invoice • Bulk Bill Upload
Approval Type	• **File Level** - The approver accepts or rejects the entire file, and all records are either processed or rejected • **Record Level** - The approver could approve some records, and reject others. Payments are processed only for approved records
Sensitive Data Check	If selected, the users are barred from viewing the contents of the file.

5. Perform anyone of the following actions:
   - Click **Edit** to modify the user file identifier mapping.
   - Click **Back** to navigate to the previous screen.
   - Click **Cancel** to cancel the transaction.

58.3.6 User File Identifier Mapping - Corporate User - Create

This topic describes the systematic instruction to **User File Identifier Mapping - Corporate User - Create** screen. Using this option the administrator can map the file identifiers to a user.

To map a user to a file identifier:

1. Navigate to one of the above paths.


   The **User File Identifier Mapping** screen appears, enter any one search criteria.
2. Perform anyone of the following actions:
   - In the **Party Id** field, enter the party id of the user.
   - In the **Party Name** field, enter the name of the party.
3. Perform anyone of the following actions:
   - Click **Search**. The **User File Identifier Mapping** screen with search results appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to clear the search parameters.

Copyright © 2006, 2026, Oracle and/or its affiliates.

4. Click  icon against the file identifier record, for which you want to map the user.

The **User File Identifier Mapping - Create** screen appears.

Figure 58-17 User File Identifier Mapping - Create



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 58-16 User File Identifier Mapping - Create - Field Description

Field Name	Description
Party ID	Party ID of the user
Party Name	Party name corresponding to the party ID.
User Name	User name.
User Id	User id of the user.
Mapping Summary	**Information specified in below fields are related to mapping summary**.
File Identifier	Unique code assigned to the uploaded file.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 58-16 (Cont.) User File Identifier Mapping - Create - Field Description

Field Name	Description
Transaction Type	Type of transaction: The Transaction type could be: • Internal Funds Transfer • Domestic Funds Transfer • International Funds Transfer • Mixed Transfer • Internal Payee • Domestic Payee • International Payee • Mixed Payee • Domestic Demand Draft Payee • International Demand Draft Payee • Create Virtual Accounts • Create Virtual Accounts Structure • Create Virtual Identifier • Create Invoice • Bulk Bill Upload
Approval Type	The approval type is at file level or record level. • **File Level** - The approver accepts or rejects the entire file, and all records are either processed or rejected • **Record Level** - The approver could approve some records, and rejects others. Payments are processed only for approved records
Sensitive Data Check	If selected, the users are barred from viewing the contents of the file.

5. In the **Mapping Summary** section, select the file identifier which you want to map to the user.
6. Check / Uncheck the **Sensitive Data** check field, to enable / disable access to the contents of the file.
7. Perform anyone of the following actions:
   - Click **Save**.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
8. Perform anyone of the following actions:
   - The **User File Identifier Mapping - Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the operation.
   - Click **Back** to navigate to the previous screen.

   The success message appears along with the transaction reference number and status of the transaction.
9. Click **OK** to complete the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

58.3.7 User File Identifier Mapping - Corporate User - Edit

This topic describes the systematic instruction to **User File Identifier Mapping - Corporate User - Edit** screen. Using this option the administrator can edit and update mapping of a file identifier, to a user.

To edit a User File Identifier Mapping:


1. Navigate to one of the above paths.

   The **User File Identifier Mapping** screen appears, enter any one search criteria.
2. Perform anyone of the following actions:
   - In the **Party Id** field, enter the party id of the user.
   - In the **Party Name** field, enter the name of the party.
3. Perform anyone of the following actions:
   - Click **Search**. The **User File Identifier Mapping** screen with search results appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to clear the search parameters.
4. Click icon against the file identifier record.

   The **User File Identifier Mapping - View** screen appears.
5. Click **Edit**.

   The **User File Identifier Mapping - Edit** screen appears

Figure 58-18 User File Identifier Mapping - Edit



6. View the details of File Identifier mapping already saved. Select or de-select the File Identifier record to map / un-map a File Identifier to a user.
7. Check / Uncheck the **Sensitive Data** check field, to enable / disable access to the contents.

Copyright © 2006, 2026, Oracle and/or its affiliates.

8. Perform anyone of the following actions:
   - Click **Save** to save the modified details.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
9. Perform anyone of the following actions:
   - The **User File Identifier Mapping - Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the operation.
   - Click **Back** to navigate to the previous screen.

   The success message appears along with the transaction reference number and status of the transaction.
10. Click **OK** to complete the transaction.

58.4 FAQ

1. **Can all users of a particular corporate access all file types, mapped to the corporate?**
   User/s have to be mapped to file identifiers to be able to access files. For example, only the user/s of Human Resource Department of a corporate may have access to upload / view and enquire status of salary files.

   Mapping File Identifier's to specific users thus enables access of certain types of file/s to certain user/s.
2. **If a user is mapped to a File Identifier and he has uploaded a file – but after this, he is no longer mapped to the File Identifier – can he view the status of the file?**
   No, the user will not be able to view the status of the file, if he is not mapped to it, at the point in time when he is checking for the status.

58.5 File Upload – Bill Presentment

This topic describes the systematic instruction to **File Upload – Bill Presentment** option. Using this option bank administrator can upload a file containing multiple bills which are to be presented for payment on behalf of the biller.

Prerequisites

- File Identifier Maintenance
- User – File Identifier Mapping

Features Supported In Application


- Upload a File

Navigation Path: Perform anyone of the following navigation to access **File Upload**.

- From **Corporate Dashboard**, click **Toggle Menu**, then click **Menu** and then click **File Upload**.
- From **Corporate Dashboard**, under **Quick Links**, click **File Upload**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 58-19 File Upload



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 58-17 File Upload - Field Description

Field Name	Description
File Identifier	File identifier created earlier, in order to identify the file. This will list the file identifiers assigned by the administrator user to the logged in user for handling of file uploads.
File Name	Browse and select the file to be uploaded.

To upload a file:

1. Navigate to one of the above paths.


   The **File Upload** screen appears.
2. From the **File Identifier** list, select the file identifier.

   The **file identifier** details appear.
3. In the **File Name** field, select the file to be uploaded.

   The **file identifier** details appear.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 58-20 File Upload



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 58-18 File Upload - Field Description

Field Name	Description
File Identifier	Select the File identifier created earlier and mapped to the user in order to identify the file.
Transaction Type	Displays the transaction type of the file upload. Information is displayed based on the parameters defined at the file identifier selected by the user.
File Format Type	Displays the format in which the file can be uploaded. The file formats could be: • **CSV** • **XLS** • **XLSX** Information is displayed based on the parameters defined at the file identifier selected by the user.
Approval Type	Displays approval level of the file. For bill presentment type of a file, the approval type will always remain as Fil Level approval. • File Level: In a file type approval, the approver accepts or rejects the entire file, and all records are either processed or rejected. Information is displayed based on the parameters defined at the file identifier selected by the user.
Accounting Type	Displays accounting type of the file. This field is displayed for the files which are financial in nature.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 58-18 (Cont.) File Upload - Field Description

Field Name	Description
File Name	Choose the file from the local machine for upload. Post choosing the file, displays the file name.

4. Perform anyone of the following actions
   - Click **Upload**.
   - Click **Cancel** to abort the file uploading process.
5. Perform anyone of the following actions
   - The success message along with the file reference ID and status of the transaction appears. Click **OK** to complete the file upload.
   - Click the **File Reference ID** to inquire about the uploaded file status.

     The **Uploaded File Inquiry** screen appears.
   - Click **Home** to go to the Dashboard screen.

Click to view sample for file upload

Figure 58-21 Sample data for File Upload

1448	101	424	1	UNPAID	30-03-202	31-03-202	30-04-202	516.7	GBP
1534	451	3176	12	UNPAID	30-03-202	31-03-202	30-04-202	143.13	EUR
15235	101	3038	104	UNPAID	30-03-202	31-03-202	30-04-202	1235.11	EUR

58.6 Uploaded Files Inquiry

This topic describes the information about **Uploaded Files Inquiry** option. User can view the files uploaded with this option.

Through this option the user can view the files uploaded by the bank administrator user using OBDX platform (only those files that the user has access to) and their status.

- The search can be filtered on various parameters like status and file reference ID.
- The user can track the status of the file and if there is an error in the file, he / she can download the error file to arrive at the exact reason for error.
- For files in the **Processed** status, the user can download Response file, to vet status of processing (in the host) for each record, of the file.
- The user can track file history and also check Individual record details.

Prerequisites

- File Identifier Maintenance
- User – File Identifier Mapping

Features Supported In Application

- View Uploaded File & its Status (Uploaded File Inquiry)

Navigation Path: Perform anyone of the following navigation to access **Uploaded File Inquiry**.


Copyright © 2006, 2026, Oracle and/or its affiliates.

- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **File Upload**. Under **File Upload** , click **Uploaded File Inquiry**.
- From **Corporate Dashboard**, click **Toggle Menu**, then click **Menu** and then click **File Upload**. Under **File Upload** , click **Uploaded File Inquiry**.
- From **Corporate Dashboard**, under **Quick Links**, click **Uploaded File Inquiry**.
- Uploaded File Inquiry – Default View
  This topic describes the information about **Uploaded File Inquiry – Default View** option.
- Uploaded File Inquiry – Search Filters
  This topic describes the information about **Uploaded File Inquiry – Search Filters** option.
- Uploaded File Inquiry – File Details – Bill Presentment
  This topic describes the systematic instruction to **Uploaded File Inquiry – File Details – Bill Presentment** screen. User can view the files uploaded with this screen.

58.6.1 Uploaded File Inquiry – Default View

This topic describes the information about **Uploaded File Inquiry – Default View** option.

On accessing **Uploaded File Inquiry** option from the menu, by default screen displays the summary of the files uploaded on that day with respective statuses. User can choose to view the details of the file by clicking on the **File Reference ID** or can even choose to search the files uploaded on previous days clicking search filters.



58.6.2 Uploaded File Inquiry – Search Filters

This topic describes the information about **Uploaded File Inquiry – Search Filters** option.

On clicking the icon search filters gets enabled on the screen, bank administrator can search and view the files that are uploaded under a party with the file identifier, date range, transaction type, transaction reference ID and view the record details under the same.

User is expected to provide at least two search parameters to get the better result.

To search and view the uploaded files:

1. Navigate to one of the above path.

   The **Uploaded File Inquiry** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

2. Click icon to expand the search criteria


   The search section appears.

3. Enter any two search criteria in the search section.

4. Perform anyone of the following actions

   - Click **Search**. The search results appear on the **Uploaded File Inquiry** screen based on the search parameters.
   - Click **Clear** to reset the search criteria.
   - Click **Cancel** to close the search panel.

Figure 58-22 Uploaded File Inquiry – Search



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 58-19 Uploaded File Inquiry – Search - Field Description

Field Name	Description
Search	**Information specified in below fields are related to search**.
File Identifier	File identifier created earlier in order to identify the file. This will list the file identifiers assigned by the administrator user to the logged in user for handling of file uploads
Transaction Type	Search with the transaction type associated with the file.
File Name	Search with the file name of the uploaded file.
File Reference ID	Search with the file reference number which was generated while uploading the file.
File Status	Search with the status of the file uploads. • **Uploaded** • **Approved** • **Rejected** • **Processing In Progress** • **Error** • **Processed** • **Processed with Exceptions** • **Deleted** • **Verified** • **Expired**
From Date	From Date, to search for an uploaded file, in the specified date range.
To Date	To Date, to search for an uploaded file, in the specified date range.
Search Results	**Information specified in below fields are related to search results**.
Upload Details	Displays the file upload date and time.
Type	Displays the transaction type of file uploaded
File Identifier	Displays the file identifier selected while uploading the file.
File Name	Displays the name of the uploaded file.
File Reference ID	Displays the file reference number generated after the file was uploaded.
File Status	Displays the status of the uploaded file. The file status could be: • **Uploaded**: File Uploaded and file reference number is generated. • **Verified**: File has been pre-processed and authorization checks done (limit + account access check). File is now Pending Approval. • **Error**: File has been pre-processed and contains error. The end of the life cycle of the file (File Level).The user can download the error file at this stage. • **Processing in Progress**: File is not yet liquidated. • **Rejected**: File has been rejected (File level). The end of the life cycle of the file. • **Approved**: File has been fully approved. • **Processed**: File is completely liquidated. The user can download a response file at this stage. • **Processed with exception**: File is partially liquidated – i.e. while some records are processed, others are not. • **Expired**: File has expired. • **Deleted**: File was deleted.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 58-19 (Cont.) Uploaded File Inquiry – Search - Field Description

Field Name	Description
Action	The available action icon against the uploaded file. The action is to delete the uploaded file. Only those files with record type of approval, and which are uploaded with a future date can be deleted. Such files are in Processing in Progress status.

5. Perform anyone of the following actions
   - Click the **File Reference ID** link to view the details. The **Uploaded File Inquiry - File Details** screen appears.
   - Click  icon against a specific file upload record to delete the record. A delete icon will be shown against a record, only when if a record is of a future date and is fully approved.

58.6.3 Uploaded File Inquiry – File Details – Bill Presentment

This topic describes the systematic instruction to **Uploaded File Inquiry – File Details – Bill Presentment** screen. User can view the files uploaded with this screen.

On clicking on the **File Reference ID** from the summary page of bill payment file, following screen is displayed to the user. The user can view the files uploaded by the bank administrator for bill presented for payments. Screen displays the basic file details like name, status, reference id etc. along with the file journey.
User can download file, error report if the file is in error status and even can download response file to know the record level details.


File details section also shows the records of the file in a summarized view along with respective status of each record. User can further delete the specific record if of the future date or not processed.

User can also choose to view the record details by clicking on the link available on each record. User gets directed to the screen which shows the individual record details along with the file details using which the record was uploaded. Each record details is specific to the transaction type which user is inquiring.

> **Note**
>
> The maximum number of records permissible in the uploaded file is a configurable parameter at the File Identifier.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 58-23 File Details



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 58-20 File Details - Field Description

Field Name	Description
File Name	File name of the uploaded file. User can download the file by clicking in the icon available besides the file name.
Transaction Type	Displays the transaction type associated with the file.
File Reference ID	Displays the file reference number, which was generated while uploading the file.
Number of Records	Displays the total number of records uploaded as a part of the file.
File Status	Displays the status of the file uploads.
Error Report	Shows an icon to download the error file in case the uploaded file faced some runtime issue and failed to execute.
Response File Download	Shows an icon to download the error response file.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 58-20 (Cont.) File Details - Field Description

Field Name	Description
Transaction Reference ID	The transaction reference number, which was generated at the time of transaction execution.
File Workflow	Flow displaying various stages and status of file upload.

To view all transactions:

1. Navigate to the above path.

   The **Uploaded File Inquiry** screen appears.

2. In the **File Name** field, click  icon to download the originally uploaded file.

   In the **Response File Download** field click  icon to download the response file.

3. Click **Download** as to download the file in .pdf or .csv format.

   The search results are displayed.

   - Click **Delete** to delete the uploaded file.
   - Click **Back** to navigate to the previous screen.

> **Note**
>
> If there is an error during file verification (i.e. the file is in error status), an option will be available to download the generated error file.

58.7 FAQ

1. **What are some of the validations that a file goes through at various stages, in its life cycle?**
   The following are the validations performed on an uploaded file by OBDX and subsequently by the Host, before file is liquidated.

Table 58-21 Validation Details

Sr No	Events	Applicable to	Checks
1	On File Upload	All Files	File contents should not match an already uploaded file
2	On File Upload	All Files	File should not exceed the Maximum Size limit
3	On File Upload	All Files	The File Extension type should be the ones permitted
4	On File Upload	All Files	The file should not be Malicious

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 58-21 (Cont.) Validation Details

Sr No	Events	Applicable to	Checks
5	At Pre-Processing	All Files	The format for all fields, should be as templated viz., Date, Currency in accordance with ISO standards, Party- numeric, account number- alphanumeric etc.
6	At Pre-Processing	All Files	The Party should be valid, should exist
7	File At Pre-Processing	All Files	Party and Debit account should belong to each other
8	At Pre-Processing	All Files	User should have access to Debit Account (If applicable for the type of file selected)
9	At Pre-Processing	All Files	Debit account should not be in closed status (If applicable for the type of file selected)
10	At Pre-Processing	All Files	Transaction Limits are not violated at user level (If applicable for the type of file selected)
11	At Pre-Processing	All Files	Payment date should not be in the past (If applicable for the type of file selected)
12	At Pre-Processing	All Files	Payment date should not be a holiday as per the host calendar maintenance (If applicable for the type of file selected)
13	At Pre-Processing	All Files	Debit account should be a CASA account, not loan or TD (If applicable for the type of file selected)
14	At Pre-Processing	All Files	Debit currency in the file, should match the currency of the CASA account (If applicable for the type of file selected)
15	At Pre-Processing	Internal Files	Transaction currency should match either the debit or credit CASA (If applicable for the type of file selected)
16	At Pre-Processing	Internal Files	The Credit Account should be a CASA account, not loan or TD (If applicable for the type of file selected)

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 58-21 (Cont.) Validation Details

Sr No	Events	Applicable to	Checks
17	At Pre-Processing	All SDSC and SDMC files	A file with multiple records, should have the same debit account (If applicable for the type of file selected)
18	At Pre-Processing	Internal Ad hoc	The Purpose of remittance should be valid (If applicable for the type of file selected)
19	At Pre-Processing	Domestic Files	The NEFT / RTGS code should be valid (If applicable for the type of file selected)
20	At Approval	All Files	Cumulative limits should not be violated either for the Approver and the Party (If applicable for the type of file selected)
21	Validations in Core	All Files	The Debit account should have sufficient balance (If applicable for the type of file selected)
22	Validations in Core	All Files	Debit account should not be in dormant status (If applicable for the type of file selected)
23	Validations in Core	All Files	Debit account should not be in debit block status (If applicable for the type of file selected)
24	Validations in Core	Internal Files	The Credit CASA account should not be closed (If applicable for the type of file selected)
25	Validations in Core	Internal Files	There should not be a Credit Block on the CASA account (If applicable for the type of file selected)
26	Validations in Core	International Files	The BIC / SWIFT code should be valid, as per the BIC / Clearing directory as maintained in the host system (If applicable for the type of file selected)

2. **If some records in a file are liquidated, others are deleted, what will the status of the file be?**

   The following table shows the file status which is followed to depict various status of the file upload. So if all the records of file are liquidated then the file status is processed, and if any of the records in the file is liquidated while all the other are rejected the file status will be processed, and if any of the records is liquidated and rest all have an error the file status will be processed with exception.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 58-22 File Status

Verified	Approved	Processing in Progress	Liquidated	Rejected	Deleted	Error	File Status
All							Verified
	All						Approved
		All					Processing in Progress
			All				Processed

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 58-22 (Cont.) File Status

Verified	Approved	Processing in Progress	Liquidated	Rejected	Deleted	Error	File Status
				All			Rejected
					All		Deleted
						All	Error
			1	1			Processsed
			1		1		Processsed

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 58-22 (Cont.) File Status

Verified	Approved	Processing in Progress	Liquidated	Rejected	Deleted	Error	File Status
			1			1	Processed with exception
			1	1	1		Processed

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 58-22 (Cont.) File Status

Verified	Approved	Processing in Progress	Liquidated	Rejected	Deleted	Error	File Status
			1	1	1	1	Processed with exception
				1	1		Deleted

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 58-22 (Cont.) File Status

Verified	Approved	Processing in Progress	Liquidated	Rejected	Deleted	Error	File Status
				1		1	Processed with exception
					1	1	Processed with exception

3. **If a payment file is in the approved status, does it mean that all the records are successfully liquidated?**
   No, the file still has to successfully pass validations in the host system, before records are processed.

Copyright © 2006, 2026, Oracle and/or its affiliates.

4. **Can a user delete the entire file or deletion of only individual records within a file is allowed?**
   Whether only records can be deleted, or the entire file will be deleted depends on the accounting type of the file, and the approval type (Record Level or File level)

   The table below throws light on the combinations allowed

Table 58-23 File / Record Deletion allowed Details

Sr No	Accounting Type	Authorization Type	File / Record Deletion allowed?
1	SDMC	File Level	Not allowed
2	SDSC	File Level	Not allowed
3	SDSC	Record Level	Only records can be deleted, and not the entire file
4	MDMC	Record Level	Only records can be deleted, and not the entire file

5. **If a working window is set for the File Upload transaction – how will processing be impacted outside of the working window?**
   Outside of the transaction working window set for file uploads, processing will depend on whether the file has a Record Level approval or a File Type approval.

   Files with a File Type approval – will be rejected, outside of the transaction working window

   Files with Record Type approval – if some records are processed within the working window, will be completed – if processing of some records, falls outside of the working window – these will be rejected.

6. **What is the impact of limits on processing of File Upload transactions?**
   File uploads transaction will utilize limits depending on if the transfer is an internal, domestic, or international funds transfer.

   Further, for domestic funds transfer – limits are defined for each network – NEFT, RTGS and IMPS. Limits will be checked at the pre-processing's stage for file uploads.

7. **After a file is successfully uploaded, is the user provided notifications on its status?**
   Yes, Users mapped to the FI – initiators and approvers of the file, are provided with alerts / notification, as file progresses from the Uploaded stage to Approved to Processing in Progress to the Processed stage. Alternately, users can log in to view the status of the file.


Copyright © 2006, 2026, Oracle and/or its affiliates.

59

OAuth 2.0

This topic describes the information about **OAuth 2.0**.

The OAuth 2.0 authorization framework enables a third-party application to obtain limited access to an HTTP service, either on behalf of a resource owner by orchestrating an approval interaction between the resource owner and the HTTP service, or by allowing the third-party application to obtain access on its own behalf.



- **Client** - It is the third party app (running on mobile or on browser) that makes requests to the resource server for protected resources on behalf of the resource owner. The resource owner must give the app permission to access the protected resources.
- **Resource owner** - The person who is capable of granting access to a protected resource.
- **Resource server** - The resource server needs some kind of authorization before it will serve up protected resources to the app.
- **Authorization server** - The authorization server is implemented in compliance with the OAuth 2.0 specification, and it is responsible for validating authorization grants and issuing the access tokens that give the app access to the user's data on the resource server.

The following administrative maintenances needs to be done as part of OAuth Server Setup:

- Identity Domain Definition

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Resource Server Definition
- Client Definition
- Identity Domain Maintenance
  This topic describes the in formation about **Identity Domain Maintenance** option.
- Resource Server Maintenance
  This topic describes the in formation about **Resource Server Maintenance**.
- Client Maintenance
  This topic describes the in formation about **Client Maintenance** option.

59.1 Identity Domain Maintenance

This topic describes the in formation about **Identity Domain Maintenance** option.

The Identity Domain corresponds to the notion of a tenant and each identity domain corresponds to an identity store. All artifacts such as resource server and client needs to be created under an identity domain.

As part of the Identity Domain definition, Identity store as well as token settings can be defined.

Currently only **Embedded LDAP** i.e. DB Authenticator as Identity Store is supported.

Pre-Requisites

- Transaction access is provided to System Administrator.

Features supported in application

Using this option System Administrator can perform the following actions:

- Create Identity Domain
- Edit Identity Domain details
- View Identity Domain details

Navigation Path: Perform the below navigation to access **Identity Domain Maintenance**.

- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **OAuth**. Under **OAuth** , click **Identity Domain Maintenance**.
- Identity Domain Maintenance - Search
  This topic describes the systematic instruction to **Identity Domain Maintenance - Search**. User can search for any maintained Identity Domains by entering the required search parameters.To view all transactions:
- Identity Domain Maintenance – Edit
  This topic describes the systematic instruction to **Identity Domain Maintenance – Edit**
- Identity Domain Maintenance – Create
  This topic describes the systematic instruction to **Identity Domain Maintenance – Create** function. This function enables the System Administrator to create an identity domain.

59.1.1 Identity Domain Maintenance - Search

This topic describes the systematic instruction to **Identity Domain Maintenance - Search**. User can search for any maintained Identity Domains by entering the required search parameters.To view all transactions:

To view all transactions:

Copyright © 2006, 2026, Oracle and/or its affiliates.

1. Navigate to the above path.

   The **Identity Domain Maintenance** screen appears.
2. Enter the Identity Domain Name.
3. Perform anyone of the following actions:
   - Click **Search**. The search results appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** if you want to reset the search parameters.

Figure 59-1 Identity Domain Maintenance – Search





Figure 59-2 Identity Domain Maintenance – Search Results



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.


Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 59-1 Identity Domain Maintenance – Search Results - Field Description

Field Name	Description
Identity Domain Name	Specify the name of the identity domain that is to be searched.
Search Result	**Information specified in below fields are related to search result**.
Name	System displays the name of the identity domain based on the input search parameter.
Description	System displays the description of the identity domain.

4. Click on **Name** link to view details of a specific identity domain.

Figure 59-3 Identity Domain Maintenance – View



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 59-2 Identity Domain Maintenance – View - Field Description

Field Name	Description
Identity Domain Definition	**Information specified in below fields are related to identity domain definition**.
Identity Domain Name	Displays the name of the Identity Domain.
Identity Domain Description	Displays the description of the Identity Domain.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 59-2 (Cont.) Identity Domain Maintenance – View - Field Description

Field Name	Description
Identity Store	Displays the Identity Domain store.
Consent page URL	Displays the Consent page URL.
Error page URL	Displays the Error page URL.
Token Settings	**Information specified in below fields are related to token settings**.
Token Type	Displays the token type i.e. Access Token or Authorization Code.
Is Refresh Token Enabled	Displays whether refresh token is enabled.
Access Token Expiry Time	Displays the maintained expiry time for an access token.
Refresh Token Expiry Time	Displays the maintained expiry time for a refresh token.
Token Type	Displays the token type i.e. Access Token or Authorization Code.
Is Refresh Token Enabled	Displays whether refresh token is enabled for token type **Authorization Code**.
Access Token Expiry Time	Displays the maintained expiry time for an access token with token type **Authorization Code**.
Refresh Token Expiry Time	Displays the maintained expiry time for refresh token with token type **Authorization Code**.

5. Perform anyone of the following actions:
   - Click **Edit** to edit the **Identity Domain** details. User is directed to the **Identity Domain Maintenance - Edit** screen with values in editable form.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to previous screen.

59.1.2 Identity Domain Maintenance – Edit

This topic describes the systematic instruction to **Identity Domain Maintenance – Edit**

This function enables the System Administrator to edit the details of maintained identity domains. As part of edit, System Administrator can modify the details i.e. URLs as well as token settings for an identity domain.

To edit or update an identity domain:

1. Navigate to the above path.

   The **Identity Domain Maintenance** screen appears.
2. In **Identity Domain Maintenance** screen, in the **Identity Domain Name** field, enter the identity domain name.
3. Click **Search**.


   The search results appears.
4. Click the **Name** link of the record whose details you want to view.

   The **Identity Domain Maintenance – View** screen appears.
5. Click **Edit** to modify the identity domain details.

   The **Identity Domain Maintenance – Edit** screen appears in editable form.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 59-4 Identity Domain Maintenance – Edit



6. Perform anyone of the following actions:
   - Click **Save** to save the template information.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
7. Perform anyone of the following actions:
   - The **Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

   The success message of identity domain details modification appears along with the reference number.
8. Click **OK** to complete the transaction.

59.1.3 Identity Domain Maintenance – Create

This topic describes the systematic instruction to **Identity Domain Maintenance – Create** function. This function enables the System Administrator to create an identity domain.

As part of Identity Domain definition, the administrator can define the identity store, different URLs i.e. redirect and Error URLs and the token settings.
To create an identity domain:

Copyright © 2006, 2026, Oracle and/or its affiliates.


1. Navigate to the above path.

   The **Identity Domain Maintenance** screen appears.

2. Click **Create** to create a new Identity Domain.

   The **Identity Domain Maintenance - Create** screen appears.

Figure 59-5 Identity Domain Maintenance – Create



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 59-3 Identity Domain Maintenance – Create - Field Description

Field Name	Description
Identity Domain Definition	**Information specified in below fields are related to identify domain definition**.
Identity Domain Name	Specify the name of the Identity Domain.
Identity Domain Description	Specify the Identity Domain description.
Identity Store	Select the Identity store to be mapped for the identity domain. Currently only Embedded LDAP is supported for the identity store.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 59-3 (Cont.) Identity Domain Maintenance – Create - Field Description

Field Name	Description
Consent page URL	Specify the Consent page URL. This is the page on which the user will get re-directed to provide consent to the Third Party Provider (TPP)
Error page URL	Specify the Error page URL. This is the page on which the user will get re-directed to in case of incorrect details.
Token Setting	**Information specified in below fields are related to token setting**.
Token Type	Displays the token type as Access Token. Token settings can be defined for both token types i.e. Authorization Code and Access Token
Access Token Expiry Time	Specify the expiry time for the access token.
Is Refresh Token Enabled	Specify whether the refresh token needs to be enabled. If enabled, the TPP will be provided with a refresh token along with access token.
Refresh Token Expiry Time	Specify the expiry time for refresh token. This field will be enabled to enter the expiry time only if **Refresh Token** is enabled.
Token Type	Displays the token type as Authorization Code. Token settings can be defined for both token types i.e. Authorization Code and Access Token
Access Token Expiry Time	Specify the expiry time for the access token for token type as authorization code
Is Refresh Token Enabled	Specify whether the refresh token needs to be enabled. If enabled, the TPP will be provided with a refresh token along with access token for token type Authorization Code.
Refresh Token Expiry Time	Specify the expiry time for refresh token. This field will be enabled to enter expiry time only if **Refresh Token** is enabled for token type 'Authorization Code'

3. In the **Identity Domain** Name field, enter name for an identity domain to be created.
4. In the **Identity Domain Description** field, enter description for an identity domain to be created.
5. From the **Identity Store** list, select the Identity store for the identity domain.
6. In the **Consent Page URL** field, enter URL for the consent page on which the user needs to be re-directed for providing consent to the TPP.
7. In the **Error Page URL** field, enter URL for the error page on which the user needs to be re-directed in case of incorrect details entered.
8. In the **Access Token Expiry Time** field for token type **Access Token**, enter the expiry time for the access token in days and hh:mm format.
9. Click the **Is Refresh Token Enabled** toggle to 'Y' if there is a need to provide with a refresh token along with an access token.
    - In the **Refresh Token Expiry Time** field, enter the expiry time for the refresh token in days and hh:mm format.
10. In the **Access Token Expiry Time** field of **Authorization Code Token** type, enter the expiry time for the access token in days and hh:mm format.
11. Click the **Is Refresh Token Enabled** toggle to 'Y' if there is a need to provide with a refresh token along with an access token for token type 'Authorization Code'

Copyright © 2006, 2026, Oracle and/or its affiliates.

- In the **Refresh Token Expiry Time** field, enter the expiry time for the refresh token in days and hh:mm format. This expiry time is for refresh token with token type **Authorization Code**

12. Perform anyone of the following actions:
    - Click **Save** to save the changes.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.
13. Perform anyone of the following actions:
    - The **Review** screen appears. Verify the details, and click **Confirm**.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.

    The success message of identity domain details modification appears along with the reference number.
14. Click **OK** to complete the transaction.

59.2 Resource Server Maintenance

This topic describes the in formation about **Resource Server Maintenance**.

The resource server is the server that contains the user's information that is being accessed by the third party application and handles authenticated requests after the application has obtained an access token.

Resource Server is always associated to one Identity Domain. Through this maintenance, the administrator can define scopes for the resource server. Scopes are transactions or inquiries that are provided to the client so that the TPP/client can transact or inquire on behalf of the customer with an access token provided the customer has provided consent to the TPP.

Pre-Requisites

- Transaction access is provided to System Administrator.

Features supported in application

Using this option System Administrator can perform the following actions:

- Create Resource Server
- Edit Resource Server
- View Resource Server

Navigation Path: Perform the following navigation to access **Resource Server Maintenance**.

- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **OAuth**. Under **OAuth** , click **Resource Server Maintenance**.
- Resource Server Maintenance - Search
  This topic describes the systematic instruction to **Resource Server Maintenance - Search**option. User can search for any maintained Resource Servers by entering the required search parameters.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Resource Server Maintenance – Edit
  This topic describes the systematic instruction to **Resource Server Maintenance – Edit** function. This function enables the System Administrator to update the details of the maintained resource servers.
- Resource Server Maintenance – Create
  This topic describes the systematic instruction to **Resource Server Maintenance – Create**function. This function enables the System Administrator to create a resource server.

59.2.1 Resource Server Maintenance - Search


This topic describes the systematic instruction to **Resource Server Maintenance - Search**option. User can search for any maintained Resource Servers by entering the required search parameters.

To search for a Resource Server:

1. Navigate to the above path.


   The **Resource Server Maintenance** screen appears.
2. In the **Resource Server Name** field, enter name of the resource server that is to be searched.
3. From the **Identity Domain** list, select the appropriate identity domain from which resource servers are to be searched. One Identity Domain can have multiple resource servers associated.
4. Perform anyone of the following actions:
   - Click **Search**. Based on the input search parameters, system will display the search results i.e. Resource Server Name and Description.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** if you want to reset the search parameters.

Figure 59-6 Resource Server Maintenance – Search



Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 59-7 Resource Server Maintenance – Search Summary



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.


Table 59-4 Resource Server Maintenance – Search Summary - Field Description

Field Name	Description
Resource Server Name	Specify the name of the resource server that is to be searched
Identity Domain Name	Select the name of the identity domain in which resource server(s) are to be searched
Search Result	**Information specified in below fields are related to search result.**
Resource Server Name	System displays the name of the resource server based on the input search parameter
Description	System displays the description of the resource server.

5. Click on **Resource Server Name** link to view details of a specific resource server.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 59-8 Resource Server Maintenance – View



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 59-5 Resource Server Maintenance – View - Field Description

Field Name	Description
Resource Server Definition	**Information specified in below fields are related to resource server definition**.
Resource Server Name	Displays the name of the resource server.
Resource Server Description	Displays the resource server description.
Identity Domain	Displays the Identity Domain name to which resource server belongs.
Scopes	**Information specified in below fields are related to scopes**.
Scope Name	Displays the name of the scopes for resource server.
Scope Description	Displays the description of the defined scopes for resource server.

6. Perform anyone of the following actions:
   - Click **Edit** to edit the Resource Server details if required. User is directed to the **Resource Server Maintenance - Edit** screen with values in editable form.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to previous screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

59.2.2 Resource Server Maintenance – Edit

This topic describes the systematic instruction to **Resource Server Maintenance – Edit** function. This function enables the System Administrator to update the details of the maintained resource servers.

System Administrator can modify the resource server details i.e. add new scopes or remove existing scopes.

To update resource server details:

1. Navigate to the above path.

   The **Resource Server Maintenance** screen appears.

2. In the **Resource Server Name** field, enter name of the resource server which is to be searched.

3. From the **Identity Domain** list, select the appropriate identity domain from which resource server is to be searched.

4. Click **Search**.

   The search results appears.


5. Click the **Resource Server Name** link of the record whose details you want to view.

   The **Resource Server Maintenance – View** screen appears.

6. Click **Edit** to edit the Resource Server.

   The **Resource Server Maintenance – Edit** screen appears in editable form.

Figure 59-9 Resource Server Maintenance – Edit



7. Update the details as required.

Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> Click on  icon to add new scope(s) for the resource server.
>
> Click on  icon against the already added scope to remove the scope from the resource server.

8. Perform anyone of the following actions:
   - Click **Save** to save the changes.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
9. Perform anyone of the following actions:
   - The **Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

   The success message of resource server details modification appears along with the transaction reference number.
10. Click **OK** to complete the transaction.

59.2.3 Resource Server Maintenance – Create

This topic describes the systematic instruction to **Resource Server Maintenance – Create**function. This function enables the System Administrator to create a resource server.

As part of Resource definition, the administrator can select the Identity Domain in which the resource server needs to be created and also define the scopes for the resource server.
To create resource server:


1. Navigate to the above path.

   The **Resource Server Maintenance** screen appears.
2. Click **Create** to create a new Identity Domain.

   The **Resource Server Maintenance - Create** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 59-10 Resource Server Maintenance – Create



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 59-6 Resource Server Maintenance – Create - Field Description

Field Name	Description
Resource Server Definition	**Information specified in below fields are related to resource server definition**.
Resource Server Name	Specify the name of the resource server.
Resource Server Description	Specify the resource server description.
Identity Domain	Select an Identity Domain in which the Resource Server needs to be created.
Scopes	**Information specified in below fields are related to scopes**.
Scope Name	Specify the name of the scope to be created for a resource server
Scope Description	Specify the description for the scope to be created for a resource server.

3. In the **Resource Server Name** field, enter name for resource server to be created.
4. In the **Resource Server Description** field, enter description for resource server to be created.
5. From the **Identity Domain** list, select the appropriate identity domain in which the resource server is to be created.
6. In the **Scope Name** field, enter the scope name for resource server.
7. In the **Scope Description** field, enter the description for the scope to be defined for resource server.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click on 

icon to add new scope(s) for the resource server.
- Click on 

icon against the already added scope to delete it.

8. Perform anyone of the following actions:
   - Click **Save** to save the changes.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
9. Perform anyone of the following actions:
   - Click **Save** to save the changes.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
10. Perform anyone of the following actions:
    - The **Review** screen appears. Verify the details, and click **Confirm**.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.

    The success message of resource server creation appears along with the reference number.
11. Click **OK** to complete the transaction.

59.3 Client Maintenance

This topic describes the in formation about **Client Maintenance** option.

Clients are Third Party Provides (TPPs) that can access information from the resource server on behalf of the user provided the user has provided consent to the TPPs. As part of this definition, the administrator can define client details i.e. client ID, client name, scopes, redirect URLs etc.

Pre-Requisites

- Transaction access is provided to System Administrator.

Features supported in application

Using this option System Administrator can perform the following actions:

- Create Client
- Edit Client
- View Client

Navigation Path: Perform the below navigation to access **Client Maintenance**.

- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **OAuth**. Under **OAuth** , click **Client Maintenance**.
- Client Maintenance - Search
  This topic describes the systematic instruction to **Client Maintenance - Search** option.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Client Maintenance – Edit
  This topic describes the systematic instruction to **Client Maintenance – Edit** function. This function enables the System Administrator to update the details of the maintained clients.
- Client Maintenance – Create
  This topic describes the systematic instruction to **Client Maintenance – Create** function.

59.3.1 Client Maintenance - Search


This topic describes the systematic instruction to **Client Maintenance - Search** option.

User can search for any maintained Clients by entering the required search parameters.
To search for any maintained client:

1. Navigate to the above path.


   The **Client Maintenance** screen appears.
2. Enter the **Client Name** as one of the search criteria.
3. Perform anyone of the following actions:
   - Click **Search**. The search summary appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** if you want to reset the search parameters.

Figure 59-11 Client Maintenance – Search



Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 59-12 Client Maintenance – Search Summary



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.


Table 59-7 Client Maintenance – Search Summary- Field Description

Field Name	Description
Client ID	Specify the Client ID that is to be searched.
Client Name	Specify the Client Name if the client needs to be searched based on client name.
Identity Domain	Select the Identity Domain in which the client needs to be searched.
Client Type	Select the type of client based on which search is to be done.
Search Result	**Information specified in below fields are related to search results**.
Client ID	System displays the client ID of the client based on the input search parameters.
Client Name	System displays the client name of the client based on the input search parameters.
Identity Domain	System displays the name of identity domain to which client belongs.
Client Type	System displays the client type for the searched client.

4. Click on **Client Id** link to view details of the selected client.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 59-13 Client Maintenance – View



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 59-8 Client Maintenance – View - Field Description

Field Name	Description
Client Definition	**Information specified in below fields are related to client definition**.
Client ID	Displays the Client ID of the selected Client
Client Name	Displays the Client Name of the selected client.
Client Description	Displays the Client description of the selected client.
Identity Domain	Displays the name of the Identity Domain to which client belongs.
Grant Type	Displays the grant type for the selected client.
Redirect URL	**Information specified in below fields are related to redirect URL**.
Redirect URL	Displays the redirect page URLs for the selected client.
Scope	**Information specified in below fields are related to scope**.
Resource Server	Displays the name of the resource server to which the mapped scopes belong.
Scope	Displays the scope name defined for the client.
Default Scope	Displays the default scope defined for the client.

5. Perform anyone of the following actions:

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Edit** to update details of the client. User is directed to the **Client Maintenance - Edit** screen with values in editable form.
- Click **Cancel** to cancel the transaction.
- Click **Back** to navigate to previous screen.

59.3.2 Client Maintenance – Edit

This topic describes the systematic instruction to **Client Maintenance – Edit** function. This function enables the System Administrator to update the details of the maintained clients.

System Administrator can update specific client details, Redirect URL, and scopes.
To update client details:

1. Navigate to the above path.

   The **Client Maintenance** screen appears.
2. Enter the search criteria.
3. Click **Search**.


   The search results appears.
4. Click the **Client ID** link of the record whose details you want to view.

   The **Client Maintenance – View** screen appears.
5. Click **Edit** to update the client details.

   The **Client Maintenance – Edit** screen appears in editable form.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 59-14 Client Maintenance – Edit



6. Update the details as required.
7. Perform anyone of the following actions:
   - Click **Save** to save the changes.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
8. Perform anyone of the following actions:
   - The **Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

   The success message of client details modification appears along with the transaction reference number.
9. Click **OK** to complete the transaction.

59.3.3 Client Maintenance – Create

This topic describes the systematic instruction to **Client Maintenance – Create** function.

This function enables the System Administrator to create a new client i.e. Third Party Provider and define details like Client ID, Client Secret, Scopes, Redirect URLs etc.
To create client:

Copyright © 2006, 2026, Oracle and/or its affiliates.


1. Navigate to the above path.

   The **Client Maintenance** screen appears.

2. Click **Create** to create a new client.

   The **Client Maintenance - Create** screen appears.

Figure 59-15 Client Maintenance - Create



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 59-9 Client Maintenance - Create - Field Description

Field Name	Description
Client ID	Specify the Client ID or click **Generate** to auto-generate the client Id for the client to be created.
Client Name	Specify the client name for the client to be created.
Client Description	Specify the client description for the client to be created.
Identity Domain	Select the Identity Domain to which client belongs.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 59-9 (Cont.) Client Maintenance - Create - Field Description

Field Name	Description
Client Secret	Specify the client secret or click Generate to auto-generate the client secret for the client to be created.
Client Type	Select the client type for the client to be created.
Grant Type	Select the grant type for the client to be created. User can select multiple grant types.
Redirect URL	
Redirect URL	Specify the redirect page URL. It is the page that the user will need to be re-directed to post Authorization Code flow
Select Scopes	**Information specified in below fields are related to select scopes**.
Resource Server	Select the resource server from which the scopes need to be selected for the client.
Scope	Select the scope to be defined for the client. User can select multiple scopes from the same resource server.
Default Scope	Select the default scope to be defined for the client.


3. In the **Client Id** field, enter the client Id or click Generate to auto-generate the client Id for the client to be created.
4. In the **Client Name** field, enter name for the client to be created.
5. In the **Client Description** field, enter description for the client to be created.
6. From the **Identity Domain** list, select the identity domain in which the client needs to be created.
7. In the **Client Secret** field, enter the client secret or click Generate to auto-generate the client secret for the client to be created.
8. From the **Client Type** list, select the appropriate client type for the client to be created.
9. From the **Grant Type** list, select the appropriate grant type for the client to be created.

   Perform anyone of the following actions:

   - **Note**

     Click 

     icon to add Redirect page URL.

   - Click 

     icon to remove already added Redirect page URL.
10. From the **Default Scope** list, select the default scope to be defined for the client.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Note

- Click **Add Scope** to add scope.
- Click Add Default Scope to add default scope.
- Click 

icon to remove already added default scope.

11. Perform anyone of the following actions:
    - Click **Save** to save the changes.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.
12. Perform anyone of the following actions:
    - The **Review** screen appears. Verify the details, and click **Confirm**.
    - Click **Cancel** to cancel the transaction.
    - Click **Back** to navigate to the previous screen.

    The success message of client creation appears along with the reference number.
13. Click **OK** to complete the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

60

User Group Management

This topic describes the systematic instruction to **User Group Management** option.

User group is a set of x users with similar interests and goals.

Using User Group Management option Bank administrator can maintain the user groups of Bank administrator and of corporate users of same party ID. User groups maintained by administrators for Bank administrator users and corporate users are used while creating approval workflows and approval rules.


Also the user groups created for Bank administrator type of user are used for mapping secured mail subjects. Each subject category can be linked to a group of Bank Administrator users. So that administrators will receive the mails only of the subjects mapped to the users.

> **Note**
>
> - If Group corporate Flag is set as **ON** in system rules, then the corporate users group creation will not be allowed using this menu option. The Corporate Users Group can be setup using Group Corporate onboarding only,
> - If Group corporate Flag is set as **OFF** in system rules, then the corporate user group must be setup using below mentioned steps.

Prerequisites:

- Transaction access is provided to Bank Administrator.
- Multiple corporate and administrator users are maintained.
- Approval rule set up for Bank administrator to perform the actions.
- Party preference for which the groups are to be created is maintained and is active.

Figure 60-1 Workflow



Features Supported In Application

User Group Management allows Bank Administrator to:

- Create User Groups

Copyright © 2006, 2026, Oracle and/or its affiliates.

- View User Groups
- Modify User Groups

Navigation Path: Perform the following navigation to access the **User Group Management**:

From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Others**. Under **Others**, click **User Group Management**.

The **User Group Management** screen appears.

> **Note**
>
> User Groups can also be maintained for Non Customer Corporates (for which the party id is not maintained in UBS or in Core banking system). For such cases i.e. non customer corporate (counterparties on boarded by Corporates) the system will look for the party ID in OBSCF/OBCMS.

- User Groups – Select User Type
  This topic describes the systematic instruction to **User Groups – Select User Type** option.
- User Groups – Admin User
- User Groups – Retail & Business User
- FAQ

60.1 User Groups – Select User Type

This topic describes the systematic instruction to **User Groups – Select User Type** option.

Bank Administrator logs into the system and navigates to the User Group screen. On accessing the 'User Group Management' menu, Bank Administrator has to select the user type for whom the user groups are to be maintained.


1. Navigate to the above path.

   The **User Type Selection** popup screen appears on **User Group Management** screen.

   Select the appropriate option.

   - Click **Admin User** to access the user group management of Bank Administrator users.
   - Click **Retail & Business User** to access the user group management of Retail & Business users.

Figure 60-2 User Type Selection



Copyright © 2006, 2026, Oracle and/or its affiliates.

User Group- Admin User:
Bank Administrator user can search the user groups maintained for administrator users.

2. Perform anyone of the following actions:
   - Click **Search** to search the matching records.
   - Click **Cancel** to the transaction.
   - Click **Clear** to reset the entered details.

60.2 User Groups – Admin User

- User Groups - Admin User – Create
  This topic describes the systematic instruction to **User Groups - Admin User – Create** option.
- User Groups - Admin User – Search Summary
  This topic describes the systematic instruction to **User Groups - Admin User – Search Summary** option.
- User Groups - Admin User – Edit Group
  This topic describes the systematic instruction to **User Groups - Admin User – Edit** option.

60.2.1 User Groups - Admin User – Create

This topic describes the systematic instruction to **User Groups - Admin User – Create** option.

Bank Administrator can create user groups for the Administrator users. Administrator can create multiple user groups and one user can be part of multiple user groups, whereas creating a user group without any user is not allowed.


To create a user group:

1. Navigate to the above path.

   The **Administrator User Group** screen appears.
2. The **User selection** screen appears. Select the appropriate option.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 60-3 Admin User Group -Create



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 60-1 Field Description

Field Name	Description
Create	**Information specified in below fields are related to Create**.
Group Code	User group code.
Group Description	Description provided to the user group.
Search Results - User Group	**Information specified in below fields are related to Search Results - User Group**.
User Name	User name list to select and add a user to the user group. All the administrator users will be listed down
User ID	User IDs of each user selected from user list are displayed.

3. Click **Create**.
4. In the **Group Code** field, enter the group code.
5. In the **Group Description** field, enter the group name.
6. In the **User Group** section, click **Add** to add the selected user in the User Group. Once added, the user name will be removed from the user drop-down to avoid duplication of users.
7. Perform anyone of the following actions:
   - Click **Save** to create the user groups.

     The **Review** screen appears.
   - Click **Cancel** to close the maintenance creation process.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Back** to navigate to the previous screen.

8. Perform anyone of the following actions:
   - Verify the details, and click **Confirm**.

     The success message of user group creation appears along with the transaction reference number.
   - Click **Cancel** to cancel the operation.
   - Click **Back** to navigate to the previous screen.
9. Click **OK** to complete the transaction.

> **Note**
>
> You can click to delete a record.

60.2.2 User Groups - Admin User – Search Summary


This topic describes the systematic instruction to **User Groups - Admin User – Search Summary** option.

User Groups maintained (if any) for administrator users are displayed on the screen after searching with valid input. User can opt to view the details of existing user groups or can create new user group using this screen.

1. Navigate to the above path.
2. Perform anyone of the following actions:
   - The **Administrator User Group** screen appears. In the **Group Code** field, enter the group code.
   - In the **Group Description** field, enter the group name.
3. Click **Search**.

   The search summary appears.

Figure 60-4 Admin User – Search Summary



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.


For more information on fields, refer to the field description table.

Table 60-2 Admin User – Search Summary - Field Description

Field Name	Description
Summary	**Information specified in below fields are related to Summary**.
Group Code	Code of the already maintained user group.
Group Description	Description of the already maintained User group.
Users	Number of users associated with each user group.

4. Perform anyone of the following actions:
   - Click **Create** to create new user group.
   - Click **Back** to navigate to previous screen.
   - Click **Cancel** to cancel the transaction.
   - Click on **Group Code** link to view details of the selected User Group.
     Further drill down is given on the each user group to view the details of the users mapped to each group.

Figure 60-5 Admin User – View Group Details



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 60-3 Admin User – View Group Details - Field Description

Field Name	Description
View	**Information specified in below fields are related to View**.
Group Code	User Group code is displayed.
Group Description	User Group code description is displayed.
User Name	User name of the user who is part of the selected user group is displayed.
User ID	User ID of the user who is part of the user group is displayed.

5. Perform anyone of the following actions:
   - Click **Back** to navigate to previous screen.
   - Click **Cancel** to cancel the transaction.
   - Click **Edit** to edit the user group.
     User is directed to the **User Group-Edit** screen with values in editable form.

60.2.3 User Groups - Admin User – Edit Group

This topic describes the systematic instruction to **User Groups - Admin User – Edit** option.

This function enables the Bank Administrator to edit the description of existing user groups. Bank Administrator can also add new users and remove existing users of the user group as part of this function. A check is performed on minimum and maximum number of users allowed as a part of user group while adding or removing the users from the user group.

To edit or update a user group:

1. Navigate to the above path.

   The **Administrator User Group** screen appears.
2. Perform one of the following action:
   - In the **Group Code** field, enter the group code.
   - In the **Group Description** field, enter the group name.
3. Click **Search**.


   The search summary appears.
4. Click the **Group Code** link of the record whose details you want to view.

   The **User Groups - View** screen appears.
5. Click **Edit** to edit the user group.

   The **User Groups - Edit** screen displays the mapping of the user group.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 60-6 Admin User – Edit Group



> **Note**
>
> The fields which are marked as Required are mandatory.

Table 60-4 Admin User – Edit Group - Field Description

Field Name	Description
Summary	
Group Code	User Group description is displayed in editable form.
Group Description	User name of the user who is part of the user group. User name list to select and add a new user to the user group.
Users	Number of users available in each user group. (This field will be displayed only if there are existing user groups available under a party).

6. Click **Add** to add the selected user in the User Group. Once added, the user name will be removed from the user drop-down to avoid duplication of users.

   Click icon to remove a user from the User Group.

7. Perform anyone of the following actions:
   - Click **Save** to save the User Group.

     The **User Group-Create - Review** screen post necessary validations appear.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

8. Perform anyone of the following actions:
   - Verify the details, and click **Confirm**.

     The **User Group-Edit – Confirmation** screen appears.

     The success message of user group creation appears along with the transaction reference number.
   - Click **Cancel** to cancel the operation.
   - Click **Back** to navigate to the previous screen.
9. Click **OK** to complete the transaction.

60.3 User Groups – Retail & Business User

- User Groups - Retail & Business User – Search Party
  This topic describes the systematic instruction to **User Groups - Retail & Business User – Search Party** option.
- User Groups - Retail & Business User – Create
  This topic describes the systematic instruction to **User Groups - Retail & Business User – Create** option.
- User Groups - Retail & Business User – Edit Group
  This topic describes the systematic instruction to **User Groups - Retail & Business User – Edit Group** option.
- User Groups - Retail & Business User – Group Summary
  This topic describes the systematic instruction to **User Groups - Retail & Business User – Group Summary** option.

60.3.1 User Groups - Retail & Business User – Search Party

This topic describes the systematic instruction to **User Groups - Retail & Business User – Search Party** option.

Bank Administrator logs into the system and navigates to the User Group Management screen.

1. Navigate to the above path.

   The **User Group Management** screen appears.
2. The **User Type Selection** screen appears.

   Select the appropriate option.

   Click **Retail & Business User** to access user group management of Retail & Business users.


System displays a screen to enter the party information (party ID or party name) and search party for which the user groups are to be maintained/ viewed.

User can enter the party ID (if known) or the party name with a minimum of 5 characters. System matches the input provided by the user with the party name records and displays the matching party records.

In case of a party search by party ID, it is an exact match and system displays the user groups maintained if any.

Copyright © 2006, 2026, Oracle and/or its affiliates.


Figure 60-7 Retail & Business User – Search Party



System displays a screen to enter the party information (party ID or party name) and search party for which the user groups are to be maintained/ viewed.

In case of a party search by name, system displays the matching party records. The records have parties listed with both Party ID and Party Name information. User can select the record by clicking on the Party ID from the list.

Figure 60-8 Retail & Business User – Search by Party Name



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 60-5 Corporate User – Group Summary - Field Description

Field Name	Description
Search	**Information specified in below fields are related to Search**.
Party ID	List of the Party IDs as per search input.
Party Name	List of the Party names of the party IDs as per search input.

3. Perform anyone of the following actions:
   - After providing party ID or name of party, click **Search**. Click on **Party ID** hyperlink to view details of the selected user group.
   - Click **Clear** to clear the input search parameters.
   - Click **Cancel** to cancel the operation.

60.3.2 User Groups - Retail & Business User – Create

This topic describes the systematic instruction to **User Groups - Retail & Business User – Create** option.

Bank Administrator can create a new User Group for a specific Party ID by using this option. Only the users of party ID can be clubbed together in a User Group.

Administrator can create multiple user groups and one user can be part of multiple user groups, whereas creating a user group without any user is not allowed.


To create a user group:

1. Navigate to the above path.

   The **User Group** screen appears.

2. The **User selection** screen appears. Select the appropriate option.

Figure 60-9 Retail & Business User Group -Create



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 60-6 Retail & Business User Group -Create - Field Description

Field Name	Description
Party ID	Party ID mapped for which user group to be created is displayed.
Party Name	Party name of Party ID for which user group to be created is displayed.
Group Code	To specify User Group code.
Group Description	To specify User Group description.
User Name	User name list to select and add a user to the user group. Users belonging to the same Party are listed.
User ID	User IDs of each user selected from user list are displayed.

3. Click **Create**.
4. In the **Group Code** field, enter the group code.
5. In the **Group Description** field, enter the group name.
6. In the **User Group** section, click **Add** to add the selected user in the User Group. Once added, the user name will be removed from the user drop-down to avoid duplication of users.
7. Perform anyone of the following actions:
   - Click **Save** to save the user groups.

     The **Review** screen appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
8. Perform anyone of the following actions:
   - Verify the details, and click **Confirm**.

     The success message of user group creation appears along with the transaction reference number.
   - Click **Cancel** to cancel the operation.
   - Click **Back** to navigate to the previous screen.
9. Click **OK** to complete the transaction.

> **Note**
>
> You can click  icon to delete a record.

Copyright © 2006, 2026, Oracle and/or its affiliates.

60.3.3 User Groups - Retail & Business User – Edit Group

This topic describes the systematic instruction to **User Groups - Retail & Business User – Edit Group** option.

This function enables the Bank Administrator to edit the description of existing user groups. Bank Administrator can also add new users and remove existing users of the user group as part of this function.

A check is performed on minimum and maximum number of users allowed as a part of user group while adding or removing the users from the user group.

To edit or update a user group:


1. Navigate to the above path.

   The **User Group Management** screen appears.
2. In the **Party ID** field, enter the **Party ID**.
3. Click **Search**.

   User groups maintained if any under the party are displayed on the screen.
4. Click on **Party ID** link to view details of the selected Approval Workflow.
5. Click **Edit** to edit the user group.

   The **User Groups - Edit** screen displays the mapping of the user group.

Figure 60-10 Retail & Business User – Edit Group



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 60-7 Corporate User – Edit Group - Field Description

Field Name	Description
Edit	**Information specified in below fields are related to Edit**.
Party ID	Party ID of which user groups are to be viewed/ edited.
Party Name	Party name of Party ID of which user groups are to be viewed/ edited.
Group Code	User Group code is displayed.
Group Description	User Group description is displayed in editable form.
User Name	User name of the user who is part of the user group. User name list to select and add a new user to the user group.
User ID	User ID of the user who is a part of the user group is displayed.

6. Click **Add** to add the selected user in the User Group. Once added, the user name will be removed from the user drop-down to avoid duplication of users.

   Click icon to remove a user from the User Group.

7. Perform anyone of the following actions:
   - Click **Save** to save the User Group. The **User Group-Edit- Review** screen post necessary validations appear.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
8. Perform anyone of the following actions:
   - Verify the details, and click **Confirm**.

     The **User Group-Edit – Confirmation** screen appears.

     The success message of user group updation appears along with the transaction reference number.
   - Click **Cancel** to cancel the operation.
   - Click **Back** to navigate to the previous screen.
9. Click **OK** to complete the transaction.

60.3.4 User Groups - Retail & Business User – Group Summary

This topic describes the systematic instruction to **User Groups - Retail & Business User – Group Summary** option.

Once the logged in Bank Administrator navigates to User Group Management screen, and searches the party ID. User groups maintained if any under the party are displayed on the screen. User can opt to view the details of existing user groups or can create new user group using this screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

1. Navigate to the above path.

   The **User Group Management** screen appears.


2. In the **Party ID** field, enter the Party ID.

3. Click **Search**.

   User groups maintained if any under the party are displayed on the screen.

4. Click on **Party ID** hyperlink to view details of the selected Approval Workflow.

Figure 60-11 Retail & Business User – Search Summary



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 60-8 Retail & Business User – Search Summary - Field Description

Field Name	Description
Summary	**Information specified in below fields are related to Summary**.
Party ID	Party ID of which user groups are to be viewed/ edited.
Party Name	Party name of Party ID of which user groups are to be viewed/ edited.
Search Result	**Information specified in below fields are related to Search Result**.
Group Code	User group code. (This field will be displayed only if there are existing user groups available under a party).
Group Description	Description provided to the user group. (This field will be displayed only if there are existing user groups available under a party).

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 60-8 (Cont.) Retail & Business User – Search Summary - Field Description

Field Name	Description
Users	Number of users available in each user group. (This field will be displayed only if there are existing user groups available under a party).


5. Perform any one of the following actions:
   - Click **Create** to create new user group.
   - Click **Back** to navigate to previous screen.
   - Click **Cancel** to cancel the transaction.
   - Click on **Group Code** link to view details of the selected User Group.

   Further drill down is given on the each user group to view the details of the users mapped to each group.

Retail & Business User- View Group Details

On accessing 'User Group Management' menu option and searching the user groups of specific party, summarized view of all the user groups created (if any) for the Party is displayed on the screen. Further drill down is given on the each user group to view the details of the users who are the part of user group.

Figure 60-12 Retail & Business User – View Group Details



> **Note**
>
> The fields which are marked as Required are mandatory.

Copyright © 2006, 2026, Oracle and/or its affiliates.

For more information on fields, refer to the field description table.

Table 60-9 Retail & Business User – View Group Details - Field Description

Field Name	Description
View	**Information specified in below fields are related to View**.
Party ID	Party ID of which user groups are to be viewed/ edited.
Party Name	Party name of Party ID of which user groups are to be viewed/ edited.
Group Code	User Group code is displayed.
Group Description	User Group description is displayed.
User Name	User name of the user who is part of the selected user group is displayed.
User ID	User ID of the user who is part of the user group is displayed.

6. Perform any one of the following actions:
   - Click **Back** to navigate to previous screen.
   - Click **Cancel** to cancel the transaction.
   - Click **Edit** to edit the user group.

   User is directed to the **User Group-Edit** screen with values in editable form.

60.4 FAQ

1. **Can a user be the part of multiple user groups created under a party?**
   Yes, same user can be part of multiple user groups. Whereas creating a user group without any user is not allowed.
2. **Where can these Administrator User Groups be used?**
   User groups created for Administrator users are used for approval and for User Group – mail subject mapping.

   Approval - User groups maintained by administrators are used while creating approval workflows and approval rules.

   Secured Mailbox - Each subject category is linked to a group of Bank Administrator users. Depending upon the mail-subject mapping to each Bank Administrator user, administrators will receive the mails only of the subjects mapped to the users and initiated by bank's customers.
3. **Can I delete an existing user group?**
   No, user groups cannot be deleted but can be edited. Administrator can add new users and remove existing users of the user group.
4. **Can I add users of linked party ID while creating a user group for primary party?**
   No, only users of primary party can be the part of user group.

Copyright © 2006, 2026, Oracle and/or its affiliates.

61

Print Password


This topic describes the information about **Print Password** screen. Bank Administrator can print the password for new users as well for existing users with this screen.

When a new user opens an account in the bank and registers for channel banking, the bank sends the printed password along with some other documents like Welcome letter, Terms & Conditions document and applicable promotional offers to the registered user via courier or post. This screen allows the Bank Administrator to print the password along with these documents for new users as well as for existing users who have requested for reset password.

Pre-Requisites

- Application roles and child roles are maintained
- Transaction access is provided to Bank Administrator.

Figure 61-1 Workflow



Features Supported In Application

The Print Password allows the Bank Administrator to


- Print Password and other welcome documents for new and existing users

Navigation Path: Perform the following navigation to access **Print Password**.

- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Others**. Under **Others** , click **Print Password**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 61-2 Print Password



- Print Password - Search
  This topic describes the systematic instruction to **Print Password - Search** option. Using this option, Bank Administrators can search the users to send the printed password.
- Print Password - Print
  This topic describes the systematic instruction to **Party Migration** feature.
- FAQ

61.1 Print Password - Search

This topic describes the systematic instruction to **Print Password - Search** option. Using this option, Bank Administrators can search the users to send the printed password.

All the users (new & existing) for which the password has been generated for first time or got reset will be available on this screen. Once the password gets successfully printed for a user, that record will get removed from the list.


To search user:

1. Navigate to the above path.

   The **Print Password** screen appears.
2. Perform anyone of the following actions:
   - From the **User Type** list, select the appropriate type of user.
   - Click **Cancel** to cancel the transaction.
3. In the **Party ID** field, enter the party id of the user.
4. From the **Password Type** list, select the appropriate option.
5. Enter the other search criteria if required.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 61-3 Print Password - Search



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 61-1 Print Password - Search - Field Description

Field Name	Description
User Type	Type of user, which is to be searched. The user types are: • **Corporate** • **Retail** • **Administrator**
User Name	To search the user with the user name. Partial search is allowed.
Party ID	Allows to search based on Party id.
First Name	Allows to search based on first name or given name of the user.
Last Name	Allows to search based on last name/ surname of the user.
Email ID	Allows to search based on email id of the user.
Mobile Number	Allows to search based on mobile number of the user.
Password Generation From	Allows to search based on password generation date.
Password Generation To	Allows to search based on password generation date.
Password Type	Allows to search based on password type. The options are: • **New**- Password created for new users of the bank. • **Reset**- Password created for the existing users of the bank who are requested for the password reset. • **All**- Password created for new users as well as existing users of the bank.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 61-1 (Cont.) Print Password - Search - Field Description

Field Name	Description
Search Results	**Information specified in below fields are related to search results**.
Full Name	First name and last name of the user.
User Name	User Name of the user.
Print Status	Print status of the password. If the password printing gets failed due to some reason for a user, system will show the status as 'error in printing' for that record. If the record gets successfully printed that record will get removed from the list. For the records which are not printed yet, this status remains blank.

6. Perform anyone of the following actions:
   - Click **Search**. The search results appear on the **Print Password** screen based on the search parameters.
   - Click **Clear** if you want to reset the search parameters.
   - Click **Print** if you want to print the password letter, welcome letter, terms and conditions documents.
   - Click **Cancel** to cancel the transaction.

61.2 Print Password - Print

This topic describes the systematic instruction to **Party Migration** feature.

This feature allows the Bank Administrator to print the password letter, welcome letter, terms and conditions document etc.

To print the password letter for the user:


1. Navigate to the above path.

   The **Print Password** screen appears.
2. In the **Print Password - Search Results** section, select the user record for which you want to print the password letter.
3. 2. Click **Print**.

   The **Select Documents** pop up window appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 61-4 Print Password



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 61-2 Print Password - Field Description

Field Name	Description
Select Documents	**Information specified in below fields are related to select documents**.
Terms & Conditions	Document containing terms and conditions of the bank.
Welcome Letter	Welcome letter for the user for opening the account.
Promotional Offer	Promotional offers of the bank.

4. Select the documents, which you desire to print.
5. Perform anyone of the following actions:
   - Click **Print** to print the documents.
   - Click **Cancel** to cancel the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> For printing the password, the implementation team will need to write a utility. For more information on implementation of **Print Password**, refer Oracle Banking Digital Experience Cloud Service **Security Guide**.

61.3 FAQ

1. **Can the password be only printed by the same Administrator user who has created the user/reset the password or it can be done by any other Administrator user as well?**
   All the reset/new passwords can be printed by all the admin users who have access to Print Password Screen.
2. **Can the Bank maintain separate documents for each type of user role?**
   No, documents cannot be maintained as per the user role. Same documents will be available for all type of users (Retail/Corporate/Administrator).

Copyright © 2006, 2026, Oracle and/or its affiliates.

62

User Alerts Subscription

This topic describes the systematic instruction to **User Alerts Subscription** option.

Using this option System/Bank Administrator can subscribe alerts for a user for selected events. Retail and Corporate users of the bank, can contact the bank to subscribe to alerts. The Bank Administrator subscribes users to alerts, delivered through Email, SMS, through push notification or in their on-screen mailbox.

> **Note**
>
> This functionality is for non-mandatory alerts.

The subscribed alert types are:

- User Level Alerts
- Customer Level Alerts
- Account Level Alerts

Pre-requisites


- Transaction access is provided to Bank Administrator.
- Approval rule set up for Bank Administrator to perform the actions.
- Maintain Alerts, so that these are available for subscription.

Customers (retail and corporate users) are maintained

Features Supported In Application

- Search alerts subscribed
- Subscribe / unsubscribe to alerts

Figure 62-1 Workflow



Copyright © 2006, 2026, Oracle and/or its affiliates.

1. Perform the following navigation to access the **User Alerts Subscription**:
   From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Others**. Under **Others**, click **User Alerts Subscription**.

   The **User Alerts Subscription** screen appears.

- User Alerts Subscription - Search
  This topic describes the systematic instruction to **User Alerts Subscription - Search** option.
- Subscribe/ Unsubscribe Alerts
  This topic describes the systematic instruction to **Subscribe/ Unsubscribe Alerts** option.
- FAQ

62.1 User Alerts Subscription - Search

This topic describes the systematic instruction to **User Alerts Subscription - Search** option.

Using this option, the Bank Administrator can search and view the details of alerts subscribed for the Retail or Corporate users of a Party. Here, bank admin is required to search user to whom alert maintenance is to be set up by entering party id of retail/ corporate user .
Once party id is identified application will display all the user records on boarded for selected Party ID with their Alerts Subscription Status. For the users whose alerts subscription is completed will be displayed with an indicator as alert subscription is done. Once, Admin selects the user, he will be navigated to User alert subscription detailed page.

All the alerts subscribed for a party will be displayed in the respective categories viz. Current and Savings, Term Deposits, Loans etc. in a table.


To view subscribed alerts for a Party:

1. Navigate to the above path.

   The **User Alerts Subscription** screen appears.
2. Perform anyone of the following actions:
   - In the **Party ID** field, enter the party id of the user.
   - In the **Party Name** field, enter the name of the party.
3. Perform anyone of the following actions:
   - Click **Search**. The party id will be displayed based on the search criteria.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to clear the search criteria.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 62-2 User Alerts Subscription – Party Search



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 62-1 User Alerts Subscription – Party Search - Field Description

Field Name	Description
Party ID	Party Id of the user.
Search Party Name	Enter Party Id, and click to search the party name of the user.
Search Result	**Information specified in below fields are related to Search Result.**
Party ID	Display Party ID
Party Name	Display Party name

To view subscribed alerts for a User:

To view subscribed alerts for a User:

4. Navigate to the above path.

   The **User Alerts Subscription** screen appears.


5. Click on the **Party ID** link whose alerts you wish to view.

   The system displays the users whose alerts subscription is completed.

Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> : In the search field, enter the user name to search the specific user. The search result appears based on the search criteria.

Figure 62-3 User Alerts Subscription – User Search



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 62-2 User Alerts Subscription – User Search - Field Description


Field Name	Description
Party ID	Display Party ID.
Party Name	Display Party name.
Search User	Enter user name maintained in the core banking application for retail users and maintained for corporate users.
Search Result	**Information specified in below fields are related to Search Result**.
Initials	Display Initials of the User.
User Name	Display User Name.
Full Name	Display Corporate / Retail users Full name. **Note** For the users whose alerts subscription is completed will be displayed with an indicator as alert subscription is done.

6. For the detailed view, click on **User Name** field. The tabs for all modules CASA/ Term Deposit/ Loans / Profile that the user has access to with the respective account numbers appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

7. Select the particular account number to view alert type and delivery mode, for each CASA (Current and Savings Accounts) / TD (Term Deposits) / Loans account.

Figure 62-4 User Alerts Subscription - Detailed View



8. Select the checkbox against the alerts to subscribe/ unsubscribe the alerts.
9. Click **Save** to save changes.
10. Perform anyone of the following actions:
    - Click **Confirm** to subscribe/ unsubscribe alerts.

      The system displays the success message of alerts subscribed.
    - Click **Back** to navigate back to the previous screen.

62.2 Subscribe/ Unsubscribe Alerts

This topic describes the systematic instruction to **Subscribe/ Unsubscribe Alerts** option.

Using this option, Bank Administrator can modify the alerts subscribed for the user.
To subscribe / unsubscribe alerts:


1. Navigate to the above path.

   The **User Alerts Subscription** screen appears.
2. Repeat steps 1 to 5 of **Alerts Subscription- Search** section.

   The categories viz details of an alert subscribed appears.
3. Select the particular account number to view the alerts subscribed.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 62-5 User Alerts Subscription - Subscribe / Unsubscribe



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 62-3 User Alerts Subscription - Subscribe / Unsubscribe - Field Description

Field Name	Description
Party ID	Party ID of the user for whom alerts to be subscribed.
Party Name	Party Name of The user.
User Name	User name maintained in the core banking application for retail users and maintained for corporate users.
Select Module	Name of the module to which alerts is maintained. The options can be: • **CASA** • **Loan** • **TD** • **Profile** • **Payments**

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 62-3 (Cont.) User Alerts Subscription - Subscribe / Unsubscribe - Field Description

Field Name	Description
Select Accounts/Party	The account number for which the user is viewing/ updating the alert subscription. **Note** • Bank Admin will be allowed to select and setup alert subscription for multiple or all accounts in single maintenance. • Once the subscription is done for an account that account will be shown with a **Subscribed** tag. • Bank admin will be able to quick search account number from search panel for the alert subscription. The party under for which the user is viewing / updating the alert subscription.
Select All Accounts /Party	The option to select all accounts/party at once.
CASA /TD/ Loans/ Payments	Subscribed alerts displayed in tabs for all modules that the user has access to with the respective account numbers.

4. Select the checkbox against the alerts to subscribe/ unsubscribe the alerts.
5. Click **Save** to save the changes.
6. Perform ne of the following actions:
   - Click **Confirm** to subscribe/ unsubscribe alerts.

     The system displays the success message of alerts subscribed.
   - Click **Back** to navigate to back to the previous screen.

   To view the list of events for Alert, click here.

62.3 FAQ

1. **Which alerts can the Bank Administrator subscribe or unsubscribe, for the retail or corporate user?**
   The alerts which are not mandatory can be subscribed or unsubscribed, by the Bank Administrator for the retail/corporate user.
2. **What if a Retail or Corporate customer wants to opt-out of alerts?**
   The Bank Administrator can unsubscribe the alerts for a Retail or Corporate customer. Please note that the customer will continue to receive the mandatory alerts irrespective of his choice on the subscribed alerts.

Copyright © 2006, 2026, Oracle and/or its affiliates.

63

Group Corporate Alerts Subscription

This topic describes the information about **Group Corporate Alerts Subscription** option.

Using this option System/Bank Administrator can subscribe alerts at the Group Corporate level for selected events. The Bank Administrator subscribes the Corporate Party associated with Group Corporate to alerts, delivered through Email, SMS, through push notification or in their on-screen mailbox.

If Group Corporate Alerts Subscription has been maintained for particular corporate Party, then the same will be inherited to the users of that corporate party and will be available at User Alert subscription for any modification.

Incase User Alert Subscription is not maintained for a user and Group Corporate Alerts subscription is maintained then system will read whatever is maintained at the corporate Party level.

If both Party and User level subscription is not maintained, no alerts will be sent to the user.

Note that this functionality is for non-mandatory alerts.


The subscribed alert types are:

- Group Corporate Level Alerts
- Party Level Alerts
- Account Level Alerts

Pre-Requisites

- Transaction access is provided to Bank Administrator.
- Approval rule set up for Bank Administrator to perform the actions.
- Maintain Alerts, so that these are available for subscription
- Party Preferences is maintained

Figure 63-1 Workflow



Copyright © 2006, 2026, Oracle and/or its affiliates.

Features Supported In Application

- Search alerts subscribed
- Subscribe / unsubscribe to alerts

Navigation Path: Perform the below navigation to access **Group Corporate Alerts Subscription**.

- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Others**. Under **Others** , click **Group Corporate Alerts Subscription**.
- Group Corporate Alerts Subscription - Search
  This topic describes the systematic instruction to **Group Corporate Alerts Subscription - Search** option.
- Subscribe/ Unsubscribe Alerts
  This topic describes the systematic instruction to **Subscribe/ Unsubscribe Alerts** option.
- FAQ

63.1 Group Corporate Alerts Subscription - Search

This topic describes the systematic instruction to **Group Corporate Alerts Subscription - Search** option.

Using this option, the Bank Administrator can search and view the details of alerts subscribed for the Corporate Party associated with Group Corporate. Here, bank admin is required to search Group corporate for whom the alert maintenance is to be set up by entering Group Corporate ID or Group Corporate Name.
Once the Group Corporate is identified, application will navigate the user to Alerts Subscription detailed page. Here user can select the corporate party associated with Group Corporate from the available list and Application will display their current Alerts Subscription Status.

For the Corporate Parties whose alerts subscription is completed will be displayed with an indicator as alert subscription is done with tag name as **subscribed**.

All the alerts subscribed for a party will be displayed in the respective categories viz. Current and Savings, Term Deposits, Loans etc. in a table.


To view subscribed alerts for a Party:

1. Navigate to the above path.

   The **Group Corporate Alerts Subscription** screen appears.
2. In the **Group Corporate ID** field, enter the Group Corporate id of the corporate Party.
   - In the **Group Corporate Name** field, enter the name of the Group Corporate.
3. Click **Search**.
   - The Group Corporate id will be displayed based on the search criteria.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to clear the search criteria.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 63-2 Group Corporate Alerts Subscription - Group Corporate search



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 63-1 Group Corporate Alerts Subscription - Group Corporate search - Field Description

Field Name	Description
Group Corporate ID	Enter Group Corporate ID for which the Alerts subscription to be maintained or viewed
Group Corporate Name	Enter Group Corporate name for which the Alerts subscription to be maintained or viewed
Search Result	**Information specified in below fields are related to search results**.
Group Corporate ID	Group Corporate ID for which the Alerts subscription to be maintained or viewed
Group Corporate Name	Group Corporate Name for which the Alerts subscription to be maintained or viewed.

4. For the detailed view, click on **Group Corporate ID** field.


   The tabs for all modules CASA/ Term Deposit/ Loans / Profile that the Group Corporate has access to with the respective Corporate Party associated and account numbers appears.

5. Select the particular Corporate party from the available list and account number to view alert type and delivery mode, for each CASA (Current and Savings Accounts) / TD (Term Deposits) / Loans account.

> **Note**
>
> View the icon on the delivery mode against the alert, if the corporate party has subscribed to any alerts for that.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 63-3 Group Corporate Alerts Subscription - Detailed View



6. Subscribe/ unsubscribe alerts, and click **confirm** to subscribe/ unsubscribe alerts.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

63.2 Subscribe/ Unsubscribe Alerts

This topic describes the systematic instruction to **Subscribe/ Unsubscribe Alerts** option.

Using this option, Bank Administrator can modify the alerts subscribed for the Corporate Party associated with Group Corporate.

To subscribe / unsubscribe alerts:

1. Navigate to the above path.

   The **Group Corporate Alerts Subscription** screen appears.


Copyright © 2006, 2026, Oracle and/or its affiliates.

2. Repeat steps 1 to 5 of **Alerts Subscription- Search** section.

   The categories viz details of an alert subscribed appears.

3. Select the particular account number to view the alerts subscribed.

Figure 63-4 Alerts Subscription- Search



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 63-2 Alerts Subscription- Search - Field Description

Field Name	Description
Group Corporate ID	Group Corporate ID for which the Alerts subscription to be maintained.
Group Corporate Name	Group Corporate Name for which the Alerts subscription to be maintained.
Select Party ID	Corporate Party associated with the Group Corporate for whom alerts to be subscribed
Module Name	Name of the module to which alerts is maintained. The options can be: • **CASA** • **Loan** • **TD** • **Party** • **Payments**
Account Number	Account number for which the user is viewing/ updating the alert subscription. **Note:** • Bank Admin will be allowed to select and setup alert subscription for multiple or all accounts in single maintenance. • Once the subscription is done for an account that account will be shown with a 'Subscribed' tag.
CASA /TD/ Loans/ Payments	Subscribed alerts displayed in tabs for all modules that the user has access to with the respective account numbers.
Alert Name	The alert type mostly in the form of an event for which an alert is to send to a Corporate Party of Group Corporate.
Send Alert Via	The delivery mode through which the alert is to be sent. The options are: • **Email**: alert is to be sent as an email • **SMS** : alert is to be sent as an SMS on the Corporate Party of Group Corporates mobile number • **On screen Mailbox**: on screen, alert sent to as an email to Corporate Party of Group Corporates Mailbox • **Push Notification**: notifications are sent as a banner or pop-up message on the Corporate Party of Group Corporates mobile number **Note:** The selected mode has icon against it.Bank Admin will be allowed to map all modes of alerts subscription for all the transactions in one go for the selected account

4. Click against the particular account number to update the details.
   - Click  icon to send alert as an email.
     - Click  icon to send alert as a mail to On screen mailbox.
     - Click  icon to send alert as SMS on the user's mobile number.
     - Click  icon to send alert via push notifications. Push notification is as a banner or pop-up message on the Corporate Party's mobile number.
5. The selected mode has an  icon against it.
6. Click **Save** to save the Group Corporate Alert Subscription.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- User will be directed to the **Alert Subscription - Edit - Review** page post necessary validations.
- Click **Cancel** to cancel the transaction.
- Click **Back** to navigate to the previous screen.

7. The **Review** screen appears. Verify the details, and click **Confirm**.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

   The success message along with the transaction reference number appears.
8. Click **OK** to complete the transaction.

63.3 FAQ

1. **For which type of products, product mapping functionally is available?**
   As of now, product mapping feature is enabled only for Term Deposit and Recurring Deposit type of products for retail users and Term Deposit for corporate users.
2. **Can customer view the account details of an account opened under a product which is not mapped?**
   Yes, user can view the account details of an account opened under a product which is not mapped. The restriction will only be for opening new account from channel.
3. **What will happen once the products mapped gets expired?**
   The expired products will no longer be available for product mapping. Also customers will not be able to open new accounts using expired product.
4. **What will happen if the products are not mapped to any user segment and are only mapped to user type?**
   In this case, all the products mapped to the user type will be available for account opening to the users associated to that user type.

Copyright © 2006, 2026, Oracle and/or its affiliates.

64

Request Processing

This topic describes the information about the **Request Processing** feature.

This feature enables the Bank Administrator to view the details of each service request initiated by business user and hence, enables the administrator to take an informed decision regarding the approval or rejection of the service request. Alternately, the administrator can also select multiple service request records from the summary page to approve or reject multiple requests at once. The search criteria provided enables the administrator to filter service requests based on various criteria such as request type, status, reference number, etc.

For the requests built using Service Request Form builder feature, once the Administrator approves/rejects a Service Request, he can change the status of the request and can also enter the comments while updating the status.

Below are the Service Requests that are available out of the box in the system:

- Credit Card Supplementary
- Credit Card PIN Request
- Replace Credit Card
- Update Card Limits
- Update Credit Card Auto Payment
- Register Credit Card Auto Payment
- Deregister Credit Card Auto Payment
- Activate Credit Card
- Hotlist Debit Card
- Cancel Debit Card
- Debit Card PIN Request
- Apply Debit Card
- Replace Debit Card
- Block Debit Card (temporary block)
- Unblock Debit Card (remove temporary block)
- Upgrade Debit Card

Apart from the above mentioned Service Requests, Bank can define new Service Requests definitions using Service Request-Form builder.

Pre-Requisites

- Transaction access is provided to Bank Administrator.

Features Supported In Application

The module supports following features:

- View details of Service Request raised by customers

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Approve / Reject Service Requests
- Changes status of Service Request and input comments (for service requests built using Service Request-form builder)

Navigation Path: Perform the following navigation to access the **Request Processing**.

- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Others**. Under **Others** , click **Request Processing**.
- From **Bank Administrator Dashboard**, under **Others**, click **Request Processing**.
- Request Processing - Summary
  This topic describes the information about **Request Processing - Summary**.
- Service Request Details (For Service Requests Available Out of the Box)
  This topic describes the systematic instruction to **Service Request Details (For Service Requests Available Out of the Box)**.
- Service Request Details (Requests Created using Service Request-Form Builder)
  This topic describes the systematic instruction to **Service Request Details (Requests Created using Service Request-Form Builder)** option.

64.1 Request Processing - Summary


This topic describes the information about **Request Processing - Summary**.

To view service requests:

1. Navigate to one of the above paths.
   The **Request Processing** screen appears.
2. Select the **Request Processing** option on the dashboard or menu.
   The initial (summary) page of the **Request Processing** appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 64-1 Request Processing - Summary



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 64-1 Request Processing - Summary - Field Description

Field Name	Description
Search Criteria	**Information specified in below fields are related to search criteria**.
Product	The administrator can search for service requests based on type of product.
Request Category	The administrator can search for service requests based on service request category. Category list gets populated on the basis of the product name selected.
Severity	The administrator can search for service requests based on severity of the service request.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 64-1 (Cont.) Request Processing - Summary - Field Description

Field Name	Description
Status	The administrator can search for service requests based on status. On selecting a status, the administrator is required to mandatorily specify a date range so as to be displayed all the service requests that were initiated within the specified date range and that are in the particular status.
Request Name	The administrator can search for service requests on the basis of name of the service request.
Request Type	The administrator can select the type of service request to be displayed in the search result records.
Reference No	The administrator can search for a service request based on reference number that was generated at the time the service request was initiated.
Date Range	The administrator can search for service requests initiated between two dates by specifying a date range. The administrator cannot specify a date range that exceeds 30 days. (The maximum date range is configurable).
First Name	The administrator can search for service requests initiated by a particular business user by specifying the user's first name
Last Name	The administrator can search for service requests initiated by a particular business user by specifying the user's last name or surname
User Name	The administrator can search for service requests initiated by a particular business user by specifying the user's user name.
Party ID	The administrator can search for service requests initiated by business users on the basis of party ID.
Search Results	**Information specified in below fields are related to search results**.
Date	The date on which the service request was raised.
Request Name	The name of the service request.
Requested by	The name of the customer who has raised the service request.
User Name	The user name of the customer who has raised the service request
Party ID	The party ID of the user who has raised the service request.
Reference No	The reference number generated at the time the service request was raised.
Status	The current status of the service request.

3. Perform anyone of the following actions:
   - Click on a specific service request record to view the details of that service request.
   - Select the checkbox of one or multiple service requests to approve or reject service requests.


To search for specific service requests:

1. Navigate to one of the above paths.
   The **Request Processing** screen appears.
2. Enter the required information in the search criteria fields.
3. Perform anyone of the following actions:
   - Click **Search**. The specific service request records are displayed based on the search criteria specified.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Reset** to clear the search parameters.

Figure 64-2 Service Request - Search Result



4. Perform anyone of the following actions:
   - Click on a specific service request record to view the details of that service request.
   - Select the check box of one or multiple service requests to approve or reject service requests.

64.2 Service Request Details (For Service Requests Available Out of the Box)

This topic describes the systematic instruction to **Service Request Details (For Service Requests Available Out of the Box)**.

This page is displayed once the Bank Administrator selects a service request record from the previous summary page. This screen comprises of three sections which display the details of the service request, the details of the initiator of the service request and also the transaction journey i.e. a time line graph depicting the stages of the service request.
Below are the Service Requests that are available out of the box in the system:

- Credit Card Supplementary
- Credit Card PIN Request
- Replace Credit Card
- Update Card Limits
- Update Credit Card Auto Payment
- Register Credit Card Auto Payment

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Deregister Credit Card Auto Payment
- Activate Credit Card
- Hotlist Debit Card
- Cancel Debit Card
- Debit Card PIN Request
- Apply Debit Card
- Replace Debit Card
- Block Debit Card (temporary block)
- Unblock Debit Card (remove temporary block)
- Upgrade Debit Card


To view the service requests details:

1. Navigate to one of the above paths.

   The **Request Processing** screen appears.
2. Enter the required information in the search criteria fields.
3. Perform anyone of the following actions:
   - Click **Search**. The specific service request records are displayed based on the search criteria specified.
   - Click **Reset** to clear the search parameters.
4. Click on a specific service request record to view the details of that service request.

   The service request details appears on the **Service Request Details** screen.

Figure 64-3 Service Request Details



> **Note**
>
> The fields which are marked as Required are mandatory.

Copyright © 2006, 2026, Oracle and/or its affiliates.

For more information on fields, refer to the field description table.

Table 64-2 Service Request Details - Field Description

Field Name	Description
Request Details	**Information specified in below fields are related to request details**.
Reference No	The reference number generated at the time the service request was raised.
Date Requested	The date on which the service request was raised.
Request Type	The type of service request initiated.
User Details	**Information specified in below fields are related to user details**.
User Name	The user name of the business user who initiated the service request.
User ID	The user Id of the business user who initiated the service request.
Party ID	The party Id of the user who initiated the service request.
Transaction Journey	This section displays the stages of the service request in the form of a timeline graph. Details pertaining to when the service request was initiated along with when the service request was approved or rejected are displayed with the help of this timeline.

5. Perform anyone of the following actions:
   - Click **Approve** to Approve the Service Request.
   - Click **Reject** to Reject the Service Request.
6. Click **Back** to navigate back to the **Request Processing - Summary** screen.

- Approve or Reject Service Requests (For Service Requests Available Out of the Box)
  This topic describes the information about **Approve or Reject Service Requests (For Service Requests Available Out of the Box)**.

64.2.1 Approve or Reject Service Requests (For Service Requests Available Out of the Box)

This topic describes the information about **Approve or Reject Service Requests (For Service Requests Available Out of the Box)**.

The Bank Administrator can take action on service requests initiated by business users by either approving or rejecting requests. The Administrator can select multiple service requests to approve or reject from the Service Request Summary page and can also approve or reject a service request individually after having viewed the details of the request from the Service Request Details page.

To approve / reject service requests from Service Requests Summary page:


1. Navigate to one of the above paths.
   The **Request Processing** screen appears.
2. Select the check boxes of the service requests that you wish to take action on.

Copyright © 2006, 2026, Oracle and/or its affiliates.

The pop up on which to specify remarks for Approval/Rejection is displayed.

3. Enter **Remarks** and click **Approve/Reject**.
The service requests get approved / rejected.


Figure 64-4 Multiple Service Request Approve or Reject



To approve / reject a service request from the Service Requests Details page:

1. Navigate to one of the above paths.
The **Request Processing** screen appears.
2. Select the service request on which you wish to take action from the Service Request Summary page
3. Click **Approve** or **Reject button**.
The pop up on which to specify remarks for Approval/Rejection is displayed.
4. Enter **Remarks** and click **Approve/Reject**.
The service requests get approved/ rejected.

Figure 64-5 Individual Service Request Rejection



64.3 Service Request Details (Requests Created using Service Request-Form Builder)

This topic describes the systematic instruction to **Service Request Details (Requests Created using Service Request-Form Builder)** option.

This page appears for the service requests created using **Service Request Form Builder** screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

The Bank Administrator selects a service request record from the summary page. This screen comprises of three sections which display the request attributes, the details of the service request and the user details.

To view the service requests details:


1. Navigate to one of the above paths.

   The **Request Processing** screen appears.

2. Enter the required information in the search criteria fields.
3. Perform anyone of the following actions:
   - Click **Search**. The specific service request records are displayed based on the search criteria specified.
   - Click **Reset** to clear the search parameters.
4. Click on a specific service request record to view the details of that service request.

   The service request details appears on the **Request Processing details** screen.

Figure 64-6 Request Processing - Details



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 64-3 Request Processing - Details - Field Description

Field Name	Description
Request Attribute	**Information specified in below fields are related to request attribute**.
Reference No	The reference number generated at the time the service request was raised.
Status	The status of the service request.
Date Requested	The date on which the service request was raised.
Product	The type of product for which the service request was raised.
Request Category	The service request category for which the service request was raised. Category is based on the type of product name selected.
Request Name	The name of the service request.
Request Type	The type of service request initiated.
Severity	The severity of the service request.
Request Details	This section displays the details of the service request. The fields vary depending on the type of service request.
User Details	**Information specified in below fields are related to user details**.
User name	The user name of the business user who initiated the service request.
User ID	The user Id of the business user who initiated the service request.
Party ID	The party Id of the user who initiated the service request.

5. Perform anyone of the following actions:
   - Click **Approve** to Approve the Service Request.
   - Click **Reject** to Reject the Service Request.
6. Click **Back** to navigate back to the **Request Processing - Summary** screen.

- Approve or Reject Service Requests (Created using Service Request Form Builder)
  This topic describes the systematic instruction to **Approve or Reject Service Requests (Created using Service Request Form Builder)** option.

64.3.1 Approve or Reject Service Requests (Created using Service Request Form Builder)

This topic describes the systematic instruction to **Approve or Reject Service Requests (Created using Service Request Form Builder)** option.

The Bank Administrator can take action on service requests initiated by business users by either approving or rejecting requests. The Administrator can select multiple service requests to approve or reject from the Service Request Summary page and can also approve or reject a service request individually after having viewed the details of the request from the Service Request Details page.

To approve / reject a service request:

1. Navigate to one of the above paths.


   The **Request Processing** screen appears.
2. Select the service request on which you wish to take action from the **Service Request Summary** page.

Copyright © 2006, 2026, Oracle and/or its affiliates.

3. Click **Approve** or **Reject button**.

   The pop up on which to specify remarks for Approval/Rejection is displayed.

Figure 64-7 Service Request Approval



4. Enter **Remarks** and click **Approve/Reject**.

   The success message along with the reference number, service request number and status appears.


5. Click **Ok** to complete the transaction and navigate the dashboard.

6. Navigate to the **Request Processing** transaction and search the service request that you have approved.

   The **Request Processing** details screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.


Figure 64-8 Request Processing - Details



7. Perform anyone of the following actions:
   - Click **Change Status** to change the status of the service request. A pop up to specify remarks appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 64-9 Request Processing - Change Status



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 64-4 Request Processing - Change Status - Field Description

Field Name	Description
Status	The status of the service request.
Remarks	Remarks for changing the status of the service request.

8. From the **Status** list, select the status of the service request.
9. In the **Remarks** field, enter the remarks if any.
10. Click **Submit**.

    The success message along with the reference number, service request number and status appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

65

Terms and Conditions Maintenance

This topic describes the information about **Terms and Conditions Maintenance** option.


Terms and Conditions are set by Bank to layout the expected guidelines, and act as the backbone for the transactional agreement between customer and the bank.

Termsand Conditions Maintenancescreenallows the bank administrator userto maintain terms and condition text for All/Specific Parties for All/Specific Transactions, so that corporate users gets to view and accept it while initiating a trade finance transaction.

Pre-Requisites

- Transaction access is provided to Bank Administrator.
- Approval rule set up for Bank Administrator to perform the actions.
- Party for which preference needs to be set up is created in core banking application.

Figure 65-1 Workflow



Features supported in Application:

Terms and Conditions maintenance available for bank administrator in the application includes:

- Create Terms and Conditions
- View Terms and Conditions
- Edit Terms and Conditions
- Delete Terms and Conditions
- Copy Terms and Conditions

Navigation Path: Perform the following navigation to access **Terms and Conditions Maintenance**.

- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Others**. Under **Others** , click **Terms and Conditions Maintenance**.
- Terms and Conditions - Search and View
  This topic describes the systematic instruction to **Terms and Conditions - View** option.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Create Terms and Conditions
  This topic describes the systematic instruction to **Create Terms and Conditions** option. Using this option, Bank Administrator can configure terms and conditions for a specific party.
- Edit Terms and Conditions
  This topic describes the systematic instruction to **Edit Terms and Conditions** option.
- Copy Terms and Conditions
  This topic describes the systematic instruction to **Copy Terms and Conditions** option.
- Delete Terms and Conditions
  This topic describes the systematic instruction to **Delete Terms and Conditions** option.

65.1 Terms and Conditions - Search and View

This topic describes the systematic instruction to **Terms and Conditions - View** option.

Bank Administrator can search and view the previously maintained Terms and Conditions. Administrator can narrow the result using the available fields as filters such as ALL or Specific Party ID, Module, Transaction Area and Transaction Name (Only If he selects any Specific Transaction Area).
All the applicable transactions will be listed here, and user can select any maintenances from the list, by clicking on view to see the details.

To search Terms and Conditions:


1. Navigate to the above path.

   The **Terms and Conditions Maintenance** screen appears.

2. In the **Party** field, select the appropriate tab.

   The **Mailers - Create** screen appears.

Figure 65-2 Terms and Conditions - Search and View



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 65-1 Field Description

Field Name	Description
Party	Option to select the party type. The options are: • **All** • **Enter Party**
Party ID	Party ID for which the term and conditions are maintained/ viewed. This field appears if **Enter Party** option is selected in the **Party** field.
Module Name	The name of the module. Only Trade Finance is supported.
Transaction Area	The list of transaction area which are a part of transaction group.
Transaction Name	Name of transactions which are a part of transaction group. This field appears if any transaction other than **All** is selected in the **Transaction Area** list.
Search Result	**Information specified in below fields are related to search result**.
Party ID	Party ID for which the term and conditions are maintained/ viewed.
Transaction Area	The list of transaction groups of Trade Finance Module.
Transaction Name	Name of transactions which are a part of transaction group. This field appears if any transaction other than **All** is selected in the **Transaction Area** list.
Actions	The available actions that can be performed against the term and conditions for transactions are displayed. The actions can be: • **View**: Click to view the already maintained terms and conditions. • **Delete** ( ): Click to delete the already maintained terms and conditions. • **Copy** ( ): Click to copy the already maintained terms and conditions. • **Edit** ( ): Click to edit the already maintained terms and conditions.

3. If you have selected **Enter Party** option, specify the party ID in the **Party ID** field.
4. From the **Transaction Area** list, select the appropriate option.
5. From the **Module Name** list, select the listed option.
6. If you have selected any transaction other than **All**;
7. From the **Transaction Name** list, select the appropriate transaction.
8. Perform anyone of the following actions:
   - Click **Search**. The screen displays results based on search criteria.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to reset the details.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Terms and Conditions - View
  This topic describes the systematic instruction to **Terms and Conditions - View** option.

65.1.1 Terms and Conditions - View


This topic describes the systematic instruction to **Terms and Conditions - View** option.

To create a new mailer:

1. Navigate to the above path.

   The **Terms and Conditions Maintenance** screen appears.
2. Click the **View** link to view the already maintained terms and conditions.

Figure 65-3 Terms and Conditions - View



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 65-2 Terms and Conditions - View - Field Description

Field Name	Description
Party ID	Party ID for which the term and conditions are maintained/ viewed.
Module Name	The name of the module. Only Trade Finance is supported.
Transaction Area	The list of transaction area which are a part of transaction group.
Transaction Name	Name of transactions.
Terms & Conditions Description	The description of already maintained terms and conditions.

3. Perform anyone of the following actions:
   - Click **Edit** to edit the Terms & Conditions description.
   - Click **Copy** to copy the Terms & Conditions text.
   - Click **Delete** to delete the Terms & Conditions description.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Cancel** to cancel the transaction.
- Click **Back** to navigate to the previous screen.

65.2 Create Terms and Conditions

This topic describes the systematic instruction to **Create Terms and Conditions** option. Using this option, Bank Administrator can configure terms and conditions for a specific party.

The administrator user can select the maintenance for all parties or for a specific party. The administrator user can also select the term and condition text to appear for all transactions or specific ones.
Admin will get a list of transactions areas, which are high level classification. Under each Transaction area, there can be several Transactions names which are the actual transactions getting initiated at OBDX. Admin user can select one of them, or all and have the Terms and Condition maintained for it.

To create Terms and Conditions text:


1. Navigate to the above path.

   The **Terms and Conditions Maintenance** screen appears.

2. Click **Create Terms and Conditions**.

   The **Create Terms and Conditions** screen appears.

Figure 65-4 Create Terms and Conditions



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 65-3 Create Terms and Conditions - Field Description

Field Name	Description
Party	Option to select the party type. The options are: • **All** • **Enter Party**
Party ID	Party ID for which the term and conditions are maintained/ viewed. This field appears if **Enter Party** option is selected in the **Party** field.
Module Name	The name of the module. Only Trade Finance is supported currently.
Transaction Area	The list of transaction area which are a part of transaction group.
Transaction Name	Name of transactions which are a part of transaction group. This field appears if any transaction other than **All** is selected in the **Transaction Area** list.
Terms & Conditions Description	The description of terms and conditions that is to be created.

3. If you have selected **Enter Party** option, specify the party ID in the **Party ID** field.
4. From the **Transaction Area** list, select the appropriate option.
5. From the **Module Name** list, select the listed option.
6. If you have selected any transaction other than **All**;
7. From the **Transaction Name** list, select the appropriate transaction.
8. In the **Terms & Conditions Description** field, enter the description terms and conditions.
9. Perform anyone of the following actions:
   - Click **Submit**. The screen displays results based on search criteria.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to reset the details.
10. Perform anyone of the following actions:
    - The **Review Terms and Conditions** screen appears. Verify the details, and click **Confirm**.
    - Click **Cancel** to cancel the operation.
    - Click **Back** to navigate to the previous screen.
11. The success message appears along with the transaction reference number and status.

    Click **OK** to complete the transaction.

65.3 Edit Terms and Conditions

This topic describes the systematic instruction to **Edit Terms and Conditions** option.

Administrator can edit the party terms and conditions description.
To edit the terms and conditions description:

1. Navigate to the above path.

   The **Terms and Conditions Maintenance** screen appears.


2. click the  icon to view the already maintained terms and condition description.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Perform anyone of the following actions:

- In the **Terms and Conditions View** screen, click **Edit** to edit the already maintained terms and condition description.
- In the **Terms and ConditionsView** screen, click **Edit** to edit the already maintained terms and condition description. The **Edit Terms and Conditions** screen appears.

Figure 65-5 Edit Terms and Conditions



3. In the **Terms & Conditions Description** field, modify the description of terms and conditions, if required.
4. Perform anyone of the following actions:
   - Click **Submit**. The screen displays results based on search criteria.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
5. Perform anyone of the following actions:
   - The **Review Terms and Conditions** screen appears. Verify the details, and click **Submit**.
   - Click **Cancel** to cancel the operation.
   - Click **Back** to navigate to the previous screen.
6. The success message appears along with the transaction reference number and status.

   Click **OK** to complete the transaction.

65.4 Copy Terms and Conditions

This topic describes the systematic instruction to **Copy Terms and Conditions** option.

Administrator can copy the already maintained terms and conditions description.
To copy the terms and conditions description:

1. Navigate to the above path.


   The **Terms and Conditions Maintenance** screen appears.

2. click the icon to copy the already maintained terms and condition description.
   - In the **Terms and Conditions View** screen, click **Copy** to edit the already maintained terms and condition description.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- In the **Terms and ConditionsView** screen, click **Copy** to edit the already maintained terms and condition description. The **Copy Terms and Conditions** screen appears.

Figure 65-6 Copy Terms and Conditions



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 65-4 Copy Terms and Conditions - Field Description

Field Name	Description
Party	Option to select the party type. The options are: • **All** • **Enter Party**
Party ID	Party ID for which the term and conditions are maintained/ viewed.
Module Name	The name of the module. Only Trade Finance is supported.
Transaction Area	The list of transaction area which are a part of transaction group.
Transaction Name	Name of transactions.
Terms & Conditions Description	The description of already maintained terms and conditions.

3. In the **Terms & Conditions Description** field, modify the description of terms and conditions and conditions.
4. Perform anyone of the following actions:
   - Click **Submit**. The screen displays results based on search criteria.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to reset the details.

Copyright © 2006, 2026, Oracle and/or its affiliates.

5. Perform anyone of the following actions:
   - The **Review Terms and Conditions** screen appears. Verify the details, and click **Submit**.
   - Click **Cancel** to cancel the operation.
   - Click **Back** to navigate to the previous screen.
6. The success message appears along with the transaction reference number and status.

   Click **OK** to complete the transaction.

65.5 Delete Terms and Conditions

This topic describes the systematic instruction to **Delete Terms and Conditions** option.

Administrator can delete the terms and conditions description.
To delete the terms and conditions description:


1. Navigate to the above path.

   The **Terms and Conditions Maintenance** screen appears.

2. click the icon to delete the already maintained terms and condition description.
   - In the **Terms and Conditions View** screen, click **Delete** to delete the already maintained terms and condition.

     The application will prompt the administrator with a deletion message.

Figure 65-7 Delete Terms and Conditions



3. Click **Yes** to proceed with the deletion request. It will navigate to confirmation page with a success message and the status.
4. Click **Ok** to close the screen and navigate to the dashboard.

Copyright © 2006, 2026, Oracle and/or its affiliates.


66 Reports

Using this option, Administrators can generate various adhoc and schedule banking reports. Application provides an option to generate and schedule reports using an internal application.

Prerequisites:

- Transaction access is provided to Bank Administrator
- Approval rule set up for Bank Administrator to perform the actions.

Figure 66-1 Workflow



Features supported in application

Reports module allows Bank Administrator to

- Generate and schedule Customer and Administrative Reports
- View/ Download generated Reports.
- View User Report Mapping
- Create User Report Mapping
- Edit User Report Mapping
- View Scheduled Report

Copyright © 2006, 2026, Oracle and/or its affiliates.

67

Report Generation

This topic describes the information about **Report Generation** option.

Bank Administrator logs into the system and navigates to Report Generation screen. On accessing **Report Generation** menu, Bank Administrator has to select an option if an adhoc report is to be generated or report needs to be scheduled.

Reports are categorized as:

- Adhoc Reports: When a report needs to be generated immediately on a need basis
- Schedule Reports: When report generation needs to be scheduled at fixed intervals e.g. daily, weekly, monthly etc.

After selecting the report generation category, user has to select a type of a report which needs to be generated. Other reports parameters with respect to each report are displayed on the screen as input fields so that report can be requested with specific data.

> **Note**
>
> If 2 factor authentication is enabled, the reports get generated only after successful authentication.

The list of reports is:

- API Consumption Report
- Bill Payment Pay Later Report
- Biller Reconciliation Report
- Biller Registration Report
- Date wise User Creation Report
- EPI Payment reconciliation Report
- FATCA &CRS Declaration Report
- File Identifier wise Party User Mapping Report
- Party User wise File Identifiers Mapping Report
- Approval Rule Report
- Party wise File Identifiers Mapping Report
- Party wise Payee Maintenance Report
- User Segment Summary Report
- Wallet Transaction Activity Report
- Wallets KYC Report
- Wallets Creation for a Date Range Report
- User List Report


Copyright © 2006, 2026, Oracle and/or its affiliates.

- User Entitlement Report
- Approval Rule Report

Navigation Path: Perform the following navigation to access the **Report Generation**.

From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Reports**. Under **Reports** , click **Report Generation**.

Figure 67-1 Report Generation



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-1 Report Generation - Field Description

Field Name	Description
Report Name	Select the type of report to be generated.

- Adhoc Reports
  This topic describes the information about **Adhoc Report** option.
- Schedule Reports
  This topic describes the information about **Schedule Reports** option.
- API Consumption Report
  This topic describes the information about **API Consumption Report** option. API Consumption report provides information on API consumption for a selected access point for a particular user.
- Biller Registration Report
  This topic describes the information about **Biller Registration Report** feature. Biller Registration report provides the details of customers registered to a biller for online bill payment.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Biller Reconciliation Report
  This topic describes the information about **Biller Reconciliation Report** feature. Biller Reconciliation report provides information on reconciliation of bill payment transactions made to a biller for a selected period.
- Bill Payment Pay Later Report
  This topic describes the information about **Bill Payment Pay Later Report** feature.
- Date Wise User Creation Report
  This topic describes the information about **Date Wise User Creation Report** feature.
- EPI Payment Reconciliation Report
  This topic describes the information about **EPI Payment Reconciliation Report** option.
- FATCA & CRS Declaration Report
  This topic describes the information about **FATCA & CRS Declaration Report** option.
- Approval Rule Report
  This topic describes the systematic instruction to **Approval Rule Report** option. Approval Rule Report provides the list of rules and workflows belonging to a group corporate.
- File Identifier wise Party User Mapping Report
  This topic describes the systematic instruction to **File Identifier wise Party User Mapping Report** option.
- Party User wise File Identifiers Mapping Report
  This topic describes the information about **Party User wise File Identifiers Mapping Report** option.
- Party wise File Identifiers Mapping Report
  This topic describes the systematic instruction to **Party wise Approval Rule - Adhoc Report** option.
- Party wise Payee Maintenance Report
  This topic describes the information about **Party wise Payee Maintenance Report** option.
- User Segment Summary Report
  This topic describes the information about **User Segment Summary Report** option.
- Wallets Creation for a Date Range Report
  This topic describes the information about **Wallets Creation for a Date Range Report** option.
- Wallet KYC Report
  This topic describes the information about **Wallet KYC Report** option.
- Wallets Transaction Activity Report
  This topic describes the information about the **Wallets Transaction Activity Report** option.
- Approval Rule Report
  This topic describes the systematic instruction to **Approval Rule Report** option. Approval Rule Report provides the list of rules and workflows belonging to a group corporate.
- User List Report
  This topic describes the systematic instruction to **User List Report** option.
- User Entitlement Report
  This topic describes the information about **User Entitlement Report** option.


67.1 Adhoc Reports

This topic describes the information about **Adhoc Report** option.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Adhoc reports are generated on demand or on request. Generated reports can be viewed using **My Reports** screen.

Figure 67-2 Adhoc Reports



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-2 Adhoc Reports - Field Description

Field Name	Description
Report Name	Select the type of report to be generated.
Report Format	Select the format in which the report is to be generated. The options with Internal Reporting Application are: • **PDF** • **CSV**

> **Note**
>
> Other reports parameters with respect to each report are displayed on the screen as input fields so that report can be requested with specific data.


67.2 Schedule Reports

This topic describes the information about **Schedule Reports** option.

The reports that are generated in specific time frame such as daily, weekly, monthly, quarterly, and annually are categorized under scheduled reports.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 67-3 Schedule Reports



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-3 Schedule Reports - Field Description

Field Name	Description
Report Name	Select the type of report to be generated.
Report Format	Select the format in which the report is to be generated. The options with Internal Reporting Application are: • **PDF** • **CSV**
Select Frequency	Select the frequency at which the report is to be generated. The options are: • **Once** • **Daily** • **Weekly** • **Monthly**
Start Generating	Start date of the date range from which you want to generate the report.
Stop Generating	End date of the date range up-to which you want to generate the report.
View Scheduled Reports	Link to view all the reports that are scheduled by the logged in user and other Bank administrator users.

> **Note**
>
> Other reports parameters with respect to each report are displayed on the screen as input fields so that report can be requested with specific data.

- View Scheduled Reports
  This topic describes the information about **View Scheduled Reports** option.
- Edit Schedule Reports
  This topic describes the systematic instruction to **Edit Schedule Reports** option.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Delete Schedule Reports
  This topic describes the systematic instruction to **Delete Schedule Reports** option.

67.2.1 View Scheduled Reports

This topic describes the information about **View Scheduled Reports** option.

Using this option, Bank Administrator can view all the reports and its details that are scheduled by logged in user or any other Bank Administrator user with the future date.
To view the scheduled reports:

1. Navigate to the above path.

   The **Report Generation** screen appears.


2. Click the **Schedule** tab.

   The **Scheduled Report Generation** screen appears.

3. Click the **View Scheduled Reports** link.

   The **Scheduled Reports** screen appears.

Figure 67-4 Scheduled Reports



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-4 Scheduled Reports - Field Description

Field Name	Description
Search	**Information specified in below fields are related to search**.
Report Name	Select the report that is to be searched.
Search Results	**Information specified in below fields are related to search results**.
Report Name	Name of the scheduled reports.
Report ID	IDs of the reports that are scheduled.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-4 (Cont.) Scheduled Reports - Field Description


Field Name	Description
Schedule Frequency	The frequency on which the report is scheduled.
Start Date	Date from which the report will be generated as per the frequency defined.
End Date	Date till which the report will be generated as per the frequency defined.

4. Perform anyone of the following actions:
   - Click on **desired Report ID** to view the details of the scheduled report. The View Reports Schedule screen appears.
   - Click on the icon against the Report ID, to select the Report from the list, which you want to view.

     The searched report appears in the search result section.

     Click the **Report ID** to view the details of the scheduled report.

Figure 67-5 View Reports Schedule



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-5 View Reports Schedule - Field Description

Field Name	Description
Report Name	Name of the scheduled report.
Report ID	ID of the scheduled report.
Report Format	Select the format in which the report is to be generated.
Report Frequency	The frequency at which the reports are scheduled to run.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-5 (Cont.) View Reports Schedule - Field Description

Field Name	Description
Start Date	Date from which the report will be generated as per the frequency defined.
Stop Date	Date till which the report will be generated as per the frequency defined.
Scheduled By	User ID of the user who has scheduled the report generation.

67.2.2 Edit Schedule Reports

This topic describes the systematic instruction to **Edit Schedule Reports** option.

Using this option, Bank Administrator can edit the parameters defined for scheduled reports. These changes are applied to generate the reports of next scheduled cycle.
To edit the schedule reports:


1. Navigate to the above path.

   The **Report Generation** screen appears.
2. Click the **Schedule** tab.

   The **Scheduled Report Generation** screen appears.
3. Click on desired **Report ID** to edit the details of the scheduled report.

   The **View Report Schedule** screen appears.
4. Perform anyone of the following actions:
   - Click **Edit** to modify the report schedule. The **Edit Report Schedule** screen appears.
   - Click **Delete** to delete the report schedule.
   - Click **Back** to navigate to the previous screen.
   - Click **Cancel** to cancel the transaction.

Figure 67-6 Edit Reports Schedule



Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-6 Edit Reports Schedule - Field Description

Field Name	Description
Report Name	Name of the scheduled reports. Name of the report will be displayed in non-editable form.
Report ID	ID of the reports that are scheduled. This is a non-editable field.
Report Format	The report format of the scheduled report.
Report Frequency	The frequency of the scheduled report. The options are: • **Once** • **Daily** • **Weekly** • **Monthly**
Start Generating	The start date of the scheduled report. This field can be edited only if the date and time is in future.
Stop Generating	The date till which the report is to be generated.
Scheduled By	User ID of the user who scheduled the report generation.

5. Modify the details, if required. You can modify the Report Format, Report Frequency, Start generation date and time (if future date) and Stop Generating date and time.
6. Perform anyone of the following actions:
   - Click **Save** to save the details. The **Confirm Edit Report Schedule** screen appears.
   - Click **Back** to navigate to the previous screen.
   - Click **Cancel** to cancel the operation.
7. Perform anyone of the following actions:
   - Click **Confirm**.
   - Click **Cancel** to cancel the operation.
8. The success message along with the reference number and status appears.

   Click **OK** to complete the transaction.

67.2.3 Delete Schedule Reports

This topic describes the systematic instruction to **Delete Schedule Reports** option.

The Bank Administrator can delete the scheduled reports which are no longer required.
To delete account and transaction access for the user:

1. Navigate to the above path.

   The **Report Generation** screen appears.
2. Click the **Schedule** tab.

   The **Scheduled Report Generation** screen appears.
3. Click the **View Scheduled Reports** link.

   The **Schedule Reports** screen appears.
4. Click on desired **Report ID** to delete the scheduled report.


   The **View Report Schedule** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

5. Click **Delete**.

   The application will prompt the administrator with a deletion message.

Figure 67-7 Delete Reports Schedule



6. Click **Confirm** to proceed with the deletion request.

   It will navigate to confirmation page with a success message and the status.

7. Click **Ok** to close the screen and navigate to the dashboard.

67.3 API Consumption Report

This topic describes the information about **API Consumption Report** option. API Consumption report provides information on API consumption for a selected access point for a particular user.

The user has to select a format in which the report needs to be generated. The generation of both Adhoc and Scheduled reports are supported.

Navigation Path: Perform the below navigation to access **Report Generation**.

- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Reports**. Under **Reports** , click **Report Generation**.
- API Consumption - Adhoc Report
  This topic describes the systematic instruction to **API Consumption - Adhoc Report** option.
- API Consumption - Schedule Reports
  This topic describes the systematic instruction to **API Consumption - Schedule Report** option.

67.3.1 API Consumption - Adhoc Report

This topic describes the systematic instruction to **API Consumption - Adhoc Report** option.

API Consumption Adhoc report is generated on demand or on request. Report can be requested from the **Report Generation** screen. Adhoc reports can be viewed using **My Reports** screen.
To generate the API Consumption adhoc report:

1. Navigate to the above path.


   The **Report Generation** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

2. Click the **Adhoc** tab.
3. From the **Report Name** list, select the appropriate report to be generated.

   The respective report generation screen appears.

Figure 67-8 API Consumption - Adhoc Report



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-7 API Consumption - Adhoc Report - Field Description

Field Name	Description
Report Name	Select the type of report to be generated.
Report Format	Select the format in which the report is to be generated The options with Internal Reporting Application are: • **PDF** • **CSV**
Duration	The period for which the report is to be generated. Start date of the date range from which you want to generate the report. End date of the date range up-to which you want to generate the report.
Frequency	Select the frequency at which the report is to be generated. The options are: • **Once** • **Daily** • **Weekly** • **Monthly**
Touch Point	The different channels/ medium for which you want to generate the report.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-7 (Cont.) API Consumption - Adhoc Report - Field Description

Field Name	Description
Party ID	The party ID for whom the report is to be generated.
User Segment	The segment of user for whom the report is to be generated. The options are: • **Corporate User** • **Retail User** • **Administrator**
User id	The user id of the user for whom the report is to be generated.

4. From the **Report Format** list, select the appropriate report output format.
5. From the **Duration - From Date and Duration - To Date** list, select the appropriate duration.
6. From the **Frequency** list, select the appropriate option.
7. From the **Touch Point** list, select the appropriate option.
8. In the **Party ID** field, enter the party id.
9. From the **User Segment** list, select the appropriate type of user.
10. In the **User Id** field, enter the id of the user for whom the report is to be generated.
11. Perform anyone of the following actions:
    - Click **Generate Report** to generate the report.
    - Click **Cancel** to cancel the transaction.
    - Click **Clear** to reset the search parameters.
12. Perform anyone of the following actions:
    - The success message along with the reference number, status and **Report Request Id** appears. Click **Ok** to close the screen and navigate to the dashboard.
    - Click on the **View Reports** link to download the report.


      The user is directed to the **My Reports** screen. The list of reports appears.
    - Click **Generate another report** to generate another report.
13. In the **My Reports** screen, click on desired **Report Sub ID** to view and download the generated report.

    A report will be generated in the format specified at the time of scheduling or generating an adhoc report.

> **Note**
>
> You can also download the requested report from **Administrator Dashboard**, click **Toggle Menu**, then click **Reports** and then click **My Reports**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 67-9 For reference, a specimen of the report generated is given below:



API Consumption Details Report

From Date : **2018-10-12** | To Date : **2018-11-12**
Frequency : **WEEKLY** | Touch Point : **APINTERNET**
Party Id : | Party Name :
User Segment : | User Id :

futura bank

API Name	/accessPointGroups			
From Date	To Date	Count:	Touch Point	Status
29-OCT-2018	05-NOV-2018	919	APINTERNET	Success Count: 906Failure Count:13

API Name	/accessPointGroups/{accessPointGroupId}			
From Date	To Date	Count:	Touch Point	Status
29-OCT-2018	05-NOV-2018	1	APINTERNET	Success Count: 1Failure Count:0

API Name	/accessPointScopes			
From Date	To Date	Count:	Touch Point	Status
29-OCT-2018	05-NOV-2018	42	APINTERNET	Success Count: 42Failure Count:0

API Name	/accessPoints			
From Date	To Date	Count:	Touch Point	Status
29-OCT-2018	05-NOV-2018	2872	APINTERNET	Success Count: 2857Failure Count:15

API Name	/accessPoints/{accessPointId}			
From Date	To Date	Count:	Touch Point	Status
29-OCT-2018	05-NOV-2018	42	APINTERNET	Success Count: 42Failure Count:0

API Name	/accesstokens			
From Date	To Date	Count:	Touch Point	Status
29-OCT-2018	05-NOV-2018	2823	APINTERNET	Success Count: 2821Failure Count:2

API Name	/accesstokens/{id}			
From Date	To Date	Count:	Touch Point	Status
29-OCT-2018	05-NOV-2018	2	APINTERNET	Success Count: 2Failure Count:0

API Name	/accesstokens/{stateId}/{code}			
From Date	To Date	Count:	Touch Point	Status
29-OCT-2018	05-NOV-2018	11	APINTERNET	Success Count: 6Failure Count:5

API Name	/accountAccess			
From Date	To Date	Count:	Touch Point	Status
29-OCT-2018	05-NOV-2018	752	APINTERNET	Success Count: 723Failure Count:29

1 Report generated by superadmin | 14 Nov 2018, 08:03

> **Note**
>
> The fields which are marked as Required are mandatory.

Copyright © 2006, 2026, Oracle and/or its affiliates.

For more information on fields, refer to the field description table.

Table 67-8 API Consumption Details Reports - Field Description

Field Name	Description
Report Parameters	**Information specified in below fields are related to report parameters**.
From Date	Date from which the report is generated.
To Date	Date till which the report is generated.
Frequency	The frequency at which the report is generated.
Access Point (Touch Point)	The different channels/ medium for which report is generated.
Party ID	The party ID for whom the report is generated.
Party Name	The name of the party for whom the report is generated.
User Segment	The user segment for which, the report is generated.
User ID	ID of the user.
API Name	The name of the API for which the report is generated.
From Date	Date from which the report is generated.
To Date	Date till which the report is generated.
Count	The total count of transactions that are successful and failed.
Touch Point	The different channels/ medium for which report is generated.
Status	The status of the transaction.

67.3.2 API Consumption - Schedule Reports

This topic describes the systematic instruction to **API Consumption - Schedule Report** option.

The reports that are generated in specific time frame such as daily, weekly, monthly, quarterly, and annually are categorized under scheduled reports.
To generate the API consumption schedule report:

1. Navigate to the above path.

   The **Report Generation** screen appears.

2. Click the **Schedule** tab.


   The **Scheduled Report Generation** screen appears.

3. From the **Report Name** list, select the appropriate report to be generated.

   The respective report generation screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 67-10 API Consumption Report - Schedule Report



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-9 API Consumption Report - Schedule Report - Field Description

Field Name	Description
Report Name	Select the type of report to be generated.
Report Format	Select the format in which the report is to be generated The options with Internal Reporting Application are: • **PDF** • **CSV**
Select Frequency	Select the frequency at which the report is to be generated. The options are: • **Once** • **Daily** • **Weekly** • **Monthly**
Start Generating	Date from which the report is to be generated as per frequency defined.
Stop Generating	Date till which the report is to be generated as per frequency defined.
Frequency	Select the frequency at which the report is to be generated. The options are: • **Once** • **Daily** • **Weekly** • **Monthly**

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-9 (Cont.) API Consumption Report - Schedule Report - Field Description

Field Name	Description
Touch Point	The different channels/ medium for which you want to generate the report.
Party ID	The party ID for whom the report is to be generated.
User Segment	The user segment for which the report is to be generated. The options are: • **Corporate User** • **Retail User** • **Administrator**
User id	The user id of the user for whom report is to be generated.
View Scheduled Reports	Link to view all the reports that are scheduled.

4. From the **Report Format** list, select the appropriate report output format.
5. From the **Select Frequency** list, select the appropriate option.
6. From the **Start Generating** and **Stop Generating** list, select the appropriate duration.
7. From the **Frequency** list, select the appropriate option.
8. From the **Touch Point** list, select the appropriate option.
9. In the **Party ID** field, enter the party id.
10. From the **User Segment** list, select the appropriate segment.
11. In the **User Id** field, enter the id of the user for whom the report is to be generated.
12. Perform anyone of the following actions:
    - Click **Schedule Report** to generate and view the report.
    - Click the **View Scheduled Reports** link to view all the scheduled reports.

      The **Scheduled Reports** screen appears.
    - Click **Cancel** to cancel the transaction.
    - Click **Clear** to reset the search parameters.
13. Perform anyone of the following actions:
    - The success message along with the reference number, status and **Report Request Id** appears. Click **Ok** to close the screen and navigate to the dashboard.
    - Click on the **View Reports** link to download the report.

      The user is directed to the **My Reports** screen. The list of reports appears.
    - Click **Schedule another Report** to generate another report.
14. In the **My Reports** screen, click on desired **Report Sub ID** to view and download the generated report.

    A report will be generated in the format specified at the time of scheduling or generating an adhoc report.

Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> You can also download the requested report from **Administrator Dashboard**, click **Toggle Menu**, then click **Reports** and then click **My Reports**, In the **My Reports** screen, click **Scheduled Reports**.

67.4 Biller Registration Report

This topic describes the information about **Biller Registration Report** feature. Biller Registration report provides the details of customers registered to a biller for online bill payment.

Administrator has to select the biller id of which the report is to be generated.

Further, the administrator user can choose the report format as CSV or pdf. The generation of both Adhoc and Scheduled reports are supported. This report is available only with the internal reporting system.

Navigation Path: Perform the following navigation to access the **Report Generation**

From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Reports**. Under **Reports** , click **Report Generation**.

- Biller Registration - Adhoc Report
  This topic describes the systematic instruction to **Biller Registration - Adhoc Report** option.
- Biller Registration - Schedule Reports
  This topic describes the systematic instruction to **Bill Registration - Schedule Reports** option.

67.4.1 Biller Registration - Adhoc Report

This topic describes the systematic instruction to **Biller Registration - Adhoc Report** option.

Biller Registration Adhoc reports are generated on demand or on request. Generated reports can be viewed using **My Reports** screen.
To generate the Biller Registration adhoc report:


1. Navigate to the above path.

   The **Report Generation** screen appears.
2. Click the **Adhoc** tab.
3. From the **Report Name** list, select the appropriate report to be generated.

   The respective report generation screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 67-11 Biller Registration - Adhoc Report



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-10 Biller Registration - Adhoc Report - Field Description

Field Name	Description
Report Name	Select the type of report to be generated.
Report Format	Select the format in which the report is to be generated. The options with Internal Reporting Application are: • **PDF** • **CSV**
Biller Id	Specify the unique code assigned to a specific biller.
Biller Name	Specify the name of the biller.
Duration	Select the date range for which the report is to be generated. User has to enter From and To dates.

4. From the **Report Format** list, select the format in which the report is to be generated.
5. In the **Biller Id** field, enter the id of the biller for whom the report to be generated.
6. In the **Biller Name** field, enter the name of the biller.
7. From the **Duration - From and Duration - To** list, select the appropriate duration.
8. Perform anyone of the following actions:
   - Click **Generate Report** to generate the report.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to reset the search parameters.
9. Perform anyone of the following actions:
   - The success message along with the reference number, status and **Report Request Id** appears. Click **Ok** to close the screen and navigate to the dashboard.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click on the **View Reports** link to download the report.

  The user is directed to the **My Reports** screen. The list of reports appears.

- Click **Generate another report** to generate another report.

10. In the **My Reports** screen, click on desired **Report Sub ID** to view and download the generated report.

    A report will be generated in the format specified at the time of scheduling or generating an adhoc report.

> **Note**
>
> You can also download the requested report from **Administrator Dashboard**, click **Toggle Menu**, then click **Reports** and then click **My Reports**.

Figure 67-12 For reference, a specimen of the report generated is given below:



futura bank

EBPP Admin - Registration Report

Biller ID : 1
Biller Name : Test
Date From:2018-06-04
Date To:2018-06-14

Customer ID	Customer Name	Phone No and Email	Biller Nick Name	Registration Date	Registration Status
001868	David Stevens	Phone: Email: ritwick.x.singh@oracle.com	vodafone3	22 May 2018	APPROVED
001868	David Stevens	Phone: Email: ritwick.x.singh@oracle.com	eleh3	24 May 2018	APPROVED
001868	David Stevens	Phone: Email: ritwick.x.singh@oracle.com	waterh2	22 May 2018	APPROVED
001868	David Stevens	Phone: Email: ritwick.x.singh@oracle.com	homewater2	24 May 2018	APPROVED
001868	David Stevens	Phone: Email: ritwick.x.singh@oracle.com	office3	22 May 2018	APPROVED
001868	David Stevens	Phone: Email: ritwick.x.singh@oracle.com	movies1	25 May 2018	APPROVED
001868	David Stevens	Phone: Email: ritwick.x.singh@oracle.com	vany1	25 May 2018	APPROVED
001868	David Stevens	Phone: Email: ritwick.x.singh@oracle.com	dthome2	22 May 2018	APPROVED
001868	David Stevens	Phone: Email: ritwick.x.singh@oracle.com	dthome3	22 May 2018	APPROVED
001868	Gary John Oldman	Phone: Email: shailendra.kadam@oracle.com	TellBiller	22 May 2018	APPROVED
001868	Gary John Oldman	Phone:	WaterBill	22 May 2018	APPROVED

1 Report generated by

Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-11 EBPP Admin Registration Reports - Field Description

Field Name	Description
Report Parameters	**Information specified in below fields are related to report parameters.**
Biller ID	The unique ID of the biller.
Biller Name	The name of the biller.
Date From	The date from which the report is generated.
Date To	Date till which the report is generated. .
Customer Id	The unique id of the customer/Party.
Customer Name	The name of the customer/party.
Customer Phone No and Email	The phone number and Email address of the customer.
Biller Nickname	The nick name of the biller.
Registration Date	The date on which customer is registered to the biller.
Registration Status	The status of registration.

67.4.2 Biller Registration - Schedule Reports

This topic describes the systematic instruction to **Bill Registration - Schedule Reports** option.

The reports that are generated in specific time frame such as daily, weekly, monthly, quarterly, and annually are categorized under scheduled reports.
To generate the Biller Registration schedule report:

1. Navigate to the above path.


   The **Report Generation** screen appears.

2. Click the **Schedule** tab.
3. From the **Report Name** list, select the appropriate report to be generated.

   The respective report generation screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 67-13 Biller Registration - Schedule Report



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-12 Biller Registration - Schedule Report - Field Description

Field Name	Description
Report Name	Select the type of report to be generated.
Report Format	Select the format in which the report is to be generated. The options with Internal Reporting Application are: • **PDF** • **CSV**
Select Frequency	Select the frequency at which the report is to be generated. The options are: • **Once** • **Daily** • **Weekly** • **Monthly**
Start Generating	Date from which the report is to be generated as per frequency defined.
Stop Generating	Date till which the report is to be generated as per frequency defined.
Biller Id	The unique code assigned to a specific biller.
Biller Name	The name of the biller.
View Scheduled Reports	Link to view all the reports that are scheduled.

4. From the **Report Format** list, select the format in which the report is to be generated.
5. From the **Select Frequency** list, select the appropriate option.
6. From the **Start Generating** and **Stop Generating** list, select the appropriate duration.
7. From the **Frequency** list, select the appropriate option.

Copyright © 2006, 2026, Oracle and/or its affiliates.

8. In the **Biller Id** field, enter the id of the biller for whom the report to be generated.
9. In the **Biller Name** field, enter the name of the biller.
10. Perform anyone of the following actions:
    - Click **Schedule Report** to view and generate the report.
    - Click the **View Scheduled Reports** link to view all the scheduled reports.

      The **Scheduled Reports** screen appears.
    - Click **Cancel** to cancel the transaction.
    - Click **Clear** to reset the search parameters.
11. Perform anyone of the following actions:
    - The success message along with the reference number, status and **Report Request Id** appears. Click **Ok** to close the screen and navigate to the dashboard.
    - Click on the **View Reports** link to download the report.

      The user is directed to the **My Reports** screen. The list of reports appears.
    - Click **Schedule another Report** to generate another report.
12. In the **My Reports** screen, click on desired **Report Sub ID** to view and download the generated report.

    A report will be generated in the format specified at the time of scheduling or generating an adhoc report.

> **Note**
>
> You can also download the requested report from **Administrator Dashboard**, click **Toggle Menu**, then click **Reports** and then click **My Reports**, In the **My Reports** screen, click **Scheduled Reports**.

67.5 Biller Reconciliation Report

This topic describes the information about **Biller Reconciliation Report** feature. Biller Reconciliation report provides information on reconciliation of bill payment transactions made to a biller for a selected period.

Administrator has to select the biller id of which the report is to be generated.

The administrator user can choose the report format as CSV or pdf. The generation of both Adhoc and Scheduled reports are supported. This report is available only with the internal reporting system.

Navigation Path: Perform the following navigation to access the **Report Generation**.

From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Reports**. Under **Reports** , click **Report Generation**.

- Biller Reconciliation - Adhoc Report
  This topic describes the systematic instruction to **Biller Reconciliation - Adhoc Report** option.
- Biller Reconciliation - Schedule Reports
  This topic describes the systematic instruction to **Biller Reconciliation - Schedule Reports** option.

Copyright © 2006, 2026, Oracle and/or its affiliates.

67.5.1 Biller Reconciliation - Adhoc Report

This topic describes the systematic instruction to **Biller Reconciliation - Adhoc Report** option.

Biller Reconciliation Adhoc reports are generated on demand or on request. Generated reports can be viewed using **My Reports** screen.
To generate the Biller Reconciliation adhoc report:


1. Navigate to the above path.

   The **Report Generation** screen appears.

2. Click the **Adhoc** tab.
3. From the **Report Name** list, select the appropriate report to be generated.

   The respective report generation screen appears.

Figure 67-14 Biller Reconciliation - Adhoc Report



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-13 Biller Reconciliation - Adhoc Report - Field Description

Field Name	Description
Report Name	Select the type of report to be generated..
Report Format	Select the format in which the report is to be generated. The options with Internal Reporting Application are: • **PDF** • **CSV**
Biller Id	The unique code assigned to a specific biller.
Biller Name	The name of the biller.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-13 (Cont.) Biller Reconciliation - Adhoc Report - Field Description

Field Name	Description
Duration	Select the date range for which the report is to be generated. User has to enter From and To dates.

4. From the **Report Format** list, select the appropriate report output format.
5. In the **Biller Id** field, enter the id of the biller for whom the report is to be generated.
6. In the **Biller Name** field, enter the name of the biller.
7. From the **Duration - From and Duration - To** list, select the appropriate duration.
8. Perform anyone of the following actions:
   - Click **Generate Report** to generate the report.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to reset the search parameters.
9. Perform anyone of the following actions:
   - The success message along with the reference number, status and **Report Request Id** appears. Click **Ok** to close the screen and navigate to the dashboard.
   - Click on the **View Reports** link to download the report.


     The user is directed to the **My Reports** screen. The list of reports appears.
   - Click **Generate another report** to generate another report.
10. In the **My Reports** screen, click on desired **Report Sub ID** to view and download the generated report.

    A report will be generated in the format specified at the time of scheduling or generating an adhoc report.

> **Note**
>
> You can also download the requested report from **Administrator Dashboard**, click **Toggle Menu**, then click **Reports** and then click **My Reports**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 67-15 For reference, a specimen of the report generated is given below:



futura bank

EBPP Admin - Biller Reconciliation Report

Biller Name : abc

Biller ID : 343443
Date From:01 May 2018

Date To:29 Jun 2018

Date	Transaction Id	Amount	Customer Name-Account Number	Customer ID	Phone No and Email	Status	Error
26 May 2018	152	1000INR	Marc Ronald Jacobs	001146	Phone: Email: shailendra.kadam@example.com		
26 May 2018	153	100INR	Marc Ronald Jacobs	001146	Phone: Email: shailendra.kadam@example.com		

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-14 API Consumption Details Reports - Field Description

Field Name	Description
Report Parameters	**Information specified in below fields are related to report parameters.**
Biller ID	The unique ID of the biller.
Biller Name	The name of the biller.
Date From	Date from which the report is generated.
Date To	Date till which the report is generated.
Date	Transaction date and time.
Transaction ID	The transaction Id of the transaction.
Amount	The amount of the transaction in local currency.
Customer Name & Account Number	The name of the customer and an account number
Customer Id	The unique id of the customer/party.
Customer Phone No and Email	The phone number and Email address of the customer.
Status	The status of the transaction.
Error	Error if any.

Copyright © 2006, 2026, Oracle and/or its affiliates.

67.5.2 Biller Reconciliation - Schedule Reports

This topic describes the systematic instruction to **Biller Reconciliation - Schedule Reports** option.

The reports that are generated in specific time frame such as daily, weekly, monthly, quarterly, and annually are categorized under scheduled reports.
To generate the Biller Reconciliation schedule report:


1. Navigate to the above path.

   The **Report Generation** screen appears.

2. Click the **Schedule** tab.
3. From the **Report Name** list, select the appropriate report to be generated.

   The respective report generation screen appears.

Figure 67-16 Biller Reconciliation - Schedule Report



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-15 Biller Reconciliation - Schedule Report - Field Description

Field Name	Description
Report Name	Select the type of report to be generated.
Report Format	Select the format in which the report is to be generated. The options with Internal Reporting Application are: • **PDF** • **CSV**

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-15 (Cont.) Biller Reconciliation - Schedule Report - Field Description

Field Name	Description
Select Frequency	Select the frequency at which the report is to be generated. The options are: • **Once** • **Daily** • **Weekly** • **Monthly**
Start Generating	Date from which the report is generated.
Stop Generating	Date till which the report is generated.
Biller Id	The unique code assigned to a specific biller.
Biller Name	The name of the biller.
View Scheduled Reports	Link to view all the reports that are scheduled.

4. From the **Report Format** list, select the appropriate report output format.
5. From the **Select Frequency** list, select the appropriate option.
6. From the **Start Generating** and **Stop Generating** list, select the appropriate duration.
7. In the **Biller Id** field, enter the id of the biller for whom the report is to be generated.
8. In the **Biller Name** field, enter the name of the biller.
9. From the **Duration - From Date and Duration - To** Date list, select the appropriate duration.
10. Perform anyone of the following actions:
    - Click **Schedule Report** to generate and view the report.
    - Click the **View Scheduled Reports** link to view all the scheduled reports.

      The **Scheduled Reports** screen appears.
    - Click **Cancel** to cancel the transaction.
    - Click **Clear** to reset the search parameters.
11. Perform anyone of the following actions:
    - The success message along with the reference number, status and **Report Request Id** appears. Click **Ok** to close the screen and navigate to the dashboard.
    - Click on the **View Reports** link to download the report.

      The user is directed to the **My Reports** screen. The list of reports appears.
    - Click **Schedule another Report** to generate another report.
12. In the **My Reports** screen, click on desired **Report Sub ID** to view and download the generated report.

    A report will be generated in the format specified at the time of scheduling or generating an adhoc report.

> **Note**
>
> You can also download the requested report from **Administrator Dashboard**, click **Toggle Menu**, then click **Reports** and then click **My Reports**, In the **My Reports** screen, click **Scheduled Reports**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

67.6 Bill Payment Pay Later Report

This topic describes the information about **Bill Payment Pay Later Report** feature.

Bill Payment Pay Later report provides the details of **Pay Later** transactions set up for a biller for a given period. The user has to select the biller id of which the report is to be generated.

The administrator user can choose the report format as CSV or pdf. The generation of both Adhoc and Scheduled reports are supported. This report is available only with the internal reporting system.

Navigation Path: Perform the following navigation to access the **Report Generation**.

From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Reports**. Under **Reports** , click **Report Generation**.

- Bill Payment Pay Later - Adhoc Report
  This topic describes the systematic instruction to **Bill Payment Pay Later - Adhoc Report** option.
- Bill Payment Pay Later - Schedule Reports
  This topic describes the systematic instruction to **Bill Payment Pay Later - Schedule Reports** option.

67.6.1 Bill Payment Pay Later - Adhoc Report

This topic describes the systematic instruction to **Bill Payment Pay Later - Adhoc Report** option.


Bill Payment Pay Later Adhoc reports are generated on demand or on request. Generated reports can be viewed using **My Reports** screen.
To generate the Bill Payment Pay Later adhoc report:

1. Navigate to the above path.

   The **Report Generation** screen appears.
2. Click the **Adhoc** tab.
3. From the **Report Name** list, select the appropriate report to be generated.

   The respective report generation screen appears.

Figure 67-17 Bill Payment Pay Later - Adhoc Report



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-16 Bill Payment Pay Later - Adhoc Report - Field Description

Field Name	Description
Report Name	Select the type of report to be generated.
Report Format	Select the format in which the report is to be generated. The options with Internal Reporting Application are: • **PDF** • **CSV**
Biller Id	The unique code assigned to a specific biller.
Biller Name	The name of the biller.
Duration	Select the date range for which the report is to be generated. User has to enter From and To dates.

4. From the **Report Format** list, select the format in which the report is to be generated.
5. In the **Biller Id** field, enter the id of the biller for whom the report is to be generated.
6. In the **Biller Name** field, enter the name of the biller.
7. From the **Duration - From and Duration - To** list, select the appropriate duration.
8. Perform anyone of the following actions:
   - Click **Generate Report** to generate the report.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to reset the search parameters.
9. Perform anyone of the following actions:
   - The success message along with the reference number, status and **Report Request Id** appears. Click **Ok** to close the screen and navigate to the dashboard.
   - Click on the **View Reports** link to download the report.


     The user is directed to the **My Reports** screen. The list of reports appears.
   - Click **Generate another report** to generate another report.
10. In the **My Reports** screen, click on desired **Report Sub ID** to view and download the generated report.

    A report will be generated in the format specified at the time of scheduling or generating an adhoc report.

> **Note**
>
> You can also download the requested report from **Administrator Dashboard**, click **Toggle Menu**, then click **Reports** and then click **My Reports**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 67-18 For reference, a specimen of the report generated is given below:



futura bank

EBPP Admin - Bill Payments Pay-Later Report

Biller ID : 343443 Biller Name : abc Date From: 12 Jun 2018 Date To: 23 Aug 2018

Customer ID	Customer Name	Customer PhoneNo & Email	Biller Nickname	Pay Later Set-Up Date	Pay Later Date	Status	Deletion Date
001868	David Stevens	Phone: Email: ritwick.x.singh@oracle.com	mydthn1	12 Jun 2018	30 Jun 2018	COMPLETED	NA
001868	David Stevens	Phone: Email: ritwick.x.singh@oracle.com	dthome2	12 Jun 2018	28 Jun 2018	COMPLETED	NA

1 Report generated by

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-17 Bill Payment Pay Later - Adhoc Report - Field Description

Field Name	Description
Report Parameters	**Information specified in below fields are related to report parameters**.
Biller ID	The unique ID of the biller.
Biller Name	The name of the biller.
Date From	Date from which the report is generated.
Date To	Date until which the report is generated.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-17 (Cont.) Bill Payment Pay Later - Adhoc Report - Field Description

Field Name	Description
Customer Id	The unique id of the customer/party.
Customer Name	The name of the customer/party.
Customer Phone No and Email	The phone number and Email address of the customer.
Biller Nickname	The nick name of the biller.
Pay Later Setup Date	This is a date on which the request for bill payment is initiated.
Pay Later Date	The future date on which the funds are to be transferred to the billers.
Status	Status of the bill payment
Deletion Date	The date on which the future bill payment cancellation request was initiated

67.6.2 Bill Payment Pay Later - Schedule Reports

This topic describes the systematic instruction to **Bill Payment Pay Later - Schedule Reports** option.

The reports that are generated in specific time frame such as daily, weekly, monthly, quarterly, and annually are categorized under scheduled reports.
To generate the Bill Payment Pay Later schedule report:


1. Navigate to the above path.

   The **Report Generation** screen appears.

2. Click the **Schedule** tab.
3. From the **Report Name** list, select the appropriate report to be generated.

   The receptive report generation screen appears.

Figure 67-19 Bill Payment Pay Later - Schedule Report



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-18 Bill Payment Pay Later - Schedule Report - Field Description

Field Name	Description
Report Name	Select the type of report to be generated..
Report Format	Select the format in which the report is to be generated.. The options with Internal Reporting Application are: • **PDF** • **CSV**
Select Frequency	Select the frequency at which the report is to be generated. The options are: • **Once** • **Daily** • **Weekly** • **Monthly**
Start Generating	Date from which the report is to be generated .
Stop Generating	Date till which the report is to be generated,
Biller Id	The unique code assigned to a specific biller.
Biller Name	The name of the biller.
View Scheduled Reports	Link to view all the reports that are scheduled.

4. From the **Report Format** list, select the format in which the report is to be generated.
5. From the **Select Frequency** list, select the appropriate option.
6. From the **Start Generating and Stop Generating** list, select the appropriate duration.
7. 6In the **Biller Id** field, enter the id of the biller for whom the report is to be generated.
8. In the **Biller Name** field, enter the name of the biller.
9. From the **Duration - From Date and Duration - To** Date list, select the appropriate duration.
10. Perform anyone of the following actions:
    - Click **Schedule Report** to generate and view the report.
    - Click the **View Scheduled Reports** link to view all the scheduled reports.

      The **Scheduled Reports** screen appears.
    - Click **Cancel** to cancel the transaction.
    - Click **Clear** to reset the search parameters.
11. Perform anyone of the following actions:
    - The success message along with the reference number, status and **Report Request Id** appears. Click **Ok** to close the screen and navigate to the dashboard.
    - Click on the **View Reports** link to download the report.

      The user is directed to the **My Reports** screen. The list of reports appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Schedule another Report** to generate another report.

12. In the **My Reports** screen, click on desired **Report Sub ID** to view and download the generated report.

    A report will be generated in the format specified at the time of scheduling or generating an adhoc report.

> **Note**
>
> You can also download the requested report from **Administrator Dashboard**, click **Toggle Menu**, then click **Reports** and then click **My Reports**, In the **My Reports** screen, click **Scheduled Reports**.

67.7 Date Wise User Creation Report

This topic describes the information about **Date Wise User Creation Report** feature.

Date wise user creation report provides a list of users created with particular application role within given duration. An administrator can request to generate an adhoc report with following additional parameters:

- User Type (Application Roles)
- Party ID
- Frequency
- Date Range

Further, user has to select a format in which the report needs to be generated. The generation of both Adhoc and Scheduled reports are supported.

Navigation Path: Perform the below navigation to access **Report Generation**.

From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Reports**. Under **Reports** , click **Report Generation**.

- Date Wise User Creation - Adhoc Report
  This topic describes the systematic instruction to **Date Wise User Creation - Adhoc Report** option.
- Date Wise User Creation - Schedule Reports
  This topic describes the systematic instruction to **Date Wise User Creation - Schedule Reports** option.

67.7.1 Date Wise User Creation - Adhoc Report

This topic describes the systematic instruction to **Date Wise User Creation - Adhoc Report** option.

Date Wise User Creation Adhoc reports are generated on demand or on request. Generated reports can be viewed using **My Reports** screen.
To generate the date wise user creation adhoc report:

1. Navigate to the above path.

   The **Report Generation** screen appears.


2. Click the **Adhoc** tab.

Copyright © 2006, 2026, Oracle and/or its affiliates.

3. From the **Report Name** list, select the appropriate report to be generated.

   The respective report generation screen appears.

Figure 67-20 Date Wise User Creation - Adhoc Reports



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-19 Date Wise User Creation - Adhoc Reports - Field Description

Field Name	Description
Report Name	Select the type of report to be generated.
Report Format	Select the format in which the report is to be generated. The options with Oracle Analytics Publisher are: • **PDF** • **XLS** The options with Internal Reporting Application are: • **PDF** • **CSV**
Party ID	The party ID of the users of whom the report is to be generated.
User Type	The user type for whom report is to be generated. The options are: • **Corporate User** • **Retail User** • **Administrator**
Duration	Specify the date range for which the report is to be generated. Date from which the report is to be generated. . Date till which the report is to be generated

4. From the **Report Format** list, select the format in which the report is to be generated.
5. In the **Party ID** field, enter the party ID.

Copyright © 2006, 2026, Oracle and/or its affiliates.

6. From the **User Type** list, select the appropriate user.
7. From the **Duration - From and Duration - To** list, select the appropriate duration.
8. Perform anyone of the following actions:
   - Click **Generate Report** to generate the report.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to reset the search parameters.
9. Perform anyone of the following actions:
   - The success message along with the reference number, status and **Report Request Id** appears. Click **Ok** to close the screen and navigate to the dashboard.
   - Click on the **View Reports** link to download the report.

     The user is directed to the **My Reports** screen. The list of reports appears.
   - Click **Generate another report** to generate another report.
10. In the **My Reports** screen, click on desired **Report Sub ID** to view and download the generated report.

    A report will be generated in the format specified at the time of scheduling or generating an adhoc report.

> **Note**
>
> You can also download the requested report from **Administrator Dashboard**, click **Toggle Menu**, then click **Reports** and then click **My Reports**.

Figure 67-21 For reference, a specimen of the report generated is given below

Date wise User Creation

Party Id : **001164** | Party Name : **Exxon Mobil**
Date From:**01 Oct 2017** | Date To:**18 Oct 2017**
User Type : **corporateuser**

futura bank

User Type - Corporate User

Name	Roles	User Name	Email Id	Mobile No	Creation Date and Time
Mr Rahul Kamble	CorporateAdminMaker CorporateAdminChecker	rkcorpadmin	rahul.x.kamble@oracle.com	7788664433	07 Oct 2017 14:03:01
Mr Rahul Kamble	CorporateAdminMaker CorporateAdminChecker	rkcorpadmin1	rahul.x.kamble@oracle.com	1122334466	07 Oct 2017 14:07:00
Mr RK Auto	Maker Checker	corpauto1	rahul.x.kamble@oracle.com	9890231214	12 Oct 2017 09:13:05
Mr BU Auto	Maker Checker	BUAuto	rahul.x.kamble@oracle.com	9890121415	12 Oct 2017 10:27:05

User Type - Retail User

Name	Roles	User Name	Email Id	Mobile No	Creation Date and Time

User Type - Bank Administrator

Name	Roles	User Name	Email Id	Mobile No	Creation Date and Time

Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-20 Date Wise User Creation - Field Description

Field Name	Description
Report Parameters	**Information specified in below fields are related to report parameters**.
Party ID	The ID of party for whom the report is generated.
Party Name	The name of the party for whom the report is generated.
Date From	Date from which the report is generated.
Date To	Date till which the report is generated.
User Type	The user type for whom report is generated and is selected at the time of report generation.
Name	Name of the user.
Roles	Child roles assigned to each user.
User Name	User ID assigned to the user.
Email ID	Email ID of the user.
Mobile No	Mobile number of the user.
Creation Date and Time	Date on which the user is created.

67.7.2 Date Wise User Creation - Schedule Reports

This topic describes the systematic instruction to **Date Wise User Creation - Schedule Reports** option.

The reports that are generated in specific time frame such as daily, weekly, monthly, quarterly, and annually are categorized under scheduled reports.
An administrator can schedule – Date wise user creation report.

To generate the Date Wise User Creation schedule report:

1. Navigate to the above path.

   The **Report Generation** screen appears.


2. Click the **Schedule** tab.

3. From the **Report Name** list, select the appropriate report to be generated.

   The respective report generation screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 67-22 Date Wise User Creation - Schedule Report



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-21 Date Wise User Creation - Schedule Report - Field Description

Field Name	Description
Report Name	Select the type of report to be generated.
Report Format	Select the format in which the report is to be generated. The options with Internal Reporting Application are: • **PDF** • **CSV**
Select Frequency	Select the frequency at which the report is to be generated. The options are: • **Once** • **Daily** • **Weekly** • **Monthly**
Start Generating	Date from which the report is to be generated as per the frequency defined.
Stop Generating	Date till which the report is to be generated as per the frequency defined.
Party ID	The ID of party of whom the report is to be generated.
User Type	The user type for whom report is generated and is selected at the time of report generation.
View Scheduled Reports	Link to view all the reports that are scheduled.

4. From the **Report Format** list, select the format in which the report is to be generated.
5. From the **Select Frequency** list, select the appropriate option.
6. From the **Start Generating** and **Stop Generating** list, select the appropriate duration.

Copyright © 2006, 2026, Oracle and/or its affiliates.

7. In the **Party ID** field, enter the party id.
8. From the **User Type** list, select the appropriate user.
9. Perform anyone of the following actions:
   - Click **Schedule Report** to generate and view the report.
   - Click the **View Scheduled Reports** link to view all the scheduled reports.

     The **Scheduled Reports** screen appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to reset the search parameters.
10. Perform anyone of the following actions:
    - The success message along with the reference number, status and **Report Request Id** appears. Click **Ok** to close the screen and navigate to the dashboard.
    - Click on the **View Reports** link to download the report.

      The user is directed to the **My Reports** screen. The list of reports appears.
    - Click **Schedule another Report** to generate another report.
11. In the **My Reports** screen, click on desired **Report Sub ID** to view and download the generated report.

    A report will be generated in the format specified at the time of scheduling or generating an adhoc report.

> **Note**
>
> You can also download the requested report from **Administrator Dashboard**, click **Toggle Menu**, then click **Reports** and then click **My Reports**, In the **My Reports** screen, click **Scheduled Reports**.

67.8 EPI Payment Reconciliation Report

This topic describes the information about **EPI Payment Reconciliation Report** option.

EPI Payment Reconciliation report provides the status of all reconciled transactions, in a given duration. The user has to select the merchant code for which the report is to be generated.

Further, user has to select a format in which the report needs to be generated. The generation of both Adhoc and Scheduled reports are supported.

Navigation Path: Perform the following navigation to access the **Report Generation**.

From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Reports**. Under **Reports** , click **Report Generation**.

- EPI Payment Reconciliation - Adhoc Report
  This topic describes the systematic instruction to **EPI Payment Reconciliation - Adhoc Report** option.
- EPI Payment Reconciliation – Schedule Report
  This topic describes the systematic instruction to **EPI Payment Reconciliation – Schedule Report** option.

Copyright © 2006, 2026, Oracle and/or its affiliates.

67.8.1 EPI Payment Reconciliation - Adhoc Report

This topic describes the systematic instruction to **EPI Payment Reconciliation - Adhoc Report** option.

EPI Payment Reconciliation Adhoc reports are generated on demand or on request. Generated reports can be viewed using **My Reports** screen.
To generate the EPI Payment Reconciliation adhoc report:


1. Navigate to the above path.

   The **Report Generation** screen appears.

2. Click the **Adhoc** tab.
3. From the **Report Name** list, select the appropriate report to be generated.

   The respective report generation screen appears.

Figure 67-23 EPI Payment Reconciliation Report - Adhoc Report



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-22 EPI Payment Reconciliation Report - Adhoc Report - Field Description

Field Name	Description
Report Name	Select the type of report to be generated.
Report Format	Select the format in which the report is to be generated. The options with Internal Reporting Application are: • **PDF** • **CSV**
Merchant Code	The unique code assigned to a specific merchant by the Bank.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-22 (Cont.) EPI Payment Reconciliation Report - Adhoc Report - Field Description

Field Name	Description
Duration	Specify the date range for which the report is to be generated. User has to enter From and To Date.

4. From the **Report Format** list, select the format in which the report is to be generated.
5. In the **Merchant Code** field, enter the merchant's code for whom the report to be generated.
6. From the **Duration - From and Duration - To** list, select the appropriate duration.
7. Perform anyone of the following actions:
   - Click **Generate Report** to generate the report.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to reset the search parameters.
8. Perform anyone of the following actions:
   - The success message along with the reference number, status and **Report Request Id** appears. Click **Ok** to close the screen and navigate to the dashboard.
   - Click on the **View Reports** link to download the report.

     The user is directed to the **My Reports** screen. The list of reports appears.
   - Click **Generate another report** to generate another report.
9. In the **My Reports** screen, click on desired **Report Sub ID** to view and download the generated report.

   A report will be generated in the format specified at the time of scheduling or generating an adhoc report.

> **Note**
>
> You can also download the requested report from **Administrator Dashboard**, click **Toggle Menu**, then click **Reports** and then click **My Reports**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 67-24 For reference, a specimen of the report generated is given below:



Merchant - Transaction Reconciliation

Merchant Description:**Myntra**
Merchant Code:**Myntra**
Date From:**01 Jan 2014** | Date To:**01 Feb 2014**

futura bank

Date Time	Transaction Id	Description	Customer Name-Account Number	Merchant Account Number	Transaction Type	Amount,CCY	Status
02 Jan 2014 00:00:00	47HWGXNEP3	RCodePayment	Marc Ronald Jacobs AT30011460023	AT30011600020	QR Transfer	£56.00	Completed
02 Jan 2014 00:00:00	4SGIF1L0C1	est1	Marc Ronald Jacobs AT30011460034	AT30011600020	QR Transfer	£50.00	Completed
02 Jan 2014 00:00:00	6IWUR4V1NN	esting123	Marc Ronald Jacobs AT30011460023	AT30011600020	QR Transfer	£45.99	Completed
02 Jan 2014 00:00:00	CVKX58VV83	est	Marc Ronald Jacobs AT30011460023	AT30011600020	QR Transfer	£125.45	Completed
02 Jan 2014 00:00:00	FFBPVQJX7W	est123	Marc Ronald Jacobs AT30011460023	AT30011600020	QR Transfer	£56.00	Completed
02 Jan 2014 00:00:00	G8ECFT86P6	esting123	Marc Ronald Jacobs AT30011460023	AT30011600020	QR Transfer	£45.99	Completed
02 Jan 2014 00:00:00	GJ96C3QJSC	est	Marc Ronald Jacobs AT30011460023	AT30011600020	QR Transfer	£125.45	Completed
02 Jan 2014 00:00:00	H1PNSKRS7M	est	Marc Ronald Jacobs AT30011460023	AT30011600020	QR Transfer	£1.00	Completed
02 Jan 2014 00:00:00	ZGR95L2C9M	est123	Marc Ronald Jacobs AT30011460023	AT30011600020	QR Transfer	£56.00	Completed

1 Report generated by **Shailendra Kadam** | 18 Sep 2017, 06:36

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-23 EPI Payment Reconciliation - Adhoc Report - Field Description

Field Name	Description
Report Parameters	**Information specified in below fields are related to report parameters**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-23 (Cont.) EPI Payment Reconciliation - Adhoc Report - Field Description

Field Name	Description
Merchant Description	The description of the merchant.
Merchant Code	The unique code assigned to a specific merchant by the bank.
Date From	The start date of period for which the report is generated.
Date To	The end date of the date for which the report is generated.
Date Time	Transaction date and time.
Transaction ID	The transaction Id of the transaction.
Description	The description of the transaction.
Customer Name-Account Number	The name and account number of the customer.
Merchant Account Number	The merchant's account number.
Transaction Type	The transaction type. The options are: • **Sale** • **Commission**
Amount, CCY	The amount of the transaction in local currency.
Status	The status of the transaction.

67.8.2 EPI Payment Reconciliation – Schedule Report

This topic describes the systematic instruction to **EPI Payment Reconciliation – Schedule Report** option.

The reports that are generated in specific time frame such as daily, weekly, monthly, quarterly, and annually are categorized under scheduled reports.
To generate the EPI Payment Reconciliation scheduled report:


1. Navigate to the above path.

   The **Report Generation** screen appears.
2. Click the **Schedule** tab.
3. From the **Report Name** list, select the appropriate report to be generated.

   The respective report generation screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 67-25 EPI Payment Reconciliation - Schedule Report



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-24 EPI Payment Reconciliation - Schedule Report - Field Description

Field Name	Description
Report Name	Select the type of report to be generated.
Report Format	Select the format in which the report is to be generated. The options with Internal Reporting Application are: • **PDF** • **CSV**
Select Frequency	Select the frequency at which the report is to be generated. The options are: • **Once** • **Daily** • **Weekly** • **Monthly**
Start Generating	Date from which the report is to be generated as per the frequency defined.
Stop Generating	Date till which the report is to be generated as per the frequency defined.
Merchant Code	The unique code assigned to a specific merchant by the Bank.
View Scheduled Reports	Link to view all the reports that are scheduled.

4. From the **Report Format** list, select the format in which the report is to be generated.
5. From the **Select Frequency** list, select the appropriate option.
6. From the **Start Generating** and **Stop Generating** list, select the appropriate duration.
7. In the **Merchant Code** field, enter the merchant's code for whom the report to be generated.

Copyright © 2006, 2026, Oracle and/or its affiliates.

8. Perform anyone of the following actions:
   - Click **Schedule Report** to generate and view the report.
   - Click the **View Scheduled Reports** link to view all the scheduled reports.

     The **Scheduled Reports** screen appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to reset the search parameters.
9. Perform anyone of the following actions:
   - The success message along with the reference number, status and **Report Request Id** appears. Click **Ok** to close the screen and navigate to the dashboard.
   - Click on the **View Reports** link to download the report.

     The user is directed to the **My Reports** screen. The list of reports appears.
   - Click **Schedule another Report** to generate another report.
10. In the **My Reports** screen, click on desired **Report Sub ID** to view and download the generated report.

    A report will be generated in the format specified at the time of scheduling or generating an adhoc report.

> **Note**
>
> You can also download the requested report from **Administrator Dashboard**, click **Toggle Menu**, then click **Reports** and then click **My Reports**, In the **My Reports** screen, click **Scheduled Reports**.

67.9 FATCA & CRS Declaration Report

This topic describes the information about **FATCA & CRS Declaration Report** option.

The FATCA & CRS Declaration report contains details related to the information submitted by the users in the forms along with information pertaining to the date and time at which each form was submitted. The administrator can generate separate reports for the FATCA & CRS Self-Certification form for Individuals and the FATCA & CRS Self-Certification form for Entities.

The generation of both Adhoc and Scheduled FATCA & CRS Declaration reports are supported. These reports can be generated in CSV format.

Navigation Path: Perform the following navigation to access the **Report Generation**.

From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Reports**. Under **Reports** , click **Report Generation**.

- FATCA & CRS Declaration - Adhoc Report
  This topic describes the systematic instruction to **FATCA & CRS Declaration - Adhoc Report** option.
- FATCA & CRS Declaration - Schedule Reports
  This topic describes the systematic instruction to **FATCA & CRS Declaration - Schedule Reports** option.

Copyright © 2006, 2026, Oracle and/or its affiliates.

67.9.1 FATCA & CRS Declaration - Adhoc Report

This topic describes the systematic instruction to **FATCA & CRS Declaration - Adhoc Report** option.

Adhoc reports are generated on demand or on request.
To generate the FATCA & CRS Declaration Adhoc report:

1. Navigate to the above path.


   The **Report Generation** screen appears.

2. Click the **Adhoc** tab.

3. From the **Report Name** list, select the appropriate report to be generated.

   The respective report generation screen appears.

Figure 67-26 FATCA & CRS Declaration - Adhoc Report



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-25 FATCA & CRS Declaration - Adhoc Report - Field Description

Field Name	Description
Report Name	Select the type of report to be generated.
Report Format	Select the format in which the report is to be generated. The FATCA & CRS Declaration report can be generated in format CSV only.
Generate By	Specify whether the report is to be generated on the basis of party ID or form type as Individual or Entity. The options are: • **Party ID** • **Form Type**

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-25 (Cont.) FATCA & CRS Declaration - Adhoc Report - Field Description

Field Name	Description
Enter Party ID	Specify the party ID of the user for whom report is to be generated. This field appears if you have selected Party ID in the Generate By field.
Form Type	Select whether you want to generate the report for the FATCA & CRS forms of entities or individuals. The options are: • **FATCA & CRS** - Entity • **FATCA & CRS** - Individual This field appears if you have selected Form Type in the Generate By field.
Duration	Specify the period for which the report is to be generated. • **From** – The date from which you want to generate the report. • **To** – The date until which you want to generate the report.

4. From the **Report Format** list, select the format in which the report is to be generated.
5. In the **Generate By** field, select the option of choice.
   a. If you have selected the option **Party ID**, enter the **party ID** of the user for whom the report is to be generated in the Enter **Party ID** field.
   b. If you have selected the option **Form Type**, select the required form type from the **Form Type** list.

      From the **Duration - From and Duration - To** list, select the desired duration.
6. Perform anyone of the following actions:
   - Click **Generate Report** to generate the report.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to reset the search parameters.
7. Perform anyone of the following actions:
   - The success message along with the reference number, status and **Report Request Id** appears. Click **Ok** to close the screen and navigate to the dashboard.
   - Click on the **View Reports** link to download the report.


     The user is directed to the **My Reports** screen. The list of reports appears.
   - Click **Generate another report** to generate another report.
8. In the **My Reports** screen, click on desired **Report Sub ID** to view and download the generated report.

   A report will be generated in the format specified at the time of scheduling or generating an adhoc report.

> **Note**
>
> You can also download the requested report from **Administrator Dashboard**, click **Toggle Menu**, then click **Reports** and then click **My Reports**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 67-27 For reference, a specimen of the report generated is given below:



FATCA & CRS Declaration Report

Form Type	INDIVIDUAL	Duration	01-06-2016 - 05-06-2018

FATCA Submiss	Mode of Submiss	Party Id	Party Name	Form Submitte d by User ID	User Name	Address Type	Address Line 1	Address Line 2	City	State	Country	Zip Code	Mailing Address Line 1	Mailing Address Line 2	Mailing Address City	Mailing Address State	Mailing Address Country	Mailing Address Zip Code	Nationalit y	Country of Birth	City/Place of Birth	Identificat ion Type	Identificat ion Number	Father's Name	Spouse's Name	Occupatio n	Gro Ann incc
42877.27218	Branch	***662	OFFSET LOANS CA	FCRTEST	OFFSET LO/	Permanent	Algrove Pla	ABC Layout	London	United King	United King	KO 32 193	Algrove Pla	ABC Layout	London	United King	United King	KO 32 193	Australian	Australia	Melbourne	Passport	AU129284	John Brady	Angelina	Business	1
43133.93274	Branch	***123	Tom Brady	TOM123	Tom Brady	Permanent	A12 - Borde	Brecon Bea	Brecon	Wales	United King	RJ 12 990	A12 - Borde	Brecon Bea	Brecon	Wales	United King	RJ 12 990	British	Great Britic	Cardiff	Driving Lic	WA1245	John Brady		Service	1
43109.5008	Online	***123	Chris Hemsworth	CHR779	Chris Hems	Work Addr	Algrove Place	22A	London	United King	United King	KO 32 193	Algrove Place	22A	London	United King	United King	KO 32 193	Australian	Australia	Melbourne	Passport	AU129284399			Business	5
43143.40625	Online	***5123	Mark Wahlberg	MM333	Mark Wahl	Current Res	ABC Layout		London	United King	United King	A8 01 220	ABC Layout		London	United King	United King	A8 01 220	Italian	United Stat	California	Driving Lic	KC4564			Others	

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-26 FATCA & CRS Declaration report - Field Description

Field Name	Description
FATCA & CRS Declaration report for Individuals	**The following four fields comprise of the criteria on the basis of which the report has been generated.**
Party ID	The party ID of the user who has submitted the form. This field is displayed only if at the time of report generation, the administrator chose to generate the report by specifying a party ID.
Form Type	The type of FATCA & CRS form for which the report is being generated. The form types are: • **Entity** • **Individual**
Duration	The period for which the report is generated. This field is displayed only if at the time of report generation, the administrator chose to generate the report on the basis of form type.
FATCA Submission Date & Time	The date at time at which the form was submitted by the user.
Mode of Submission	The mode through which the form was submitted e.g. online, branch.
Party ID	The party ID of the user who submitted the form.
Party Name	The party name of the user who submitted the form.
Form Submitted by User ID	The user ID of the user who has filled and submitted the FATCA and CRS form.
User Name	The name of the user who has filled and submitted the FATCA and CRS form.
Address Line 1-2	The address details of the user, as entered in the form.
City	The name of the city, as entered in the form.
State	The state, as entered in the form.
Country	The country, as entered in the form.
Zip Code	The zip code of the user, as entered in the form.
Mailing Address Line 1-2	The mailing address of the user, as entered in the form.
Mailing Address City	The city of the user's mailing address, as entered in the form.
Mailing Address State	The state of the user's mailing address, as entered in the form.
Mailing Address Country	The country of the mailing address of the user.
Mailing Address Zip Code	The zip code of the mailing address of the user.


Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-26 (Cont.) FATCA & CRS Declaration report - Field Description

Field Name	Description
Nationality	The nationality of the user, as entered in the form.
Country of Birth	The country of birth of the user, as entered in the form.
City/ Place of Birth	The city of birth of the user, as entered in the form.
Identification Type	The identification document that serves as proof of identity.
Identification Number	The identification number corresponding to the identification type.
Father's Name	The name of the user's father, as entered in the form.
Spouse's Name	The name of the user's spouse, as entered in the form.
Occupation	The employment type of the user, as entered in the form. The occupation type could be any of the following: • **Service** • **Business** • **Others**
Gross Annual Income	The gross annual income that the user enters, as entered in the form.
Politically Exposed Person(PEP) Status	The political status of the user.
Was the Entity established in a country other than <country name>?	The value in this field will identify whether the entity was established in the country in which the bank accounts are held. This field is applicable to sole proprietors only.
Are you a tax resident of any country other than <country name>?	Whether the user is a tax resident of any country other than the country in which the bank accounts are held.
Country of Tax Residence	The name of the country in which the user is a tax resident. A value will be displayed against this field only if the value against the field **Are you a tax resident of any country other than <country name>** is **Yes**.
TIN Available	Whether the user's taxpayer identification number of the country in which he is a tax resident, is available or not. A value will be displayed against this field only if the value against the field **Are you a tax resident of any country other than <country name>** is **Yes**.
Tax Identification Type	The tax identification type of the user. A value will be displayed against this field only if the value against the field **Are you a tax resident of any country other than <country name>** is **Yes** and if the value displayed against **TIN Available** is **Yes**.
TIN / TIN Equivalent	The user's taxpayer identification number or equivalent. A value will be displayed against this field only if the value against the field **Are you a tax resident of any country other than <country name>** is **Yes** and if the value displayed against **TIN Available** is **Yes**.
Reason for Non Availability	The reason for which the user's taxpayer identification number is not available. The user's taxpayer identification number or equivalent. A value will be displayed against this field only if the value against the field **Are you a tax resident of any country other than <country name>** is **Yes** and if the value displayed against **TIN Available** is **No**.
Are you a citizen of United States of America	Whether the user has a citizenship of the United States of America.
Do you meet the Substantial Presence Test?	Whether the user meets the Substantial Presence Test criteria.
Do you have a green card?	Whether the user holds a United States green card.

For reference, a specimen of the report generated for FATCA & CRS forms for Entities is displayed below:

Copyright © 2006, 2026, Oracle and/or its affiliates.



FATCA & CRS Declaration Report

Form Type	ENTITY	Duration	01-06-2016 - 08-06-2018																								
FATCA Submission Date & Time	Mode of Submission	Party Id	Party Name	Form Submitted by User ID	User Name	Capacity	Address Line 1	Address Line 2	City	State	Country	Zip Code	Mailing Address Line 1	Mailing Address Line 2	Mailing Address City	Mailing Address State	Mailing Address Country	Mailing Address Zip Code	Country of Incorporation or Organization	Is the entity a tax resident of any country other than Domestic Country?	Country of Tax Residence 1	TIN Available?	TIN Type	TIN/TIN Equivalent	Reason for Non Availability	Country of Tax Residence 2	TIN Available?
42877.27569	Branch	***662	OFFSET LC	FCRTEST	FCRTEST	AUS	Algrove P	ABC Layo	London	United Ki	United Ki	KO 32 193	Algrove P	ABC Layo	London	United Ki	United Ki	KO 32 193	United St	No		No					No
43133.93264	Online	***123	ABC Inc.	TOM123	TOM123	AUS	A12 - Bore	Brecon Be	Brecon	Wales	United Ki	RJ 12 990	A12 - Bore	Brecon Be	Brecon	Wales	United Ki	RJ 12 990	Great Brit	No		No					No
43109.50069	Branch	***124	Pizza Hig	CHR779	CHR779	AUS	Algrove P	Place 22A	London	United Ki	United Ki	KO 32 193	Algrove P	Place 22A	London	United Ki	United Ki	KO 32 193	Australia	No		No					No
43143.40625	Branch	***9903	Taco Tues	MM333	MM333	SOW	ABC Layout		London	United Ki	United Ki	AB 01 220	ABC Layout		London	United Ki	United Ki	AB 01 220	United St	Yes	United St	Yes	SSN	771-09-1293		India	No

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-27 Field Description

Field Name	Description
FATCA & CRS Declaration report for Entity	**The following four fields comprise of the criteria on the basis of which the report has been generated.**
Party ID	The party ID of the user who has submitted the form. This field is displayed only if at the time of report generation, the administrator chose to generate the report by specifying a party ID.
Form Type	The type of FATCA & CRS form for which the report is being generated. The form types are: • **Entity** • **Individual**
Duration	The period for which the report is generated. This field is displayed only if at the time of report generation, the administrator chose to generate the report on the basis of form type.
FATCA Submission Date & Time	The date at time at which the form was submitted by the user.
Mode of Submission	The mode through which the form was submitted e.g. online, branch.
Party ID	The party ID of the organization on behalf of which the form was submitted.
Party Name	The party name of the organization on behalf of which the form was submitted.
Form Submitted by User ID	The user id of the user who has filled and submitted the FATCA and CRS form on the behalf of the organization.
User Name	The name of the user who has filled and submitted the FATCA and CRS form on behalf of the organization.
Capacity	The capacity in which the user has submitted the form on behalf of the organization. The values that can be displayed under this column are TRU for trustee, AUS for Authorized Signatory or SOW for Single Ownership.
Address Line 1-2	The address details of the organization.
City	The city name of the organization.
State	The state of the organization.
Country	The country of the organization.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-27 (Cont.) Field Description

Field Name	Description
Zip Code	The zip code of the organization.
Mailing Address Line 1-2	The mailing address of the organization.
Mailing Address City	The city of the mailing address of the organization.
Mailing Address State	The state of the of the organization's mailing address.
Mailing Address Country	The country of the mailing address of the organization.
Mailing Address Zip Code	The zip code of the mailing address of the organization.
Country of Incorporation or Organization	The country in which the organization was incorporated.
Is the Entity a tax resident of any country other than <country name>?	Whether the entity is a tax resident of country other than country in which the entity's accounts are held within the bank.
Country of Tax Residence	The name of the country in which the organization is a tax resident. A value will be displayed against this field only if the value against the field **Is the Entity a tax resident of any country other than <country name>?** is **Yes**.
TIN Available	Whether the organization's taxpayer identification number of the country of which it is a tax resident, is available or not. A value will be displayed against this field only if the value against the field **Is the Entity a tax resident of any country other than <country name>?** is **Yes**.
Tax Identification Type	The tax identification type of the organization. A value will be displayed against this field only if the value against the field **Is the Entity a tax resident of any country other than <country name>?** is **Yes** and if the value displayed against **TIN Available** is **Yes**.
TIN / TIN Equivalent	The taxpayer identification number or equivalent. A value will be displayed against this field only if the value against the field **Is the Entity a tax resident of any country other than <country name>?** is **Yes** and if the value displayed against **TIN Available** is **Yes**.
Reason for Non Availability	The reason for which the entity's taxpayer identification number is not available. A value will be displayed against this field only if the value against the field **Is the Entity a tax resident of any country other than <country name>?** is **Yes** and if the value displayed against **TIN Available** is **No**.
Entity incorporated in the United States of America?	Whether the entity was incorporated in the United States of America or not.
Entity has any ultimate beneficial owners who are tax residents of countries other than <country name>?	Whether any of the beneficial owners including the controlling persons of the entity/ organization is a tax resident of any country other than the country in which the entity's accounts are held within the bank.
Entity Category	The category to which the entity belongs. The categories are: Financial Institution and Non- Financial Institution.
An Investment Entity located in a Non-Participating Jurisdiction and managed by another Financial Institution	Whether the entity is an investment entity located in a Non-Participating Jurisdiction and managed by another Financial Institution. The value against this field will be Yes or No if the entity is a Financial Institution and an Investment Entity. If the entity is a non-financial institution or a financial institution that is a Depository Institution, Custodial Institution or Specified Insurance Company the value will be NA.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-27 (Cont.) Field Description

Field Name	Description
Other Investment Entity	Whether the entity is a type of investment entity that is different from that of an investment entity located in a Non-Participating Jurisdiction and managed by another Financial Institution. The value against this field will be Yes or No if the entity is a Financial Institution and an Investment Entity. If the entity is a non-financial institution or a financial institution that is a Depository Institution, Custodial Institution or Specified Insurance Company the value will be NA.
Depository Institution, Custodial Institution or Specified Insurance Company	Whether the entity is a depository institution, custodial institution or an insurance company. The value against this field will be Yes or No if the entity is a Financial Institution. If the entity is a non-financial institution, the value will be NA.
GIIN Available	Whether the entity's Global Intermediary Identification Number, is available or not. The value against this field will be Yes or No if the entity is a Financial Institution. If the entity is a non-financial institution, the value will be NA.
GIIN	The entity's Global Intermediary Identification Number. The value against this field will be defined if the entity is a Financial Institution and if the value against GIIN Available is Yes. If the entity is a non-financial institution, the value will be NA.
Reason for Non Availability	The reason for which the entity’s GIIN is not available. The value against this field will be defined if the entity is a Financial Institution and if the value against GIIN Available is No. If the entity is a non-financial institution, the value will be NA.
Active NFE - A corporation, the stock of which is regularly traded on an established securities market	Whether the entity is an active NFE and the entity’s stock is regularly traded on an established securities market. The value against this field will be Yes or No if the entity is an Active Non-Financial Institution. If the entity is a financial institution, the value will be NA.
Name of the established securities market on which the corporation is regularly traded	The name of securities market on which the entity trades regularly. The value against this field will be defined if the entity is an Active Non-Financial Institution and is a corporation, the stock of which is regularly traded on an established securities market. The value displayed against this field will be NA if the entity is a financial institution or is any type of non-financial institution other than Active NFE – whose the stock of which is regularly traded on an established securities market.
Active NFE - Entity is related to a corporation whose stock is regularly traded on an established securities market	Whether the entity is an active non-financial entity and is related to a corporation whose stock is regularly traded on an established securities market. The value against this field will be Yes or No if the entity is an Active Non-Financial Institution. If the entity is a financial institution, the value will be NA.
Name of the related corporation whose stock is traded	The name of securities market on which the entity’s stock is traded regularly. The value against this field will be defined if the entity is an Active Non-Financial Institution and is related to a corporation whose stock is regularly traded on an established securities market. The value displayed against this field will be NA if the entity is a financial institution or is any type of non-financial institution other than Active NFE and is related to a corporation whose stock is regularly traded on an established securities market.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-27 (Cont.) Field Description

Field Name	Description
Nature of relation	The relation that the entity has with the company whose stock is traded. The value against this field will be defined if the entity is an Active Non-Financial Institution and is related to a corporation whose stock is regularly traded on an established securities market. The value displayed against this field will be NA if the entity is a financial institution or is any type of non-financial institution other than Active NFE and is related to a corporation whose stock is regularly traded on an established securities market. The value displayed can be any one of the following: • **Subsidiary of the listed company** • **Controlled by a listed company** • **Common control as a listed company**
Name of the established securities market on which the stock of the related corporation is regularly traded	The name of security market in which the stock of the related corporation is traded regularly. The value against this field will be defined if the entity is an Active Non-Financial Institution and is related to a corporation whose stock is regularly traded on an established securities market. The value displayed against this field will be NA if the entity is a financial institution or is any type of non-financial institution other than Active NFE and is related to a corporation whose stock is regularly traded on an established securities market.
Active NFE - A Governmental Entity or Central Bank	Whether the entity is an active non-financial Governmental Entity or Central Bank. The value against this field will be Yes or No if the entity is an Active Non-Financial Institution. If the entity is a financial institution, the value will be NA.
Active NFE - An International Organization	Whether the entity is an active non-financial international organization. The value against this field will be Yes or No if the entity is an Active Non-Financial Institution. If the entity is a financial institution, the value will be NA.
Active NFE - Other - e.g. a start-up NFE or a non-profit NFE	Whether the entity is any other type of active non-financial organization e.g. a start-up NFE or a non-profit NFE. The value against this field will be Yes or No if the entity is an Active Non-Financial Institution. If the entity is a financial institution, the value will be NA.
Sub-Category of Active NFE	The sub-category of the active non- financial entity. The value against this field will be defined if the entity is an Active Non-Financial Institution and is either a government entity or central bank, an international organization or any other type of active NFE. If the entity is a financial institution, the value will be NA.
Passive Non-Financial Entity (NFE)	Specify Whether the entity is a passive non-financial entity. The value against this field will be Yes or No if the entity is a Non-Financial Institution. If the entity is a financial institution, the value will be NA.

67.9.2 FATCA & CRS Declaration - Schedule Reports

This topic describes the systematic instruction to **FATCA & CRS Declaration - Schedule Reports** option.

The reports that are generated in a specific time frame such as daily, weekly, monthly, quarterly, and annually are categorized under scheduled reports.
To generate the FATCA & CRS Declaration schedule report:

1. Navigate to the above path.

   The **Report Generation** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.


2. Click the **Schedule** tab.

   The **Scheduled Report Generation** screen appears.

3. From the **Report Name** list, select **FATCA & CRS Declaration Report** as the report to be generated.

   The respective report generation screen appears.

Figure 67-28 FATCA & CRS Declaration - Schedule Report



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-28 FATCA & CRS Declaration - Schedule Report - Field Description

Field Name	Description
Report Name	Select the type of report to be generated.
Report Format	Select the format in which the report is to be generated. The FATCA & CRS Declaration report can be generated in format CSV only.
Select Frequency	Select the frequency at which the report is to be generated. The options are: • **Once** • **Daily** • **Weekly** • **Monthly**
Start Generating	Date from which the report is to be generated as per frequency defined.
Stop Generating	Date till which the report is to be generated as per frequency defined.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-28 (Cont.) FATCA & CRS Declaration - Schedule Report - Field Description

Field Name	Description
Generate By	Specify whether the report is to be generated on the basis of party ID or form type as Individual or Entity. The options are: • **Party ID** • **Form Type**
Enter Party ID	Specify the party ID of the user for whom report is to be generated. This field appears if you have selected Party ID in the Generate By field.
Form Type	Select whether you want to generate the report for the FATCA & CRS forms of entities or individuals. The options are: • **FATCA & CRS** - Entity • **FATCA & CRS** - Individual This field appears if you have selected Form Type in the Generate By field.
Duration	Specify the period for which the report is to be generated. • **From** – The date from which you want to generate the report. • **To** – The date until which you want to generate the report.
View Scheduled Reports	Link to view all the reports that are scheduled.

4. From the **Report Format** list, select the format in which the report is to be generated.
5. From the **Select Frequency** list, select the appropriate option.
6. From the **Start Generating** and **Stop Generating** list, select the appropriate duration.
7. In the **Generate By** field, select the option of choice.
   a. If you have selected the option **Party ID**, enter the **party ID** of the user for whom the report is to be generated in the Enter **Party ID** field.
   b. If you have selected the option **Form Type**, select the required form type from the **Form Type** list.

      From the **Duration - From and Duration - To** list, select the desired duration.
8. Perform anyone of the following actions:
   - Click **Schedule Report** to generate and view the report.
   - Click the **View Scheduled Reports** link to view all the scheduled reports.

     The **Scheduled Reports** screen appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to reset the search parameters.
9. Perform anyone of the following actions:
   - The success message along with the reference number, status and **Report Request Id** appears. Click **Ok** to close the screen and navigate to the dashboard.
   - Click on the **View Reports** link to download the report.

     The user is directed to the **My Reports** screen. The list of reports appears.
   - Click **Schedule another Report** to generate another report.
10. In the **My Reports** screen, click on desired **Report Sub ID** to view and download the generated report.

Copyright © 2006, 2026, Oracle and/or its affiliates.

A report will be generated in the format specified at the time of scheduling or generating an adhoc report.

> **Note**
>
> You can also download the requested report from **Administrator Dashboard**, click **Toggle Menu**, then click **Reports** and then click **My Reports**, In the **My Reports** screen, click **Scheduled Reports**.

67.10 Approval Rule Report

This topic describes the systematic instruction to **Approval Rule Report** option. Approval Rule Report provides the list of rules and workflows belonging to a group corporate.

Administrator has to provide a party ID for which the Approval Rule Report is to be generated.

System Administrator has to select a format in which the report needs to be generated. This report can be generated only on an Adhoc basis and is not available under **Schedule** option.

1. Perform the below navigation to access **Report Generation**.
    - From **Administrator Dashboard**, click **Toggle Menu**, then click **Menu**, and then click **Reports**. Under **Reports**, click **Report Generation**.

    The **Report Generation** screen appears.

- Approval Rule Report - Adhoc Reports
  This topic describes the systematic instruction to **Approval Rule Report - Adhoc Reports** option.
- Approval Rules - Schedule Reports
  This topic describes the systematic instruction to **Approval Rules - Schedule Reports** option.
- Approval Rule Report - Adhoc Report
  This topic describes the systematic instruction to **Approval Rule Report - Adhoc Report** option.

67.10.1 Approval Rule Report - Adhoc Reports

This topic describes the systematic instruction to **Approval Rule Report - Adhoc Reports** option.

Approval Rule Adhoc reports are generated on demand or on request. Generated reports can be viewed using **My Reports** screen.

To generate the Approval Rule adhoc report:


1. Navigate to the above path.

    The **Report Generation** screen appears.
2. Click the **Adhoc** tab.
3. From the **Report Name** list, select the appropriate report to be generated.

    The respective report generation screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 67-29 Approval Rule - Adhoc Report



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-29 API Consumption - Adhoc Report - Field Description

Field Name	Description
Report Name	Select the type of report to be generated.
Report Format	Select the format in which the report is to be generated. The approval rule report can be generated in format CSV only.
Group Corporate ID	The Group Corporate ID of the user for whom report has been generated
Group Corporate Name	The Group Corporate Name of the user for whom report has been generated

4. From the **Report Format** list, select the appropriate report output format.
5. In the **Group Corporate ID** field, enter the Group Corporate ID
6. In the **Group Corporate Name** field, enter the Group Corporate name.

   - Click **Search** to search the Group corporate.

     The search result appears based on criteria.

     - Select the Group corporate ID.
     - Click **Clear** to reset the data entered.
7. Click **Generate Report** to generate the report.
   - Click **Cancel** to cancel the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Clear** to reset the search parameters.


8. The success message along with the reference number, status and **Report Request Id** appears.
   - Click **Ok** to close the screen and navigate to the dashboard.
   - Click on the **View Reports** link to download the report.

     The user is directed to the **My Reports** screen. The list of reports appears.
   - Click **Generate another report** to generate another report.
9. In the **My Reports** screen, click on desired **Report Sub ID** to view and download the generated report.

   A report will be generated in the format specified at the time of scheduling or generating an adhoc report.

> **Note**
>
> You can also download the requested report from **Administrator Dashboard**, click **Toggle Menu**, then click **Reports** and then click **My Reports**.

Figure 67-30 For reference, a specimen of the report generated is given below:



Report Date: 10 Sep 2022 13:08:07
Report Generated by: DAVID

Approval Report
Group Corporate ID 1000111
Group Corporate Nar TATA Corporation

Rule Type	Rule Code	Rule Desc	Rule/Wor	Initiator T	Party ID	Transactic	Accounts	Currency	From Amo	To Amoun	Approval I	Workflow	Workflow	Workflow	Levels in Workflow
Administr	R89	Rule 89	Approve	All Users	PTY67	Party Preference, Create Spend Category, Biller Mai					No				
Financial	R1	Rule1	Approve	User Grou	PTY1; PTY	All Transa	All Accour	USD	100	50000	Yes	Sequentia	WKFLW1	Workflow	Level 1 : Checker|User Group - USGRP1; Level 2 : Approver|User - USR2;
Financial	R3	Rule3	Release	User Grou	PTY1; PTY	Top Up,	xxxxxxxxx	GBP	50	75000	Yes	Parallel	WKFLW3	Workflow	Level 1 : Releaser|User Group - USGRP4;
Maintenar	R56	Rule 56	Release	User : USF	PTY51; PT	All Transactions					No				
Non Accou	R006	Rule 006	Approve	All Users	PTY59	Facility Amendment,		EUR	10	50000	No				
Non Accou	R30	Rule 30	Approve	User Grou	PTY003	Facility Amendment,		USD	200	1500	Yes	Parallel	WKFLW20	Workflow	Level 1 : Checker|User - USR03; Level 2 : Approver|User Group - USGRP400;
Non Accou	R102	Rule 102	Approve	User : USF	PTY93; PT	Initiate Transfer	LC,	SGD	1	300000	Yes	Parallel	WKFLW24	Workflow	Level 1 : Approver|User Group - USR89;
Non-Finan	R2	Rule2	Approve	User : USF	PTY4; PTY	All Transa	All Accounts				Yes	Sequentia	WKFLW2	Workflow	Level 1 : Checker|User - USR1; Level 2 : Checker|User Group - USGRP2; Level 3 : Approver|User Group - USGRP3;
Non-Finan	R4	Rule4	Release	User Grou	PTY2; PTY	Cheque Bo	xxxxxxxxx	5573; xxxxxxxxx	7493; xxxxxxxxx		No				

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-30 Approval Rules Reports - Field Description

Field Name	Description
Report Parameters	Information specified in below fields are related to report param

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-30 (Cont.) Approval Rules Reports - Field Description

Field Name	Description
	eters.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-30 (Cont.) Approval Rules Reports - Field Description

Field Name	Description
Group Corporate ID	The Group Corporate ID of the user for whom report has been enge

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-30 (Cont.) Approval Rules Reports - Field Description

Field Name	Description
	nerated

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-30 (Cont.) Approval Rules Reports - Field Description

Field Name	Description
Group Corporate Name	The Group Corporate Name of the user for whom report has been

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-30 (Cont.) Approval Rules Reports - Field Description

Field Name	Description
	generated

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-30 (Cont.) Approval Rules Reports - Field Description

Field Name	Description
Rule Type	Transaction rule type for which the approval rule is setup.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-30 (Cont.) Approval Rules Reports - Field Description

Field Name	Description
Rule Code	Approval rule code.
Rule Description	Approval rule description.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-30 (Cont.) Approval Rules Reports - Field Description

Field Name	Description
Rule/Workflow Applicable For	Username/groupname of the user maintained in a workflow at

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-30 (Cont.) Approval Rules Reports - Field Description

Field Name	Description
	level.
Initiator Type	Initiator type specified while creating a rule.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-30 (Cont.) Approval Rules Reports - Field Description

Field Name	Description
Party ID	Party ID of workflow.
Transactions	Transaction for which the rule is setup.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-30 (Cont.) Approval Rules Reports - Field Description

Field Name	Description
Accounts	Accounts for which the rule is setup.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-30 (Cont.) Approval Rules Reports - Field Description

Field Name	Description
Currency	Currency set for the rule.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-30 (Cont.) Approval Rules Reports - Field Description

Field Name	Description
From Amount	The minimum amount for the transaction allowed for the user.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-30 (Cont.) Approval Rules Reports - Field Description

Field Name	Description
To Amount	The maximum amount for the transactions allowed for the user.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-30 (Cont.) Approval Rules Reports - Field Description

Field Name	Description
Approval Required	Field displays whether approval is required or not for the set

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-30 (Cont.) Approval Rules Reports - Field Description

Field Name	Description
	condition.
Workflow Preference	The preference of the approval workflow.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-30 (Cont.) Approval Rules Reports - Field Description

Field Name	Description
Workflow Code	Code of the approval workflow.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-30 (Cont.) Approval Rules Reports - Field Description

Field Name	Description
Workflow Description	The approval workflow description.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-30 (Cont.) Approval Rules Reports - Field Description

Field Name	Description
Levels in Workflow	Approval levels for a user/user group.

67.10.2 Approval Rules - Schedule Reports

This topic describes the systematic instruction to **Approval Rules - Schedule Reports** option.

The reports that are generated in specific time frame such as daily, weekly, monthly, quarterly, and annually are categorized under scheduled reports.

To generate the Approval Rules schedule report:

1. Navigate to the above path.

   The **Report Generation** screen appears.

2. Click the **Schedule** tab.


   The **Scheduled Report Generation** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

3. From the **Report Name** list, select the appropriate report to be generated.

   The respective report generation screen appears.

Figure 67-31 Approval Rules - Schedule Report



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-31 Approval Rules - Schedule Report - Field Description

Field Name	Description
Report Name	Select the type of report to be generated.
Report Format	Select the format in which the report is to be generated. The approval rule report can be generated in format CSV only.
Select Frequency	Select the frequency at which the report is to be generated. The options are: • **Once** • **Daily** • **Weekly** • **Monthly**

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-31 (Cont.) Approval Rules - Schedule Report - Field Description

Field Name	Description
Start Generating	Date from which the report is to be generated as per the frequency defined.
Stop Generating	Date till which the report is to be generated as per the frequency defined.
Group Corporate ID	The Group Corporate ID of the user for whom report has been generated
Group Corporate Name	The Group Corporate Name of the user for whom report has been generated
View Scheduled Reports	Link to view all the reports that are scheduled.

4. From the **Report Format** list, select the appropriate report output format.
5. From the **Select Frequency** list, select the appropriate option.
6. From the **Start Generating** and **Stop Generating** list, select the appropriate duration.
7. In the **Group Corporate ID** field, enter the Group Corporate ID
8. In the **Group Corporate Name** field, enter the Group Corporate name.
   - Click **Search** to search the Group corporate.

     The search result appears based on criteria.
     - Select the Group corporate ID.
     - Click **Clear** to reset the data entered.
9. Click **Schedule Report** to generate and view the report.
   - Click the **View Scheduled Reports** link to view all the scheduled reports.

     The **Scheduled Reports** screen appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to reset the search parameters.
10. The success message along with the reference number, status and **Report Request Id** appears.
    - Click **Ok** to close the screen and navigate to the dashboard.
    - Click on the **View Reports** link to download the report.
    - The user is directed to the **My Reports** screen. The list of reports appears.
    - Click **Schedule another Report** to generate another report.
11. In the **My Reports** screen, click on desired **Report Sub ID** to view and download the generated report.

    A report will be generated in the format specified at the time of scheduling or generating an adhoc report.

> **Note**
>
> You can also download the requested report from **Administrator Dashboard**, click **Toggle Menu**, then click **Reports** and then click **My Reports**, In the **My Reports** screen, click **Scheduled Reports**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

67.11 File Identifier wise Party User Mapping Report

This topic describes the systematic instruction to **File Identifier wise Party User Mapping Report** option.

File Identifier wise Party User Mapping report provides the summary of user IDs mapped to each file identifiers under a specific party ID. Administrator has to provide a party ID for which the File identifier – user mapping request is to be generated.

Further, user has to select a format in which the report needs to be generated. The generation of both Adhoc and Scheduled reports are supported.

Navigation Path: Perform the following navigation to access the **Report Generation**.

From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Reports**. Under **Reports** , click **Report Generation**.

- File Identifier wise Party User Mapping - Adhoc Report
  This topic describes the systematic instruction to **File Identifier wise Party User Mapping - Adhoc Report** option.
- File Identifier wise Party User Mapping - Schedule Report
  This topic describes the systematic instruction to **File Identifier wise Party User Mapping - Schedule Report** option.

67.11.1 File Identifier wise Party User Mapping - Adhoc Report

This topic describes the systematic instruction to **File Identifier wise Party User Mapping - Adhoc Report** option.

File Identifier wise Party User Mapping Adhoc reports are generated on demand or on request. Generated reports can be viewed using **My Reports** screen.
To generate the File Identifier wise Party User Mapping adhoc report:


1. Navigate to the above path.

   The **Report Generation** screen appears.
2. Click the **Adhoc** tab.
3. From the **Report Name** list, select the appropriate report to be generated.

   The respective report generation screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 67-32 File Identifier wise Party User Mapping - Adhoc Report



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-32 File Identifier wise Party User Mapping - Adhoc Report - Field Description

Field Name	Description
Report Name	Select the type of report to be generated.
Report Format	Select the format in which the report is to be generated. The options with Internal Reporting Application are: • **PDF** • **CSV**
Party ID	The ID of party of whom the report is to be generated.

4. From the **Report Format** list, select the format in which the report is to be generated.
5. From the **Frequency** list, select the appropriate option to generate a frequency based report.
6. In the **Party ID** field, enter the party id.
7. Perform anyone of the following actions:
   - Click **Generate Report** to view and generate the report.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to reset the search parameters.
8. Perform anyone of the following actions:
   - The success message along with the reference number, status and **Report Request Id** appears. Click **Ok** to close the screen and navigate to the dashboard.
   - Click on the **View Reports** link to download the report.

     The user is directed to the **My Reports** screen. The list of reports appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.


- Click **Generate another report** to generate another report.

9. In the **My Reports** screen, click on desired **Report Sub ID** to view and download the generated report.

   A report will be generated in the format specified at the time of scheduling or generating an adhoc report.

> **Note**
>
> You can also download the requested report from **Administrator Dashboard**, click **Toggle Menu**, then click **Reports** and then click **My Reports**.

Figure 67-33 For reference, a specimen of the report generated is given below:



File Identifier wise Party User Mapping

Party Id: **001164** | Party Name: **Exxon Mobil**

futura bank

File Identifier Code:	MDMCDomABR	Transaction Type : Domestic Funds Transfer	Approval Type:	RECORD LEVEL
Sr No	User Name	User Id		
1	Corp Auth1	coprpauth1		
2	Corp Init1	corpinit1		
3	Auto Auth	rkautocorp		
4	Corp User1	rkcorpuser1		
5	Rahul Kamble	rkcorpadmin		

File Identifier Code:	MDMCINTABR	Transaction Type : Internal Funds Transfer	Approval Type:	RECORD LEVEL
Sr No	User Name	User Id		
1	Corp Init1	corpinit1		
2	Auto Auth	rkautocorp		
3	Corp User1	rkcorpuser1		

File Identifier Code:	MixePayee	Transaction Type : Mixed Payee	Approval Type:	RECORD LEVEL
Sr No	User Name	User Id		
1	Corp User1	rkcorpuser1		

File Identifier Code:	SDMCInternationalABF	Transaction Type : International Funds Transfer	Approval Type:	FILE LEVEL
Sr No	User Name	User Id		
1	Corp Init1	corpinit1		
2	Corp User1	rkcorpuser1		
3	Auto Auth	rkautocorp		

File Identifier Code:	SDMCMIXABFile	Transaction Type : Mixed Payments	Approval Type:	FILE LEVEL
Sr No	User Name	User Id		
1	Corp User1	rkcorpuser1		

1 Report generated by Suyog Initiator | 12 Oct 2017, 11:29

Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-33 File Identifier wise Party User Mappin - Field Description

Field Name	Description
Report Parameters	**Information specified in below fields are related to report parameters**.
Party ID	The party ID of whom the report is generated.
Party Name	The name of the party of whom the report is generated.
File Identifier Code	The file identifier code mapped to the users.
Transaction Type	The transaction type associated with the file identifier code.
Approval Type	Approval type for the file - either Record or File.
Sr No	Serial number of the records.
User Name	Name of the user to whom the file identifiers are mapped.
User ID	ID of the user.

67.11.2 File Identifier wise Party User Mapping - Schedule Report

This topic describes the systematic instruction to **File Identifier wise Party User Mapping - Schedule Report** option.

The reports that are generated in specific time frame such as daily, weekly, monthly, quarterly, and annually are categorized under scheduled reports.
To generate the File Identifier wise Party User Mapping scheduled report:

1. Navigate to the above path.

   The **Report Generation** screen appears.

2. Click the **Schedule** tab.


   The **Scheduled Report Generation** screen appears.

3. From the **Report Name** list, select the appropriate report to be generated.

   The respective report generation screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 67-34 File Identifier wise Party User Mapping - Schedule Report



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-34 File Identifier wise Party User Mapping - Schedule Report - Field Description

Field Name	Description
Report Name	Select the type of report to be generated.
Report Format	Select the format in which the report is to be generated The options with Internal Reporting Application are: • **PDF** • **CSV**
Select Frequency	Select the frequency at which the report is to be generated. The options are: • **Once** • **Daily** • **Weekly** • **Monthly**
Start Generating	Date from which the report is to be generated as per the frequency defined
Stop Generating	Date till which the report is to be generated as per the frequency defined.
Party ID	Party ID of whom the report is to be generated.
View Scheduled Reports	Link to view all the reports that are scheduled.

4. From the **Report Format** list, select the format in which the report is to be generated.
5. From the **Select Frequency** list, select the appropriate option.
6. From the **Start Generating** and **Stop Generating** list, select the appropriate duration.
7. In the **Party ID** field, enter the party ID.

Copyright © 2006, 2026, Oracle and/or its affiliates.

8. From the **Duration - From and Duration - To** list, select the appropriate duration.
9. Perform anyone of the following actions:
   - Click **Schedule Report** to generate and view the report.
   - Click the **View Scheduled Reports** link to view all the scheduled reports.

     The **Scheduled Reports** screen appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to reset the search parameters.
10. Perform anyone of the following actions:
    - The success message along with the reference number, status and **Report Request Id** appears. Click **Ok** to close the screen and navigate to the dashboard.
    - Click on the **View Reports** link to download the report.

      The user is directed to the **My Reports** screen. The list of reports appears.
    - Click **Schedule another Report** to generate another report.
11. In the **My Reports** screen, click on desired **Report Sub ID** to view and download the generated report.

    A report will be generated in the format specified at the time of scheduling or generating an adhoc report.

> **Note**
>
> You can also download the requested report from **Administrator Dashboard**, click **Toggle Menu**, then click **Reports** and then click **My Reports**, In the **My Reports** screen, click **Scheduled Reports**.

67.12 Party User wise File Identifiers Mapping Report

This topic describes the information about **Party User wise File Identifiers Mapping Report** option.

Party User wise File Identifiers Mapping Report provides a summary of file identifiers mapped to each user of a specific party. Administrator has to provide a party ID for which the Party User wise File Identifiers Mapping Report is to be generated. Further, user has to select a format in which the report needs to be generated.

The generation of both Adhoc and Scheduled reports are supported.

Navigation Path: Perform the following navigation to access the **Report Generation**.

From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Reports**. Under **Reports** , click **Report Generation**.

- Party User wise File Identifiers Mapping - Adhoc Report
  This topic describes the systematic instruction to **Party User wise File Identifiers Mapping - Adhoc Report** option.
- Party User wise File Identifiers Mapping - Schedule Reports
  This topic describes the systematic instruction to **Party User wise File Identifiers Mapping - Schedule Reports** option.

Copyright © 2006, 2026, Oracle and/or its affiliates.

67.12.1 Party User wise File Identifiers Mapping - Adhoc Report

This topic describes the systematic instruction to **Party User wise File Identifiers Mapping - Adhoc Report** option.


Party User wise File Identifiers Mapping Adhoc reports are generated on demand or on request. Generated reports can be viewed using **My Reports** screen.
To generate the Party User wise File Identifiers Mapping adhoc report:

1. Navigate to the above path.

   The **Report Generation** screen appears.
2. Click the **Adhoc** tab.
3. From the **Report Name** list, select the appropriate report to be generated.

   The respective report generation screen appears.

Figure 67-35 Party User wise File Identifiers Mapping - Adhoc Reports



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-35 Party User wise File Identifiers Mapping - Adhoc Reports - Field Description

Field Name	Description
Report Name	Select the type of report to be generated.
Report Format	Select the format in which the report is to be generated.. The options with Internal Reporting Application are: • **PDF** • **CSV**
Party ID	Party ID for which the report is to be generated.

Copyright © 2006, 2026, Oracle and/or its affiliates.


4. From the **Report Format** list, select the format in which the report is to be generated.
5. In the **Party ID** field, enter the party id.
6. Perform anyone of the following actions:
   - Click **Generate Report** to generate the report.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to reset the search parameters.
7. Perform anyone of the following actions:
   - The success message along with the reference number, status and **Report Request Id** appears. Click **Ok** to close the screen and navigate to the dashboard.
   - Click on the **View Reports** link to download the report.
   - The user is directed to the **My Reports** screen. The list of reports appears.
   - Click **Generate another report** to generate another report.
8. In the **My Reports** screen, click on desired **Report Sub ID** to view and download the generated report.

   A report will be generated in the format specified at the time of scheduling or generating an adhoc report.

> **Note**
>
> You can also download the requested report from **Administrator Dashboard**, click **Toggle Menu**, then click **Reports** and then click **My Reports**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 67-36 For reference, a specimen of the report generated is given below:



Party User wise File Identifiers Mapping

Party Id : **001164** | Party Name : **Exxon Mobil**

futura bank

User Name : **Corp User1** User Id : **rkcorpuser1**

File Identifier Code	Description	File Type	Transaction Type	Accounting Type	Approval Type	File Template	Format Type
MDMCDomABR	MDMC Domestic Adhoc Bene Record Level	DELIMITED	Domestic Funds Transfer	MDMC	RECORD level	DomesticFTMDMC	CSV
MDMCINTABR	MDMC Internal Adhoc Bene Record Level	DELIMITED	Internal Funds Transfer	MDMC	RECORD level	InternalFTMDMC	CSV
MixePayee	Mixed Payee Upload	DELIMITED	Mixed Payee	SDSC	RECORD level	MixedPayee	CSV
SDMCINTABF	SDMC Internal Adhoc Bene File Level	DELIMITED	Internal Funds Transfer	SDMC	FILE level	InternalFTSDMC	CSV
SDMCInternationalABF	SDMC International Adhoc Bene File Level	DELIMITED	International Funds Transfer	SDMC	FILE level	InternationalFTSDMC	CSV
SDMCMIXABFile	SDMC Mix Adhoc Bene File Level	DELIMITED	Mixed Payments	SDMC	FILE level	InternalDomSDMC	CSV
SDSCINABFileLevel	SDSC Internal Adhoc Bene File Level	DELIMITED	Internal Funds Transfer	SDSC	FILE level	InternalFT	CSV
SDSCInternalAR	SDSC Internal Adhoc Bene Record Level	DELIMITED	Internal Funds Transfer	SDSC	RECORD level	InternalFT	CSV

User Name : **Auto Auth** User Id : **rkautocorp**

File Identifier Code	Description	File Type	Transaction Type	Accounting Type	Approval Type	File Template	Format Type
MDMCDomABR	MDMC Domestic Adhoc Bene Record Level	DELIMITED	Domestic Funds Transfer	MDMC	RECORD level	DomesticFTMDMC	CSV
MDMCINTABR	MDMC Internal Adhoc Bene Record Level	DELIMITED	Internal Funds Transfer	MDMC	RECORD level	InternalFTMDMC	CSV
SDMCINTABF	SDMC Internal Adhoc Bene File Level	DELIMITED	Internal Funds Transfer	SDMC	FILE level	InternalFTSDMC	CSV
SDMCInternationalABF	SDMC International Adhoc Bene File Level	DELIMITED	International Funds Transfer	SDMC	FILE level	InternationalFTSDMC	CSV
SDSCINABFileLevel	SDSC Internal Adhoc Bene File Level	DELIMITED	Internal Funds Transfer	SDSC	FILE level	InternalFT	CSV
SDSCInternalAR	SDSC Internal Adhoc Bene Record Level	DELIMITED	Internal Funds Transfer	SDSC	RECORD level	InternalFT	CSV
SDSCMixFile	SDSCMixFile	DELIMITED	Mixed Payments	SDSC	FILE level	InternalIntlDomSDSC	CSV

User Name : **Rahul Kamble** User Id : **rkcorpadmin**

1 Report generated by Suyog Initiator | 27 Oct 2017, 07:43

Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-36 Party User wise File Identifiers Mapping - Field Description

Field Name	Description
Report Parameters	**Information specified in below fields are related to report parameters**.
Party ID	The party ID for which the report is generated.
Party Name	The name of the party for which the report is generated.
User Name	Name of the users to whom the file identifiers are mapped.
User ID	ID of the user
File Identifier Code	The file identifier code mapped to the users.
Description	Description of the file identifier mapped to the user.
File Type	File type of the file identifier mapped to the user.
Transaction Type	Transaction type of the file identifier mapped to the user
Accounting Type	The accounting type of the file identifier mapped to the user.
Approval Type	Approval type of the file identifier mapped to the user
File Template	File template of the file identifier mapped to the user.
Format Type	Format type of the file identifier mapped to the user.

67.12.2 Party User wise File Identifiers Mapping - Schedule Reports

This topic describes the systematic instruction to **Party User wise File Identifiers Mapping - Schedule Reports** option.

The reports that are generated in specific time frame such as daily, weekly, monthly, quarterly, and annually are categorized under scheduled reports.
To generate the Party User wise File Identifiers Mapping schedule report:


1. Navigate to the above path.

   The **Report Generation** screen appears.
2. Click the **Schedule** tab.
3. From the **Report Name** list, select the appropriate report to be generated.

   The respective report generation screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 67-37 Party User wise File Identifiers Mapping – Schedule Report



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-37 Party User wise File Identifiers Mapping – Schedule Report - Field Description

Field Name	Description
Report Name	Select the type of report to be generated.
Report Format	Select the format in which the report is to be generated. The options with Internal Reporting Application are: • **PDF** • **CSV**
Select Frequency	Select the frequency at which the report is to be generated. The options are: • **Once** • **Daily** • **Weekly** • **Monthly**
Start Generating	Date from which the report is to be generated as per the frequency defined.
Stop Generating	Date till which the report is to be generated as per the frequency defined.
Party ID	The party ID for which the report is to be generated.
View Scheduled Reports	Link to view all the reports that are scheduled.

4. From the **Report Format** list, select the format in which the report is to be generated.
5. From the **Select Frequency** list, select the appropriate option.
6. From the **Start Generating** and **Stop Generating** list, select the appropriate duration.
7. In the **Party ID** field, enter the party ID.

Copyright © 2006, 2026, Oracle and/or its affiliates.

8. Perform anyone of the following actions:
   - Click **Schedule Report** to generate and view the report.
   - Click the **View Scheduled Reports** link to view all the scheduled reports.

     The **Scheduled Reports** screen appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to reset the search parameters.
9. Perform anyone of the following actions:
   - The success message along with the reference number, status and **Report Request Id** appears. Click **Ok** to close the screen and navigate to the dashboard.
   - Click on the **View Reports** link to download the report.

     The user is directed to the **My Reports** screen. The list of reports appears.
   - Click **Schedule another Report** to generate another report.
10. In the **My Reports** screen, click on desired **Report Sub ID** to view and download the generated report.

    A report will be generated in the format specified at the time of scheduling or generating an adhoc report.

> **Note**
>
> You can also download the requested report from **Administrator Dashboard**, click **Toggle Menu**, then click **Reports** and then click **My Reports**, In the **My Reports** screen, click **Scheduled Reports**.

67.13 Party wise File Identifiers Mapping Report

This topic describes the systematic instruction to **Party wise Approval Rule - Adhoc Report** option.

Party wise file identifier mapping report provides summary of file identifiers mapped to a specific party ID. Administrator has to provide a party ID for which Party wise file identifier mapping report is to be generated.

Further, user has to select a format in which the report needs to be generated.

The generation of both Adhoc and Scheduled reports are supported.

Navigation Path: Perform the following navigation to access the **Report Generation**.

From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Reports**. Under **Reports** , click **Report Generation**.

- Party wise File Identifiers Mapping - Adhoc Report
  This topic describes the systematic instruction to **Party wise File Identifiers Mapping - Adhoc Report** option.
- Party wise File Identifiers Mapping - Schedule Reports
  This topic describes the systematic instruction to **Party wise File Identifiers Mapping - Schedule Reports** option.

Copyright © 2006, 2026, Oracle and/or its affiliates.

67.13.1 Party wise File Identifiers Mapping - Adhoc Report

This topic describes the systematic instruction to **Party wise File Identifiers Mapping - Adhoc Report** option.

Party wise File Identifiers Mapping Adhoc reports are generated on demand or on request. Generated reports can be viewed using **My Reports** screen.
To generate the Party wise File Identifiers Mapping adhoc report:


1. Navigate to the above path.

   The **Report Generation** screen appears.

2. Click the **Adhoc** tab.
3. From the **Report Name** list, select the appropriate report to be generated.

   The respective report generation screen appears.

Figure 67-38 Party wise File Identifiers Mapping - Adhoc Report



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-38 Party wise File Identifiers Mapping - Adhoc Report - Field Description

Field Name	Description
Report Name	Select the type of report to be generated.
Report Format	Select the format in which the report is to be generated.. The options with Internal Reporting Application are: • **PDF** • **CSV**
Party ID	Party ID of whom the report is to be generated.

4. From the **Report Format** list, select the format in which the report is to be generated.

Copyright © 2006, 2026, Oracle and/or its affiliates.

5. In the **Party ID** field, enter the party id.
6. Perform anyone of the following actions:
   - Click **Generate Report** to generate the report.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to reset the search parameters.
7. Perform anyone of the following actions:
   - The success message along with the reference number, status and **Report Request Id** appears. Click **Ok** to close the screen and navigate to the dashboard.
   - Click on the **View Reports** link to download the report.

     The user is directed to the **My Reports** screen. The list of reports appears.
   - Click **Generate another report** to generate another report.
8. In the **My Reports** screen, click on desired **Report Sub ID** to view and download the generated report.

   A report will be generated in the format specified at the time of scheduling or generating an adhoc report.

> **Note**
>
> You can also download the requested report from **Administrator Dashboard**, click **Toggle Menu**, then click **Reports** and then click **My Reports**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 67-39 For reference, a specimen of the report generated is given below:



Party wise File Identifiers Mapping

Party Id : **001164** | Party Name : **Exxon Mobil**

futura bank

Sr No	File Identifier Code	Description	File Type	Transaction Type	Accounting Type	Approval Type	File Template	Format Type
1	MDMCDomABR	MDMC Domestic Adhoc Bene Record Level	DELIMITED	Domestic Funds Transfer	MDMC	RECORD LEVEL	DomesticFTMDMC	CSV
2	MDMCINTABR	MDMC Internal Adhoc Bene Record Level	DELIMITED	Internal Funds Transfer	MDMC	RECORD LEVEL	InternalFTMDMC	CSV
3	MixePayee	Mixed Payee Upload	DELIMITED	Mixed Payee	SDSC	RECORD LEVEL	MixedPayee	CSV
4	SDMCINTABF	SDMC Internal Adhoc Bene File Level	DELIMITED	Internal Funds Transfer	SDMC	FILE LEVEL	InternalFTSDMC	CSV
5	SDMCInternationalABF	SDMC International Adhoc Bene File Level	DELIMITED	International Funds Transfer	SDMC	FILE LEVEL	InternationalFTSDMC	CSV
6	SDMCMIXABFile	SDMC Mix Adhoc Bene File Level	DELIMITED	Mixed Payments	SDMC	FILE LEVEL	InternalDomSDMC	CSV
7	SDSCINABFile Level	SDSC Internal Adhoc Bene File Level	DELIMITED	Internal Funds Transfer	SDSC	FILE LEVEL	InternalFT	CSV
8	SDSCInternalAR	SDSC Internal Adhoc Bene Record Level	DELIMITED	Internal Funds Transfer	SDSC	RECORD LEVEL	InternalFT	CSV
9	SDSCMixFile	SDSCMixFile	DELIMITED	Mixed Payments	SDSC	FILE LEVEL	InternalIntlDomSDSC	CSV

1 Report generated by Mustufa Gari | 27 Oct 2017, 06:37

> **Note**
>
> The fields which are marked as Required are mandatory.

Copyright © 2006, 2026, Oracle and/or its affiliates.

For more information on fields, refer to the field description table.

Table 67-39 Party wise File Identifiers Mapping - Field Description

Field Name	Description
Report Parameters	**Information specified in below fields are related to report parameters**.
Party ID	Party ID of whom the report is generated.
Party Name	Party name of whom the report is generated.
Sr No	Serial number of the records.
File Identifier Code	The file identifier codes mapped to the specific party.
Description	Description of file identifiers mapped to the party.
File Type	File type of file identifiers mapped to the party.
Transaction Type	Transaction type of file identifiers mapped to the party.
Accounting Type	The accounting type of file identifiers mapped to the party.
Approval Type	Approval type of file identifiers mapped to the party.
File Template	File template of file identifiers mapped to the party.
Format Type	Format type of file identifiers mapped to the party.

67.13.2 Party wise File Identifiers Mapping - Schedule Reports

This topic describes the systematic instruction to **Party wise File Identifiers Mapping - Schedule Reports** option.

The reports that are generated in specific time frame such as daily, weekly, monthly, quarterly, and annually are categorized under scheduled reports.
To generate the Party wise File Identifiers Mapping schedule report:


1. Navigate to the above path.

   The **Report Generation** screen appears.

2. Click the **Schedule** tab.
3. From the **Report Name** list, select the appropriate report to be generated.

   The respective report generation screen appears.

Figure 67-40 Party wise File Identifiers Mapping - Schedule Report



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-40 Party wise File Identifiers Mapping - Schedule Report - Field Description

Field Name	Description
Report Name	Select the type of report to be generated.
Report Format	Select the format in which the report is to be generated.. The options with Internal Reporting Application are: • **PDF** • **CSV**
Select Frequency	Select the frequency at which the report is to be generated. The options are: • **Once** • **Daily** • **Weekly** • **Monthly**
Start Generating	Date from which the report is to be generated as per the frequency defined.
Stop Generating	Date till which the report is to be generated as per the frequency defined,
Party ID	Party ID of which the report is to be generated.
View Scheduled Reports	Link to view all the reports that are scheduled.

4. From the **Report Format** list, select the format in which the report is to be generated.
5. From the **Select Frequency** list, select the appropriate option.
6. From the **Start Generating** and **Stop Generating** list, select the appropriate duration.
7. In the **Party ID** field, enter the party ID.
8. Perform anyone of the following actions:
   - Click **Schedule Report** to generate and view the report.
   - Click the **View Scheduled Reports** link to view all the scheduled reports.

     The **Scheduled Reports** screen appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to reset the search parameters.
9. Perform anyone of the following actions:
   - The success message along with the reference number, status and **Report Request Id** appears. Click **Ok** to close the screen and navigate to the dashboard.
   - Click on the **View Reports** link to download the report.

     The user is directed to the **My Reports** screen. The list of reports appears.
   - Click **Schedule another Report** to generate another report.

Copyright © 2006, 2026, Oracle and/or its affiliates.

10. In the **My Reports** screen, click on desired **Report Sub ID** to view and download the generated report.

    A report will be generated in the format specified at the time of scheduling or generating an adhoc report.

> **Note**
>
> You can also download the requested report from **Administrator Dashboard**, click **Toggle Menu**, then click **Reports** and then click **My Reports**, In the **My Reports** screen, click **Scheduled Reports**.

67.14 Party wise Payee Maintenance Report

This topic describes the information about **Party wise Payee Maintenance Report** option.

Party wise Payee Maintenance Report provides summary of account and draft payees maintained under a specific party ID. Administrator has to provide a party ID for which Party wise Payee Maintenance Report is to be generated.

Further, user has to select a format in which the report needs to be generated. The generation of both Adhoc and Scheduled reports are supported.

Navigation Path: Perform the following navigation to access the **Report Generation**.

From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Reports**. Under **Reports** , click **Report Generation**.

- Party wise Payee Maintenance - Adhoc Report
  This topic describes the systematic instruction to **Party wise Approval Rule - Adhoc Report** option.
- Party wise Payee Maintenance - Schedule Reports
  This topic describes the systematic instruction to **Party wise Payee Maintenance - Schedule Reports** option.

67.14.1 Party wise Payee Maintenance - Adhoc Report

This topic describes the systematic instruction to **Party wise Approval Rule - Adhoc Report** option.

Party wise Payee Maintenance Adhoc reports are generated on demand or on request. Generated reports can be viewed using **My Reports** screen.
To generate the Party wise Payee Maintenance adhoc report:


1. Navigate to the above path.

   The **Report Generation** screen appears.
2. Click the **Adhoc** tab.
3. From the **Report Name** list, select the appropriate report to be generated.

   The respective report generation screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 67-41 Party wise Payee Maintenance - Adhoc Reports



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-41 Party wise Payee Maintenance - Adhoc ReportsField Description

Field Name	Description
Report Name	Select the type of report to be generated.
Report Format	Select the format in which the report is to be generated. The options with Oracle Analytics Publisher are: • **PDF** • **XLS** The options with Internal Reporting Application are: • **PDF**
Party ID	Party ID of which the report is to be generated.

4. From the **Report Format** list, select the format in which the report is to be generated.
5. In the **Party ID** field, enter the party id.
6. Perform anyone of the following actions:
   - Click **Generate Report** to generate the report.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to reset the search parameters.
7. Perform anyone of the following actions:
   - The success message along with the reference number, status and **Report Request Id** appears. Click **Ok** to close the screen and navigate to the dashboard.
   - Click on the **View Reports** link to download the report.

     The user is directed to the **My Reports** screen. The list of reports appears.
   - Click **Generate another report** to generate another report.

Copyright © 2006, 2026, Oracle and/or its affiliates.

8. In the **My Reports** screen, click on desired **Report Sub ID** to view and download the generated report.

   A report will be generated in the format specified at the time of scheduling or generating an adhoc report.

> **Note**
>
> You can also download the requested report from **Administrator Dashboard**, click **Toggle Menu**, then click **Reports** and then click **My Reports**.

Figure 67-42 For reference, a specimen of the report generated is given below:



futura bank

Party wise Payee Maintenance

Party Id : **000941** | Party Name : **EMI Music Publishing Ltd**

Account Payees

Payee-Biller Name	Account Type	Account Details	NickName	Created By	Access Type
aa	INTERNAL	AT30009610072	aa	corpchecker124	Private
bank dom payee	DOMESTIC	AT3065456789 NWBKGB99	bank dom payee	corpchecker124	Private
dom bank payee	DOMESTIC	AT387698789 NWBKGB99	dom bank payee	corpchecker124	Public
international bank payee	INTERNATIONAL	AT3897878798 NWBKGB99	international bank payee	corpchecker124	Private

Demand Draft Payee

Payee-Biller Name	Draft Type	Draft Favouring	Created By	Access Type
DomesticPayee	DOMESTIC	Payee1	corpchecker124	Private
InternationalDraftPayee	INTERNATIONAL	Payee2	corpchecker124	Public

1 Report generated by Suyog Approver | 06 Oct 2017, 10:12

> **Note**
>
> The fields which are marked as Required are mandatory.

Copyright © 2006, 2026, Oracle and/or its affiliates.

For more information on fields, refer to the field description table.

Table 67-42 Party wise Payee Maintenance - Field Description

Field Name	Description
Report Parameters	**Information specified in below fields are related to report parameters**.
Party ID	Party ID of whom the report is generated.
Party Name	Party name of the party for whom the report is to be generated.
Report Parameters	Below field appears for Account type payee.
Payee Name	Name of the payee.
Account Type	Type of account associated with the payee.
Account Details	The details of the account i.e. the account number of the payee's account.
Nickname	Account nickname of the payee to identify the account for fund transfer.
Created By	ID of the corporate user who created a payee.
Access Type	The access type of the payee. The options are: • Public • Private
Report Parameters	Below field appears for Demand Draft type payee.
Payee Name	Name of the payee.
Draft Type	Type of draft associated with the Payee. The type can be: • **Domestic** • **International**
Draft Favouring	Draft favouring details.
Created By	ID of the corporate user who created a payee.
Access Type	The access type for payee. The options are: • **Public** • **Private**

67.14.2 Party wise Payee Maintenance - Schedule Reports

This topic describes the systematic instruction to **Party wise Payee Maintenance - Schedule Reports** option.

The reports that are generated in specific time frame such as daily, weekly, monthly, quarterly, and annually are categorized under scheduled reports.
To generate the Party wise Payee Maintenance schedule report:

1. Navigate to the above path.


   The **Report Generation** screen appears.

2. Click the **Schedule** tab.
3. From the **Report Name** list, select the appropriate report to be generated.

   The respective report generation screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 67-43 Party wise Payee Maintenance - Schedule Report



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-43 Party wise Payee Maintenance - Schedule Report - Field Description

Field Name	Description
Report Name	Select the type of report to be generated.
Report Format	Select the format in which the report is to be generated.. The options with Oracle Analytics Publisher are: • **PDF** • **XLS** The options with Internal Reporting Application are: • **PDF**
Select Frequency	Select the frequency at which the report is to be generated. The options are: • **Once** • **Daily** • **Weekly** • **Monthly**
Start Generating	Date from which the report is to be generated as per the frequency defined.
Stop Generating	Date till which the report is to be generated as per the frequency defined.
Party ID	Party ID of which the report is to be generated.
View Scheduled Reports	Link to view all the reports that are scheduled.

4. From the **Report Format** list, select the format in which the report is to be generated.
5. From the **Select Frequency** list, select the appropriate option.
6. From the **Start Generating** and **Stop Generating** list, select the appropriate duration.

Copyright © 2006, 2026, Oracle and/or its affiliates.

7. In the **Party ID** field, enter the party ID.
8. Perform anyone of the following actions:
   - Click **Schedule Report** to generate and view the report.
   - Click the **View Scheduled Reports** link to view all the scheduled reports.

     The **Scheduled Reports** screen appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to reset the search parameters.
9. Perform anyone of the following actions:
   - The success message along with the reference number, status and **Report Request Id** appears. Click **Ok** to close the screen and navigate to the dashboard.
   - Click on the **View Reports** link to download the report.

     The user is directed to the **My Reports** screen. The list of reports appears.
   - Click **Schedule another Report** to generate another report.
10. In the **My Reports** screen, click on desired **Report Sub ID** to view and download the generated report.

    A report will be generated in the format specified at the time of scheduling or generating an adhoc report.

> **Note**
>
> You can also download the requested report from **Administrator Dashboard**, click **Toggle Menu**, then click **Reports** and then click **My Reports**, In the **My Reports** screen, click **Scheduled Reports**.

67.15 User Segment Summary Report

This topic describes the information about **User Segment Summary Report** option.

User Segment Summary Report enables the System Administrator user to view the count of users mapped to a segment.

System Administrator has to select a format in which the report needs to be generated. Generation of both Adhoc and Scheduled reports are supported.

Navigation Path: Perform the following navigation to access the **Report Generation**.

From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Reports**. Under **Reports** , click **Report Generation**.

- User Segment Summary - Adhoc Report
  This topic describes the systematic instruction to **User Segment Summary - Adhoc Report** option.
- User Segment Summary - Schedule Reports
  This topic describes the systematic instruction to **User Segment Summary - Schedule Reports** option.

Copyright © 2006, 2026, Oracle and/or its affiliates.

67.15.1 User Segment Summary - Adhoc Report

This topic describes the systematic instruction to **User Segment Summary - Adhoc Report** option.

User Segment Summary Report Adhoc reports are generated on demand or on request. Reports can be requested from the **Reports** screen. Adhoc reports can be viewed using **My Reports** screen.

To generate the User Segment Summary adhoc report:


1. Navigate to the above path.

   The **Report Generation** screen appears.

2. Click the **Adhoc** tab.
3. From the **Report Name** list, select the appropriate report to be generated.

   The respective report generation screen appears.

Figure 67-44 User Segment Summary Report - Adhoc Report



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-44 User Segment Summary Report - Adhoc Report - Field Description

Field Name	Description
Report Name	Select the type of report to be generated.
Report Format	Select the format in which the report is to be generated The options with Internal Reporting Application are: • **PDF** • **CSV**

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-44 (Cont.) User Segment Summary Report - Adhoc Report - Field Description

Field Name	Description
User Type	The user type for which, the report is generated. The options are: • **Corporate User** • **Administrator User** • **Retail User**
User Segment	The user segment for which the report is to be generated.

4. From the **Report Format** list, select the format in which the report is to be generated.
5. From the **User Type** list, select the appropriate type of user.
6. From the **User Segment** list, select the appropriate user segment.
7. Perform anyone of the following actions:
   - Click **Generate Report** to generate the report.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to reset the search parameters.
8. Perform anyone of the following actions:
   - The success message along with the reference number, status and **Report Request Id** appears. Click **Ok** to close the screen and navigate to the dashboard.
   - Click on the **View Reports** link to download the report.


     The user is directed to the **My Reports** screen. The list of reports appears.
   - Click **Generate another report** to generate another report.
9. In the **My Reports** screen, click on desired **Report Sub ID** to view and download the generated report.

   A report will be generated in the format specified at the time of scheduling or generating an adhoc report.

> **Note**
>
> You can also download the requested report from **Administrator Dashboard**, click **Toggle Menu**, then click **Reports** and then click **My Reports**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 67-45 For reference, a specimen of the report generated is given below:



User Segment Summary Report

futura bank

User Type: **retailuser** | UserSegments: **vishal yretail CASATDLOANS CASATDLOANSPAY**

User Segment	Status	Count Of Users
CASATDLOANSPAY	ENABLED	3

User Segment	Status	Count Of Users
CASATDLOANS	ENABLED	2

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-45 User Segment Summary Report - Adhoc Report - Field Description

Field Name	Description
Report Parameters	**Information specified in below fields are related to report parameters.**
User Type	The user type for which, the report is generated.
User Segments	The user segments mapped to the user type.
User Segment	The user segment for which, the report is generated.
Status	The status of the transaction.
Count of Users	The count of users mapped to a segment for which, the report is generated.

Copyright © 2006, 2026, Oracle and/or its affiliates.

67.15.2 User Segment Summary - Schedule Reports

This topic describes the systematic instruction to **User Segment Summary - Schedule Reports** option.

The reports that are generated in specific time frame such as daily, weekly, monthly, quarterly, and annually are categorized under scheduled reports.
To generate the user segment summary schedule report:

1. Navigate to the above path.

   The **Report Generation** screen appears.


2. Click the **Schedule** tab.

   The **Scheduled Report Generation** screen appears.

3. From the **Report Name** list, select the appropriate report to be generated.

   The respective report generation screen appears.

Figure 67-46 User Segment Summary - Schedule Report



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-46 User Segment Summary - Schedule Report - Field Description

Field Name	Description
Report Name	Select the type of report to be generated.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-46 (Cont.) User Segment Summary - Schedule Report - Field Description

Field Name	Description
Report Format	Select the format in which the report is to be generated The options with Internal Reporting Application are: • **PDF** • **CSV**
Select Frequency	Select the frequency at which the report is to be generated. The options are: • **Once** • **Daily** • **Weekly** • **Monthly**
Start Generating	Date from which the report is to be generated as per frequency defined.
Stop Generating	Date till which the report is to be generated as per frequency defined.
User Type	The user type for which, the report is generated. The options are: • **Corporate User** • **Administrator User** • **Retail User**
User Segment	The user segment for which the report is to be generated.
View Scheduled Reports	Link to view all the reports that are scheduled.

4. From the **Report Format** list, select the format in which the report is to be generated.
5. From the **Select Frequency** list, select the appropriate option.
6. From the **Start Generating** and **Stop Generating** list, select the appropriate duration.
7. From the **User Type** list, select the appropriate type of user.
8. From the **User Segment** list, select the appropriate user segment.
9. Perform anyone of the following actions:
   - Click **Schedule Report** to generate and view the report.
   - Click the **View Scheduled Reports** link to view all the scheduled reports.

     The **Scheduled Reports** screen appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to reset the search parameters.
10. Perform anyone of the following actions:
    - The success message along with the reference number, status and **Report Request Id** appears. Click **Ok** to close the screen and navigate to the dashboard.
    - Click on the **View Reports** link to download the report.

      The user is directed to the **My Reports** screen. The list of reports appears.
    - Click **Schedule another Report** to generate another report.
11. In the **My Reports** screen, click on desired **Report Sub ID** to view and download the generated report.

    A report will be generated in the format specified at the time of scheduling or generating an adhoc report.

Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> You can also download the requested report from **Administrator Dashboard**, click **Toggle Menu**, then click **Reports** and then click **My Reports**, In the **My Reports** screen, click **Scheduled Reports**.

67.16 Wallets Creation for a Date Range Report

This topic describes the information about **Wallets Creation for a Date Range Report** option.

This is bank's internal report. Wallet creation report provides the summary of wallets created during specific date range. User has to specify the date range and select a format in which the report needs to be generated.

Further, user has to select a format in which the report needs to be generated. The generation of both Adhoc and Scheduled reports are supported.

Navigation Path: Perform the following navigation to access the **Report Generation**.

From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Reports**. Under **Reports** , click **Report Generation**.

- Wallets Creation for a Date Range - Adhoc Report
  This topic describes the systematic instruction to **Wallets Creation for a Date Range - Adhoc Report** option.
- Wallets Creation for a Date Range - Schedule Report
  This topic describes the systematic instruction to **Wallets Creation for a Date Range - Schedule Report** option.

67.16.1 Wallets Creation for a Date Range - Adhoc Report

This topic describes the systematic instruction to **Wallets Creation for a Date Range - Adhoc Report** option.

Wallets Creation for a Date Range Adhoc reports are generated on demand or on request. Generated reports can be viewed using **My Reports** screen.
To generate the Wallets Creation for a Date Range adhoc report:


1. Navigate to the above path.

   The **Report Generation** screen appears.
2. Click the **Adhoc** tab.
3. From the **Report Name** list, select the appropriate report to be generated.

   The respective report generation screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 67-47 Wallets Creation for a Date Range - Adhoc Reports



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-47 Wallets Creation for a Date Range - Adhoc Reports - Field Description

Field Name	Description
Report Name	Select the type of report to be generated..
Report Format	Select the format in which the report is to be generated.. The options with Internal Reporting Application are: • **PDF** • **CSV**
Duration	Specify the Date range for which the report is to be generated. User has to enter From and To dates.

4. From the **Report Format** list, select the format in which the report is to be generated.
5. Perform anyone of the following actions:
   - Click **Generate Report** to view and generate the report.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to reset the search parameters.
6. Perform anyone of the following actions:
   - The success message along with the reference number, status and **Report Request Id** appears. Click **Ok** to close the screen and navigate to the dashboard.
   - Click on the **View Reports** link to download the report.

     The user is directed to the **My Reports** screen. The list of reports appears.
   - Click **Generate another report** to generate another report.


Copyright © 2006, 2026, Oracle and/or its affiliates.

7. In the **My Reports** screen, click on desired **Report Sub ID** to view and download the generated report.

   A report will be generated in the format specified at the time of scheduling or generating an adhoc report.

> **Note**
>
> You can also download the requested report from **Administrator Dashboard**, click **Toggle Menu**, then click **Reports** and then click **My Reports**.

Figure 67-48 For reference, a specimen of the report generated is given below:



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-48 Wallets Creation for a Date Range - Adhoc Reports - Field Description

Field Name	Description
Report Parameters	**Information specified in below fields are related to report parameters.**
From Date	Date from which the report is to be generated.
To Date	Date till which the report is to be generated.
Account Opening Date	The wallet account opening date.
Wallet ID	The wallet user ID.
Party ID	The party Id under which wallet is opened.
Full Name	First name and last name of the wallet user.
Email Id	Email id of the wallet user.
Mobile Number	Mobile number of the wallet user.

67.16.2 Wallets Creation for a Date Range - Schedule Report

This topic describes the systematic instruction to **Wallets Creation for a Date Range - Schedule Report** option.

The reports that are generated in specific time frame such as daily, weekly, monthly, quarterly, and annually are categorized under scheduled reports.
To generate the Wallets Creation for a Date Range scheduled report:

1. Navigate to the above path.


   The **Report Generation** screen appears.

2. Click the **Schedule** tab.

3. From the **Report Name** list, select the appropriate report to be generated.

   The respective report generation screen appears.

Figure 67-49 Wallets Creation for a Date Range



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-49 Wallets Creation for a Date Range - Field Description

Field Name	Description
Report Name	Select the type of report to be generated.
Report Format	Select the format in which the report is to be generated.. The options with Internal Reporting Application are: • **PDF** • **CSV**
Select Frequency	Select the frequency at which the report is to be generated. The options are: • **Once** • **Daily** • **Weekly** • **Monthly**
Start Generating	Date from which the report is to be generated as per the frequency defined.
Stop Generating	Date till which the report is to be generated as per the frequency defined.
View Scheduled Reports	Link to view all the reports that are scheduled.

4. From the **Report Format** list, select the format in which the report is to be generated.
5. From the **Select Frequency** list, select the appropriate option.
6. From the **Start Generating** and **Stop Generating** list, select the appropriate duration.
7. Perform anyone of the following actions:
   - Click **Schedule Report** to generate and view the report.
   - Click the **View Scheduled Reports** link to view all the scheduled reports.

     The **Scheduled Reports** screen appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to reset the search parameters.
8. Perform anyone of the following actions:
   - The success message along with the reference number, status and **Report Request Id** appears. Click **Ok** to close the screen and navigate to the dashboard.
   - Click on the **View Reports** link to download the report.

     The user is directed to the **My Reports** screen. The list of reports appears.
   - Click **Schedule another Report** to generate another report.
9. In the **My Reports** screen, click on desired **Report Sub ID** to view and download the generated report.

Copyright © 2006, 2026, Oracle and/or its affiliates.

A report will be generated in the format specified at the time of scheduling or generating an adhoc report.

> **Note**
>
> You can also download the requested report from **Administrator Dashboard**, click **Toggle Menu**, then click **Reports** and then click **My Reports**, In the **My Reports** screen, click **Scheduled Reports**.

67.17 Wallet KYC Report

This topic describes the information about **Wallet KYC Report** option.

This is bank's internal report. Wallet KYC report provides the KYC status of specific wallet account/s. User has to specify email ID, mobile number, date range and select KYC status with which the report is to be generated.

Further, user has to select a format in which the report needs to be generated. The generation of both Adhoc and Scheduled reports are supported.

Navigation Path: Perform the following navigation to access the **Report Generation**.

From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Reports**. Under **Reports** , click **Report Generation**.

- Wallets KYC - Adhoc Report
  This topic describes the systematic instruction to **Wallets KYC - Adhoc Report** option.
- Wallets KYC - Schedule Report
  This topic describes the systematic instruction to **Wallets KYC - Schedule Report** feature.

67.17.1 Wallets KYC - Adhoc Report

This topic describes the systematic instruction to **Wallets KYC - Adhoc Report** option.

Wallets KYC Adhoc reports are generated on demand or on request. Generated reports can be viewed using **My Reports** screen.
To generate the Wallets KYC adhoc report:


1. Navigate to the above path.

   The **Report Generation** screen appears.
2. Click the **Adhoc** tab.
3. From the **Report Name** list, select the appropriate report to be generated.

   The respective report generation screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 67-50 Wallets KYC - Adhoc Reports



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-50 Wallets KYC - Adhoc Reports - Field Description

Field Name	Description
Report Name	Select the type of report to be generated.
Report Format	Select the format in which the report is to be generated.. The options with Internal Reporting Application are: • **PDF** • **CSV**
Email ID	Email ID of the wallet user of whom report is to be generated.
Mobile Number	Mobile number of the wallet user of whom report is to be generated.
Duration	Specify the date range for which the report is to be generated. User has to enter From and To dates.
KYC Status	KYC status of the wallet user. The options are: • **Pending** • **Complete**

4. From the **Report Format** list, select the format in which the report is to be generated.
5. In the **Email ID** field, enter the email address of the user.

   In the **Mobile Number** field, enter the mobile number of the user.
6. From the **Duration - From and Duration - To** list, select the appropriate duration.
7. From the **KYC Status** list, select the appropriate option.
8. Perform anyone of the following actions:

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Generate Report** to view and generate the report.
- Click **Cancel** to cancel the transaction.
- Click **Clear** to reset the search parameters.

9. Perform anyone of the following actions:
   - The success message along with the reference number, status and **Report Request Id** appears. Click **Ok** to close the screen and navigate to the dashboard.
   - Click on the **View Reports** link to download the report.

     The user is directed to the **My Reports** screen. The list of reports appears.
   - Click **Generate another report** to generate another report.
10. In the **My Reports** screen, click on desired **Report Sub ID** to view and download the generated report.

    A report will be generated in the format specified at the time of scheduling or generating an adhoc report.

> **Note**
>
> You can also download the requested report from **Administrator Dashboard**, click **Toggle Menu**, then click **Reports** and then click **My Reports**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 67-51 For reference, a specimen of the report generated is given below:



Table 67-51 Wallets KYC - Adhoc Reports - Field Description

Field Name	Description
Report Parameters	**Information specified in below fields are related to report parameters**.
Email ID	Email id of the wallet user.
Mobile No	Mobile number of the wallet user.
Date From	Date from which the report is generated.
Date To	Date till which the report is generated.
KYC Status	Current KYC status.
Sr No	Serial number of the records.
Name	First name and last name of the wallet user.
Email Id	Email ID of the wallet user.
Mobile No	Mobile number of the wallet user.
Opened Date	Wallet open date with the time stamp.
KYC Status	Current KYC status.

Copyright © 2006, 2026, Oracle and/or its affiliates.

67.17.2 Wallets KYC - Schedule Report

This topic describes the systematic instruction to **Wallets KYC - Schedule Report** feature.

The reports that are generated in specific time frame such as daily, weekly, monthly, quarterly, and annually are categorized under scheduled reports.

To generate the Wallets KYC scheduled report:

1. Navigate to the above path.


   The **Report Generation** screen appears.

2. Click the **Schedule** tab.

3. From the **Report Name** list, select the appropriate report to be generated.

   The respective report generation screen appears.

Figure 67-52 Wallets KYC - Schedule Report



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-52 Wallets KYC - Schedule Report - Field Description

Field Name	Description
Report Name	Select the type of report to be generated.
Report Format	Select the format in which the report is to be generated. The options with Internal Reporting Application are: • **PDF** • **CSV**

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-52 (Cont.) Wallets KYC - Schedule Report - Field Description

Field Name	Description
Select Frequency	Select the frequency at which the report is to be generated. The options are: • **Once** • **Daily** • **Weekly** • **Monthly**
Start Generating	Date from which the report is to be generated as per the frequency defined.
Stop Generating	Date till which the report is to be generated as per the frequency defined.
Email ID	Email ID of the wallet user for whom report is to be generated.
Mobile Number	Mobile number of the wallet user for whom report is to be generated.
Duration	Specify the date range for which the report is to be generated. User has to enter From and To dates.
KYC Status	KYC status of the wallet user. The options are: • **Pending** • **Complete**
View Scheduled Reports	Link to view all the reports that are scheduled.

4. From the **Report Format** list, select the format in which the report is to be generated.
5. From the **Select Frequency** list, select the appropriate option.
6. From the **Start Generating** and **Stop Generating** list, select the appropriate duration.
7. Perform anyone of the following actions:
   - Click **Schedule Report** to generate and view the report.
   - Click the **View Scheduled Reports** link to view all the scheduled reports.

     The **Scheduled Reports** screen appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to reset the search parameters.
8. Perform anyone of the following actions:
   - The success message along with the reference number, status and **Report Request Id** appears. Click **Ok** to close the screen and navigate to the dashboard.
   - Click on the **View Reports** link to download the report.

     The user is directed to the **My Reports** screen. The list of reports appears.
   - Click **Schedule another Report** to generate another report.
9. In the **My Reports** screen, click on desired **Report Sub ID** to view and download the generated report.

   A report will be generated in the format specified at the time of scheduling or generating an adhoc report.

Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> You can also download the requested report from **Administrator Dashboard**, click **Toggle Menu**, then click **Reports** and then click **My Reports**, In the **My Reports** screen, click **Scheduled Reports**.

67.18 Wallets Transaction Activity Report

This topic describes the information about the **Wallets Transaction Activity Report** option.

This is bank's internal report Wallet transaction activity report provides the list of transaction activities done in specific wallet. User has to specify email Id, mobile number, date range and select transaction type with which the report is to be generated.

Further, user has to select a format in which the report needs to be generated. The generation of both Adhoc and Scheduled reports are supported.

Navigation Path: Perform the following navigation to access the **Report Generation**.

From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Reports**. Under **Reports** , click **Report Generation**.

- Wallets Transaction Activity - Adhoc Report
  This topic describes the systematic instruction to **Wallets Transaction Activity - Adhoc Report** option.
- Wallets Transaction Activity - Schedule Report
  This topic describes the systematic instruction to **Wallets Transaction Activity - Schedule Report** option.

67.18.1 Wallets Transaction Activity - Adhoc Report

This topic describes the systematic instruction to **Wallets Transaction Activity - Adhoc Report** option.

Wallets Transaction Activity Adhoc reports are generated on demand or on request. Generated reports can be viewed using **My Reports** screen.
To generate the Wallets Transaction Activity adhoc report:


1. Navigate to the above path.

   The **Report Generation** screen appears.
2. Click the **Adhoc** tab.
3. From the **Report Name** list, select the appropriate report to be generated.

   The respective report generation screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 67-53 Wallets Transaction Activity - Adhoc Report



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-53 Wallets Transaction Activity - Adhoc Report - Field Description

Field Name	Description
Report Name	Select the type of report to be generated.
Report Format	Select the format in which the report is to be generated. The options with Internal Reporting Application are: • **PDF** • **CSV**
Email ID	Email ID of the wallet user for whom report is to be generated.
Mobile Number	Mobile number of the wallet user for whom report is to be generated.
Duration	Specify the date range for which the report is to be generated. User has to enter From and To dates.
Transaction Type	The transactions providing transaction type. The options are: • **Debit** • **Credit**

4. From the **Report Format** list, select the format in which the report is to be generated.
5. In the **Email ID** field, enter the email address of the user.
   - In the **Mobile Number** field, enter the mobile number of the user.
6. From the **Duration - From and Duration - To** list, select the appropriate duration.
7. From the **Transaction Type** list, select the appropriate option.
8. Perform anyone of the following actions:

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Generate Report** to view and generate the report.
- Click **Cancel** to cancel the transaction.
- Click **Clear** to reset the search parameters.


9. Perform anyone of the following actions:
   - The success message along with the reference number, status and **Report Request Id** appears. Click **Ok** to close the screen and navigate to the dashboard.
   - Click on the **View Reports** link to download the report.

     The user is directed to the **My Reports** screen. The list of reports appears.
   - Click **Generate another report** to generate another report.
10. In the **My Reports** screen, click on desired **Report Sub ID** to view and download the generated report.

    A report will be generated in the format specified at the time of scheduling or generating an adhoc report.

> **Note**
>
> You can also download the requested report from **Administrator Dashboard**, click **Toggle Menu**, then click **Reports** and then click **My Reports**.

Figure 67-54 For reference, a specimen of the report generated is given below:



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-54 Wallets Transaction Activity - Adhoc Report - Field Description

Field Name	Description
Report Parameters	**Information specified in below fields are related to report parameters.**
From Date	Date from which the report is to be generated.
To Date	Date till which the report is to be generated.
Sr No	Serial number of the records.
Name	First name and last name of the wallet user.
Email ID	Email Id of the user.
Mobile No	Mobile number of the user.
Date	Date of the transaction.
Description	Description of the transaction.
Reference Number	Reference number for each transaction.
Amount	Amount of the transaction.

67.18.2 Wallets Transaction Activity - Schedule Report

This topic describes the systematic instruction to **Wallets Transaction Activity - Schedule Report** option.

The reports that are generated in specific time frame such as daily, weekly, monthly, quarterly, and annually are categorized under scheduled reports.
To generate the Wallets Transaction Activity scheduled report:

1. Navigate to the above path.


   The **Report Generation** screen appears.

2. Click the **Schedule** tab.

3. From the **Report Name** list, select the appropriate report to be generated.

   The respective report generation screen appears.

Figure 67-55 Wallets Transaction Activity - Schedule Report



Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-55 Wallets Transaction Activity - Schedule Report - Field Description

Field Name	Description
Report Name	Select the type of report to be generated.
Report Format	Select the format in which the report is to be generated.. The options with Internal Reporting Application are: • **PDF** • **CSV**
Select Frequency	Select the frequency at which the report is to be generated. The options are: • **Once** • **Daily** • **Weekly** • **Monthly**
Start Generating	Date from which the report is to be generated as per the frequency defined.
Stop Generating	Date till which the report is to be generated as per the frequency defined.
Email ID	Email ID of the wallet user of whom report is to be generated.
Mobile Number	Mobile number of the wallet user of whom report is to be generated.
Transaction Type	The transactions providing transaction type. The options are: • **Debit** • **Credit**
View Scheduled Reports	Link to view all the reports that are scheduled.

4. From the **Report Format** list, select the format in which the report is to be generated.
5. From the **Select Frequency** list, select the appropriate option.
6. From the **Start Generating** and **Stop Generating** list, select the appropriate duration.
7. In the **Email ID** field, enter the email address of the user.
   - In the **Mobile Number** field, enter the mobile number of the user.
8. From the **Duration - From and Duration - To** list, select the appropriate duration.
9. From the **Transaction Type** list, select the appropriate option.
10. Perform anyone of the following actions:
    - Click **Schedule Report** to generate and view the report.
    - Click the **View Scheduled Reports** link to view all the scheduled reports.

      The **Scheduled Reports** screen appears.
    - Click **Cancel** to cancel the transaction.
    - Click **Clear** to reset the search parameters.
11. Perform anyone of the following actions:

Copyright © 2006, 2026, Oracle and/or its affiliates.

- The success message along with the reference number, status and **Report Request Id** appears. Click **Ok** to close the screen and navigate to the dashboard.
- Click on the **View Reports** link to download the report.

  The user is directed to the **My Reports** screen. The list of reports appears.
- Click **Schedule another Report** to generate another report.

12. In the **My Reports** screen, click on desired **Report Sub ID** to view and download the generated report.

    A report will be generated in the format specified at the time of scheduling or generating an adhoc report.

> **Note**
>
> You can also download the requested report from **Administrator Dashboard**, click **Toggle Menu**, then click **Reports** and then click **My Reports**, In the **My Reports** screen, click **Scheduled Reports**.

67.19 Approval Rule Report

This topic describes the systematic instruction to **Approval Rule Report** option. Approval Rule Report provides the list of rules and workflows belonging to a group corporate.

Administrator has to provide a party ID for which the Approval Rule Report is to be generated.

System Administrator has to select a format in which the report needs to be generated. This report can be generated only on an Adhoc basis and is not available under **Schedule** option.

1. Perform the below navigation to access **Report Generation**.
   - From **Administrator Dashboard**, click **Toggle Menu**, then click **Menu**, and then click **Reports**. Under **Reports**, click **Report Generation**.

   The **Report Generation** screen appears.

- Approval Rule Report - Adhoc Reports
  This topic describes the systematic instruction to **Approval Rule Report - Adhoc Reports** option.
- Approval Rules - Schedule Reports
  This topic describes the systematic instruction to **Approval Rules - Schedule Reports** option.
- Approval Rule Report - Adhoc Report
  This topic describes the systematic instruction to **Approval Rule Report - Adhoc Report** option.

67.19.1 Approval Rule Report - Adhoc Report

This topic describes the systematic instruction to **Approval Rule Report - Adhoc Report** option.

Approval Rule Adhoc reports are generated on demand or on request. Generated reports can be viewed using **My Reports** screen.

To generate the Approval Rule adhoc report:

Copyright © 2006, 2026, Oracle and/or its affiliates.


1. Navigate to the above path.

   The **Reports** screen appears.

2. Click the **Adhoc** tab.
3. From the **Report Name** list, select the appropriate report to be generated.

   The receptive report generation screen appears.

Figure 67-56 Approval Rule Report - Adhoc Reports



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-56 Approval Rule Report - Adhoc Reports - Field Description

Field Name	Description
Report Name	Select the type of report to be generated.
Report Format	Select the format in which the report is to be generated. The options with Internal Reporting Application are: • **PDF** • **CSV**
Group Corporate ID	The Group Corporate ID of the user for whom report has been generated
Group Corporate Name	The Group Corporate Name of the user for whom report has been generated.

4. From the **Report Format** list, select the format in which the report is to be generated.
5. In the **Group Corporate ID** field, enter the Group Corporate ID.


Copyright © 2006, 2026, Oracle and/or its affiliates.

6. In the **Group Corporate Name** field, enter the Group Corporate name.
7. Click **Generate Report** to view and generate the report.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to reset the search parameters.
8. The success message along with the reference number, status and **Report Request Id** appears.
   - Click **Ok** to close the screen and navigate to the dashboard.
   - Click on the **View Reports** link to download the report. The user is directed to the **My Reports** screen. The list of reports appears.
   - Click **Generate another report** to generate another report.
9. In the **My Reports** screen, click on desired **Report Sub ID** to view and download the generated report.

   A report will be generated in the format specified at the time of scheduling or generating an adhoc report.

> **Note**
>
> You can also download the requested report from **Administrator Dashboard**, click **Toggle Menu**, then click **Reports**, and then click **My Reports**

Figure 67-57 For reference, a specimen of the report generated is given below:



Report Date: 10 Sep 2022 13:08:07
Report Generated by: DAVID

Approval Report
Group Corporate ID 1000111
Group Corporate Nar TATA Corporation

Rule Type	Rule Code	Rule Desc	Rule/Wor	Initiator Ti	Party ID	Transactic	Accounts	Currency	From Amo	To Amoun	Approval I	Workflow	Workflow	Workflow	Levels in Workflow
Administr	R89	Rule 89	Approve	All Users	PTY67	Party Preference, Create Spend Category, Biller Mair					No				
Financial	R1	Rule1	Approve	User Grou	PTY1; PTY	All Transa	All Accour	USD	100	50000	Yes	Sequentia	WKFLW1	Workflow	Level 1 : Checker|User Group - USGRP1; Level 2 : Approver|User - USR2;
Financial	R3	Rule3	Release	User Grou	PTY1; PTY	Top Up,	xxxxxxxx	GBP	50	75000	Yes	Parallel	WKFLW3	Workflow	Level 1 : Releaser|User Group - USGRP4;
Maintenar	R56	Rule 56	Release	User : USF	PTY51; PT	All Transactions					No				
Non Accou	R006	Rule 006	Approve	All Users	PTY59	Facility Amendment,		EUR	10	50000	No				
Non Accou	R30	Rule 30	Approve	User Grou	PTY003	Facility Amendment,		USD	200	1500	Yes	Parallel	WKFLW20	Workflow	Level 1 : Checker|User - USR03; Level 2 : Approver|User Group - USGRP400;
Non Accou	R102	Rule 102	Approve	User : USF	PTY93; PT	Initiate Transfer	LC,	SGD	1	300000	Yes	Parallel	WKFLW24	Workflow	Level 1 : Approver|User Group - USR89;
Non-Finan	R2	Rule2	Approve	User : USF	PTY4; PTY	All Transa	All Accounts				Yes	Sequentia	WKFLW2	Workflow	Level 1 : Checker|User - USR1; Level 2 : Checker|User Group - USGRP2; Level 3 : Approver|User Group - USGRP3;
Non-Finan	R4	Rule4	Release	User Grou	PTY2; PTY	Cheque Bo	xxxxxxxxx	5573; xxxxxxxxx	7493; xxxxxxxxx		No				

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-57 Party wise Workflows - Adhoc Reports - Field Description

Field Name	Description
Report Parameters	**Information specified in below fields are related to report parameters.**
Group Corporate ID	The Group Corporate ID of the user for whom report has been generated

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-57 (Cont.) Party wise Workflows - Adhoc Reports - Field Description

Field Name	Description
Group Corporate Name	The Group Corporate Name of the user for whom report has been generated
Rule Type	Transaction rule type for which the approval rule is set up.
Rule Code	Approval rule code.
Rule Description	Approval rule description.
Rule/Workflow Applicable For	User name /group name of the user maintained in a workflow at level.
Initiator Type	Initiator type specified while creating a rule.
Party ID	Party ID of workflow.
Transactions	Transaction for which the rule is set up.
Accounts	Accounts for which the rule is set up.
Currency	Currency set for the rule.
From Amount	The minimum amount for the transactions allowed for the user.
To Amount	The maximum amount for the transactions allowed for the user.
Approval Required	Field displays whether approval is required or not for the set condition.
Workflow Preference	The preference of the approval workflow.
Workflow Code	Code of the approval workflow.
Workflow Description	The approval workflow description.
Levels in Workflow	Approval levels for a user / user group.

67.20 User List Report

This topic describes the systematic instruction to **User List Report** option.

User List Report enables the System Administrator user to view the list of users belonging to a specific party/group corporate ID.

System Administrator has to select a format in which the report needs to be generated. The User List Report supports only Adhoc report generation. This report will not be available under **Schedule** option.

Navigation Path: Perform the following navigation to access the **Report Generation**.

From **System/Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu**, and then click **Reports**. Under **Reports**, click **Report Generation**.

- User List Report - Adhoc Report
  This topic describes the systematic instruction to **User List Report - Adhoc Report** option.

67.20.1 User List Report - Adhoc Report

This topic describes the systematic instruction to **User List Report - Adhoc Report** option.

User Adhoc reports are generated on demand or on request. Reports can be requested from the **Reports** screen. Adhoc reports can be viewed using **My Reports** screen.

To generate the User List adhoc Report:

1. Navigate to the above path.


Copyright © 2006, 2026, Oracle and/or its affiliates.

The **Reports** screen appears.

2. Click the **Adhoc** tab.
3. From the **Report Name** list, select the appropriate report to be generated.

   The receptive report generation screen appears.

Figure 67-58 User List Report - Adhoc Reports



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-58 User List Report - Adhoc Reports - Field Description

Field Name	Description
Report Name	Select the type of report to be generated.
Report Format	Select the format in which the report is to be generated.
User Type	The user type for whom the report is to be generated.
Party ID	The party ID of the user for whom the report is to be generated.
Duration	The period for which the report is to be generated. Start date of the date range from which you want to generate the report. End date of the date range up-to which you want to generate the report

4. From the **Report Format** list, select the format in which the report is to be generated.
5. In the **Party ID** field, enter the party ID.
6. From the **Duration - From Date and Duration - To Date** list, select the appropriate duration.
7. Click **Generate Report** to view and generate the report.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Cancel** to cancel the transaction.
- Click **Clear** to reset the search parameters.

8. The success message along with the reference number, status and **Report Request Id** appears.

   Click **Ok** to close the screen and navigate to the dashboard.


   - Click on the **View Reports** link to download the report. The user is directed to the **My Reports** screen. The list of reports appears.
   - Click **Generate another report** to generate another report.

9. In the **My Reports** screen, click on desired **Report Sub ID** to view and download the generated report.

   A report will be generated in the format specified at the time of scheduling or generating an adhoc report.

> **Note**
>
> You can also download the requested report from **Administrator Dashboard**, click **Toggle Menu**, then click **Reports**, and then click **My Reports**

Figure 67-59 For reference, a specimen of the report generated is given below:



	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W
1	User List Report																						
2																							
3	User Type	administrator																					
4	Start Date																						
5	End Date																						
6																							
7	Organizati	Manager	Employee	User Name	Title	First Name	Middle Na	Last Name	Date of Bir	Email Id	Mobile No	Status	Touch Poir	Primary Er	Primary Pa	Accessible	Accessible	Primary Pa	Accessible	Roles	Creation D	Created By	
8	OFSS	Tim	1234567	144AuthA	Ms	144Auth		Admin	########	merrill.ser	9.88E+09	GRANT	Internet(C	OBDX_BU			OBDX_BU;OBDXBU19;OBDXBU20			AuthAdmi	########	OFSSUser	
9	OFSS	Tim	1234565	144Admin	Mr	Sipry		Bohr	########	merrill.ser	9.88E+09	GRANT	Internet(C	OBDX_BU			OBDX_BU			AdminChe	########	OFSSUser	
10	OFSS	Tim	6789898	144Admin	Mr	Rheo		Bohr	########	merrill.ser	9.88E+09	GRANT	Internet(C	OBDX_BU			OBDX_BU			AdminChe	########	OFSSUser	
11	aaa	aaa	222	ameyadmi	Mr	amey		admin	########	amey.sakp	1E+10	GRANT	Internet(C	OBDX_BU			OBDX_BU;OBDXBU1;OBDXBU16;			AuthAdmi	########	OFSSUser	
12	oracle	keshav	232323	dipadmini	Mr	Narotam	k	yadav	########	dipen.v.sh	4.34E+09	GRANT	Mobile (Re	OBDX_BU			OBDX_BU;OBDXBU18;OBDXBU3;			AuthAdmi	########	OFSSUser	
13	OFSS	abhishek	218411	nutanAdm	Mr	Nutan	Admin	Admin	28-JAN-18	nutan.kalt	8.88E+09	GRANT	Mobile (Re	OBDX_BU			OBDX_BU;OBDXBU18;OBDXBU3;			AdminChe	########	OFSSUser	
14	Oracle	Senthil	123	anushaadr	Ms	Anusha		Sivaraman	########	anusha.siv	7.02E+09	GRANT	Mobile Ap	OBDX_BU			OBDX_BU;OBDXBU16;OBDXBU18			AuthAdmi	########	OFSSUser	
15	Oracle	Managar	112345	installerad	Mr	Installer	A	Admin	########	aniket.pat	9.9E+09	GRANT	Mobile Ap	OBDX_BU			OBDXBU1;OBDXBU16;OBDXBU2;			AdminChe	########	OFSSUser	
16			8391239	superadmi	Mr	Administrator		User	########	rahul.x.kar	9.89E+09	GRANT	Internet(C	OBDX_BU			OBDX_BU;OBDXBU1;OBDXBU16;			AdminChe	########	OFSSUser	
17	Oracle Fin	Nelson Ds	216380	mustuadm	Mr	Mustufa	Yusuf	Gari	########	pratik.k.ka	7.78E+09	GRANT	Internet(C	OBDX_BU			OBDX_BU;OBDXBU1;OBDXBU16;			AuthAdmi	########	OFSSUser	
18	FUTURA BA	M07	1	SDADMIN	Mr	Shailesh		Dhawan	########	saurabh.d.	9.87E+09	GRANT	Internet(C	OBDX_BU			OBDX_BU;OBDXBU1;OBDXBU16;			AdminChe	########	OFSSUser	
19																							
20																							

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-59 User List Report - Adhoc Reports - Field Description

Field Name	Description
Report Parameters	**Information specified in below fields are related to report parameters**.
User Type	The Type of the user for whom the report has been generated.
Party ID	The party ID of the user for whom the report has been generated.
Group Corporate ID	The Group Corporate ID of the user for whom report has been generated
Start Date	Date from which the report is generated.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-59 (Cont.) User List Report - Adhoc Reports - Field Description

Field Name	Description
End Date	Date till which the report is generated.
Group Corporate ID	The Group Corporate ID of the user for whom report has been generated
Group Corporate Name	The group corporate name of the user for whom report has been generated
User Name	The user name of the user for whom the report has been generated.
Title	Title of the user.
First Name	First name of the user.
Middle Name	Middle name of the user.
Last Name	Last name of the user.
Date of Birth	Date of birth of the user.
Email ID	Email ID of the user.
Contact Number	Contact number of the user.
Status	Status of the user.
Touchpoints	Name of the touch points.
Primary Entity	Name of the primary entity.
Primary Party	Name of the primary party.
Accessible Party	Name of the accessible party.
Accessible Entity	Name of the accessible entity.
Primary Party (Accessible Entity)	Name of the primary entity.
Accessible Party (Accessible Entity)	Name of the accessible party.
Roles	Details of user role.
User Creation Date/Time	Details of user creation date/time.
Created By	Name of the user who created report.

67.21 User Entitlement Report

This topic describes the information about **User Entitlement Report** option.

User Entitlement Report enables the System Administrator user to view the details of corporate user's entitlement within the OBDX application.

System Administrator has to select a format in which the report needs to be generated. The User Entitlement Report supports only Adhoc report generation. This report will not be available under **Schedule** option.

Navigation Path: Perform the following navigation to access the **Report Generation**.

From **Administrator Dashboard**, click **Toggle Menu**, then click **Menu**, and then click **Reports**. Under **Reports**, click **Report Generation**.

- User Entitlement Report- Adhoc Report
  This topic describes the information about **User Entitlement Report- Adhoc Report** option.

Copyright © 2006, 2026, Oracle and/or its affiliates.

67.21.1 User Entitlement Report- Adhoc Report

This topic describes the information about **User Entitlement Report- Adhoc Report** option.

User Entitlement Adhoc reports are generated on demand or on request. Reports can be requested from the **Reports** screen. Adhoc reports can be viewed using **My Reports** screen.
To generate the User Entitlement adhoc Report:


1. Navigate to the above path.

   The **Report Generation** screen appears.

2. Click the **Adhoc** tab.
3. From the **Report Name** list, select the appropriate report to be generated.

   The respective report generation screen appears.

Figure 67-60 User Entitlement Report - Adhoc Report



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 67-60 User Entitlement Report - Adhoc Report - Field Description

Field Name	Description
Report Name	Select the type of report to be generated.
Report Format	Select the format in which the report is to be generated The options with Internal Reporting Application are: • **PDF** • **CSV**
Party ID	The party ID of the user for whom the report is to be generated.
User id	The user id of the user for whom the report is to be generated.

4. From the **Report Format** list, select the format in which the report is to be generated.

Copyright © 2006, 2026, Oracle and/or its affiliates.

5. In the **Party ID** field, enter the party id & click on **Search**
6. From the **User Id** list, select the appropriate id of the user for whom the report is to be generated.
7. Perform anyone of the following actions:
   - Click **Generate Report** to view and generate the report.
   - Click **Cancel** to cancel the transaction.
   - Click **Clear** to reset the search parameters.
8. Perform anyone of the following actions:
   - The success message along with the reference number, status and **Report Request Id** appears. Click **Ok** to close the screen and navigate to the dashboard.
   - Click on the **View Reports** link to download the report.


     The user is directed to the **My Reports** screen. The list of reports appears.
   - Click **Generate another report** to generate another report.
9. In the **My Reports** screen, click on desired **Report Sub ID** to view and download the generated report.

   A report will be generated in the format specified at the time of scheduling or generating an adhoc report.

> **Note**
>
> You can also download the requested report from **Administrator Dashboard**, click **Toggle Menu**, then click **Reports** and then click **My Reports**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 67-61 For reference, a specimen of the report generated is given below:



User Entitlement Report

Group Corporate ID : **000842**
Group Corporate Name : **nehgcif**
Party Id : **000462**
Party Name : **ABZ Solutions**

Digital Banking

User Id : **nehcorp** **Active**
Full Name : **nehal joshi**

Touch Point Enable	Transaction Names		Permission			Party Id	Account Number
Internet	Admin Maintenance	ATM/Branch Maintenance	Delete ATM	Perform	Approve		
			Upload ATM/Branch	Perform	Approve		
			Delete Branch	Perform	Approve		
			Inquire ATM	Perform			
			Edit Branch	Perform	Approve		
			Inquire Branch	Perform			
			Edit ATM	Perform	Approve		
			Add Branch	Perform	Approve		
			Add ATM	Perform	Approve		
			Download Status of Uploaded ATM/Branch	Perform			
		Access Point Maintenance	Inquire Access Points	Perform			
			Set Access Points	Perform	Approve		
			Set Access Point Group	Perform	Approve		
			Inquire Access Point Group	Perform			
			Edit Access Point Group	Perform	Approve		
			Edit Access Points	Perform	Approve		
		Account Relationship Mapping	Inquire Task to Account Relationship Mapping	Perform			
			Create Account Relationship Host Code Mapping	Perform	Approve		
			Inquire Account Relationship Host Code Mapping	Perform			
			Update Account Relationship Host Code Mapping	Perform	Approve		
			Update Task to Account Relationship Mapping	Perform	Approve		
			Create Task to Account Relationship Mapping	Perform	Approve		
		Alert Maintenance	Edit Alerts Maintenance	Perform	Approve		
			Delete Alerts Maintenance	Perform	Approve		
			Inquire Alerts Maintenance	Perform			
			Create Alerts Maintenance	Perform	Approve		
		Application Message Maintenance	Inquire Error Message	Perform			
			Edit Error Message	Perform	Approve		
		Approvals- Workflow Configuration	Inquire Workflow Configuration	Perform			
			Edit Workflow Configuration	Perform	Approve		
			Create Workflow Configuration	Perform	Approve		
		Audit Log	Inquire Audit Log	Perform			
		Authentication Maintenance	Edit Authentication Factors	Perform	Approve		
			Create Soft Token Seed Admin	Perform			
			Setup Authentication Factors	Perform	Approve		
			Inquire Authentication Factors	Perform	Approve		
			Create Soft Token Seed Admin	Perform			

1 Report generated by pmgadmin | 30 Nov 2021, 11:57

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 67-61 User Entitlement Report - Adhoc Report - Field Description

Field Name	Description
Report Parameters	**Information specified in below fields are related to report parameters**.
Group Corporate ID	The Group Corporate ID of the user for whom report has been generated
Group Corporate Name	The Group Corporate Name of the user for whom report has been generated
Party ID	The party ID of the user for whom the report has been generated.
Party Name	The party Name of the user for whom the report has been generated.
User ID	The user id of the user for whom the report has been generated.
User Status	The User Status in the OBDX application
Report Details	**Information specified in below fields are related to report details**.
Touch Point Enable	The touch points enabled for the User to access the application
Transaction Name	The accessible transaction for the user
Permission	The permission to access the transaction whether its perform, Approve or view
Party ID	The Party ID of Accessible Transactions Account number
Account Number	The Account number to which user has access to perform the transactions.

Copyright © 2006, 2026, Oracle and/or its affiliates.

68

My Reports

This topic describes the information about **My Reports** option. This option enables the user to download the adhoc/scheduled reports generated using Report Generation screen.

On accessing **My Reports** menu, last 10 reports which generated by the system are listed with the respective report status. User can choose to search the specific report using the search criteria or can opt to view/ download detailed report.

The reports generated on adhoc basis will appear under **Adhoc** tab, whereas the scheduled reports generated as per set frequency will appear under **Scheduled** tab.

Navigation Path: Perform the below navigation to access **My Reports**.

From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Reports**. Under **Reports** , click **My Reports**.

- My Reports - Adhoc
  This topic describes the systematic instruction to **My Reports - Adhoc** screen.
- My Reports - Scheduled
  This topic describes the systematic instruction to **My Reports - Scheduled** tab.
- FAQ


68.1 My Reports - Adhoc

This topic describes the systematic instruction to **My Reports - Adhoc** screen.

Adhoc reports are generated on demand or on request. Generated reports can be viewed using **My Reports** screen.
To view and download the generated adhoc reports:

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 68-1 My Reports - Adhoc



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 68-1 My Reports - Adhoc - Field Description

Field Name	Description
Search	**Information specified in below fields are related to search**.
Report ID	Report ID to search specific report. All the report IDs will be listed.
Report Name	Report Name to search specific report. All the reports with the names will be listed.
Generation Date	To search generated reports between specific date ranges. • **From date** – To search the reports generated from specific date. • **To date** – To search the reports generated till specific date
Report List	**Information specified in below fields are related to report list**.
Report Name	Report Name to search specific report. All the reports with the names are listed.
Report Sub Id	Report sub ID with the hyperlink to see the report details. .
Generation Date and Time	Report generation time and date.
Status	Status of generated reported. The status can be: • **Processed** • **Pending** • **Error**

Copyright © 2006, 2026, Oracle and/or its affiliates.

1. Navigate to the above path.

   The **My Reports** screen appears.

2. Click search icon to search the reports with given search criteria.
   - The search results matching to the search criteria are shown on the same screen.
3. Click on **Report Sub Id** hyperlink to view the detailed report. (Refer specimen provided for each report).

68.2 My Reports - Scheduled

This topic describes the systematic instruction to **My Reports - Scheduled** tab.

The reports that are generated in specific time frame such as daily, weekly, monthly, quarterly, and annually are categorized under scheduled reports.
To view and download the generated scheduled reports:

1. Navigate to the above path.


   The **My Reports** screen appears.

2. Click the **Scheduled** tab.

   The list of scheduled reports appear.

   - Click search icon to search the reports with given search criteria.

Figure 68-2 My Reports - Scheduled



Copyright © 2006, 2026, Oracle and/or its affiliates.

3. Click on **Report Sub ID** hyperlink to view the detailed report. (Refer specimen provided for each report)

68.3 FAQ

1. Can I choose a format in which a report is to be downloaded from My Reports screen?
   A report can be downloaded in a format selected while generating a report.
2. Can I view and download a report which is generated by other administrator users?
   Yes, you can view and download the reports which are generated by other administrator users using **My Reports** screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

69

User Report Mapping

This topic describes the systematic instruction to **User Report Mapping** option.

The user report mapping maintenance will allow the Bank Administrators to map the report or set of reports to a specific business user. The business users can generate and view the reports of which they have an access to.

Bank Administrator can search a business user based on the user details and view the reports mapped to the user for each business party. Administrator can also un-map the reports from specific business user – Party combination so that access of the specific report/ s can be removed to that business user for a party.

Navigation Path: Perform the following navigation to access the **User Report Mapping**:


From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Reports**. Under **Reports**, click **User Report Mapping**.

- User Report Mapping – Select User Type
- User Report Mapping - Administrator User
- User Report Mapping – Retail and Business User

69.1 User Report Mapping – Select User Type

Bank Administrator logs into the system and navigates to the User Report Mapping screen. On accessing the 'User Report Mapping' menu, bank administrator has to select the user type for whom the reports are to be maintained.

Figure 69-1 User Report Mapping – Select User Type



To map the reports to a user:

1. Navigate to the above path.

   The **User Report Mapping** screen appears with the **User Type Selection** popup screen.

2. Perform one of the following actions:

   - Click **Administrator User** to map the report or set of reports to the bank administrator users.

Copyright © 2006, 2026, Oracle and/or its affiliates.

The **User Report Mapping - Administrator** screen appears.

- Click **Retail and Business User** to map the report or set of reports to a specific business user.

  The **User Report Mapping - Retail and Business** screen appears.

69.2 User Report Mapping - Administrator User

- User Report Mapping - Create
  This topic describes the systematic instruction to **User Report Mapping - Create** option.
- User Report Mapping - Search
  This topic describes the systematic instruction to **User Report Mapping - Search** option.
- User Report Mapping - Edit
  This topic describes the systematic instruction to **User Report Mapping - Edit** option.

69.2.1 User Report Mapping - Create

This topic describes the systematic instruction to **User Report Mapping - Create** option.

Using this option Bank Administrator can map the reports to a specific corporate user.
To map the reports to a user:

1. Navigate to the above path.


   The **User Report Mapping** screen appears.
2. Perform anyone of the following actions:
   - In the **Username** field, enter the username of the user whose report mapping to be done.
   - In the **First Name** field, enter the first name of the user whose report mapping to be done.
   - In the **Last Name** field, enter the last name of the user whose report mapping to be done.
   - In the **Email** field, enter the email of the user whose report mapping to be done.
   - In the **Mobile** field, enter the mobile number of the user whose report mapping to be done.
3. Perform anyone of the following actions:
   - Click **Search**.

     The **User Report Mapping** screen with search results appears.
   - Click **Clear** to clear the search parameters.
   - Click **Cancel** to cancel the transaction.
4. Click  icon of user record, for which you want to map the report/ s.

   The **User Report Mapping** screen to create the report mapping appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 69-2 User Report Mapping - Create



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 69-1 User Report Mapping - Create - Field Description

Field Name	Description
User Name	Name of the admin user.
User ID	User Id of the admin user.
Mapping Summary	**Information specified in below fields are related to Mapping Summary**.
Report ID	Unique id assigned to a report.
Description	Description of the report.
Formats	The format in which the report is to be generated. The format could be PDF, XLSX.

5. In the **Mapping Summary** section, select the report id of the report which you want to map to the user.
6. Perform anyone of the following actions:
   - Click **Save** to save the mapping.

     The **User Report Mapping - Review** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Cancel** to cancel the transaction.
- Click **Back** to navigate to the previous screen.

7. Perform anyone of the following actions:
   - Verify the details, and click **Confirm**.

     The success message appears along with the transaction reference number and status of the transaction.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
8. Click **OK** to complete the transaction.

69.2.2 User Report Mapping - Search

This topic describes the systematic instruction to **User Report Mapping - Search** option.

Using this option Bank Administrator can search and view the reports mapped to the user.
To search and view the reports mapping:

1. Navigate to the above path.


   The **User Report Mapping** screen appears.
2. Perform anyone of the following actions:
   - In the **Username** field, enter the username of the user whose report mapping to be done.
   - In the **First Name** field, enter the first name of the user whose report mapping to be done.
   - In the **Last Name** field, enter the last name of the user whose report mapping to be done.
   - In the **Email** field, enter the email of the user whose report mapping to be done.
   - In the **Mobile Number** field, enter the mobile number of the user whose report mapping to be done.

   > **Note**
   >
   > Click on **More Search Options** to allows search based on more criteria.
3. Perform anyone of the following actions:
   - Click **Search**.

     The **User Report Mapping** screen with search results appears.
   - Click **Clear** to clear the search parameters.
   - Click **Cancel** to cancel the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 69-3 User Report Mapping - Search



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 69-2 User Report Mapping - Search - Field Description

Field Name	Description
Search Filter Criteria	**Information specified in below fields are related to Search Filter Criteria.**
Username	Allows to search based on username of the user whose report mapping to be done.
First Name	Allows to search based on first name of the user whose report mapping to be done.
Last Name	Allows to search based on last name of the user whose report mapping to be done.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 69-2 (Cont.) User Report Mapping - Search - Field Description


Field Name	Description
Email	Allows to search based on email ID by the user whose report mapping to be done.
Mobile	Allows to search based on mobile number of the user whose report mapping to be done. **Note** User can select international subscriber dialing (ISD) code (country code) while selecting mobile number.
Party ID	Allows to search based on party ID of the user whose report mapping to be done.
Search by Party Name	Click on the link to search by party name corresponding to the party ID.
Search Result	**Information specified in below fields are related to Search Result**.
Initials	The initials of the user.
User ID	The User ID of the user.
User Details	The details of the user like user name or user id.
Mapping	Displays whether the file identifier is mapped to the user. •  - denotes that the report is mapped to the user •  - denotes that the report is not mapped to the user.

4. Click on the **Party ID** link to view the details.

   The **User Report Mapping - View** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 69-4 User Report Mapping - View



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 69-3 User Report Mapping - View - Field Description

Field Name	Description
Party ID	Party Id of the admin user.
Party Name	Party name of the admin user.
Users List	**Information specified in below fields are related to Users List**.
Initials	The initials of the user.
User Details	The details of the user like user name or user id.
Mapping	Displays whether the file identifier is mapped to the user. • - denotes that the report is mapped to the user. • - denotes that the report is not mapped to the user.


5. Perform anyone of the following actions:

- Click icon against the user record for which you want to view the details.

  The **User Report Mapping – Mapping Summary** screen appears.
- Click **Back** to navigate to the previous screen.
- Click **Cancel** to cancel the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 69-5 User Report Mapping – Mapping Summary



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 69-4 User Report Mapping – Mapping Summary - Field description

Field Name	Description
User Name	Name of the admin user.
User ID	User ID of the admin user.
Mapping Summary	**Information specified in below fields are related to Mapping Summary**.
Report ID	Unique id assigned to the mapped report.
Description	Description of the report.
Formats	Formats in which a report can be generated.

6. Perform anyone of the following actions:
   - Click **Edit** to modify the user report mapping.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to previous screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

69.2.3 User Report Mapping - Edit

This topic describes the systematic instruction to **User Report Mapping - Edit** option.

Using this option Bank Administrator can edit the mapping or un-map the reports from specific user.

To edit a User Report Mapping:

1. Navigate to the above path.

   The **User Report Mapping** screen appears.

2. Perform anyone of the following actions:
   - In the **Username** field, enter the username of the user whose report mapping to be done.
   - In the **First Name** field, enter the first name of the user whose report mapping to be done.
   - In the **Last Name** field, enter the last name of the user whose report mapping to be done.
   - In the **Email** field, enter the email of the user whose report mapping to be done.
   - In the **Mobile** field, enter the mobile number of the user whose report mapping to be done.

3. Perform anyone of the following actions:
   - Click **Search**. The **User Report Mapping** screen with search results appears.
   - Click **Clear** to clear the search parameters.
   - Click **Cancel** to cancel the transaction.

4. Click icon against the file identifier record for which you want to view the details.


   The **User Report Mapping - View** screen appears.

5. Click **Edit**.

   The **User Report Mapping - Edit** screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 69-6 User Report Mapping - Edit



6. View the details of report mapping already saved.

   Select or de-select the report id record to map / un-map a report to a user.

7. Perform anyone of the following actions:
   - Click **Save** to save the modified details.

     The **User Report Mapping - Review** screen appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

8. Perform anyone of the following actions:
   - Verify the details, and click **Confirm**.

     The success message appears along with the transaction reference number and status of the transaction.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.

9. Click **OK** to complete the transaction.

69.3 User Report Mapping – Retail and Business User

Using this option Bank Administrator can search and view the reports mapped to the user. This option allows mapping a report or set of reports to a specific business user under a party.

- User Report Mapping - Search
  This topic describes the systematic instruction to **User Report Mapping - Search** option.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- User Report Mapping - Create
  This topic describes the systematic instruction to **User Report Mapping - Create** option.
- User Report Mapping - Edit
  This topic describes the systematic instruction to **User Report Mapping - Edit** option.

69.3.1 User Report Mapping - Search


This topic describes the systematic instruction to **User Report Mapping - Search** option.

Using this option Bank Administrator can search and view the reports mapped to the user.
To search and view the reports mapping:

1. Navigate to the above path.

   The **User Report Mapping** screen appears.
2. Perform anyone of the following actions:
   - In the **Party ID** field, enter the party id of the user.
   - In the **Party Name** field, enter the name of the party.
3. Perform anyone of the following actions:
   - Click **Search**. The **User Report Mapping** screen with search results appears.
   - Click **Clear** to clear the search parameters.
   - Click **Cancel** to cancel the transaction.

Figure 69-7 User Report Mapping - Search



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.


Table 69-5 User Report Mapping - Search - Field Description

Field Name	Description
Search Filter Criteria	**Information specified in below fields are related to Search Filter Criteria.**
Party ID	Allows to search based on party ID of the user whose report mapping to be done.
Search by Party Name	Click on the link to search by party name corresponding to the party ID.
Search Result	**Information specified in below fields are related to Search Result.**
Party ID	The ID of the searched party.
Party Name	The name of the searched party.

4. Click on the **Party ID** link to view the details.

The **User Report Mapping - View** screen appears.

Figure 69-8 User Report Mapping - View



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 69-6 User Report Mapping - View - Field Description


Field Name	Description
Party ID	Party ID of the retail & business user.
Party Name	Party name of the retail & business user.
User ID	Allows to search based on ID of the user whose report mapping to be done.
Username	Allows to search based on username of the user whose report mapping to be done.
First Name	Allows to search based on first name of the user whose report mapping to be done.
Last Name	Allows to search based on last name of the user whose report mapping to be done.
Email	Allows to search based on email ID by the user whose report mapping to be done.
Mobile Number	Allows to search based on mobile number of the user whose report mapping to be done.
Users List	**Information specified in below fields are related to Users List**.
User Name	The name of the user.
Full Name	The full name of the user.
Mapping	Displays whether the file identifier is mapped to the user. • - denotes that the report is mapped to the user. • - denotes that the report is not mapped to the user.

5. Perform anyone of the following actions:

   - Click icon against the user record for which you want to view the details. The **User Report Mapping – Mapping Summary** screen appears.
   - Click **Back** to navigate to the previous screen.
   - Click **Cancel** to cancel the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 69-9 User Report Mapping – Mapping Summary



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 69-7 User Report Mapping – Mapping Summary - Field description

Field Name	Description
User Name	Name of the corporate user.
User ID	User Id of the corporate user.
Mapping Summary	**Information specified in below fields are related to Mapping Summary**.
Report ID	Unique id assigned to the mapped report.
Description	Description of the report.
Formats	Formats in which a report can be generated.

6. Perform anyone of the following actions:
   - Click **Edit** to modify the user report mapping.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to previous screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

69.3.2 User Report Mapping - Create

This topic describes the systematic instruction to **User Report Mapping - Create** option.

Using this option Bank Administrator can map the reports to a specific corporate user.
To map the reports to a user:


1. Navigate to the above path.

   The **User Report Mapping** screen appears.
2. Perform anyone of the following actions:
   - In the **Party ID** field, enter the party id of the user.
   - In the **Party Name** field, enter the name of the party.
3. Perform anyone of the following actions:
   - Click **Search**.

     The **User Report Mapping** screen with search results appears.
   - Click **Clear** to clear the search parameters.
   - Click **Cancel** to cancel the transaction.
4. Click  icon of user record, for which you want to map the report/ s.

   The **User Report Mapping** screen to create the report mapping appears.

Figure 69-10 User Report Mapping - Create



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 69-8 User Report Mapping - Create - Field Description

Field Name	Description
User Name	Name of the retail & business user.
User ID	User Id of the retail & business user.
Mapping Summary	**Information specified in below fields are related to Mapping Summary**.
Report ID	Unique id assigned to a report.
Description	Description of the report.
Formats	The format in which the report is to be generated. The format could be PDF, XLSX.

5. In the **Mapping Summary** section, select the report id of the report which you want to map to the user.
6. Perform anyone of the following actions:
   - Click **Save** to save the mapping.

     The **User Report Mapping - Review** screen appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
7. Perform anyone of the following actions:
   - Verify the details, and click **Confirm**.

     The success message appears along with the transaction reference number and status of the transaction.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
8. Click **OK** to complete the transaction.

69.3.3 User Report Mapping - Edit

This topic describes the systematic instruction to **User Report Mapping - Edit** option.

Using this option Bank Administrator can edit the mapping or un-map the reports from specific user.

To edit a User Report Mapping:

1. Navigate to the above path.

   The **User Report Mapping** screen appears.
2. Perform anyone of the following actions:
   - In the **Party ID** field, enter the party id of the user.
   - In the **Party Name** field, enter the name of the party.
3. Perform anyone of the following actions:
   - Click **Search**.

     The **User Report Mapping** screen with search results appears.
   - Click **Clear** to clear the search parameters.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Cancel** to cancel the transaction.


4. Click icon against the file identifier record for which you want to view the details.

   The **User Report Mapping - View** screen appears.

5. Click **Edit**.

   The **User Report Mapping - Edit** screen appears.

Figure 69-11 User Report Mapping - Edit



6. View the details of report mapping already saved. Select or de-select the report id record to map / un-map a report to a user.
7. Perform anyone of the following actions:
   - Click **Save** to save the modified details.

     The **User Report Mapping - Review** screen appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
8. Perform anyone of the following actions:
   - Verify the details, and click **Confirm**.

     The success message appears along with the transaction reference number and status of the transaction.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
9. Click **OK** to complete the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

70

Message Maintenance


This topic describes the information about **Message Maintenance** option.

Using this option, System Administrator can inquire the existing Error Messages defined in the system for an OBDX error code. It also allows you to modify the text defined for a message code for a particular Language.

Pre-requisites

- Transaction access is provided to the administrator.
- Approval rule is setup

Figure 70-1 Workflow



Features supported in Application:

This option allows the System/Bank Administrator to:

- View Message Maintenance
- Edit Message Maintenance

Navigation Path: Perform anyone of the following navigation to access **Mailers**.

- From **System/ Bank Administrator Dashboard**, under **Communications** widget, click **Mailers**.
- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Others**. Under **Others** , click **Message Maintenance**.
- Message Maintenance - View
  This topic describes the systematic instruction to **Message Maintenance - View** screen.
- Message Maintenance - Edit
  This topic describes the systematic instruction to **Message Maintenance - Edit** option.

70.1 Message Maintenance - View

This topic describes the systematic instruction to **Message Maintenance - View** screen.


This screen allows the System Administrator to view the Error Messages defined in the system.
To view the Error Messages:

Copyright © 2006, 2026, Oracle and/or its affiliates.

1. Navigate to one of the above path.

   The **Message Maintenance** screen appears.
2. Enter the search Criteria.
3. Perform anyone of the following actions:
   - Click **Search**. The search summary appears.
   - Click **Clear** to clear the search parameters.
   - Click **Cancel** to cancel the transaction.

Figure 70-2 Message Maintenance - Search Result



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 70-1 Message Maintenance - Search Result - Field Description

Field Name	Description
Error Code	Enter the name of the error code to be searched.
Language	Select language in which the error message is defined.
Search Result	**Information specified in below fields are related to search result**.
Error Code	Displays the error code.
Language	Displays the language in which the error messages are defined.


Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 70-1 (Cont.) Message Maintenance - Search Result - Field Description

Field Name	Description
Error Message	Displays the error message content.

4. Click on **Error Code** link to view details of the selected error message.
5. The **Message Maintenance – View** screen appears with the details.

Figure 70-3 Message Maintenance – View



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 70-2 Message Maintenance – View - Field Description

Field Name	Description
Error Code	Displays the name of the error code.
Language	Displays the language in which the error message is defined.
Error Message	Displays the error message content.

6. Perform anyone of the following actions:
   - Click **Edit** to update details of the client. User is directed to the **Message Maintenance - Edit** screen with values in editable form.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to previous screen.

70.2 Message Maintenance - Edit

This topic describes the systematic instruction to **Message Maintenance - Edit** option.

You can modify the text defined for a message code for a particular Language.
To modify the error Messages:

1. Navigate to one of the above path.


Copyright © 2006, 2026, Oracle and/or its affiliates.

The **Message Maintenance** screen appears.

2. Enter the search Criteria.
3. Click **Search**.

   The search summary appears.
4. Click on **Error Code** link to view details of the selected error message.
5. The **Message Maintenance – View** screen appears with the details.
6. Perform anyone of the following actions:
   - Click **Edit** to make changes, if any. The user is directed to the **Message Maintenance - Edit** screen with values in editable form.
   - Click **Cancel** to cancel the transaction.

Figure 70-4 Message Maintenance - Edit



7. Modify the message of the error code.
8. Perform anyone of the following actions:
   - Click **Save** to save the details.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
9. The **Review** screen appears. Verify the details, and click **Confirm**.

   The message confirming updation appears along with the transaction reference number.
10. Click **OK** to complete the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

71

User Helpdesk

This topic describes the systematic instruction to **User Helpdesk** option.

This feature will allow Bank administrator to create business user's session and perform the transaction requested by business user if he has forgotten his internet banking password or is unable to perform a transaction using his internet banking.
To authenticate the user, system will send an OTP to the customer and the same OTP needs to be communicated to the administrator user so that he can enter it on the screen to create user’s session.

> **Note**
>
> OTP should be maintained as the second factor authentication for ‘Create Helpdesk Session’ event in Authentication setup.

Navigation Path: Perform any one of the following navigation to access the **User Helpdesk**:

- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Others**. Under **Others** , click **User Helpdesk**.
- From **System/ Bank Administrator Dashboard**, under **Others** widget, click **User Helpdesk**.

The **User Helpdesk** screen appears.

User Helpdesk - Search


To search user helpdesk:

1. Perform any one of the following navigation to access the **User Helpdesk**:
   - From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Others**. Under **Others** , click **User Helpdesk**.
   - From **System/ Bank Administrator Dashboard**, under **Others** widget, click **User Helpdesk**.

   The **User Helpdesk** screen appears.
2. From the **User Type** list, select the user.
3. Perform anyone of the following actions:
   - In the **User Name** field, enter the name of the user.
   - In the **Party ID** field, enter the party ID.
4. Click **Search**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 71-1 User Helpdesk - Search



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 71-1 User Helpdesk - Search - Field Description

Field Name	Description
User Type	The user type for which the help desk session has to be created.
User Name	User name (User ID) of the user for which help desk session has to be created.
Party ID	Party ID of the user for which the help desk session has to be created. Administrator can enter either the party ID or the user name.
Search Result	**Information specified in below fields are related to Search Result**.
Full Name	Displays the full name of the user.
User Name	Displays the user name (user ID) of the user.
Party ID	Displays the party ID of the user.
User Type	Displays the type of the user (Retail/Corporate).


5. Click on the **User Name**.

   Session of the selected user gets displayed.
   User Helpdesk - Detail

Copyright © 2006, 2026, Oracle and/or its affiliates.

The header displays the user name on behalf of whom the session is in progress. You can click icon to close the active session. Once the active session is successfully closed, the Administrator will be navigated to the Dashboard.

Figure 71-2 User Helpdesk - Detail



- FAQ

71.1 FAQ

1. **Can the Bank administrator create the helpdesk session for a new user (who has channel banking facility but has never logged in)?**

Copyright © 2006, 2026, Oracle and/or its affiliates.

No, for new users helpdesk session cannot be created, new users must login himself for the first time.

2. **Can the administrator set the 2FA mode anything else other than OTP for 'Create Helpdesk session' event in the Authentication screen?**
   System does not restrict the administrator from selecting a mode while setting up 2FA for 'Create Helpdesk session', however Administrator must set OTP as the 2FA mode for creating user helpdesk session.

3. **Can the administrator create the helpdesk session for the user, whose status is updated as 'Locked'?**
   No, the system will alert Bank Administrator to update the status of the user to "Unlock" from the User Management before creating the helpdesk session.

Copyright © 2006, 2026, Oracle and/or its affiliates.

72

Mailbox

This topic describes the information about **Mailbox** option.

Mailbox is a two way communication channel between Bank customers and Bank administrators. Customers communicate with the bank via secured mailbox facility. Customers can send mail messages to the bank with specific pre-defined subjects for their queries/ complaints /feedback. In application, as day 0 maintenance each subject category is linked to a group of bank administrators' users. Depending upon the mail-subject mapping to each bank administrator user, administrators will receive the mails only of the subjects mapped to the users.

Administrators can view the number of received e-mails and access all received and sent e-mails from their secured mailbox. User can click the message to read the detailed content of the message. The subject of the message gives a brief understanding of what the message is about. User can view the message details, the sender information and also view the chain of messages exchanged if any.

The complete chain of message helps user to understand and know the information exchanged with the bank on a particular subject. Bank administrators can also view the alert messages sent by the bank on various banking events.

As a Day 0 maintenance, Bank has to define whether the OBDX mailbox should point to the UBS-interaction module or to the internal mailbox. In case if the mailbox is pointed to the UBS-Interaction module, the mail initiated by customers will be sent to the UBS bank user for his action and will not be sent to the OBDX administrator.

Pre-requisites

- Roles and departments for various Bank Administrator must be defined in reference to mail section
- Alerts must be pre-set by bank and gets auto triggered if subscribed by customer or set as mandatory

Features supported in Application:

- Inbox: Where bank administrators can view the messages sent by the customers and also can reply and delete the mails.
- Sent Mail folder: This allows user to view the mails replied by logged in user. Also an option is provided to delete the mails.
- Deleted Mail Folder: This allows the user to view mails deleted from user's inbox and sent folders and can permanently delete the mails. There is an option to restore the deleted mails to respective folder.
- Alerts: View the alerts sent by the bank and received by logged in user. Also an option is provided to delete the alerts.
- Notifications - This section allows the logged in user to view all the notifications sent by the bank. Also an option is provided to delete the notifications.

Navigation Path: Perform any one of the following navigation to access **Mails**.

- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Mailbox**. Under **Mailbox** , click **Mails**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- From **System/ Bank Administrator Dashboard**, click on the 

icon.
- Mails
  This topic describes the systematic instruction to **Mails** feature.
- Alerts
  This topic describes the systematic instruction to **Alerts** option.
- Notifications
  This topic describes the systematic instruction to **Notifications** option.
- FAQ

72.1 Mails

This topic describes the systematic instruction to **Mails** feature.

The following features are available under Mails:

- **Inbox**: This folder displays all the mail messages received by the user.
- **Sent Mails**: This folder displays the list of mail messages sent by the user to the bank.
- **Deleted Mails**: This folder contains the list of mail messages deleted by the user from the inbox and the sent mail folders.

Navigation Path: Perform anyone of the following navigation to access **Mails**.

- From the System/ Bank Administrator Dashboard, click **Toggle menu**, click **Menu**, and click **Mailbox**. Under **Mailbox**, click **Mails**.
- From **System/ Bank Administrator Dashboard**, click 

, click **Mails**, then click **View All**.
- Inbox
  This topic describes the systematic instruction to **Inbox** option. Using this feature, the user can view the messages received in his Inbox.
- Sent Mail
  This topic describes the systematic instruction to **Sent Mail** option.
- Sent Mail - Details
  This topic describes the systematic instruction to **Sent Mail - Details** option.
- Deleted Mail
  This topic describes the systematic instruction to **Deleted Mail** option.

72.1.1 Inbox

This topic describes the systematic instruction to **Inbox** option. Using this feature, the user can view the messages received in his Inbox.

The user can view an individual message by clicking on the subject of the specific mail.

Navigation Path: Perform anyone of the following actions.

- From the **System/ Bank Administrator** Dashboard, click **Toggle menu**, click **Menu**, and click **Mailbox**. Under **Mailbox**, click **Mails**, then click **Inbox**.
- Access through the kebab menu of any other screens available under **Mailbox**.

To view received mails:


1. Navigate to one of the above paths.

Copyright © 2006, 2026, Oracle and/or its affiliates.

The list of received messages appears on the **Inbox** screen.

2. Click on the subject link of an individual message to view the details of that message.

Figure 72-1 Inbox



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 72-1 Inbox - Field Description

Field Name	Description
From	The name of the sender of the mail.
Subject	The subject of the mail is displayed against each mail record.
Date	The date and time on which the mail was received is displayed against each mail record.


To access the Inbox:

3. Perform anyone of the following actions:
   - Click the subject of a mail you want to view. The mail details are displayed on the overlay window.
   - Click **Refresh** to refresh the folder.
   - To delete one or multiple messages, select the specific check boxes against the mail and click **Delete**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click on kebab menu to access mailbox related transactions.

Figure 72-2 Inbox - Message Details



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 72-2 Inbox - Message Details - Field Description


Field Name	Description
Message Details	
Message Heading	The subject of the received mail.
From	The name of the sender of the mail.
Sent	The date and time on which the mail was received.
Content	The content of the mail.
Mail Chain	All the mails forming part of the mail chain being viewed are displayed one below the other with the mail received most recently displayed on top. Each mail in the chain contains the following: • The name or ID of the sender of the mail. Mails sent by you will have your name displayed against the From field and those sent by a bank administrator will have the ID of the bank administrator displayed. • The date and time at which the mail was sent. • The content of the mail as sent by you or the administrator. **Note:** A mail chain is formed when a user sends a mail to the bank and a bank administrator responds to the mail.

4. Perform anyone of the following actions:
   - An overlay containing the details of the mail appears. Click **Reply** if you wish to respond to the mail.
   - Click **Delete** to delete the message.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click ✕ to close the overlay window.

Figure 72-3 Inbox - Reply



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 72-3 Inbox - Reply - Field Description

Field Name	Description
Message - Reply	
Message	Enter a response to be sent to the bank.
Attach File +	Browse and select the reference document file sent along with an email message. **Note:** Maximum allowed file size 5MB and allowed file types are JPEG, PNG, DOC, PDF, TXT, ZIP.

5. Perform anyone of the following actions:
   - Click **Send** to send the response to the bank. A message confirming that the mail has been sent successfully appears.
   - Click **Attach File +** to add an attachment to the response mail.

72.1.2 Sent Mail

This topic describes the systematic instruction to **Sent Mail** option.

This folder displays all the messages sent by the user to the bank.

Navigation Path:

Access through the kebab menu of any other screens available under Mailbox

To view the sent messages:


Copyright © 2006, 2026, Oracle and/or its affiliates.

1. Navigate to above path.

   The list of sent mails appears on the **Sent Mail** screen.

   Click on the subject link of an individual message to view the details of that message.

Figure 72-4 Sent Mail



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 72-4 Sent Mail - Field Description

Field Name	Description
To	The name of user whom the mail has been sent.
Subject	The subject of the mail is displayed against each mail record.
Date	The date and time on which the mail was sent is displayed against each mail record.

2. Perform anyone of the following actions:
   - Click the link on the subject of the specific sent message that you wish to view.
   - Click **Refresh** to refresh the mailbox.
   - To delete a single or multiple mails, select the check box (s) against the mail, and click **Delete** to delete the message.
   - Click on kebab menu to access other mailbox related transactions.
3. An overlay with details of the selected mail appears.
   - Click **Reply** if you wish to respond further to the mail.
   - Type the reply, and click **Send**.

Copyright © 2006, 2026, Oracle and/or its affiliates.


- The success message appears.

  Click **Delete** to delete the message.

72.1.3 Sent Mail - Details

This topic describes the systematic instruction to **Sent Mail - Details** option.

Figure 72-5 Sent Mail - Details



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 72-5 Sent Mail - Details - Field Description

Field Name	Description
Message Details	This section displays the detailed message.
Message Heading	The subject of the sent mail.
From	The name of the sender of the mail.
Sent	The date and time on which the mail was sent.
Content	The content of the mail.
Mail Chain	All the mails forming part of the mail chain being viewed are displayed one below the other with the mail received most recently displayed on top. Each mail in the chain contains the following: • The name or ID of the sender of the mail. Mails sent by you will have your name displayed against the **From** field and those sent by a bank administrator will have the ID of the bank administrator displayed. • The date and time at which the mail was sent. • The content of the mail as sent by you or the administrator. **Note:** A mail chain is formed when a user sends a mail to the bank and a bank administrator responds to the mail.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 72-5 (Cont.) Sent Mail - Details - Field Description

Field Name	Description
Message - Reply	This section will be displayed if you have selected the option **Reply**.
Message	Enter a response to be sent to the bank.

1. The overlay with details of the selected **Sent Mail** appears.
2. Click **Reply** if you wish to send a response to the bank.

   Perform anyone of the following actions:

   - Type the reply and click **Send**. The success message appears.
   - Click **Attach File** to add an attachment to the response mail.
   - Click **Delete** to delete the message.
   - Click ✕ to close the overlay window.

72.1.4 Deleted Mail

This topic describes the systematic instruction to **Deleted Mail** option.

This folder displays all the messages that are deleted by the user from the Inbox and Sent Mail folders.

Navigation Path:

Access through the kebab menu of any other screens available under Mailbox


To view the deleted messages:

1. The list of deleted messages appears on the screen.

   Click the link on the subject of any individual message to view the details of that message.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 72-6 Deleted Mail



2. The overlay with details of the selected **Sent Mail** appears.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 72-6 Deleted Mail - Field Description


Field Name	Description
From	The name of the sender of the mail.
Subject	The subject of the mail is displayed against each mail record.
Received	The date and time on which the message was sent/received is displayed against each mail record.

3. Perform anyone of the following actions:
   - Click the subject link of the deleted message that you wish to view.
   - Click **Refresh** to refresh the folder.
   - To delete a single or multiple mails, select the check box (s) against the mail, and click **Delete** to delete the message/s.
   - To restore the deleted mails back to inbox, select the check box(s) against the mail, and click **Restore**.
   - Click on kebab menu to access mailbox related transactions.
4. Perform anyone of the following actions:

Copyright © 2006, 2026, Oracle and/or its affiliates.

- The overlay screen on which details of the selected mail are displayed, appears.
- Click ✕ to close the overlay window.

Figure 72-7 Deleted Mail Details



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 72-7 Deleted Mail Details - Field Description

Field Name	Description
Message Details	This section displays the detailed message.
Message Heading	The subject of the deleted mail.
From	The name of the sender of the mail.
Sent	The date and time on which the message was sent/received.
Message Contents	The content of the deleted mail.

5. Perform anyone of the following actions:
   - Click **Delete** to delete the message.
   - Click ✕ to close the overlay window.

72.2 Alerts

This topic describes the systematic instruction to **Alerts** option.

Under this section, all the alerts auto generated and sent to the logged in user will be displayed. User is not allowed to reply to the alerts received in his mailbox. Number of unread mail count if any will be shown in this section.

Navigation Path: Perform anyone of the following navigation to access.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Mailbox**. Under **Mailbox** , click **Alerts**.
- From **System/ Bank Administrator Dashboard**, click on the 45 icon, then click **Alerts** and then click **View All**.


Access through the kebab menu of any other screens available under Mailbox

To view the alerts:

1. Navigate to one of the above paths.

   The **Alerts** screen appears.

Figure 72-8 Alerts



2. Click on the subject link of an individual message to view the details of that message.

> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 72-8 Alerts - Field Description

Field Name	Description
Subject	The subject of the alert is displayed against the specific alert record.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 72-8 (Cont.) Alerts - Field Description

Field Name	Description
Received	The date and time on which the alert was sent is displayed against the specific alert record.

3. Perform anyone of the following actions:
   - Click an individual alert to view the details of the alert. The details of the alert appears.
   - Click icon to refresh the mailbox.
   - To delete multiple alerts, select the check box (s) against the alert, and click icon to delete the alert.

Figure 72-9 Alerts Details




Table 72-9 Alerts Details - Field Description

Field Name	Description
Alerts Details	
Received Date & Time	The date and time on which the alert was received.
Message	The content of the alert.

4. Perform anyone of the following actions:
   - Click icon to delete the alert.
   - Click **Back** to navigate back to the previous screen. The delete warning message appears.

72.3 Notifications

This topic describes the systematic instruction to **Notifications** option.

This section lists all the notifications sent to the logged in user will be displayed. The user can view the detailed notifications but cannot reply to these notifications. Number of unread notification count if any will be shown in this section.
Navigation Path: Perform anyone of the following action **Notifications**.

- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Mailbox**. Under **Mailbox** , click **Notifications**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- From **System/ Bank Administrator Dashboard**, click on the 45 icon, then click **Notifications** and then click **View All**.

Access through the kebab menu of any other screens available under Mailbox

To view the notifications:


1. Navigate to one of the above paths.

   The **Notifications** screen appears.

2. Click the **Notifications** tab.

   The notifications section displays list all the notifications.

Figure 72-10 Notifications



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 72-10 Notifications - Field Description

Field Name	Description
Subject	Subject of the alert. The icon against the record denotes that the notification is sent at high priority.
Received	Date and time on which the notification was received.

3. Perform anyone of the following actions:

   - Click icon to refresh the Notifications.
   - Click icon to delete the Notifications.


Copyright © 2006, 2026, Oracle and/or its affiliates.

> **Note**
>
> For multiple alerts deletion, select the check box (s) against the Notifications, and click icon.

4. Click **individual notifications** to view the details.

   The details appear depend upon the type of notification being received.

Figure 72-11 Notifications Details



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 72-11 Notifications Details - Field Description

Field Name	Description
Subject	Subject of the notification.
Received	Date and time on which the notification was received.
Message	Message Body of the notification.

5. Perform anyone of the following actions:
   - Click **Delete** to delete the notification.
   - Click **Go Back** to navigate to the previous page.

72.4 FAQ

1. **Can Bank Administrator initiate fresh mails?**
   No, Bank administrator can not initiate fresh mail. Administrator will be allowed only to reply to the mails received in their inbox.
2. **Will Bank Administrators receive all mails initiated by bank's customers?**
   Bank Administrators will receive only those mails of which the mail subject is mapped to individual user or group of users. E.g. Mail initiated by customer with subject 'Change of communication address' will only be sent to the users whom this subject is mapped.

Copyright © 2006, 2026, Oracle and/or its affiliates.

3. **Can Bank Administrator view reply sent by other Administrator to customer's mail?**
   Yes, bank administrators can view the mails replied by other administrators, only if the mail subject is mapped to the user.
4. **Can Bank Administrator delete multiple mails?**
   Yes, user can select multiple mails and delete the same.
5. **Can Bank Administrator restore the deleted mails?**
   Deleted mails from inbox and sent mail folder will be stored in Deleted Mails folder. User can view the details of deleted mail and can restore the mail back in respective folders. Mails will get permanently deleted from user's view if further deleted from 'Deleted Mail folder'.

Copyright © 2006, 2026, Oracle and/or its affiliates.

73

Security Settings


This topic describes the information about the **Security Settings**.

Security settings includes changing of password and setting of security questions for the user.

Pre-requisites

- User must have a valid Login credentials
- Transaction access is provided to Bank Administrator

Figure 73-1 Workflow



Features supported in application

The Security Settings maintenance allow the Bank Administrator to:

- Changing of old password to new Password
- Set Security Questions
- View Security Questions
- Edit Security Questions

Navigation Path: Perform the following navigation to access the **Security & Login**.

From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Security & Login**.

- Set Security Question
  This topic describes the systematic instruction to **Set Security Question** option.
- Change Password
  This topic describes the systematic instruction to **Change Password** feature. This feature allows the Administrator to change their password.
- FAQ

73.1 Set Security Question

This topic describes the systematic instruction to **Set Security Question** option.

Security Questions are the second layer of authentication mode set by the Bank to complete various transactions.

Copyright © 2006, 2026, Oracle and/or its affiliates.


This feature allows the administrator user to set up the answers of the security questions, which will then be used as another layer of security (Over and above the Login credentials).

User will be asked to answer these security questions to complete the transactions for which bank would have set Security Question as the second factor authentication.

Navigation Path: Perform the following navigation to access the **Set Security Question**.

From **Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Security & Login**. Under **Security & Login** , click **Set Security Question**.

Figure 73-2 Set Security Question



> **Note**
>
> Since security questions have not been set-up by the user, message will be displayed **Security Questions are not set up yet**.

To set up security questions:


1. Navigate to the above path.

   The **Set Security Question** screen appears.

2. Perform anyone of the following actions:
   - Click **Set up now** to set-up security questions. The **User Security Question** screen appears.
   - Click **Cancel** to cancel the operation and navigate back to ‘Dashboard’.
   - Click **Back** to go back to the previous screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 73-3 User Security Question



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 73-1 User Security Question - Field Description

Field Name	Description
User Security Questions	**Information specified in below fields are related to user security questions**.
Security Question	Questions available for selection for setup.
Answer	Enter the answers corresponding to the security question.

3. From the **Security Questions** list, select the appropriate security question to be added in set.
4. In the **Answers** field, enter the answers corresponding to the security question.
5. Perform anyone of the following actions:
   - Click **Save** to save the changes made.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
6. Perform anyone of the following actions:

Copyright © 2006, 2026, Oracle and/or its affiliates.

- The **User Security Question – Review** screen appears. Verify the details, and click **Confirm**.
- Click **Cancel** to cancel the transaction.
- Click **Back** to navigate to the previous screen.

7. The **User Security Question – Edit** screen with values in editable form screen. appears

   Click **Cancel** to cancel the transaction.

8. The success message appears along with the status of transaction.

   Click **OK** to complete the transaction.

- View Security Questions
  This topic describes the systematic instruction to **View Security Questions** option.
- User Security Question - Edit
  This topic describes the systematic instruction to **User Security Question - Edit** option.

73.1.1 View Security Questions

This topic describes the systematic instruction to **View Security Questions** option.


On accessing **Manage Security Questions** option, system displays the existing security questions already maintained if any.
To view the existing t security questions maintenance:

1. Navigate to the above path.

   The **Set Security Question** screen appears.

2. Navigate to **Set Security Question** screen, **Set Security Question - View** screen appears.

Figure 73-4 Set Security Question - View



> **Note**
>
> The fields which are marked as Required are mandatory.

Copyright © 2006, 2026, Oracle and/or its affiliates.

For more information on fields, refer to the field description table.

Table 73-2 Set Security Question - View - Field Description

Field Name	Description
Set Security Question - View	**Information specified in below fields are related to set security question tab**.
User ID	User ID of the logged in user.
Security Questions	The list of security question, which is the existing set, for the user

3. Perform anyone of the following actions:
   - Click **Edit** to make the changes if any. The **User Security Question – Edit** screen with values in editable form appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to go back to previous screen.

73.1.2 User Security Question - Edit

This topic describes the systematic instruction to **User Security Question - Edit** option.

Bank Administrator can modify existing maintenance for security questions. Administrator is allowed to add security questions but cannot delete the existing questions.
To edit the security questions set:

1. Navigate to the above path.


   The **Set Security Question** screen appears.
2. Click **View** to view the security questions already set.

   The **User security questions – View** screen appears.
3. Click **Edit**.

   The **User Security Question - Edit** screen with values in editable form screen appears.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 73-5 User Security Question - Edit



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 73-3 User Security Question - Edit - Field Description

Field Name	Description
User Security Question - Edit	**Information specified in below fields are related to user security question**.
Questions	The list of security question, which is the existing set, for the user.
Answer	Answers will not be visible in edit mode due to security reasons.

4. From the **Security Questions** list, view the existing questions. Modify if required.
5. Perform anyone of the following actions:
   - Click **Save** to save the changes made.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate to the previous screen.
6. Perform anyone of the following actions:
   - The **User Security Question – Review** screen appears. Verify the details, and click **Confirm**.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Cancel** to cancel the transaction.
- Click **Back** to navigate to the previous screen.

7. Perform anyone of the following actions:
   - The **User Security Question – Edit** screen with values in editable form screen appears.
   - Click **Cancel** to cancel the transaction.
     The success message of security question setup appears along with the transaction reference number.
   - Click **OK** to complete the transaction.


73.2 Change Password

This topic describes the systematic instruction to **Change Password** feature. This feature allows the Administrator to change their password.

Navigation Path: Perform the following navigation to access the **Change Password**.

From **Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Security & Login**. Under **Security & Login** , click **Change Password**.

Figure 73-6 Change Password



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 73-4 Change Password - Field Description

Field Name	Description
Old Password	Old password for channel access.
New Password	New password for channel access.
Re-enter Password	Re-enter the new password to confirm.

To reset the password:

1. Navigate to the above path.

   The **Change Password** screen appears.
2. Perform anyone of the following actions:
   - In the **Current Password** field, enter the password.
   - Click icon to enter the password using the virtual keyboard.
3. Perform anyone of the following actions:
   - In the **New Password** field, enter the password.
   - Click icon to enter the new password using the virtual keyboard.

     (See Password Condition section on the application screen to view the policy of setting a new password.)
4. Perform anyone of the following actions:
   - In the **Re-enter Password** field, re-enter the password.
   - Click icon to re-enter the password using the virtual keyboard.
5. Perform anyone of the following actions:
   - Click **Submit**.
   - Click **Cancel** to cancel the transaction.
6. The success message of changing the password appears.
7. As the login user changed his password using '**Change Password**' option, system will logout the user and user will be shown a confirmation message of password change along with an option to login again. Click **Login on confirmation** screen to log in to the application.

> **Note**
>
> Password Conditions gets highlighted in green if the user's password is meeting the Password Policy criteria and similarly in Red if the password is not as per the Password Policy maintained.

73.3 FAQ

1. **Can I modify the security questions already set by me?**
   Yes, Answer to security Questions can be modified.

Copyright © 2006, 2026, Oracle and/or its affiliates.

74

Profile

This topic describes the information about **Profile** option. Using this option, the bank administrator can view his profile details.

Details that can be viewed include user name, last login time, email id, phone number, and date of birth and address of the user.

Pre-requisites

User must have a valid Login credentials


Features Supported In Application

- View the profile details of bank administrator user

Navigation Path: Perform anyone of the following navigation to access **Profile**.

- From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Account Setting** . Under **Account Setting** , click **Profile**.
- From **User Name** icon (top right corner of the screen), click **Profile**.

Figure 74-1 Profile



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 74-1 Profile - Field Description

Field Name	Description
User Name	First name and last name of the logged in user.
Personal Information	**Information specified in below fields are related to personal information**.
Date of Birth	Date of birth of the user.
Contact Information	**Information specified in below fields are related to contact information**.
Communication Address	Address of the user.
Email	Email id of the user, in masked format.
Phone Number	Displays contact number of the user alongwith an international subscriber dialing (ISD) code, in masked format.

1. Click **OK** to navigate to the previous screen.

- FAQ

74.1 FAQ

1. **Can the bank administrator user edit his profile information?**
   No, the bank administrator user cannot edit his profile information; he/she can only view the profile details.

Copyright © 2006, 2026, Oracle and/or its affiliates.

75


Session Summary

This topic describes the information about **Session Summary** option.

The option used by the user to check the log of transactions and login details for the previous five logins. The System Administrator can view the entire session summary of the previous five logins, login and logoff date and time for each session, channel in which transactions are carried out in each session along with the IP address of the channel.
Navigation Path: Perform the following navigation to access **Session Summary**.

From **System/ Bank Administrator Dashboard**, click **Toggle Menu**, then click **Menu** and then click **Account Settings**. Under **Account Settings** , click **Session Summary**.

Figure 75-1 Session Summary



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 75-1 Session Summary - Field Description

Field Name	Description
Start Date & Time	The start date and time of the session.
End Date & Time	The end date and time of the session.
Channel	The channel of access for the session (Desktop Browser).
IP Address	IP address of the channel.

1. Navigate to the above path.


Copyright © 2006, 2026, Oracle and/or its affiliates.

The **Session Summary** screen appears.

2. Perform anyone of the following actions:

- Click icon against a specific record to view the details of that session. The session details appear.
- Click **OK** to navigate to the Dashboard screen.

Figure 75-2 Session Summary - Details



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 75-2 ession Summary - Details - Field Discription

Field Name	Description
Start Date & Time	The start date and time of the session.
End Date & Time	The end date and time of the session.
Channel	The channel of access for the session (Desktop Browser).
IP Address	IP address of the channel.
Session Summary - Details	**Information specified in below fields are related to session summary - details**.
Transaction Name	Name of the transaction, performed in the session.
Status	Status of the transaction.
Transaction Date & Time	The date and time of the transaction.

Copyright © 2006, 2026, Oracle and/or its affiliates.

76

Manage DND Alerts

This topic describes the systematic instruction to **Manage DND Alerts** option. This option allow user to enable/disable DND flag for mandatory alerts for the selected categories.

Day 0 configuration will be provided for the events which are applicable for DND. The bank can create a category of events for which DND needs to be configured.

Pre-requisites

- The user must have a valid login credential to access the digital banking platform.

Features Supported In the Application


- Definition of Primary Account Number

To set DND alerts to category:

1. From the **Dashboard**, click **Toggle menu**, click **Menu**, and click **Account Settings** and then click **Preferences** . Under **Preferences** , click **Manage DND Alerts**.
2. Navigate to above path.

   The **Manage DND Alerts** screen appears.

Figure 76-1 Manage DND Alerts



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.


Table 76-1 Manage DND Alerts - Field Description

Field Name	Description
Select Category	Select the categories for which DND need to be configured. All the categories for which DND is applicable will be available for selection. **Note:** Click on category link to view list of all the events for which alerts will not be sent to the user.

3. In the **Select Category** field, select the desired categories for which DND need to be configured.

   - Click on category link to view list of all the events for which alerts will not be sent to the user.

Figure 76-2 DND Alerts



4. Perform anyone of the following actions:

   - Click **Submit**. A message confirming DND alert set appears.
   - Click **Cancel** to cancel the transaction.
   - Click **Back** to navigate back to the previous screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

77

Session Timeout

This topic describes the systematic instruction to **Session Timeout** option.

Session timeout represents the event occurring when a user does not perform any action on an application during a configured interval .

The below configurations are provided:

- To configure the inactive screen time. It is a backend configuration where the inactive time after which a warning message will be shown can be configured. This time needs to be lower than the configured active timeout. Note: Default inactive screen time is configured as 10 minutes
- To configure if timeout warning needs to be shown or not. Session timeout warning configuration flag is added on the System Configuration screen

The session timeout feature is available across Oracle Banking Digital Experience Cloud Service product i.e., for Retail User, Corporate User and Administrator screens.

A timeout warning message will be shown when the configured inactive time is reached. The user can view the time remaining for timeout in the warning message. The below actions will be visible to the user on the timeout warning message:


1. Stay Connected
2. Logout

When the user clicks on 'Stay Connected', whichever transaction the user was on will be shown with any pre-filled information previously captured. When the user clicks on **Logout**, the user will be logged out of the application. At the end of timeout, the **Login** option will be shown to the user as the session is expired.

> **Note**
>
> - In case the user clicks on **x** (right hand side top corner on popup), then the popup will close but the timer would continue in the backend. If any action is performed, then timer will reset
> - On timeout, if the user clicks on **x** (right hand side top corner on popup) or login button, the login page will appear.

Copyright © 2006, 2026, Oracle and/or its affiliates.


Figure 77-1 Session Warning – Pre Session Timeout Message



1. Perform anyone of the following actions:
   - Click **Stay Connected** to continue.
   - Click **Logout** to log out of the application.

When the session expires, the **Session Warning** popup appears.

Figure 77-2 Session Warning – Post Session Timeout Message



1. Click **Login** to re-login to the application.

Copyright © 2006, 2026, Oracle and/or its affiliates.

78

ATM & Branch Locator

This topic describes the information about **ATM & Branch Locator** screen. Using this option a user can view the address and location of the ATMs and the branches of the Bank available to serve the user in a certain location.

The user is provided with the options to search for the bank's ATMs and branches in his vicinity by entering a location. The search results display the list of ATMs / branches name and distance from the user's current location.
This feature enables the user to locate the bank's ATMs/ branches available within a specific radius of his current location. The user can select a Branch / ATM from the search list and on clicking the View Details icon; the user will be able to view the address and services provided by the specific ATM/ branch. The additional filter feature is provided to search the ATM/Branch based on their services. In addition the user can view the detailed directions to the ATM/ branch by clicking Get Directions, and will also be able to view its location on a map.


Features supported in the application

- **Locate Branches**
- **Locate ATMs**

To locate an ATM or Branch:

1. Perform any one of the following navigation to access the **ATM & Branch Locator** screen:
   - OBDX portal landing page, click **ATM & Branch Locator**.
   - From the Dashboard, click **Toggle menu**, click **Menu**, and click **ATM & Branch Locator**.
   - From the Dashboard, click **ATM & Branch Locator**.

Figure 78-1 ATM & Branch Locator



> **Note**
>
> The fields which are marked as Required are mandatory.

Copyright © 2006, 2026, Oracle and/or its affiliates.


For more information on fields, refer to the field description table.

Table 78-1 ATM & Branch Locator - Field Description

Field Name	Description
ATM & Branch	Specify whether you want to search for the bank's ATMs or branches. The options are: • **ATM** Branch

2. Select the desired option and enter the location in which you wish to locate ATMs or Branches:
   a. If you select the **Branch** option, the list of all the branches and their locations appear.
   b. If you select the **ATM** option, the list of all the ATMs and their locations appear.

Figure 78-2 ATM & Branch Locator - Search



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 78-2 ATM & Branch Locator - Search - Field Description

Field Name	Description
Location	Key in the address/location/pin-code or city to search for an ATM / Branch.
Number of ATMs/ Branches	A statement identifying the number of ATMs/Branches, as the case may be, will be displayed
The following will be displayed per ATM/Branch record:	

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 78-2 (Cont.) ATM & Branch Locator - Search - Field Description


Field Name	Description
Name	The name of the ATM / branch.
Distance	The distance of the ATM / branch from the location entered.
Address	The address of the ATM / branch that you have searched for.
Get Directions	Click the link, to view the directions to the branch / ATM from your current location in the map.
View Details	Clicking this link displays the following details.
Services	The services offered by the bank's ATM / branch.
Additional Information	Any additional information of the bank's ATM/branch as maintained with the bank will be displayed.

3. In the **Search** box, enter the desired location.

   The list of ATMs / branches with Name and Distance details appear.

4. Click the icon to view the ATMs/branches in the location entered.
5. Click the **View Details** link, to view the detailed address, phone number (applicable for a branch), work timings (applicable for a branch) and services provided by the bank branch/ ATM.
6. Click the icon the to filter ATMs or Branches on the basis of services that the ATMs or Branches provide.

Figure 78-3 ATM & Branch Locator - View Details




7. Perform anyone of the following actions:
   - Click on **Hide Details** to hide the details of the specific ATM/branch.
   - Hover over the ATM/branch marker on the map to view the address of the ATM/ branch.

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click the icon the to filter ATMs or Branches on the basis of services that the ATMs or Branches provide.

Figure 78-4 ATM & Branch Locator – Refine your Search



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 78-3 ATM & Branch Locator – Refine your Search - Field Description


Field Name	Description
Service	The list of services provided by the bank in the bank's ATMs or Branches will be listed down with checkboxes available against each. Select any checkbox to filter your search for ATMs or Branches on the basis of service.

8. Select any checkbox to filter your search for ATMs or Branches on the basis of desired service.
9. Click **Ok** to search for ATMs or Branches on the basis of the services selected.

   The system filters ATMs/Branches on the basis of services selected.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 78-5 ATM & Branch Locator – Get Directions



Hover over the ATM/branch marker on the map to view the address of the ATM/branch.

- FAQ

78.1 FAQ

1. **Can I view ATM/ Branches of other cities/ states/ countries?**
   Yes, you can view the ATMs or Branches of the bank located in any city/state or country in the map and also get their details such as address and phone numbers, working hours, services offered, etc.

Copyright © 2006, 2026, Oracle and/or its affiliates.

79

Forgot Password

This topic describes the systematic instruction to **Forgot Password** feature. User can reset their login password.

The login password is the password using which the user can log into the internet banking platform. The user cannot access his bank accounts without this password. The Forgot Password feature enables users to reset their login password. While resetting password system displays the password policy block as a popup message.
The user is required to enter his User ID and Date of Birth. His identity is validated through the 2factor authentication process, post which, the user can setup a new login password for channel access.

Pre-requisites

- The user must have valid login credentials to access the digital banking platform.
- The system administrator must have setup 2 factor authentication for Forgot Password.

Features Supported In the Application


- User Verification
- New Password Creation

To reset the password:

1. From **OBDX Portal**, click **Forgot Password** .
2. In the **Login** page, click **Forgot Password**.

   The **Forgot Password** screen appears.

Figure 79-1 Forgot Password - User Verification



> **Note**
>
> The fields which are marked as Required are mandatory.

Copyright © 2006, 2026, Oracle and/or its affiliates.


For more information on fields, refer to the field description table.

Table 79-1 Forgot Password - User Verification - Field Description

Field Name	Description
Username	Enter your login username.
Date of birth	Enter your date of birth.


3. In the **Username** field, enter your login username.
4. In **Date of birth** field, enter your date of birth.
5. Perform anyone of the following actions:
   - Click **Continue**.
   - Click **Cancel** to cancel the transaction.
6. The **Verification** screen appears. The user has to pass the 2factor authentication, before he can proceed. 2 factor authentication (OTP/Security question/Soft Token) will be as per the setup done by the system administrator.
7. The **Forgot Password** screen appears.

Figure 79-2 Forgot Password – New Password Creation



Copyright © 2006, 2026, Oracle and/or its affiliates.

Figure 79-3 Password Policy popup



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 79-2 Forgot Password – New Password Creation - Field Description

Field Name	Description
Please enter your new password	**Information specified in below fields are related to password**.
Password	Enter a new password for channel access.
Re-enter Password	Re-enter the new password to confirm the same.

8. Perform anyone of the following actions:
   - In the **Password** field, enter a new password.
   - Click icon to enter a new password using the virtual keyboard.
9. Perform anyone of the following actions:
   - In the **Re-enter Password** field, re-enter the new password.
   - Click icon to re-enter the new password using the virtual keyboard.
10. Perform anyone of the following actions:

Copyright © 2006, 2026, Oracle and/or its affiliates.

- Click **Submit**.
- Click **Cancel** to cancel the transaction.

A message confirming the successful reset of the password appears.

11. Click **Login** to log in to the application.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Forgot Username

This topic describes the systematic instruction to **Forgot Username** screen.

Using this feature user can retrieve his channel banking Username, in case he has forgotten the same.

Pre-requisites


- The user must have valid login credentials to access the digital banking platform.
- The system administrator must have setup 2 factor authentication for Forgot Username.

To reset the username:

1. From **OBDX Portal**, click **Forgot Username**.
2. In the **Login** page, click **Forgot Username**.

   The **Forgot Username** screen appears.

Figure 80-1 Forgot Username - User Verification



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 80-1 Forgot Username - User Verification - Field Description

Field Name	Description
Email	Enter your email ID that is registered with the bank.
Date of birth	Enter your date of birth.


Copyright © 2006, 2026, Oracle and/or its affiliates.

3. In the **Email** field, enter your email ID that is registered with the bank.
4. In **Date of birth** field, enter your date of birth.
5. Perform anyone of the following actions:
   - Click **Submit**.
   - Click **Cancel** to cancel the transaction.

   The **verification** screen appears if the transaction is configured for Two Factor Authentication.
6. Enter the details required for second factor authentication.

   The **Forgot Username** confirmation screen appears.

Figure 80-2 Forgot Username – Confirmation Page



7. A message stating that the username has been sent to your registered email address appears.

   Click the **Click here** link to log in to the application.

> **Note**
>
> If a user has more than one user ID with the same email ID and DOB, then he/she will not be able to retrieve his/her User ID using the above function. In that case, the user will have to contact the bank for retrieving his/her user ID.

Copyright © 2006, 2026, Oracle and/or its affiliates.

81

Change Password

This topic describes the systematic instruction to **Change Password** feature. User can change their login password.

Pre-requisites

- The user must have valid login credentials to access the digital banking platform.

Features Supported In the Application


- Changing the login password.

To reset the password:

1. From the Dashboard, click on the **My Profile** icon, then click **Settings**. Under **Settings**, click **Password & Security**, and then click **Change Password**.

   The **Change Password** screen appears.

Figure 81-1 Change Password



> **Note**
>
> The fields which are marked as Required are mandatory.

For more information on fields, refer to the field description table.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 81-1 Change Password - Field Description

Field Name	Description
Current Password	Enter your current login password.
New Password	Enter a new password to replace your current login password.
Confirm New Password	Re-enter the new password to confirm the same.

2. In the **Current Password** field, enter your current login password.
3. In the **New Password** field, enter a new password.

> **Note**
>
> Read the conditions defined under the **Password Conditions** section on the application screen to view the password policy.

4. In the **Confirm New Password** field, re-enter the new password.
5. Perform one of the following actions:
   - Click **Save**.

     A message confirming successful change of login password appears.
   - Click **Cancel** to cancel the transaction.
6. As the login user changed his password using **Change Password** option, system will logout the user and user will be shown a confirmation message of password change along with an option to login again. Click **Login** on confirmation screen to log in to the application.

> **Note**
>
> a. Password Conditions gets highlighted in green if the user's password is meeting the Password Policy criteria and similarly in Red if the password is not as per the Password Policy maintained.
>
> b. Click inside the **Password** field, the Virtual Keyboard link appears. Click on the link to use virtual keyboard.

Copyright © 2006, 2026, Oracle and/or its affiliates.

82

Change Username

This topic describes the systematic instruction to **Change Username** screen.

This feature enables existing users of the bank to change their login username.

> **Note**
>
> Enable or disable the ability for users (Retail, Corporate, Business, Admins) to change their login ID/username through **Role Maintenance** screen (**Change Username- Perform** option under **Transactions- Profile** category) to control the availability of this feature based on business requirements or security policies.

Pre-requisites

- The user must have valid login credentials to access the digital banking platform.

Features Supported In the Application


- Changing the login username.

To change the username:

1. From the Dashboard, click on the **My Profile** icon, then click **Settings**. Under **Settings**, click **Password & Security**, and then click **Change Username**.

   The **Change Username** screen appears.

Figure 82-1 Change Username



> **Note**
>
> The fields which are marked as Required are mandatory.

Copyright © 2006, 2026, Oracle and/or its affiliates.

For more information on fields, refer to the field description table.

Table 82-1 Change Username - Field Description

Field Name	Description
New Username	Enter a new Username to replace your current login Username.

2. In the **New Username** field, enter a new password.

   Click the **Check Availability** link to confirm if the username is available for use. If a **revoked user** needs to be granted access again and a user with the **same username** already exists, the system should prompt the **admin** to change the username before proceeding with the granting process.

3. Perform one of the following actions:

   - Click **Save**.

     A message confirming successful change of login username appears. As the login user changed his username using ‘Change Username option, system will logout the user and user will be shown a confirmation message of username change along with an option to login again.

     Click **Login** on confirmation screen to log in to the application.

   - Click **Cancel** to cancel the transaction.

> **Note**
>
> a. On updating username, user need to re-register for passkey and soft token authentication.
>
> b. The username change can be recorded in the **Audit Logs** screen.

Copyright © 2006, 2026, Oracle and/or its affiliates.

Events Data

This user manual is organized as follows:

Table 2 List Of Events

Sr No	EVENT_GROUP_NAME	EVENT_NAME	EVEN_TYPE	IS_DND_APPLICABLE
1	Approvals	Perform Action Transaction Partially Approved Next Approver	M	Y
2	Approvals	Perform Action Transaction Partially Approved Previous Approver	M	Y
3	Approvals	Perform Action Transaction Approved Approver	M	Y
4	Approvals	Perform Action Transaction Approved Initiator	M	Y
5	Approvals	Perform Action Transaction Approved Previous Approver	M	Y
6	Approvals	Perform Action Transaction Rejected Approver	M	Y
7	Approvals	Perform Action Transaction Rejected Initiator	M	Y
8	Approvals	Perform Action Transaction Rejected Previous Approver	M	Y
9	Approvals	Perform Action Transaction F Processed By Host Approver	M	Y
10	Approvals	Perform Action Transaction F Processed By Host Initiator	M	Y
11	Approvals	Perform Action Transaction N Processed By Host Approver	M	Y
12	Approvals	Perform Action Transaction N Processed By Host Initiator	M	Y
13	Approvals	Perform Action Transaction Rejected By Host Approver	M	Y
14	Approvals	Perform Action Transaction Rejected By Host Initiator	M	Y
15	Approvals	Perform Action Transaction Locked Approver	M	Y
16	Approvals	Perform Action Transaction Locked Initiator	M	Y
17	Approvals	Perform Action Transaction Locked Next Approver	M	Y
18	Approvals	Perform Action Transaction Unlocked Approver	M	Y
19	Approvals	Perform Action Transaction Unlocked Initiator	M	Y
20	Approvals	Amount Financial Transaction N Processed By Host Initiator	M	Y
21	Approvals	Service Request Transaction Auto Approved Initiator	M	Y
22	Approvals	Maintenance Transaction Processed By System Initiator	M	Y
23	Approvals	Perform Action Release Transaction Rejected Approver	M	Y
24	Approvals	Perform Action Transaction Released Approver	M	Y
25	Approvals	Set Up Checker For The Transaction Approval System Rejected Transaction Approver	M	Y
26	Approvals	Maintenance Transaction N Processed By Host Initiator	M	Y
27	Approvals	Perform Action Transaction Unlocked Next Approver	M	Y
28	Approvals	Perform Action Transaction Released Initiator	M	Y
29	Approvals	Perform Action Transaction Released Previous Approver	M	Y
30	Approvals	Perform Action Transaction Released Releaser	M	Y
31	Approvals	Perform Action Release Transaction Rejected Initiator	M	Y

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 2 (Cont.) List Of Events

Sr No	EVENT_GROUP_NAME	EVENT_NAME	EVEN_TYPE	IS_DND_APPLICABLE
32	Approvals	Perform Action Release Transaction Rejected Previous Approver	M	Y
33	Approvals	Perform Action Release Transaction Rejected Releaser	M	Y
34	Approvals	Perform Action Transaction Pending For Release Initiator	M	Y
35	Approvals	Perform Action Transaction Pending For Release Previous Approver	M	Y
36	Approvals	Perform Action Transaction Pending For Release Releaser	M	Y
37	Approvals	Perform Action Transaction N Processed By System Approver	M	Y
38	Approvals	Perform Action Transaction N Processed By System Initiator	M	Y
39	Approvals	Perform Action Transaction Revoked Initiator	M	Y
40	Approvals	Perform Action Transaction Revoked Next Approver	M	Y
41	Approvals	Perform Action Transaction Revoked Previous Approver	M	Y
42	Approvals	Prioritize Transaction Approval Prioritized Approver	M	Y
43	Approvals	Prioritize Transaction Approval Prioritized Initiator	M	Y
44	Approvals	Prioritize Transaction Release Prioritized Initiator	M	Y
45	Approvals	Prioritize Transaction Release Prioritized Releaser	M	Y
46	Approvals	Reroute Transaction Transaction Release Rerouted Initiator	M	Y
47	Approvals	Reroute Transaction Transaction Release Rerouted Previous Releaser	M	Y
48	Approvals	Reroute Transaction Transaction Release Rerouted Releaser	M	Y
49	Approvals	Reroute Transaction Transaction Rerouted Approver	M	Y
50	Approvals	Reroute Transaction Transaction Rerouted Initiator	M	Y
51	Approvals	Reroute Transaction Transaction Rerouted Next Approver	M	Y
52	Approvals	Reroute Transaction Transaction Rerouted Previous Approver	M	Y
53	Approvals	Set Up Checker For The Transaction Approval System Rejected Transaction Initiator	M	Y
54	Approvals	Set Up Checker For The Transaction Approval System Rejected Transaction Customer	M	Y
55	Approvals	Trigger Alert Transaction Grace Period Expiry Checker Approver	M	Y
56	Approvals	Trigger Alert Transaction Grace Period Expiry Initiator Initiator	M	Y
57	Approvals	Trigger Alert Transaction Grace Period Expiry Today Checker Approver	M	Y
58	Approvals	Trigger Alert Transaction Grace Period Expiry Today Initiator Initiator	M	Y
59	Approvals	Perform Action Multiple Transaction N Processed By Host Initiator	M	Y
60	Approvals	Perform Action Multiple Transaction N Processed By Host Approver	M	Y
61	Approvals	Amount Financial Transaction Initiated Auto Approved	M	Y

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 2 (Cont.) List Of Events

Sr No	EVENT_GROUP_NAME	EVENT_NAME	EVEN_TYPE	IS_DND_APPLICABLE
62	Approvals	Amount Financial Transaction Initiated Initiator	M	Y
63	Approvals	Amount Financial Transaction Initiated Approver	M	Y
64	Approvals	Amount Financial Transaction Modification Requested Initiator	M	Y
65	Approvals	Amount Financial Transaction Modification Requested Previous Approver	M	Y
66	Approvals	Amount Financial Transaction Modification Requested Approver	M	Y
67	Approvals	Amount Financial Transaction F Processed By Host Initiator	M	Y
68	Approvals	Amount Financial Transaction Rejected By Host Initiator	M	Y
69	Approvals	Financial Transaction Auto Approved Initiator	M	Y
70	Approvals	Financial Transaction Initiated Initiator	M	Y
71	Approvals	Financial Transaction Initiated Approver	M	Y
72	Approvals	Financial Transaction Modification Requested Initiator	M	Y
73	Approvals	Financial Transaction Modification Requested Previous Approver	M	Y
74	Approvals	Financial Transaction Modification Requested Approver	M	Y
75	Approvals	Financial Transaction F Processed By Host Initiator	M	Y
76	Approvals	Financial Transaction Rejected By Host Initiator	M	Y
77	Approvals	Maintenance Transaction Auto Approved Initiator	M	Y
78	Approvals	Maintenance Transaction Initiated Initiator	M	Y
79	Approvals	Maintenance Transaction Initiated Approver	M	Y
80	Approvals	Maintenance Transaction Modification Requested Initiator	M	Y
81	Approvals	Maintenance Transaction Modification Requested Previous Approver	M	Y
82	Approvals	Maintenance Transaction Modification Requested Approver	M	Y
83	Approvals	Maintenance Transaction F Processed By Host Initiator	M	Y
84	Approvals	Maintenance Transaction Rejected By Host Initiator	M	Y
85	Approvals	Non-Financial Transaction Auto Approved Initiator	M	Y
86	Approvals	Non-Financial Transaction Initiated Approver	M	Y
87	Approvals	Non-Financial Transaction Modification Requested Initiator	M	Y
88	Approvals	Non-Financial Transaction Modification Requested Previous Approver	M	Y
89	Approvals	Non-Financial Transaction Modification Requested Approver	M	Y
90	Approvals	Non-Financial Transaction N Processed By Host Initiator	M	Y
91	Approvals	Non-Financial Transaction Rejected By Host Initiator	M	Y
92	Approvals	Non-Financial Transaction Initiated Initiator	M	Y
93	Approvals	Service Request Transaction Initiated Approver	M	Y
94	Approvals	Service Request Transaction Initiated Initiator	M	Y

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 2 (Cont.) List Of Events

Sr No	EVENT_GROUP_NAME	EVENT_NAME	EVEN_TYPE	IS_DND_APPLICABLE
95	Approvals	Service Request Transaction Rejected Previous Approver	M	Y
96	Approvals	Service Request Transaction Rejected Initiator	M	Y
97	Approvals	Service Request Transaction Rejected Approver	M	Y
98	Approvals	Service Request Transaction Approved Initiator	M	Y
99	Approvals	Service Request Transaction Approved Approver	M	Y
100	Approvals	Service Request Transaction Approved Previous Approver	M	Y
101	Approvals	Service Request Transaction Partially Approved Approver	M	Y
102	Approvals	Service Request Transaction Partially Approved Initiator	M	Y
103	Approvals	Service Request Transaction Partially Approved Next Approver	M	Y
104	Approvals	Service Request Transaction Partially Approved Previous Approver	M	Y
105	Approvals	Service Request Transaction Modification Requested Approver	M	Y
106	Approvals	Service Request Transaction Modification Requested Initiator	M	Y
107	Approvals	Service Request Transaction Modification Requested Previous Approver	M	Y
108	Approvals	Service Request Transaction Locked Initiator	M	Y
109	Approvals	Service Request Transaction Locked Approver	M	Y
110	Approvals	Service Request Transaction Locked Next Approver	M	Y
111	Approvals	Service Request Transaction Unlocked Initiator	M	Y
112	Approvals	Service Request Transaction Unlocked Approver	M	Y
113	Approvals	Service Request Transaction Unlocked Next Approver	M	Y
114	Approvals	Perform Action Transaction Partially Approved Approver	M	Y
115	Approvals	Perform Action Transaction Partially Approved Initiator	M	Y
116	Associated Party	Onboard Counter Party Initiated	M	N
117	Associated Party	On-Board Counter party KYC Upload Alert	M	N
118	Host	Alert for Token Authentication through media	M	N
119	Host	Financial Transaction Alert for Token Authentication through media for multiple transfer	M	N
120	Host	Financial Transaction Alert for Token Authentication through media with payee details	M	N
121	Host	Financial Transaction Alert for Token Authentication through media	M	N
122	Host	Alert for Token Authentication Day	M	N
123	Host	Alert for Token Authentication	M	N
124	Host	Alert for Push OOB	M	N
125	Host	Non-Financial Transaction Alert for Token Authentication through media	M	N

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 2 (Cont.) List Of Events

Sr No	EVENT_GROUP_NAME	EVENT_NAME	EVEN_TYPE	IS_DND_APPLICABLE
126	Back Office	TransactionBlackout create Request	M	N
127	Back Office	TransactionBlackout delete Request	M	N
128	Back Office	TransactionBlackout update Request	M	N
129	Back Office	Service Request Assigned	M	N
130	Back Office	Service Request Submission Corporate Alert	M	N
131	Back Office	Service Request Accepted	M	N
132	Back Office	Service Request Appointment Confirmation	M	N
133	Back Office	Service Request Rejected	M	N
134	Back Office	Service Request Submission Alert	M	N
135	Back Office	Service Request Closure Alert Update	M	N
136	Back Office	Help Desk Session Created	M	N
137	Back Office	Help Desk Session Deleted	M	N
138	Back Office	Service Request Rejected Alert Update	M	N
139	Back Office	Service Request Closed	M	N
140	Credit Cards	Credit Card Replace	M	N
141	Credit Facility	Collateral Application Success Alert	M	N
142	Credit Facility	Collateral Application Offer Success Alert	M	N
143	Credit Facility	Collateral Application Reveal Offer Success Alert	M	N
144	Credit Facility	Collateral Application Offer Accept Alert	M	N
145	Credit Facility	Collateral Application Offer Reject Alert	M	N
146	Savings and Current Account	International Transfer Debit	S	N
147	Savings and Current Account	Account Status	M	N
148	Savings and Current Account	International Transfer Credit	S	N
149	Savings and Current Account	Domestic Transfer Debit	S	N
150	Savings and Current Account	Domestic Transfer Credit	S	N
151	Savings and Current Account	Internal Transfer Debit	S	N
152	Savings and Current Account	Internal Transfer Credit	S	N
153	Savings and Current Account	Sweep-in Instruction FD Deleted	M	N
154	Savings and Current Account	Sweep-in Instruction CASA Deleted	M	N
155	Savings and Current Account	Sweep-in Instruction FD Created	M	N

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 2 (Cont.) List Of Events

Sr No	EVENT_GROUP_NAME	EVENT_NAME	EVEN_TYPE	IS_DND_APPLICABLE
156	Savings and Current Account	Sweep-in Instruction CASA Created	M	N
157	Savings and Current Account	Unsubscribe E-Statement	S	N
158	Savings and Current Account	Update E-Statement Preferences	S	N
159	Savings and Current Account	CASA Request Adhoc Statement	S	N
160	Savings and Current Account	Cheque Book Request	S	N
161	Savings and Current Account	Cheque Range Instruction	S	N
162	Savings and Current Account	Cheque Number Instruction	S	N
163	Savings and Current Account	External Transfer - Debit	M	N
164	Savings and Current Account	External Transfer - Credit	M	N
165	Savings and Current Account	Cheque Clearance - Debit	M	N
166	Savings and Current Account	Cheque Clearance - Credit	M	N
167	Savings and Current Account	Account Balance	M	N
168	Savings and Current Account	ATM Cash Withdrawal	M	N
169	Common	Alert for Offers Subscribed	S	N
170	Common	Alert for Offers Mandatory	M	N
171	Cash Management	Netting Transaction Payout Alert	M	N
172	Cash Management	Netting Transaction Rejection Alert	M	N
173	Cash Management	Netting Transaction Acception Alert	M	N
174	Cash Management	Netting Structure update success alert	M	N
175	Cash Management	Delete Cashflow Transaction Failure Alert	M	N
176	Cash Management	Delete Cashflow Transaction success Alert	M	N
177	Cash Management	Update Cashflow Transaction Failure Alert	M	N
178	Cash Management	Update Cashflow Transaction Success Alert	M	N
179	Cash Management	Setup Cashflow Transaction Failure Alert	M	N
180	Cash Management	Setup Cashflow Transaction Success Alert	M	N
181	Cash Management	Update Netting Transaction Failure Alert	M	N
182	Cash Management	Update nettingtransaction Success Alert	M	N
183	Cash Management	Create Cash withdrawal Transaction Success Alert	M	N

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 2 (Cont.) List Of Events

Sr No	EVENT_GROUP_NAME	EVENT_NAME	EVEN_TYPE	IS_DND_APPLICABLE
184	Cash Management	Create Cheque Deposit Slips Transaction Success Alert	M	N
185	Cash Management	Create Cash Deposit Slips Transaction Failure Alert	M	N
186	Cash Management	Create Cash Deposit Slips Transaction Success Alert	M	N
187	Cash Management	Allocation Rule Modification Alert	M	N
188	Cash Management	Reconciliation Rule Modification Alert	M	N
189	Cash Management	Manual Allocation Alert	M	N
190	Cash Management	Allocation Rule Creation Alert	M	N
191	Cash Management	Reconciliation Rule Creation Alert	M	N
192	Cash Management	Cash Flow De-Reconciliation Alert	M	N
193	Cash Management	Invoice De-Reconciliation Alert	M	N
194	Cash Management	Invoice Reconciliation Alert	M	N
195	Cash Management	Cash Flow Reconciliation Alert	M	N
196	File Upload	File Upload - Success	M	N
197	File Upload	File Upload Status Sync - Error Occurred	M	N
198	File Upload	File Upload Status Sync - Approved	M	N
199	File Upload	File Upload Status Sync - Processing In Progress	M	N
200	File Upload	File Upload Status Sync - Process Success	M	N
201	File Upload	File Upload Status Sync - Delete Success	M	N
202	File Upload	File Upload Status Sync - Process Success With Exceptions	M	N
203	Forex	New Forex Deal created	M	N
204	Invoice Management	Link Invoices To Program Success Alert	M	N
205	Invoice Management	Invoice Rejection Alert	M	N
206	Invoice Management	Credit note creation alert	M	N
207	Invoice Management	Credit note failure alert	M	N
208	Invoice Management	Debit Note Creation Alert	M	N
209	Invoice Management	Debit Note Creation Failure Alert	M	N
210	Invoice Management	Invoice Acceptance Alert	M	N
211	Invoice Management	Invoice Cancellation Alert	M	N
212	Invoice Management	Invoice Modification Alert	M	N
213	Invoice Management	Raised Dispute Success Alert	M	N
214	Invoice Management	Resolved Dispute Success Alert	M	N
215	Invoice Management	Assignment Success Alert	M	N
216	Invoice Management	Offer Acceptance Alert	M	N
217	Invoice Management	Offer Rejection Alert	M	N
218	Invoice Management	Invoice Creation Alert	M	N
219	Invoice Management	Link Purchase Order To Program Success Alert	M	N
220	Loan	Loan Drawdown Application Success Alert	M	N
221	Loan	Corporate Loan Rollover Success Alert	M	N

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 2 (Cont.) List Of Events

Sr No	EVENT_GROUP_NAME	EVENT_NAME	EVEN_TYPE	IS_DND_APPLICABLE
222	Loan	Loan Account Repayment	S	N
223	Liquidity Management	Structure Simulation Creation	M	N
224	Liquidity Management	Intercompany Loan Lend Limit Modification	M	N
225	Liquidity Management	Resume Structure Status	M	N
226	Liquidity Management	Pause Structure Status	M	N
227	Liquidity Management	Structure Execution	M	N
228	Liquidity Management	Structure Simulation Modification	M	N
229	Liquidity Management	Intercompany Loan Lend Limit Creation	M	N
230	Liquidity Management	Intercompany Loan Lend Limit Closure	M	N
231	Liquidity Management	Structure Creation	M	N
232	Liquidity Management	Sweep Account Pair Execution	M	N
233	Liquidity Management	Intercompany Loan Settlement	M	N
234	Liquidity Management	Structure Modification	M	N
235	Origination	Bundle Application Submission	M	N
236	Origination	Personal Loan Submission	M	N
237	Origination	Account Submission	M	N
238	Origination	Associate Co-applicants	M	N
239	Origination	Saved Originations Application	M	N
240	Origination	Offer Generated	M	N
241	Origination	Origination Loan Submission	M	N
242	Origination	Origination Savings Submission	M	N
243	Origination	Account Open Success	M	N
244	Origination	Loan Offer Generated	M	N
245	Origination	Origination Current Submission	M	N
246	Payments	Bill creation	M	N
247	Payments	Biller Registration auto pay setup	M	N
248	Payments	Biller Registration	M	N
249	Payments	Biller Registration schedule pay setup	M	N
250	Payments	Biller delete	M	N
251	Payments	Biller Registration auto pay cancelled	M	N
252	Payments	Biller Registration auto pay modified	M	N
253	Payments	Biller Registration schedule pay cancelled	M	N
254	Payments	Biller Registration schedule pay modified	M	N
255	Payments	Transfer money- Internal Account using Wallet	M	N
256	Payments	Transfer money-Payee	M	N
257	Payments	Transfer money- My account using Wallet	M	N
258	Payments	Internal Fund Transfer Payee Creation	M	N
259	Payments	Internal Payee Modification	M	N

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 2 (Cont.) List Of Events

Sr No	EVENT_GROUP_NAME	EVENT_NAME	EVEN_TYPE	IS_DND_APPLICABLE
260	Payments	Internal Fund Transfer Payee Deletion	M	N
261	Payments	Domestic Fund Transfer Payee Creation	M	N
262	Payments	Domestic Payee Modification	M	N
263	Payments	Domestic Fund Transfer Payee Deletion	M	N
264	Payments	International Fund Transfer Payee Creation	M	N
265	Payments	International Payee Modification	M	N
266	Payments	International Fund Transfer Payee Deletion	M	N
267	Payments	Domestic Demand Draft Payee Creation	M	N
268	Payments	Demand Draft Payee Modification	M	N
269	Payments	Domestic Demand Draft Payee Deletion	M	N
270	Payments	International Demand Draft Payee Creation	M	N
271	Payments	International Demand Draft Payee Deletion	M	N
272	Payments	Peer to Peer Fund Transfer Payee Creation	M	N
273	Payments	Peer to Peer Fund Transfer Payee Deletion	M	N
274	Payments	Internal Fund Transfer Initiation	M	N
275	Payments	Internal Transfer Initiation	M	N
276	Payments	Domestic Fund Transfer Initiation	M	N
277	Payments	International Fund Transfer Initiation	M	N
278	Payments	International Fund Transfer Initiation with Forex Deal	M	N
279	Payments	Self Transfer Initiation	M	N
280	Payments	Own Account Transfer Initiation	M	N
281	Payments	Domestic Demand Draft Initiation	M	N
282	Payments	International Demand Draft Initiation	M	N
283	Payments	External Transfer Initiation	M	N
284	Payments	QR Payment	M	N
285	Payments	Peer to Peer Fund Transfer Initiation - Sender	M	N
286	Payments	Peer to Peer Fund Transfer Confirmation	M	N
287	Payments	Peer to Peer Fund Transfer Initiation - Receiver	M	N
288	Payments	Cancellation of Pending Instructions	M	N
289	Payments	Cancellation of Standing Instructions	M	N
290	Payments	Domestic Draft Pay Later Initiation	M	N
291	Payments	International Draft Pay Later Initiation	M	N
292	Payments	Internal Fund Transfer SI Initiation	M	N
293	Payments	Self Transfer SI Initiation	M	N
294	Payments	Domestic Fund Transfer SI Initiation	M	N
295	Payments	International Fund Transfer SI Initiation	M	N
296	Payments	Domestic Payer Creation	M	N
297	Payments	Domestic Payer Deletion	M	N

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 2 (Cont.) List Of Events

Sr No	EVENT_GROUP_NAME	EVENT_NAME	EVEN_TYPE	IS_DND_APPLICABLE
298	Payments	Domestic Pay in Initiation	M	N
299	Party	User Profile Update Driving License	M	N
300	Party	Host Structure Creation Approval	S	N
301	Party	Trade clarification Response notification alert	S	N
302	Party	Forget user Id	M	N
303	Party	New Nominee added	M	N
304	Party	Nominee Deleted	M	N
305	Party	UserProfile Update PhoneNo	M	N
306	Party	UserProfile Update Address	M	N
307	Party	UserProfile Update AdhaarNo	M	N
308	Party	UserProfile Update EmailID	M	N
309	Party	UserProfile Update FAX	M	N
310	Party	UserProfile Update PanNo	M	N
311	Party	Nominee Updated	M	N
312	Reports	Report Request	M	N
313	Supply Chain Finance	SCF Program Update Initiated	M	N
314	Supply Chain Finance	SCF Program Creation Initiated	M	N
315	Supply Chain Finance	Purchase Order Cancellation Success Alert	M	N
316	Supply Chain Finance	Purchase Order Rejection Failure Alert	M	N
317	Supply Chain Finance	Purchase Order Rejection Success Alert	M	N
318	Supply Chain Finance	Purchase Order Acceptance Failure Alert	M	N
319	Supply Chain Finance	Acceptance Success Alert	M	N
320	Supply Chain Finance	Purchase Order Modification Failure Alert	M	N
321	Supply Chain Finance	Purchase Order Modification Success Alert	M	N
322	Supply Chain Finance	Finance Request Successful	M	N
323	Supply Chain Finance	Finance Repayment Successful	M	N
324	Supply Chain Finance	Create Discount Offer Transaction Success Alert	M	N
325	Supply Chain Finance	SCF PO Finance Request Successful	M	N
326	Supply Chain Finance	Finance Amendment Success Alert	M	N
327	Supply Chain Finance	Purchase Order Creation Success Alert	M	N
328	Supply Chain Finance	Purchase Order Creation Failure Alert	M	N
329	Supply Chain Finance	Purchase Order Cancellation Failure Alert	M	N
330	User Management	User Registration	M	N
331	User Management	Create User-Send User Password	M	N
332	User Management	Forget Password	M	N
333	User Management	Reset User Password	M	N
334	User Management	Create User-Send User Username	M	N
335	User Management	Change User Password	M	N

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 2 (Cont.) List Of Events

Sr No	EVENT_GROUP_NAME	EVENT_NAME	EVEN_TYPE	IS_DND_APPLICABLE
336	User Management	Login Lock Alert	M	N
337	User Management	Change Username	M	N
338	User Management	Login success Alert	M	N
339	User Management	Login fail Alert	M	N
340	Deposits	Amend Recurring Deposit	M	N
341	Deposits	RD Account Opened	M	N
342	Deposits	Redeem Recurring Deposit	M	N
343	Deposits	Recurring Deposit Adhoc Statement Request	M	N
344	Deposits	Amend Term Deposit	S	N
345	Deposits	TD Account Opened	M	N
346	Deposits	Term Deposit Maturity	M	N
347	Deposits	Term Deposit Adhoc Statement Request	S	N
348	Deposits	Subscribe TD E-Statement	S	N
349	Deposits	Unsubscribe TD E-Statement	S	N
350	Deposits	Term Deposit Closure	S	N
351	Deposits	Open Term Deposit	S	N
352	Deposits	Term Deposit Status	S	N
353	Deposits	Redeem Term Deposit	S	N
354	Virtual Account Management	Remittance ID Creation	M	N
355	Virtual Account Management	Host Virtual Account Closure	M	N
356	Virtual Account Management	Reopen Remittance ID	M	N
357	Virtual Account Management	Remittance ID Modification	M	N
358	Virtual Account Management	Virtual Account Creation	M	N
359	Virtual Account Management	Virtual Account Modification	M	N
360	Virtual Account Management	Virtual Account Closure	M	N
361	Virtual Account Management	Virtual Account Structure Creation	M	N
362	Virtual Account Management	Virtual Account Structure Modification	M	N
363	Virtual Account Management	Virtual Account Structure Closure	M	N
364	Virtual Account Management	Virtual Entity Creation	M	N

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 2 (Cont.) List Of Events

Sr No	EVENT_GROUP_NAME	EVENT_NAME	EVEN_TYPE	IS_DND_APPLICABLE
365	Virtual Account Management	Virtual Entity Modification	M	N
366	Virtual Account Management	Virtual Entity Closure	M	N
367	Virtual Account Management	Virtual Multi-Currency Account Creation	M	N
368	Virtual Account Management	Virtual Multi-Currency Account Modification	M	N
369	Virtual Account Management	Virtual Multi-Currency Account Closure	M	N
370	Virtual Account Management	Move Money	M	N
371	Virtual Account Management	Internal Credit Line Creation	M	N
372	Virtual Account Management	Internal Credit Line Deletion	M	N
373	Virtual Account Management	Internal Credit Line Modification	M	N
374	Virtual Account Management	Internal Credit Line Linkage Creation	M	N
375	Virtual Account Management	Internal Credit Line Linkage Modification	M	N
376	Virtual Account Management	Delink Internal Credit Line Linked Virtual Accounts	M	N
377	Virtual Account Management	Special Rates Creation	M	N
378	Virtual Account Management	Virtual Account Restrictions	M	N
379	Virtual Account Management	Retry Virtual Account Closure	M	N
380	Virtual Account Management	Terminate Virtual Account Closure	M	N
381	Virtual Account Management	Reopen Virtual Account	M	N
382	Virtual Account Management	General Rates Creation	M	N
383	Virtual Account Management	Remittance ID Closure	M	N
384	Wallet	Wallet Registration	M	N
385	Wallet	Wallet Account Creation	M	N
386	Wallet	Add Money to Wallet- Other Source	M	N
387	Wallet	Wallet PayIn Request	M	N

Copyright © 2006, 2026, Oracle and/or its affiliates.

Table 2 (Cont.) List Of Events

Sr No	EVENT_GROUP_NAME	EVENT_NAME	EVEN_TYPE	IS_DND_APPLICABLE
388	Wallet	Add Money To Wallet	M	N
389	Wallet	Add Money to Wallet- External Source	M	N
390	Wealth Management	Mutual Fund Redeem One Time Alert	M	N
391	Wealth Management	Mutual Fund Redeem swp Alert	M	N
392	Wealth Management	Investment Account Creation Alert	M	N
393	Wealth Management	Mutual Fund Delete Order Alert	M	N
394	Wealth Management	Risk Profile Create Alert	M	N
395	Wealth Management	Mutual Fund Switch STP Alert	M	N
396	Wealth Management	Mutual Fund Switch PSTP Alert	M	N
397	Wealth Management	Mutual Fund Switch One Time Alert	M	N
398	Wealth Management	Mutual Fund Purchase SI Alert	M	N
399	Wealth Management	Mutual Fund Redeem Later Alert	M	N
400	Wealth Management	Mutual Fund Purchase One Time Alert	M	N
401	Wealth Management	Mutual Fund Purchase SIP Alert	M	N

Copyright © 2006, 2026, Oracle and/or its affiliates.

Glossary

Account Activity

A banking term that refers to any activity that creates a debit or credit in an account. In a bank account, this would include deposits and withdrawals.

Administrator

Administrator can be an individual having the administrative rights of the system.He can be a internal user (Bank Administrator) or a external user with the limited administrative functionality (Corporate Administrator)

Copyright © 2006, 2026, Oracle and/or its affiliates.

Index

A

Account Aggregation, *1*
Add Currency Pairs, *1*
Add External Bank, *5*
Adhoc Reports, *3*
Admin Approval Rules - Edit, *31*
Admin Approval Rules – Create, *28*
Admin Approval Rules – Search, *26*
Admin Approval Rules – View, *27*
Admin Workflow Management - Edit, *10*
Admin Workflow Management – Create, *9*
Admin Workflow Management – Search, *6*
Administrative Approver Transactions, *19*
Administrative Maker Transactions, *17*
Alerts, *10*
Alerts Templates, *1*
All Transactions, *21*
Analytics Dashboard, *1*
API Consumption - Adhoc Report, *10*
API Consumption - Schedule Reports, *14*
API Consumption Report, *10*
API Key, *1*
Approval Rule – Create, *149*
Approval Rule Report, *55*, *124*
Approval Rule Report - Adhoc Report, *124*
Approval Rule Report - Adhoc Reports, *55*
Approval Rules, *23*
Approval Rules - Admin User, *25*
Approval Rules - Edit, *144*
Approval Rules - Retail & Business User, *32*
Approval Rules - Schedule Reports, *77*
Approval Rules - View, *141*
Approval Rules – Retail & Business User - Search, *33*
Approval Rules – Retail & Business User - View, *44*
Approval Rules – Retail & Business User – Rule Summary, *41*
Approval Rules – Select User Type, *24*
Approval Rules – Summary, *140*
Approval Workflow - Admin User - Workflow Management, *4*
Approval Workflow - Retail & Business User - Workflow Management, *12*
Approval Workflow – Select User Type, *3*
Approvals, *1*
Approve or Reject Service Requests (created using Service Request Form Builder), *10*
Approve or Reject Service Requests (For Service Requests available out of the box), *7*
ATM / Branch Maintenance, *1*
ATM & Branch Locator, *1*
ATM/ Branch Maintenance - Add, *5*
ATM/ Branch Maintenance - Delete, *13*
ATM/ Branch Maintenance - Edit, *11*
ATM/ Branch Maintenance - Search, *2*
Audit Log, *1*
Authentication, *1*
Authentication - Create, *11*
Authentication - Edit, *7*
Authentication - View, *3*

B

Bill Payment Pay Later - Adhoc Report, *28*
Bill Payment Pay Later - Schedule Reports, *31*
Bill Payment Pay Later Report, *28*
Biller Category Maintenance, *1*
Biller Category Maintenance - Add Category, *4*
Biller Category Maintenance - Delete, *6*
Biller Category Maintenance - Edit Category, *5*
Biller Category Maintenance - Summary, *2*
Biller Onboarding, *1*
Biller Onboarding - Create, *4*
Biller Onboarding - Delete, *16*
Biller Onboarding - Edit, *13*
Biller Onboarding - Search, *2*
Biller Onboarding - View, *10*
Biller Reconciliation - Adhoc Report, *23*
Biller Reconciliation - Schedule Reports, *26*
Biller Reconciliation Report, *22*
Biller Registration - Adhoc Report, *17*
Biller Registration - Schedule Reports, *20*
Biller Registration Report, *17*
Brand Mapping Search, *22*
Bundle Product Application, *7*
Bundled Product Application – View & Modify, *8*

C

Change Password, *7*

Copyright © 2006, 2026, Oracle and/or its affiliates.

Change Username, *1*
Client Maintenance, *16*
Client Maintenance - Search, *17*
Client Maintenance – Create, *21*
Client Maintenance – Edit, *20*
Comments, *9*
Copy and Create a new Request or Export the Request, *17*
Copy Terms and Conditions, *7*
Create Alert Template, *5*
Create Application Role, *12*
Create Mapping, *23*, *18*
Create Terms and Conditions, *5*

D

Dashboard, *1*
Dashboard Mapping – Summary, *17*
Dashboard Overview, *1*
Dashboard Overview – Clone, *14*
Dashboard Overview – Create, *6*
Dashboard Overview – Delete, *16*
Dashboard Overview – Design – Create Administrator Template, *9*
Dashboard Overview – Edit, *12*
Dashboard Overview – View, *4*
Dashboard Overview– Summary, *3*
Date Wise User Creation - Adhoc Report, *33*
Date Wise User Creation - Schedule Reports, *36*
Date Wise User Creation Report, *33*
Deactivate/Activate Service Request, *25*
Delete Alert Template, *10*
Delete Application Role, *11*
Delete External Bank's Details, *11*
Delete Mapping, *25*, *20*
Delete Schedule Reports, *9*
Delete Terms and Conditions, *9*
Deleted Mail, *8*

E

Edit Application Role, *7*
Edit Custom Workflow, *5*, *11*
Edit Schedule Reports, *8*
Edit Templates, *4*
Edit Terms and Conditions, *6*
Electronic Bill Presentment and Payment, *1*
Entitlements, *1*
Entitlements - Edit, *3*
Entitlements - View, *1*
EPI Payment Reconciliation - Adhoc Report, *39*
EPI Payment Reconciliation – Schedule Report, *42*
EPI Payment Reconciliation Report, *38*
Events Data, *1*
Experience Builder, *1*, *3*
Experience Builder - Create, *3*
External Bank Maintenance, *1*

F

FAQ, *35*, *27*, *22*, *11*, *21*, *11*, *10*, *22*, *47*, *159*, *14*, *28*, *6*, *25*, *12*, *16*, *7*, *6*, *5*, *3*, *14*, *26*, *5*, *12*, *8*, *18*, *12*, *16*, *7*, *12*, *9*, *25*, *12*, *7*, *8*, *21*, *10*, *12*, *17*, *4*, *17*, *34*, *43*, *17*, *6*, *7*, *7*, *4*, *3*, *14*, *8*, *2*
FATCA & CRS Declaration - Adhoc Report, *45*
FATCA & CRS Declaration - Schedule Reports, *52*
FATCA & CRS Declaration Report, *44*
Feedback, *1*
Feedback Analytics, *17*
Feedback Template Maintenance, *1*
Feedback Template Maintenance - Create, *11*
Feedback Template Maintenance - Edit, *6*
Feedback Template Maintenance - Search, *2*
File Identifier Maintenance, *2*
File Identifier Maintenance - Administrator User - Create, *6*
File Identifier Maintenance - Administrator User – Edit, *8*
File Identifier Maintenance - Administrator User – Summary, *3*
File Identifier Maintenance - Create, *13*
File Identifier Maintenance – Edit, *15*
File Identifier Maintenance – Search and View, *10*
File Identifier Maintenance – User Type Selection, *3*
File Identifier wise Party User Mapping - Adhoc Report, *80*
File Identifier wise Party User Mapping - Schedule Report, *83*
File Identifier wise Party User Mapping Report, *80*
File Upload, *1*
File Upload – Bill Presentment, *34*
First Time Login, *1*
Forex Deal Maintenance, *1*
Forgot Password, *1*, *1*
Forgot Username, *1*

G

General Feedback, *22*
Goal Category - Create, *5*
Goal Category - Edit, *7*
Goal Category - Search, *2*
Goal Category - View, *3*
Goal Category Maintenance, *1*
Group Corporate Alerts Subscription, *1*
Group Corporate Alerts Subscription - Search, *2*
Group Corporate Onboarding, *1*

Copyright © 2006, 2026, Oracle and/or its affiliates.

Group Corporate Onboarding – Search Corporate, *3*
Group Corporate Profiling - Create, *14*
Group Corporate Profiling - Edit, *26*
Group Corporate Profiling - View, *22*

I

Identity Domain Maintenance, *2*
Identity Domain Maintenance - Search, *2*
Identity Domain Maintenance – Create, *6*
Identity Domain Maintenance – Edit, *5*
Inbox, *2*
Individual Transactions, *19*

J

JWT Encryption Key, *2*

L

Limit Package Management, *1*
Limit Package Management - Clone, *15*
Limit Package Management - Create, *6*
Limit Package Management - Delete, *19*
Limit Package Management - Edit, *10*
Limit Package Management - View, *2*
Limits Definition, *1*
Limits Definition - Create, *4*
Limits Definition - Delete Limit, *9*
Limits Definition - View, *2*

M

Mailbox, *1*
Mailers, *1*
Mailers - Create, *5*
Mailers - Delete, *11*
Mailers - Edit, *7*
Mailers - Search and View, *2*
Mails, *2*
Manage Brand - Delete, *20*
Manage Brand - Edit, *19*
Manage Brand - View, *18*
Manage DND Alerts, *1*
Mapping, *21*
Merchant Management, *1*
Merchant Management - Delete, *21*
Merchant Management – Collect Funds, *11*
Merchant Management – Collect Funds – Create Merchant, *14*
Merchant Management – Collect Funds – Edit, *18*
Merchant Management – Collect Funds – View, *11*
Merchant Management – Funds Out, *4*
Merchant Management – Funds Out – Create Merchant, *6*
Merchant Management – Funds Out – Edit, *9*
Merchant Management – Funds Out – View, *4*
Merchant Management – Search, *2*
Message Maintenance, *1*
Message Maintenance - Edit, *3*
Message Maintenance - View, *1*
Missed Call Banking - Edit, *6*
Missed Call Banking - Search, *4*
My Reports, *1*
My Reports - Adhoc, *1*
My Reports - Scheduled, *3*

N

Network Purpose Code Mapping, *1*
Notifications, *12*

O

OAuth 2.0, *1*
Origination Workflow Maintenance, *1*

P

Party Account Access, *1*
Party Account Access - Delete, *14*
Party Account Access - Edit, *11*
Party Account Access - Mapping (Create), *2*
Party Account Access - View, *44*
Party Account Access – Create, *36*
Party Account Access- Delete, *53*
Party Account Access- Edit, *47*
Party Account Access- View, *9*
Party Migration, *1*
Party Preferences, *1*
Party Preferences - Create, *5*
Party Preferences - Edit, *22*
Party Preferences - View, *19*
Party Preferences- Search, *2*
Party Resource Access, *1*
Party Resource Access - Delete, *11*
Party Resource Access - Edit, *9*
Party Resource Access - Mapping (Create), *2*
Party Resource Access- View, *5*
Party User wise File Identifiers Mapping - Adhoc Report, *86*
Party User wise File Identifiers Mapping - Schedule Reports, *89*
Party User wise File Identifiers Mapping Report, *85*
Party wise File Identifiers Mapping - Adhoc Report, *92*
Party wise File Identifiers Mapping - Schedule Reports, *95*

Copyright © 2006, 2026, Oracle and/or its affiliates.

Party wise File Identifiers Mapping Report, *91*
Party wise Payee Maintenance - Adhoc Report, *97*
Party wise Payee Maintenance - Schedule Reports, *100*
Party wise Payee Maintenance Report, *97*
Password Encryption and Decryption with Public and Private Key Pairs, *1*
Password Policy Maintenance, *1*
Password Policy Maintenance - Create, *6*
Password Policy Maintenance - Edit, *9*
Password Policy Maintenance - Search, *2*
Password Policy Maintenance - View, *3*
Payee Restriction Setup, *1*
Payee Restriction Setup - Create, *8*
Payee Restriction Setup - Edit, *5*
Payee Restriction Setup - View, *2*
Print Password, *1*
Print Password - Print, *4*
Print Password - Search, *2*
Product Maintenance, *1*
Product Maintenance - Create, *7*
Product Maintenance - Edit, *5*
Product Maintenance - View, *2*
Product Mapping, *1*
Product Mapping - Create, *7*
Product Mapping - Edit, *4*
Product Mapping - View, *2*
Profile, *1*

Q

Quick Form Definition - Search and View, *3*
Quick Forms - Service Request, *1*
Quick Forms - Service Request - Create, *9*
Quick Forms - Service Request – Edit, *18*
Quick Forms Definition - Summary, *2*

R

Ready to Submit, *10*
Relationship Maintenance, *1*
Relationship Mapping, *1*
Relationship Mapping Maintenance - Edit, *4*
Relationship Mapping Maintenance - View, *2*
Relationship Matrix, *5*
Relationship Matrix Maintenance - Edit, *8*
Relationship Matrix Maintenance - View, *6*
Report Generation, *1*
Reports, *1*
Request Processing, *1*
Request Processing - Summary, *2*
Reset Password, *33*
Resource Bundle Maintenance, *1*
Resource Bundle Maintenance - Edit, *3*
Resource Bundle Maintenance - Search & View, *1*
Resource Server Maintenance, *9*
Resource Server Maintenance - Search, *10*
Resource Server Maintenance – Create, *14*
Resource Server Maintenance – Edit, *13*
Retail & Business Approval Rules – Create, *35*
Retail & Business Workflow Management - Edit, *20*
Retail & Business Workflow Management – Summary, *14*
Retail & Business Workflow Management – View, *15*
Role Maintenance, *1*

S

Schedule Reports, *4*
Search & View Application Role, *2*
Search and View External Bank's Details, *2*
Search Audit Details, *1*
Security Keys, *1*
Security Questions Maintenance, *1*
Security Questions Maintenance - Create, *5*
Security Questions Maintenance - Edit, *3*
Security Settings, *1*
Send to Modify, *155*
Sent Mail, *5*
Sent Mail - Details, *7*
Service Request Details (For Service Requests available out of the box), *5*
Service Request Details (Requests created using Service Request-Form Builder), *8*
Session Summary, *1*
Session Timeout, *1*
Set Security Question, *1*
Single Product Application, *4*
Single Product Application – View & Modify, *2*
SMS Banking, *1*
SMS Banking - Edit, *3*
Spend Category, *1*
Spend Category - Create, *5*
Spend Category - Edit, *6*
Spend Category - Search, *2*
Spend Category - View, *3*
Step 1: Group Corporate Profiling, *12*
Step 2: Party Account Access, *34*
Step 3: User Onboarding, *54*
Step 4: User Group Maintenance, *80*
Step 5: User Account Access, *89*
Step 6: Report Mapping, *116*
Step 7: Workflow Management, *126*
Step 8: Approval Rules, *138*
Subscribe/ Unsubscribe Alerts, *5*, *4*
System Administrative Transactions, *5*
System Rules, *1*

Copyright © 2006, 2026, Oracle and/or its affiliates.

T

Template Maintenance, *1*
Terms and Conditions - Search and View, *2*
Terms and Conditions - View, *4*
Terms and Conditions Maintenance, *1*
Timer Maintenance, *1*
Top Three and Bottom Three Transactions, *18*
Touch Point Group Maintenance, *1*
Touch Point Group Maintenance - Create, *6*
Touch Point Group Maintenance - Edit, *4*
Touch Point Group Maintenance - View, *2*
Touch Point Maintenance, *1*
Touch Point Maintenance - Create, *7*
Touch Point Maintenance - Edit, *5*
Touch Point Maintenance - View, *2*
Transaction Aspects, *1*
Transaction Blackout, *1*
Transaction Blackout - Create, *5*
Transaction Blackout - Delete, *11*
Transaction Blackout - Edit, *8*
Transaction Blackout - Search, *2*
Transaction Group Maintenance, *1*
Transaction Group Maintenance - Create, *4*
Transaction Group Maintenance - Delete, *7*
Transaction Group Maintenance - Edit, *5*
Transaction Group Maintenance - View, *2*
Transaction Working Window - Create, *7*
Transaction Working Window - Delete, *15*
Transaction Working Window - Edit, *10*
Transaction Working Window - Search, *2*

U

Update Alert Template, *8*
Update External Bank's Details, *8*
Update Forex Deal, *3*
Update Timer, *3*
Update Transaction Aspects, *3*
Uploaded File Inquiry – Default View, *38*
Uploaded File Inquiry – File Details – Bill Presentment, *41*
Uploaded File Inquiry – Search Filters, *38*
Uploaded Files Inquiry, *37*
User Account Access, *1*
User Account Access - Delete, *22*
User Account Access - Edit, *17*
User Account Access - Mapping (Create), *2*
User Account Access – Create, *91*
User Account Access – Delete, *115*
User Account Access – Edit, *107*
User Account Access – View, *102*
User Account Access- View, *12*
User Alerts Subscription, *1*
User Alerts Subscription - Search, *2*
User Entitlement Report, *130*
User Entitlement Report- Adhoc Report, *131*
User File Identifier Mapping, *19*
User File Identifier Mapping - Corporate User - Create, *30*
User File Identifier Mapping - Corporate User - Edit, *33*
User File Identifier Mapping - Corporate User - Search, *27*
User File Identifier Mapping – Administrator - Create, *24*
User File Identifier Mapping – Administrator - Edit, *26*
User File Identifier Mapping – Administrator - Search, *21*
User File Identifier Mapping – User Type Selection, *20*
User Group - Service Request Mapping, *1*
User Group - Service Request Mapping - Create, *5*
User Group - Service Request Mapping - Modify, *9*
User Group - Service Request Mapping - Search, *2*
User Group - Subject Mapping, *1*
User Group - Subject Mapping - Create, *5*
User Group - Subject Mapping - Modify, *7*
User Group - Subject Mapping - Search, *2*
User Group Management, *1*
User Groups - Admin User – Create, *3*
User Groups - Admin User – Edit Group, *7*
User Groups - Admin User – Search Summary, *5*
User Groups - Retail & Business User – Create, *11*
User Groups - Retail & Business User – Edit Group, *13*
User Groups - Retail & Business User – Group Summary, *14*
User Groups - Retail & Business User – Search Party, *9*
User Groups – Admin User, *3*
User Groups – Create, *81*
User Groups – Edit, *87*
User Groups – Retail & Business User, *9*
User Groups – Select User Type, *2*
User Groups – Summary & View, *84*
User Helpdesk, *1*
User Limits, *1*
User Limits - Edit, *6*
User Limits - View, *2*
User List Report, *127*
User List Report - Adhoc Report, *127*
User Management, *1*
User Management - Create, *3*, *71*
User Management - Edit, *25*, *65*
User Management - Search and View, *12*, *56*
User Profile - Edit, *3*

Copyright © 2006, 2026, Oracle and/or its affiliates.

User Profile - View, *2*
User Profile Maintenance, *1*
User Report Mapping, *1*
User Report Mapping - Administrator User, *2*
User Report Mapping - Create, *122*, *2*, *15*
User Report Mapping - Edit, *124*, *9*, *16*
User Report Mapping - Search, *4*, *11*
User Report Mapping – Retail and Business User, *10*
User Report Mapping – Search & View, *117*
User Report Mapping – Select User Type, *1*
User Resource Access, *1*
User Resource Access - Delete, *16*
User Resource Access - Edit, *13*
User Resource Access - Mapping (Create), *2*
User Resource Access- Search, *8*
User Security Question - Edit, *5*
User Segment Maintenance, *1*
User Segment Maintenance - Create, *9*
User Segment Maintenance - Edit, *5*
User Segment Maintenance - Search, *2*
User Segment Summary - Adhoc Report, *103*
User Segment Summary - Schedule Reports, *106*
User Segment Summary Report, *102*

V

View Alert Template, *2*
View Linked Parties under Group Corporate, *8*
View Scheduled Reports, *6*
View Security Questions, *2*, *4*
View Templates, *1*
View Timer, *2*
View Transaction Aspects, *2*

W

Wallet KYC Report, *113*
Wallets Creation for a Date Range - Adhoc Report, *108*
Wallets Creation for a Date Range - Schedule Report, *111*
Wallets Creation for a Date Range Report, *108*
Wallets KYC - Adhoc Report, *113*
Wallets KYC - Schedule Report, *117*
Wallets Transaction Activity - Adhoc Report, *119*
Wallets Transaction Activity - Schedule Report, *122*
Wallets Transaction Activity Report, *119*
Workflow Management, *2*
Workflow Management - Edit, *135*
Workflow Management – Create, *17*, *131*
Workflow Management – Summary, *127*
Workflow Management – View, *7*, *129*
Working Window, *1*

Copyright © 2006, 2026, Oracle and/or its affiliates.