

Oracle Banking APIs

System Configuration User Manual



Release 25.2.0.0.0

G60578-01

August 2026

ORACLE®

Copyright © 2006, 2026, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Oracle customer access to and use of Oracle support services will be pursuant to the terms and conditions specified in their Oracle order for the applicable services.

Contents

Preface

Purpose	i
Audience	i
Documentation Accessibility	i
Diversity and Inclusion	i
Conventions	ii
Related Resources	ii
Screenshot Disclaimer	ii
Acronyms and Abbreviations	ii

1 Multi Entity Implementation

2 Entity Maintenance

3 System Configurations

3.1 Global Settings	1
3.1.1 Account	3
3.1.2 Administration	10
3.1.3 Common	16
3.1.4 Event Management	27
3.1.5 File Upload	29
3.1.6 Framework	31
3.1.7 General	35
3.1.8 Migration	37
3.1.9 Origination	39
3.1.10 Payments	41
3.1.11 Personal Finance Management	48
3.1.12 Retail Servicing	53
3.1.13 Security Management System	55
3.1.14 Supply Chain Finance	58
3.1.15 Supply Chain Finance and Cash Management	61

3.1.16	Trade Finance	64
3.2	Entity Configuration	66
3.2.1	Liquidity Management	67
3.2.2	Virtual Account Management	70

Index

Preface

- [Purpose](#)
- [Audience](#)
- [Documentation Accessibility](#)
- [Diversity and Inclusion](#)
- [Conventions](#)
- [Related Resources](#)
- [Screenshot Disclaimer](#)
- [Acronyms and Abbreviations](#)

Purpose

This guide is designed to help acquaint you with the Oracle Banking application. This guide provides answers to specific features and procedures that the user need to be aware of the module to function successfully.

Audience

This document is intended for the following audience:

- Customers
- Partners

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customer access to and use of Oracle support services will be pursuant to the terms and conditions specified in their Oracle order for the applicable services.

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and

the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Related Resources

For more information on any related features, refer to the following documents:

- Oracle Banking Digital Experience Installation Manuals
- Oracle Banking Digital Experience Licensing Manuals

Screenshot Disclaimer

Personal information used in the interface or documents is dummy and does not exist in the real world. It is only for reference purposes.

Acronyms and Abbreviations

The list of the acronyms and abbreviations used in this guide are as follows:

Table 1 Acronyms and Abbreviations

Abbreviation	Description
OBDX	Oracle Banking Digital Experience

1

Multi Entity Implementation

This topic describes the information about **Multi Entity Implementation**.

Banks can have multiple implementations across different geographies or can have multiple brands within the same legal entity.

Multi Entity is a mechanism through which the banks can deploy a single instance of platform and onboard multiple entities onto the platform.

The same platform can host data of multiple entities on a single instance that runs on a set of resources. The banks can have data sharing enabled across multiple entities so that users from one entity can have access to data of other entities if required.

As part of the OBAPIS Installer, there will always be default entity created along with a system administrator.

If the implementation of the bank is multi entity enabled, system administrator can create new entities with their details as part of system configuration and also edit details of the default entity.

The system administrator by default gets access to all the created as well as the default entities.

There is a parameter for multi entity enabled implementation wherein the bank can decide if data sharing across entities is required.

Note

Currently in the system, data sharing across entities is always enabled and the same cannot be disabled by the user.


Users can be mapped to more than one entity depending on the implementation requirements. User always has a default/home entity to which he/she is mapped to and can also have accessible entities to access details of other entities.

If there is a need by the bank wherein some of the users i.e. bank administrator or corporate/retail users should not get access to all of the created entities then the same can be controlled through User Management by not giving access to the required entities.

For users who have access to multiple entities, there will be an entity switcher as part of the transaction/inquiry screen wherein the user can switch the entity to the home/accessible entity and inquire details of that entity.

The system maintenance can be at an enterprise level i.e. the same maintenance/configuration being applicable for all the created entities and certain maintenance are specific to an entity i.e. each entity can have a different setup or configuration.

Figure 1-1 Single Instance of OBDX Platform



The classification of administrative maintenance being at an enterprise or an entity level is present below:

Table 1-1 Classification of Administrative

Sr No.	Transactions	Entity/Enterprise	Remarks
1	System Configuration	Entity	
2	Transaction Aspects	Enterprise	
3	Limits Definition	Entity	
4	Limits Package	Entity	
5	Spend Category Maintenance	Entity	
6	Goal Category Maintenance	Entity	
7	System Rules	Enterprise	Role level limits will be defined for each entity
8	Role Transaction Mapping	Enterprise	
9	Payment Purpose Mapping	Entity	
10	Payee Restrictions	Entity	
11	Biller Category Mapping	Entity	
12	Authentication	Entity	
13	Manage Security Questions	Enterprise	
14	Password Policy Maintenance	Enterprise	
15	User Group Subject Mapping	Entity	
16	Alerts Maintenance	Enterprise	Alerts message template are at entity level
17	Mailers	Entity	

Table 1-1 (Cont.) Classification of Administrative

Sr No.	Transactions	Entity/Enterprise	Remarks
18	Mailbox	Entity	
19	User Print Information	Enterprise	
20	User Onboarding	Entity	
21	Merchant Onboarding	Entity	
22	Transaction Blackout	Entity	
23	Working Window	Entity	
24	Manage Brand	Entity	
25	Audit Log	Entity	
26	ATM/ Branch Maintenance	Entity	
27	Product Mapping	Entity	
28	Party Preferences	Entity	
29	Party to Party Linkage	Entity	
30	Workflow Management	Entity	
31	Rules Management	Entity	
32	Party Account Access	Entity	
33	User Account Access	Entity	
34	Service Request	Entity	
35	File Identifier Maintenance	Entity	
36	User File Identifier Mapping	Entity	
37	Reports	Enterprise	
38	User Report Mapping	Entity	
39	User Group Management	Entity	
40	Alert Subscription	Enterprise	
41	Session Summary	Entity	
42	ATM/ Branch Locator	Entity	
43	Manage Alerts	Enterprise	

Once the OBAPIS installation is complete, system administrator logs in and starts with the system configuration.

There will always be a default entity available in OBAPIS i.e. one created as part of installer irrespective of whether the implementation is multi entity enabled.

2


Entity Maintenance

This topic describes about the systematic instructions to add an entity.

1. From **Homescreen**, click **Menu**, under **Menu**, click **Configuration**.
2. Under **Configuration**, click **Entity Maintenance**.

The **Entity Maintenance** screen is displayed.

Figure 2-1 Entity Maintenance



Entity ID	Entity Name
OBDX_BU	UBS 14.8
OBPM148	OBPM 14.8 SEPA
MUFGBANK	MUFG BANK ENTITY UPDATE
HDFCBANK	HDFCBANK ENTITY
rahul	rahul reddy
ICICBU	ICICBU
OBDXBU1	OBO 14.4
OBDXBU2	OBDX OBRL ORG
OBDXBU4	OBRL Servicing
Test	Test update
OBDXTEST	OBDXTEST
PNBBANK	PNBBANKTEST
Third	Third
NEW	NEW ENTITY 1

Add Entity

3. In the **Entity Maintenance** screen, specify the fields.

Note

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 2-1 Entity Maintenance

Field	Description
Entity ID	Displays the entity ID.
Entity Name	Displays the entity name.

View Entity

4. Click the hyperlink of the respective **Entity ID**.

The **View Entity** screen is displayed.

Figure 2-2 View Entity

←

View Entity

Host	Oracle FLEXCUBE Universal Banking 14.5.0.0.0
Entity ID	OSDX_BU
Entity Name	UBS 14.8
Bank Code	001
Home Branch	006
Foot Note	Foot Note
Local Currency	US Dollar
Calculation Currency	UAE Dirham
Country	Albania
Payment Region	USA
Allowed Account Types	Conventional, Islamic
Date Format	short
Date Time Format	short
Time Format	short
Time Zone	(GMT+6:00) Asia/Bishkek

Edit

Cancel

Back

View Entity - Update

5. On **View Entity** screen, click **Edit** to edit the required details.
- The **View Entity - Update** screen is displayed.

Figure 2-3 View Entity - Update

←

Update Entity

Host	Oracle FLEXCUBE Universal Banking 14.5.0.0.0
Entity ID	OSDX_BU
Entity Name	UBS 14.8
Bank Code	001
Home Branch	006
Foot Note	Foot Note
Local Currency	US Dollar
Calculation Currency	UAE Dirham
Country	Albania
Payment Region	USA
Allowed Account Types	☒ Conventional ☒ Islamic ☐ Deposit
Date Format	short
Date Time Format	short
Time Format	short
Time Zone	(GMT+6:00) Asia/Bishkek

Save

Cancel

Back

For more information on fields, refer to the field description table.

Table 2-2 View Entity - Update

Field	Description
Host	Displays the host associated with the entity.
Entity ID	Displays the entity ID associated with the entity.
Entity Name	Displays the entity name associated with the entity. User can modify the same.
Bank Code	Displays the bank code associated with the entity. User can modify the same.
Home Branch	Displays the home branch associated with the entity. User can modify the same.
Foot Note	Displays the foot note associated with the entity. User can modify the same.
Local Currency	Displays the local country associated with the entity. User can modify the same.
Calculation Currency	Displays the calculation currency associated with the entity. User can modify the same.
Country	Displays the country associated with the entity. User can modify the same.
Payment Region	Displays the payment region associated with the entity. User can modify the same.
Allowed Account Types	Displays the account types selected for the entity. User can modify the same.
Date Format	Displays the date format configured for the entity. User can modify the same.
Date Time Format	Displays the date time format configured for the entity. User can modify the same.
Time Format	Displays the time format configured for the entity. User can modify the same.
Time Zone	Displays the time zone associated with the entity. User can modify the same.

6. Click **Save** to save the details.
7. Click **Cancel** to cancel the details.
8. Click **Back** to navigate to previous screen.

Add Entity

9. On **Entity Maintenance** screen, click **Add Entity** to add the new entity.

The **Add Entity** screen is displayed.

Figure 2-4 Add Entity

← Add Entity

Host Required

Entity ID Required

Entity Name Required

Bank Code Required

Home Branch Required

Foot Note Required

Local Currency Required

Calculation Currency Required

Country Required

Payment Region Required

Allowed Account Types ☐ Conventional ☐ Islamic ☐ Deposit Required

Date Format Required

Date Time Format Required

Time Format Required

Time Zone Required

Save Cancel Back

10. In the **Add Entity** screen, specify the fields.

Note

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 2-3 Add Entity

Field	Description
Host	Select the host for the entity from the drop-down list. The host defines the system or environment with which the entity will be associated.
Entity ID	Specify the ID for the entity. This ID serves as a distinct identifier that differentiates the entity from others within the system.
Entity Name	Specify the name of the entity corresponding to the specified ID.
Bank Code	Specify the bank code associated with the entity. The bank code uniquely identifies the financial institution linked to the entity
Home Branch	Specify the home branch linked to the entity. The home branch represents the primary branch of the bank or organization where the entity is registered or managed.

Table 2-3 (Cont.) Add Entity

Field	Description
Foot Note	Specify the footnote information related to the entity. The footnote provides additional context, explanations, or remarks that may be useful for understanding the entity's configuration, purpose, or special conditions.
Local Currency	Select the local currency linked to the entity from the drop-down list.
Calculation Currency	Select the calculation currency linked to the entity from the drop-down list.
Country	Select the country associated with the entity from the drop-down list.
Payment Region	Select the payment region associated with the entity from the drop-down list. The options are: • INDIA • USA • SEPA • KSA
Allowed Account Types	Select the account types to be associated with the entity. The options are: • Conventional • Islamic • Deposit
Date Format	Select the date format to be associated with the entity. The options are: • short • medium • long • full
Date Time Format	Select the date time format to be associated with the entity. The options are: • short • medium • long • full
Time Format	Select the time format to be associated with the entity. The options are: • short • medium • long • full
Time Zone	Select the time zone to be associated with the entity.

11. Click **Save** to save the details.
12. Click **Cancel** to cancel the details.
13. Click **Back** to navigate to previous screen.

3


System Configurations

This topic describes about the systematic instructions to configure a system.

1. From **Homescreen**, click **Menu**, under **Menu**, click **System Configurations**.

The **System Configuration** screen is displayed.

Figure 3-1 System Configuration



The screenshot shows the 'System Configuration' screen with a table containing two columns: 'Entity ID' and 'Entity Name'. The table lists various entities such as OBDX_BU, OBP414B, MUFGBANK, HDFCBANK, rahul, ICICBU, OBDXBU1, OBDXBU2, OBDXBU4, Test, OBDXTEST, PHBBANK, Third, NEW, UBS 14.8, OBPM 14.8 SEPA, MUFG BANK ENTITY UPDATE, HDFCBANK ENTITY, rahul reddy, ICICBU, OBO 14.4, OBDX OBRL ORG, OBRL Servicing, Test update, OBDXTEST, PHBBANKTEST, Third, and NEW ENTITY 1. A 'Global Settings' button is visible at the bottom left of the table.

Entity ID	Entity Name
OBDX_BU	UBS 14.8
OBPM414B	OBPM 14.8 SEPA
MUFGBANK	MUFG BANK ENTITY UPDATE
HDFCBANK	HDFCBANK ENTITY
rahul	rahul reddy
ICICBU	ICICBU
OBDXBU1	OBO 14.4
OBDXBU2	OBDX OBRL ORG
OBDXBU4	OBRL Servicing
Test	Test update
OBDXTEST	OBDXTEST
PHBBANK	PHBBANKTEST
Third	Third
NEW	NEW ENTITY 1

2. Click the hyperlink of the respective **Entity ID**.

The **Entity Configuration** screen is displayed.

Figure 3-2 Entity Configuration

- [Global Settings](#)
This topic describes about the global settings for the system.
- [Entity Configuration](#)
This topic describes about the systematic instructions to configure a entity.

3.1 Global Settings

This topic describes about the global settings for the system.

- In the **System Configuration** screen, click **Global Settings**.
The **Global Configuration** screen is displayed.

Figure 3-3 Global Configuration

- [Account](#)
This topic provides information on account.
- [Administration](#)
This topic provides information on administration.
- [Common](#)
This topic provides information on common.
- [Event Management](#)
This topic provides information on event management.
- [File Upload](#)
This topic provides information on file upload.
- [Framework](#)
This topic provides information on framework.
- [General](#)
This topic provides information on general.
- [Migration](#)
This topic provides information on file upload.
- [Origination](#)
This topic provides information on origination.
- [Payments](#)
This topic provides information on payments.
- [Personal Finance Management](#)
This topic provides information on personal finance management.
- [Retail Servicing](#)
This topic provides information on retail servicing.
- [Security Management System](#)
This topic provides information on security management system.
- [Supply Chain Finance](#)
This topic provides information on supply chain finance.
- [Supply Chain Finance and Cash Management](#)
This topic provides information on supply chain finance and cash management.

- [Trade Finance](#)

This topic provides information on trade finance.


3.1.1 Account

This topic provides information on account.

1. In the **Global Configuration** screen, click **Account**.

The **Account** screen is displayed.


Figure 3-4 Account



2. Click **Edit** to specify the details under account.

The **Account - Edit** screen is displayed.

Figure 3-5 Account - Edit



3. Click expand and specify the details.

Figure 3-6 Account

System Configuration

Global Configuration

Account

Administration

Common

Event Management

File Upload

Framework

General

Migration

Origination

Payments

Personal Finance Management

Retail Servicing

Security Management System

Supply Chain Finance

Supply Chain Finance and Cash Management

Trade Finance

Account

Account number display

ACCOUNTNAME/CURRENCY/BRANCHSTATUS/ACCOUNTTYPE/MODULE

Relationship Type for Accounts

B,S,O

Maximum number of accounts to enable search option

10

Maximum number of accounts to enable filter option

100

Valid pattern for account nickname

[a-zA-Z0-9@!_~%&]*

Credit Card

Demand Deposit

Loan

Term Deposit

Edit

Cancel Back

Note

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 3-1 Account - Field Description

Field	Description
Account Number Display	Specifies the format in which account details are displayed in the user interface.
Relationship Type for Accounts	Defines the relationship types applicable for account visibility and operations. Example values: B – Both (Primary and Secondary), S – Single/Primary holder, O – Other/Secondary holder. Multiple values can be configured based on business requirements.
Maximum Number of Accounts to Enable Search Option	Specifies the maximum number of accounts after which the search functionality becomes available in the UI. If the number of linked accounts exceeds this configured value (for example, 10), the system enables the search option to help users quickly locate specific accounts.
Maximum Number of Accounts to Enable Filter Option	Defines the threshold limit for enabling the filter functionality. When the total number of accounts exceeds the configured value (for example, 100), filter options are displayed to allow users to refine the account list based on predefined criteria.
Valid Pattern for Account Nickname	Specifies the validation pattern (regular expression) that controls the allowed format for account nicknames. This ensures that users enter nicknames using only permitted characters, length, and format as defined by system configuration.

Figure 3-7 Credit Card

The screenshot shows the 'System Configuration' window with a left-hand navigation menu. Under the 'Account' category, the 'Credit Card' sub-category is selected. The main area displays three settings:

- Credit card reward transactions:** A numeric field containing the value '6'.
- Credit card display value from host:** A yes/no field containing the value 'Y'.
- Account number display:** A text field containing the format 'ACCOUNTNAME|CURRENCY|BRANCHSTATUS|ACCOUNTTYPE|MODULE'.

Below these settings are expandable sections for 'Demand Deposit', 'Loan', and 'Term Deposit'. At the bottom of the configuration area is a 'Save' button. The navigation menu on the left includes options like 'Administration', 'Common', 'Event Management', 'File Upload', 'Framework', 'General', 'Migration', 'Origination', 'Payments', 'Personal Finance Management', 'Retail Servicing', 'Security Management System', 'Supply Chain Finance', 'Supply Chain Finance and Cash Management', and 'Trade Finance'.

Note

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 3-2 Credit Card - Field Description

Field	Description
Credit Card Reward Transactions	Specifies the number of credit card reward transactions to be displayed in the user interface.
Credit Card Display Value from Host	Indicates whether the credit card details should be displayed exactly as received from the host system. If set to Y, the application displays the host-provided values without modification. If set to N, the system may apply internal formatting or derived display logic.
Account Number Display	Defines the format in which account number details are displayed in the application.

Figure 3-8 Demand Deposit

The screenshot shows the 'System Configuration' window with the 'Global Configuration' tab selected. On the left, a sidebar lists various configuration categories: Account, Administration, Common, Event Management, File Upload, Framework, General, Migration, Origination, Payments, Personal Finance Management, Retail Servicing, Security Management System, Supply Chain Finance, Supply Chain Finance and Cash Management, and Trade Finance. The 'Demand Deposit' category is expanded, showing a list of settings with their current values. At the bottom of the settings list is an 'Edit' button. At the bottom of the window are 'Cancel' and 'Back' buttons.

Setting	Value
Retail User Balance Type for Current Date	Current Balance
Retail User Balance Type for Past Dates	Closing Balance
Corporate User Balance Type for Current Date	Available Balance
Corporate User Balance Type for Past Dates	Opening Balance
Display Date Filter	true
Account number display	ACCOUNTNAME/CURRENCY/BRANCHSTATUS/ACCOUNTTYPE/MODULE
Relationship Type for Accounts	B&O
Current and savings interest certificate years	5
Hide closed accounts for corporate user	false
Recent number of demand deposit account transactions	15
Ad hoc current and savings statement days	365
Transaction value date for demand deposits	false
Debit card pin length	4
Flag for card id and display id from host	N

Note

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 3-3 Demand Deposit - Field Description

Field	Description
Retail User Balance Type for Current Date	Defines the balance type displayed to retail users for the current date.
Retail User Balance Type for Past Dates	Specifies the balance type shown to retail users for historical dates.
Corporate User Balance Type for Current Date	Determines the balance type displayed to corporate users for the current date.
Corporate User Balance Type for Past Dates	Defines the balance type displayed to corporate users for historical dates.
Display Date Filter	Enables or disables the date filter option in the user interface. When set to true , users can filter transactions based on selected date ranges.
Account Number Display	Specifies the format in which account details are displayed.
Relationship Type for Accounts	Defines applicable account relationship types.
Current and Savings Interest Certificate Years	Specifies the number of past years (for example, 5 years) for which interest certificates for current and savings accounts can be generated.
Hide Closed Accounts for Corporate User	Determines whether closed accounts are hidden for corporate users.
Recent Number of Demand Deposit Account Transactions	Specifies the number of recent demand deposit transactions (for example, 15) displayed by default in the account activity screen.
Ad Hoc Current and Savings Statement Days	Defines the maximum number of past days (for example, 365 days) for which ad hoc account statements can be generated.

Table 3-3 (Cont.) Demand Deposit - Field Description

Field	Description
Transaction Value Date for Demand Deposits	Controls whether transaction value date is considered for demand deposit transactions.
Debit Card PIN Length	Specifies the required PIN length (for example, 4 digits) for debit cards.
Flag for Card ID and Display ID from Host	Determines whether the card ID and display ID should be directly fetched from the host system.
Account Statements Years	Specifies the number of years (for example, 4 years) for which account statements are available for download.
Days for Fetching Transactions	Defines the maximum number of past days (for example, 365 days) for which transaction history can be retrieved from the system.
Enable IBAN	Enables or disables IBAN support in the application.
Days for Listing Cheques	Specifies the number of past days (for example, 90 days) for which cheque transactions are listed.
Maximum Number of Records	Defines the upper limit (for example, 500 records) for transaction or data retrieval in a single request to ensure optimal performance.
Demand Deposits Pre Generated Transactions	Specifies the number of demand deposit transactions (for example, 10) pre-generated or preloaded for quicker display in the UI.
Filters Account Activity on the Basis of Transaction Date	Determines the filtering basis for account activity.
Account and Branch Separator	Specifies the character used to separate account number and branch code when displayed together in the user interface.

Figure 3-9 Loan

←

System Configuration

Global Configuration

Account

Administration

Common

Event Management

File Upload

Framework

General

Migration

Origination

Payments

Personal Finance Management

Retail Servicing

Security Management System

Supply Chain Finance

Supply Chain Finance and Cash Management

Trade Finance

Loan

Account number display

Loan calculator interest rate default value

Loan calculator interest rate maximum value

Loan calculator interest rate minimum value

Loan calculator number of installments default value

Loan calculator number of installments maximum value

Loan calculator number of installments minimum value

Loan calculator principal amount default value

Loan calculator principal amount maximum value

Loan calculator principal amount minimum value

Loan calculator tenure default value

Loan calculator tenure maximum value

Loan calculator tenure minimum value

Loan calculator tenure maximum acceptable loan term default value

ACCOUNTNAMECURRENCYBRANCHSTATUSACCOUNTTYPEMODULE

1

25

1

12

960

1

10000

1000000

1000

1

30

1

100000

Edit

Cancel

Back

Note

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 3-4 Loan - Field Description

Field	Description
Account Number Display	Defines the sequence of account attributes displayed in the user interface.
Loan Calculator Interest Rate Default Value	Specifies the default interest rate (1%) pre-populated in the loan calculator.
Loan Calculator Interest Rate Maximum Value	Defines the maximum allowable interest rate (25%) in the loan calculator.
Loan Calculator Interest Rate Minimum Value	Defines the minimum allowable interest rate (1%) in the loan calculator.
Loan Calculator Number of Installments Default Value	Specifies the default number of installments (12) shown in the loan calculator.
Loan Calculator Number of Installments Maximum Value	Defines the maximum number of installments (360) allowed in the loan calculator.
Loan Calculator Number of Installments Minimum Value	Defines the minimum number of installments (1) allowed in the loan calculator.
Loan Calculator Principal Amount Default Value	Specifies the default principal amount (10000) populated in the loan calculator.
Loan Calculator Principal Amount Maximum Value	Defines the maximum principal amount (1000000) allowed in the loan calculator.
Loan Calculator Principal Amount Minimum Value	Defines the minimum principal amount (1000) allowed in the loan calculator.
Loan Calculator Tenure Default Value	Specifies the default tenure (1 year) populated in the loan calculator.
Loan Calculator Tenure Maximum Value	Defines the maximum tenure (30 years) allowed in the loan calculator.
Loan Calculator Tenure Minimum Value	Defines the minimum tenure (1 year) allowed in the loan calculator.
Loan Eligibility Calculator Gross Monthly Income Default Value	Specifies the default gross monthly income (10000) in the loan eligibility calculator.
Loan Eligibility Calculator Gross Monthly Income Maximum Value	Defines the maximum gross monthly income (1000000) allowed in the eligibility calculator.
Loan Eligibility Calculator Gross Monthly Income Minimum Value	Defines the minimum gross monthly income (1000) allowed in the eligibility calculator.
Loan Eligibility Calculator Interest Rate Default Value	Specifies the default interest rate (1%) in the loan eligibility calculator.
Loan Eligibility Calculator Interest Rate Maximum Value	Defines the maximum interest rate (25%) allowed in the eligibility calculator.
Loan Eligibility Calculator Interest Rate Minimum Value	Defines the minimum interest rate (1%) allowed in the eligibility calculator.
Loan Eligibility Calculator Monthly Expenses Default Value	Specifies the default monthly expense amount (1000) in the eligibility calculator.
Loan Eligibility Calculator Monthly Expenses Maximum Value	Defines the maximum monthly expense amount (1000000) allowed in the eligibility calculator.

Table 3-4 (Cont.) Loan - Field Description

Field	Description
Loan Eligibility Calculator Monthly Expenses Minimum Value	Defines the minimum monthly expense amount (100) allowed in the eligibility calculator.
Loan Eligibility Calculator Tenure Default Value	Specifies the default tenure (1 year) in the loan eligibility calculator.
Loan Eligibility Calculator Tenure Maximum Value	Defines the maximum tenure (30 years) allowed in the eligibility calculator.
Loan Eligibility Calculator Tenure Minimum Value	Defines the minimum tenure (1 year) allowed in the eligibility calculator.
Loan Calculator Rounding Mode	Specifies the rounding method (CEILING) applied to calculated loan values.
Loan Calculator Rounding Scale	Defines the number of decimal places (5) used for rounding loan calculation results.
Account Statements Years	Specifies the number of years (4) for which account statements are available.
Loan Transaction Value Date	Determines whether the transaction value date (true) is considered for loan transactions.
Loans Interest Certificate Years	Specifies the number of years (5) for which loan interest certificates can be generated.
Recent Number of Loan Account Transactions	Defines the number of recent loan transactions (15) displayed by default.
Loan Adhoc Statement Days	Specifies the number of past days (365) allowed for generating adhoc loan statements.
Loans Pre Generated Transactions	Defines the number of loan transactions (10) preloaded for quick display.
Delimiter Used to Separate Account and Branch Codes	Specifies the delimiter (@~) used to separate account number and branch code in display.
Filters Account Activity on the Basis of Transaction Date	Indicates that account activity filtering is performed based on transaction date (T).
Relationship Type for Accounts	Defines the permitted relationship types (such as B, S, O) applicable for account access.

Figure 3-10 Term Deposit

System Configuration

Global Configuration

Account

Administration

Common

Event Management

File Upload

Framework

General

Migration

Origination

Payments

Personal Finance Management

Retail Servicing

Security Management System

Supply Chain Finance

Supply Chain Finance and Cash Management

Trade Finance

Cancel Back

Term Deposit

Filter account activity on the basis of transaction date T

Relationship Type for Accounts B,S,O

Account number display ACCOUNTNAMECURRENCYBRANCHSTATUSACCOUNTTYPEMODULE

Term deposit interest frequency M

Hide closed accounts for corporate user false

Account statements years 4

Regulate pin N

Term deposit pre generated transactions 10

Term deposit interest certificate years 5

Ad hoc statement term deposit days 365

Recent number of term deposit account transactions 15

Term deposit calculation with in customer id 006126

Filter account activity on the basis of transaction date T

Relationship Type for Accounts B,S,O

Edit

Note

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 3-5 Term Deposit - Field Description

Field	Description
Account Number Display	Defines the sequence of account attributes displayed in the user interface.
Term Deposit Interest Frequency	Specifies the interest payout frequency for term deposits, where M indicates monthly interest payment.
Hide Closed Accounts for Corporate User	Determines whether closed accounts are hidden for corporate users; false indicates closed accounts remain visible.
Account Statements Years	Specifies the number of years (4) for which account statements are available for viewing or download.
Require PAN	Indicates whether PAN is mandatory for transactions or account operations, where N means PAN is not required.
Term Deposit Pre Generated Transactions	Defines the number of term deposit transactions (10) preloaded for quick display in the system.
Term Deposits Interest Certificate Years	Specifies the number of years (5) for which term deposit interest certificates can be generated.
Ad Hoc Statement Term Deposits Days	Defines the number of past days (365) allowed for generating ad hoc term deposit statements.
Recent Number of Term Deposit Account Transactions	Specifies the number of recent term deposit transactions (15) displayed by default.
Term Deposit Calculation Walk In Customer ID	Defines the default customer ID (006126) used for walk-in customer term deposit calculations.
Filters Account Activity on the Basis of Transaction Date	Indicates that account activity filtering is performed based on transaction date, where Tz represents the configured filter logic.
Relationship Type for Accounts	Defines the permitted relationship types (such as B, S, O) applicable for account access and visibility.

4. Click **Save** to save the details.
5. Click **Back** to navigate to previous page.
6. Click **Cancel** to cancel the details.


3.1.2 Administration

This topic provides information on administration.

1. In the **Global Configuration** screen, click **Administration**.


The **Administration** screen is displayed.

Figure 3-11 Administration



- 2. Click **Edit** to specify the details under account.
The **Administration - Edit** screen is displayed.

Figure 3-12 Administration - Edit



- 3. Click expand and specify the details.

Figure 3-13 Account Access

Note

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 3-6 Account Access - Field Description

Field	Description
Number of filtered accounts in user account access	Specifies the maximum number of accounts that can be displayed or filtered in the user account access view.
User account access mapping mandatory flag	Indicates whether mapping user accounts to entity accounts is mandatory.
Account and branch separator	This field defines the character (or string) used to separate the account segment.

Figure 3-14 Approval

Note

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 3-7 Approval - Field Description

Field	Description
Maximum length of the comment provided with approval action	Defines the maximum number of characters allowed in the comment field when performing an approval action.
Maximum number of transactions displayed in listing screens	Specifies the maximum number of transactions that can be shown on the transaction listing screens.
Who can approve their own initiated transactions	Specifies which users roles or categories are authorized to approve the transactions.
Whether rule weightage is considered during approval flow	Determines if rule weightage should be applied in the approval workflow.

Figure 3-15 Audit

The screenshot displays the 'System Configuration' interface, specifically the 'Global Configuration' section. On the left, a sidebar lists various configuration categories: Account, Administration, Common, Event Management, File Upload, Framework, General, Origination, Payments, Personal Finance Management, Retail Servicing, Security Management System, Supply Chain Finance, and Supply Chain Finance and Cash Management. The 'Administration' category is selected. The main content area shows the 'Audit' settings. Under the 'Audit' section, there are three settings: 'Enable API Audit' with radio buttons for 'True' (selected) and 'False'; 'Maximum Days for Audit Data Retrieval' with a text input field containing the value '5'; and 'Maximum Audit Records per Search' with a text input field containing the value '200'. Below these settings are expandable sections for 'Bulk Administration', 'Cutoff', and 'Group Corporate'. At the bottom of the configuration area, there are buttons for 'Save', 'Back', 'Cancel', and 'Back'.

Note

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 3-8 Audit - Field Description

Field	Description
Enable API Audit	Allows you to enable or disable API auditing for the entity.
Maximum Days for Audit Data Retrieval	Defines the maximum number of past days for which audit data can be retrieved.
Maximum Audit Records per Search	Specifies the maximum number of audit records that can be displayed or fetched in a single search operation.

Figure 3-16 Bulk Administration

System Configuration

Global Configuration

- Account
- Administration**
- Common
- Event Management
- File Upload
- Framework
- General
- Origination
- Payments
- Personal Finance Management
- Retail Servicing
- Security Management System
- Supply Chain Finance
- Supply Chain Finance and Cash Management

- > Account Access
- > Approval
- > Audit
- > **Bulk Administration**
 - File Identifier Description regular expression: *[w\\\"'s%#*+()\\.:?]{1,100}\$
 - File Identifier Id regular expression: *[w\\\"6#*+()\\.:?]{1,5,20}\$
- > Cutoff
- > Group Corporate

Save Back

Note

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 3-9 Bulk Administration - Field Description

Field	Description
File Identifier Description regular expression	Specify the expression for file identifier description.
File Identifier Id regular expression	Specify the expression for file identifier ID.

Figure 3-17 Cutoff

Note

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 3-10 Cutoff - Field Description

Field	Description
Administration role broadcast mail Id	Specify the administration role broadcast mail ID.
Corporate role broadcast mail Id	Specify the corporate role broadcast mail ID.
Prospect role broadcast mail Id	Specify the prospect role broadcast mail ID.
Retail user role broadcast mail Id	Specify the retail user role broadcast mail ID.

Figure 3-18 Group Corporate

System Configuration

Global Configuration

Account

Administration

Common

Event Management

File Upload

Framework

General

Origination

Payments

Personal Finance Management

Retail Servicing

Security Management System

Supply Chain Finance

Supply Chain Finance and Cash Management

> Account Access

> Approval

> Audit

> Bulk Administration

> Cutoff

> Group Corporate

Module(s) excluded in Party Migration

SaveBack

CancelBack

Note

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 3-11 Group Corporate - Field Description

Field	Description
Module(s) excluded in Party Migration	Select the modules excluded from the drop-down list.


- 4. Click **Save** to save the details.
- 5. Click **Back** to navigate to previous page.
- 6. Click **Cancel** to cancel the details.

3.1.3 Common

This topic provides information on common.


- 1. In the **Global Configuration** screen, click **Common**.
The **Common** screen is displayed.

Figure 3-19 Common



- 2. Click **Edit** to specify the details under account.
The **Account - Edit** screen is displayed.

Figure 3-20 Common - Edit



- 3. Click expand and specify the details.

Figure 3-21 Collaboration

Note

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 3-12 Collaboration - Field Description

Field Name	Description
Mailbox interaction category	Specifies the category of mailbox interactions, such as emails, notifications, or customer messages.
Number of days for synced mails	Specifies the number of past days' emails to synchronize from the mailbox.
Mailbox interaction mode	Defines the mode of mailbox interaction (e.g., Other, Automatic, Manual) used to process emails.
Mailbox interaction priority	Specifies the priority level assigned to mailbox interactions, which can determine processing order.

Figure 3-22 Common

System Configuration

Global Configuration

Account

Administration

Common

Event Management

File Upload

Framework

General

Migration

Origination

Payments

Personal Finance Management

Retail Servicing

Security Management System

Supply Chain Finance

Supply Chain Finance and Cash Management

Trade Finance

Collaboration

Common

Enable Barcode for HOTP 2FA ☒ True ☐ False

Enable Wearable Device Registration Confirmation for a Single Wearable Device Login ☒ True ☐ False

Enable Device Registration Confirmation for a Single Device Biometric ☒ True ☐ False

Enable Passkey Login ☒ True ☐ False

Enable Oracle Digital Assistant ☒ True ☐ False

Oracle Digital Assistant Secret

Oracle Digital Assistant User ID

Oracle Digital Assistant URI

Oracle Digital Assistant Channel ID

Enable Third Party Analytics ☒ True ☐ False

Analytics Provider

Save Back

Cancel Back

Note

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 3-13 Common - Field Description

Field	Description
Enable Barcode for HOTP 2FA	Determines whether barcode generation is enabled for HOTP-based two-factor authentication setup.
Enable Wearable Device Registration Confirmation for a Single Wearable Device Login	Controls whether confirmation is required when registering a wearable device for single wearable login authentication.
Enable Device Registration Confirmation for a Single Device Biometric	Specifies whether confirmation is required when registering a device for single-device biometric authentication.
Enable Passkey Login	Indicates whether passkey-based authentication is enabled for user login.
Enable Oracle Digital Assistant	Determines whether Oracle Digital Assistant integration is enabled within the application.
Oracle Digital Assistant Secret	Specifies the secret key used to authenticate communication with Oracle Digital Assistant.
Oracle Digital Assistant User ID	Defines the user identifier configured for Oracle Digital Assistant integration.
Oracle Digital Assistant URI	Specifies the endpoint URI used to connect to Oracle Digital Assistant services.
Oracle Digital Assistant Channel ID	Defines the channel identifier (for example, abc) configured for Oracle Digital Assistant communication.
Enable Third Party Analytics	Indicates whether integration with a third-party analytics provider is enabled.

Table 3-13 (Cont.) Common - Field Description

Field	Description
Analytics Provider	Specifies the configured analytics provider (for example, owa) used for tracking and reporting.
Google Map API Key	Defines the API key used to authenticate access to Google Maps services.
Google Map SDK URL	Specifies the SDK URL configured for loading Google Maps functionality in the application.
Google Map URL	Defines the base URL used to access Google Maps services.
Oracle Map URL	Specifies the endpoint URL configured for Oracle Maps integration.
Sharding Font URL	Defines the URL used to load shared or sharded font resources for the application interface.
Auto Biometric Login Delay	Specifies the delay duration in milliseconds (for example, 1000 ms) before initiating automatic biometric login.
Enable Auto Biometric Login	Indicates whether automatic biometric authentication is triggered after the configured delay.
Enable Display of Intermediate Logout Page	Determines whether an intermediate confirmation page is displayed before completing user logout.

Figure 3-23 Content

The screenshot shows the 'System Configuration' window with the 'Global Configuration' section. On the left, a sidebar lists various configuration categories: Account, Administration, Common (selected), Event Management, File Upload, Framework, General, Origination, Payments, Personal Finance Management, Retail Servicing, Security Management System, Supply Chain Finance, and Supply Chain Finance and Cash Management. The main area displays the 'Content' settings under the 'Collaboration' section. The 'Content' section is expanded, showing four input fields: 'Resize image width' (set to 250), 'Document name length' (set to 60), 'File upload count' (set to 15), and 'Maximum number of files allowed' (set to 15). Below these fields are expandable sections for 'Feedback', 'Forex Deal', 'Location', 'Party', 'Reports', and 'Service Request'. At the bottom of the main area are 'Save' and 'Back' buttons. The sidebar also has 'Cancel' and 'Back' buttons at the bottom.

For more information on fields, refer to the field description table.

Table 3-14 Content - Field Description

Field Name	Description
Resize image width	Specifies the width (in pixels or percentage) to which uploaded images should be resized.
Document Name Length	Defines the maximum allowed length (number of characters) for document names during upload or creation.
File Upload Count	Indicates the number of files that can be uploaded at one time in the system.

Table 3-14 (Cont.) Content - Field Description

Field Name	Description
Maximum Number Of Files Allowed	Specifies the total maximum number of files a user can upload or attach to a record.

Figure 3-24 Feedback

Note

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 3-15 Feedback - Field Description

Field Name	Description
Pattern to check feedback identifier name question option	Defines the valid pattern or format for feedback identifiers, question names, and options to ensure consistency and prevent invalid entries.
Feedback enabled	Specifies whether the feedback feature is active or available in the system.
Maximum number of days for feedback	Defines the maximum number of days within which feedback can be submitted after a transaction or interaction.
Maximum number of feedback allowed	Specifies the total number of feedback entries a user can submit within a given period or session.

Figure 3-25 Forex Deal

System Configuration

Global Configuration

- Account
- Administration
- Common
- Event Management
- File Upload
- Framework
- General
- Origination
- Payments
- Personal Finance Management
- Retail Servicing
- Security Management System
- Supply Chain Finance
- Supply Chain Finance and Cash Management

- > Collaboration
- > Content
- > Feedback
- > **Forex Deal**
- > Location
- > Party
- > Reports
- > Service Request
- > User

Exchange Rate Available (Y/N) N

Forex Deal Timer Required (Y/N) N

Save Back

Note

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 3-16 Forex Deal - Field Description

Field Name	Description
Exchange Rate Available (Y/N)	Indicates whether exchange rate information is available in the system. Enter 'Y' for Yes or 'N' for No.
Forex Deal Timer Required (Y/N)	Specifies whether a timer is required for forex deals. Enter 'Y' for Yes or 'N' for No.

Figure 3-26 Location

System Configuration

Global Configuration

- Account
- Administration
- Common
- Event Management
- File Upload
- Framework
- General
- Origination
- Payments
- Personal Finance Management
- Retail Servicing
- Security Management System
- Supply Chain Finance
- Supply Chain Finance and Cash Management

- > Collaboration
- > Content
- > Feedback
- > **Forex Deal**
- > **Location**
- > Party

ATM Locator characters pattern *[a-zA-Z0-9]*\$

ATM Locator space character pattern [0-9a-zA-Z\\s]*

ATM Locator special character pattern [a-zA-Z0-9\\%&._\\-\\.\\:\\s]*

ATM or branch default search radius 2.5

Retail multilingual support false

Save Back

Note

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 3-17 Location - Field Description

Field Name	Description
ATM Locator characters pattern	Defines the valid character set for inputs in the ATM Locator search field (e.g., letters and numbers allowed).
ATM Locator space character pattern	Specifies how space characters are allowed or handled in ATM Locator search inputs.
ATM Locator special character pattern	Defines which special characters are allowed or restricted in ATM Locator search inputs.
ATM or branch default search radius	Specifies the default radius (in kilometers or miles) used for ATM or branch search results.
Retail multilingual support	Indicates whether the retail interface supports multiple languages for display and interaction.

Figure 3-27 Party

For more information on fields, refer to the field description table.

Table 3-18 Party - Field Description

Field Name	Description
Hide closed accounts for corporate user	Enables hiding of closed accounts from the account list view for corporate users to display only active accounts.
Name of the user group with empty users	Specifies the name of any user group that currently has no users assigned.

Table 3-18 (Cont.) Party - Field Description

Field Name	Description
Maximum records matched to provided party name to be fetched	Defines the maximum number of records that can be returned when searching for a party by name.
Enable IBAN	Enables the option to display or use International Bank Account Numbers (IBAN) for applicable accounts.
Minor age flag for self registration	Indicates whether the system should flag users below the minimum age during self-registration.
Maximum number of records	Specifies the upper limit on the number of records that can be retrieved or displayed in a single query or view.
Enable party cache	Activates caching of party-related data to improve system performance during repeated access.
Party type check	Validates the type of party (e.g., individual, corporate) during data entry or processing.
Minimum duration of employment to be captured	Specifies the minimum employment duration that must be entered or verified for a party.
Character pattern for party id	Defines the allowed character set and format for party identifiers to ensure consistency.
Maximum number of allowed days for grace period	Specifies the maximum number of days that can be allowed as a grace period for certain transactions or processes.

Figure 3-28 Reports

For more information on fields, refer to the field description table.

Table 3-19 Reports - Field Description

Field Name	Description
Extensible Style sheet Language file path	Specifies the file path to the XSL (Extensible Stylesheet Language) file used for transforming XML data for reports or display.

Table 3-19 (Cont.) Reports - Field Description

Field Name	Description
Java Naming and Directory Interface name for the report connection factory	Defines the JNDI name used to look up the report connection factory in the application server for database/report connections.

Figure 3-29 Service Request

For more information on fields, refer to the field description table.

Table 3-20 Service Request - Field Description

Field Name	Description
Service request category type pattern	Defines the valid pattern or format for service request category types to ensure consistency.
Service request confirm message pattern	Specifies the format or template for confirmation messages shown after service request submission.
Service request product name pattern	Defines the valid pattern or format for product names in service requests.
Service request description pattern	Specifies the allowed format or characters for service request descriptions.
Service request field label pattern	Defines the valid pattern for field labels used in the service request forms.
Service request form header pattern	Specifies the allowed format for headers used in service request forms.
Service request module type pattern	Defines the valid pattern for module types associated with service requests.
Service request name pattern	Specifies the allowed format or character pattern for the service request name field.
Service request remarks pattern	Defines the valid pattern or format for remarks entered in service requests.

Table 3-20 (Cont.) Service Request - Field Description

Field Name	Description
Service request form extension type	Specifies the type of file extensions allowed for attachments in the service request form.
Maximum number of files in service request form	Defines the maximum number of files that can be attached to a service request form.
Service request submission expiration days	Specifies the number of days after which a submitted service request expires or becomes inactive.
Service request persistence type: Local/Remote	Indicates whether the service request data is stored locally or remotely in the system.
Service request configuration turnaround time	Specifies the configured turnaround time within which a service request must be processed or resolved in the system.

Figure 3-30 User

The screenshot displays the 'System Configuration' application. On the left is a sidebar menu with categories like Account, Administration, Common, Event Management, File Upload, Framework, General, Origination, Payments, Personal Finance Management, Retail Servicing, Security Management System, Supply Chain Finance, and Supply Chain Finance and Cash Management. The 'Common' category is selected, and the 'User' sub-option is active. The main content area shows configuration settings for the 'User' entity. It includes a list of settings on the left and input fields on the right. The settings and their values are: 'Default role for retail' (DefaultRetailRole), 'Minor age for self registration' (18), 'Minor age flag for self registration' (false), 'Session timeout warning' (true), 'The default account uniqueness criteria' (SYSTEM), 'Token expiry time' (15), and 'Registration maximum minutes' (1). At the bottom of the settings list are 'Save' and 'Back' buttons. At the bottom of the main content area are 'Cancel' and 'Back' buttons.

For more information on fields, refer to the field description table.

Table 3-21 User - Field Description

Field Name	Description
Default role for retail	Specifies the default role assigned to new retail users during registration or onboarding.
Minor age for self registration	Defines the minimum age considered as a minor for self-registration purposes.
Minor age flag for self registration	Indicates whether users below the minor age should be flagged during self-registration.
Session timeout warning	Specifies the warning message or timing before a user session times out due to inactivity.
The default account uniqueness criteria	Defines the criteria used to determine if an account is unique during creation or registration.

Table 3-21 (Cont.) User - Field Description

Field Name	Description
Account and branch separator	Specifies the delimiter used to separate the account number and branch code when displayed together in the user interface.
Token expiry time	Specifies the duration after which authentication or registration tokens expire.
Registration maximum minutes	Defines the maximum number of minutes allowed to complete the registration process before it times out.

4. Click **Save** to save the details.
5. Click **Back** to navigate to previous page.
6. Click **Cancel** to cancel the details.


3.1.4 Event Management

This topic provides information on event management.

1. In the **Global Configuration** screen, click **Event Management**.


The **Event Management** screen is displayed.

Figure 3-31 Event Management




2. Click **Edit** to specify the details under account.
- The **Event Management - Edit** screen is displayed.

Figure 3-32 Event Management - Edit



- 3. Click expand and specify the details.

Figure 3-33 Event Management



Note

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 3-22 Event Management - Field Description

Field Name	Description
File Path for Image	The location or directory path where an image file is stored. This path is used by the system to retrieve and display the image.

Table 3-22 (Cont.) Event Management - Field Description

Field Name	Description
Email Content Patterns	Templates or predefined formats for email messages. These patterns define how dynamic content, placeholders, and formatting are applied in emails.
Email Configuration For Cloud	Settings and parameters required to send emails via cloud services, including server details, authentication credentials, ports, and security protocols.
SMS Content Patterns	Templates or predefined formats for SMS messages. These patterns define the structure, placeholders, and content rules for sending SMS notifications.
Maximum Length of SMS	The maximum number of characters allowed in an SMS message. This ensures that messages comply with standard SMS length limitations and do not get truncated.


4. Click **Save** to save the details.
5. Click **Back** to navigate to previous page.
6. Click **Cancel** to cancel the details.

3.1.5 File Upload

This topic provides information on file upload.

1. In the **Global Configuration** screen, click **File Upload**.


The **File Upload** screen is displayed.

Figure 3-34 File Upload

2. Click **Edit** to specify the details under account.


The **File Upload - Edit** screen is displayed.

Figure 3-35 File Upload - Edit



3. Click expand and specify the details.

Figure 3-36 File Upload



Note

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 3-23 File Upload - Field Description

Field Name	Description
Third Party Handoff File Path	Specifies the file path location for third-party handoff files.

Table 3-23 (Cont.) File Upload - Field Description

Field Name	Description
UBS Handoff File Path	Defines the file path location for UBS handoff files.
Pre Processing Allowed for File Upload	Indicates whether preprocessing is permitted before uploading files.
Bulk Use framework Virus Check	Specifies if the bulk use framework performs virus checking on uploaded files.
FCORE Handoff File Path	Specifies the file path location for FCORE handoff files.
Filename regular expression	Defines the regex pattern used to validate file names during upload or processing.
Property name database or file name location	Specifies the property name, database, or file location for configuration purposes.
Hand off Template Path	Defines the file path location for handoff templates.
Maximum No. of Days To Sync File	Specifies the maximum number of days a file can be synchronized.
Processor Queue Configuration	Specifies the configuration settings for the processor queue handling file processing.
Response Template Path	Specifies the file path location for response templates.
File view to display amount currency and total records flag	Indicates whether the file view should display amounts, currency, and total record counts.
Show to All Users with File Identifier	Specifies if the file should be visible to all users who have the file identifier.
Template Name regular expression	Defines the regex pattern used to validate template names.
Template Path	Specifies the file path location for templates.
Thread Pool Type	Specifies the type of thread pool used for processing tasks.
Valid file types	Specifies the allowed file types for upload or processing.
Maximum Page Size	Defines the maximum number of records displayed per page.


4. Click **Save** to save the details.
5. Click **Back** to navigate to previous page.
6. Click **Cancel** to cancel the details.

3.1.6 Framework


This topic provides information on framework.

1. In the **Global Configuration** screen, click **Framework**.

The **Framework** screen is displayed.

Figure 3-37 Framework

2. Click **Edit** to specify the details under account.
The **Framework - Edit** screen is displayed.

Figure 3-38 Framework - Edit

3. Click expand and specify the details.

Figure 3-39 Framework

Global Configuration	
Account	
Administration	
Common	
Event Management	
File Upload	
Framework	
General	
Migration	
Origination	
Payments	
Personal Finance Management	
Retail Servicing	
Security Management System	
Supply Chain Finance	
Supply Chain Finance and Cash Management	
Trade Finance	

Framework	
OTP Length	4
Allowed Characters for OTP	1234567890
OTP Mock Mode	True
Maximum Authentication Token Attempts	5
Security Question Validity Period	900000
Generic Challenge Attempt Limit	5
OBRH Encoding	Base64
OBRH Token Path	token
Is Persona Feature Required	Yes
Transaction ID Mask	###0.000000000000
Blacklisted HTML Tags	
HTML tags to replace	false
Whitelisted HTML Attributes	
Whitelisted HTML Tags	
Whitelisted CSS Properties	

Cancel Back

Note

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 3-24 Framework - Field Description

Field Name	Description
OTP Length	Specifies the number of characters used in the One-Time Password (OTP).
Allowed Characters for OTP	Defines the set of characters that can be used when generating OTPs.
OTP Mock Mode	Indicates if OTPs should be generated in mock mode for testing purposes.
Maximum Authentication Token Attempts	Specifies the maximum number of authentication attempts allowed for a token before it is locked or invalidated.
Security Question Validity Period	Defines the duration for which a security question remains valid for user authentication.
Generic Challenge Attempt Limit	Specifies the maximum number of attempts allowed for generic authentication challenges.
OBRH Encoding	Defines the encoding used for OBRH (One-Time Password, Biometric, or Recovery Hash) tokens.
OBRH Token Path	Specifies the storage or retrieval path for OBRH tokens.
Is Persona Feature Required	Indicates whether the persona feature is mandatory for this configuration.
Transaction ID Mask	Specifies the masking rules applied to transaction IDs for security purposes.
Blacklisted HTML Tags	Lists HTML tags that are not allowed in user input or system processing.
HTML tags to replace	Specifies which blacklisted HTML tags should be automatically replaced during processing.

Table 3-24 (Cont.) Framework - Field Description

Field Name	Description
Whitelisted HTML Attributes	Defines HTML attributes that are allowed in user input or system content.
Whitelisted HTML Tags	Defines HTML tags that are allowed in user input or system content.
Whitelisted URL Protocols	Specifies the URL protocols that are allowed in links or references.
Maximum Number of Attempts for HOTP	Specifies the maximum allowed attempts for HOTP (HMAC-based One-Time Password) authentication.
Allowed Window Size for TOTP Token	Specifies the allowed time window for validating TOTP (Time-based One-Time Password) tokens.
Maximum Number of Attempts for TOTP	Specifies the maximum allowed attempts for TOTP authentication before locking the user.
Maximum Number of Attempts for Push type 2FA	Defines the maximum allowed attempts for push-based two-factor authentication (2FA).
Two-Factor Authentication Lock Type	Specifies the lock type applied when 2FA attempts exceed the maximum limit.
Header(s) Masked for API Audit	Specifies which API headers are masked during audit logging for security purposes.
Bank Config Cache Validity	Defines the duration for which the bank configuration cache remains valid.
Snapshot Token Expiration Time	Specifies the expiration time for snapshot tokens used in session or transaction processing.
Token Expiry Time	Specifies the duration after which authentication or session tokens expire.
Mobile Application Biometric Token Expiration Time	Specifies the expiration time for biometric tokens used in mobile applications.
Wearable Application Token Expiration Time	Specifies the expiration time for tokens used in wearable applications.
Siri and Chatbot Token Expiration Time	Specifies the expiration time for tokens used in Siri and chatbot integrations.
Deployment Infrastructure	Specifies the deployment environment type, where CFS indicates the application is deployed on the configured cloud file system infrastructure.
Administrator User Onboarding Source	Defines the source system (IDCS) from which administrator users are onboarded and authenticated.
Corporate User Onboarding Source	Specifies the source application (OBDX) used for onboarding corporate users into the system.
Retail User Onboarding Source	Specifies the source application (OBDX) used for onboarding retail users into the system.
Distinguish Touchpoints on Cloud	Indicates whether different touchpoints are logically separated in a cloud deployment for environment or channel differentiation.

Figure 3-40 Mobile

The screenshot shows the 'System Configuration' interface. On the left, a sidebar lists categories: Account, Administration, Common, Event Management, File Upload, Framework (selected), General, Origination, Payments, Personal Finance Management, Retail Servicing, Security Management System, Supply Chain Finance, and Supply Chain Finance and Cash Management. The main content area is titled 'Global Configuration' and shows the 'Framework' section expanded. Under 'Framework', the 'Mobile' sub-section is active, displaying three configuration fields: 'Allowed Device Count for Biometric Registration' with a value of 100, 'Allowed Push Registration Count' with a value of -1, and 'Play Integrity License Check For Service Application' with a value of N. At the bottom of the configuration area are 'Save' and 'Back' buttons. At the bottom of the sidebar are 'Cancel' and 'Back' buttons.

Note

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 3-25 Mobile - Field Description

Field Name	Description
Allowed Device Count for Biometric Registration	Specifies the maximum number of devices a user can register for biometric authentication.
Allowed Push Registration Count	Defines the maximum number of devices allowed to register for push-based notifications or authentication.
Play Integrity License Check For Service Application	Indicates whether the Play Integrity API license check is enabled for the service application.


4. Click **Save** to save the details.
5. Click **Back** to navigate to previous page.
6. Click **Cancel** to cancel the details.

3.1.7 General

This topic provides information on general.


1. In the **Global Configuration** screen, click **General**.
The **General** screen is displayed.

Figure 3-41 General



- 2. Click **Edit** to specify the details under account.
The **General - Edit** screen is displayed.

Figure 3-42 General - Edit



- 3. Click expand and specify the details.

Figure 3-43 General

Note

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 3-26 General - Field Description

Field Name	Description
The account number mask contains the branch code	Indicates whether the account number mask includes the branch code component as part of its structure.
Branch code mask position	Specifies the position or segment within the account number mask where the branch code is located.
The default account uniqueness criteria	Defines the parameters used to determine the uniqueness of an account, such as account number, branch code, or customer ID.
Account and branch separator	Specifies the delimiter used to separate account numbers and branch codes in combined identifiers.
Prohibited Characters in System Configuration	Specifies the list of restricted special characters that are not allowed in system configuration inputs to ensure data validation and security compliance.
Default Input Time Format	Defines the default time format for user input fields across applications.
Default Input Timestamp Format	Specifies the default format for timestamps that include both date and time values in input fields.


- Click **Save** to save the details.
- Click **Back** to navigate to previous page.
- Click **Cancel** to cancel the details.

3.1.8 Migration

This topic provides information on file upload.


1. In the **Global Configuration** screen, click **Migration**.
The **Migration** screen is displayed.

Figure 3-44 Migration




2. Click **Edit** to specify the details under account.
The **Migration - Edit** screen is displayed.

Figure 3-45 Migration - Edit



3. Click expand and specify the details.

Figure 3-46 Migration



For more information on fields, refer to the field description table.

Table 3-27 Migration - Field Description

Field Name	Description
Core Thread pool size	Specifies the number of core threads maintained in the thread pool to handle concurrent tasks and optimize application performance.


- 4. Click **Save** to save the details.
- 5. Click **Back** to navigate to previous page.
- 6. Click **Cancel** to cancel the details.

3.1.9 Origination

This topic provides information on origination.


- 1. In the **Global Configuration** screen, click **Origination**.
The **Origination** screen is displayed.

Figure 3-47 Origination



- 2. Click **Edit** to specify the details under account.
The **Origination - Edit** screen is displayed.

Figure 3-48 Origination - Edit



- 3. Click expand and specify the details.

Figure 3-49 Origination

System Configuration

Global Configuration

- Account
- Administration
- Common
- Event Management
- File Upload
- Framework
- General
- Origination**
- Payments
- Personal Finance Management
- Retail Servicing
- Security Management System
- Supply Chain Finance
- Supply Chain Finance and Cash Management

Origination

- Application Tracker URL:
- Minimum duration of employment to be captured:

Save **Back**

Cancel **Back**

Note

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 3-28 Origination - Field Description

Field Name	Description
Application Tracker URL	Specifies the URL endpoint of the application tracker used to monitor the progress and status of user applications.
Minimum duration of employment to be captured	Defines the minimum period of employment, in months or years, that must be entered when capturing applicant employment details.

- Click **Save** to save the details.
- Click **Back** to navigate to previous page.
- Click **Cancel** to cancel the details.


3.1.10 Payments

This topic provides information on payments.

- In the **Global Configuration** screen, click **Payments**.


The **Payments** screen is displayed.

Figure 3-50 Payments



- 2. Click **Edit** to specify the details under account.
The **Payments - Edit** screen is displayed.

Figure 3-51 Payments - Edit



- 3. Click expand and specify the details.

Figure 3-52 Bulk Bill Payment

The screenshot shows the 'System Configuration' page with a left-hand navigation menu. The 'Payments' section is selected. The main content area is titled 'Bulk Bill Payment' and contains five configuration fields, each with a 'Required' icon (a circle with a dot). The fields are: 'Filename regular expression' with the value '*[a-zA-Z0-9_][1,50]\$', 'Property name database or file name location' with a dropdown arrow, 'File view to display amount currency and total records flag' with a dropdown arrow, 'Show to All Users with File Identifier' with a dropdown arrow, and 'Valid file types' with the value 'TXT,CSV,XLS,XML,XLSX'. Below the fields are 'Save' and 'Back' buttons. The left navigation menu includes: Account, Administration, Common, Event Management, File Upload, Framework, General, Origination, Payments (selected), Personal Finance Management, Retail Servicing, Security Management System, Supply Chain Finance, and Supply Chain Finance and Cash Management.

Note

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 3-29 Bulk Bill Payment - Field Description

Field Name	Description
Filename regular expression	Defines the regex pattern used to validate file names during upload or processing.
Property name database or file name location	Specifies the property name, database, or file location used for configuration or mapping purposes.
File view to display amount currency and total records flag	Indicates whether the file view should display amounts, currency, and total record counts.
Show to All Users with File Identifier	Specifies if the file should be visible to all users who have the corresponding file identifier.
Valid file types	Specifies the allowed file types for upload or processing.

Figure 3-53 Bulk Payment

←

System Configuration

Global Configuration

Account

Administration

Common

Event Management

File Upload

Framework

General

Origination

Payments

Personal Finance Management

Retail Servicing

Security Management System

Supply Chain Finance

Supply Chain Finance and Cash Management

> Bulk Bill Payment

<> Bulk Payment

① User Reference Number regular expression

[a-zA-Z0-9\~]\$

② Allowed Email Pattern

^[a-zA-Z0-9\~_]\{[\~_]{0,1}[a-zA-Z0-9\~_]*\}@[a-zA-Z0-9][a-zA-Z0-9\~_]{0,61}[a-zA-Z0-9]\$

③ DayOneConfig.FU_INVOICE_NUMBER_REGEX

*[a-zA-Z0-9]{0,55}\$

④ Narrative Credit regular expression

^(\w*\~\$@*+()\\.\~\?|\/|\}|){1,55}\$

⑤ Narrative Debit regular expression

^(\w*\~\$@*+()\\.\~\?|\/|\}|){1,55}\$

⑥ Allow Multiple Value Dates

True

⑦ OBPM Pain XSD Validation

False

> Bill Payment

SaveBack

Note

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 3-30 Bulk Payment - Field Description

Field Name	Description
User Reference Number regular expression	Specifies the regex pattern used to validate user reference numbers for format and allowed characters.
Allowed Email Pattern	Defines the regex pattern that validates email addresses, ensuring correct syntax and format.
DayOneConfig.FU_INVOICE_NUMBER_REGEX	Specifies the regex pattern used to validate invoice numbers in the DayOne configuration.
Narrative Credit regular expression	Regex pattern used to validate narrative text for credit transactions.
Narrative Debit regular expression	Regex pattern used to validate narrative text for debit transactions.
Allow Multiple Value Dates	Indicates whether multiple value dates are permitted for a transaction or operation.
OBPM Pain XSD Validation	Specifies whether OBPM PAIN XML messages should be validated against the defined XSD schema.

Figure 3-54 Bill Payment

System Configuration

Global Configuration

- Account
- Administration
- Common
- Event Management
- File Upload
- Framework
- General
- Origination
- Payments**
- Personal Finance Management
- Retail Servicing
- Security Management System
- Supply Chain Finance
- Supply Chain Finance and Cash Management

> Bulk Bill Payment

> Bulk Payment

> Bill Payment

⊙ Characters for biller [0-9a-zA-Z_~]*

⊙ Characters for biller nickname ^[a-zA-Z0-9+!%&@._~]*

⊙ EBPP multilingual support true

> Payment

Save Back

Note

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 3-31 Bill Payment - Field Description

Field Name	Description
Characters for biller	Specifies the allowed characters for the biller name during setup or registration.
Characters for biller nickname	Defines the allowed characters for the biller nickname used in user interfaces or reports.
EBPP multilingual support	Indicates whether the Electronic Bill Presentment and Payment (EBPP) system supports multiple languages.

Figure 3-55 Payment

System Configuration

Global Configuration

- Account
- Administration
- Common
- Event Management
- File Upload
- Framework
- General
- Migration
- Origination
- Payments**
- Personal Finance Management
- Retail Servicing
- Security Management System
- Supply Chain Finance
- Supply Chain Finance and Cash Management
- Trade Finance

> Bulk Bill Payment

> Bulk Payment

> Bill Payment

> Payment

⊙ Maximum Multiple Transfer Limit for Corporate Users 5

⊙ Daily Payment Draft Limit 20

⊙ Payment Edit Time (Hours) 9

⊙ MT101 Allowed Instruction Codes CMTO,PSON,OTHR,REPA

⊙ Maximum Secured Security PIN Entries 5

⊙ Maximum Records for Forward Remittance 40

⊙ Maximum Records for Outward Remittance 40

⊙ Merchant Additional Information Limit 3

⊙ Default Days Added To Date 30

Save Back

Note

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 3-32 Payment - Field Description

Field Name	Description
Maximum Multiple Transfer Limit for Corporate Users	Defines the maximum limit for multiple fund transfers initiated by corporate users.
Daily Payment Draft Limit	Specifies the daily limit for creating or issuing payment drafts.
Payee Edit Time (Hours)	Indicates the duration in hours during which payee details can be edited post-creation.
MT101 Allowed Instruction Codes	Lists the instruction codes permitted in MT101 payment messages.
Maximum Incorrect Security PIN Entries	Specifies the maximum number of incorrect PIN attempts allowed before lockout.
Maximum Records for Inward Remittance	Defines the maximum number of inward remittance records processed per batch.
Maximum Records for Outward Remittance	Defines the maximum number of outward remittance records processed per batch.
Merchant Additional Information Limit	Specifies the maximum number of additional information fields allowed for merchants.
Default Days Added To Date	Indicates the number of days automatically added to a date field for default processing.
Peer To Peer Reversal Retry Count	Defines the number of retries allowed for peer-to-peer payment reversals.
Payee Creation Delay (Minutes)	Specifies the delay time in minutes before a newly created payee becomes active.
Enable Frequent Payee List	Determines whether the system maintains a list of frequently used payees for quick selection.
Demand Draft Payee Name Pattern	Defines the validation pattern for demand draft payee names.
Favorite Name Pattern	Specifies the allowed format or pattern for naming favorite payees or templates.
Payee Account Number Pattern	Regular expression used to validate payee account numbers.
Internal Payee Name Pattern	Validation pattern for payees within the same bank or institution.
Cross-border Payee Name Pattern	Validation pattern for international or cross-border payee names.
NEFT Payee Name Pattern	Specifies the allowed naming format for NEFT payees.
RTGS Payee Name Pattern	Defines the validation pattern for RTGS payee names.
Payee Access Policy for Payee-User Mapping	Specifies the access control policy governing mapping of payees to users.
SEPA Credit Payee Name Pattern	Defines the allowed naming pattern for SEPA credit transfer payees.
Payee Nickname Pattern	Specifies the regular expression used for validating payee nicknames.
Draft Name Pattern	Validation pattern for naming demand drafts or payment drafts.

Table 3-32 (Cont.) Payment - Field Description

Field Name	Description
Positive Pay Invoice Description Pattern	Regular expression to validate invoice descriptions in Positive Pay.
Positive Pay Invoice Number Pattern	Defines the pattern used for validating invoice numbers under Positive Pay.
Positive Pay Remarks Pattern	Validation pattern for remarks provided during Positive Pay submissions.
Maximum Multiple Transfer Limit for Retail Users	Defines the maximum limit allowed for multiple fund transfers by retail users.
Upcoming Payments Lookahead (Days)	Specifies how many days in advance upcoming payments are displayed.
Payment Questionnaire Answer Pattern	Defines the allowed format for answers in payment-related questionnaires.
External Account Company Code Pattern	Regular expression for validating company codes in external accounts.
External Account IBAN Pattern	Specifies the format for validating IBANs of external accounts.
External Account Name Pattern	Validation pattern for names associated with external accounts.
External Account Number Pattern	Regular expression for validating external account numbers.
Peer-to-Peer Mobile Number Pattern	Defines the validation pattern for mobile numbers used in peer-to-peer payments.
Other Payment Details Pattern	Specifies the format for validating additional payment details.
Claim Money Link Expiry (Days)	Indicates the number of days after which a claim money link expires.
Maximum Days Allowed for Pay Later	Defines the maximum number of days allowed to defer a payment under Pay Later option.
Maximum Email IDs Per Payment	Specifies how many email addresses can be associated with a single payment.
Allowed Email Pattern	Defines the regular expression for validating allowed email formats.
Payment Remarks Pattern	Specifies the validation pattern for remarks entered during payments.
Payment Duplicate Check Window (Seconds)	Defines the time window (in seconds) used to check for duplicate payments.
Customized Payee Property ID	Identifier for custom attributes associated with payees.
Change Date at EOD	Indicates whether date changes should be applied automatically at the end of the day.
Thread Pool Type	Defines the thread pool type used for handling concurrent payment processing tasks.
Demand Draft Duplicate Check Window (Seconds)	Specifies the duplicate validation time window (in seconds) for demand drafts.
Account and branch separator	Character used to separate account number and branch code in combined identifiers.
Encryption Scheme	Defines the encryption algorithm used for securing payment-related data.
Thread Pool Size for Record Approvals	Specifies the number of threads allocated for processing record approvals.
Token Generation Secret	Secret key used for generating secure tokens for payment sessions.

Table 3-32 (Cont.) Payment - Field Description

Field Name	Description
Enable Taxonomy for SWIFT	Indicates whether SWIFT messages use taxonomy-based categorization.
Enable Taxonomy for Peer To Peer Payee Create	Determines if taxonomy applies during peer-to-peer payee creation.
Enable Taxonomy for Peer To Peer Payee Update	Determines if taxonomy applies during peer-to-peer payee updates.
Payee : Safe List MIME Types For Content Upload	Specifies the permitted MIME types (image/jpeg, image/png) allowed for secure payee content uploads.<
Payee : Allowed Content File Types For Upload	Defines the file extensions that are allowed for payee content uploads based on system configuration.
Allowed File Types for Upload	Defines the permitted file types that can be uploaded by users.
Maximum Upload Size (KB/MB)	Specifies the maximum allowed upload file size in kilobytes or megabytes.
Security Code Expiry Time	Defines how long a security code remains valid after generation.
Payment Summary Date Range	Specifies the default date range displayed in payment summary reports.
Peer To Peer Payee Critical Fields	Lists the key fields required for peer-to-peer payee creation or validation.
Domestic Payee Region List configuration	Specifies configuration for listing and managing domestic payee regions.
Payment Error Code Mapper	Defines mappings between payment error codes and their descriptions.
QR Transfer Public Key	Public key used for encrypting data during QR-based transfers.

4. Click **Save** to save the details.
5. Click **Back** to navigate to previous page.
6. Click **Cancel** to cancel the details.


3.1.11 Personal Finance Management

This topic provides information on personal finance management.

1. In the **Global Configuration** screen, click **Personal Finance Management**.


The **Personal Finance Management** screen is displayed.

Figure 3-56 Personal Finance Management



- 2. Click **Edit** to specify the details under account.
The **Personal Finance Management - Edit** screen is displayed.

Figure 3-57 Personal Finance Management - Edit



- 3. Click expand and specify the details.

Figure 3-58 Budget

The screenshot shows the 'System Configuration' page with a left sidebar containing a list of configuration categories. The 'Budget' category is selected and expanded, showing sub-sections: 'Budget comparison months', 'Goal', 'Insight', 'Spend Analysis', and 'Wealth Management'. The 'Budget comparison months' field is visible with a value of '6'. At the bottom, there are 'Cancel' and 'Back' buttons.

Note

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 3-33 Budget - Field Description

Field Name	Description
Budget comparison months	Specifies the number of months used for comparing budgeted versus actual figures in reports or analysis.

Figure 3-59 Goal

The screenshot shows the 'System Configuration' page with the 'Goal' sub-section selected under the 'Budget' category. Two fields are visible: 'Goals product code' with a value of 'S11' and 'Number of transactions for goal' with a value of '100'. At the bottom, there are 'Cancel' and 'Back' buttons.

Note

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 3-34 Goal - Field Description

Field Name	Description
Goals product code	Specifies the unique code identifying a particular goals product in the system.
Number of transactions for goal	Defines the total number of transactions associated with the specific goal for tracking or reporting purposes.

Figure 3-60 Insight

The screenshot shows the 'System Configuration' interface. Under 'Global Configuration', the 'Personal Finance Management' section is selected. Within this section, the 'Insight' settings are displayed. The settings include:

- Amount criteria for card insight:** 2000
- Monthly average balance:** 5000
- Number of days for average balance to be checked:** 30
- Number of days for deposit nearing maturity criteria insight:** 10
- Number of days for end date criteria in card insight:** 90
- Percentage criteria for card insight:** 50
- Delimiter used to separate account and branch codes:** @~
- Size of the thread pool:** 5

Below these settings, there is a section for 'Spend Analysis' with 'Save' and 'Back' buttons. At the bottom of the page, there are 'Cancel' and 'Back' buttons.

Note

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 3-35 Insight - Field Description

Field Name	Description
Amount criteria for card insight	Specifies the minimum or maximum amount thresholds used for card insight analysis.
Monthly average balance	Defines the average account balance calculated on a monthly basis for reporting or eligibility criteria.
Number of days for average balance to be checked	Specifies the number of days over which the account balance is averaged for monitoring or reporting purposes.

Table 3-35 (Cont.) Insight - Field Description

Field Name	Description
Number of days for deposit nearing maturity criteria insight	Defines the number of days before maturity when a deposit is flagged for insight or analysis.
Number of days for end date criteria in card insight	Specifies the number of days considered from the end date when evaluating card insights or reports.
Percentage criteria for card insight	Defines the percentage thresholds applied in card insight analysis for reporting or alerting purposes.
Delimiter used to separate account and branch codes	Specifies the character or symbol used to separate account numbers and branch codes in system processing.
Size of the thread pool	Defines the number of threads available in the thread pool for concurrent processing tasks.

Figure 3-61 Spend Analysis

System Configuration

Global Configuration

- Account
- Administration
- Common
- Event Management
- File Upload
- Framework
- General
- Origination
- Payments
- Personal Finance Management**
 - Retail Servicing
 - Security Management System
 - Supply Chain Finance
 - Supply Chain Finance and Cash Management

> Budget

> Goal

> Insight

☒ **Spend Analysis**

☐ Spend transaction add login event

☐ Spend Demand Deposit Account transaction list

> Wealth Management

Save Back

Note

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 3-36 Spend Analysis - Field Description

Field Name	Description
Spend transaction add login event	Indicates whether a login event should be recorded when a spend transaction is added.
Spend Demand Deposit Account transaction list	Specifies the list of transactions associated with the spend demand deposit account for reporting or monitoring purposes.

Figure 3-62 Wealth Management

System Configuration

Global Configuration

- Account
- Administration
- Common
- Event Management
- File Upload
- Framework
- General
- Origination
- Payments
- Personal Finance Management**
 - Retail Servicing
 - Security Management System
 - Supply Chain Finance
 - Supply Chain Finance and Cash Management

> Budget

> Goal

> Insight

> Spend Analysis

> Wealth Management

- Maximum Number of Nominee Allowed: 10
- Number of Investment Account Allowed: 5
- Date Range Future Date For Standing Instruction: 30
- Switch Funds of Same Fund House Allowed: true
- Number of Operation Allowed in Multiple Order: 10
- Number of Record in Report Generation: 10

Save **Back** **Cancel**

Note

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 3-37 Wealth Management - Field Description

Field Name	Description
Maximum Number of Nominee Allowed	Specifies the maximum number of nominees that can be assigned to an account or financial instrument.
Number of Investment Account Allowed	Defines the maximum number of investment accounts a user is permitted to hold.
Date Range Future Date For Standing Instruction	Specifies the allowable future date range for setting up standing instructions.
Switch Funds of Same Fund House Allowed	Indicates whether users can switch funds within the same fund house.
Number of Operation Allowed in Multiple Order	Specifies the maximum number of operations permitted in a single multiple order transaction.
Number of Record in Report Generation	Defines the number of records included when generating a report.

- Click **Save** to save the details.
- Click **Back** to navigate to previous page.
- Click **Cancel** to cancel the details.


3.1.12 Retail Servicing

This topic provides information on retail servicing.

- In the **Global Configuration** screen, click **Retail Servicing**.


The **Account Aggregation** screen is displayed.

Figure 3-63 Account Aggregation



- 2. Click **Edit** to specify the details under account.
The **Account Aggregation - Edit** screen is displayed.

Figure 3-64 Account Aggregation - Edit



- 3. Click expand and specify the details.

Figure 3-65 Account Aggregation

The screenshot shows the 'System Configuration' interface. On the left, a sidebar lists various configuration categories: Administration, Common, Event Management, File Upload, Framework, General, Origination, Payments, Personal Finance Management, **Retail Servicing** (highlighted), Security Management System, Supply Chain Finance, Supply Chain Finance and Cash Management, and Trade Finance. The main content area is titled 'Account Aggregation'. It contains two configuration items, both marked as required with a red circle icon: 'Access token maximum allowed days' with a text input field containing '90', and 'Filters account activity on the basis of transaction date' with a text input field containing 'T'. At the bottom of the main area are 'Save' and 'Back' buttons. At the bottom of the sidebar are 'Cancel' and 'Back' buttons.

Note

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 3-38 Account Aggregation - Field Description

Field Name	Description
Access token maximum allowed days	Specifies the maximum number of days an access token remains valid before it must be renewed or reissued.
Filters account activity on the basis of transaction date	Indicates whether account activity should be filtered and displayed based on the transaction date.


- 4. Click **Save** to save the details.
- 5. Click **Back** to navigate to previous page.
- 6. Click **Cancel** to cancel the details.

3.1.13 Security Management System

This topic provides information on security management system.


- 1. In the **Global Configuration** screen, click **Security Management System**.
The **Security Management System** screen is displayed.

Figure 3-66 Security Management System



- 2. Click **Edit** to specify the details under account.
The **Security Management System - Edit** screen is displayed.

Figure 3-67 Security Management System - Edit



- 3. Click expand and specify the details.

Figure 3-68 Security Management System

System Configuration

Global Configuration

- Administration
- Common
- Event Management
- File Upload
- Framework
- General
- Origination
- Payments
- Personal Finance Management
- Retail Servicing
- Security Management System**
- Supply Chain Finance
- Supply Chain Finance and Cash Management
- Trade Finance

Security Management System

- Token Expiry Time: 3000000
- Token Inactive Timeout: 1800000
- Token Signing Algorithm: MAC Signer
- Space Allowed in Password: TRUE
- Login Success Alert: ☒ Yes ☐ No
- Login Failure Alert: ☐ Yes ☒ No
- User Lock Alert: ☐ Yes ☒ No
- User Lock Period: 1440
- Security Question Count for Administrator User Type: 5

Cancel Back

Note

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 3-39 Security Management System - Field Description

Field Name	Description
Token Expiry Time	Specifies the duration after which an authentication token expires.
Token Inactive Timeout	Specifies the period of inactivity after which a token becomes inactive.
Token Signing Algorithm	Defines the algorithm used to sign authentication tokens for security and verification.
Space Allowed in Password	Indicates whether spaces are allowed as valid characters in a user's password.
Login Success Alert	Specifies if a notification or alert is generated upon successful login.
Login Failure Alert	Specifies if a notification or alert is generated when a login attempt fails.
User Lock Alert	Indicates if an alert is triggered when a user account is locked due to security or policy violations.
User Lock Period	Specifies the duration for which a user account remains locked after repeated failed login attempts.
Security Question Count for Administrator User Type	Defines the number of security questions required for administrator users during authentication or setup.
Security Question Count for Corporate User Type	Defines the number of security questions required for corporate users during authentication or setup.
Security Question Count for Retail User Type	Defines the number of security questions required for retail users during authentication or setup.
Default Two Factor Authentication Role	Specifies the default role or method assigned for two-factor authentication for users.

Table 3-39 (Cont.) Security Management System - Field Description

Field Name	Description
Login Token Expiry Period	Specifies the validity period of a login token before the user must re-authenticate.
Maximum Days for Password Expiry	Defines the maximum number of days a password remains valid before the user must change it.
Chatbot Authentication Type	Specifies the authentication mechanism configured for chatbot access, such as token-based, OAuth, or integrated system authentication.
Regular Expression for restriction of incorrect User First and Last Name value	Regex pattern used to validate the format of first and last names for users, preventing invalid characters or formats.
Regular Expression for restriction of incorrect Mobile Number value	Regex pattern used to validate mobile numbers to ensure correct format and allowed characters.
Regular Expression for restriction of incorrect Email ID value	Regex pattern used to validate email addresses to ensure proper syntax and format.
Minimum Age Restriction	Specifies the minimum age required for users to register or access the system.
Regular Expression for restriction of incorrect Employee Number value	Regex pattern used to validate employee numbers, ensuring correct format and allowed characters.
Maximum User Search Count	Specifies the maximum number of user records that can be returned in a single search operation.
SMS Alert	Indicates whether SMS alerts are enabled for security, login, or transactional notifications.
Reprint User Password	Specifies if a user's password can be reprinted or sent again for administrative or support purposes.
Regular Expression for restricting incorrect username values	Regex pattern used to validate usernames to prevent invalid characters or formats.
Enable corporate administrator peer read edit permission	Determines whether corporate administrators are allowed to view and edit records created by peer administrators within the same organization.
Regular Expression for Role Name	Regex pattern used to validate role names to ensure proper format and allowed characters.
Regular Expression for Role Description	Regex pattern used to validate role descriptions to maintain correct formatting.
Regular Expression for Role Display Name	Regex pattern used to validate the display names of roles to ensure consistent formatting and allowed characters.
UserManagementConfig.IDCS_SCIM_GROUP	Specifies the IDCS SCIM group identifier used for provisioning and synchronizing users between the application and the identity management system.


4. Click **Save** to save the details.
5. Click **Back** to navigate to previous page.
6. Click **Cancel** to cancel the details.

3.1.14 Supply Chain Finance

This topic provides information on supply chain finance.


1. In the **Global Configuration** screen, click **Supply Chain Finance**.
The **Supply Chain Finance** screen is displayed.

Figure 3-69 Supply Chain Finance



2. Click **Edit** to specify the details under account.
The **Supply Chain Finance - Edit** screen is displayed.

Figure 3-70 Supply Chain Finance - Edit



3. Click expand and specify the details.

Figure 3-71 Supply Chain Finance

System Configuration

Global Configuration

- Administration
- Common
- Event Management
- File Upload
- Framework
- General
- Origination
- Payments
- Personal Finance Management
- Retail Servicing
- Security Management System
- Supply Chain Finance**
- Supply Chain Finance and Cash Management
- Trade Finance

Supply Chain Finance

- Finance Maturing Difference in Due In Sub category 1: 15
- Finance Maturing Difference in Due In Sub category 2: 30
- Finance Maturing Difference in Due In Sub category 3: 45
- Finance Maturing Difference in Overdue Sub category 1: 30
- Finance Maturing Difference in Overdue Sub category 2: 45
- Finance Maturing Difference in Overdue Sub category 3: 60
- Months for Limit Expiry: 2
- Default Days for Upcoming Repayments: 10
- SCFAdapterImplConfig.ALL_SCF_MAX_HOST_RECORDS: 500

Save Back

Cancel Back

Note

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 3-40 Supply Chain Finance - Field Description

Field Name	Description
Finance Maturing Difference in Due In Sub category 1	Specifies the maturing difference amount for the first subcategory of due-in finance items.
Finance Maturing Difference in Due In Sub category 2	Specifies the maturing difference amount for the second subcategory of due-in finance items.
Finance Maturing Difference in Due In Sub category 3	Specifies the maturing difference amount for the third subcategory of due-in finance items.
Finance Maturing Difference in Overdue Sub category 1	Specifies the maturing difference amount for the first subcategory of overdue finance items.
Finance Maturing Difference in Overdue Sub category 2	Specifies the maturing difference amount for the second subcategory of overdue finance items.
Finance Maturing Difference in Overdue Sub category 3	Specifies the maturing difference amount for the third subcategory of overdue finance items.
Months for Limit Expiry	Defines the number of months after which a financial limit expires.
Default Days for Upcoming Repayments	Specifies the default number of days considered for upcoming repayment schedules.
Maximum Number of records fetch in supply chain module inquiry	Defines the upper limit of records that can be retrieved and displayed in a single inquiry request within the supply chain module to ensure optimal system performance.

Table 3-40 (Cont.) Supply Chain Finance - Field Description

Field Name	Description
Duration of Active Program in days	Specifies the total duration (in days) that a program remains active.
Maximum Duration in days of the start date of a future dated program	Defines the maximum number of days from the start date for a future-dated program to remain valid.
Finance Request Date monthly Basis Parameter	Specifies the configuration parameter for determining the finance request date on a monthly basis.


4. Click **Save** to save the details.
5. Click **Back** to navigate to previous page.
6. Click **Cancel** to cancel the details.

3.1.15 Supply Chain Finance and Cash Management

This topic provides information on supply chain finance and cash management.

1. In the **Global Configuration** screen, click **Supply Chain Finance and Cash Management**.

The **Supply Chain Finance and Cash Management** screen is displayed.

Figure 3-72 Supply Chain Finance and Cash Management

2. Click **Edit** to specify the details under account.

The **Supply Chain Finance and Cash Management - Edit** screen is displayed.

Figure 3-73 Supply Chain Finance and Cash Management - Edit

The screenshot shows the 'System Configuration' interface. On the left, a 'Global Configuration' menu lists various system areas. 'Supply Chain Finance and Cash Management' is highlighted. On the right, two expandable sections are visible: 'Bulk Supply Chain Finance and Cash Management' and 'Supply Chain Finance and Cash Management'. At the bottom, there are 'Cancel' and 'Back' buttons.

3. Click expand and specify the details.

Figure 3-74 Bulk Supply Chain Finance and Cash Management

This screenshot shows the configuration details for 'Bulk Supply Chain Finance and Cash Management'. The left menu is the same as in Figure 3-73. The right pane shows two fields: 'File upload Template Path' with the value '/scratch/obdx/fileupload/templates' and 'ExtxfaceAdapterPreference.OBDX_BU' with the value 'TP1.0'. Below these fields is an expandable section for 'Supply Chain Finance and Cash Management'. 'Save' and 'Back' buttons are at the bottom right.

Note

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 3-41 Bulk Supply Chain Finance and Cash Management - Field Description

Field Name	Description
File upload Template Path	Specifies the file path location where upload templates are stored.
ExtxfaceAdapterPreference.OBDX_BU	Configuration parameter for Extxface Adapter specifying the OBDX business unit preferences.

Figure 3-75 Supply Chain Finance and Cash Management

System Configuration

Global Configuration

- Administration
- Common
- Event Management
- File Upload
- Framework
- General
- Origination
- Payments
- Personal Finance Management
- Retail Servicing
- Security Management System
- Supply Chain Finance
- Supply Chain Finance and Cash Management
- Trade Finance

> Bulk Supply Chain Finance and Cash Management

☒ **Supply Chain Finance and Cash Management**

- ☐ Token Expiry Time for Associated Party: 60
- ☐ Receivables/Payables Difference in Due In Sub category 1: 15
- ☐ Receivables/Payables Difference in Due In Sub category 2: 30
- ☐ Receivables/Payables Difference in Due In Sub category 3: 45
- ☐ Max no of file which can be uploaded per invoice: 5
- ☐ Receivables/Payables Difference in Overdue Sub category 1: 30
- ☐ Receivables/Payables Difference in Overdue Sub category 2: 45
- ☐ Receivables/Payables Difference in Overdue Sub category 3: 60

Save **Back**

Cancel **Back**

Note

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 3-42 Supply Chain Finance and Cash Management - Field Description

Field Name	Description
Token Expiry Time for Associated Party	Specifies the expiration time for authentication or session tokens associated with a linked party.
Receivables/Payables Difference in Due In Sub category 1	Specifies the difference amount in the first subcategory of due receivables/payables for reconciliation purposes.
Receivables/Payables Difference in Due In Sub category 2	Specifies the difference amount in the second subcategory of due receivables/payables for reconciliation purposes.
Receivables/Payables Difference in Due In Sub category 3	Specifies the difference amount in the third subcategory of due receivables/payables for reconciliation purposes.
Max no of file which can be uploaded per invoice	Defines the maximum number of files allowed to be uploaded for a single invoice.
Receivables/Payables Difference in Overdue Sub category 1	Specifies the difference amount in the first subcategory of overdue receivables/payables for reconciliation purposes.
Receivables/Payables Difference in Overdue Sub category 2	Specifies the difference amount in the second subcategory of overdue receivables/payables for reconciliation purposes.
Receivables/Payables Difference in Overdue Sub category 3	Specifies the difference amount in the third subcategory of overdue receivables/payables for reconciliation purposes.
Document Upload Service Configuration for NLP	Specifies the configured service (NLP) used to process and analyze uploaded documents through natural language processing.

Table 3-42 (Cont.) Supply Chain Finance and Cash Management - Field Description

Field Name	Description
Maximum Number of Records Fetch in Receivables/Payables Module Inquiry	Defines the maximum number of records that can be retrieved in a single inquiry request within the receivables or payables module to maintain system performance.


4. Click **Save** to save the details.
5. Click **Back** to navigate to previous page.
6. Click **Cancel** to cancel the details.

3.1.16 Trade Finance

This topic provides information on trade finance.

1. In the **Global Configuration** screen, click **Trade Finance**.

The **Trade Finance** screen is displayed.

Figure 3-76 Trade Finance

2. Click **Edit** to specify the details under account.
- The **Trade Finance - Edit** screen is displayed.

Figure 3-77 Trade Finance - Edit

3. Click expand and specify the details.

Figure 3-78 Trade Finance

Note

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 3-43 Trade Finance - Field Description

Field Name	Description
Terms And Conditions maintenance allowed	Indicates whether maintenance or updates to terms and conditions are permitted in the system.
Counterparty accounts	Specifies the counterparty accounts associated with transactions or operations.

Table 3-43 (Cont.) Trade Finance - Field Description

Field Name	Description
Currency Fractional Digit Length	Defines the number of fractional digits allowed for currency amounts (e.g., 2 for cents).
Maximum host records	Defines the maximum number of records that can be retrieved from the host system at a time.
Maximum records to process in bank guarantee acceptance	Specifies the maximum number of records that can be processed for bank guarantee acceptance in a single operation.
Maximum records to process in bill settlement	Specifies the maximum number of records that can be processed in bill settlement in a single operation.
Maximum records to process in collection settlement	Specifies the maximum number of records that can be processed in collection settlement in a single operation.
Maximum records to process in LC acceptance	Specifies the maximum number of records that can be processed in Letter of Credit (LC) acceptance in a single operation.
Mandatory Document in Shipping Guarantee	Indicates whether document submission is mandatory for shipping guarantee processing, where Y means the document is required.
Maximum Beneficiary Count in Transfer LC	Defines the maximum number of beneficiaries that can be specified in a transfer Letter of Credit transaction.

4. Click **Save** to save the details.
5. Click **Back** to navigate to previous page.
6. Click **Cancel** to cancel the details.

3.2 Entity Configuration

This topic describes about the systematic instructions to configure a entity.

1. In the **System Configuration** screen, click the hyperlink of the respective **Entity ID**
The **Entity Configuration** screen is displayed.

Figure 3-79 Entity Configuration

System Configuration

Entity ID: MUFGBANK

Entity Name: MUFG BANK ENTITY UPDATE

Entity Configuration

* Indicates that the domain has mandatory fields which must be filled for the application to function as expected.

General

- Account
- Cash Management
- Common
- Corporate Loan
- Credit Facility
- Event Management
- File Upload
- Financial Limits
- Framework

General

- Web Server Host: ofss-mum-715.snbomprshared1.gbuclsim02bom.oraclevcn.com
- Web Server Port: 17777
- Tenant ID
- Tenant Pluggable Database
- Tenant Service
- Application connection host
- Application connection port
- Bank's Email Sender Address: OBPAIert_EAMARLD_ME@oracle.com

Edit

Cancel **Back**

2. Click **Edit** on respective entity to edit and update the required details.
For more information, refer to the sub-topics under **Global Settings**.

3. Click **Save** to save the details.
4. Click **Back** to navigate to previous page.
5. Click **Cancel** to cancel the details.
- [Liquidity Management](#)
This topic describes the systematic instruction to **System Configuration – Liquidity Management – View and Edit** screen.
- [Virtual Account Management](#)
This topic describes the systematic instruction to **System Configuration – Virtual Account Management – View and Edit** screen.

3.2.1 Liquidity Management

This topic describes the systematic instruction to **System Configuration – Liquidity Management – View and Edit** screen.

Using this option the system administrator can view and edit the Liquidity Management details that have already been created.

1. Perform any one of the following navigation to access the screen.
 - From the **Dashboard**, click **Toggle menu**, click **Configuration**, and then click **System Configurations**.
 - From the **Dashboard**, click **Configuration**, and then click **System Configurations**.

The System Configuration screen along with details as setup for Liquidity Management appears.

2. Click the **Entity Id** link to view and edit the details of the entity that you want to view and edit.
3. Click the **Liquidity Management** tab

The **System Configuration - Liquidity Management - View** screen appears.

Figure 3-80 System Configuration - Liquidity Management - View

System Configuration

Entity ID OBDXTEST

Entity Name OBDXTEST

Entity Configuration

* Indicates that the domain has mandatory fields which must be filled for the application to function as expected.

Category	Item	Value
Liquidity Management	Liquidity Management Qualified (Y/N)	Y
	Demand Deposit Account Availability for Liquidity Management (Y/N)	Y
	Host Branch Code	LMB
	Host Entity ID	DEFAULTENTITY
	Host Source Code	OBDX
	Host User ID	OBDX02

Edit

- Click **Edit** to edit the details.

Figure 3-81 System Configuration - Liquidity Management - Edit

System Configuration

Entity ID: LIQEN

Entity Name: Liq mann

Entity Configuration

* Indicates that the domain has mandatory fields which must be filled for the application to function as expected.

File Upload

Financial Limits

Framework

Liquidity Management

Origination

Payments

Liquidity Management

① Liquidity Management Qualified (Y/N): Y

① Demand Deposit Account Availability for Liquidity Management (Y/N): Y

① Host Branch Code: LMB

① Host Entity ID: DEFAULTENTITY

① Host Source Code: OBDX

① Host User ID: OBDX02

① Source System: OBDX

① Application ID: LMM

Save Back

For more information on fields, refer to the field description table.

Table 3-44 System Configuration – Liquidity Management - Field Description

Field Name	Description
Liquidity Management Qualified (Y/N)	Displays whether the Liquidity Management services are enabled or not and available for edit.
Demand Deposit Account Availability for Liquidity Management (Y/N)	Displays the configuration to capture whether integration with Bank's DDA is available or not and available for edit.
Host Branch Code	Displays the application server host branch code details and available for edit. This is sent in the header to the host and is a mandatory property.
Host Entity ID	Displays the host entity ID and available for edit. This is sent in the header to the host and is a mandatory property.
Host Source Code	Displays the host source code and available for edit. This is sent in the header to the host and is a mandatory property.
Host User ID	Displays the host user ID and available for edit. This is sent in the header to the host and is a mandatory property.

Table 3-44 (Cont.) System Configuration – Liquidity Management - Field Description

Field Name	Description
Source System	Displays the source system and available for edit. This is sent in the header to the host and is a mandatory property.
Application ID	Displays the host application ID and available for edit. This is sent in the header to the host and is a mandatory property.
Sweep Application ID	Displays the sweep Application ID and available for edit. This is sent in the header to the host and is a mandatory property.
Upcoming Sweep Log Application ID	Displays the upcoming sweep log application ID and available for edit. This is sent in the header to the host and is a mandatory property.
Pool Application ID	Displays the pool application ID and available for edit. This is sent in the header to the host and is a mandatory property.
Pool and Hybrid Reallocation Monitor Application ID	Displays the pool application ID and available for edit. This is sent in the header to the host and is a mandatory property.
Structure Application ID	Displays the structure application ID and available for edit. This is sent in the header to the host and is a mandatory property.
Instructions Application ID	Displays the instructions application ID and available for edit. This is sent in the header to the host and is a mandatory property.
Intercompany Loan Application ID	Displays the Intercompany Loan application ID and available for edit. This is sent in the header to the host and is a mandatory property.
Charge Application ID	Displays the charge application ID and available for edit. This is sent in the header to the host and is a mandatory property.
Balance Type	Displays the balance type and available for edit.
Foreign Exchange Rate Pickup	Displays the foreign exchange rate pickup and available for edit.
Multi Bank Flag	Displays the multi bank flag and available for edit.
Currency Rate Type	Displays the currency rate type and available for edit.
Sweep One Way Account Group	Displays the configured value to be sent to OBLM for structure creation and available for edit.
Sweep Two Way Account Group	Displays the configured value to be sent to OBLM for structure creation and available for edit.
Default Value for Nominated Account (Y/N)	Displays whether this is the default value for nominated account and available for edit.
Default Value for Selected Account (Y/N)	Displays whether this is the default value for selected account and available for edit.
Maximum Accounts Per Level in a Liquidity Structure (Tree View)	Displays the maximum accounts that can be shown per level in a Liquidity structure.
Maximum Days Interval for Log Monitors	Displays the set maximum days interval for Log monitors and available for edit.
Charge Inquiry Maximum Period	Displays the set maximum period for which Charge Inquiry can be performed and available for edit.

5. Modify the fields, if required.
6. Perform anyone of the following actions:
 - Click **Save** to save the changes.

The **System Configuration - Liquidity Management - Review** screen appears.

- Click **Back** to navigate back to the previous screen.
7. Verify the details, and click **Confirm**.
The screen with success message along with the reference number and status appears.

3.2.2 Virtual Account Management

This topic describes the systematic instruction to **System Configuration – Virtual Account Management – View and Edit** screen.

Using this option the system administrator can view and edit the Virtual Account Management details that have already been created.

1. Perform any one of the following navigation to access the screen.
 - From the **Dashboard**, click **Toggle menu**, click **Configuration**, and then click **System Configurations**.
 - From the **Dashboard**, click **Configuration**, and then click **System Configurations**.

The System Configuration screen along with details as setup for Virtual Account Management appears.

2. Click the **Entity Id** link to view and edit the details of the entity that you want to view and edit.
3. Click the **Virtual Account Management** tab.

The **System Configuration - Virtual Account Management - View** screen appears.

Figure 3-82 System Configuration - Virtual Account Management - View

System Configuration

Entity ID: OBDXBU7
Entity Name: OBCFPM

Entity Configuration

* Indicates that the domain has mandatory fields which must be filled for the application to function as expected.

Configuration Item	Value
Virtual Account Management Qualified (Y/N)	Y
Demand Deposit Account Availability for Virtual Account Management (Y/N)	Y
Branch Code	HEL

Buttons: Cancel, Back, Edit

4. Click **Edit** to edit the details.

Figure 3-83 System Configuration - Virtual Account Management - Edit

System Configuration

Entity ID: OBDXBU7

Entity Name: OBCFPM

Entity Configuration

* Indicates that the domain has mandatory fields which must be filled for the application to function as expected.

Personal Finance Management

Security Management System

Supply Chain Finance

Supply Chain Finance and Cash Mai

Trade Finance

Virtual Account Management

Virtual Account Management Qualified (Y/N): Y

Demand Deposit Account Availability for Virtual Account Management (Y/N): Y

Branch Code: HEL

Save Back

Cancel Back

For more information on fields, refer to the field description table.

Table 3-45 System Configuration – Virtual Account Management - Field Description

Field Name	Description
Virtual Account Management Qualified (Y/N)	Displays whether the Virtual Account Management services are enabled or not and available for edit.
Demand Deposit Account Availability for Virtual Account Management (Y/N)	Displays the configuration to capture whether integration with Bank's DDA is available or not and available for edit.
Branch Code	Displays the branch code details and available for edit. This is sent in the header to the host and is a mandatory property.
Entity ID	Displays the host entity ID and available for edit. This is sent in the header to the host and is a mandatory property.
All Source Code	Displays the all source code and available for edit. This is sent in the header to the host and is a mandatory property.
All User ID	Displays the all user ID and available for edit. This is sent in the header to the host and is a mandatory property.
Feed Source Code	Displays the host feed source code and available for edit. This is sent in the header to the host and is a mandatory property.
Offset Transaction Code	Displays the offset transaction code and available for edit.
Host Transaction Code	Displays the host feed source code and available for edit.
Maximum Accounts Per Level in a Virtual Accounts Structure (Tree View)	Displays the maximum accounts that can be shown per page in Virtual Account structure and available for edit.
Structure Child Node Limit (Tabular View)	Displays the structure child node limit and available for edit.
Virtual Account Maximum Record	Displays the maximum record of Virtual Account to be shown on screen and available for edit.
Number of Virtual Accounts Fetch Size	Displays the number of Virtual Accounts to be fetched and shown on screen and available for edit.

Table 3-45 (Cont.) System Configuration – Virtual Account Management - Field Description

Field Name	Description
Balance Range for Cash Position	Specify balance range for Cash Position widget.
Balance Trends Period	Displays the period to maintain in Balance Trends widget and available for edit.
Balance Trends Points	Displays the points to maintain in Balance Trends widget and available for edit.
Structure Address (Y/N)	Indicates if Structured Address to be maintained (Yes or No) and available for edit.
Maximum Date Interval for Inter-Entity Position Inquiry	Displays the maximum date interval for Inter Entity Position Enquiry and available for edit.
Maximum Days Interval for the Interest History of a Virtual Account	Displays the maximum days interval to be maintained for the Interest History of a Virtual Account and available for edit.
Negative Balance Closure Allowed (Y/N)	Displays if negative balance closure Allowed (Y/N) and available for edit.
Positive Balance Closure Allowed (Y/N)	Displays if positive balance closure Allowed (Y/N) and available for edit.
Virtual Account Closure Limit	Specify the Number of Virtual Accounts that can be closed.
Maximum Days Interval for Virtual Identifier Transaction Inquiry	Displays the maximum days interval to be maintained for the Virtual Identifier Transaction and available for edit.
Virtual Account Statement Period	Specify the Period to be maintained for Virtual Account Statement.
Maximum Date Interval Allowed for Statements	Displays the maximum date interval allowed for statements and available for edit.
Virtual Account Mandatory for PDF Ad hoc Statement (Y/N)	Indicates if Virtual Account should be made mandatory to get PDF Adhoc Statement or not (Yes/No).
Charge Inquiry Maximum Period	Displays the set maximum period for which Charge Inquiry can be performed and available for edit.

5. Modify the fields, if required.
6. Perform anyone of the following actions:

- Click **Save** to save the changes.

The **System Configuration - Virtual Account Management - Review** screen appears.

- Click **Back** to navigate back to the previous screen.

7. Verify the details, and click **Confirm**.

The screen with success message along with the reference number and status appears.

Index

A

Account, [3](#)
Administration, [10](#)

C

Common, [16](#)

E

Entity Configuration, [66](#)
Entity Maintenance, [1](#)
Event Management, [27](#)

F

File Upload, [29](#)
Framework, [31](#)

G

General, [35](#)
Global Settings, [1](#)

L

Liquidity Management – View and Edit, [67](#)

M

Migration, [37](#)

Multi Entity Implementation, [1](#)

O

Origination, [39](#)

P

Payments, [41](#)
Personal Finance Management, [48](#)

R

Retail Servicing, [53](#)

S

Security Management System, [55](#)
Supply Chain Finance, [58](#)
Supply Chain Finance and Cash Management, [61](#)
System Configurations, [1](#)

T

Trade Finance, [64](#)

V

Virtual Account Management – View and Edit, [70](#)