

Oracle® Banking Cash Management Environment Variable Setup Guide



Release 14.7.0.0.0

F75198-01

November 2022

The Oracle logo, consisting of a solid red square with the word "ORACLE" in white, uppercase, sans-serif font centered within it.

ORACLE®

Copyright © 2020, 2022, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface

1 Environment Variables for Plato Domain

2 Environment Variables for SMS, COMMONCORE, Mid-office Domain

3 Environment Variable for CONDUCTOR Domain

4 Environment Variables for OBSCFCM Managed Servers

5 Environment Variables for OBCM Managed Servers

6 Environment Variables for OBCM Day0 Managed Server

7 Environment Variable for OBCM_MS_1 managed server

8 Environment Variable for OBCM_MS_2 managed server

9 Environment Variables for OBSCFCM Day0 Managed Server

Index

Preface

Introduction

This guide would help you to set up environment variables for Oracle Banking Microservices Architecture, SMS, Common Core, Middle Office and Oracle Banking Cash Management / Oracle Banking Supply Chain Finance Cash Management.

Audience

This guide is intended for WebLogic admin or ops-web team who are responsible for installing the OFSS banking products.

Acronyms and Abbreviations

The list of the acronyms and abbreviations used in this guide are as follows:

Table 1 Acronyms and Abbreviations

Abbreviation	Description
SMS	Security Management System
CMC	Common Core
OBCM	Oracle Banking Cash Management
OBSCFCM	Oracle Banking Supply Chain Finance and Cash Management

List of Topics

This guide is organized as follows.

Table 2 List of Topics

Topics	Description
Environment Variables for Plato Domain	This topic provides the information about the Plato Domain Variables.
Environment Variables for SMS, COMMONCORE, Mid-office Domain	This topic provides the information about the SMS, Common Core and Mid-office Domain Variables.
Environment Variable for CONDUCTOR Domain	This topic provides the information about the Conductor Variables.
Environment Variables for OBSCFCM Managed Servers	This topic provides the information about the OBSCFCM Variables.
Environment Variables for OBCM Managed Servers	This topic provides the information about the OBCM Variables.
Environment Variables for OBCM Day0 Managed Server	This topic provides the information about the OBCM Day0 Variables.

Table 2 (Cont.) List of Topics

Topics	Description
Environment Variable for OBCM_MS_1 managed server	This topic provides the information about the OBCM MS 1 Variables.
Environment Variable for OBCM_MS_2 managed server	This topic provides the information about the OBCM MS 2 Variables.
Environment Variables for OBSCFCM Day0 Managed Server	This topic provides the information about the OBSCFCM Day0 Variables.

1

Environment Variables for Plato Domain

Create a file named “**setUserOverrides.sh**” inside the Weblogic bin location of plato config Service domain with the content given below. All the place holders for plato, SMS, Common Core, Mid office & OBSCF/OBSCFCM services are listed and replace the values accordingly. When the plato services is getting deployed all the values are inserted in the plato PROPERTIES tables.

```
JAVA_OPTIONS="${JAVA_OPTIONS}
-DflywayTask=migrate
-Dflyway.enabled=true
-Dspring.flyway.enabled=true
-Dflyway.domain.baselineOnMigrate=true
-Dflyway.domain.ignoreMissingMigrations=true
-Dflyway.domain.outOfOrder=true
-Dflyway.domain.db.username=<username>
-Dflyway.domain.db.password=<password>
-Dflyway.domain.db.jdbcUrl=jdbc:oracle:thin:@//<host>:1521/<SID>
-Dflyway.domain.db.driver
-class-name=oracle.jdbc.driver.OracleDriver
-Dflyway.domain.schemas=PLATO
-Dflyway.domain.locations=db/migration/domain/plato,db/migration/domain/
sms,db/migration/domain/cmc,db/migration/domain/moc,db/migration/domain/
obscf,db/migration/domain/obscfcm
-Dflyway.domain.placeholders.plato.eventhub.broker.hosts=<host>:<port>
-Dflyway.domain.placeholders.plato.eventhub.zookeeper.hosts=<host>:2181
-Dflyway.domain.placeholders.kafka.broker.host=<host>
-Dflyway.domain.placeholders.kafka.broker.port=9092
-Dflyway.domain.placeholders.zk.node.host=<host>
-Dflyway.domain.placeholders.zk.node.port=<port>
-Dflyway.domain.placeholders.eureka.host=<host>
-Dflyway.domain.placeholders.eureka.port=<port>
-Dflyway.domain.placeholders.zipkin.host=<host>
-Dflyway.domain.placeholders.zipkin.port=9411
-
Dflyway.domain.placeholders.driver.className=oracle.jdbc.driver.OracleDriver
-Dflyway.domain.placeholders.api-gateway.host=<host>
-Dflyway.domain.placeholders.USER.STORE=LDAP
-Dflyway.domain.placeholders.LDAP.CORS.allowed.origin=*,localhost,<host>
-Dflyway.domain.placeholders.LDAP.credential.SALT=0.94826284
-Dflyway.domain.placeholders.JWT.EXPIRY.seconds=3600
-Dflyway.domain.placeholders.LDAP.url=ldap://<host>:<port>
-Dflyway.domain.placeholders.LDAP.userId=cn=DirectoryManager
-Dflyway.domain.placeholders.LDAP.server.base=dc=oracle,dc=com
-Dflyway.domain.placeholders.LDAP.server.credential=<ldap-server-credential>
-Dflyway.domain.placeholders.LDAP.usersearch.base=dc=oracle,dc=com
-Dflyway.domain.placeholders.LDAP.user.prefix=cn=
-Dflyway.domain.placeholders.LDAP.provider=<ldap host>
```

```

-Dflyway.domain.placeHolders.TOKEN.autoregenerate=true
-Dflyway.domain.placeHolders.SSO.enabled=false
-Dflyway.domain.placeHolders.TOKEN.regeneration.enabled=false
-Dflyway.domain.placeHolders.plato-ui-config-
services.server.port=<port>
-Dflyway.domain.placeHolders.apigateway.host=<host>
-Dflyway.domain.placeHolders.apigateway.port=<port>
-Dflyway.domain.placeHolders.plato-api-gateway.server.port=<port>
-Dflyway.domain.placeHolders.plato-discovery-service.server.port=<port>
-Dflyway.domain.placeHolders.plato-orch-service.server.port=<port>
-Dflyway.domain.placeHolders.plato-orchestrator.hostname=<host>:<port>
-Dflyway.domain.placeHolders.plato-feed-
services.feed.upload.directory=<upload dir path>
-Dflyway.domain.placeHolders.plato-feed-services.server.port=<port>
-Dflyway.domain.placeHolders.plato-batch-server.server.port=<port>
-Dflyway.domain.placeHolders.plato-batch-
server.plato.eventhub.kafka.brokers=<host>:9092
-Dflyway.domain.placeHolders.plato-batch-
server.plato.eventhub.zk.nodes=<host>:<port>
-Dflyway.domain.placeHolders.plato-alerts-management-
services.server.port=<port>
-Dflyway.domain.placeHolders.sms-core-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-advice-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-currency-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-account-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-base-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-branch-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-customer-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-datasegment-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-external-chart-account-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-external-system-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-screenclass-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-settlements-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-transactioncontroller-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-report-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-settlement-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-resource-segment-orchestrator-
service.server.port=<port>
-Dflyway.domain.placeHolders.cmc-txn-code-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-external-virtual-account-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-businessoverrides-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-facilities-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-corebanking-adapter-
service.server.port=<port>
-Dflyway.domain.placeHolders.cmc-nlp-annotator-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-nlp-dashboard-widget-

```

```

services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-nlp-model-mngmnt-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-nlp-online-processing-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-nlp-tag-maint-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-nlp-text-extraction-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-nlp-txn-log-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-nlp-util-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-batch-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.postingPath=/scratch/app/
work_area/cmc_fc_ai_ml/post
-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.pollingEmail=<Email>
-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.emailServerPort=<port>
-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.emailServerHost=<host>
-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.pollingFrequency=100
-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.pollerInitialDelay=500
-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.emailPassword=<password>
-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.pollingPath=/scratch/app/
work_area/cmc_fc_ai_ml/poll
-Dflyway.domain.placeHolders.server.port=<port>
-Dflyway.domain.placeHolders.moc.cmc-earmark-services.server.port=<port>
-Dflyway.domain.placeHolders.ELCM_HTTP_URL=http://<host>:<port>/
-Dflyway.domain.placeHolders.earmark-services=12.5
-Dflyway.domain.placeHolders.elcmProduct=ELCM
-Dflyway.domain.placeHolders.moc.cmc-comments-services.server.port=<port>
-Dflyway.domain.placeHolders.moc.cmc-document-services.server.port=<port>
-Dflyway.domain.placeHolders.dmsServiceUrl=http://<host>:17200/_dav/cs/idcplg
-Dflyway.domain.placeHolders.dmsServiceUsrname=<username>
-Dflyway.domain.placeHolders.dmsServicePwd=<password>
-Dflyway.domain.placeHolders.cmc-applicationcategory-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-checklistmanagement-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-checklist-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-mailnotification.server.port=<port>
-Dflyway.domain.placeHolders.plato-config.url=jdbc:oracle:thin:@//
<host>:1521/<SID>
-Dflyway.domain.placeHolders.sms.url=jdbc:oracle:thin:@//<host>/<SID>
-Dflyway.domain.placeHolders.cmc-kyccheck.server.port=<port>
-Dflyway.domain.placeHolders.rabbitmq.password=<password>
-Dflyway.domain.placeHolders.rabbitmq.userid=<userId>
-Dflyway.domain.placeHolders.rabbitmq.port=<port>
-Dflyway.domain.placeHolders.rabbitmq.host=<hostname>
-Dflyway.domain.placeHolders.weblogic.userid=<userId>
-Dflyway.domain.placeHolders.weblogic.password=<password>
-Dflyway.domain.placeHolders.biPublisher.host=<host>
-Dflyway.domain.placeHolders.biPublisher.port=<port>
-Dflyway.domain.placeHolders.runReportTemplate=http
-Dflyway.domain.placeHolders.emailTemplate=SSH
-Dflyway.domain.placeHolders.dms.host=<host>
-Dflyway.domain.placeHolders.dms.port=<port>
-Dplato.jndi=jdbc/PLATO
-Dplato-config.jndi=jdbc/PLATO

```

```

-Dapi-gateway.jndi=jdbc/PLATO_SECURITY
-Dplato-ui-config.jndi=jdbc/PLATO_UI_CONFIG -Dsms.jndi=jdbc/sms
-Dcmc.jndi=jdbc/CMNCORE -Dplato-feed-services.jndi=jdbc/PLATOFEED
-Dplato-batch-server.jndi=jdbc/PLATO_BATCH
-Dplato-alerts-management-services.jndi=jdbc/PLATOALERTS
-Dflyway.domain.placeholders.plato.jndi=jdbc/PLATO
-Dflyway.domain.placeholders.plato-config.jndi=jdbc/PLATO
-Dflyway.domain.placeholders.api-gateway.jndi=jdbc/PLATO_SECURITY
-Dflyway.domain.placeholders.plato-ui-config.jndi=jdbc/PLATO_UI_CONFIG
-Dflyway.domain.placeholders.sms.jndi=jdbc/sms
-Dflyway.domain.placeholders.cmc.jndi=jdbc/CMNCORE
-Dflyway.domain.placeholders.plato-feed-services.jndi=jdbc/PLATOFEED
-Dflyway.domain.placeholders.plato-batch-server.jndi=jdbc/PLATO_BATCH
-Dflyway.domain.placeholders.plato-alerts-management-
services.jndi=jdbc/PLATOALERTS
-Dflyway.domain.placeholders.eureka.serviceUrl=http://<host>:<port>/
plato-discovery-service/eureka
-Dflyway.domain.placeholders.eureka.serviceurl=http://<host>:<port>/
plato-discovery-service/eureka
-Dflyway.domain.placeholders.spring.zipkin.baseUrl=<host>:9411
-Dflyway.domain.placeholders.zipkin.baseUrl=<host>:9411
-Dflyway.domain.placeholders.zipkin.url=<host>:9411
-
Dflyway.domain.placeholders.eureka.client.serviceUrl.defaultZone=http://
/<host>:8005/plato-discovery-service/eureka
-Dflyway.domain.placeholders.zookeeper.port=2181
-Dflyway.domain.placeholders.kafka.port=9092
-Dflyway.domain.placeholders.kafka.host=<host>
-Dflyway.domain.placeholders.obscf.core.server.port=<port>
-Dflyway.domain.placeholders.OBCL.GWHTTPSERVLETURLOBCL=http://
<host>:7003/GWHTTP/GWHttpServlet
-Dflyway.domain.placeholders.finance.server.port=<port>
-Dflyway.domain.placeholders.plato.services.zipkin.url=<host>:9411
-Dflyway.domain.placeholders.FCUBS.GWHTTPSERVLETURLFCUBS=http://
<host>:<port>/GWHTTP/GWHttpServlet
-Dflyway.domain.placeholders.limitmaint.server.port=<port>
-Dflyway.domain.placeholders.URL.ELCM_HTTP_URL=http://<host>:<port>
-Dflyway.domain.placeholders.limits.server.port=<port>
-Dflyway.domain.placeholders.eod.server.port=<port>
-Dflyway.domain.placeholders.autorecon.server.port=<port>
-Dflyway.domain.placeholders.obscf.report.server.port=<port>
-Dflyway.domain.placeholders.charges.server.port=<port>
-Dflyway.domain.placeholders.accounting.server.port=<port>
-Dflyway.domain.placeholders.cmncore.cmc-branch.service.appId=CMNCORE
-Dflyway.domain.placeholders.obscf.maintenance.service.appId=SCFMMAINT
-Dflyway.domain.placeholders.reconmaint.server.port=<port>
-Dflyway.domain.placeholders.manualrecon.server.port=<port>
-Dflyway.domain.placeholders.obscfcm.core.server.port=<port>
-Dflyway.domain.placeholders.filter.server.port=<port>
-Dflyway.domain.placeholders.instruments.server.port=<port>
-Dflyway.domain.placeholders.obscfcm.instruments-
receivables.service.appId=OBSCFCMINST
-Dflyway.domain.placeholders.conductor.httpUri=http://<host>:<port>/
obscfcm-workflow-management-services/service/v1/handleHTTPTask
-Dflyway.domain.placeholders.maint.server.port=<port>

```

```

-Dflyway.domain.placeholders.obscfcm.report.server.port=<port>
-Dflyway.domain.placeholders.workflow.server.port=<port>
-Dflyway.domain.placeholders.plato.server.port=<port>
-Dflyway.domain.placeholders.orchestrator.server.uri=http://<Conductor
Host : PORT>/plato-orch/api/
-Dflyway.domain.placeholders.plato-config.sessionIdleTimeout=3000
-Dflyway.domain.placeholders.plato-config.sessionIdleWarningTime=2940
-Dflyway.domain.placeholders.plato-config.environment=DEV
-Dflyway.domain.placeholders.cashflow.server.port=<port>
-Dflyway.domain.placeholders.collmaint.server.port=<port>
-Dflyway.domain.placeholders.colltxn.server.port=<port>
-Dapigateway.url=http://<host>:<port> -Dplato.services.config.port=<port>
-Dplato.services.config.uri=http://<host>:<port> -Dplato.service.env=DEV
-Dplato.service.logging.path=/scratch/work_area/application/logs
-Dflyway.domain.placeholders.plato-batch-server.userId=<userId>
-Dflyway.domain.placeholders.plato-batch-server.branchCode=<branchCode>
-Dflyway.domain.placeholders.cmncore.jndi=jdbc/CMNCORE
-Dflyway.domain.placeholders.cmc-checklist-services.jndi=jdbc/CMNCORE
-Dflyway.domain.placeholders.checklistmanagement-services.jndi=jdbc/CMNCORE
-Dflyway.domain.placeholders.platoui.db.jndi=jdbc/PLATO_UI_CONFIG
-Dflyway.domain.placeholders.screenclass.db.jndi=jdbc/CMNCORE
-Dflyway.domain.placeholders.txncontroller.db.jndi=jdbc/CMNCORE
-Dflyway.domain.placeholders.facilities.db.jndi=jdbc/CMNCORE
-Dplato.db.jndi=jdbc/PLATO
-Dflyway.domain.placeholders.plato.db.jndi=jdbc/PLATO
-Dflyway.domain.placeholders.sms.db.jndi=jdbc/sms
-Dflyway.domain.placeholders.user.mapping.required=true
-Dflyway.domain.placeholders.plato-config.schemas=PLATO
-Dflyway.domain.placeholders.api-gateway.schemas=PLATO_SECURITY
-Dflyway.domain.placeholders.platoui.schemas=PLATO_UI_CONFIG
-Dflyway.domain.placeholders.platoui.username=<username>
-Dflyway.domain.placeholders.platoui.password=<password>
-Dflyway.domain.placeholders.cmncore.schemas=COMMON_CORE
-Dflyway.domain.placeholders.cmncore.db.password=<username>
-Dflyway.domain.placeholders.cmncore.db.username=<password>
-Dflyway.domain.placeholders.sms.schemas=SMSCD0
-Dflyway.domain.placeholders.plato-ui-config.schemas=PLATO_UI_CONFIG
-Dflyway.domain.placeholders.plato-feed-services.schemas=PLATOFEED
-Dflyway.domain.placeholders.plato-feed-services.schemas=PLATO_FEED
-Dflyway.domain.placeholders.plato-batch-server.schemas=PLATO_BATCH
-Dflyway.domain.placeholders.plato-alerts-management-
services.schemas=PLATOALERTS
-Dflyway.domain.placeholders.platoui.jdbcUrl=jdbc:oracle:thin:@//<host>:1521/
<SID>
-Dflyway.domain.placeholders.cmncore.db.url=jdbc:oracle:thin:@//<host>:1521/
<SID>
-Dflyway.domain.placeholders.cmncore.db.schemas=COMMON_CORE
-Dflyway.domain.placeholders.cmc-obrh-services.server.port=<port>
-Dflyway.domain.placeholders.cmc-charges-calculation-
services.server.port=<port>
-Dflyway.domain.placeholders.plato.db.jndi=jdbc/PLATO
-Dflyway.domain.placeholders.sms.db.jndi=jdbc/sms
-Dflyway.domain.placeholders.flyway.plato.schema=PLATO
-Dflyway.domain.placeholders.flyway.sms.schema=SMSCD0
-Dflyway.domain.placeholders.flyway.domain.schema=COMMON_CORE

```

```

-Dflyway.domain.placeHolders.obrh.db.jndi=jdbc/CMNCORE
-Dflyway.domain.placeHolders.platouserlog.path=/scratch/work_area/
application/logs
-Dflyway.domain.placeHolders.plato.alerts.email.password=<password>
-Dflyway.domain.placeHolders.plato.alerts.email.userId=<userId>
-Dflyway.domain.placeHolders.cmncore.db.jndi=jdbc/CMNCORE
-Dflyway.domain.placeHolders.vam.schemas=VAM
-Dflyway.domain.placeHolders.vam.jndi=jdbc/VAM
-
Dflyway.domain.placeHolders.obscfcm.conductor.service.appId=OBSCFCMCDTR
-Dflyway.domain.placeHolders.obscfcm.conductor.service.uri=http://
<host>:7005/obscfcm-workflow-management-services/service/v1/
handleHTTPTask
-Dflyway.domain.placeHolders.plato.alerts.cmc.userId=<userId>
-Dflyway.domain.placeHolders.plato.alerts.cmc.branchCode=<branchCode>
-Dflyway.domain.placeHolders.plato.alerts.cmc.appId=CMNCORE
-Dflyway.domain.placeHolders.platoorch.domain.jndi=jdbc/PLATO-0
-
Dflyway.domain.placeHolders.platoorch.domain.schemas=OBSCFCM_WORKFLOWS_
CONDUCTOR
-Dflyway.domain.placeHolders.cmc-obrh-services.kafka.server.path=/
scratch/deployed/kafka/kafka
-Dflyway.domain.placeHolders.cmc-obrh-services.zookeeper.server.path=/
scratch/deployed/kafka/apache-zookeeper-3.5.6-bin
-Dflyway.domain.placeHolders.obcmcff.service.userId=<userId>
-Dflyway.domain.placeHolders.obcmcff.service.branchCode=<branchCode>
-Dflyway.domain.placeHolders.upload.handler.userId=<userId>
-Dflyway.domain.placeHolders.upload.handler.branchCode=<branchCode>
-Dflyway.domain.placeHolders.obcm.core.branchCode=<branchCode>
-Dflyway.domain.placeHolders.obcm.core.userId=<userId>
-
Dflyway.domain.placeHolders.obcm.collectiontransaction.poolingjob.userI
d=<userId>
-
Dflyway.domain.placeHolders.obcm.colleactiontransaction.service.userId=
<userId>
-
Dflyway.domain.placeHolders.obcm.mastermaintenance.service.userId=<user
Id>
-Dflyway.domain.placeHolders.obscfcm.core.userId=<userId>
-Dflyway.domain.placeHolders.obscfcm.core.branchCode=<branchCode>
-Dflyway.domain.placeHolders.obscf.finance.emailto=<emailto>
-Dflyway.domain.placeHolders.report-service.server.port=<port>
-Dflyway.domain.placeHolders.report-service.username=<username>
-Dflyway.domain.placeHolders.report-service.password=<password>
-Dflyway.domain.placeHolders.report-
service.jdbcUrl=jdbc:oracle:thin:@//<host>:1521/<SID>
-Dflyway.domain.placeHolders.report-
service.schemas=PLATO_REPORT_SERVICE
-Dflyway.domain.placeHolders.plato-rule-service.server.port=<port>
-Dflyway.domain.placeHolders.plato-rule.hostname=<host>
-Dflyway.domain.placeHolders.platorule.domain.jndi=jdbc/PLATORULE
-Dflyway.domain.placeHolders.platorule.domain.schemas=PLATORULE
-Dflyway.domain.placeHolders.day0.server.port=<port>
-Dflyway.domain.placeHolders.cmc-nlp-pipeline-

```

```

services.server.port=<port>
-Dflyway.domain.placeholders.cmc-nlp-opennlp-services.server.port=<port>
-Dflyway.domain.placeholders.plato-config.db.jndi=jdbc/PLATO
-Dflyway.domain.placeholders.cmc-nlp-maintenance-services.server.port=<port>
-Dflyway.domain.placeholders.cmc-nlp-docview-services.server.port=<port>
-Dflyway.domain.placeholders.obcmprojec.server.port=<port>
-Dflyway.domain.placeholders.obscfcm.day0.server.port=<port>
-Dflyway.domain.placeholders.cmc-ml-indb-services.server.port=<port>
-Dflyway.domain.placeholders.obscf.day0.server.port=<port>
-Dflyway.domain.placeholders.cmc-obrh-services.kafka.enabled=true
-Dflyway.domain.placeholders.cmc-sla-services.server.port=<port>
-Dflyway.domain.placeholders.obscfcm.filter.service.appId=OBSCFCMFILTER
-Dflyway.domain.placeholders.obscf.core.service.appId=SCFCORE
-Dflyway.domain.placeholders.obscfcm.filter.service.appId=OBSCFCMFILTER
-Dflyway.domain.placeholders.obscfcmalert.core.userId=<userId>
-Dflyway.domain.placeholders.obscfcmalert.core.branchCode=<branchCode>
-Dflyway.domain.placeholders.obscfcmalert.server.port=<port>
-Dflyway.domain.placeholders.obcbs.server.port=<port>
-Dflyway.domain.placeholders.plato.services.rule.uri=http://<host>:<port>/
rule-service
-Dflyway.domain.placeholders.cmc-obcbs-services.schemas=COMMON_CORE
-Dflyway.domain.placeholders.plato.service.logging.path=/scratch/work_area/
application/logs
-Dflyway.domain.placeholders.plato.service.env=DEV
-Dflyway.domain.placeholders.orch.cmc.brn=<branchCode>
-Dflyway.domain.placeholders.orch.cmc.user=<userId>
-Dflyway.domain.placeholders.orch.enableDynamicAllocation=false
-Dflyway.domain.placeholders.orch.enableSLA=false
-Dflyway.domain.placeholders.report-service.domain.jndi=jdbc/REPORTSERVICE
-Dflyway.domain.placeholders.cmc.schemas=COMMON_CORE
-Dflyway.domain.placeholders.report-service.template-metadata-directory=<dir
path>
-Dflyway.domain.placeholders.report-service.output-directory=<dir path>
-Dflyway.domain.placeholders.report-service.fop-config-file=<path to
fop.xconf>
-Dflyway.domain.placeholders.obpm.service.obpmBranchCode=<OBPM branch code>
-Dflyway.domain.placeholders.obpm.service.obpmSourceCode=EXTSYS
-Dflyway.domain.placeholders.obpm.service.userId=<OBPM user id>
-Dflyway.domain.placeholders.obpm.service.serviceConsumer=OBSCFCM_OBPM
-
Dflyway.domain.placeholders.obpm.service.createPMSinglePayOut=CreatePMSingleP
ayOut
-Dflyway.domain.placeholders.obpm.service.obpmHostCode=INDIA
-Dflyway.domain.placeholders.obpm.service.obpmLoanSourceCode=OBSCF
-
Dflyway.domain.placeholders.obpm.service.createExternalConsumerLoan=CreateExt
ernalConsumerLoan
-Dflyway.domain.placeholders.obcl_userId=<OBCL user id>
-Dflyway.domain.placeholders.obcl_source=SCFEXT
-Dflyway.domain.placeholders.obrh_path=http://<host name>:<port no>/cmc-obrh-
services/route/dispatch
-Dflyway.domain.placeholders.obcl.service.QueryLoanOSAmount=QueryLoanOSAmount
-Dflyway.domain.placeholders.obcl.service.CreateContractSim=CreateContractSim
-Dflyway.domain.placeholders.obcl.service.CreateContract=CreateContract
-Dflyway.domain.placeholders.obcl.service.ModifyContAmend=ModifyContAmend

```

```

-Dflyway.domain.placeHolders.obcl.service.CreatePayment=CreatePayment
-
Dflyway.domain.placeHolders.obcl.service.ReverseContract=ReverseContract
-
-Dflyway.domain.placeHolders.obcl.service.QueryTrnInfo=QueryTrnInfo
-DfcubsBranchId=<FCUBS branch id> -
Dflyway.domain.placeholders.apigateway.protocol=<http or https>
-Dflyway.domain.placeholders.plato.alerts.email.smtp.host=internal-mail-router.oracle.com
-Dflyway.domain.placeholders.plato.alerts.email.smtp.out.port=<Listen port of smtp>
-Dflyway.domain.placeholders.plato.alerts.email.auth=false
-
Dflyway.domain.placeholders.plato.alerts.email.socketfactory.port=<Listen port of socketfactory>
-Dflyway.domain.placeholders.orch.usingRuleEngine=false
-Dflyway.domain.placeholders.plato.samlSSOEnabled=false
-Dflyway.domain.placeholders.plato.feed.email.password=<Password for plato feed email>
-Dflyway.domain.placeholders.plato.feed.email.userId=<User Id for plato feed email>
-Dflyway.domain.placeholders.plato.feed.sms.userId=<User Id for sms>
-Dflyway.domain.placeholders.plato.feed.sms.branchCode=<Branch Code for Sms>
-Dflyway.domain.placeholders.plato.feed.sms.appId=<App Id for sms>
-Dflyway.domain.placeholders.plato.feed.sms.multiEntityAdmin=<Admin for sms>
-Dflyway.domain.placeholders.plato.feed.email.smtp.host=<Host for smtp>
-Dflyway.domain.placeholders.plato.feed.email.smtp.out.port=<Port for smtp>
-Dflyway.domain.placeholders.plato.feed.email.auth=<Email authorization>
-Dflyway.domain.placeholders.plato.feed.email.socketfactory.port=<Port for socketfactory>
-Dflyway.domain.placeholders.INTEGRATION.ENABLED=<integration enabled true or false>
-Dflyway.domain.placeholders.cmc-deprecation-service.server.port=<Listen port for deprecation service>
-Dflyway.domain.placeholders.cmc-additional-attributes-services.server.port=<Listen port for cmc-additional-attributes-services>
-Dflyway.domain.placeHolders.cmc-opds-services.schemas=COMMON_CORE
-Dflyway.domain.placeHolders.obcmreport.server.port=<Port>
-Dplato.services.entityservices.port=<Port>
-Dflyway.domain.placeHolders.report-service.hostname=<host>
-Dflyway.domain.placeholders.obvam.service.branchCode=6
-Dflyway.domain.placeholders.obvam.service.userId=OBVAMUSER2
-Dflyway.domain.placeHolders.opds.server.port=<Port>
-Dflyway.domain.placeHolders.cmc-opds-services.schemas=COMMON_CORE
-Dflyway.domain.placeHolders.obcl_service_consumer=OBSCFCM_STUB
-Dplato.services.eureka.uri=https://<host>:8101
-Dflyway.domain.placeholders.zookeeper.host=<host>
-Dflyway.domain.placeholders.fcubsBranchId=0
-Dplato.services.kafka.brokers=<host>:<port>
-Daccounting.obvam.userid=OBVAMUSER2

```

```

-Dflyway.domain.placeholders.alerts.email.attachment.encryption.passKey=XXX
-
Dflyway.domain.placeholders.alerts.email.attachment.watermark.required=false
-Dflyway.domain.placeholders.alerts.email.attachment.watermark.image.loc=Y
-
Dflyway.domain.placeholders.alerts.email.attachment.encryption.required=true
-Dflyway.domain.placeholders.plato.services.kafka.brokers=<host>:<port>
-Dflyway.domain.placeholders.accounting.obvam.userid=OBVAMUSER2
-Dflyway.domain.placeholders.cmc-mis-services.jndi=jdbc/CMNCORE
-Dflyway.domain.placeholders.cmc-mis-services.schemas=COMMON_CORE
-Dflyway.domain.placeholders.obcmpredict.server.port=112
-Dflyway.domain.placeholders.kafka.ssl.truststore.location=<trust key .jks
path>
-Dflyway.domain.placeholders.kafka.ssl.truststore.password=<password>
-Dflyway.domain.placeholders.kafka.binder.jaas.options.username=<user>
-Dflyway.domain.placeholders.kafka.binder.configuration.sasl.mechanism=SCRAM-
SHA-256
-
Dflyway.domain.placeholders.kafka.binder.configuration.security.protocol=SASL
_SSL
-
Dflyway.domain.placeholders.kafka.binder.jaas.loginModule=org.apache.kafka.co
mmon.security.scram.ScramLoginModule
-Dflyway.domain.placeholders.kafka.binder.jaas.options.password=obscf-secret
-Dflyway.domain.placeholders.feed.protocol=http
-Dflyway.domain.placeholders.feed.dateFormat=1/1/2021
-Dflyway.domain.placeholders.feed.recordLevelApprovalReqd=false
-Dflyway.domain.placeholders.cmc-resourceclass-services.jndi=jdbc/CMNCORE
-Dflyway.domain.placeholders.cmc-resourceclass-services.schemas=COMMON_CORE
-Dflyway.domain.placeholders.obscfcore.db.jndi=jdbc/OBSCF_CORE
-Dflyway.domain.placeholders.cmc.db.jndi=jdbc/CMNCORE
-Dflyway.domain.placeholders.finance.db.jndi=jdbc/OBSCF_FINANCE
-Dflyway.domain.placeholders.limits.db.jndi=jdbc/OBSCF_LIMIT_UTILIZ
-Dflyway.domain.placeholders.obscfreport.db.jndi=jdbc/OBSCF_REPORT
-Dflyway.domain.placeholders.accnt.db.jndi=jdbc/OBSCFCM_ACCOUNTING
-Dflyway.domain.placeholders.batch.db.jndi=jdbc/PLATOBATCH
-Dflyway.domain.placeholders.obscfcmalert.db.jndi=jdbc/OBSCFCM_ALERTS
-Dflyway.domain.placeholders.manualrecon.db.jndi=jdbc/OBSCFCM_RECON
-Dflyway.domain.placeholders.workflowservice.eureka.host=<host>
-Dflyway.domain.placeholders.workflowservice.eureka.port=<Port>
-Dflyway.domain.placeholders.charges.db.jndi=jdbc/OBSCFCM_CHARGES
-Dflyway.domain.placeholders.eod.db.jndi=jdbc/EOD
-Dflyway.domain.placeholders.filter.db.jndi=jdbc/OBSCFCM_FILTER
-Dflyway.domain.placeholders.maint.db.jndi=jdbc/OBSCFCM_MAINTENANCE
-Dflyway.domain.placeholders.report.db.jndi=jdbc/OBSCFCM_REPORT
-Dflyway.domain.placeholders.instrument.db.jndi=jdbc/OBSCFCM_INSTRUMENTS
-Dflyway.domain.placeholders.platofeed.db.jndi=jdbc/PLATOFEEED
-Dflyway.domain.placeholders.chatbot.url=https://<host:port>
-Dflyway.domain.placeholders.oda.uri=idcs-oda
-D501204fbc4d496dac7b74d15a590dce-t0.data.digitalassistant.oci.oc-test.com =
-Dflyway.domain.placeholders.oda.channelid=569a0fbd
-D1f4-4a9c-ad7c-86eab83bf957 =
-Dflyway.domain.placeholders.oda.secretkey=<seceret-key>
-Dflyway.domain.placeholders.oda.isoda=Y
-Dflyway.domain.placeholders.workflow.db.jndi=jdbc/

```

```

OBSCFCM_WORKFLOWS_CONDUCTOR
-Dflyway.domain.placeHolders.obcmcashflowforecasting.db.jndi=jdbc/
OBCM_CASHFLOW_FORCAST
-Dflyway.domain.placeHolders.obcmcollectionmaint.db.jndi=jdbc/
OBCM_COLLECTION_MAINT
-Dflyway.domain.placeHolders.obcmcashflowprojection.db.jndi=jdbc/
OBCM_CASHFLOW_PROJECTION
-Dflyway.domain.placeHolders.obcmreport.db.jndi=jdbc/OBCM_REPORT
-Dflyway.domain.placeHolders.collectiontxn.db.jndi=jdbc/
OBCM_COLLECTIONS
-Dnormal.front.prod=VENF
-Dcompound.rear.prod=BCVD
-Dnormal.rear.prod=SUPF
-Dflyway.domain.placeHolders.obcl.service.QueryContract=QueryContract
-Dflyway.domain.placeHolders.platobatch.db.jndi=jdbc/PLATOBATCH
-Dflyway.domain.placeHolders.platosecurity.domain.jndi=jdbc/
PLATO_SECURITY
-Dflyway.domain.placeHolders.eodbatch.db.jndi=jdbc/PLATOBATCH
-Dflyway.domain.placeHolders.obscfcmcore.db.jndi=jdbc/
OBSCFCM_CORE_SERVICES
-
Dflyway.domain.placeHolders.obpm.service.initiateOutwardClg=InitiateOut
wardClearing
-Dflyway.domain.placeHolders.plato-feed-ref.jndi=jdbc/PLATOFEED
-Dflyway.domain.placeHolders.plato-feed-ref.server.port=<Port>
-Dflyway.domain.placeHolders.plato-feed-ref.username=<user>
-Dflyway.domain.placeHolders.plato-feed-ref.password=<password>
-Dflyway.domain.placeHolders.plato-feed-
ref.jdbcUrl=jdbc:oracle:thin:@//<host>.in.example.com:<port>/<service
name>
-Dflyway.domain.placeHolders.plato-feed-ref.schemas=PLATO_FEED
-Deureka.protocol=http
-Dflyway.domain.placeHolders.plato-transport-service.server.port=<Port>
-Dflyway.domain.placeHolders.plato-transport-service.jndi=jdbc/
PLATOTRANSPORT
-Dflyway.domain.placeHolders.plato-transport-
service.schemas=PLATO_TRANSPORT
-Dflyway.domain.placeHolders.plato-transport-
service.transport.filePath=/scratch/plato-transport/
-Dflyway.domain.placeHolders.config-service.server.port=<Port>
-Dflyway.domain.placeHolders.plato.feed.fss.filestore.protocol=http
-Dflyway.domain.placeHolders.plato.feed.fss.filestore.host=127.0.0.1
-Dflyway.domain.placeHolders.plato.feed.fss.filestore.port=<Port>
-
Dflyway.domain.placeHolders.plato.feed.fss.filestore.contextRoot=filest
ore/private
-Dflyway.domain.placeHolders.plato.feed.fss.filestream.protocol=http
-Dflyway.domain.placeHolders.plato.feed.fss.filestream.host=127.0.0.1
-Dflyway.domain.placeHolders.plato.feed.fss.filestream.port=<Port>
-
Dflyway.domain.placeHolders.plato.feed.fss.filestream.contextRoot=filest
ream/private
-Dflyway.domain.placeHolders.plato.feed.fss.auth.bearerToken=unset
-
Dflyway.domain.placeHolders.plato.feed.fss.par.upload.description=fileu

```

```

pload
-Dflyway.domain.placeholders.plato.feed.fss.par.storageDirective=filestream/
private
-Dflyway.domain.placeholders.plato.feed.fss.stripe.service.tag=feed-
services
-Dflyway.domain.placeholders.flyway.platofeed.schemas=PLATO_FEED
-Dflyway.domain.placeholders.cmc-service-Deprecation-svc.server.port=<port>
-Dflyway.domain.placeholders.kafka.broker.username=<user>
-Dflyway.domain.placeholders.kafka.broker.password=<password>
-Dflyway.domain.placeholders.kafka.binder.brokers.port=<Port>
-Dflyway.domain.placeholders.kafka.binder.zkNodes.port=<Port>
-Dflyway.domain.placeholders.kafka.binder.brokers.host=<host>
-Dflyway.domain.placeholders.kafka.binder.zkNodes.host=<host>
-Dflyway.domain.placeholders.obscfcm-batch-jobs.server.port=<Port>
-Dflyway.domain.placeholders.obscfcm-chatbot-services.server.port=<Port>
-Dflyway.domain.placeholders.apigateway.url=https://<host>:<port>
-Dflyway.domain.placeholders.cmc-comments-services.server.port=<Port>
-Dflyway.domain.placeholders.cmc-priority-services.server.port=<Port>
-Dflyway.domain.placeholders.documentmanagement-services.server.port=<Port>
-Dflyway.domain.placeholders.kyccheck-services.server.port=<Port>
-Dflyway.domain.placeholders.processcode-services.server.port=<Port>
-Dflyway.domain.placeholders.sequencegeneratorservice.server.port=<Port>
-Dflyway.domain.placeholders.opds.batch.partitionCount=
-Dflyway.domain.placeholders.opds.batch.destinationTopic=
-Dflyway.domain.placeholders.opds.batch.consumerGroupName=
-Dflyway.domain.placeholders.opds.batch.autoAddPartitions=
-Dflyway.domain.placeholders.plato.eventhub.kafka.brokers=<host>:<port>
-Dflyway.domain.placeholders.plato.eventhub.zk.nodes=<host>:2181
-Dflyway.domain.placeholders.alert.service.serviceConsumer=OBSCFCM_ALERTS
-Dflyway.domain.placeholders.alert.service.alertMessage=AlertMessage
-Dflyway.domain.placeholders.plato.flyway.enabled=true
-Dflyway.domain.placeholders.plato-api-gateway.min.pswd.length=8
-Dflyway.domain.placeholders.plato-api-gateway.max.pswd.length=11
-Dflyway.domain.placeholders.plato-api-gateway.min.pswd.age=1
-Dflyway.domain.placeholders.plato-api-gateway.max.pswd.age=90
-Dflyway.domain.placeholders.plato-api-gateway.upper.char.flag=N
-Dflyway.domain.placeholders.plato-api-gateway.upper.char.count=2
-Dflyway.domain.placeholders.plato-api-gateway.lower.char.flag=Y
-Dflyway.domain.placeholders.plato-api-gateway.lower.char.count=2
-Dflyway.domain.placeholders.plato-api-gateway.special.char.flag=N
-Dflyway.domain.placeholders.plato-api-gateway.special.char.count=1
-Dflyway.domain.placeholders.plato-api-gateway.numeric.char.flag=Y
-Dflyway.domain.placeholders.plato-api-gateway.numeric.char.count=1
-Dflyway.domain.placeholders.plato-api-gateway.pswd.validation.flag=Y
-Dflyway.domain.placeholders.plato.services.entityservices.port=<Port>
-Dflyway.domain.placeholders.cmc-obrh-services.audit.retention.days=7
-Dflyway.domain.placeholders.cmc-obrh-services.audit.retention.archival=true
-Dflyway.domain.placeholders.cmc-obrh-services.oic.oauth.scope=dummy
-Dflyway.domain.placeholders.cmc-obrh-services.oic.secretStore.url=https://
dummy
-Dflyway.domain.placeholders.cmc-obrh-services.oic.idcs.url=https://dummy
-
Dflyway.domain.placeholders.plato.orchestrator.enableSubWfDynamicAllocation=f
alse
-Dflyway.domain.placeholders.plato-api-

```

```

gateway.external.sso.validation.url=https://dummy
-Dflyway.domain.placeholders.plato-api-gateway.external.sso.key=dummy
-Dflyway.domain.placeholders.plato-api-
gateway.sso.service.provider=dummy
-Dflyway.domain.placeholders.plato-api-gateway.headers=dummy
-Dflyway.domain.placeholders.actuator.endpoint=prometheus,health
-Dflyway.domain.placeholders.cmc-obrh-kafka-consumer.server.port=<Port>
-Dflyway.domain.placeholders.obscffci.db.jndi=jdbc/OBSCF_FCI_MESSAGES
-Dflyway.domain.placeholders.obscffci.server.port=<Port>
-Dflyway.domain.placeholders.eureka.instance.prefer-ip-address=false
-Dflyway.domain.placeholders.ssl.enabled=true
-Dflyway.domain.placeholders.ssl.disabled=false
-Dflyway.domain.placeholders.obscfislamic.db.jndi=jdbc/OBSCF-ISLAMIC-
INSTRUMENTS
-Dflyway.domain.placeholders.obscfislamic.server.port=<Port>
-
Dflyway.domain.placeholders.kafka.ssl.endpoint.identification.algorithm
=https
-Dflyway.domain.placeholders.plato-api-
gateway.load.balanced.rest.template=true
-
Dflyway.domain.placeholders.plato.feed.feed.system.objectStore.stripename=feeds
-Dflyway.domain.placeholders.feed.system.approverId=<Approver UserId>
-Dflyway.domain.placeholders.obcmNetting.server.port=<Managed server
ssl port for target service>
-Dflyway.domain.placeholders.obcmnetting.db.jndi=jdbc/OBCM_NETTING
-
Dflyway.domain.placeholders.alert.service.serviceConsumer=OBSCFCM_ALERT
S
-Dflyway.domain.placeholders.alert.service.alertMessage=AlertMessage
-Dflyway.domain.placeholders.plato-password-policy-
service.server.port=<Managed server ssl port for target service>
-Dflyway.domain.placeholders.plato-password-policy-service.jndi=jdbc/
PLATO_PASSWORD
-Dflyway.domain.placeholders.plato-password-policy-
service.schemas=PLATO_PASSWORD
-Dflyway.domain.placeholders.plato-password-policy-
service.locations=db/migration/domain/plato
-Dflyway.sms.placeholders.role_id=ADMIN_ROLE
-Dspring.cloud.loadbalancer.ribbon.enabled=false

export JAVA_OPTIONS

```

2

Environment Variables for SMS, COMMONCORE, Mid-office Domain

The below parametrization should be done for all the domains (sms, commoncore, mid office) which are created in the weblogic server where the micro services are going to be deployed.

1. Go to the weblogic installation path (FMW installation path) in the Weblogic server where the plato, sms, common core, mid office is getting deployed.
2. Go to location : Middleware/Oracle_Home/user_projects/domains/<respective_domain>/bin
3. Create a file named **setUserOverrides.sh** content given below:

```
#!/bin/bash
JAVA_OPTIONS="{JAVA_OPTIONS}"
-Dplato.services.config.port=<port>
-Dplato.services.config.uri=http://<host>:<port>
-Dplato.service.logging.path=<dir path>
-Dflyway.enabled=true
-Dplato.services.entityservices.port=<port>
-Deureka.connectTimeout=10000
-Deureka.readTimeout=10000
-Dribbon.connectTimeout=20000
-Dribbon.readTimeout=20000
-DXms1024m
-DXmx2048m
-Dflyway.domain.placeholders.plato.services.rule.uri=https://<host>:8103/
rule-service
-Dflyway.domain.placeholders.cmc-obrh-
services.kafka.server.path=<host>:<port>
-Dflyway.domain.placeholders.cmc-obrh-
services.zookeeper.server.path=<host>:<port>
-Dobrh.import.data.disable-modify=true
-Dspring.cloud.loadbalancer.ribbon.enabled=false
export JAVA_OPTIONS
```

3

Environment Variable for CONDUCTOR Domain

```
#!/bin/bash
JAVA_OPTIONS=${JAVA_OPTIONS}
-Dconductor.properties=<file path>
-Dplato.services.gateway.port=<port>
-Dplato.services.config.port=<port>
-Dplato.services.config.uri=http://<host>:<port>
-Dplato.service.logging.path=<dir path>
-Dapigateway.url=http://<host>:<port>
-Dkafka.host=<host>
-Dkafka.port=9092
-Dzookeeper.port=2181
export JAVA_OPTIONS
```

4

Environment Variables for OBSCFCM Managed Servers

Create a file called **setUserOverrides.sh** inside the weblogic bin location of OBSCFCM Service domain with content given below. All the environment variables for OBSCFCM are listed. Replace the values accordingly.

```
#!/bin/bash
JAVA_OPTIONS=${JAVA_OPTIONS}
-Dsms.db.jndi=jdbc/sms
-Dplatoui.db.jndi=jdbc/PLATO_UI_CONFIG
-Dcmc.db.jndi=jdbc/CMNCORE
-Dplato.db.jndi=jdbc/PLATO
-Dobscfcore.db.jndi=jdbc/OBSCF_CORE
-Dfinance.db.jndi=jdbc/OBSCF_FINANCE
-Dlimits.db.jndi=jdbc/OBSCF_LIMIT_MAINT
-Dlimits.db.jndi=jdbc/OBSCF_LIMIT_UTILIZ
-Dobscfreport.db.jndi=jdbc/OBSCF_REPORT
-Deodbatch.db.jndi=jdbc/EODBATCH PLATOBATCH
-Dplato.services.gateway.port=<port>
-Dplato.services.config.port=<port>
-Dplato.services.config.uri=http://<host>:<port>
-Dplato.service.logging.path=<dir path>
-Dapigateway.url=http://<host>:<port>
-Dkafka.host=<host>
-Dkafka.port=9092
-Dzookeeper.port=2181
-Deureka.host=<host>
-Deureka.port=<port>
-Dzipkin.url=http://<host>:9411
-Dworkflowservice.eureka.host=<host>
-Dworkflowservice.eureka.port=<port>
-Dobcl.service.userId=<userid>
-Dcache.evict.interval.milliseconds=7200000
-Dcache.evict.initialdelay.milliseconds=7200000
-Dplato.service.env=DEV
-Dconductor.properties=/scratch/ConductorConfig/config.properties
-Dreport.schema.username=<username>
-Dreport.schema.password=<password>
-Dfinance.db.jndi=jdbc/OBSCF_FINANCE
-Dobscfreport.db.jndi=jdbc/OBSCF_REPORT
-Dlimits.db.jndi=jdbc/OBSCF_LIMIT_MAINT
-Dobscfcore.db.jndi=jdbc/OBSCF_CORE
- Deodbatch.db.jndi=jdbc/PLATOBATCH
-Daccnt.db.jndi=jdbc/OBSCFCM_ACCOUNTING
-Dcharges.db.jndi=jdbc/OBSCFCM_CHARGES
-Dobscfcmcore.db.jndi=jdbc/OBSCFCM_CORE_SERVICES
```

```

-Dfilter.db.jndi=jdbc/OBSCFCM_FILTER
-Dmanualrecon.db.jndi=jdbc/OBSCFCM_RECON
-Dmaint.db.jndi=jdbc/OBSCFCM_MAINTENANCE
-Dreport.db.jndi=jdbc/OBSCFCM_REPORT
-Dworkflow.db.jndi=jdbc/OBSCFCM_WORKFLOWS_CONDUCTOR
-Drecon.db.jndi=jdbc/OBSCFCM_RECON
-Dfinance.db.jndi=jdbc/OBSCF_FINANCE
-Dinstrument.db.jndi=jdbc/OBSCFCM_INSTRUMENTS
-Dobscfcmalert.db.jndi=jdbc/OBSCFCM_ALERTS
-Dcache.evict.interval.milliseconds=7200000
-Dcache.evict.initialdelay.milliseconds=7200000
-Dchatbot.url=http://<host>:<port>
-Doda.uri=<uri>
-Doda.channelid=<channelid>
-Doda.secretkey=<secret>
-Doda.isoda=Y -Dplato.cmc.default.brn=
-Duser_login_id=<userid>
-Dplato.service.env=DEV
-Dupload.handler.userId=<userid>
-Dupload.handler.branchCode=<branchcode>
-Deod.db.jndi=jdbc/EOD
-Deureka.connectTimeout=10000
-Deureka.readTimeout=10000
-Dribbon.connectTimeout=20000
-Dribbon.readTimeout=20000
-Dfileupload.jdbc.url=jdbc:oracle:thin:@//<host>:<port>/<sid>
-Dfileupload.schema.username=<user>
-Dfileupload.schema.password=<password>
-Dforecasting.jdbc.url=jdbc:oracle:thin:@//<host>:<port>/<sid>
-Dobcmcashflowforecasting.schema.username=<user>
-Dobcmcashflowforecasting.schema.password=<password>
-Dobscfcmalert.core.userId=<user>
-Dobscfcmalert.core.branchCode=<branchcode>
-Dobscfcmalert.server.port=<port>
-Deureka.client.serviceUrl.defaultZone=https://<host>:<port>/plato-
discovery-service/eureka
-Dspring.zipkin.baseUrl=http://<host>:<port>
-Dobscfcfilter.service.appId=OBSCFCM_FILTER
-Dobscfcmalert.db.jndi=jdbc/OBSCFCM_ALERTS
-Dflyway.sms.placeholders.applicationCode=BOTH
-Dplatofeed.db.jndi=jdbc/PLATOFEEED
-Dobcmcollectionmaint.db.jndi=jdbc/OBCM_COLLECTION_MAINT
-Dcollectiontxn.db.jndi=jdbc/OBCM_COLLECTIONS
-Dacct.db.jndi=jdbc/OBSCFCM_ACCOUNTING
-Dcharges.db.jndi=jdbc/OBSCFCM_CHARGES
-Dcashflow-forecasting.db.jndi=jdbc/OBCM_CASHFLOW_FORECAST
-Dobcmcashflowforecasting.db.jndi=jdbc/OBCM_CASHFLOW_FORECAST
-Dcmncore.cmc-branch.service.appId=CMNCORE
-Dspring.zipkin.enabled=false
-Dplato.services.eureka.uri=https://<host>:<port>
-
Dflyway.domain.placeholders.obpm.service.initiateOutwardClg=InitiateOut
wardClearing
-Dflyway.domain.placeholders.eureka.protocol=https
-Dflyway.platoui.placeholders.apigateway.url=https://<host>:<port>

```

```
-Dobscffci.db.jndi=jdbc/OBSCF_FCI_MESSAGES  
-Dobscfislamic.db.jndi=jdbc/OBSCF-ISLAMIC-INSTRUMENTS  
-Dautoreconbatch.db.jndi=jdbc/AUTORECONBATCH  
  
export JAVA_OPTIONS
```

5

Environment Variables for OBCM Managed Servers

Create a file called **setUserOverrides.sh** inside the weblogic bin location of OBCM Service domain with content given below. All the environment variables for OBCM are listed. Replace the values accordingly.

```
#!/bin/bash
JAVA_OPTIONS=${JAVA_OPTIONS}
-Dplato.db.jndi=jdbc/PLATO
-Dcmc.db.jndi=jdbc/CMNCORE
-Dplatoui.db.jndi=jdbc/PLATO_UI_CONFIG
-Dsms.db.jndi=jdbc/sms
-Dobcmcashflowforecasting.db.jndi=jdbc/OBCM_CASHFLOW_FORCAST
-Dplatofeed.db.jndi=jdbc/PLATOFEED
-Dobcmcollectionmaint.db.jndi=jdbc/OBCM_COLLECTION_MAINT
-Dcollectiontxn.db.jndi=jdbc/OBCM_COLLECTIONS
-Dobscfcmcore.db.jndi=jdbc/OBSCFCM_CORE_SERVICES
-Dworkflow.db.jndi=jdbc/OBSCFCM_WORKFLOWS_CONDUCTOR
-Dplato.services.config.port=<Port>
-Dplato.services.config.uri=http://<host>:<Port>
-Dplato.service.env=<Environment_Name>
-Dplato.service.logging.path=/scratch/work_area/application/logs
-Dapigateway.url=http://<host>:<Port>
-Deureka.host=<host>
-Deureka.port=<Port>
-Dfileupload.jdbc.url=jdbc:oracle:thin:@//<DBHost>:<Port>/orclcdb
-Dfileupload.schema.username=OBSCFCM_FILE_PROCESSING
-Dfileupload.schema.password=OBSCFCM_FILE_PROCESSING_432
-Dworkflowservice.eureka.host=<host>
-Dworkflowservice.eureka.port=<Port>
-Dkafka.host=<host>
-Dkafka.port=<Port>
-Dzookeeper.port=<Port>
-Dplato.services.gateway.port=<Port>
-Dplato.services.config.port=<Port>
-Dobcmreport.db.jndi=jdbc/OBCM_REPORT
-Dobcmcashflowprojection.db.jndi=jdbc/OBCM_CASHFLOW_PROJECTION
-Deureka.connectTimeout=10000
-Deureka.readTimeout=10000
-Dribbon.connectTimeout=20000
-Dribbon.readTimeout=20000
-Dspring.cloud.loadbalancer.ribbon.enabled=false

export JAVA_OPTIONS
```

6

Environment Variables for OBCM Day0 Managed Server

Create a file called **setUserOverrides.sh** inside the weblogic bin location of OBCM day0 Service domain with content given below. All the environment variables for OBCM are listed. Replace the values accordingly.

```
JAVA_OPTIONS=$JAVA_OPTIONS}
-Dplato.services.config.port=8001"
-Dplato.services.config.uri=https://<port>:8001"
-Dplato.service.env=CD1"
-Dplato.service.logging.path=<path>"
-Dplato.db.jndi=jdbc/PLATO"
-Dsms.db.jndi=jdbc/sms"
-Dplatoui.db.jndi=jdbc/PLATO_UI_CONFIG"
-Dcmc.db.jndi=jdbc/CMNCORE"
-Dplatofeed.db.jndi=jdbc/PLATOFEEED"
-Dday0.db.jndi=jdbc/PLATO"
-Dobcmcashflowforecasting.db.jndi=jdbc/OBCM_CASHFLOW_FORCAST"
-Dobcmcollectionmaint.db.jndi=jdbc/OBCM_COLLECTION_MAINT"
-Dcollectiontxn.db.jndi=jdbc/OBCM_COLLECTIONS"
-Dobcmreport.db.jndi=jdbc/OBCM_REPORT"
-Dday0.server.port=8111"
-Deureka.host=https://<port>"
-Deureka.port=8004"
-Drole_id=OSCF_MAKER"
-Drole_desc=OSCF_MAKER_role_desc"
-Duserloginid1=ADMINUSER1"
-Duserloginid2=ADMINUSER2"
-Duser1name=ADMINUSER1"
-Duser2name=ADMINUSER2"
-DuserPassword1=ADMIN#1Pwd"
-DuserPassword2=ADMIN#2Pwd"
-Duserhomebranch=0"
-Duserlocale=IND"
-Duserstartdate=43191"
-Duserenddate=44287"
-Dbankcode=0"
-Dbankdesc=OBCMS-UNIVERSAL-BANK"
-Dbranchcode=0"
-Dbranchname=FLEXCUBE-UNIVERSAL-BRANCH"
-Dbranchaddr1=Address1"
-Dbranchaddr2=Address2"
-Dbranchaddr3=Address3"
-Dbranchccy=GBP"
-Dcountrycode=GBP"
-Dwalkincustomer=12345"
```

```

-Dhostcode=Host1"
-Dhostdesc=Host1"
-Dprocesstimezone=GMT"
-Dsourcesystem=OBCMS"
-Dsourcesystemdesc=Oracle"
-Dsourcesystembranch=OBCMS"
-Dpreviousworkingday=43922"
-Dcurrentworkingday=43923"
-Dnextworkingday=43924"
-Dlang_code=ENG"
-Dlang_desc=English"
-Dlang_iso=en"
-Dapigateway_url=https://<port>:8006"
-Dobcm_branchcode=4"
-Dobcm_userId=<user>"
-Dkafka.host=whf00clv"
-Dkafka.port=9092"
-Dzookeeper.port=2181"
-Deodbatch.db.jndi=jdbc/PLATOBATCH"
-Dacct.db.jndi=jdbc/OBSCFCM_ACCOUNTING"
-Dcharges.db.jndi=jdbc/OBSCFCM_CHARGES"
-Dobscfcmcore.db.jndi=jdbc/OBSCFCM_CORE_SERVICES"
-Dfilter.db.jndi=jdbc/OBSCFCM_FILTER"
-Dinstrument.db.jndi=jdbc/OBSCFCM_INSTRUMENTS"
-Dmanualrecon.db.jndi=jdbc/OBSCFCM_RECON"
-Dmaint.db.jndi=jdbc/OBSCFCM_MAINTENANCE"
-Dreport.db.jndi=jdbc/OBSCFCM_REPORT"
-Dworkflow.db.jndi=jdbc/OBSCFCM_WORKFLOWS_CONDUCTOR"
-Dobscfcm_debug_userId=<user>"
-Dapigateway_url=https://<port>:8102"
-Dobscfcm_purchase_buyer1_userId=<user>"
-Dobscfcm_purchase_buyer1_branchcode=4"
-Dobscfcm_purchase_seller1_userId=<user>"
-Dobscfcm_purchase_seller1_branchcode=4"
-Dobscfcm_invoice_buyer1_branchCode=4"
-Dobscfcm_invoice_buyer1_userId=<user>"
-Dobscfcm_payment1_branchCode=4"
-Dobscfcm_payment_userId=<user>"
-Dobscfcm_invoice_seller1_branchCode=4"
-Dobscfcm_invoice_seller1_userId=<user>"
-DaccountingBranchCode=4"
-DapplicationCode=BOTH"
-Dobcm_role_id=OBCM_ROLE"
-Dobcmprojec.server.port=8101"
-Dobcmcashflowprojection.db.jndi=jdbc/OBCM_CASHFLOW_PROJECTION"
-Dflyway.domain.placeholders.obscfcm.day0.server.port=8101"
-Duser_id=<user>"
-DuserName=<user>"
-DuserLoginId=<user>"
-DmanagerId=ABHISHEKL"
-DbranchCode=4"
-DuserEmail=<user>dac@gmail.com"
-DbranchId=fa32fb81-20ea-4c5f-8562-66fdcdccee44"
-DuserMobile=9405617899"
-DuserFax=758457"

```

```

-DtelephoneNo=020-66563628"
-Dobscfcm_role_id=OBSCFCM_ROLE"
-Duser_login_id=<user>"
-DbranchId=fa32fb81-20ea-4c5f-8562-66fdcdccee44"
-DbranchCode=4"
-Dobscfbatch.enabled=true"
-Dobscfcmaccountmaintenance.enabled=true"
-Dobscfcmautoreconbatch.enabled=true"
-Dobscfcmcharges.enabled=true"
-Dobscfcmcoreservices.enabled=true"
-Dobscfcmfilterservices.enabled=true"
-Dobscfcminstrumentsservices.enabled=true"
-Dobscfcmmanualrecon.enabled=true"
-Dobscfcmmastermaintenance.enabled=true"
-Dobscfcmreconmaintenance.enabled=true"
-Dobscfcmreportservices.enabled=true"
-Dobscfcmworkflowmanagement.enabled=true"
-Dplatoorch.domain.jndi=jdbc/OBSCFCM_WORKFLOWS_CONDUCTOR"
-Dobscf_role_id=OBSCF_ROLE"
-Deureka.connectTimeout=10000"
-Deureka.readTimeout=10000"
-Dribbon.connectTimeout=20000"
-Dribbon.readTimeout=20000"
-Duser_id_2=KEERTIV"
-Dobcm_role_desc=OBCM_ROLE"
-Dplatobatch.db.jndi=jdbc/PLATOBATCH"
-Dsms.app.locations=db/migration/sms/obcm-cashflow-forecasting-services,db/
migration/sms/obscfcm-alerts-services,db/migration/sms/obcm-cashflow-
projection-services,db/migration/sms/obcm-collections-maintenance-
services,db/migration/sms/obcm-collections-transaction-services,db/
migration/sms/obcm-day0,db/migration/sms/obcm-report-services,db/
migration/sms/obscfcm-charges-services,db/migration/sms/obscfcm-account-
maintenance-services,db/migration/sms/obcm-netting-service
-Dplatobatch.app.locations=db/migration/platobatch/obcm-collections-
transaction-services,db/migration/platobatch/obcm-collections-maintenance-
services,db/migration/platobatch/obcm-cashflow-prediction-services,db/
migration/platobatch/obcm-netting-service
-Dcmc.app.locations=db/migration/cmc/obcm-day0.
-Dplatoui.app.locations=db/migration/platoui/obcm-day0
-Dplatofeed.app.locations=db/migration/platofeed/obcm-cashflow-forecasting-
services,db/migration/platofeed/obcm-collections-transaction-services
-Dspring.cloud.loadbalancer.ribbon.enabled=false

export JAVA_OPTIONS

```

7

Environment Variable for OBCM_MS_1 managed server

```
#!/bin/bash
JAVA_OPTIONS=${JAVA_OPTIONS}

-Dplato.db.jndi=jdbc/PLATO"
-Dcmc.db.jndi=jdbc/CMNCORE"
-Dplatoui.db.jndi=jdbc/PLATO_UI_CONFIG"
-Dsms.db.jndi=jdbc/sms"
-Dfinance.db.jndi=jdbc/OBSCF_FINANCE"
-Dobscfreport.db.jndi=jdbc/OBSCF_REPORT"
-Dlimits.db.jndi=jdbc/OBSCF_LIMIT_MAINT"
-Dobscfcore.db.jndi=jdbc/OBSCF_CORE"
-Deodbatch.db.jndi=jdbc/EODBATC"
-Dobcmcashflowforecasting.db.jndi=jdbc/OBCM_CASHFLOW_FORCAST"
-Dobcmprojec.server.port=8107"
-Dobcmcashflowprojection.db.jndi=jdbc/OBCM_CASHFLOW_PROJECTION"
-Dplatofeed.db.jndi=jdbc/PLATOFEE"
-Dobcmcollectionmaint.db.jndi=jdbc/OBCM_COLLECTION_MAINT"
-Dcollectiontxn.db.jndi=jdbc/OBCM_COLLECTIONS"
-Dacct.db.jndi=jdbc/OBSCFCM_ACCOUNTING"
-Dcharges.db.jndi=jdbc/OBSCFCM_CHARGES"
-Dobscfcmcore.db.jndi=jdbc/OBSCFCM_CORE_SERVICES"
-Dfilter.db.jndi=jdbc/OBSCFCM_FILTER"
-Dinstrument.db.jndi=jdbc/OBSCFCM_INSTRUMENTS"
-Dmanualrecon.db.jndi=jdbc/OBSCFCM_RECON"
-Dmaint.db.jndi=jdbc/OBSCFCM_MAINTENANCE"
-Dreport.db.jndi=jdbc/OBSCFCM_REPORT"
-Dworkflow.db.jndi=jdbc/OBSCFCM_WORKFLOWS_CONDUCTOR"
-Dplato.services.config.uri=https://<host>:8001"
-Dplato.service.logging.path=/scratch/work_area/application/logs"
-Dapigateway.url=https://<host>.in.example.com:8006"
-Dplato.service.env=CD1"
-Deureka.host=<host>"
-Deureka.port=8004"
-Dfileupload.jdbc.url=jdbc:oracle:thin:@//<host>.in.example.com:1521/orclpdb"
-Dfileupload.schema.username=OBSCFCM_FILE_PROCESSING"
-Dfileupload.schema.password=welome1"
-Dworkflowservice.eureka.host=<host>.in.example.com"
-Dworkflowservice.eureka.port=8203"
-Dkafka.host=<host>"
-Dkafka.port=9092"
-Dzookeeper.port=2181"
-Dplato.services.gateway.port=8006"
-Dplato.services.config.port=8002"
-Dforecasting.jdbc.url=jdbc:oracle:thin:@//<host>.in.example.com:1521/
```

```
orclpdb"
-Dobcmcashflowforecasting.schema.username=OBCM_CASHFLOW_FORECASTING"
-Dobcmcashflowforecasting.schema.password=welome1"
-Dcache.evict.interval.milliseconds=7200000"
-Dcache.evict.initialdelay.milliseconds=7200000"
-Dchatbot.url=https://<host>.in.example.com:8201"
-Doda.uri=idcs-oda"
-D501204fbc4d496dac7b74d15a590dce-t0.data.digitalassistant.oci.oc-
test.com"
-Doda.channelid=569a0fbd"
-D1f4-4a9c-ad7c-86eab83bf957"
-Doda.secretkey=a5TAAyLQF1D0kx0kD1ds41W7d67Hsi80"
-Doda.isoda=Y"
-Dobscfcmalert.core.userId=SUNIL"
-Dobscfcmalert.core.branchCode=004"
-Dobscfcmalert.server.port=8201"
-Dspring.zipkin.baseUrl=http://<host>.in.example.com:9411"
-Deureka.client.serviceUrl.defaultZone=https://
<host>.in.example.com:8004/plato"
-Discovery-service/eureka"
-Dobscfcm.filter.service.appId=OBSCFCM_FILTER"
-Dobscfcmalert.db.jndi=jdbc/OBSCFCM_ALERTS"
-Deureka.connectTimeout=10000"
-Deureka.readTimeout=10000"
-Dribbon.connectTimeout=20000"
-Dribbon.readTimeout=20000"
-Dplato.services.eureka.uri=https://<host>:8004"
-Deureka.protocol=https"
-Dspring.cloud.loadbalancer.ribbon.enabled=false

export JAVA_OPTIONS
```

8

Environment Variable for OBCM_MS_2 managed server

```
#!/bin/bash

JAVA_OPTIONS=${JAVA_OPTIONS}

-Dcashflow-forecasting.db.jndi=jdbc/OBCM_CASHFLOW_FORCAST"
-Drecon.db.jndi=jdbc/OBSCFCM_RECON"
-Dplato.db.jndi=jdbc/PLATO"
-Dcmc.db.jndi=jdbc/CMNCORE"
-Dplatoui.db.jndi=jdbc/PLATO_UI_CONFIG"
-Dsms.db.jndi=jdbc/sms"
-Dfinance.db.jndi=jdbc/OBSCF_FINANCE"
-Dobscfreport.db.jndi=jdbc/OBSCF_REPORT"
-Dlimits.db.jndi=jdbc/OBSCF_LIMIT_MAINT"
-Dobscfcore.db.jndi=jdbc/OBSCF_CORE"
-Deodbatch.db.jndi=jdbc/PLATOBATCH"
-Dobcmcashflowforecasting.db.jndi=jdbc/OBCM_CASHFLOW_FORCAST"
-Dplatofeed.db.jndi=jdbc/PLATOFEEED"
-Dobcmcollectionmaint.db.jndi=jdbc/OBCM_COLLECTION_MAINT"
-Dcollectiontxn.db.jndi=jdbc/OBCM_COLLECTIONS"
-Dacct.db.jndi=jdbc/OBSCFCM_ACCOUNTING"
-Dcharges.db.jndi=jdbc/OBSCFCM_CHARGES"
-Dobscfcmcore.db.jndi=jdbc/OBSCFCM_CORE_SERVICES"
-Dfilter.db.jndi=jdbc/OBSCFCM_FILTER"
-Dinstrument.db.jndi=jdbc/OBSCFCM_INSTRUMENTS"
-Dmanualrecon.db.jndi=jdbc/OBSCFCM_RECON"
-Dmaint.db.jndi=jdbc/OBSCFCM_MAINTENANCE"
-Dreport.db.jndi=jdbc/OBSCFCM_REPORT"
-Dworkflow.db.jndi=jdbc/OBSCFCM_WORKFLOWS_CONDUCTOR"
-Dplato.services.config.uri=https://<host>:8001"
-Dplato.service.logging.path=/scratch/work_area/application/logs"
-Dapigateway.url=https://<host>.in.example.com:8006"
-Dplato.service.env=CD1"
-Deureka.host=<host>"
-Deureka.port=8002"
-Dworkflowservice.eureka.host=<host>"
-Dworkflowservice.eureka.port=8203"
-Dkafka.host=<host> "
-Dkafka.port=9092"
-Dzookeeper.port=2181"
-Dplato.services.gateway.port=8006"
-Dplato.services.config.port=8002"
-Dobcmreport.db.jndi=jdbc/OBCM_REPORT"
-Dcache.evict.interval.milliseconds=7200000"
-Dcache.evict.initialdelay.milliseconds=7200000"
```

```
-Deureka.connectTimeout=10000"
-Deureka.readTimeout=10000"
-Dribbon.connectTimeout=20000"
-Dribbon.readTimeout=20000"
-Dplato.services.eureka.uri=https://<host>:8001"
-Dobcm.mastermaintenance.service.appId=OBSCFCMMMAINT"
-Dobcm.collectionmaintenance.vaultmasterjob.chunkSize=50"
-Dcmncore.cmc-branch.service.appId=CMNCORE"
-Dplato.services.plato.services.platoref.port=8402"
-Dobcmcashflowprediction.db.jndi=jdbc/OBCM_CASHFLOW_PREDICTION"
-Deureka.protocol=https"
-Dspring.cloud.loadbalancer.ribbon.enabled=false

export JAVA_OPTIONS
```

9

Environment Variables for OBSCFCM Day0 Managed Server

Create a file called **setUserOverrides.sh** inside the weblogic bin location of OBSCFCM Service domain with content given below. All the environment variables for OBSCFCM are listed. Replace the values accordingly.

```
#!/bin/bash

JAVA_OPTIONS=${JAVA_OPTIONS}

-Dplato.services.config.port=<port>
-Dplato.services.config.uri=http://<host>:<port>
-Dplato.service.env=DEV -Dplato.service.logging.path=<dir path>
-Dplato.db.jndi=jdbc/PLATO -Dsms.db.jndi=jdbc/sms -Dplatoui.db.jndi=jdbc/
PLATO_UI_CONFIG
-Dcmc.db.jndi=jdbc/CMNCORE -Dplatofeed.db.jndi=jdbc/PLATOFEED
-Deodbatch.db.jndi=jdbc/PLATOBATCH -Daccnt.db.jndi=jdbc/OBSCFCM_ACCOUNTING
-Dcharges.db.jndi=jdbc/OBSCFCM_CHARGES -Dobscfcmcore.db.jndi=jdbc/
OBSCFCM_CORE_SERVICES
-Dfilter.db.jndi=jdbc/OBSCFCM_FILTER -Dinstrument.db.jndi=jdbc/
OBSCFCM_INSTRUMENTS
-Dmanualrecon.db.jndi=jdbc/OBSCFCM_RECON -Dmaint.db.jndi=jdbc/
OBSCFCM_MAINTENANCE
-Dreport.db.jndi=jdbc/OBSCFCM_REPORT -Dworkflow.db.jndi=jdbc/
OBSCFCM_WORKFLOWS_CONDUCTOR
-Dobscfcm_debug_userId=<userid> -Dapigateway_url=http://<host>:<port>
-Dobscfcm_purchase_buyer1_userId=<userid> -
Dobscfcm_purchase_buyer1_branchcode=<branchcode>
-Dobscfcm_purchase_seller1_userId=<userid> -
Dobscfcm_purchase_seller1_branchcode=<branchcode>
-Dobscfcm_invoice_buyer1_branchCode=<branchcode> -
Dobscfcm_invoice_buyer1_userId=<userid>
-Dobscfcm_payment1_branchCode=<branchcode> -Dobscfcm_payment_userId=<userid>
-Dobscfcm_invoice_seller1_branchCode=<branchcode> -
Dobscfcm_invoice_seller1_userId=<userid>
-DaccountingBranchCode=<branchcode> -Drole_id=OSCF_MAKER -
DapplicationCode=OBSCF
-Dobcm_role_id=OBSCM_ROLE -Dobscfcm_role_id=OBSCFCM_ROLE -
Duser_login_id=<userid>
-DbranchId=<branch id> -DbranchCode=<branchcode> -Duser_id_2=<OBSCF second
admin user id>
-Dplatobatch.db.jndi=jdbc/PLATOBATCH -Dplatosecurity.domain.jndi=jdbc/
PLATO_SECURITY
-Dmulti_entity_admin_user=<Multi entity admin user> -
Dmulti_entity_user_email=<Multi entity user email address>
-Dmulti_entity_user_end_date=<Multi entity user end date>
```

```
-Dmulti_entity_user_start_date=<Multi entity user start date>
-Dobcmcashflowforecasting.db.jndi=jdbc/OBCM_CASHFLOW_FORCAST
-Dobcmcollectionmaint.db.jndi=jdbc/OBCM_COLLECTION_MAINT
-Dcollectiontxn.db.jndi=jdbc/OBCM_COLLECTIONS
-Dobcmreport.db.jndi=jdbc/OBCM_REPORT
-Dday0.server.port=<port>
-Deureka.host=https://<host>
-Deureka.port=<port>
-Drole_desc=OSCF_MAKER_role_desc
-Duserloginid1=ADMINUSER1
-Duserloginid2=ADMINUSER2
-Duser1name=ADMINUSER1
-Duser2name=ADMINUSER2
-Duserpassword1=ADMIN#1Pwd
-Duserpassword2=ADMIN#2Pwd
-Duserhomebranch=000
-Duserlocale=IND
-Duserstartdate=43191
-Duserenddate=44287
-Dbankcode=000
-Dbankdesc=OBCMS-UNIVERSAL-BANK
-Dbranchcode=000
-Dbranchname=FLEXCUBE-UNIVERSAL-BRANCH
-Dbranchaddr1=Address1
-Dbranchaddr2=Address2
-Dbranchaddr3=Address3
-Dbranchccy=GBP
-Dcountrycode=GBP
-Dwalkincustomer=12345
-Dhostcode=Host1
-Dhostdesc=Host1
-Dprocesstimezone=GMT
-Dsourcesystem=OBCMS
-Dsourcesystemdesc=Oracle
-Dsourcesystembranch=OBCMS
-Dpreviousworkingday=43922
-Dcurrentworkingday=43923
-Dnextworkingday=43924
-Dlang_code=ENG
-Dlang_desc=English
-Dlang_iso=en
-Dobcm_branchcode=004
-Dobcm_userId=SUNIL
-Dkafka.host=whf00clv
-Dkafka.port=9092
-Dzookeeper.port=2181
-Dobcmprojec.server.port=8204
-Dobcmcashflowprojection.db.jndi=jdbc/OBCM_CASHFLOW_PROJECTION
-Dflyway.domain.placeholders.obscfcm.day0.server.port=<port>
-Duser_id=<user> -Duser_name=<user>
-Duser_loginid=<user> -Dmanagerid=<manageruserid>
-Dbranchcode=004
-Duser_email=<user-email>
-Duser_mobile=<mobile>
-Duser_fax=<>
```

```

-DtelephoneNo=<>
-Dobscfcm_role_id=OBSCFCM_ROLE
-Duser_login_id=<login id>
-Dobscfbatch.enabled=true
-Dobscfcmaccountmaintenance.enabled=true
-Dobscfcmautoreconbatch.enabled=true
-Dobscfcmcharges.enabled=true
-Dobscfcmcoreservices.enabled=true
-Dobscfcmfilterservices.enabled=true
-Dobscfcminstrumentsservices.enabled=true
-Dobscfcmmanualrecon.enabled=true
-Dobscfcmmastermaintenance.enabled=true
-Dobscfcmreconmaintenance.enabled=true
-Dobscfcmreportservices.enabled=true
-Dobscfcmworkflowmanagement.enabled=true
-Dobscf_role_id=OBSCF_ROLE
-Deureka.connectTimeout=10000
-Deureka.readTimeout=10000
-Dribbon.connectTimeout=20000
-Dribbon.readTimeout=20000
-Dflyway.domain.placeholders.obscfcm.day0.obscf_role_id=OBSCF_ROLE
-Dnormal.front.prod=VENF
-Dcompound.rear.prod=BCVD
-Dnormal.rear.prod=SUPF
-Dflyway.domain.placeholders.platobatch.db.jndi=jdbc/PLATOBATCH
-Dflyway.domain.placeholders.platoorch.domain.jndi=jdbc/
OBSCFCM_WORKFLOWS_CONDUCTOR
-Dflyway.domain.placeholders.platosecurity.domain.jndi=jdbc/PLATO_SECURITY
-Dflyway.domain.placeholders.eodbatch.db.jndi=jdbc/PLATOBATCH
-Dflyway.domain.placeholders.obscfcmcore.db.jndi=jdbc/OBSCFCM_CORE_SERVICES
-Dtoday=30-JAN-20
-Dprev_working_day=29-JAN-20
-Dnext_working_day=31-JAN-20
-Dflyway.enabled=false
-Dsms.app.locations= db/migration/sms/obscfcm-account-maintenance-
services,db/migration/sms/obscfcm-alerts-services,db/migration/sms/obscfcm-
auto-recon-batch,db/migration/sms/obscfcm-batch-jobs,db/migration/sms/
obscfcm-charges-services,db/migration/sms/obscfcm-core-services,db/
migration/sms/obscfcm-instruments-receivables-services,db/migration/sms/
obscfcm-manual-recon-services,db/migration/sms/obscfcm-master-maintenance-
services,db/migration/sms/obscfcm-recon-maintenance-services,db/
migration/sms/obscfcm-report-services,db/migration/sms/obscfcm-workflow-
management-services,db/migration/sms/obscfcm-day0-service
-Dplato.app.locations=db/migration/plato/obscfcm-day0,db/migration/plato/
obscf-eod-batch,db/migration/plato/obscfcm-account-maintenance-services,db/
migration/plato/obscfcm-auto-recon-batch,db/migration/plato/obscfcm-charges-
services,db/migration/plato/obscfcm-core-services,db/migration/plato/obscfcm-
filter-services,db/migration/plato/obscfcm-instruments-receivables-
services,db/migration/plato/obscfcm-manual-recon-services,db/migration/plato/
obscfcm-master-maintenance-services,db/migration/plato/obscfcm-recon-
maintenance-services,db/migration/plato/obscfcm-report-services,db/migration/
plato/obscfcm-workflow-management-services
-Dplatoui.app.locations=db/migration/platoui/obscfcm-instruments-receivables-
services,db/migration/platoui/obscfcm-master-maintenance-services
-Dplatofeed.app.locations=db/migration/platofeed/obscfcm-core-services,db/

```

```
migration/platofeed/obscfcm-instruments-receivables-services
-Dplatobatch.app.locations=db/migration/platobatch/obscfcm-batch-
jobs,db/migration/platobatch/obscfcm-auto-recon-batch,db/migration/
platobatch/obscfcm-eod-batch
-Dplatosecurity.app.locations=db/migration/platosecurity/obscfcm-
master-maintenance-services
-Dplatoorch.app.locations=db/migration/platoorch/obscfcm-instruments-
receivables-services,db/migration/platoorch/obscfcm-manual-recon-
services
-Dspring.cloud.loadbalancer.ribbon.enabled=false

export JAVA_OPTIONS
```

Index

E

Environment Variable for CONDUCTOR Domain, [3-1](#)

Environment Variable for OBCM_MS_1 managed server, [7-1](#)

Environment Variable for OBCM_MS_2 managed server, [8-1](#)

Environment Variables for OBCM Day0 Managed Server, [6-1](#)

Environment Variables for OBCM Managed Servers, [5-1](#)

Environment Variables for OBSCFCM Day0 Managed Server, [9-1](#)

Environment Variables for OBSCFCM Managed Servers, [4-1](#)

Environment Variables for Plato Domain, [1-1](#)

Environment Variables for SMS, COMMONCORE, Mid-office Domain, [2-1](#)