

# Oracle® Banking Cash Management Environment Variable Setup Guide



Release 14.7.3.0.0  
F92430-01  
February 2024



Copyright © 2020, 2024, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

# Contents

1	Environment Variables for Plato Domain
2	Environment Variables for SMS, COMMONCORE, Mid-office Domain
3	Environment Variable for CONDUCTOR Domain
4	Environment Variables for OBSCFCM Managed Servers
5	Environment Variables for OBCM Managed Servers
6	Environment Variables for OBCM Day0 Managed Server
7	Environment Variable for OBCM_MS_1 managed server
8	Environment Variable for OBCM_MS_2 managed server
9	Environment Variables for OBSCFCM Day0 Managed Server
	Index

# Preface

- [Purpose](#)
- [Audience](#)
- [Documentation Accessibility](#)
- [Diversity and Inclusion](#)
- [Related Resources](#)
- [Conventions](#)
- [Acronyms and Abbreviations](#)

## Purpose

This guide would help you to set up environment variables for Oracle Banking Microservices Architecture, SMS, Common Core, Middle Office and Oracle Banking Cash Management / Oracle Banking Supply Chain Finance Cash Management.

## Audience

This guide is intended for WebLogic admin or ops-web team who are responsible for installing the OFSS banking products.

## Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

### **Access to Oracle Support**

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

## Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

## Related Resources

The related documents are as follows:

- *Oracle Banking Cash Management Services Installation Guide*

## Conventions

The following text conventions are used in this document:

Convention	Meaning
<b>boldface</b>	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

## Acronyms and Abbreviations

The list of the acronyms and abbreviations used in this guide are as follows:

**Table Acronyms and Abbreviations**

Abbreviation	Description
SMS	Security Management System
CMC	Common Core

# 1

## Environment Variables for Plato Domain

Create a file named **“setUserOverrides.sh”** inside the Weblogic bin location of plato config service domain with the content given below. All the place holders for plato, SMS, Common Core, Mid office and Cash Management/Supply Chain Finance services are listed and replace the values accordingly. When the plato services is getting deployed all the values are inserted in the plato PROPERTIES tables.

```
JAVA_OPTIONS="{JAVA_OPTIONS}"
-DflywayTask=migrate
-Dflyway.enabled=true
-Dspring.flyway.enabled=true
-Dflyway.domain.baselineOnMigrate=true
-Dflyway.domain.ignoreMissingMigrations=true
-Dflyway.domain.outOfOrder=true
-Dflyway.domain.db.username=<username>
-Dflyway.domain.db.password=<password>
-Dflyway.domain.db.jdbcUrl=jdbc:oracle:thin:@//<host>:1521/<SID>
-Dflyway.domain.db.driver
-class-name=oracle.jdbc.driver.OracleDriver
-Dflyway.domain.schemas=PLATO
-Dflyway.domain.locations=db/migration/domain/plato,db/migration/domain/
sms,db/migration/domain/cmc,db/migration/domain/moc,db/migration/domain/
obscf,db/migration/domain/obscfcm
-Dflyway.domain.placeholders.plato.eventhub.broker.hosts=<host>:<port>
-Dflyway.domain.placeholders.plato.eventhub.zookeeper.hosts=<host>:2181
-Dflyway.domain.placeholders.kafka.broker.host=<host>
-Dflyway.domain.placeholders.kafka.broker.port=9092
-Dflyway.domain.placeholders.zk.node.host=<host>
-Dflyway.domain.placeholders.zk.node.port=<port>
-Dflyway.domain.placeholders.eureka.host=<host>
-Dflyway.domain.placeholders.eureka.port=<port>
-Dflyway.domain.placeholders.zipkin.host=<host>
-Dflyway.domain.placeholders.zipkin.port=9411
-
Dflyway.domain.placeholders.driver.className=oracle.jdbc.driver.OracleDriver
-Dflyway.domain.placeholders.api-gateway.host=<host>
-Dflyway.domain.placeholders.USER.STORE=LDAP
-Dflyway.domain.placeholders.LDAP.CORS.allowed.origin=*,localhost,<host>
-Dflyway.domain.placeholders.LDAP.credential.SALT=0.94826284
-Dflyway.domain.placeholders.JWT.EXPIRY.seconds=3600
-Dflyway.domain.placeholders.LDAP.url=ldap://<host>:<port>
-Dflyway.domain.placeholders.LDAP.userId=cn=DirectoryManager
-Dflyway.domain.placeholders.LDAP.server.base=dc=oracle,dc=com
-Dflyway.domain.placeholders.LDAP.server.credential=<ldap-server-credential>
-Dflyway.domain.placeholders.LDAP.usersearch.base=dc=oracle,dc=com
-Dflyway.domain.placeholders.LDAP.user.prefix=cn=
-Dflyway.domain.placeholders.LDAP.provider=<ldap host>
-Dflyway.domain.placeholders.TOKEN.autoregenerate=true
```

```

-Dflyway.domain.placeHolders.SSO.enabled=false
-Dflyway.domain.placeHolders.TOKEN.regeneration.enabled=false
-Dflyway.domain.placeHolders.plato-ui-config-
services.server.port=<port>
-Dflyway.domain.placeHolders.apigateway.host=<host>
-Dflyway.domain.placeHolders.apigateway.port=<port>
-Dflyway.domain.placeHolders.plato-api-gateway.server.port=<port>
-Dflyway.domain.placeHolders.plato-discovery-service.server.port=<port>
-Dflyway.domain.placeHolders.plato-orch-service.server.port=<port>
-Dflyway.domain.placeHolders.plato-orchestrator.hostname=<host>:<port>
-Dflyway.domain.placeHolders.plato-feed-
services.feed.upload.directory=<upload dir path>
-Dflyway.domain.placeHolders.plato-feed-services.server.port=<port>
-Dflyway.domain.placeHolders.plato-batch-server.server.port=<port>
-Dflyway.domain.placeHolders.plato-batch-
server.plato.eventhub.kafka.brokers=<host>:9092
-Dflyway.domain.placeHolders.plato-batch-
server.plato.eventhub.zk.nodes=<host>:<port>
-Dflyway.domain.placeHolders.plato-alerts-management-
services.server.port=<port>
-Dflyway.domain.placeHolders.sms-core-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-advice-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-currency-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-account-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-base-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-branch-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-customer-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-datasegment-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-external-chart-account-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-external-system-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-screenclass-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-settlements-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-transactioncontroller-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-report-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-settlement-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-resource-segment-orchestrator-
service.server.port=<port>
-Dflyway.domain.placeHolders.cmc-txn-code-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-external-virtual-account-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-businessoverrides-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-facilities-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-corebanking-adapter-
service.server.port=<port>
-Dflyway.domain.placeHolders.cmc-nlp-annotator-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-nlp-dashboard-widget-
services.server.port=<port>

```

```

-Dflyway.domain.placeHolders.cmc-nlp-model-mngmnt-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-nlp-online-processing-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-nlp-tag-maint-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-nlp-text-extraction-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-nlp-txn-log-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-nlp-util-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-batch-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.postingPath=/scratch/app/
work_area/cmc_fc_ai_ml/post
-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.pollingEmail=<Email>
-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.emailServerPort=<port>
-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.emailServerHost=<host>
-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.pollingFrequency=100
-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.pollerInitialDelay=500
-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.emailPassword=<password>
-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.pollingPath=/scratch/app/
work_area/cmc_fc_ai_ml/poll
-Dflyway.domain.placeHolders.server.port=<port>
-Dflyway.domain.placeHolders.moc.cmc-earmark-services.server.port=<port>
-Dflyway.domain.placeHolders.ELCM_HTTP_URL=http://<host>:<port>/
-Dflyway.domain.placeHolders.earmark-services=12.5
-Dflyway.domain.placeHolders.elcmProduct=ELCM
-Dflyway.domain.placeHolders.moc.cmc-comments-services.server.port=<port>
-Dflyway.domain.placeHolders.moc.cmc-document-services.server.port=<port>
-Dflyway.domain.placeHolders.dmsServiceUrl=http://<host>:17200/_dav/cs/idcplg
-Dflyway.domain.placeHolders.dmsServiceUsrname=<username>
-Dflyway.domain.placeHolders.dmsServicePwd=<password>
-Dflyway.domain.placeHolders.cmc-applicationcategory-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-checklistmanagement-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-checklist-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-mailnotification.server.port=<port>
-Dflyway.domain.placeHolders.plato-config.url=jdbc:oracle:thin:@//
<host>:1521/<SID>
-Dflyway.domain.placeHolders.sms.url=jdbc:oracle:thin:@//<host>/<SID>
-Dflyway.domain.placeHolders.cmc-kyccheck.server.port=<port>
-Dflyway.domain.placeHolders.rabbitmq.password=<password>
-Dflyway.domain.placeHolders.rabbitmq.userid=<userId>
-Dflyway.domain.placeHolders.rabbitmq.port=<port>
-Dflyway.domain.placeHolders.rabbitmq.host=<hostname>
-Dflyway.domain.placeHolders.weblogic.userid=<userId>
-Dflyway.domain.placeHolders.weblogic.password=<password>
-Dflyway.domain.placeHolders.biPublisher.host=<host>
-Dflyway.domain.placeHolders.biPublisher.port=<port>
-Dflyway.domain.placeHolders.runReportTemplate=http
-Dflyway.domain.placeHolders.emailTemplate=SSH
-Dflyway.domain.placeHolders.dms.host=<host>
-Dflyway.domain.placeHolders.dms.port=<port>
-Dplato.jndi=jdbc/PLATO
-Dplato-config.jndi=jdbc/PLATO
-Dapi-gateway.jndi=jdbc/PLATO_SECURITY

```

```

-Dplato-ui-config.jndi=jdbc/PLATO_UI_CONFIG -Dsms.jndi=jdbc/sms
-Dcmc.jndi=jdbc/CMNCORE -Dplato-feed-services.jndi=jdbc/PLATOFEED
-Dplato-batch-server.jndi=jdbc/PLATO_BATCH
-Dplato-alerts-management-services.jndi=jdbc/PLATOALERTS
-Dflyway.domain.placeholders.plato.jndi=jdbc/PLATO
-Dflyway.domain.placeholders.plato-config.jndi=jdbc/PLATO
-Dflyway.domain.placeholders.api-gateway.jndi=jdbc/PLATO_SECURITY
-Dflyway.domain.placeholders.plato-ui-config.jndi=jdbc/PLATO_UI_CONFIG
-Dflyway.domain.placeholders.sms.jndi=jdbc/sms
-Dflyway.domain.placeholders.cmc.jndi=jdbc/CMNCORE
-Dflyway.domain.placeholders.plato-feed-services.jndi=jdbc/PLATOFEED
-Dflyway.domain.placeholders.plato-batch-server.jndi=jdbc/PLATO_BATCH
-Dflyway.domain.placeholders.plato-alerts-management-
services.jndi=jdbc/PLATOALERTS
-Dflyway.domain.placeholders.eureka.serviceUrl=http://<host>:<port>/
plato-discovery-service/eureka
-Dflyway.domain.placeholders.eureka.serviceurl=http://<host>:<port>/
plato-discovery-service/eureka
-Dflyway.domain.placeholders.spring.zipkin.baseUrl=<host>:9411
-Dflyway.domain.placeholders.zipkin.baseUrl=<host>:9411
-Dflyway.domain.placeholders.zipkin.url=<host>:9411
-
Dflyway.domain.placeholders.eureka.client.serviceUrl.defaultZone=http://
/<host>:8005/plato-discovery-service/eureka
-Dflyway.domain.placeholders.zookeeper.port=2181
-Dflyway.domain.placeholders.kafka.port=9092
-Dflyway.domain.placeholders.kafka.host=<host>
-Dflyway.domain.placeholders.obscf.core.server.port=<port>
-Dflyway.domain.placeholders.OBCL.GWHTTPSERVLETURLOBCL=http://
<host>:7003/GWHTTP/GWHttpServlet
-Dflyway.domain.placeholders.finance.server.port=<port>
-Dflyway.domain.placeholders.plato.services.zipkin.url=<host>:9411
-Dflyway.domain.placeholders.FCUBS.GWHTTPSERVLETURLFCUBS=http://
<host>:<port>/GWHTTP/GWHttpServlet
-Dflyway.domain.placeholders.limitmaint.server.port=<port>
-Dflyway.domain.placeholders.URL.ELCM_HTTP_URL=http://<host>:<port>
-Dflyway.domain.placeholders.limits.server.port=<port>
-Dflyway.domain.placeholders.eod.server.port=<port>
-Dflyway.domain.placeholders.autorecon.server.port=<port>
-Dflyway.domain.placeholders.obscf.report.server.port=<port>
-Dflyway.domain.placeholders.charges.server.port=<port>
-Dflyway.domain.placeholders.accounting.server.port=<port>
-Dflyway.domain.placeholders.cmc.cmc-branch.service.appId=CMNCORE
-Dflyway.domain.placeholders.obscf.maintenance.service.appId=SCFMAINT
-Dflyway.domain.placeholders.reconmaint.server.port=<port>
-Dflyway.domain.placeholders.manualrecon.server.port=<port>
-Dflyway.domain.placeholders.obscfcm.core.server.port=<port>
-Dflyway.domain.placeholders.filter.server.port=<port>
-Dflyway.domain.placeholders.instruments.server.port=<port>
-Dflyway.domain.placeholders.obscfcm.instruments-
receivables.service.appId=OBSCFCMINST
-Dflyway.domain.placeholders.conductor.httpUri=http://<host>:<port>/
obscfcm-workflow-management-services/service/v1/handleHTTPTask
-Dflyway.domain.placeholders.maint.server.port=<port>
-Dflyway.domain.placeholders.obscfcm.report.server.port=<port>

```

```

-Dflyway.domain.placeholders.workflow.server.port=<port>
-Dflyway.domain.placeholders.plato.server.port=<port>
-Dflyway.domain.placeholders.orchestrator.server.uri=http://<Conductor
Host : PORT>/plato-orch/api/
-Dflyway.domain.placeholders.plato-config.sessionIdleTimeout=3000
-Dflyway.domain.placeholders.plato-config.sessionIdleWarningTime=2940
-Dflyway.domain.placeholders.plato-config.environment=DEV
-Dflyway.domain.placeholders.cashflow.server.port=<port>
-Dflyway.domain.placeholders.collmaint.server.port=<port>
-Dflyway.domain.placeholders.colltxn.server.port=<port>
-Dapigateway.url=http://<host>:<port> -Dplato.services.config.port=<port>
-Dplato.services.config.uri=http://<host>:<port> -Dplato.service.env=DEV
-Dplato.service.logging.path=/scratch/work_area/application/logs
-Dflyway.domain.placeholders.plato-batch-server.userId=<userId>
-Dflyway.domain.placeholders.plato-batch-server.branchCode=<branchCode>
-Dflyway.domain.placeholders.cmncore.jndi=jdbc/CMNCORE
-Dflyway.domain.placeholders.cmc-checklist-services.jndi=jdbc/CMNCORE
-Dflyway.domain.placeholders.checklistmanagement-services.jndi=jdbc/CMNCORE
-Dflyway.domain.placeholders.platoui.db.jndi=jdbc/PLATO_UI_CONFIG
-Dflyway.domain.placeholders.screenclass.db.jndi=jdbc/CMNCORE
-Dflyway.domain.placeholders.txncontroller.db.jndi=jdbc/CMNCORE
-Dflyway.domain.placeholders.facilities.db.jndi=jdbc/CMNCORE
-Dplato.db.jndi=jdbc/PLATO
-Dflyway.domain.placeholders.plato.db.jndi=jdbc/PLATO
-Dflyway.domain.placeholders.sms.db.jndi=jdbc/sms
-Dflyway.domain.placeholders.user.mapping.required=true
-Dflyway.domain.placeholders.api-gateway.schemas=PLATO_SECURITY
-Dflyway.domain.placeholders.platoui.schemas=PLATO_UI_CONFIG
-Dflyway.domain.placeholders.platoui.username=<username>
-Dflyway.domain.placeholders.platoui.password=<password>
-Dflyway.domain.placeholders.cmncore.schemas=COMMON_CORE
-Dflyway.domain.placeholders.cmncore.db.password=<username>
-Dflyway.domain.placeholders.cmncore.db.username=<password>
-Dflyway.domain.placeholders.sms.schemas=SMSCD0
-Dflyway.domain.placeholders.plato-ui-config.schemas=PLATO_UI_CONFIG
-Dflyway.domain.placeholders.plato-feed-services.schemas=PLATOFEED
-Dflyway.domain.placeholders.plato-feed-services.schemas=PLATO_FEED
-Dflyway.domain.placeholders.plato-batch-server.schemas=PLATO_BATCH
-Dflyway.domain.placeholders.plato-alerts-management-
services.schemas=PLATOALERTS
-Dflyway.domain.placeholders.platoui.jdbcUrl=jdbc:oracle:thin:@//<host>:1521/
<SID>
-Dflyway.domain.placeholders.cmncore.db.url=jdbc:oracle:thin:@//<host>:1521/
<SID>
-Dflyway.domain.placeholders.cmncore.db.schemas=COMMON_CORE
-Dflyway.domain.placeholders.cmc-obrh-services.server.port=<port>
-Dflyway.domain.placeholders.cmc-charges-calculation-
services.server.port=<port>
-Dflyway.domain.placeholders.plato.db.jndi=jdbc/PLATO
-Dflyway.domain.placeholders.sms.db.jndi=jdbc/sms
-Dflyway.domain.placeholders.flyway.plato.schema=PLATO
-Dflyway.domain.placeholders.flyway.sms.schema=SMSCD0
-Dflyway.domain.placeholders.flyway.domain.schema=COMMON_CORE
-Dflyway.domain.placeholders.obrh.db.jndi=jdbc/CMNCORE
-Dflyway.domain.placeholders.platouserlog.path=/scratch/work_area/

```

```

application/logs
-Dflyway.domain.placeHolders.plato.alerts.email.password=<password>
-Dflyway.domain.placeHolders.plato.alerts.email.userId=<userId>
-Dflyway.domain.placeHolders.cmncore.db.jndi=jdbc/CMNCORE
-Dflyway.domain.placeHolders.vam.schemas=VAM
-Dflyway.domain.placeHolders.vam.jndi=jdbc/VAM
-
Dflyway.domain.placeHolders.obscfcm.conductor.service.appId=OBSCFCMCDTR
-Dflyway.domain.placeHolders.obscfcm.conductor.service.uri=http://
<host>:7005/obscfcm-workflow-management-services/service/v1/
handleHTTPTask
-Dflyway.domain.placeHolders.plato.alerts.cmc.userId=<userId>
-Dflyway.domain.placeHolders.plato.alerts.cmc.branchCode=<branchCode>
-Dflyway.domain.placeHolders.plato.alerts.cmc.appId=CMNCORE
-Dflyway.domain.placeHolders.platoorch.domain.jndi=jdbc/PLATO-0
-
Dflyway.domain.placeHolders.platoorch.domain.schemas=OBSCFCM_WORKFLOWS_
CONDUCTOR
-Dflyway.domain.placeHolders.cmc-obrh-services.kafka.server.path=/
scratch/depoyed/kafka/kafka
-Dflyway.domain.placeHolders.cmc-obrh-services.zookeeper.server.path=/
scratch/depoyed/kafka/apache-zookeeper-3.5.6-bin
-Dflyway.domain.placeHolders.obcmcff.service.userId=<userId>
-Dflyway.domain.placeHolders.obcmcff.service.branchCode=<branchCode>
-Dflyway.domain.placeHolders.upload.handler.userId=<userId>
-Dflyway.domain.placeHolders.upload.handler.branchCode=<branchCode>
-Dflyway.domain.placeHolders.obcm.core.branchCode=<branchCode>
-Dflyway.domain.placeHolders.obcm.core.userId=<userId>
-
Dflyway.domain.placeHolders.obcm.collectiontransaction.poolingjob.userI
d=<userId>
-
Dflyway.domain.placeHolders.obcm.colleactiontransaction.service.userId=
<userId>
-
Dflyway.domain.placeHolders.obcm.mastermaintenance.service.userId=<user
Id>
-Dflyway.domain.placeHolders.obscfcm.core.userId=<userId>
-Dflyway.domain.placeHolders.obscfcm.core.branchCode=<branchCode>
-Dflyway.domain.placeHolders.obscf.finance.emailto=<emailto>
-Dflyway.domain.placeHolders.report-service.server.port=<port>
-Dflyway.domain.placeHolders.report-service.username=<username>
-Dflyway.domain.placeHolders.report-service.password=<password>
-Dflyway.domain.placeHolders.report-
service.jdbcUrl=jdbc:oracle:thin:@//<host>:1521/<SID>
-Dflyway.domain.placeHolders.report-
service.schemas=PLATO_REPORT_SERVICE
-Dflyway.domain.placeHolders.plato-rule-service.server.port=<port>
-Dflyway.domain.placeHolders.plato-rule.hostname=<host>
-Dflyway.domain.placeHolders.platorule.domain.jndi=jdbc/PLATORULE
-Dflyway.domain.placeHolders.platorule.domain.schemas=PLATORULE
-Dflyway.domain.placeHolders.day0.server.port=<port>
-Dflyway.domain.placeHolders.cmc-nlp-pipeline-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-nlp-opennlp-

```

```

services.server.port=<port>
-Dflyway.domain.placeHolders.plato-config.db.jndi=jdbc/PLATO
-Dflyway.domain.placeHolders.cmc-nlp-maintenance-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-nlp-docview-services.server.port=<port>
-Dflyway.domain.placeHolders.obcmprojec.server.port=<port>
-Dflyway.domain.placeHolders.obscfcm.day0.server.port=<port>
-Dflyway.domain.placeHolders.cmc-ml-indb-services.server.port=<port>
-Dflyway.domain.placeHolders.obscf.day0.server.port=<port>
-Dflyway.domain.placeHolders.cmc-obrh-services.kafka.enabled=true
-Dflyway.domain.placeHolders.cmc-sla-services.server.port=<port>
-Dflyway.domain.placeHolders.obscfcm.filter.service.appId=OBSCFCMFILTER
-Dflyway.domain.placeHolders.obscf.core.service.appId=SCFCORE
-Dflyway.domain.placeHolders.obscfcm.filter.service.appId=OBSCFCMFILTER
-Dflyway.domain.placeHolders.obscfcmalert.core.userId=<userId>
-Dflyway.domain.placeHolders.obscfcmalert.core.branchCode=<branchCode>
-Dflyway.domain.placeHolders.obscfcmalert.server.port=<port>
-Dflyway.domain.placeHolders.obcbs.server.port=<port>
-Dflyway.domain.placeHolders.plato.services.rule.uri=http://<host>:<port>/
rule-service
-Dflyway.domain.placeHolders.cmc-obcbs-services.schemas=COMMON_CORE
-Dflyway.domain.placeHolders.plato.service.logging.path=/scratch/work_area/
application/logs
-Dflyway.domain.placeHolders.plato.service.env=DEV
-Dflyway.domain.placeHolders.orch.cmc.brn=<branchCode>
-Dflyway.domain.placeHolders.orch.cmc.user=<userId>
-Dflyway.domain.placeHolders.orch.enableDynamicAllocation=false
-Dflyway.domain.placeHolders.orch.enableSLA=false
-Dflyway.domain.placeHolders.report-service.domain.jndi=jdbc/REPORTSERVICE
-Dflyway.domain.placeHolders.cmc.schemas=COMMON_CORE
-Dflyway.domain.placeHolders.report-service.template-metadata-directory=<dir
path>
-Dflyway.domain.placeHolders.report-service.output-directory=<dir path>
-Dflyway.domain.placeHolders.report-service.fop-config-file=<path to
fop.xconf>
-Dflyway.domain.placeHolders.obpm.service.obpmBranchCode=<OBPM branch code>
-Dflyway.domain.placeHolders.obpm.service.obpmSourceCode=EXTSYS
-Dflyway.domain.placeHolders.obpm.service.userId=<OBPM user id>
-Dflyway.domain.placeHolders.obpm.service.serviceConsumer=OBSCFCM_OBPM
-
Dflyway.domain.placeHolders.obpm.service.createPMSinglePayOut=CreatePMSingleP
ayOut
-Dflyway.domain.placeHolders.obpm.service.obpmHostCode=INDIA
-Dflyway.domain.placeHolders.obpm.service.obpmLoanSourceCode=OBSCF
-
Dflyway.domain.placeHolders.obpm.service.createExternalConsumerLoan=CreateExt
ernalConsumerLoan
-Dflyway.domain.placeHolders.obcl_userId=<OBCL user id>
-Dflyway.domain.placeHolders.obcl_source=SCFEXT
-Dflyway.domain.placeHolders.obrh_path=http://<host name>:<port no>/cmc-obrh-
services/route/dispatch
-Dflyway.domain.placeHolders.obcl.service.QueryLoanOSAmount=QueryLoanOSAmount
-Dflyway.domain.placeHolders.obcl.service.CreateContractSim=CreateContractSim
-Dflyway.domain.placeHolders.obcl.service.CreateContract=CreateContract
-Dflyway.domain.placeHolders.obcl.service.ModifyContAmend=ModifyContAmend
-Dflyway.domain.placeHolders.obcl.service.CreatePayment=CreatePayment

```

```

-
Dflyway.domain.placeholders.obcl.service.ReverseContract=ReverseContract
-Dflyway.domain.placeholders.obcl.service.QueryTrnInfo=QueryTrnInfo
-DfcubsBranchId=<FCUBS branch id> -
Dflyway.domain.placeholders.apigateway.protocol=<http or https>
-Dflyway.domain.placeholders.plato.alerts.email.smtp.host=internal-mail-router.oracle.com
-Dflyway.domain.placeholders.plato.alerts.email.smtp.out.port=<Listen port of smtp>
-Dflyway.domain.placeholders.plato.alerts.email.auth=false
-
Dflyway.domain.placeholders.plato.alerts.email.socketfactory.port=<Listen port of socketfactory>
-Dflyway.domain.placeholders.orch.usingRuleEngine=false
-Dflyway.domain.placeholders.plato.samlSSOEnabled=false
-Dflyway.domain.placeholders.plato.feed.email.password=<Password for plato feed email>
-Dflyway.domain.placeholders.plato.feed.email.userId=<User Id for plato feed email>
-Dflyway.domain.placeholders.plato.feed.sms.userId=<User Id for sms>
-Dflyway.domain.placeholders.plato.feed.sms.branchCode=<Branch Code for Sms>
-Dflyway.domain.placeholders.plato.feed.sms.appId=<App Id for sms>
-Dflyway.domain.placeholders.plato.feed.sms.multiEntityAdmin=<Admin for sms>
-Dflyway.domain.placeholders.plato.feed.email.smtp.host=<Host for smtp>
-Dflyway.domain.placeholders.plato.feed.email.smtp.out.port=<Port for smtp>
-Dflyway.domain.placeholders.plato.feed.email.auth=<Email authorization>
-Dflyway.domain.placeholders.plato.feed.email.socketfactory.port=<Port for socketfactory>
-Dflyway.domain.placeholders.INTEGRATION.ENABLED=<integration enabled true or false>
-Dflyway.domain.placeholders.cmc-deprecation-service.server.port=<Listen port for deprecation service>
-Dflyway.domain.placeholders.cmc-additional-attributes-services.server.port=<Listen port for cmc-additional-attributes-services>
-Dflyway.domain.placeholders.cmc-opds-services.schemas=COMMON_CORE
-Dflyway.domain.placeholders.obcmreport.server.port=<Port>
-Dplato.services.entityservices.port=<Port>
-Dflyway.domain.placeholders.report-service.hostname=<host>
-Dflyway.domain.placeholders.obvam.service.branchCode=6
-Dflyway.domain.placeholders.obvam.service.userId=OBVAMUSER2
-Dflyway.domain.placeholders.opds.server.port=<Port>
-Dflyway.domain.placeholders.cmc-opds-services.schemas=COMMON_CORE
-Dflyway.domain.placeholders.obcl_service_consumer=OBSCFCM_STUB
-Dplato.services.eureka.uri=https://<host>:8101
-Dflyway.domain.placeholders.zookeeper.host=<host>
-Dflyway.domain.placeholders.fcubsBranchId=0
-Dplato.services.kafka.brokers=<host>:<port>
-Daccounting.obvam.userid=OBVAMUSER2
-

```

```

Dflyway.domain.placeholders.alerts.email.attachment.encryption.passKey=XXX
-
Dflyway.domain.placeholders.alerts.email.attachment.watermark.required=false
-Dflyway.domain.placeholders.alerts.email.attachment.watermark.image.loc=Y
-
Dflyway.domain.placeholders.alerts.email.attachment.encryption.required=true
-Dflyway.domain.placeholders.plato.services.kafka.brokers=<host>:<port>
-Dflyway.domain.placeholders.accounting.obvam.userid=OBVAMUSER2
-Dflyway.domain.placeholders.cmc-mis-services.jndi=jdbc/CMNCORE
-Dflyway.domain.placeholders.cmc-mis-services.schemas=COMMON_CORE
-Dflyway.domain.placeholders.obcmpredict.server.port=112
-Dflyway.domain.placeholders.kafka.ssl.truststore.location=<trust key .jks
path>
-Dflyway.domain.placeholders.kafka.ssl.truststore.password=<password>
-Dflyway.domain.placeholders.kafka.binder.jaas.options.username=<user>
-Dflyway.domain.placeholders.kafka.binder.configuration.sasl.mechanism=SCRAM-
SHA-256
-
Dflyway.domain.placeholders.kafka.binder.configuration.security.protocol=SASL
_SSL
-
Dflyway.domain.placeholders.kafka.binder.jaas.loginModule=org.apache.kafka.co
mmon.security.scram.ScramLoginModule
-Dflyway.domain.placeholders.kafka.binder.jaas.options.password=obscf-secret
-Dflyway.domain.placeholders.feed.protocol=http
-Dflyway.domain.placeholders.feed.dateFormat=1/1/2021
-Dflyway.domain.placeholders.feed.recordLevelApprovalReqd=false
-Dflyway.domain.placeholders.cmc-resourceclass-services.jndi=jdbc/CMNCORE
-Dflyway.domain.placeholders.cmc-resourceclass-services.schemas=COMMON_CORE
-Dflyway.domain.placeholders.obscfcore.db.jndi=jdbc/OBSCF_CORE
-Dflyway.domain.placeholders.cmc.db.jndi=jdbc/CMNCORE
-Dflyway.domain.placeholders.finance.db.jndi=jdbc/OBSCF_FINANCE
-Dflyway.domain.placeholders.limits.db.jndi=jdbc/OBSCF_LIMIT_UTILIZ
-Dflyway.domain.placeholders.obscfreport.db.jndi=jdbc/OBSCF_REPORT
-Dflyway.domain.placeholders.accnt.db.jndi=jdbc/OBSCFCM_ACCOUNTING
-Dflyway.domain.placeholders.batch.db.jndi=jdbc/PLATOBATCH
-Dflyway.domain.placeholders.obscfcmalert.db.jndi=jdbc/OBSCFCM_ALERTS
-Dflyway.domain.placeholders.manualrecon.db.jndi=jdbc/OBSCFCM_RECON
-Dflyway.domain.placeholders.workflowservice.eureka.host=<host>
-Dflyway.domain.placeholders.workflowservice.eureka.port=<Port>
-Dflyway.domain.placeholders.charges.db.jndi=jdbc/OBSCFCM_CHARGES
-Dflyway.domain.placeholders.eod.db.jndi=jdbc/EOD
-Dflyway.domain.placeholders.filter.db.jndi=jdbc/OBSCFCM_FILTER
-Dflyway.domain.placeholders.maint.db.jndi=jdbc/OBSCFCM_MAINTENANCE
-Dflyway.domain.placeholders.report.db.jndi=jdbc/OBSCFCM_REPORT
-Dflyway.domain.placeholders.instrument.db.jndi=jdbc/OBSCFCM_INSTRUMENTS
-Dflyway.domain.placeholders.platofeed.db.jndi=jdbc/PLATOFEEED
-Dflyway.domain.placeholders.chatbot.url=https://<host:port>
-Dflyway.domain.placeholders.oda.uri=idcs-oda
-D501204fbc4d496dac7b74d15a590dce-t0.data.digitalassistant.oci.oc-test.com =
-Dflyway.domain.placeholders.oda.channelid=569a0fbd
-D1f4-4a9c-ad7c-86eab83bf957 =
-Dflyway.domain.placeholders.oda.secretkey=<seceret-key>
-Dflyway.domain.placeholders.oda.isoda=Y
-Dflyway.domain.placeholders.workflow.db.jndi=jdbc/

```

```

OBSCFCM_WORKFLOWS_CONDUCTOR
-Dflyway.domain.placeHolders.obcmcashflowforecasting.db.jndi=jdbc/
OBCM_CASHFLOW_FORCAST
-Dflyway.domain.placeHolders.obcmcollectionmaint.db.jndi=jdbc/
OBCM_COLLECTION_MAINT
-Dflyway.domain.placeHolders.obcmcashflowprojection.db.jndi=jdbc/
OBCM_CASHFLOW_PROJECTION
-Dflyway.domain.placeHolders.obcmreport.db.jndi=jdbc/OBCM_REPORT
-Dflyway.domain.placeHolders.collectiontxn.db.jndi=jdbc/
OBCM_COLLECTIONS
-Dnormal.front.prod=VENF
-Dcompound.rear.prod=BCVD
-Dnormal.rear.prod=SUPF
-Dflyway.domain.placeHolders.obcl.service.QueryContract=QueryContract
-Dflyway.domain.placeHolders.platobatch.db.jndi=jdbc/PLATOBATCH
-Dflyway.domain.placeHolders.platosecurity.domain.jndi=jdbc/
PLATO_SECURITY
-Dflyway.domain.placeHolders.eodbbatch.db.jndi=jdbc/PLATOBATCH
-Dflyway.domain.placeHolders.obscfcmcore.db.jndi=jdbc/
OBSCFCM_CORE_SERVICES
-
Dflyway.domain.placeHolders.obpm.service.initiateOutwardClg=InitiateOut
wardClearing
-Dflyway.domain.placeHolders.plato-feed-ref.jndi=jdbc/PLATOFEED
-Dflyway.domain.placeHolders.plato-feed-ref.server.port=<Port>
-Dflyway.domain.placeHolders.plato-feed-ref.username=<user>
-Dflyway.domain.placeHolders.plato-feed-ref.password=<password>
-Dflyway.domain.placeHolders.plato-feed-
ref.jdbcUrl=jdbc:oracle:thin:@//<host>.in.example.com:<port>/<service
name>
-Dflyway.domain.placeHolders.plato-feed-ref.schemas=PLATO_FEED
-Deureka.protocol=http
-Dflyway.domain.placeHolders.plato-transport-service.server.port=<Port>
-Dflyway.domain.placeHolders.plato-transport-service.jndi=jdbc/
PLATOTRANSPORT
-Dflyway.domain.placeHolders.plato-transport-
service.schemas=PLATO_TRANSPORT
-Dflyway.domain.placeHolders.plato-transport-
service.transport.filePath=/scratch/plato-transport/
-Dflyway.domain.placeHolders.config-service.server.port=<Port>
-Dflyway.domain.placeHolders.plato.feed.fss.filestore.protocol=http
-Dflyway.domain.placeHolders.plato.feed.fss.filestore.host=127.0.0.1
-Dflyway.domain.placeHolders.plato.feed.fss.filestore.port=<Port>
-
Dflyway.domain.placeHolders.plato.feed.fss.filestore.contextRoot=filest
ore/private
-Dflyway.domain.placeHolders.plato.feed.fss.filestream.protocol=http
-Dflyway.domain.placeHolders.plato.feed.fss.filestream.host=127.0.0.1
-Dflyway.domain.placeHolders.plato.feed.fss.filestream.port=<Port>
-
Dflyway.domain.placeHolders.plato.feed.fss.filestream.contextRoot=filest
ream/private
-Dflyway.domain.placeHolders.plato.feed.fss.auth.bearerToken=unset
-
Dflyway.domain.placeHolders.plato.feed.fss.par.upload.description=fileu

```

```

pload
-Dflyway.domain.placeholders.plato.feed.fss.par.storageDirective=filestream/
private
-Dflyway.domain.placeholders.plato.feed.fss.stripe.service.tag=feed-
services
-Dflyway.domain.placeholders.flyway.platofeed.schemas=PLATO_FEED
-Dflyway.domain.placeholders.cmc-service-Deprecation-svc.server.port=<port>
-Dflyway.domain.placeholders.kafka.broker.username=<user>
-Dflyway.domain.placeholders.kafka.broker.password=<password>
-Dflyway.domain.placeholders.kafka.binder.brokers.port=<Port>
-Dflyway.domain.placeholders.kafka.binder.zkNodes.port=<Port>
-Dflyway.domain.placeholders.kafka.binder.brokers.host=<host>
-Dflyway.domain.placeholders.kafka.binder.zkNodes.host=<host>
-Dflyway.domain.placeholders.obscfcm-batch-jobs.server.port=<Port>
-Dflyway.domain.placeholders.obscfcm-chatbot-services.server.port=<Port>
-Dflyway.domain.placeholders.apigateway.url=https://<host>:<port>
-Dflyway.domain.placeholders.cmc-comments-services.server.port=<Port>
-Dflyway.domain.placeholders.cmc-priority-services.server.port=<Port>
-Dflyway.domain.placeholders.documentmanagement-services.server.port=<Port>
-Dflyway.domain.placeholders.kyccheck-services.server.port=<Port>
-Dflyway.domain.placeholders.processcode-services.server.port=<Port>
-Dflyway.domain.placeholders.sequencegeneratorservice.server.port=<Port>
-Dflyway.domain.placeholders.opds.batch.partitionCount=
-Dflyway.domain.placeholders.opds.batch.destinationTopic=
-Dflyway.domain.placeholders.opds.batch.consumerGroupName=
-Dflyway.domain.placeholders.opds.batch.autoAddPartitions=
-Dflyway.domain.placeholders.plato.eventhub.kafka.brokers=<host>:<port>
-Dflyway.domain.placeholders.plato.eventhub.zk.nodes=<host>:2181
-Dflyway.domain.placeholders.alert.service.serviceConsumer=OBSCFCM_ALERTS
-Dflyway.domain.placeholders.alert.service.alertMessage=AlertMessage
-Dflyway.domain.placeholders.plato.flyway.enabled=true
-Dflyway.domain.placeholders.plato-api-gateway.min.pswd.length=8
-Dflyway.domain.placeholders.plato-api-gateway.max.pswd.length=11
-Dflyway.domain.placeholders.plato-api-gateway.min.pswd.age=1
-Dflyway.domain.placeholders.plato-api-gateway.max.pswd.age=90
-Dflyway.domain.placeholders.plato-api-gateway.upper.char.flag=N
-Dflyway.domain.placeholders.plato-api-gateway.upper.char.count=2
-Dflyway.domain.placeholders.plato-api-gateway.lower.char.flag=Y
-Dflyway.domain.placeholders.plato-api-gateway.lower.char.count=2
-Dflyway.domain.placeholders.plato-api-gateway.special.char.flag=N
-Dflyway.domain.placeholders.plato-api-gateway.special.char.count=1
-Dflyway.domain.placeholders.plato-api-gateway.numeric.char.flag=Y
-Dflyway.domain.placeholders.plato-api-gateway.numeric.char.count=1
-Dflyway.domain.placeholders.plato-api-gateway.pswd.validation.flag=Y
-Dflyway.domain.placeholders.plato.services.entityservices.port=<Port>
-Dflyway.domain.placeholders.cmc-obrh-services.audit.retention.days=7
-Dflyway.domain.placeholders.cmc-obrh-services.audit.retention.archival=true
-Dflyway.domain.placeholders.cmc-obrh-services.oic.oauth.scope=dummy
-Dflyway.domain.placeholders.cmc-obrh-services.oic.secretStore.url=https://
dummy
-Dflyway.domain.placeholders.cmc-obrh-services.oic.idcs.url=https://dummy
-
Dflyway.domain.placeholders.plato.orchestrator.enableSubWfDynamicAllocation=f
alse
-Dflyway.domain.placeholders.plato-api-

```

```

gateway.external.sso.validation.url=https://dummy
-Dflyway.domain.placeholders.plato-api-gateway.external.sso.key=dummy
-Dflyway.domain.placeholders.plato-api-
gateway.sso.service.provider=dummy
-Dflyway.domain.placeholders.plato-api-gateway.headers=dummy
-Dflyway.domain.placeholders.actuator.endpoint=prometheus,health
-Dflyway.domain.placeholders.cmc-obrh-kafka-consumer.server.port=<Port>
-Dflyway.domain.placeholders.obscffci.db.jndi=jdbc/OBSCF_FCI_MESSAGES
-Dflyway.domain.placeholders.obscffci.server.port=<Port>
-Dflyway.domain.placeholders.eureka.instance.prefer-ip-address=false
-Dflyway.domain.placeholders.ssl.enabled=true
-Dflyway.domain.placeholders.ssl.disabled=false
-Dflyway.domain.placeholders.obscfislamic.db.jndi=jdbc/OBSCF-ISLAMIC-
INSTRUMENTS
-Dflyway.domain.placeholders.obscfislamic.server.port=<Port>
-
Dflyway.domain.placeholders.kafka.ssl.endpoint.identification.algorithm
=https
-Dflyway.domain.placeholders.plato-api-
gateway.load.balanced.rest.template=true
-
Dflyway.domain.placeholders.plato.feed.feed.system.objectStore.stripename=feeds
-Dflyway.domain.placeholders.feed.system.approverId=<Approver UserId>
-
Dflyway.domain.placeholders.alert.service.serviceConsumer=OBSCFCM_ALERT
S
-Dflyway.domain.placeholders.alert.service.alertMessage=AlertMessage
-Dflyway.domain.placeholders.plato-password-policy-
service.server.port=<Managed server ssl port for target service>
-Dflyway.domain.placeholders.plato-password-policy-service.jndi=jdbc/
PLATO_PASSWORD
-Dflyway.domain.placeholders.plato-password-policy-
service.schemas=PLATO_PASSWORD
-Dflyway.domain.placeholders.plato-password-policy-
service.locations=db/migration/domain/plato
-Dflyway.sms.placeholders.role_id=ADMIN_ROLE
-Dspring.cloud.loadbalancer.ribbon.enabled=false
-DfcubsUserId=<user id for fcubs>
-DfcubsSource=EXTSYS
-Dflyway.domain.placeholders.cmc-opds-
services.isAsyncLoggingEnabled=true
-Dflyway.domain.placeholders.cmc-opds-
services.ischargesAsyncLoggingEnabled=true
-Dflyway.domain.placeholders.cmc-opds-services.DbLogEnabled=false
-Dflyway.domain.placeholders.datamigration.contextRoot=<>
-Dflyway.domain.placeholders.datamigration.host=<>
-Dflyway.domain.placeholders.datamigration.port=<>
-Dflyway.domain.placeholders.datamigration.protocol=<>
-Dflyway.domain.placeholders.router.protocol=<http or https>
-Dflyway.domain.placeholders.router.meadmin.port=<port no>
-Dflyway.domain.placeholders.dataload.protocol=<>
-Dflyway.domain.placeholders.dataload.job.gridSize=null
-Dflyway.domain.placeholders.dataload.job.queueCapacity=null
-

```

```

Dflyway.domain.placeholders.plato.dataload.framework.eureka.client.readTimeout=<>
-Dflyway.domain.placeholders.plato.dataload.fss.filestore.protocol=<>
-Dflyway.domain.placeholders.plato.dataload.fss.filestore.host=<>
-Dflyway.domain.placeholders.plato.dataload.fss.bearerTokenFileName=<>
-Dflyway.domain.placeholders.plato.dataload.fss.stripe.service.tag=<>
-Dflyway.domain.placeholders.plato.dataload.fss.filestream.protocol=<>
-Dflyway.domain.placeholders.plato.dataload.fss.filestream.port=<>
-Dflyway.domain.placeholders.plato.dataload.fss.filestore.port=<>
-Dflyway.domain.placeholders.plato.dataload.fss.par.storageDirective=<>
-Dflyway.domain.placeholders.plato.dataload.fss.bearerTokenPath=<>
-
Dflyway.domain.placeholders.plato.dataload.framework.eureka.client.connectTimeout=<>
-Dflyway.domain.placeholders.plato.dataload.fss.par.upload.description=<>
-Dflyway.domain.placeholders.plato.dataload.fss.filestore.contextRoot=<>
-Dflyway.domain.placeholders.batch.appId=<>
-Dflyway.domain.placeholders.plato.dataload.system.objectStore.stripeName=<>
-Dflyway.domain.placeholders.domain.placeholderReplacement=<>
-Dflyway.domain.placeholders.plato.placeholderReplacement=<>
-Dflyway.domain.placeholders.cmc.placeholderReplacement=
-Dflyway.domain.placeholders.moc.placeholderReplacement=
-Dflyway.domain.placeholders.sms.placeholderReplacement=<>
-Dflyway.domain.placeholders.plato.dataload.fss.filestream.contextRoot=<>
-Dflyway.domain.placeholders.plato.dataload.fss.filestream.host=<>
-Dflyway.domain.placeholders.plato.eventhub.consumer.maxPollInterval=3
-Dflyway.domain.placeholders.plato.eventhub.consumer.maxPollRecords=3
-Dflyway.domain.placeholders.plato-apigateway-
router.server.port=<APIGATEWAY_ROUTER_PORT>
-Dflyway.domain.placeholders.cmc-report-services.coherence.enabled=true
-Dflyway.domain.placeholders.cmc-batch-services.coherence.enabled=true
-Dflyway.domain.placeholders.cmc-external-system-
services.coherence.enabled=true
-Dflyway.domain.placeholders.cmc-txn-code-services.coherence.enabled=true
-Dflyway.domain.placeholders.cmc-txn-code-services.loadCacheOnStartUp=true
-Dflyway.domain.placeholders.cmc-obrh-services.coherence.enabled=true
-Dflyway.domain.placeholders.obrh.audit.type.log.event=LOG
-Dflyway.domain.placeholders.obrh.audit.type=DEFAULT
-
Dflyway.domain.placeholders.kafka.binder.configuration.security.protocol=SASL
_SSL
-Dflyway.domain.placeholders.kafka.binder.configuration.sasl.mechanism=SCRAM-
SHA-256
-
Dflyway.domain.placeholders.kafka.binder.jaas.loginModule=org.apache.kafka.co
mmon.security.scram.ScramLoginModule
-Dflyway.domain.placeholders.sms-core-services.loadCacheOnStartUp=<<true or
false>>
-Dflyway.domain.placeholders.sms-core-services.coherence.enabled=<<true or
false>>
-Dflyway.domain.placeholders.cmc-obrh-services.coherence.enabled=<<true or
false>>
-Dflyway.domain.placeholders.cmc-opds-services.loadCacheOnStartUp=<<true or
false>>
-Dflyway.domain.placeholders.cmc-opds-services.coherence.enabled=<<true or

```

```

false>>
-Dflyway.domain.placeholders.cmc-interest-rate-
services.coherence.enabled=<<true or false>>
-Dflyway.domain.placeholders.cmc-limits-collaterals-
services.server.port=<<port_number>>
-Dflyway.domain.placeholders.oba.isObaUserAvailable=<Y/N>
-Dflyway.domain.placeholders.oba.isObaBranchAvailable=<Y/N>
-Dflyway.domain.placeholders.oba.external.branchCode=<OBA_BRANCH_CODE>
-Dflyway.domain.placeholders.oba.service.sourceCode=<OBSCFCM/OBCM/
OBSCF>
-Dflyway.domain.placeholders.oba.service.obaUserId=<OBA_USERID>
-
Dflyway.domain.placeholders.oba.service.serviceConsumer=<OBA_SERVICE_CO
NSUMER_NAME>
-Dflyway.domain.placeholders.oba.service.obaAppId=<OBA APP ID>
-Dflyway.domain.placeholders.oba.service.obaEntityId=<OBA ENTITY ID>
-Dflyway.domain.placeholders.oba.service.requestType=<OBA REQUEST TYPE>
-Dflyway.domain.placeholders.obscfcm-report-
services.coherence.enabled=true
-Dflyway.domain.placeholders.obscfcm-batch-jobs.coherence.enabled=true
-Dflyway.domain.placeholders.obscfcm-chatbot-
services.coherence.enabled=true
-Dflyway.domain.placeholders.obcm-report-
services.coherence.enabled=true
-Dflyway.domain.placeholders.obcm-cashflow-forecasting-
services.coherence.enabled=true
-Dflyway.domain.placeholders.obcm-cashflow-projection-
services.coherence.enabled=true
-Dflyway.domain.placeholders.obcm-cashflow-prediction-
services.coherence.enabled=true
-Dflyway.domain.placeholders.obcm-collections-transaction-
services.coherence.enabled=true
-Dflyway.domain.placeholders.obcm-multilateral-
service.coherence.enabled=true
-DfcubsBranch=<branch code for fcubs>
-
Dflyway.domain.placeholders.obcmforecasting.schemas=<OBCM_CASHFLOW_FORC
ASTING SCHEMA>
-
Dflyway.domain.placeholders.obcmprojection.schemas=<OBCM_CASHFLOW_PROJE
CTION SCHEMA>
-
Dflyway.domain.placeholders.obcmprediction.schemas=<OBCM_CASHFLOW_PREDI
CTION SCHEMA>
-
Dflyway.domain.placeholders.obcmmaintenance.schemas=<OBCM_COLLECTION_MA
INTENANCE SCHEMA>
-Dflyway.domain.placeholders.obcmtransaction.schemas=<OBCM_COLLECTIONS
SCHEMA>
-Dflyway.domain.placeholders.obcmreport.schemas=<OBCM_REPORT_SERVICES
SCHEMA>
-Dflyway.domain.placeholders.obscfcmaccounting.schemas=<ACCOUNTING
Service Schema name>
-Dflyway.domain.placeholders.obscfcmalerts.schemas=<OBSCFCM_ALERTS
SCHEMA NAME>

```

```
-Dflyway.domain.placeholders.obscfcmautorecon.schemas=<OBSCFCM_RECON SCHEMA
NAME>
-Dflyway.domain.placeholders.obscfcmbatchjob.schemas=<PLATOBATCH SCHEMA NAME>
-Dflyway.domain.placeholders.obscfccharges.schemas=<OBSCFCM_CHARGES SCHEMA
NAME>
-Dflyway.domain.placeholders.obscfcchatbot.schemas=dummy
-Dflyway.domain.placeholders.obscfccore.schemas=<OBSCFCM_CORE_SERVICES
SCHEMA NAME>
-Dflyway.domain.placeholders.obscfcmeodbatch.schemas=<PLATOBATCH SCHEMA NAME>
-Dflyway.domain.placeholders.obscfcfilter.schemas=<OBSCFCM_FILTER SCHEMA
NAME>
-Dflyway.domain.placeholders.obscfcminstruments.schemas=<OBSCFCM_INSTRUMENTS
SCHEMA NAME>
-Dflyway.domain.placeholders.obscfcmanualrecon.schemas=<OBSCFCM_RECON
SCHEMA NAME>
-Dflyway.domain.placeholders.obscfcmmastermaint.schemas=<OBSCFCM_MAINTENANCE
SCHEMA NAME>
-Dflyway.domain.placeholders.obscfcreport.schemas=<OBSCFCM_REPORT SCHEMA
NAME>
-
Dflyway.domain.placeholders.obscfcworkflow.schemas=<OBSCFCM_WORKFLOWS_CONDUCTOR
SCHEMA NAME>
-Dflyway.domain.placeholders.feed.system.timePeriod=20
export JAVA_OPTIONS
```

# 2

## Environment Variables for SMS, COMMONCORE, Mid-office Domain

The below parametrization should be done for all the domains (sms, commoncore, mid office) which are created in the weblogic server where the micro services are going to be deployed.

1. Go to the weblogic installation path (FMW installation path) in the Weblogic server where the plato, sms, common core, mid office is getting deployed.
2. Go to location : Middleware/Oracle\_Home/user\_projects/domains/<respective\_domain>/bin
3. Create a file named **setUserOverrides.sh** content given below:

```
#!/bin/bash
JAVA_OPTIONS="{JAVA_OPTIONS}"
-Dplato.services.config.port=<port>
-Dplato.services.config.uri=http://<host>:<port>
-Dplato.service.logging.path=<dir path>
-Dflyway.enabled=true
-Dplato.services.entityservices.port=<port>
-Deureka.connectTimeout=10000
-Deureka.readTimeout=10000
-Dribbon.connectTimeout=20000
-Dribbon.readTimeout=20000
-DXms1024m
-DXmx2048m
-Dflyway.domain.placeholders.plato.services.rule.uri=https://<host>:8103/
rule-service
-Dflyway.domain.placeholders.cmc-obrh-
services.kafka.server.path=<host>:<port>
-Dflyway.domain.placeholders.cmc-obrh-
services.zookeeper.server.path=<host>:<port>
-Dobrh.import.data.disable-modify=true
-Dspring.cloud.loadbalancer.ribbon.enabled=false
-Dobrh.audit.type.log.event=<>
-Dobrh.audit.type=<>
-Dspring.main.allow-circular-references=true

export JAVA_OPTIONS
```

# 3

## Environment Variable for CONDUCTOR Domain

```
#!/bin/bash
JAVA_OPTIONS=${JAVA_OPTIONS}
-Dconductor.properties=<file path>
-Dplato.services.gateway.port=<port>
-Dplato.services.config.port=<port>
-Dplato.services.config.uri=http://<host>:<port>
-Dplato.service.logging.path=<dir path>
-Dapigateway.url=http://<host>:<port>
-Dkafka.host=<host>
-Dkafka.port=9092
-Dzookeeper.port=2181
-Dspring.main.allow-circular-references=true

export JAVA_OPTIONS
```

# 4

## Environment Variables for OBSCFCM Managed Servers

Create a file called **setUserOverrides.sh** inside the weblogic bin location of OBSCFCM Service domain with content given as follows. All the environment variables for OBSCFCM are listed. Replace the values accordingly.

```
#!/bin/bash
JAVA_OPTIONS=${JAVA_OPTIONS}
-Dsms.db.jndi=jdbc/sms
-Dplatoui.db.jndi=jdbc/PLATO_UI_CONFIG
-Dcmc.db.jndi=jdbc/CMNCORE
-Dplato.db.jndi=jdbc/PLATO
-Dobscfcore.db.jndi=jdbc/OBSCF_CORE
-Dfinance.db.jndi=jdbc/OBSCF_FINANCE
-Dlimits.db.jndi=jdbc/OBSCF_LIMIT_MAINT
-Dlimits.db.jndi=jdbc/OBSCF_LIMIT_UTILIZ
-Dobscfreport.db.jndi=jdbc/OBSCF_REPORT
-Deodbatch.db.jndi=jdbc/EODBATCH PLATOBATCH
-Dplato.services.gateway.port=<port>
-Dplato.services.config.port=<port>
-Dplato.services.config.uri=http://<host>:<port>
-Dplato.service.logging.path=<dir path>
-Dapigateway.url=http://<host>:<port>
-Dkafka.host=<host>
-Dkafka.port=9092
-Dzookeeper.port=2181
-Deureka.host=<host>
-Deureka.port=<port>
-Dzipkin.url=http://<host>:9411
-Dworkflowservice.eureka.host=<host>
-Dworkflowservice.eureka.port=<port>
-Dobcl.service.userId=<userid>
-Dcache.evict.interval.milliseconds=7200000
-Dcache.evict.initialdelay.milliseconds=7200000
-Dplato.service.env=DEV
-Dconductor.properties=/scratch/ConductorConfig/config.properties
-Dreport.schema.username=<username>
-Dreport.schema.password=<password>
-Dfinance.db.jndi=jdbc/OBSCF_FINANCE
-Dobscfreport.db.jndi=jdbc/OBSCF_REPORT
-Dlimits.db.jndi=jdbc/OBSCF_LIMIT_MAINT
-Dobscfcore.db.jndi=jdbc/OBSCF_CORE
-Deodbatch.db.jndi=jdbc/PLATOBATCH
-Dacct.db.jndi=jdbc/OBSCFCM_ACCOUNTING
-Dcharges.db.jndi=jdbc/OBSCFCM_CHARGES
-Dobscfcmcore.db.jndi=jdbc/OBSCFCM_CORE_SERVICES
-Dfilter.db.jndi=jdbc/OBSCFCM_FILTER
```

```

-Dmanualrecon.db.jndi=jdbc/OBSCFCM_RECON
-Dmaint.db.jndi=jdbc/OBSCFCM_MAINTENANCE
-Dreport.db.jndi=jdbc/OBSCFCM_REPORT
-Dworkflow.db.jndi=jdbc/OBSCFCM_WORKFLOWS_CONDUCTOR
-Drecon.db.jndi=jdbc/OBSCFCM_RECON
-Dfinance.db.jndi=jdbc/OBSCF_FINANCE
-Dinstrument.db.jndi=jdbc/OBSCFCM_INSTRUMENTS
-Dobscfcmalert.db.jndi=jdbc/OBSCFCM_ALERTS
-Dcache.evict.interval.milliseconds=7200000
-Dcache.evict.initialdelay.milliseconds=7200000
-Dchatbot.url=http://<host>:<port>
-Doda.uri=<uri>
-Doda.channelid=<channelid>
-Doda.secretkey=<secret>
-Doda.isoda=Y -Dplato.cmc.default.brn=
-Duser_login_id=<userid>
-Dplato.service.env=DEV
-Dupload.handler.userId=<userid>
-Dupload.handler.branchCode=<branchcode>
-Deod.db.jndi=jdbc/EOD
-Deureka.connectTimeout=10000
-Deureka.readTimeout=10000
-Dribbon.connectTimeout=20000
-Dribbon.readTimeout=20000
-Dfileupload.jdbc.url=jdbc:oracle:thin:@//<host>:<port>/<sid>
-Dfileupload.schema.username=<user>
-Dfileupload.schema.password=<password>
-Dforecasting.jdbc.url=jdbc:oracle:thin:@//<host>:<port>/<sid>
-Dobcmcashflowforecasting.schema.username=<user>
-Dobcmcashflowforecasting.schema.password=<password>
-Dobscfcmalert.core.userId=<user>
-Dobscfcmalert.core.branchCode=<branchcode>
-Dobscfcmalert.core.userId=<user>
-Dobscfcmalert.core.branchCode=<branchcode>
-Dobscfcmalert.server.port=<port>
-Deureka.client.serviceUrl.defaultZone=https://<host>:<port>/plato-
discovery-service/eureka
-Dspring.zipkin.baseUrl=http://<host>:<port>
-Dobscfc.filter.service.appId=OBSCFCM_FILTER
-Dobscfcmalert.db.jndi=jdbc/OBSCFCM_ALERTS
-Dflyway.sms.placeholders.applicationCode=BOTH
-Dplatofeed.db.jndi=jdbc/PLATOFEEED
-Dobcmcollectionmaint.db.jndi=jdbc/OBCM_COLLECTION_MAINT
-Dcollectiontxn.db.jndi=jdbc/OBCM_COLLECTIONS
-Dacct.db.jndi=jdbc/OBSCFCM_ACCOUNTING
-Dcharges.db.jndi=jdbc/OBSCFCM_CHARGES
-Dcashflow-forecasting.db.jndi=jdbc/OBCM_CASHFLOW_FORECAST
-Dobcmcashflowforecasting.db.jndi=jdbc/OBCM_CASHFLOW_FORECAST
-Dcmncore.cmc-branch.service.appId=CMNCORE
-Dspring.zipkin.enabled=false
-Dplato.services.eureka.uri=https://<host>:<port>
-
Dflyway.domain.placeholders.obpm.service.initiateOutwardClg=InitiateOut
wardClearing
-Dflyway.domain.placeholders.eureka.protocol=https

```

```
-Dflyway.platoui.placeholders.apigateway.url=https://<host>:<port>
-Dobscffci.db.jndi=jdbc/OBSCF_FCI_MESSAGES
-Dobscfislamic.db.jndi=jdbc/OBSCF-ISLAMIC-INSTRUMENTS
-Dautoreconbatch.db.jndi=jdbc/AUTORECONBATCH
-Dspring.cloud.loadbalancer.ribbon.enabled=false
-DCMC_REQ_YN=<Y OR N>
-DUSER_REQ_YN=<Y OR N>
-Ddebug_user=<USER ID FOR DEBUG>
-DOBSCF_ROLE_REQ_YN=<Y OR N>
-DOBSCFCM_ROLE_REQ_YN=<Y OR N>
-Dflyway.domain.placeholders.applicationCode=<ApplicationCode>
-Dflyway.domain.placeholders.obscfcmmastermaintenance.enabled=true
-Dflyway.domain.placeholders.branchCode=<Branch code of the system>
-Dflyway.domain.placeholders.isFreshInstallation=<Y(if it is a new installed
environment) or N (not a new installed environment)>

export JAVA_OPTIONS
```

# 5

## Environment Variables for OBCM Managed Servers

Create a file called **setUserOverrides.sh** inside the weblogic bin location of OBCM Service domain with content given below. All the environment variables for OBCM are listed. Replace the values accordingly.

```
#!/bin/bash
JAVA_OPTIONS=${JAVA_OPTIONS}
-Dplato.db.jndi=jdbc/PLATO
-Dcmc.db.jndi=jdbc/CMNCORE
-Dplatoui.db.jndi=jdbc/PLATO_UI_CONFIG
-Dsms.db.jndi=jdbc/sms
-Dobcmcashflowforecasting.db.jndi=jdbc/OBCM_CASHFLOW_FORCAST
-Dplatofeed.db.jndi=jdbc/PLATOFEED
-Dobcmcollectionmaint.db.jndi=jdbc/OBCM_COLLECTION_MAINT
-Dcollectiontxn.db.jndi=jdbc/OBCM_COLLECTIONS
-Dobscfcmcore.db.jndi=jdbc/OBSCFCM_CORE_SERVICES
-Dworkflow.db.jndi=jdbc/OBSCFCM_WORKFLOWS_CONDUCTOR
-Dplato.services.config.port=<Port>
-Dplato.services.config.uri=http://<host>:<Port>
-Dplato.service.env=<Environment_Name>
-Dplato.service.logging.path=/scratch/work_area/application/logs
-Dapigateway.url=http://<host>:<Port>
-Deureka.host=<host>
-Deureka.port=<Port>
-Dfileupload.jdbc.url=jdbc:oracle:thin:@//<DBHost>:<Port>/orclcdb
-Dfileupload.schema.username=OBSCFCM_FILE_PROCESSING
-Dfileupload.schema.password=OBSCFCM_FILE_PROCESSING_432
-Dworkflowservice.eureka.host=<host>
-Dworkflowservice.eureka.port=<Port>
-Dkafka.host=<host>
-Dkafka.port=<Port>
-Dzookeeper.port=<Port>
-Dplato.services.gateway.port=<Port>
-Dplato.services.config.port=<Port>
-Dobcmreport.db.jndi=jdbc/OBCM_REPORT
-Dobcmcashflowprojection.db.jndi=jdbc/OBCM_CASHFLOW_PROJECTION
-Deureka.connectTimeout=10000
-Deureka.readTimeout=10000
-Dribbon.connectTimeout=20000
-Dribbon.readTimeout=20000
-Dspring.cloud.loadbalancer.ribbon.enabled=false
-DutilityCache.evict.fixedrate.milliseconds=600000
-DutilityCache.evict.initialdelay.milliseconds=600000
-Dspring.main.allow-circular-references=true

export JAVA_OPTIONS
```

# 6

## Environment Variables for OBCM Day0 Managed Server

Create a file called **setUserOverrides.sh** inside the weblogic bin location of OBCM day0 Service domain with content given below. All the environment variables for OBCM are listed. Replace the values accordingly.

```
JAVA_OPTIONS=$JAVA_OPTIONS}
-Dplato.services.config.port=8001"
-Dplato.services.config.uri=https://<port>:8001"
-Dplato.service.env=CD1"
-Dplato.service.logging.path=<path>"
-Dplato.db.jndi=jdbc/PLATO"
-Dsms.db.jndi=jdbc/sms"
-Dplatoui.db.jndi=jdbc/PLATO_UI_CONFIG"
-Dcmc.db.jndi=jdbc/CMNCORE"
-Dplatofeed.db.jndi=jdbc/PLATOFEED"
-Dday0.db.jndi=jdbc/PLATO"
-Dobcmcashflowforecasting.db.jndi=jdbc/OBCM_CASHFLOW_FORCAST"
-Dobcmcollectionmaint.db.jndi=jdbc/OBCM_COLLECTION_MAINT"
-Dcollectiontxn.db.jndi=jdbc/OBCM_COLLECTIONS"
-Dobcmreport.db.jndi=jdbc/OBCM_REPORT"
-Dday0.server.port=8111"
-Deureka.host=https://<port>"
-Deureka.port=8004"
-Drole_id=OSCF_MAKER"
-Drole_desc=OSCF_MAKER_role_desc"
-Duserloginid1=ADMINUSER1"
-Duserloginid2=ADMINUSER2"
-Duser1name=ADMINUSER1"
-Duser2name=ADMINUSER2"
-DuserPassword1=ADMIN#1Pwd"
-DuserPassword2=ADMIN#2Pwd"
-Duserhomebranch=0"
-Duserlocale=IND"
-Duserstartdate=43191"
-Duserenddate=44287"
-Dbankcode=0"
-Dbankdesc=OBCMS-UNIVERSAL-BANK"
-Dbranchcode=0"
-Dbranchname=FLEXCUBE-UNIVERSAL-BRANCH"
-Dbranchaddr1=Address1"
-Dbranchaddr2=Address2"
-Dbranchaddr3=Address3"
-Dbranchccy=GBP"
-Dcountrycode=GBP"
-Dwalkincustomer=12345"
-Dhostcode=Host1"
```

```

-Dhostdesc=Host1"
-Dprocesstimezone=GMT"
-Dsourcesystem=OBCMS"
-Dsourcesystemdesc=Oracle"
-Dsourcesystembranch=OBCMS"
-Dpreviousworkingday=<DD-MON-YYYY>"
-Dcurrentworkingday=<DD-MON-YYYY>"
-Dnextworkingday=<DD-MON-YYYY>"
-Dlang_code=ENG"
-Dlang_desc=English"
-Dlang_iso=en"
-Dapigateway_url=https://<port>:8006"
-Dobcm_branchcode=4"
-Dobcm_userId=<user>"
-Dkafka.host=whf00clv"
-Dkafka.port=9092"
-Dzookeeper.port=2181"
-Deodbatch.db.jndi=jdbc/PLATOBATCH"
-Dacct.db.jndi=jdbc/OBSCFCM_ACCOUNTING"
-Dcharges.db.jndi=jdbc/OBSCFCM_CHARGES"
-Dobscfcmcore.db.jndi=jdbc/OBSCFCM_CORE_SERVICES"
-Dfilter.db.jndi=jdbc/OBSCFCM_FILTER"
-Dinstrument.db.jndi=jdbc/OBSCFCM_INSTRUMENTS"
-Dmanualrecon.db.jndi=jdbc/OBSCFCM_RECON"
-Dmaint.db.jndi=jdbc/OBSCFCM_MAINTENANCE"
-Dreport.db.jndi=jdbc/OBSCFCM_REPORT"
-Dworkflow.db.jndi=jdbc/OBSCFCM_WORKFLOWS_CONDUCTOR"
-Dobscfcm_debug_userId=<user>"
-Dapigateway_url=https://<port>:8102"
-Dobscfcm_purchase_buyer1_userId=<user>"
-Dobscfcm_purchase_buyer1_branchcode=4"
-Dobscfcm_purchase_seller1_userId=<user>"
-Dobscfcm_purchase_seller1_branchcode=4"
-Dobscfcm_invoice_buyer1_branchCode=4"
-Dobscfcm_invoice_buyer1_userId=<user>"
-Dobscfcm_payment1_branchCode=4"
-Dobscfcm_payment_userId=<user>"
-Dobscfcm_invoice_seller1_branchCode=4"
-Dobscfcm_invoice_seller1_userId=<user>"
-DaccountingBranchCode=4"
-DapplicationCode=<OBCM or BOTH>"
-Dobcm_role_id=OBCM_ROLE"
-Dobcmprojec.server.port=8101"
-Dobcmcashflowprojection.db.jndi=jdbc/OBCM_CASHFLOW_PROJECTION"
-Dflyway.domain.placeholders.obscfcm.day0.server.port=8101"
-Duser_id=<user>"
-DuserName=<user>"
-DuserLoginId=<user>"
-DmanagerId=ABHISHEKL"
-DbranchCode=4"
-DuserEmail=<user>dac@gmail.com"
-DbranchId=fa32fb81-20ea-4c5f-8562-66fdcdccee44"
-DuserMobile=9405617899"
-DuserFax=758457"
-DtelephoneNo=020-66563628"

```

```

-Dobscfcm_role_id=OBSCFCM_ROLE"
-Duser_login_id=<user>"
-DbranchId=fa32fb81-20ea-4c5f-8562-66fdcdccee44"
-DbranchCode=4"
-Dobscfbatch.enabled=true"
-Dobscfcmaccountmaintenance.enabled=true"
-Dobscfcmautoreconbatch.enabled=true"
-Dobscfcmcharges.enabled=true"
-Dobscfcmcoreservices.enabled=true"
-Dobscfcmfilterservices.enabled=true"
-Dobscfcminstrumentsservices.enabled=true"
-Dobscfcmmanualrecon.enabled=true"
-Dobscfcmmastermaintenance.enabled=true"
-Dobscfcmreconmaintenance.enabled=true"
-Dobscfcmreportservices.enabled=true"
-Dobscfcmworkflowmanagement.enabled=true"
-Dplatoorch.domain.jndi=jdbc/OBSCFCM_WORKFLOWS_CONDUCTOR"
-Dobscf_role_id=OBSCF_ROLE"
-Deureka.connectTimeout=10000"
-Deureka.readTimeout=10000"
-Dribbon.connectTimeout=20000"
-Dribbon.readTimeout=20000"
-Duser_id_2=KEERTIV"
-Dobcm_role_desc=OBCM_ROLE"
-Dplatobatch.db.jndi=jdbc/PLATOBATCH"
-Dsms.app.locations=db/migration/sms/obcm-cashflow-forecasting-services,db/
migration/sms/obscfcm-alerts-services,
db/migration/sms/obcm-cashflow-projection-services,db/migration/sms/obcm-
collections-maintenance-services,
db/migration/sms/obcm-collections-transaction-services,db/migration/sms/obcm-
day0,db/migration/sms/obcm-report-services,
db/migration/sms/obscfcm-charges-services,db/migration/sms/obscfcm-account-
maintenance-services,db/migration/sms/obscfcm-master-maintenance-services
-Dplatobatch.app.locations=db/migration/platobatch/obcm-collections-
transaction-services,
db/migration/platobatch/obcm-collections-maintenance-services,db/migration/
platobatch/obcm-cashflow-prediction-services
-Dcmc.app.locations=db/migration/cmc/obcm-day0.
-Dplatoui.app.locations=db/migration/platoui/obcm-day0
-Dplatofeed.app.locations=db/migration/platofeed/obcm-cashflow-forecasting-
services,db/migration/platofeed/obcm-collections-transaction-services
-Dspring.cloud.loadbalancer.ribbon.enabled=false
-Dobscfcmmastermaint.enabled=<true or false>
-Dobscfcmmastermaint.db.jndi=jdbc/OBSCFCM_MAINTENANCE
-DCMC_REQ_YN=<Y OR N>
-DUSER_REQ_YN=<Y OR N>
-Ddebug_user=<USER ID FOR DEBUG>
-DOBSCFCM_ROLE_REQ_YN=<Y OR N>
-DOBCM_ROLE_REQ_YN=<Y OR N>
-Dflywayday0.enabled=true/false
-Dcustomday0.enabled=true/false

export JAVA_OPTIONS

```

# 7

## Environment Variable for OBCM\_MS\_1 managed server

```
#!/bin/bash
JAVA_OPTIONS=${JAVA_OPTIONS}

-Dplato.db.jndi=jdbc/PLATO"
-Dcmc.db.jndi=jdbc/CMNCORE"
-Dplatoui.db.jndi=jdbc/PLATO_UI_CONFIG"
-Dsms.db.jndi=jdbc/sms"
-Dfinance.db.jndi=jdbc/OBSCF_FINANCE"
-Dobscfreport.db.jndi=jdbc/OBSCF_REPORT"
-Dlimits.db.jndi=jdbc/OBSCF_LIMIT_MAINT"
-Dobscfcore.db.jndi=jdbc/OBSCF_CORE"
-Deodbatch.db.jndi=jdbc/EODBATC"
-Dobcmcashflowforecasting.db.jndi=jdbc/OBCM_CASHFLOW_FORCAST"
-Dobcmprojec.server.port=8107"
-Dobcmcashflowprojection.db.jndi=jdbc/OBCM_CASHFLOW_PROJECTION"
-Dplatofeed.db.jndi=jdbc/PLATOFEE"
-Dobcmcollectionmaint.db.jndi=jdbc/OBCM_COLLECTION_MAINT"
-Dcollectiontxn.db.jndi=jdbc/OBCM_COLLECTIONS"
-Dacct.db.jndi=jdbc/OBSCFCM_ACCOUNTING"
-Dcharges.db.jndi=jdbc/OBSCFCM_CHARGES"
-Dobscfcmcore.db.jndi=jdbc/OBSCFCM_CORE_SERVICES"
-Dfilter.db.jndi=jdbc/OBSCFCM_FILTER"
-Dinstrument.db.jndi=jdbc/OBSCFCM_INSTRUMENTS"
-Dmanualrecon.db.jndi=jdbc/OBSCFCM_RECON"
-Dmaint.db.jndi=jdbc/OBSCFCM_MAINTENANCE"
-Dreport.db.jndi=jdbc/OBSCFCM_REPORT"
-Dworkflow.db.jndi=jdbc/OBSCFCM_WORKFLOWS_CONDUCTOR"
-Dplato.services.config.uri=https://<host>:8001"
-Dplato.service.logging.path=/scratch/work_area/application/logs"
-Dapigateway.url=https://<host>.in.example.com:8006"
-Dplato.service.env=CD1"
-Deureka.host=<host>"
-Deureka.port=8004"
-Dfileupload.jdbc.url=jdbc:oracle:thin:@//<host>.in.example.com:1521/orclpdb"
-Dfileupload.schema.username=OBSCFCM_FILE_PROCESSING"
-Dfileupload.schema.password=welome1"
-Dworkflowservice.eureka.host=<host>.in.example.com"
-Dworkflowservice.eureka.port=8203"
-Dkafka.host=<host>"
-Dkafka.port=9092"
-Dzookeeper.port=2181"
-Dplato.services.gateway.port=8006"
-Dplato.services.config.port=8002"
-Dforecasting.jdbc.url=jdbc:oracle:thin:@//<host>.in.example.com:1521/orclpdb"
```

```
-Dobcmcashflowforecasting.schema.username=OBCM_CASHFLOW_FORECASTING"
-Dobcmcashflowforecasting.schema.password=welome1"
-Dcache.evict.interval.milliseconds=7200000"
-Dcache.evict.initialdelay.milliseconds=7200000"
-Dchatbot.url=https://<host>.in.example.com:8201"
-Doda.uri=idcs-oda"
-D501204fbc4d496dac7b74d15a590dce-t0.data.digitalassistant.oci.oc-
test.com"
-Doda.channelid=569a0fbd"
-D1f4-4a9c-ad7c-86eab83bf957"
-Doda.secretkey=a5TAAyLQF1D0kx0kD1dS41W7d67Hsi80"
-Doda.isoda=Y"
-Dobscfcmalert.core.userId=SUNIL"
-Dobscfcmalert.core.branchCode=004"
-Dobscfcmalert.server.port=8201"
-Dspring.zipkin.baseUrl=http://<host>.in.example.com:9411"
-Deureka.client.serviceUrl.defaultZone=https://
<host>.in.example.com:8004/plato"
-Discovery-service/eureka"
-Dobscfcm.filter.service.appId=OBSCFCM_FILTER"
-Dobscfcmalert.db.jndi=jdbc/OBSCFCM_ALERTS"
-Deureka.connectTimeout=10000"
-Deureka.readTimeout=10000"
-Dribbon.connectTimeout=20000"
-Dribbon.readTimeout=20000"
-Dplato.services.eureka.uri=https://<host>:8004"
-Deureka.protocol=https"
-Dspring.cloud.loadbalancer.ribbon.enabled=false
-DutilityCache.evict.fixedrate.milliseconds=600000
-DutilityCache.evict.initialdelay.milliseconds=600000
-Dspring.main.allow-circular-references=true

export JAVA_OPTIONS
```

# 8

## Environment Variable for OBCM\_MS\_2 managed server

```
#!/bin/bash

JAVA_OPTIONS=${JAVA_OPTIONS}

-Dcashflow-forecasting.db.jndi=jdbc/OBCM_CASHFLOW_FORCAST"
-Drecon.db.jndi=jdbc/OBSCFCM_RECON"
-Dplato.db.jndi=jdbc/PLATO"
-Dcmc.db.jndi=jdbc/CMNCORE"
-Dplatoui.db.jndi=jdbc/PLATO_UI_CONFIG"
-Dsms.db.jndi=jdbc/sms"
-Dfinance.db.jndi=jdbc/OBSCF_FINANCE"
-Dobscfreport.db.jndi=jdbc/OBSCF_REPORT"
-Dlimits.db.jndi=jdbc/OBSCF_LIMIT_MAINT"
-Dobscfcore.db.jndi=jdbc/OBSCF_CORE"
-Deodbatch.db.jndi=jdbc/PLATOBATCH"
-Dobcmcashflowforecasting.db.jndi=jdbc/OBCM_CASHFLOW_FORCAST"
-Dplatofeed.db.jndi=jdbc/PLATOFEED"
-Dobcmcollectionmaint.db.jndi=jdbc/OBCM_COLLECTION_MAINT"
-Dcollectiontxn.db.jndi=jdbc/OBCM_COLLECTIONS"
-Dacct.db.jndi=jdbc/OBSCFCM_ACCOUNTING"
-Dcharges.db.jndi=jdbc/OBSCFCM_CHARGES"
-Dobscfcmcore.db.jndi=jdbc/OBSCFCM_CORE_SERVICES"
-Dfilter.db.jndi=jdbc/OBSCFCM_FILTER"
-Dinstrument.db.jndi=jdbc/OBSCFCM_INSTRUMENTS"
-Dmanualrecon.db.jndi=jdbc/OBSCFCM_RECON"
-Dmaint.db.jndi=jdbc/OBSCFCM_MAINTENANCE"
-Dreport.db.jndi=jdbc/OBSCFCM_REPORT"
-Dworkflow.db.jndi=jdbc/OBSCFCM_WORKFLOWS_CONDUCTOR"
-Dplato.services.config.uri=https://<host>:8001"
-Dplato.service.logging.path=/scratch/work_area/application/logs"
-Dapigateway.url=https://<host>.in.example.com:8006"
-Dplato.service.env=CD1"
-Deureka.host=<host>"
-Deureka.port=8002"
-Dworkflowservice.eureka.host=<host>"
-Dworkflowservice.eureka.port=8203"
-Dkafka.host=<host> "
-Dkafka.port=9092"
-Dzookeeper.port=2181"
-Dplato.services.gateway.port=8006"
-Dplato.services.config.port=8002"
-Dobcmreport.db.jndi=jdbc/OBCM_REPORT"
-Dcache.evict.interval.milliseconds=7200000"
-Dcache.evict.initialdelay.milliseconds=7200000"
-Deureka.connectTimeout=10000"
```

```
-Deureka.readTimeout=10000"
-Dribbon.connectTimeout=20000"
-Dribbon.readTimeout=20000"
-Dplato.services.eureka.uri=https://<host>:8001"
-Dobcm.mastermaintenance.service.appId=OBSCFCMMMAINT"
-Dobcm.collectionmaintenance.vaultmasterjob.chunkSize=50"
-Dcmncore.cmc-branch.service.appId=CMNCORE"
-Dplato.services.plato.services.platoref.port=8402"
-Dobcmcashflowprediction.db.jndi=jdbc/OBCM_CASHFLOW_PREDICTION"
-Deureka.protocol=<http or https>"
-Dspring.cloud.loadbalancer.ribbon.enabled=false
-DutilityCache.evict.initialdelay.milliseconds=60000
-DutilityCache.evict.fixedrate.milliseconds=60000
-Dflyway.domain.placeholders.obscfcmmaintenance.enabled=true
-Dspring.main.allow-circular-references=true

export JAVA_OPTIONS
```

# 9

## Environment Variables for OBSCFCM Day0 Managed Server

Create a file called **setUserOverrides.sh** inside the weblogic bin location of OBSCFCM Service domain with content given below. All the environment variables for OBSCFCM are listed. Replace the values accordingly.

```
#!/bin/bash

JAVA_OPTIONS=${JAVA_OPTIONS}

-Dplato.services.config.port=<port>
-Dplato.services.config.uri=http://<host>:<port>
-Dplato.service.env=DEV -Dplato.service.logging.path=<dir path>
-Dplato.db.jndi=jdbc/PLATO -Dsms.db.jndi=jdbc/sms -Dplatoui.db.jndi=jdbc/
PLATO_UI_CONFIG
-Dcmc.db.jndi=jdbc/CMNCORE -Dplatofeed.db.jndi=jdbc/PLATOFEED
-Deodbatch.db.jndi=jdbc/PLATOBATCH -Daccnt.db.jndi=jdbc/OBSCFCM_ACCOUNTING
-Dcharges.db.jndi=jdbc/OBSCFCM_CHARGES -Dobscfcmcore.db.jndi=jdbc/
OBSCFCM_CORE_SERVICES
-Dfilter.db.jndi=jdbc/OBSCFCM_FILTER -Dinstrument.db.jndi=jdbc/
OBSCFCM_INSTRUMENTS
-Dmanualrecon.db.jndi=jdbc/OBSCFCM_RECON -Dmaint.db.jndi=jdbc/
OBSCFCM_MAINTENANCE
-Dreport.db.jndi=jdbc/OBSCFCM_REPORT -Dworkflow.db.jndi=jdbc/
OBSCFCM_WORKFLOWS_CONDUCTOR
-Dobscfcm_debug_userId=<userid> -Dapigateway_url=http://<host>:<port>
-Dobscfcm_purchase_buyer1_userId=<userid> -
Dobscfcm_purchase_buyer1_branchcode=<branchcode>
-Dobscfcm_purchase_seller1_userId=<userid> -
Dobscfcm_purchase_seller1_branchcode=<branchcode>
-Dobscfcm_invoice_buyer1_branchCode=<branchcode> -
Dobscfcm_invoice_buyer1_userId=<userid>
-Dobscfcm_payment1_branchCode=<branchcode> -Dobscfcm_payment_userId=<userid>
-Dobscfcm_invoice_seller1_branchCode=<branchcode> -
Dobscfcm_invoice_seller1_userId=<userid>
-DaccountingBranchCode=<branchcode> -Drole_id=OSCF_MAKER -
DapplicationCode=OBSCF
-Dobcm_role_id=OBSCF_ROLE -Dobscfcm_role_id=OBSCFCM_ROLE -
Duser_login_id=<userid>
-DbranchId=<branch id> -DbranchCode=<branchcode> -Duser_id_2=<OBSCF second
admin user id>
-Dplatobatch.db.jndi=jdbc/PLATOBATCH -Dplatosecurity.domain.jndi=jdbc/
PLATO_SECURITY
-Dmulti_entity_admin_user=<Multi entity admin user> -
Dmulti_entity_user_email=<Multi entity user email address>
-Dmulti_entity_user_end_date=<Multi entity user end date>
-Dmulti_entity_user_start_date=<Multi entity user start date>
```

```

-Dobcmcashflowforecasting.db.jndi=jdbc/OBCM_CASHFLOW_FORCAST
-Dobcmcollectionmaint.db.jndi=jdbc/OBCM_COLLECTION_MAINT
-Dcollectiontxn.db.jndi=jdbc/OBCM_COLLECTIONS
-Dobcmreport.db.jndi=jdbc/OBCM_REPORT
-Dday0.server.port=<port>
-Deureka.host=https://<host>
-Deureka.port=<port>
-Drole_desc=OSCF_MAKER_role_desc
-Duserloginid1=ADMINUSER1
-Duserloginid2=ADMINUSER2
-Duser1name=ADMINUSER1
-Duser2name=ADMINUSER2
-Duserpassword1=ADMIN#1Pwd
-Duserpassword2=ADMIN#2Pwd
-Duserhomebranch=000
-Duserlocale=IND
-Duserstartdate=<DD-MON-YYYY>
-Duserenddate=<DD-MON-YYYY>
-Dbankcode=000
-Dbankdesc=OBCMS-UNIVERSAL-BANK
-Dbranchcode=000
-Dbranchname=FLEXCUBE-UNIVERSAL-BRANCH
-Dbranchaddr1=Address1
-Dbranchaddr2=Address2
-Dbranchaddr3=Address3
-Dbranchccy=GBP
-Dcountrycode=GBP
-Dwalkincustomer=12345
-Dhostcode=Host1
-Dhostdesc=Host1
-Dprocesstimezone=GMT
-Dsourcesystem=OBCMS
-Dsourcesystemdesc=Oracle
-Dsourcesystembranch=OBCMS
-Dpreviousworkingday=43922
-Dcurrentworkingday=43923
-Dnextworkingday=43924
-Dlang_code=ENG
-Dlang_desc=English
-Dlang_iso=en
-Dobcm_branchcode=004
-Dobcm_userId=SUNIL
-Dkafka.host=<kafka host>
-Dkafka.port=9092
-Dzookeeper.port=2181
-Dobcmprojec.server.port=<obcm cashflow projection server port>
-Dobcmcashflowprojection.db.jndi=jdbc/OBCM_CASHFLOW_PROJECTION
-Dflyway.domain.placeholders.obscfcm.day0.server.port=<port>
-Duser_id=<user> -Duser_name=<user>
-Duser_loginid=<user> -Dmanagerid=<manageruserid>
-Dbranchcode=004
-Duser_email=<user-email>
-Duser_mobile=<mobile>
-Duser_fax=<>
-Dtelephone_no=<>

```

```

-Dobscfcm_role_id=OBSCFCM_ROLE
-Duser_login_id=<login id>
-Dobscfbatch.enabled=true
-Dobscfcmaccountmaintenance.enabled=true
-Dobscfcmautoreconbatch.enabled=true
-Dobscfcmcharges.enabled=true
-Dobscfcmcoreservices.enabled=true
-Dobscfcmfilterservices.enabled=true
-Dobscfcminstrumentsservices.enabled=true
-Dobscfcmmanualrecon.enabled=true
-Dobscfcmmastermaintenance.enabled=true
-Dobscfcmreconmaintenance.enabled=true
-Dobscfcmreportservices.enabled=true
-Dobscfcmworkflowmanagement.enabled=true
-Dobscf_role_id=OBSCF_ROLE
-Deureka.connectTimeout=10000
-Deureka.readTimeout=10000
-Dribbon.connectTimeout=20000
-Dribbon.readTimeout=20000
-Dflyway.domain.placeholders.obscfcm.day0.obscf_role_id=OBSCF_ROLE
-Dnormal.front.prod=VENF
-Dcompound.rear.prod=BCVD
-Dnormal.rear.prod=SUPF
-Dflyway.domain.placeholders.platobatch.db.jndi=jdbc/PLATOBATCH
-Dflyway.domain.placeholders.platoorch.domain.jndi=jdbc/
OBSCFCM_WORKFLOWS_CONDUCTOR
-Dflyway.domain.placeholders.platosecurity.domain.jndi=jdbc/PLATO_SECURITY
-Dflyway.domain.placeholders.eodbatch.db.jndi=jdbc/PLATOBATCH
-Dflyway.domain.placeholders.obscfcmcore.db.jndi=jdbc/OBSCFCM_CORE_SERVICES
-Dtoday=30-JAN-2020
-Dprev_working_day=29-JAN-2020
-Dnext_working_day=31-JAN-2020
-Dflyway.enabled=false
-Dsms.app.locations= db/migration/sms/obscfcm-account-maintenance-
services,db/migration/sms/obscfcm-alerts-services,db/migration/sms/obscfcm-
auto-recon-batch,db/migration/sms/obscfcm-batch-jobs,db/migration/sms/
obscfcm-charges-services,db/migration/sms/obscfcm-core-services,db/
migration/sms/obscfcm-instruments-receivables-services,db/migration/sms/
obscfcm-manual-recon-services,db/migration/sms/obscfcm-master-maintenance-
services,db/migration/sms/obscfcm-recon-maintenance-services,db/
migration/sms/obscfcm-report-services,db/migration/sms/obscfcm-workflow-
management-services,db/migration/sms/obscfcm-day0-service
-Dplato.app.locations=db/migration/plato/obscfcm-day0,db/migration/plato/
obscf-eod-batch,db/migration/plato/obscfcm-account-maintenance-services,db/
migration/plato/obscfcm-auto-recon-batch,db/migration/plato/obscfcm-charges-
services,db/migration/plato/obscfcm-core-services,db/migration/plato/obscfcm-
filter-services,db/migration/plato/obscfcm-instruments-receivables-
services,db/migration/plato/obscfcm-manual-recon-services,db/migration/plato/
obscfcm-master-maintenance-services,db/migration/plato/obscfcm-recon-
maintenance-services,db/migration/plato/obscfcm-report-services,db/migration/
plato/obscfcm-workflow-management-services
-Dplatoui.app.locations=db/migration/platoui/obscfcm-instruments-receivables-
services,db/migration/platoui/obscfcm-master-maintenance-services
-Dplatofeed.app.locations=db/migration/platofeed/obscfcm-core-services,db/
migration/platofeed/obscfcm-instruments-receivables-services

```

```
-Dplatobatch.app.locations=db/migration/platobatch/obscfcm-batch-  
jobs,db/migration/platobatch/obscfcm-auto-recon-batch,db/migration/  
platobatch/obscfcm-eod-batch  
-Dplatosecurity.app.locations=db/migration/platosecurity/obscfcm-  
master-maintenance-services  
-Dplatoorch.app.locations=db/migration/platoorch/obscfcm-instruments-  
receivables-services,db/migration/platoorch/obscfcm-manual-recon-  
services  
-Dspring.cloud.loadbalancer.ribbon.enabled=false  
-DCMC_REQ_YN=<Y or N>  
-DUSER_REQ_YN=<Y or N>  
-Ddebug_user=<UserId for debug>  
-DOBSCFCM_ROLE_REQ_YN=<Y or N>  
-Dflywayday0.enabled=true/false  
-Dcustomday0.enabled=true/false
```

```
export JAVA_OPTIONS
```

# Index

## E

---

Environment Variable for CONDUCTOR Domain, [3-1](#)

Environment Variable for OBCM\_MS\_1 managed server, [7-1](#)

Environment Variable for OBCM\_MS\_2 managed server, [8-1](#)

Environment Variables for OBCM Day0 Managed Server, [6-1](#)

Environment Variables for OBCM Managed Servers, [5-1](#)

Environment Variables for OBSCFCM Day0 Managed Server, [9-1](#)

Environment Variables for OBSCFCM Managed Servers, [4-1](#)

Environment Variables for Plato Domain, [1-1](#)

Environment Variables for SMS, COMMONCORE, Mid-office Domain, [2-1](#)