

Oracle® Banking Cash Management

Environment Variable Setup Guide



Release 14.8.0.0.0
G28932-01
April 2025

ORACLE®

Copyright © 2020, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

1	Environment Variables for Plato Domain	
2	Environment Variables for SMS, COMMONCORE, Mid-office Domain	
3	Environment Variable for CONDUCTOR Domain	
4	Environment Variables for OBSCFCM Managed Servers	
5	Environment Variables for OBCM Managed Servers	
6	Environment Variable for OBCM_MS_1 managed server	
7	Environment Variable for OBCM_MS_2 managed server	
	Index	

Preface

- [Purpose](#)
- [Audience](#)
- [Documentation Accessibility](#)
- [Critical Patches](#)
- [Diversity and Inclusion](#)
- [Related Resources](#)
- [Conventions](#)
- [Acronyms and Abbreviations](#)

Purpose

This guide would help you to set up environment variables for Oracle Banking Microservices Architecture, SMS, Common Core, Middle Office and Oracle Banking Cash Management / Oracle Banking Supply Chain Finance Cash Management.

Audience

This guide is intended for WebLogic admin or ops-web team who are responsible for installing the OFSS banking products.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customer access to and use of Oracle support services will be pursuant to the terms and conditions specified in their Oracle order for the applicable services.

Critical Patches

Oracle advises customers to get all their security vulnerability information from the Oracle Critical Patch Update Advisory, which is available at [Critical Patches](#), [Security Alerts and Bulletins](#). All critical patches should be applied in a timely manner to ensure effective security, as strongly recommended by [Oracle Software Security Assurance](#).

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and

the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

Related Resources

The related documents are as follows:

- *Oracle Banking Cash Management Services Installation Guide*

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
<code>monospace</code>	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Acronyms and Abbreviations

The list of the acronyms and abbreviations used in this guide are as follows:

Table **Acronyms and Abbreviations**

Abbreviation	Description
SMS	Security Management System
CMC	Common Core

1

Environment Variables for Plato Domain

Create a file named “**setUserOverrides.sh**” inside the Weblogic bin location of plato config service domain with the content given below. All the place holders for Oracle Banking Microservices Architecture, SMS, Common Core, Mid office and Cash Management/Supply Chain Finance services are listed and replace the values accordingly. When the Oracle Banking Microservices Architecture services is getting deployed all the values are inserted in the PROPERTIES tables.

```
JAVA_OPTIONS="${JAVA_OPTIONS}"
-DflywayTask=migrate
-Dflyway.enabled=true
-Dspring.flyway.enabled=true
-Dflyway.domain.baselineOnMigrate=true
-Dflyway.domain.ignoreMissingMigrations=true
-Dflyway.domain.outOfOrder=true
-Dflyway.domain.db.username=<username>
-Dflyway.domain.db.password=<password>
-Dflyway.domain.db.jdbcUrl=jdbc:oracle:thin:@//<host>:1521/<SID>
-Dflyway.domain.db.driver
-class-name=oracle.jdbc.driver.OracleDriver
-Dflyway.domain.schemas=PLATO
-Dflyway.domain.locations=db/migration/domain/plato,db/migration/domain/
sms,db/migration/domain/cmc,db/migration/domain/moc,db/migration/domain/
obscf,db/migration/domain/obscfcm
-Dflyway.domain.placeHolders.plato.eventhub.broker.hosts=<host>:<port>
-Dflyway.domain.placeHolders.plato.eventhub.zookeeper.hosts=<host>:2181
-Dflyway.domain.placeHolders.kafka.broker.host=<host>
-Dflyway.domain.placeHolders.kafka.broker.port=9092
-Dflyway.domain.placeHolders.zk.node.host=<host>
-Dflyway.domain.placeHolders.zk.node.port=<port>
-Dflyway.domain.placeHolders.eureka.host=<host>
-Dflyway.domain.placeHolders.eureka.port=<port>
-Dflyway.domain.placeHolders.zipkin.host=<host>
-Dflyway.domain.placeHolders.zipkin.port=9411
-Dflyway.domain.placeHolders.driver.className=oracle.jdbc.driver.OracleDriver
-Dflyway.domain.placeHolders.api-gateway.host=<host>
-Dflyway.domain.placeHolders.USER.STORE=LDAP
-Dflyway.domain.placeHolders.LDAP.CORS.allowed.origin=*,localhost,<host>
-Dflyway.domain.placeHolders.LDAP.credential.SALT=0.94826284
-Dflyway.domain.placeHolders.JWT.EXPIRY.seconds=3600
-Dflyway.domain.placeHolders.LDAP.url=ldap://<host>:<port>
-Dflyway.domain.placeHolders.LDAP.userId=cn=DirectoryManager
-Dflyway.domain.placeHolders.LDAP.server.base=dc=oracle,dc=com
-Dflyway.domain.placeHolders.LDAP.server.credential=<ldap-server-credential>
-Dflyway.domain.placeHolders.LDAP.usersearch.base=dc=oracle,dc=com
-Dflyway.domain.placeHolders.LDAP.user.prefix=cn=
-Dflyway.domain.placeHolders.LDAP.provider=<ldap host>
-Dflyway.domain.placeHolders.TOKEN.autoregenerate=true
-Dflyway.domain.placeHolders.SSO.enabled=false
```

```

-Dflyway.domain.placeholders.TOKEN.regeneration.enabled=false
-Dflyway.domain.placeholders.plato-ui-config-services.server.port=<port>
-Dflyway.domain.placeholders.apigateway.host=<host>
-Dflyway.domain.placeholders.apigateway.port=<port>
-Dflyway.domain.placeholders.plato-api-gateway.server.port=<port>
-Dflyway.domain.placeholders.plato-discovery-service.server.port=<port>
-Dflyway.domain.placeholders.plato-orch-service.server.port=<port>
-Dflyway.domain.placeholders.plato-orchestrator.hostname=<host>:<port>
-Dflyway.domain.placeholders.plato-feed-
services.feed.upload.directory=<upload dir path>
-Dflyway.domain.placeholders.plato-feed-services.server.port=<port>
-Dflyway.domain.placeholders.plato-batch-server.server.port=<port>
-Dflyway.domain.placeholders.plato-batch-
server.plato.eventhub.kafka.brokers=<host>:9092
-Dflyway.domain.placeholders.plato-batch-
server.plato.eventhub.zk.nodes=<host>:<port>
-Dflyway.domain.placeholders.plato-alerts-management-
services.server.port=<port>
-Dflyway.domain.placeholders.sms-core-services.server.port=<port>
-Dflyway.domain.placeholders.cmc-advice-services.server.port=<port>
-Dflyway.domain.placeholders.cmc-currency-services.server.port=<port>
-Dflyway.domain.placeholders.cmc-account-services.server.port=<port>
-Dflyway.domain.placeholders.cmc-base-services.server.port=<port>
-Dflyway.domain.placeholders.cmc-branch-services.server.port=<port>
-Dflyway.domain.placeholders.cmc-customer-services.server.port=<port>
-Dflyway.domain.placeholders.cmc-datasegment-services.server.port=<port>
-Dflyway.domain.placeholders.cmc-external-chart-account-
services.server.port=<port>
-Dflyway.domain.placeholders.cmc-external-system-services.server.port=<port>
-Dflyway.domain.placeholders.cmc-screenclass-services.server.port=<port>
-Dflyway.domain.placeholders.cmc-settlements-services.server.port=<port>
-Dflyway.domain.placeholders.cmc-transactioncontroller-
services.server.port=<port>
-Dflyway.domain.placeholders.cmc-report-services.server.port=<port>
-Dflyway.domain.placeholders.cmc-settlement-services.server.port=<port>
-Dflyway.domain.placeholders.cmc-resource-segment-orchestrator-
service.server.port=<port>
-Dflyway.domain.placeholders.cmc-txn-code-services.server.port=<port>
-Dflyway.domain.placeholders.cmc-external-virtual-account-
services.server.port=<port>
-Dflyway.domain.placeholders.cmc-businessoverrides-services.server.port=<port>
-Dflyway.domain.placeholders.cmc-facilities-services.server.port=<port>
-Dflyway.domain.placeholders.cmc-corebanking-adapter-
service.server.port=<port>
-Dflyway.domain.placeholders.cmc-nlp-annotator-services.server.port=<port>
-Dflyway.domain.placeholders.cmc-nlp-dashboard-widget-
services.server.port=<port>
-Dflyway.domain.placeholders.cmc-nlp-model-mngmnt-services.server.port=<port>
-Dflyway.domain.placeholders.cmc-nlp-online-processing-
services.server.port=<port>
-Dflyway.domain.placeholders.cmc-nlp-tag-maint-services.server.port=<port>
-Dflyway.domain.placeholders.cmc-nlp-text-extraction-
services.server.port=<port>
-Dflyway.domain.placeholders.cmc-nlp-txn-log-services.server.port=<port>
-Dflyway.domain.placeholders.cmc-nlp-util-services.server.port=<port>
-Dflyway.domain.placeholders.cmc-batch-services.server.port=<port>

```

```

-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.postingPath=/scratch/app/
work_area/cmc_fc_ai_ml/post
-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.pollingEmail=<Email>
-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.emailServerPort=<port>
-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.emailServerHost=<host>
-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.pollingFrequency=100
-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.pollerInitialDelay=500
-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.emailPassword=<password>
-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.pollingPath=/scratch/app/
work_area/cmc_fc_ai_ml/poll
-Dflyway.domain.placeHolders.server.port=<port>
-Dflyway.domain.placeHolders.moc.cmc-earmark-services.server.port=<port>
-Dflyway.domain.placeHolders.ELCM_HTTP_URL=http://<host>:<port>/
-Dflyway.domain.placeHolders.earmark-services=12.5
-Dflyway.domain.placeHolders.elcmProduct=ELCM
-Dflyway.domain.placeHolders.moc.cmc-comments-services.server.port=<port>
-Dflyway.domain.placeHolders.moc.cmc-document-services.server.port=<port>
-Dflyway.domain.placeHolders.dmsServiceUrl=http://<host>:17200/_dav/cs/idcplg
-Dflyway.domain.placeHolders.dmsServiceUsername=<username>
-Dflyway.domain.placeHolders.dmsServicePwd=<password>
-Dflyway.domain.placeHolders.cmc-applicationcategory-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-checklistmanagement-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-checklist-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-mailnotification.server.port=<port>
-Dflyway.domain.placeHolders.plato-config.url=jdbc:oracle:thin:@//<host>:1521/
<SID>
-Dflyway.domain.placeHolders.sms.url=jdbc:oracle:thin:@//<host>/<SID>
-Dflyway.domain.placeHolders.cmc-kyccheck.server.port=<port>
-Dflyway.domain.placeHolders.rabbitmq.password=<password>
-Dflyway.domain.placeHolders.rabbitmq.userid=<userId>
-Dflyway.domain.placeHolders.rabbitmq.port=<port>
-Dflyway.domain.placeHolders.rabbitmq.host=<hostname>
-Dflyway.domain.placeHolders.weblogic.userid=<userId>
-Dflyway.domain.placeHolders.weblogic.password=<password>
-Dflyway.domain.placeHolders.biPublisher.host=<host>
-Dflyway.domain.placeHolders.biPublisher.port=<port>
-Dflyway.domain.placeHolders.runReportTemplate=http
-Dflyway.domain.placeHolders.emailTemplate=SSH
-Dflyway.domain.placeHolders.dms.host=<host>
-Dflyway.domain.placeHolders.dms.port=<port>
-Dplato.jndi=jdbc/PLATO
-Dplato-config.jndi=jdbc/PLATO
-Dapi-gateway.jndi=jdbc/PLATO_SECURITY
-Dplato-ui-config.jndi=jdbc/PLATO_UI_CONFIG -Dsms.jndi=jdbc/sms
-Dcmc.jndi=jdbc/CMNCORE -Dplato-feed-services.jndi=jdbc/PLATOFEED
-Dplato-batch-server.jndi=jdbc/PLATO_BATCH
-Dplato-alerts-management-services.jndi=jdbc/PLATOALERTS
-Dflyway.domain.placeHolders.plato.jndi=jdbc/PLATO
-Dflyway.domain.placeHolders.plato-config.jndi=jdbc/PLATO
-Dflyway.domain.placeHolders.api-gateway.jndi=jdbc/PLATO_SECURITY
-Dflyway.domain.placeHolders.plato-ui-config.jndi=jdbc/PLATO_UI_CONFIG
-Dflyway.domain.placeHolders.sms.jndi=jdbc/sms
-Dflyway.domain.placeHolders.cmc.jndi=jdbc/CMNCORE

```



```

-Dflyway.domain.placeholders.plato-feed-services.jndi=jdbc/PLATOFEED
-Dflyway.domain.placeholders.plato-batch-server.jndi=jdbc/PLATO_BATCH
-Dflyway.domain.placeholders.plato-alerts-management-services.jndi=jdbc/
PLATOALERTS
-Dflyway.domain.placeholders.eureka.serviceUrl=http://<host>:<port>/plato-
discovery-service/eureka
-Dflyway.domain.placeholders.eureka.serviceurl=http://<host>:<port>/plato-
discovery-service/eureka
-Dflyway.domain.placeholders.spring.zipkin.baseUrl=<host>:9411
-Dflyway.domain.placeholders.zipkin.baseUrl=<host>:9411
-Dflyway.domain.placeholders.zipkin.url=<host>:9411
-Dflyway.domain.placeholders.eureka.client.serviceUrl.defaultZone=http://
<host>:8005/plato-discovery-service/eureka
-Dflyway.domain.placeholders.zookeeper.port=2181
-Dflyway.domain.placeholders.kafka.port=9092
-Dflyway.domain.placeholders.kafka.host=<host>
-Dflyway.domain.placeholders.obscf.core.server.port=<port>
-Dflyway.domain.placeholders.OBCL.GWHTTPSERVLETURLOBCL=http://<host>:7003/
GWHTTP/GWHttpServlet
-Dflyway.domain.placeholders.finance.server.port=<port>
-Dflyway.domain.placeholders.plato.services.zipkin.url=<host>:9411
-Dflyway.domain.placeholders.FCUBS.GWHTTPSERVLETURLFCUBS=http://
<host>:<port>/ GWHTTP/GWHttpServlet
-Dflyway.domain.placeholders.limitmaint.server.port=<port>
-Dflyway.domain.placeholders.URL.ELCM_HTTP_URL=http://<host>:<port>
-Dflyway.domain.placeholders.limits.server.port=<port>
-Dflyway.domain.placeholders.eod.server.port=<port>
-Dflyway.domain.placeholders.autorecon.server.port=<port>
-Dflyway.domain.placeholders.obscf.report.server.port=<port>
-Dflyway.domain.placeholders.charges.server.port=<port>
-Dflyway.domain.placeholders.accounting.server.port=<port>
-Dflyway.domain.placeholders.cmncore.cmc-branch.service.appId=CMNCORE
-Dflyway.domain.placeholders.obscf.maintenance.service.appId=SCFMAINT
-Dflyway.domain.placeholders.reconmaint.server.port=<port>
-Dflyway.domain.placeholders.manualrecon.server.port=<port>
-Dflyway.domain.placeholders.obscfcm.core.server.port=<port>
-Dflyway.domain.placeholders.filter.server.port=<port>
-Dflyway.domain.placeholders.instruments.server.port=<port>
-Dflyway.domain.placeholders.obscfcm.instruments-
receivables.service.appId=OBSCFCMINST
-Dflyway.domain.placeholders.conductor.httpUri=http://<host>:<port>/obscfcm-
workflow-management-services/service/v1/handleHTTPTask
-Dflyway.domain.placeholders.maint.server.port=<port>
-Dflyway.domain.placeholders.obscfcm.report.server.port=<port>
-Dflyway.domain.placeholders.workflow.server.port=<port>
-Dflyway.domain.placeholders.plato.server.port=<port>
-Dflyway.domain.placeholders.orchestrator.server.uri=http://<Conductor Host :
PORT>/plato-orch/api/
-Dflyway.domain.placeholders.plato-config.sessionIdleTimeout=3000
-Dflyway.domain.placeholders.plato-config.sessionIdleWarningTime=2940
-Dflyway.domain.placeholders.plato-config.environment=DEV
-Dflyway.domain.placeholders.cashflow.server.port=<port>
-Dflyway.domain.placeholders.collmaint.server.port=<port>
-Dflyway.domain.placeholders.colltxn.server.port=<port>
-Dapigateway.url=http://<host>:<port> -Dplato.services.config.port=<port>
-Dplato.services.config.uri=http://<host>:<port> -Dplato.service.env=DEV

```

```

-Dplato.service.logging.path=/scratch/work_area/application/logs
-Dflyway.domain.placeholders.plato-batch-server.userId=<userId>
-Dflyway.domain.placeholders.plato-batch-server.branchCode=<branchCode>
-Dflyway.domain.placeholders.cmncore.jndi=jdbc/CMNCORE
-Dflyway.domain.placeholders.cmc-checklist-services.jndi=jdbc/CMNCORE
-Dflyway.domain.placeholders.checklistmanagement-services.jndi=jdbc/CMNCORE
-Dflyway.domain.placeholders.platoui.db.jndi=jdbc/PLATO_UI_CONFIG
-Dflyway.domain.placeholders.screenclass.db.jndi=jdbc/CMNCORE
-Dflyway.domain.placeholders.txncontroller.db.jndi=jdbc/CMNCORE
-Dflyway.domain.placeholders.facilities.db.jndi=jdbc/CMNCORE
-Dplato.db.jndi=jdbc/PLATO
-Dflyway.domain.placeholders.plato.db.jndi=jdbc/PLATO
-Dflyway.domain.placeholders.sms.db.jndi=jdbc/sms
-Dflyway.domain.placeholders.user.mapping.required=true
-Dflyway.domain.placeholders.api-gateway.schemas=PLATO_SECURITY
-Dflyway.domain.placeholders.platoui.schemas=PLATO_UI_CONFIG
-Dflyway.domain.placeholders.platoui.username=<username>
-Dflyway.domain.placeholders.platoui.password=<password>
-Dflyway.domain.placeholders.cmncore.schemas=COMMON_CORE
-Dflyway.domain.placeholders.cmncore.db.password=<username>
-Dflyway.domain.placeholders.cmncore.db.username=<password>
-Dflyway.domain.placeholders.sms.schemas=SMSCD0
-Dflyway.domain.placeholders.plato-ui-config.schemas=PLATO_UI_CONFIG
-Dflyway.domain.placeholders.plato-feed-services.schemas=PLATOFEED
-Dflyway.domain.placeholders.plato-feed-services.schemas=PLATO_FEED
-Dflyway.domain.placeholders.plato-batch-server.schemas=PLATO_BATCH
-Dflyway.domain.placeholders.plato-alerts-management-
services.schemas=PLATOALERTS
-Dflyway.domain.placeholders.platoui.jdbcUrl=jdbc:oracle:thin:@//<host>:1521/
<SID>
-Dflyway.domain.placeholders.cmncore.db.url=jdbc:oracle:thin:@//<host>:1521/
<SID>
-Dflyway.domain.placeholders.cmncore.db.schemas=COMMON_CORE
-Dflyway.domain.placeholders.cmc-obrh-services.server.port=<port>
-Dflyway.domain.placeholders.cmc-charges-calculation-
services.server.port=<port>
-Dflyway.domain.placeholders.plato.db.jndi=jdbc/PLATO
-Dflyway.domain.placeholders.sms.db.jndi=jdbc/sms
-Dflyway.domain.placeholders.flyway.plato.schema=PLATO
-Dflyway.domain.placeholders.flyway.sms.schema=SMSCD0
-Dflyway.domain.placeholders.flyway.domain.schema=COMMON_CORE
-Dflyway.domain.placeholders.obrh.db.jndi=jdbc/CMNCORE
-Dflyway.domain.placeholders.platouserlog.path=/scratch/work_area/
application/ logs
-Dflyway.domain.placeholders.plato.alerts.email.password=<password>
-Dflyway.domain.placeholders.plato.alerts.email.userId=<userId>
-Dflyway.domain.placeholders.cmncore.db.jndi=jdbc/CMNCORE
-Dflyway.domain.placeholders.vam.schemas=VAM
-Dflyway.domain.placeholders.vam.jndi=jdbc/VAM
-Dflyway.domain.placeholders.obscfcm.conductor.service.appId=OBSCFCMCDTR
-Dflyway.domain.placeholders.obscfcm.conductor.service.uri=http://
<host>:7005/ obscfcm-workflow-management-services/service/v1/handleHTTPTask
-Dflyway.domain.placeholders.plato.alerts.cmc.userId=<userId>
-Dflyway.domain.placeholders.plato.alerts.cmc.branchCode=<branchCode>
-Dflyway.domain.placeholders.plato.alerts.cmc.appId=CMNCORE
-Dflyway.domain.placeholders.platoorch.domain.jndi=jdbc/PLATO-O

```

```

-
Dflyway.domain.placeHolders.platoorch.domain.schemas=OBSCFCM_WORKFLOWS_CONDUCT
OR
-Dflyway.domain.placeHolders.cmc-obrh-services.kafka.server.path=/scratch/
deployed/kafka/kafka
-Dflyway.domain.placeHolders.cmc-obrh-services.zookeeper.server.path=/
scratch/ deployed/kafka/apache-zookeeper-3.5.6-bin
-Dflyway.domain.placeHolders.obcmcff.service.userId=<userId>
-Dflyway.domain.placeHolders.obcmcff.service.branchCode=<branchCode>
-Dflyway.domain.placeHolders.upload.handler.userId=<userId>
-Dflyway.domain.placeHolders.upload.handler.branchCode=<branchCode>
-Dflyway.domain.placeHolders.obcm.core.branchCode=<branchCode>
-Dflyway.domain.placeHolders.obcm.core.userId=<userId>
-
Dflyway.domain.placeHolders.obcm.collectiontransaction.poolingjob.userId=<user
Id>
-
Dflyway.domain.placeHolders.obcm.colleactiontransaction.service.userId=<userId
>
-Dflyway.domain.placeHolders.obcm.mastermaintenance.service.userId=<userId>
-Dflyway.domain.placeHolders.obscfcm.core.userId=<userId>
-Dflyway.domain.placeHolders.obscfcm.core.branchCode=<branchCode>
-Dflyway.domain.placeHolders.obscf.finance.emailto=<emailto>
-Dflyway.domain.placeHolders.report-service.server.port=<port>
-Dflyway.domain.placeHolders.report-service.username=<username>
-Dflyway.domain.placeHolders.report-service.password=<password>
-Dflyway.domain.placeHolders.report-service.jdbcUrl=jdbc:oracle:thin:@//
<host>:1521/<SID>
-Dflyway.domain.placeHolders.report-service.schemas=PLATO_REPORT_SERVICE
-Dflyway.domain.placeHolders.plato-rule-service.server.port=<port>
-Dflyway.domain.placeHolders.plato-rule.hostname=<host>
-Dflyway.domain.placeHolders.platorule.domain.jndi=jdbc/PLATORULE
-Dflyway.domain.placeHolders.platorule.domain.schemas=PLATORULE
-Dflyway.domain.placeHolders.day0.server.port=<port>
-Dflyway.domain.placeHolders.cmc-nlp-pipeline-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-nlp-opennlp-services.server.port=<port>
-Dflyway.domain.placeHolders.plato-config.db.jndi=jdbc/PLATO
-Dflyway.domain.placeHolders.cmc-nlp-maintenance-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-nlp-docview-services.server.port=<port>
-Dflyway.domain.placeHolders.obcmprojec.server.port=<port>
-Dflyway.domain.placeHolders.obscfcm.day0.server.port=<port>
-Dflyway.domain.placeHolders.cmc-ml-indb-services.server.port=<port>
-Dflyway.domain.placeHolders.obscf.day0.server.port=<port>
-Dflyway.domain.placeHolders.cmc-obrh-services.kafka.enabled=true
-Dflyway.domain.placeHolders.cmc-sla-services.server.port=<port>
-Dflyway.domain.placeHolders.obscfcm.filter.service.appId=OBSCFCMFILTER
-Dflyway.domain.placeHolders.obscfcm.filter.service.appId=SCFCORE
-Dflyway.domain.placeHolders.obscfcm.filter.service.appId=OBSCFCMFILTER
-Dflyway.domain.placeHolders.obscfcmalert.core.userId=<userId>
-Dflyway.domain.placeHolders.obscfcmalert.core.branchCode=<branchCode>
-Dflyway.domain.placeHolders.obscfcmalert.server.port=<port>
-Dflyway.domain.placeHolders.obcbs.server.port=<port>
-Dflyway.domain.placeHolders.plato.services.rule.uri=http://<host>:<port>/
rule-service
-Dflyway.domain.placeHolders.cmc-obcbs-services.schemas=COMMON_CORE
-Dflyway.domain.placeHolders.plato.service.logging.path=/scratch/work_area/

```

```

application/logs
-Dflyway.domain.placeHolders.plato.service.env=DEV
-Dflyway.domain.placeHolders.orch.cmc.brn=<branchCode>
-Dflyway.domain.placeHolders.orch.cmc.user=<userId>
-Dflyway.domain.placeHolders.orch.enableDynamicAllocation=false
-Dflyway.domain.placeHolders.orch.enableSLA=false
-Dflyway.domain.placeHolders.report-service.domain.jndi=jdbc/REPORTSERVICE
-Dflyway.domain.placeHolders.cmc.schemas=COMMON_CORE
-Dflyway.domain.placeHolders.report-service.template-metadata-directory=<dir
path>
-Dflyway.domain.placeHolders.report-service.output-directory=<dir path>
-Dflyway.domain.placeHolders.report-service.fop-config-file=<path to
fop.xconf>
-Dflyway.domain.placeHolders.obpm.service.obpmBranchCode=<OBPM branch code>
-Dflyway.domain.placeHolders.obpm.service.obpmSourceCode=EXTSYS
-Dflyway.domain.placeHolders.obpm.service.userId=<OBPM user id>
-Dflyway.domain.placeHolders.obpm.service.serviceConsumer=OBSCFCM_OBPM
-
Dflyway.domain.placeHolders.obpm.service.createPMSinglePayOut=CreatePMSinglePa
yOut
-Dflyway.domain.placeHolders.obpm.service.obpmHostCode=INDIA
-Dflyway.domain.placeHolders.obpm.service.obpmLoanSourceCode=OBSCF
-
Dflyway.domain.placeHolders.obpm.service.createExternalConsumerLoan=CreateExte
rnalConsumerLoan
-Dflyway.domain.placeHolders.obcl_userId=<OBCL user id>
-Dflyway.domain.placeHolders.obcl_source=SCFEXT
-Dflyway.domain.placeHolders.obrh_path=http://<host name>:<port no>/cmc-obrh-
services/route/dispatch
-Dflyway.domain.placeHolders.obcl.service.QueryLoanOSAmount=QueryLoanOSAmount
-Dflyway.domain.placeHolders.obcl.service.CreateContractSim=CreateContractSim
-Dflyway.domain.placeHolders.obcl.service.CreateContract=CreateContract
-Dflyway.domain.placeHolders.obcl.service.ModifyContAmend=ModifyContAmend
-Dflyway.domain.placeHolders.obcl.service.CreatePayment=CreatePayment
-Dflyway.domain.placeHolders.obcl.service.ReverseContract=ReverseContract
-Dflyway.domain.placeHolders.obcl.service.QueryTrnInfo=QueryTrnInfo
-DfcubsBranchId=<FCUBS branch id> -
Dflyway.domain.placeholders.apigateway.protocol=<http or https>
-Dflyway.domain.placeholders.plato.alerts.email.smtp.host=internal-mail-
router.oracle.com
-Dflyway.domain.placeholders.plato.alerts.email.smtp.out.port=<Listen port of
smtp>
-Dflyway.domain.placeholders.plato.alerts.email.auth=false
-Dflyway.domain.placeholders.plato.alerts.email.socketfactory.port=<Listen
port of socketfactory>
-Dflyway.domain.placeholders.orch.usingRuleEngine=false
-Dflyway.domain.placeholders.plato.samlSSOEnabled=false
-Dflyway.domain.placeholders.plato.feed.email.password=<Password for plato
feed email>
-Dflyway.domain.placeholders.plato.feed.email.userId=<User Id for plato feed
email>
-Dflyway.domain.placeholders.plato.feed.sms.userId=<User Id for sms>
-Dflyway.domain.placeholders.plato.feed.sms.branchCode=<Branch Code for Sms>
-Dflyway.domain.placeholders.plato.feed.sms.appId=<App Id for sms>
-Dflyway.domain.placeholders.plato.feed.sms.multiEntityAdmin=<Admin for sms>
-Dflyway.domain.placeholders.plato.feed.email.smtp.host=<Host for smtp>

```

```

-Dflyway.domain.placeholders.plato.feed.email.smtp.out.port=<Port for smtp>
-Dflyway.domain.placeholders.plato.feed.email.auth=<Email authorization>
-Dflyway.domain.placeholders.plato.feed.email.socketfactory.port=<Port for
socketfactory>
-Dflyway.domain.placeholders.INTEGRATION.ENABLED=<integration enabled true or
false>
-Dflyway.domain.placeholders.cmc-deprecation-service.server.port=<Listen port
for deprecation service>
-Dflyway.domain.placeholders.cmc-additional-attributes-
services.server.port=<Listen port for cmc-additional-attributes-services>
-Dflyway.domain.placeholders.cmc-opds-services.schemas=COMMON_CORE
-Dflyway.domain.placeholders.obcmreport.server.port=<Port>
-Dplato.services.entityservices.port=<Port>
-Dflyway.domain.placeholders.report-service.hostname=<host>
-Dflyway.domain.placeholders.obvam.service.branchCode=6
-Dflyway.domain.placeholders.obvam.service.userId=OBVAMUSER2
-Dflyway.domain.placeholders.opds.server.port=<Port>
-Dflyway.domain.placeholders.cmc-opds-services.schemas=COMMON_CORE
-Dflyway.domain.placeholders.obcl_service_consumer=OBSCFCM_STUB
-Dplato.services.eureka.uri=https://<host>:8101
-Dflyway.domain.placeholders.zookeeper.host=<host>
-Dflyway.domain.placeholders.fcubsBranchId=0
-Dplato.services.kafka.brokers=<host>:<port>
-Daccounting.obvam.userid=OBVAMUSER2
-Dflyway.domain.placeholders.alerts.email.attachment.encryption.passKey=XXX
-Dflyway.domain.placeholders.alerts.email.attachment.watermark.required=false
-Dflyway.domain.placeholders.alerts.email.attachment.watermark.image.loc=Y
-Dflyway.domain.placeholders.alerts.email.attachment.encryption.required=true
-Dflyway.domain.placeholders.plato.services.kafka.brokers=<host>:<port>
-Dflyway.domain.placeholders.accounting.obvam.userid=OBVAMUSER2
-Dflyway.domain.placeholders.cmc-mis-services.jndi=jdbc/CMNCORE
-Dflyway.domain.placeholders.cmc-mis-services.schemas=COMMON_CORE
-Dflyway.domain.placeholders.obcmpredict.server.port=112
-Dflyway.domain.placeholders.kafka.ssl.truststore.location=<trust key .jks
path>
-Dflyway.domain.placeholders.kafka.ssl.truststore.password=<password>
-Dflyway.domain.placeholders.kafka.binder.jaas.options.username=<user>
-Dflyway.domain.placeholders.kafka.binder.configuration.sasl.mechanism=SCRAM-
SHA-256
-
Dflyway.domain.placeholders.kafka.binder.configuration.security.protocol=SASL_
SSL
-
Dflyway.domain.placeholders.kafka.binder.jaas.loginModule=org.apache.kafka.com
mon.security.scram.ScramLoginModule
-Dflyway.domain.placeholders.kafka.binder.jaas.options.password=obscf-secret
-Dflyway.domain.placeholders.feed.protocol=http
-Dflyway.domain.placeholders.feed.dateFormat=1/1/2021
-Dflyway.domain.placeholders.feed.recordLevelApprovalReqd=false
-Dflyway.domain.placeholders.cmc-resourceclass-services.jndi=jdbc/CMNCORE
-Dflyway.domain.placeholders.cmc-resourceclass-services.schemas=COMMON_CORE
-Dflyway.domain.placeholders.obscfcore.db.jndi=jdbc/OBSCF_CORE
-Dflyway.domain.placeholders.cmc.db.jndi=jdbc/CMNCORE
-Dflyway.domain.placeholders.finance.db.jndi=jdbc/OBSCF_FINANCE
-Dflyway.domain.placeholders.limits.db.jndi=jdbc/OBSCF_LIMIT_UTILIZ
-Dflyway.domain.placeholders.obscfreport.db.jndi=jdbc/OBSCF_REPORT

```

```

-Dflyway.domain.placeHolders.accnt.db.jndi=jdbc/OBSCFCM_ACCOUNTING
-Dflyway.domain.placeHolders.batch.db.jndi=jdbc/PLATOBATCH
-Dflyway.domain.placeHolders.obscfcmalert.db.jndi=jdbc/OBSCFCM_ALERTS
-Dflyway.domain.placeHolders.manualrecon.db.jndi=jdbc/OBSCFCM_RECON
-Dflyway.domain.placeHolders.workflowservice.eureka.host=<host>
-Dflyway.domain.placeHolders.workflowservice.eureka.port=<Port>
-Dflyway.domain.placeHolders.charges.db.jndi=jdbc/OBSCFCM_CHARGES
-Dflyway.domain.placeHolders.eod.db.jndi=jdbc/EOD
-Dflyway.domain.placeHolders.filter.db.jndi=jdbc/OBSCFCM_FILTER
-Dflyway.domain.placeHolders.maint.db.jndi=jdbc/OBSCFCM_MAINTENANCE
-Dflyway.domain.placeHolders.report.db.jndi=jdbc/OBSCFCM_REPORT
-Dflyway.domain.placeHolders.instrument.db.jndi=jdbc/OBSCFCM_INSTRUMENTS
-Dflyway.domain.placeHolders.platofeed.db.jndi=jdbc/PLATOFEED
-Dflyway.domain.placeHolders.chatbot.url=https://<host:port>
-Dflyway.domain.placeHolders.oda.uri=idcs-oda
-D501204fbc4d496dac7b74d15a590dce-t0.data.digitalassistant.oci.oc-test.com =
-Dflyway.domain.placeHolders.oda.channelid=569a0fbd
-D1f4-4a9c-ad7c-86eab83bf957 =
-Dflyway.domain.placeHolders.oda.secretkey=<seceret-key>
-Dflyway.domain.placeHolders.oda.isoda=Y
-Dflyway.domain.placeHolders.workflow.db.jndi=jdbc/
OBSCFCM_WORKFLOWS_CONDUCTOR
-Dflyway.domain.placeHolders.obcmcashflowforecasting.db.jndi=jdbc/
OBCM_CASHFLOW_FORCAST
-Dflyway.domain.placeHolders.obcmcollectionmaint.db.jndi=jdbc/
OBCM_COLLECTION_MAINT
-Dflyway.domain.placeHolders.obcmcashflowprojection.db.jndi=jdbc/
OBCM_CASHFLOW_PROJECTION
-Dflyway.domain.placeHolders.obcmreport.db.jndi=jdbc/OBCM_REPORT
-Dflyway.domain.placeHolders.collectiontxn.db.jndi=jdbc/OBCM_COLLECTIONS
-Dnormal.front.prod=VENF
-Dcompound.rear.prod=BCVD
-Dnormal.rear.prod=SUPF
-Dflyway.domain.placeHolders.obcl.service.QueryContract=QueryContract
-Dflyway.domain.placeHolders.platobatch.db.jndi=jdbc/PLATOBATCH
-Dflyway.domain.placeHolders.platosecurity.domain.jndi=jdbc/PLATO_SECURITY
-Dflyway.domain.placeHolders.eodbatch.db.jndi=jdbc/PLATOBATCH
-Dflyway.domain.placeHolders.obscfcmcore.db.jndi=jdbc/OBSCFCM_CORE_SERVICES
-
Dflyway.domain.placeHolders.obpm.service.initiateOutwardClg=InitiateOutwardCle
aring
-Dflyway.domain.placeHolders.plato-feed-ref.jndi=jdbc/PLATOFEED
-Dflyway.domain.placeHolders.plato-feed-ref.server.port=<Port>
-Dflyway.domain.placeHolders.plato-feed-ref.username=<user>
-Dflyway.domain.placeHolders.plato-feed-ref.password=<password>
-Dflyway.domain.placeHolders.plato-feed-ref.jdbcUrl=jdbc:oracle:thin:@//
<host>.in.example.com:<port>/<service name>
-Dflyway.domain.placeHolders.plato-feed-ref.schemas=PLATO_FEED
-Deureka.protocol=http
-Dflyway.domain.placeHolders.plato-transport-service.server.port=<Port>
-Dflyway.domain.placeHolders.plato-transport-service.jndi=jdbc/ PLATOTRANSPORT
-Dflyway.domain.placeHolders.plato-transport-service.schemas=PLATO_TRANSPORT
-Dflyway.domain.placeHolders.plato-transport-service.transport.filePath=/
scratch/plato-transport/
-Dflyway.domain.placeHolders.config-service.server.port=<Port>
-Dflyway.domain.placeHolders.plato.feed.fss.filestore.protocol=http

```

```

-Dflyway.domain.placeholders.plato.feed.fss.filestore.host=127.0.0.1
-Dflyway.domain.placeholders.plato.feed.fss.filestore.port=<Port>
-Dflyway.domain.placeholders.plato.feed.fss.filestore.contextRoot=filestore/
private
-Dflyway.domain.placeholders.plato.feed.fss.filestream.protocol=http
-Dflyway.domain.placeholders.plato.feed.fss.filestream.host=127.0.0.1
-Dflyway.domain.placeholders.plato.feed.fss.filestream.port=<Port>
-
Dflyway.domain.placeholders.plato.feed.fss.filestream.contextRoot=filestream/
private
-Dflyway.domain.placeholders.plato.feed.fss.auth.bearerToken=unset
-
Dflyway.domain.placeholders.plato.feed.fss.par.upload.description=fileupload
-Dflyway.domain.placeholders.plato.feed.fss.par.storageDirective=filestream/
private
-Dflyway.domain.placeholders.plato.feed.fss.stripe.service.tag=feed-services
-Dflyway.domain.placeholders.flyway.platofeed.schemas=PLATO_FEED
-Dflyway.domain.placeholders.cmc-service-Deprecation-svc.server.port=<port>
-Dflyway.domain.placeholders.kafka.broker.username=<user>
-Dflyway.domain.placeholders.kafka.broker.password=<password>
-Dflyway.domain.placeholders.kafka.binder.brokers.port=<Port>
-Dflyway.domain.placeholders.kafka.binder.zkNodes.port=<Port>
-Dflyway.domain.placeholders.kafka.binder.brokers.host=<host>
-Dflyway.domain.placeholders.kafka.binder.zkNodes.host=<host>
-Dflyway.domain.placeholders.obscfcm-batch-jobs.server.port=<Port>
-Dflyway.domain.placeholders.obscfcm-chatbot-services.server.port=<Port>
-Dflyway.domain.placeholders.apigateway.url=https://<host>:<port>
-Dflyway.domain.placeholders.cmc-comments-services.server.port=<Port>
-Dflyway.domain.placeholders.cmc-priority-services.server.port=<Port>
-Dflyway.domain.placeholders.documentmanagement-services.server.port=<Port>
-Dflyway.domain.placeholders.kyccheck-services.server.port=<Port>
-Dflyway.domain.placeholders.processcode-services.server.port=<Port>
-Dflyway.domain.placeholders.sequencegeneratorservice.server.port=<Port>
-Dflyway.domain.placeholders.opds.batch.partitionCount=
-Dflyway.domain.placeholders.opds.batch.destinationTopic=
-Dflyway.domain.placeholders.opds.batch.consumerGroupName=
-Dflyway.domain.placeholders.opds.batch.autoAddPartitions=
-Dflyway.domain.placeholders.plato.eventhub.kafka.brokers=<host>:<port>
-Dflyway.domain.placeholders.plato.eventhub.zk.nodes=<host>:2181
-Dflyway.domain.placeholders.alert.service.serviceConsumer=SFS_ALERTS
-Dflyway.domain.placeholders.alert.service.alertMessage=AlertMessage
-Dflyway.domain.placeholders.plato.flyway.enabled=true
-Dflyway.domain.placeholders.plato-api-gateway.min.pswd.length=8
-Dflyway.domain.placeholders.plato-api-gateway.max.pswd.length=11
-Dflyway.domain.placeholders.plato-api-gateway.min.pswd.age=1
-Dflyway.domain.placeholders.plato-api-gateway.max.pswd.age=90
-Dflyway.domain.placeholders.plato-api-gateway.upper.char.flag=N
-Dflyway.domain.placeholders.plato-api-gateway.upper.char.count=2
-Dflyway.domain.placeholders.plato-api-gateway.lower.char.flag=Y
-Dflyway.domain.placeholders.plato-api-gateway.lower.char.count=2
-Dflyway.domain.placeholders.plato-api-gateway.special.char.flag=N
-Dflyway.domain.placeholders.plato-api-gateway.special.char.count=1
-Dflyway.domain.placeholders.plato-api-gateway.numeric.char.flag=Y
-Dflyway.domain.placeholders.plato-api-gateway.numeric.char.count=1
-Dflyway.domain.placeholders.plato-api-gateway.pswd.validation.flag=Y
-Dflyway.domain.placeholders.plato.services.entityservices.port=<Port>

```

```

-Dflyway.domain.placeHolders.cmc-obrh-services.audit.retention.days=7
-Dflyway.domain.placeHolders.cmc-obrh-services.audit.retention.archival=true
-Dflyway.domain.placeHolders.cmc-obrh-services.oic.oauth.scope=dummy
-Dflyway.domain.placeHolders.cmc-obrh-services.oic.secretStore.url=https://
dummy
-Dflyway.domain.placeHolders.cmc-obrh-services.oic.idcs.url=https://dummy
-
Dflyway.domain.placeHolders.plato.orchestrator.enableSubWfDynamicAllocation=false
-Dflyway.domain.placeHolders.plato-api-
gateway.external.sso.validation.url=https://dummy
-Dflyway.domain.placeHolders.plato-api-gateway.external.sso.key=dummy
-Dflyway.domain.placeHolders.plato-api-gateway.sso.service.provider=dummy
-Dflyway.domain.placeHolders.plato-api-gateway.headers=dummy
-Dflyway.domain.placeHolders.actuator.endpoint=prometheus,health
-Dflyway.domain.placeHolders.cmc-obrh-kafka-consumer.server.port=<Port>
-Dflyway.domain.placeHolders.obscffci.db.jndi=jdbc/OBSCF_FCI_MESSAGES
-Dflyway.domain.placeHolders.obscffci.server.port=<Port>
-Dflyway.domain.placeHolders.eureka.instance.prefer-ip-address=false
-Dflyway.domain.placeHolders.ssl.enabled=true
-Dflyway.domain.placeHolders.ssl.disabled=false
-Dflyway.domain.placeHolders.obscfislamic.db.jndi=jdbc/OBSCF-ISLAMIC-
INSTRUMENTS
-Dflyway.domain.placeHolders.obscfislamic.server.port=<Port>
-
Dflyway.domain.placeHolders.kafka.ssl.endpoint.identification.algorithm=https
-Dflyway.domain.placeHolders.plato-api-
gateway.load.balanced.rest.template=true
-
Dflyway.domain.placeHolders.plato.feed.feed.system.objectStore.stripName=feeds
-Dflyway.domain.placeHolders.feed.system.approverId=<Approver UserId>
-Dflyway.domain.placeHolders.plato.feed.system.approverId=ADMINUSER1"
-Dflyway.domain.placeHolders.alert.service.serviceConsumer=SFS_ALERTS
-Dflyway.domain.placeHolders.alert.service.alertMessage=AlertMessage
-Dflyway.domain.placeHolders.plato-password-policy-
service.server.port=<Managed server ssl port for target service>
-Dflyway.domain.placeHolders.plato-password-policy-service.jndi=jdbc/
PLATO_PASSWORD
-Dflyway.domain.placeHolders.plato-password-policy-
service.schemas=PLATO_PASSWORD
-Dflyway.domain.placeHolders.plato-password-policy-service.locations=db/
migration/domain/plato
-Dflyway.sms.placeHolders.role_id=ADMIN_ROLE
-Dspring.cloud.loadbalancer.ribbon.enabled=false
-DfcubsUserId=<user id for fcubs>
-DfcubsSource=EXTSYS
-Dflyway.domain.placeHolders.cmc-opds-services.isAsyncLoggingEnabled=true
-Dflyway.domain.placeHolders.cmc-opds-
services.ischargesAsyncLoggingEnabled=true
-Dflyway.domain.placeHolders.cmc-opds-services.DbLogEnabled=false
-Dflyway.domain.placeHolders.datamigration.contextRoot=<>
-Dflyway.domain.placeHolders.datamigration.host=<>
-Dflyway.domain.placeHolders.datamigration.port=<>
-Dflyway.domain.placeHolders.datamigration.protocol=<>
-Dflyway.domain.placeholders.router.protocol=<http or https>

```



```

-Dflyway.domain.placeholders.router.meadmin.port=<port no>
-Dflyway.domain.placeholders.dataLoad.protocol=<>
-Dflyway.domain.placeholders.dataLoad.job.gridSize=null
-Dflyway.domain.placeholders.dataLoad.job.queueCapacity=null
-
Dflyway.domain.placeholders.plato.dataLoad.framework.eureka.client.readTimeout
=<>
-Dflyway.domain.placeholders.plato.dataLoad.fss.filestore.protocol=<>
-Dflyway.domain.placeholders.plato.dataLoad.fss.filestore.host=<>
-Dflyway.domain.placeholders.plato.dataLoad.fss.bearerTokenFileName=<>
-Dflyway.domain.placeholders.plato.dataLoad.fss.stripe.service.tag=<>
-Dflyway.domain.placeholders.plato.dataLoad.fss.filestream.protocol=<>
-Dflyway.domain.placeholders.plato.dataLoad.fss.filestream.port=<>
-Dflyway.domain.placeholders.plato.dataLoad.fss.filestore.port=<>
-Dflyway.domain.placeholders.plato.dataLoad.fss.par.storageDirective=<>
-Dflyway.domain.placeholders.plato.dataLoad.fss.bearerTokenPath=<>
-
Dflyway.domain.placeholders.plato.dataLoad.framework.eureka.client.connectTime
out=<>
-Dflyway.domain.placeholders.plato.dataLoad.fss.par.upload.description=<>
-Dflyway.domain.placeholders.plato.dataLoad.fss.filestore.contextRoot=<>
-Dflyway.domain.placeholders.batch.appId=<>
-Dflyway.domain.placeholders.plato.dataLoad.system.objectStore.stripeName=<>
-Dflyway.domain.placeholders.domain.placeholderReplacement=<>
-Dflyway.domain.placeholders.plato.placeholderReplacement=<>
-Dflyway.domain.placeholders.cmc.placeholderReplacement=
-Dflyway.domain.placeholders.moc.placeholderReplacement=
-Dflyway.domain.placeholders.sms.placeholderReplacement=<>
-Dflyway.domain.placeholders.plato.dataLoad.fss.filestream.contextRoot=<>
-Dflyway.domain.placeholders.plato.dataLoad.fss.filestream.host=<>
-Dflyway.domain.placeholders.plato.eventhub.consumer.maxPollInterval=3
-Dflyway.domain.placeholders.plato.eventhub.consumer.maxPollRecords=3
-Dflyway.domain.placeholders.plato-apigateway-
router.server.port=<APIGATEWAY_ROUTER_PORT>
-Dflyway.domain.placeholders.cmc-report-services.coherence.enabled=true
-Dflyway.domain.placeholders.cmc-batch-services.coherence.enabled=true
-Dflyway.domain.placeholders.cmc-external-system-
services.coherence.enabled=true
-Dflyway.domain.placeholders.cmc-txn-code-services.coherence.enabled=true
-Dflyway.domain.placeholders.cmc-txn-code-services.loadCacheOnStartUp=true
-Dflyway.domain.placeholders.cmc-obrh-services.coherence.enabled=true
-Dflyway.domain.placeholders.obrh.audit.type.log.event=LOG
-Dflyway.domain.placeholders.obrh.audit.type=DEFAULT
-
Dflyway.domain.placeholders.kafka.binder.configuration.security.protocol=SASL_
SSL
-Dflyway.domain.placeholders.kafka.binder.configuration.sasl.mechanism=SCRAM-
SHA-256
-
Dflyway.domain.placeholders.kafka.binder.jaas.loginModule=org.apache.kafka.com
mon.security.scram.ScramLoginModule
-Dflyway.domain.placeholders.sms-core-services.loadCacheOnStartUp=<<true or
false>>
-Dflyway.domain.placeholders.sms-core-services.coherence.enabled=<<true or
false>>
-Dflyway.domain.placeholders.cmc-obrh-services.coherence.enabled=<<true or

```

```

false>>
-Dflyway.domain.placeholders.cmc-opds-services.loadCacheOnStartUp=<<true or
false>>
-Dflyway.domain.placeholders.cmc-opds-services.coherence.enabled=<<true or
false>>
-Dflyway.domain.placeholders.cmc-interest-rate-
services.coherence.enabled=<<true or false>>
-Dflyway.domain.placeholders.cmc-limits-collaterals-
services.server.port=<<port_number>>
-Dflyway.domain.placeholders.oba.isObaUserAvailable=<Y/N>
-Dflyway.domain.placeholders.oba.isObaBranchAvailable=<Y/N>
-Dflyway.domain.placeholders.oba.external.branchCode=<OBA_BRANCH_CODE>
-Dflyway.domain.placeholders.oba.service.sourceCode=<OBSCFCM/OBCM/OBSCF>
-Dflyway.domain.placeholders.oba.service.obaUserId=<OBA_USERID>
-
Dflyway.domain.placeholders.oba.service.serviceConsumer=<OBA_SERVICE_CONSUMER_
NAME>
-Dflyway.domain.placeholders.oba.service.obaAppId=<OBA APP ID>
-Dflyway.domain.placeholders.oba.service.obaEntityId=<OBA ENTITY ID>
-Dflyway.domain.placeholders.oba.service.requestType=<OBA REQUEST TYPE>
-Dflyway.domain.placeholders.obscfcm-report-services.coherence.enabled=true
-Dflyway.domain.placeholders.obscfcm-batch-jobs.coherence.enabled=true
-Dflyway.domain.placeholders.obscfcm-chatbot-services.coherence.enabled=true
-Dflyway.domain.placeholders.obcm-report-services.coherence.enabled=true
-Dflyway.domain.placeholders.obcm-cashflow-forecasting-
services.coherence.enabled=true
-Dflyway.domain.placeholders.obcm-cashflow-projection-
services.coherence.enabled=true
-Dflyway.domain.placeholders.obcm-cashflow-prediction-
services.coherence.enabled=true
-Dflyway.domain.placeholders.obcm-collections-transaction-
services.coherence.enabled=true
-Dflyway.domain.placeholders.obcm-multilateral-service.coherence.enabled=true
-DfcubsBranch=<branch code for fcubs>
-
Dflyway.domain.placeholders.obcmforecasting.schemas=<OBCM_CASHFLOW_FORCASTING
SCHEMA>
-Dflyway.domain.placeholders.obcmprojection.schemas=<OBCM_CASHFLOW_PROJECTION
SCHEMA>
-Dflyway.domain.placeholders.obcmprediction.schemas=<OBCM_CASHFLOW_PREDICTION
SCHEMA>
-
Dflyway.domain.placeholders.obcmmaintenance.schemas=<OBCM_COLLECTION_MAINTENAN
CE SCHEMA>
-Dflyway.domain.placeholders.obcmtransaction.schemas=<OBCM_COLLECTIONS SCHEMA>
-Dflyway.domain.placeholders.obcmreport.schemas=<OBCM_REPORT_SERVICES SCHEMA>
-Dflyway.domain.placeholders.obscfcmaccounting.schemas=<ACCOUNTING Service
Schema name>
-Dflyway.domain.placeholders.obscfcmautorecon.schemas=<OBSCFCM_RECON SCHEMA
NAME>
-Dflyway.domain.placeholders.obscfcmbatchjob.schemas=<PLATOBATCH SCHEMA NAME>
-Dflyway.domain.placeholders.obscfcmcharges.schemas=<OBSCFCM_CHARGES SCHEMA
NAME>
-Dflyway.domain.placeholders.obscfcmchatbot.schemas=dummy
-Dflyway.domain.placeholders.obscfcmcore.schemas=<OBSCFCM_CORE_SERVICES
SCHEMA NAME>

```

```

-Dflyway.domain.placeholders.obscfcmecodbatch.schemas=<PLATOBATCH_SCHEMA_NAME>
-Dflyway.domain.placeholders.obscfcmfilter.schemas=<OBSCFCM_FILTER_SCHEMA
NAME>
-Dflyway.domain.placeholders.obscfcmstruments.schemas=<OBSCFCM_INSTRUMENTS
SCHEMA_NAME>
-Dflyway.domain.placeholders.obscfcmmanualrecon.schemas=<OBSCFCM_RECON_SCHEMA
NAME>
-Dflyway.domain.placeholders.obscfcmmastermaint.schemas=<OBSCFCM_MAINTENANCE
SCHEMA_NAME>
-Dflyway.domain.placeholders.obscfcmreport.schemas=<OBSCFCM_REPORT_SCHEMA
NAME>
-
Dflyway.domain.placeholders.obscfcmworkflow.schemas=<OBSCFCM_WORKFLOWS_CONDUCT
OR_SCHEMA_NAME>
-Dflyway.domain.placeholders.feed.system.timePeriod=20 export JAVA_OPTIONS
-Dflyway.domain.placeholders.rbac.jwt.expiry.seconds=<Time for which you want
rbac token to be valid>
-Dflyway.domain.placeholders.plato-edp-services.edp.obrh.userId=<UserId to be
used to invoke obrh service from within edp service>
-Dflyway.domain.placeholders.plato-edp-
services.edp.obrh.branchCode=<BranchCode to be used to invoke obrh service
from within edp service>
-Dflyway.domain.placeholders.obtfpm.ai.integration.schemas=<Schema name for
AI Integration Service>
-Dflyway.domain.placeholders.obtfpm.ai.integration.server.port=<Server port
where the obtfpm domain services are running>
-Dflyway.domain.placeholders.obtfpm-ai-integration-
services.coherence.enabled=<Flag true/false, if coherence is enabled for the
service>
-Dflyway.domain.placeholders.obtfpm.ai.enabled=<Flag true/false, based on if
AI system needs to be enabled or disabled>
-Dflyway.domain.placeholders.obtfpm.ai.system=<obtfpm.ai.system>
-Dflyway.domain.placeholders.obscfcm-genai-integration-
services.coherence.enabled=true
-Dflyway.domain.placeholders.obscfcm-genai.db.jndi=jdbc/OBSCFCM_GENAI
-Dflyway.domain.placeholders.obscfcm-genai.server.port=<server port of
obscfcm-genai-integration-services>
-Dflyway.domain.placeholders.obscfcm-genai.llmAPIKey=<Default value: abc>
-Dflyway.domain.placeholders.obscfcm-genai.k=6
-flyway.domain.placeholders.obscfcm-genai.lambda_mult=0.25
-Dflyway.domain.placeholders.obscfcm.core.service.appId=OBSCFCM
-Dflyway.domain.placeholders.obscfcmgenai.schemas=OBSCFCM_GENAI_INTEGRATION
-Dflyway.domain.placeholders.cmc-ml-genai-admin-services.server.port=<CMC-ML-
GENAI_PORT>
-Dflyway.domain.placeholders.opds.rules.localInvocation=true
-Dflyway.domain.placeholders.plato-orch.schemas=CONDUCTO
-Dflyway.domain.placeholders.plato-orch.jndi=jdbc/PLATO-O
-Dflyway.domain.placeholders.plato-arch-services.server.port=<PLATO-ARCH-
SERVICES-SERVER-PORT>
-Dflyway.domain.placeholders.plato-dynamic-data-
services.server.port=<DYNAMIC_DATA-SERVER-PORT>
-Dflyway.domain.placeholders.transport.config.db.jndi=<PLATOTRANSPORT_JNDI>
-Dflyway.domain.placeholders.transport.config.schemas=<PLATOTRANSPORT_SCHEMA>
-Dtransport.config.db.jndi=<PLATOTRANSPORT_JNDI>
-Dtransport.config.schemas=<PLATOTRANSPORT_SCHEMA>
-Dflyway.domain.placeholders.plato-fast-data-transfer-

```

```

service.server.port=<DATA-TRANSFER-SERVICE-SERVER-PORT>

-Dspring.main.allow-circular-references=true
-Dflyway.domain.placeholders.obscfcm-genai.server.port=8405
-Dflyway.domain.placeholders.obscfcm-genai.llmAPIKey=dummy
-Dflyway.domain.placeholders.obscfcm-genai.k=6
-Dflyway.domain.placeholders.obscfcm-genai.lambda_mult=0.25
-Dflyway.domain.placeholders.obscfcm.core.service.appId=OBSCFCM
-Dflyway.domain.placeholders.obscfcmgenai.schemas=OBSCFCM_GENAI_INTEGRATION
-Dspring.main.allow-bean-definition-overriding=true
-Dflyway.domain.placeholders.plato.services.entityservices.port=222
-Dflyway.domain.placeholders.obpy-party-maintenance-
service.flyway.platotrnsprt.schemas=PLATO_TRANSPORT
-Dflyway.domain.placeholders.obpy-party-maintenance-
service.flyway.platotrnsprt.user=PLATO_TRANSPORT
-Dflyway.domain.placeholders.obpy-party-maintenance-
service.flyway.platotrnsprt.locations=dummy
-Dflyway.domain.placeholders.obpy-party-maintenance-
service.flyway.platotrnsprt.outOfOrder=dummy
-Dflyway.domain.placeholders.obpy-party-maintenance-
service.flyway.platotrnsprt.ignoreMigrationPatterns=dummy
-Dflyway.domain.placeholders.cmc-ml-genai-admin-services.server.port=5000
-Dflyway.domain.placeholders.plato-fast-data-transfer-service.server.port=9999
**For kafka Resilience - Add below placeholders for every domain else do not
add this.

-Dspring.cloud.stream.kafka.default.producer.sync=TRUE"
-Dspring.cloud.stream.kafka.default.producer.configuration.max.block.ms=5000"
-Dspring.cloud.stream.kafka.binder.replication-factor=3"
-Dspring.cloud.stream.kafka.binder.required-acks=all"

-
Dflyway.domain.placeholders.spring.cloud.stream.kafka.binder.brokers=<HostName
>:<port>,<HostName>:<port>,<HostName>:<port>
-
Dflyway.domain.placeholders.spring.cloud.stream.kafka.binder.zknodes=<HostName
>:<port>,<HostName>:<port>,<HostName>:<port>
-Dflyway.domain.placeholders.plato-batch-
server.plato.eventhub.kafka.brokers=<HostName>:<port>,<HostName>:<port>,<HostN
ame>:<port>
-Dflyway.domain.placeholders.plato-batch-
server.plato.eventhub.zk.nodes=<HostName>:<port>,<HostName>:<port>,<HostName>:
<port>
-Dflyway.domain.placeholders.midofccmc.schemas=${CMNCORE_SCHEMA}"

-Dflyway.domain.placeholders.ELCM.ExternalSource=EXTSYS"
-Dflyway.domain.placeholders.plato-config.password=tempval"
-Dflyway.domain.placeholders.dataload.job.corePoolSize=tempval"
-Dflyway.domain.placeholders.cmc-interest-rate-
services.coherence.enabled=true"
-DEncryptionFlag=false"

-Dflyway.domain.placeholders.edp.db.jndi=${PLATOEDP_JNDI}"
-Dflyway.domain.placeholders.edp.schemas=${PLATOEDP_SCHEMA}"
-Dflyway.domain.placeholders.plato-edp-services.server.port=${
PLATO_OTHERS_PORT}"

```

```

-Dflyway.domain.placeholders.plato-edp-services.coherence.enabled=false"

-Dmanagement.endpoint.health.show-details=always"
-Dmanagement.health.ldap.enabled=false"
-Dmanagement.endpoints.web.exposure.include=*"
-Dflyway.domain.placeholders.transport.config.db.jndi=${PLATOTRANSPORT_JNDI}"
-Dflyway.domain.placeholders.transport.config.schemas=${
{PLATOTRANSPORT_SCHEMA}"
-Dflyway.domain.placeholders.plato-transport-services.coherence.enabled=true"
-Dflyway.domain.placeholders.plato-transport-services.server.port=${
{PLATO_OTHERS_PORT}"
-Dflyway.domain.placeholders.feed.system.timePeriod=10"
-Dflyway.domain.placeholders.orch.enableSubWfDynamicAllocation=true"
-Dflyway.domain.placeholders.plato.orchestrator.enableSLA=true"
-Dflyway.domain.placeholders.plato.orchestrator.enableDynamicAllocation=true"
-Dflyway.domain.placeholders.cmc-priority-service.coherence.enabled=true"
-Dflyway.domain.placeholders.cmc-transactioncontroller-
services.coherence.enabled=true"
-Dflyway.domain.placeholders.cmc-transactioncontroller-
services.loadCacheOnStartup=true"
-Dflyway.domain.placeholders.obpy-party-maintenance-
service.coherence.enabled=true"
-Dflyway.domain.placeholders.obpy-party-kyc-services.coherence.enabled=false"
-Dflyway.domain.placeholders.obpy-stage-services.coherence.enabled=true"
-Dflyway.domain.placeholders.obpy-party-maintenance-
service.loadCacheOnStartup=false"
-Dflyway.domain.placeholders.obpy-party-kyc-services.loadCacheOnStartup=false"
-Dflyway.domain.placeholders.obpy-stage-services.loadCacheOnStartup=false"
-DisSslEnabled=true"
-Dplato.orchestrator.usingRuleEngine=true"
-Dflyway.domain.placeholders.plato.orchestrator.usingRuleEngine=true"
-Dplato.orchestrator.CICDRuleEngine=true"
-Dflyway.domain.placeholders.plato.orchestrator.CICDRuleEngine=true"
-Dflyway.domain.placeholders.orch.CICDRuleEngine=true"
-Dplato.cmc.default.user=CMNADM1"
-Dflyway.domain.placeholders.plato.cmc.default.user=CMNADM1"

-Dflyway.domain.placeholders.user.hierarchyLevel=4"
-Dflyway.domain.placeholders.plato-edp-services.edp.obrh.userId=CMNADM1"
-Dflyway.domain.placeholders.plato-edp-services.edp.obrh.branchCode=000"
-Dflyway.domain.placeholders.cmc-mailnotification-
services.coherence.enabled=true"
-Dflyway.domain.placeholders.cmc-mailnotification-
services.loadCacheOnStartup=true"

-Dflyway.domain.placeholders.cmc-priority-service.coherence.enabled=true"
-Dflyway.domain.placeholders.cmc-mis-services.coherence.enabled=true"
-Dflyway.domain.placeholders.cmc-mis-services.loadCacheOnStartup=true"
-Dflyway.domain.placeholders.checklistmanagement-
services.coherence.enabled=true"
-Dflyway.domain.placeholders.checklistmanagement-
services.loadCacheOnStartup=true"
-Dflyway.domain.placeholders.applicationcategory-
services.coherence.enabled=true"
-Dflyway.domain.placeholders.applicationcategory-
services.loadCacheOnStartup=true"

```

```

-Dflyway.domain.placeholders.cmc-mailnotification-
services.coherence.enabled=true"
-Dflyway.domain.placeholders.cmc-mailnotification-
services.loadCacheOnStartup=true"

-Dflyway.domain.placeholders.rbac.jwt.expiry.seconds=172800"
-Drsa.privateKey=<>
-Drsa.publicKey=<>
-Dflyway.domain.placeholders.USER.reporteesHierarchyLevel=4"

-Dspring.main.allow-circular-references=true"
-Dspring.main.allow-bean-definition-overriding=true"
-Dflyway.domain.placeholders.cmc-comments-services.coherence.enabled=true"
-Dflyway.domain.placeholders.cmc-comments-services.loadCacheOnStartup=true"
-Dflyway.domain.placeholders.cmc-document-services.coherence.enabled=true"
-Dflyway.domain.placeholders.cmc-document-services.loadCacheOnStartup=true"
-Dflyway.domain.placeholders.documentmanagement-
services.coherence.enabled=true"
-Dflyway.domain.placeholders.documentmanagement-
services.loadCacheOnStartup=true"
-Dflyway.domain.placeholders.plato.batch.server.tas.processor.hostname=xyz"
-Dflyway.domain.placeholders.plato.batch.server.tas.processor.port=1234"
-Dflyway.domain.placeholders.plato.batch.server.conductor.timeout=60"
-Dplato.dedupe.tableName=USER_DEDUPE"
-
Dplato.dedupe.className=oracle.fsgbu.plato.refapp.service.UserSaveServiceImpl"
-Dplato.dedupe.rulesUrl=http://${EUREKA_SERVER}:${PLATO_OTHERS_PORT}/plato-
rule-service/rules"
Dplato.dedupe.detailed.audit=true"
-Dplato.dedupe.methodName=persist"
-Drules.tenantId=ID"
-Drules.tenantPdb=PDB"
-Drules.tenantSvc=SVC"
-Dflyway.domain.placeholders.plato-arch-services.server.port=$
{PLATO_OTHERS_PORT}"
-Dflyway.domain.placeholders.plato-dynamic-data-services.server.port=$
{PLATO_OTHERS_PORT}"
-Dflyway.domain.placeholders.opds.rules.localInvocation=true"
-Dflyway.domain.placeholders.rp.rules.localInvocation=false"
-Dflyway.domain.placeholders.sms.showUnlockClearUser=Y"
-Dflyway.domain.placeholders.cmc-ml-genai-admin-services.server.port=XYZ"
-Dflyway.domain.placeholders.plato-fast-data-transfer-service.server.port=$
{PLATO_OTHERS_PORT}"
-Dflyway.domain.placeholders.obscfcm-genai-integration-
services.coherence.enabled=true"
-Dflyway.domain.placeholders.obscfcm-genai.db.jndi=${OBSCFCM_GENAI_JNDI}"
-Dflyway.domain.placeholders.obscfcm-genai.server.port=${OBSCFCM2_PORT}"
-Dflyway.domain.placeholders.obscfcm-genai.llmAPIKey=abc"
-Dflyway.domain.placeholders.obscfcm-genai.k=6"
-Dflyway.domain.placeholders.obscfcm-genai.lambda_mult=0.25"
-Dflyway.domain.placeholders.obscfcm.core.service.appId=OBSCFCM"
-Dflyway.domain.placeholders.obscfcmgenai.schemas=${OBSCFCM_GENAI_SCHEMA}"
-Dflyway.sms.placeholders.OBSCFCM_GENAI_ENABLED=N"
-Dflyway.domain.placeholders.sfsalert.server.port=${OBSCFCM1_PORT}"
-Dflyway.domain.placeholders.sfs-alerts-services.coherence.enabled=true"
-Dflyway.domain.placeholders.sfsalerts.schemas=${SFS_ALERTS_SCHEMA}"

```

```

-Dflyway.domain.placeholders.sfsalert.db.jndi=${SFS_ALERTS_JNDI}"
-Dflyway.domain.placeholders.sfsalert.service.serviceConsumer= SFS_ALERTS"
-Dflyway.domain.placeholders.plato-arch-services.server.port=01234"
-Dflyway.domain.placeholders.plato-dynamic-data-services.server.port=0123456"
-Dflyway.domain.placeholders.sms.showUnlockClearUser=Y"
-Dflyway.domain.placeholders.cmc-ml-genai-admin-services.server.port=9999"
-Dflyway.domain.placeholders.opds.rules.localInvocation=true"
-Dflyway.domain.placeholders.transport.config.db.jndi=${PLATOTRANSPORT_JNDI}"
-Dflyway.domain.placeholders.transport.config.schemas=${
{PLATOTRANSPORT_SCHEMA}"
-Dtransport.config.db.jndi=${PLATOTRANSPORT_JNDI}"
-Dtransport.config.schemas=${PLATOTRANSPORT_SCHEMA}"
-Dflyway.domain.placeholders.plato-fast-data-transfer-
service.server.port=8080"
-Dflyway.domain.placeholders.extBal.service.userId=OBDX02"
-Dflyway.domain.placeholders.extBal.service.branchCode=LMB"
-Dflyway.domain.placeholders.extBal.service.sourceCode=OBDX"
-Dflyway.domain.placeholders.extBal.service.appId=LMX"
-Dflyway.domain.placeholders.extBal.isExtBalUserAvailable=N"
-Dflyway.domain.placeholders.extBal.isExtBalBranchAvailable=N"
-
Dflyway.domain.placeholders.dedupe.service.serviceConsumer=OBSCFCM_FINANCE_DED
UPE"
-Dflyway.domain.placeholders.dedupe.service.register=REGISTER"
-Dflyway.domain.placeholders.dedupe.service.status=STATUS"
-Dflyway.domain.placeholders.dedupe.service.finance=FINANCINGS"
-Dflyway.domain.placeholders.dedupe.service.cancel=CANCELLATIONS"
-Dflyway.domain.placeholders.dedupe.service.cancelStatus=CANCELLATIONSSTATUS"
-
Dflyway.domain.placeholders.dedupe.service.clientId=77QdQGPI6aXS0aKY6bua2SggyX
IoxwjG"
-
Dflyway.domain.placeholders.dedupe.service.clientSecret=442t9wuejDJANnZBZMYNJ_
KCGDCZ-7VHAbagSeq8_o5oVNJeLIVylg7dVvhnpuhN"
-Dflyway.domain.placeholders.dedupe.service.audience=https://
api.uat.securefinancing.com"
-Dflyway.domain.placeholders.dedupe.service.grantType=client_credentials"
-Dflyway.domain.placeholders.dedupe.service.documentType=CINV"
-Dflyway.domain.placeholders.dedupe.service.cancellationReason=EXNB"
-Dflyway.domain.placeholders.dedupe.service.submitFinancialInstitutionId
submitFinancialInstitutionId=3ac506ec-8b62-4eab-b4c3-0dead0bc9f21"
-Dflyway.domain.placeholders.partner.status.fetch.limit=500"
-Dflyway.domain.placeholders.invoice.ml.serviceConsumerService=PredictAnomaly"
-Dflyway.domain.placeholders.invoice.ml.serviceConsumer=OBSCFCM_ML"
-Dflyway.domain.placeholders.invoice.ml.ReadAnomalyStatus=ReadAnomalyStatus"
-
Dflyway.domain.placeholders.invoice.ml.pollStatusConsumerService=PollPredictio
nStatus"
-Dflyway.domain.placeholders.obvam.service.sourceCode=OBDX"

-Dflyway.domain.placeholders.obscfcm-instruments-receivables-
services.coherence.enabled=true"
-Dflyway.domain.placeholders.obscfcm-eod-batch.coherence.enabled=true"
-Dflyway.domain.placeholders.obscfcm-core-services.loadCacheOnStartup=true"
-Dflyway.domain.placeholders.obscfcm-master-maintenance-
services.loadCacheOnStartup=true"

```

```

-Dflyway.domain.placeholders.obscfcm-filter-services.coherence.enabled=true"
-Dflyway.domain.placeholders.obscfcm-core-services.coherence.enabled=true"
-Dflyway.domain.placeholders.obscfcm-filter-services.loadCacheOnStartup=true"
-Dflyway.domain.placeholders.obscfcm-manual-recon-
services.loadCacheOnStartup=true"
-Dflyway.domain.placeholders.obscfcm-charges-services.coherence.enabled=true"
-Dflyway.domain.placeholders.obscfcm-manual-recon-
services.coherence.enabled=true"
-Dflyway.domain.placeholders.obscfcm-auto-recon-batch.coherence.enabled=true"
-Dflyway.domain.placeholders.obscfcm-account-maintenance-
services.coherence.enabled=true"
-Dflyway.domain.placeholders.obscfcm-alerts-services.coherence.enabled=true"
-Dflyway.domain.placeholders.obscfcm-workflow-management-
services.coherence.enabled=true"
-Dflyway.domain.placeholders.obscfcm-master-maintenance-
services.coherence.enabled=true"

-Dflyway.domain.placeholders.obcm-collections-txn.coherence.enabled=true"
-Dflyway.domain.placeholders.obcm-report.coherence.enabled=true"
-Dflyway.domain.placeholders.obcm-cashflow-projection.coherence.enabled=true"
-Dflyway.domain.placeholders.obcm-collections-maintenance-
services.coherence.enabled=true"
-Dflyway.domain.placeholders.obcm-cashflow-forecasting.coherence.enabled=true"
-Dflyway.domain.placeholders.obcm-netting.coherence.enabled=true"
-Dflyway.domain.placeholders.obcm-collections-maintenance-
services.loadCacheOnStartup=true"
-Dflyway.domain.placeholders.obcm-netting-service.coherence.enabled=true"
-Dflyway.domain.placeholders.obcm-cashflow-prediction-
services.coherence.enabled=true"
-Dflyway.domain.placeholders.obcm-collections-transaction-
services.coherence.enabled=true"
-Dflyway.domain.placeholders.obcm-cashflow-projection-
services.coherence.enabled=true"
-Dflyway.domain.placeholders.obcm-report-services.coherence.enabled=true"
-Dflyway.domain.placeholders.obcm-cashflow-forecasting-
services.coherence.enabled=true"
-Dflyway.domain.placeholders.obcm-multilateral-service.coherence.enabled=true"
-Dflyway.domain.placeholders.obscfcm-report-services.coherence.enabled=true"
-Dflyway.domain.placeholders.obscfcm-batch-jobs.coherence.enabled=true"
-Dflyway.domain.placeholders.obscfcm-chatbot-services.coherence.enabled=true"
-Dflyway.domain.placeholders.obcmmultinetting.server.port=${OBCM2_PORT}"
-Dflyway.domain.placeholders.obscfcm.instrument.service.appId=OBSCFCMINST"

-
Dflyway.domain.placeholders.management.endpoints.web.exposure.include=promethe
us,health"
-Dflyway.domain.placeholders.sfsalerts.schemas=${SFS_ALERTS_SCHEMA}"
-Dflyway.domain.placeholders.oba.service.requestType=OBACCNT"
-Dflyway.domain.placeholders.oba.isObaBranchAvailable=N"
-Dflyway.domain.placeholders.oba.service.serviceConsumer=OBSCFCM_OBA"
-Dflyway.domain.placeholders.oba.service.sourceCode=OBSCFCM"
-Dflyway.domain.placeholders.oba.service.obaEntityId=DEFAULTENTITY"
-Dflyway.domain.placeholders.oba.external.branchCode=006"
-Dflyway.domain.placeholders.oba.isObaUserAvailable=N"
-Dflyway.domain.placeholders.oba.service.obaUserId=JISHAIKH1"
-Dflyway.domain.placeholders.oba.service.obaAppId=CDDAAPPTBSAPP"

```



```

-Dflyway.domain.placeholders.cmc-branch-
services.localHolidayPropogation.sync.enabled=N"
-Dflyway.domain.placeholders.domain.eventhub.broker.hosts=${KAFKA_HOST}:${
{KAFKA_PORT}}"
-Dflyway.domain.placeholders.domain.eventhub.zookeeper.hosts=${
{ZOOKEEPER_HOST}:${ZOOKEEPER_PORT}}"
-Dflyway.domain.placeholders.plato-edp-
services.edp.spring.cloud.stream.kafka.binder.required-acks=0"
-Dflyway.domain.placeholders.saml.userId.field=NameID"
-Dapp.samlCertPath=XYZ"
-Dapp.samlCertPassword=XYZ"
-Dapp.samlCertAlias=XYZ"
-Dflyway.domain.placeholders.plato-arch.schemas=${PLATOARCH_SCHEMA}"
-Dflyway.domain.placeholders.plato-fdt.schemas=${PLATOFDT_SCHEMA}"
-Dflyway.domain.placeholders.domain.eventhub.broker.hosts=${KAFKA_HOST1}:${
{KAFKA_PORT1}}, ${KAFKA_HOST2}:${KAFKA_PORT2}}, ${KAFKA_HOST3}:${KAFKA_PORT3}}"
-Dflyway.domain.placeholders.domain.eventhub.zookeeper.hosts=${ZOOKEEPER_HOST}"
-Dflyway.domain.placeholders.platofdt.baselineOnMigrate=true"
-Dflyway.domain.placeholders.platofdt.db.jndi=${PLATOFDT_JNDI}"
-Dflyway.domain.placeholders.platofdt.ignoreMissingMigrations=true"
-Dflyway.domain.placeholders.platofdt.locations=db/migration/platofdt"
-Dflyway.domain.placeholders.platofdt.outOfOrder=true"
-Dflyway.domain.placeholders.platofdt.placeholderReplacement=false"
-Dflyway.domain.placeholders.platofdt.schemas=${PLATOFDT_SCHEMA}"
-Dflyway.domain.placeholders.platofdt.enabled=true"
-Dflyway.domain.placeholders.saml.userId.field=DUMMY"
-Dflyway.domain.placeholders.plato-api-
gateway.load.balanced.rest.template=true"
-Dflyway.domain.placeholders.plato-api-
gateway.external.sso.validation.url=https://dummy"
-Dflyway.domain.placeholders.plato-api-gateway.external.sso.key=dummy"
-Dflyway.domain.placeholders.plato-api-gateway.sso.service.provider=dummy"
-Dflyway.domain.placeholders.plato-api-gateway.headers=dummy"

-Dalert.service.serviceConsumer=OBSCFCM_ALERTS
-Dalert.service.serviceConsumerService=ALERT_MESSAGE

```

2

Environment Variables for SMS, COMMONCORE, Mid-office Domain

The below parametrization should be done for all the domains (sms, commoncore, mid office) which are created in the weblogic server where the micro services are going to be deployed.

1. Go to the weblogic installation path (FMW installation path) in the Weblogic server where the Oracle Banking Microservices Architecture, sms, common core, mid office is getting deployed.
2. Go to location : Middleware/Oracle_Home/user_projects/domains/<respective_domain>/bin
3. Create a file named **setUserOverrides.sh** content given below:

```
#!/bin/bash JAVA_OPTIONS="${JAVA_OPTIONS}"
-Dplato.services.config.port=<port>
-Dplato.services.config.uri=http://<host>:<port>
-Dplato.service.logging.path=<dir path>
-Dflyway.enabled=true
-Dplato.services.entityservices.port=<port>
-Deureka.connectTimeout=10000
-Deureka.readTimeout=10000
-Dribbon.connectTimeout=20000
-Dribbon.readTimeout=20000
-DXms1024m
-DXmx2048m
-Dflyway.domain.placeholders.plato.services.rule.uri=https://<host>:8103/
rule- service
-Dflyway.domain.placeholders.cmc-obrh-services.kafka.server.path=<host>:<port>
-Dflyway.domain.placeholders.cmc-obrh-
services.zookeeper.server.path=<host>:<port>
-Dobrh.import.data.disable-modify=true
-Dspring.cloud.loadbalancer.ribbon.enabled=false
-Dobrh.audit.type.log.event=<>
-Dobrh.audit.type=<>
-Dspring.main.allow-circular-references=true
-Dflyway.domain.placeholders.user.hierarchyLevel=4
-Dflyway.domain.placeholders.user.reporteesHierarchyLevel=4
-Dflyway.domain.placeholders.cmc-priority-service.coherence.enabled=<true/
false based on the environment. By default, it is true>
-Dflyway.domain.placeholders.cmc-mis-services.coherence.enabled=<true/false
based on the environment. By default, it is true>
-Dflyway.domain.placeholders.cmc-mis-services.loadCacheOnStartup=<This is the
placeholder to load the coherence cache for cmc-mis-services at server start
up. Possible values: true/false>
-Dflyway.domain.placeholders.checklistmanagement-
services.coherence.enabled=<true/false based on the environment. By default,
it is true>
-Dflyway.domain.placeholders.checklistmanagement-
services.loadCacheOnStartup=<This is the placeholder to load the coherence
```

```

cache for checklistmanagement-services at server start up. Possible values:
true/false>
-Dflyway.domain.placeholders.applicationcategory-
services.coherence.enabled=<true/false based on the environment. By default,
it is true>
-Dflyway.domain.placeholders.applicationcategory-
services.loadCacheOnStartUp=<This is the placeholder to load the coherence
cache for applicationcategory-services at server start up. Possible values:
true/false>
-Dflyway.domain.placeholders.cmc-mailnotification-
services.coherence.enabled=<true/false based on the environment. By default,
it is true>
-Dflyway.domain.placeholders.cmc-mailnotification-
services.loadCacheOnStartUp=<This is the placeholder to load the coherence
cache for cmc-mailnotification-services at server start up. Possible values:
true/false>
-Dflyway.domain.placeholders.sms.showUnlockClearUser=Y
-Dflyway.domain.placeholders.plato.services.entityservices.port=<portnumber>
-Dspring.main.allow-circular-references=true

**For kafka Resilience - Add below placeholders for every domain else do not
add this.

-Dspring.cloud.stream.kafka.default.producer.sync=TRUE"
-Dspring.cloud.stream.kafka.default.producer.configuration.max.block.ms=5000"
-Dspring.cloud.stream.kafka.binder.replication-factor=3"
-Dspring.cloud.stream.kafka.binder.required-acks=all"

-
Dflyway.domain.placeholders.spring.cloud.stream.kafka.binder.brokers=<HostName
>:<port>,<HostName>:<port>,<HostName>:<port>
-
Dflyway.domain.placeholders.spring.cloud.stream.kafka.binder.zknodes=<HostName
>:<port>,<HostName>:<port>,<HostName>:<port>
-Dflyway.domain.placeholders.plato-batch-
server.plato.eventhub.kafka.brokers=<HostName>:<port>,<HostName>:<port>,<HostN
ame>:<port>
-Dflyway.domain.placeholders.plato-batch-
server.plato.eventhub.zk.nodes=<HostName>:<port>,<HostName>:<port>,<HostName>:
<port>
**
-Ddomain.eventhub.broker.hosts=<Kafka properties for broker host and port>
-Ddomain.eventhub.zookeeper.hosts=<Kafka properties for zookeeper host and
port>
-Dcmc-branch-services.localHolidayPropagation.sync.enabled=<This is to decide
whether sync/async logic needs to be enabled for Local Holiday Propagation
from HO branch. Sync enabled: Y. Async: Y.>
-Ddomain.eventhub.broker.hosts=<Kafka properties for broker host and port>
-Ddomain.eventhub.zookeeper.hosts=<Kafka properties for zookeeper host and
port>

export JAVA_OPTIONS

```

3

Environment Variable for CONDUCTOR Domain

```
#!/bin/bash JAVA_OPTIONS=$JAVA_OPTIONS}
-Dconductor.properties=<file path>
-Dplato.services.gateway.port=<port>
-Dplato.services.config.port=<port>
-Dplato.services.config.uri=http://<host>:<port>
-Dplato.service.logging.path=<dir path>
-Dapigateway.url=http://<host>:<port>
-Dkafka.host=<host>
-Dkafka.port=9092
-Dzookeeper.port=2181
-Dspring.main.allow-circular-references=true
-Deureka.client.serviceUrl.defaultZone=${PROTOCOL}://${EUREKA_SERVER}:${EUREKA_PORT}/plato-discovery-service/eureka"
-Dconductor.metrics-prometheus.enabled=true"
-Dconductor.oracle.flywayEnabled=true" export JAVA_OPTIONS
```

4

Environment Variables for OBSCFCM Managed Servers

Create a file called **setUserOverrides.sh** inside the weblogic bin location of OBSCFCM Service domain with content given as follows. All the environment variables for OBSCFCM are listed. Replace the values accordingly.

```
-Dflyway.platoui.placeholders.apigateway.url=https://<host>:<port>
-Dobscffci.db.jndi=jdbc/OBSCF_FCI_MESSAGES
-Dobscfislamic.db.jndi=jdbc/OBSCF-ISLAMIC-INSTRUMENTS
-Dautoreconbatch.db.jndi=jdbc/AUTORECONBATCH
-Dspring.cloud.loadbalancer.ribbon.enabled=false
-DCMC_REQ_YN=<Y OR N>
-DUSER_REQ_YN=<Y OR N>
-Ddebug_user=<USER ID FOR DEBUG>
-DOBSCF_ROLE_REQ_YN=<Y OR N>
-DOBSCFCM_ROLE_REQ_YN=<Y OR N>
-Dflyway.domain.placeholders.obscfcmmastermaintenance.enabled=true
-Dflyway.domain.placeholders.branchCode=<Branch code of the system>
-Dflyway.domain.placeholders.isFreshInstallation=<Y(if it is a new installed environment) or N (not a new installed environment)>

-Dflyway.platoui.placeholders.apigateway_url=<Enter_ApiGateway_Url>"
-Dflyway.domain.placeholders.application_code=OBCM
-Dspring.main.allow-circular-references=true
-Dspring.main.allow-bean-definition-overriding=true
-Dflyway.cmc.placeholders.applicationCode=OBCM
-Dflyway.domain.placeholders.normal.front.prod=VENF
-Dflyway.domain.placeholders.compound.rear.prod=BCVD
-Dflyway.domain.placeholders.normal.rear.prod=SUPF

-Dobvam.service.userId=ADMINUSER1
-Dobvam.service.branchCode=000
-Dobvam.service.sourceCode=EXTSYS

**For kafka Resilience - Add below placeholders for every domain else do not add this.

-Dspring.cloud.stream.kafka.default.producer.sync=TRUE"
-Dspring.cloud.stream.kafka.default.producer.configuration.max.block.ms=5000"
-Dspring.cloud.stream.kafka.binder.replication-factor=3"
-Dspring.cloud.stream.kafka.binder.required-acks=all"

-
Dflyway.domain.placeholders.spring.cloud.stream.kafka.binder.brokers=<HostName>:<port>,<HostName>:<port>,<HostName>:<port>
-
Dflyway.domain.placeholders.spring.cloud.stream.kafka.binder.zknodes=<HostName>:<port>,<HostName>:<port>,<HostName>:<port>
```

```

-Dflyway.domain.placeholders.plato-batch-
server.plato.eventhub.kafka.brokers=<HostName>:<port>,<HostName>:<port>,<HostN
ame>:<port>
-Dflyway.domain.placeholders.plato-batch-
server.plato.eventhub.zk.nodes=<HostName>:<port>,<HostName>:<port>,<HostName>:
<port>

-Dobscfcm.instrument.service.appId=OBSCFCMINST"
-Dobscfcm.accountmaintenance.service.appId=SCFCMACCOUNT"
-Dobcm.collection.maint.service.appId=OBCCOL"
-DutilityCache.evict.fixedrate.milliseconds=600000"
-DutilityCache.evict.initialdelay.milliseconds=600000"
-Dobcmmultinetting.service.appId=OBCCMULTINET"
-Dflyway.domain.placeholders.branchCode=000"
-Dflyway.domain.placeholders.isFreshInstallation=Y"
-Dscfcm.isObvamUserAvailable=false"
-Dscfcm.isObvamBranchAvailable=false"
-Dscfcm.isFcubsUserAvailable=false"
-Dscfcm.isFcubsBranchAvailable=false"
-Dflyway.sms.placeholders.OBSCFCM_GENAI_ENABLED=N"
-Ddedupe.service.serviceConsumer=OBSCFCM_FINANCE_DEDUPE"
-Ddedupe.service.register=REGISTER"
-Ddedupe.service.status=STATUS"
-Ddedupe.service.finance=FINANCINGS"
-Ddedupe.service.cancel=CANCELLATIONS"
-Ddedupe.service.cancelStatus=CANCELLATIONSSTATUS"
-Ddedupe.service.clientId=77QdQGPI6aXS0aKY6bua2SgyyXIoxwJG"
-
Ddedupe.service.clientSecret=442t9wuejDJANnZBZMYNJ_KCGDCZ-7VHAbagSeq8_o5oVNJeL
IVy1g7dVvhnpuhN"
-Ddedupe.service.audience=https://api.uat.securefinancing.com"
-Ddedupe.service.grantType=client_credentials"
-Ddedupe.service.documentType=CINV"
-Ddedupe.service.cancellationReason=EXNB"
-Ddedupe.service.submitFinancialInstitutionId=3ac506ec-8b62-4eab-
b4c3-0dead0bc9f21"
-Dpartner.status.fetch.limit=500"
-Dinvoice.ml.serviceConsumerService=PredictAnomaly"
-Dinvoice.ml.serviceConsumer=OBSCFCM_ML"

-Dflyway.domain.placeholders.accounting.obvam.userid=ADMINUSER1"
-Dflyway.domain.placeholders.manualrecon.obvam.userid=ADMINUSER1"
-Dobvam.service.sourceCode=OBDX"
-Dinvoice.ml.pollStatusConsumerService=PollPredictionStatus"
-Dinvoice.ml.ReadAnomalyStatus=ReadAnomalyStatus"
-Dautoreconbatch.gridSize=50"
-Dflyway.domain.placeholders.normal.front.prod=VENF"
-Dflyway.domain.placeholders.compound.rear.prod=BCVD"
-Dflyway.domain.placeholders.normal.rear.prod=SUPF"
-Dflyway.domain.placeholders.spring.cloud.stream.kafka.binder.brokers=${KAFKA_HOST1}:${KAFKA_SSL_PORT1},${KAFKA_HOST2}:${KAFKA_SSL_PORT2},${KAFKA_HOST3}:${KAFKA_SSL_PORT3}"
-Dspring.cloud.stream.kafka.binder.brokers=${KAFKA_HOST1}:${KAFKA_SSL_PORT1},${KAFKA_HOST2}:${KAFKA_SSL_PORT2},${KAFKA_HOST3}:${KAFKA_SSL_PORT3}"

-Dflyway.platoorch.placeholders.obscf_role_id=null"

```

```
-Dspring.cloud.stream.kafka.default.producer.sync=TRUE"
-Dspring.cloud.stream.kafka.default.producer.configuration.max.block.ms=5000"
-Dspring.cloud.stream.kafka.binder.replication-factor=1"
-Dspring.cloud.stream.kafka.binder.required-acks=all"
-Dspring.cloud.stream.kafka.binder.brokers=${KAFKA_HOST1}:${KAFKA_SSL_PORT1},$
{KAFKA_HOST2}:${KAFKA_SSL_PORT2},${KAFKA_HOST3}:${KAFKA_SSL_PORT3}"
-Dspring.cloud.stream.kafka.binder.zkNodes=${ZOOKEEPER_HOST1}:$
{ZOOKEEPER_PORT1},${ZOOKEEPER_HOST2}:${ZOOKEEPER_PORT2},${ZOOKEEPER_HOST3}:$
{ZOOKEEPER_PORT3}"
**
export JAVA_OPTIONS
```

5

Environment Variables for OBCM Managed Servers

Create a file called **setUserOverrides.sh** inside the weblogic bin location of OBCM Service domain with content given below. All the environment variables for OBCM are listed. Replace the values accordingly.

```
#!/bin/bash JAVA_OPTIONS=$JAVA_OPTIONS}
-Dplato.db.jndi=jdbc/PLATO
-Dcmc.db.jndi=jdbc/CMNCORE
-Dplatoui.db.jndi=jdbc/PLATO_UI_CONFIG
-Dsms.db.jndi=jdbc/sms
-Dobcmcashflowforecasting.db.jndi=jdbc/OBCM_CASHFLOW_FORCAST
-Dplatofeed.db.jndi=jdbc/PLATOFEED
-Dobcmcollectionmaint.db.jndi=jdbc/OBCM_COLLECTION_MAINT
-Dcollectiontxn.db.jndi=jdbc/OBCM_COLLECTIONS
-Dobscfcmcore.db.jndi=jdbc/OBSCFCM_CORE_SERVICES
-Dworkflow.db.jndi=jdbc/OBSCFCM_WORKFLOWS_CONDUCTOR
-Dplato.services.config.port=<Port>
-Dplato.services.config.uri=http://<host>:<Port>
-Dplato.service.env=<Environment_Name>
-Dplato.service.logging.path=/scratch/work_area/application/logs
-Dapigateway.url=http://<host>:<Port>
-Deureka.host=<host>
-Deureka.port=<Port>
-Dfileupload.jdbc.url=jdbc:oracle:thin:@//<DBHost>:<Port>/orclcdb
-Dfileupload.schema.username=OBSCFCM_FILE_PROCESSING
-Dfileupload.schema.password=OBSCFCM_FILE_PROCESSING_432
-Dworkflowservice.eureka.host=<host>
-Dworkflowservice.eureka.port=<Port>
-Dkafka.host=<host>
-Dkafka.port=<Port>
-Dzookeeper.port=<Port>
-Dplato.services.gateway.port=<Port>
-Dplato.services.config.port=<Port>
-Dobcmreport.db.jndi=jdbc/OBCM_REPORT
-Dobcmcashflowprojection.db.jndi=jdbc/OBCM_CASHFLOW_PROJECTION
-Deureka.connectTimeout=10000
-Deureka.readTimeout=10000
-Dribbon.connectTimeout=20000
-Dribbon.readTimeout=20000
-Dspring.cloud.loadbalancer.ribbon.enabled=false
-DutilityCache.evict.fixedrate.milliseconds=600000
-DutilityCache.evict.initialdelay.milliseconds=600000
-Dspring.main.allow-circular-references=true
-Dflyway.platoui.placeholders.apigateway_url=<api- router host and port>
-Dcache.evict.initialdelay.milliseconds=7200000"
-Dcache.evict.interval.milliseconds=7200000"
-Dsms.app.locations=db/migration/sms/obcm-cashflow-forecasting-services,db/
```



```

migration/sms/sfs-alerts-services,db/migration/sms/obscfcm-alerts-services,db/
migration/sms/obcm-cashflow-projection-services,db/migration/sms/obcm-
collections-maintenance-services,db/migration/sms/obcm-collections-
transaction-services,db/migration/sms/obcm-report-services,db/migration/sms/
obscfcm-charges-services,db/migration/sms/obscfcm-account-maintenance-
services,db/migration/sms/obcm-netting-service,db/migration/sms/obscfcm-
master-maintenance-services,db/migration/sms/obcm-multilateral-netting-
services"
-DEncryptionFlag=false"
-Dobscfcm.instrument.service.appId=OBSCFCMINST"
-Dobscfcm.accountmaintenance.service.appId=SCFCMACCOUNT"
-Dplato.plato-orch.appId=platoorch"
-Dflyway.platobatch.locations=db/migration/platobatch"
-Dflyway.platobatch.baselineOnMigrate=true"
-Dflyway.platobatch.ignoreMissingMigrations=true"
-Dflyway.platobatch.outOfOrder=true"
-Dflyway.platobatch.placeholderReplacement=true"
-Dplatobatchflyway.enabled=true"
-Dflyway.platobatch.schemas=PLATOBATCH"
-Dflyway.platobatch.db.jndi=jdbc/PLATOBATCH"

-Dobcm.service.serviceConsumer=OBCM_EXTERNAL_BALANCE"
-Dobcm.service.accBalanceDetails=AccBalanceDetails"
-Dcmncore.cmc-branch.service.appId=CMNCORE"
-Dflyway.domain.placeholders.spring.cloud.stream.kafka.binder.brokers=$
{KAFKA_HOST1}:${KAFKA_SSL_PORT1},${KAFKA_HOST2}:${KAFKA_SSL_PORT2},${
{KAFKA_HOST3}:${KAFKA_SSL_PORT3}"
-Dspring.cloud.stream.kafka.binder.brokers=${KAFKA_HOST1}:${KAFKA_SSL_PORT1},${
{KAFKA_HOST2}:${KAFKA_SSL_PORT2},${KAFKA_HOST3}:${KAFKA_SSL_PORT3}"
-Dspring.cloud.stream.kafka.binder.zkNodes=${ZOOKEEPER_HOST1}:${
{ZOOKEEPER_PORT1},${ZOOKEEPER_HOST2}:${ZOOKEEPER_PORT2},${ZOOKEEPER_HOST3}:${
{ZOOKEEPER_PORT3}"

export JAVA_OPTIONS

```

6

Environment Variable for OBCM_MS_1 managed server

```
#!/bin/bash JAVA_OPTIONS=$JAVA_OPTIONS}

-Dplato.db.jndi=jdbc/PLATO"
-Dcmc.db.jndi=jdbc/CMNCORE"
-Dplatoui.db.jndi=jdbc/PLATO_UI_CONFIG"
-Dsms.db.jndi=jdbc/sms"
-Dfinance.db.jndi=jdbc/OBSCF_FINANCE"
-Dobscfreport.db.jndi=jdbc/OBSCF_REPORT"
-Dlimits.db.jndi=jdbc/OBSCF_LIMIT_MAINT"
-Dobscfcore.db.jndi=jdbc/OBSCF_CORE"
-Deodbatch.db.jndi=jdbc/EODBATCH"
-Dobcmcashflowforecasting.db.jndi=jdbc/OBCM_CASHFLOW_FORCAST"
-Dobcmprojec.server.port=8107"
-Dobcmcashflowprojection.db.jndi=jdbc/OBCM_CASHFLOW_PROJECTION"
-Dplatofeed.db.jndi=jdbc/PLATOFEEED"
-Dobcmcollectionmaint.db.jndi=jdbc/OBCM_COLLECTION_MAINT"
-Dcollectiontxn.db.jndi=jdbc/OBCM_COLLECTIONS"
-Dacct.db.jndi=jdbc/OBSCFCM_ACCOUNTING"
-Dcharges.db.jndi=jdbc/OBSCFCM_CHARGES"
-Dobscfcmcore.db.jndi=jdbc/OBSCFCM_CORE_SERVICES"
-Dfilter.db.jndi=jdbc/OBSCFCM_FILTER"
-Dinstrument.db.jndi=jdbc/OBSCFCM_INSTRUMENTS"
-Dmanualrecon.db.jndi=jdbc/OBSCFCM_RECON"
-Dmaint.db.jndi=jdbc/OBSCFCM_MAINTENANCE"
-Dreport.db.jndi=jdbc/OBSCFCM_REPORT"
-Dworkflow.db.jndi=jdbc/OBSCFCM_WORKFLOWS_CONDUCTOR"
-Dplato.services.config.uri=https://<host>:8001"
-Dplato.service.logging.path=/scratch/work_area/application/logs"
-Dapigateway.url=https://<host>.in.example.com:8006"
-Dplato.service.env=CD1"
-Deureka.host=<host>"
-Deureka.port=8004"
-Dfileupload.jdbc.url=jdbc:oracle:thin:@//<host>.in.example.com:1521/orclpdb"
-Dfileupload.schema.username=OBSCFCM_FILE_PROCESSING"
-Dfileupload.schema.password=welome1"
-Dworkflowservice.eureka.host=<host>.in.example.com"
-Dworkflowservice.eureka.port=8203"
-Dkafka.host=<host>"
-Dkafka.port=9092"
-Dzookeeper.port=2181"
-Dplato.services.gateway.port=8006"
-Dplato.services.config.port=8002"
-Dforecasting.jdbc.url=jdbc:oracle:thin:@//<host>.in.example.com:1521/orclpdb"
-Dobcmcashflowforecasting.schema.username=OBCM_CASHFLOW_FORECASTING"
-Dobcmcashflowforecasting.schema.password=welome1"
-Dcache.evict.interval.milliseconds=7200000"
```

```

-Dcache.evict.initialdelay.milliseconds=7200000"
-Dchatbot.url=https://<host>.in.example.com:8201"
-Doda.uri=idcs-oda"
-D501204fbc4d496dac7b74d15a590dce-t0.data.digitalassistant.oci.oc-test.com"
-Doda.channelid=569a0fbd"
-D1f4-4a9c-ad7c-86eab83bf957"
-Doda.secretkey=a5TAAyLQFlD0kx0kD1dS41W7d67Hsi80"
-Doda.isoda=Y"
-Dobscfcmalert.core.userId=SUNIL"
-Dobscfcmalert.core.branchCode=004"
-Dobscfcmalert.server.port=8201"
-Dspring.zipkin.baseUrl=http://<host>.in.example.com:9411"
-Deureka.client.serviceUrl.defaultZone=https://<host>.in.example.com:8004/
plato"
-Discovery-service/eureka"
-Dobscfcm.filter.service.appId=OBSCFCM_FILTER"
-Dobscfcmalert.db.jndi=jdbc/OBSCFCM_ALERTS"
-Deureka.connectTimeout=10000"
-Deureka.readTimeout=10000"
-Dribbon.connectTimeout=20000"
-Dribbon.readTimeout=20000"
-Dplato.services.eureka.uri=https://<host>:8004"
-Deureka.protocol=https"
-Dspring.cloud.loadbalancer.ribbon.enabled=false
-DutilityCache.evict.fixedrate.milliseconds=600000
-DutilityCache.evict.initialdelay.milliseconds=600000
-Dspring.main.allow-circular-references=true

-Dflyway.platoui.placeholders.apigateway_url
=<plato-api-router_Url>"
-DEncryptionFlag=false"
-Dobscfcm.instrument.service.appId=OBSCFCMINST"
-Dobscfcm.accountmaintenance.service.appId=SCFCMACCOUNT"
-Dplato.plato-orch.appId=platoorch"
-Dflyway.platobatch.locations=db/migration/platobatch"
-Dflyway.platobatch.baselineOnMigrate=true"
-Dflyway.platobatch.ignoreMissingMigrations=true"
-Dflyway.platobatch.outOfOrder=true"
-Dflyway.platobatch.placeholderReplacement=true"
-Dplatobatchflyway.enabled=true"
-Dflyway.platobatch.schemas=PLATOBATCH"
-Dflyway.platobatch.db.jndi=jdbc/PLATOBATCH"

-Dobcm.service.serviceConsumer=OBCM_EXTERNAL_BALANCE"
-Dobcm.service.accBalanceDetails=AccBalanceDetails"
-Dcmncore.cmc-branch.service.appId=CMNCORE"
-Dflyway.domain.placeholders.spring.cloud.stream.kafka.binder.brokers=${KAFKA_HOST1}:${KAFKA_SSL_PORT1},${KAFKA_HOST2}:${KAFKA_SSL_PORT2},${KAFKA_HOST3}:${KAFKA_SSL_PORT3}"
-Dspring.cloud.stream.kafka.binder.brokers=${KAFKA_HOST1}:${KAFKA_SSL_PORT1},${KAFKA_HOST2}:${KAFKA_SSL_PORT2},${KAFKA_HOST3}:${KAFKA_SSL_PORT3}"
-Dspring.cloud.stream.kafka.binder.zkNodes=${ZOOKEEPER_HOST1}:${ZOOKEEPER_PORT1},${ZOOKEEPER_HOST2}:${ZOOKEEPER_PORT2},${ZOOKEEPER_HOST3}:${ZOOKEEPER_PORT3}"
export JAVA_OPTIONS

```

7

Environment Variable for OBCM_MS_2 managed server

```
#!/bin/bash JAVA_OPTIONS=$JAVA_OPTIONS}
-Dcashflow-forecasting.db.jndi=jdbc/OBCM_CASHFLOW_FORCAST"
-Drecon.db.jndi=jdbc/OBSCFCM_RECON"
-Dplato.db.jndi=jdbc/PLATO"
-Dcmc.db.jndi=jdbc/CMNCORE"
-Dplatoui.db.jndi=jdbc/PLATO_UI_CONFIG"
-Dsms.db.jndi=jdbc/sms"
-Dfinance.db.jndi=jdbc/OBSCF_FINANCE"
-Dobscfreport.db.jndi=jdbc/OBSCF_REPORT"
-Dlimits.db.jndi=jdbc/OBSCF_LIMIT_MAINT"
-Dobscfcore.db.jndi=jdbc/OBSCF_CORE"
-Deodbatch.db.jndi=jdbc/PLATOBATCH"
-Dobcmcashflowforecasting.db.jndi=jdbc/OBCM_CASHFLOW_FORCAST"
-Dplatofeed.db.jndi=jdbc/PLATOFEED"
-Dobcmcollectionmaint.db.jndi=jdbc/OBCM_COLLECTION_MAINT"
-Dcollectiontxn.db.jndi=jdbc/OBCM_COLLECTIONS"
-Dacct.db.jndi=jdbc/OBSCFCM_ACCOUNTING"
-Dcharges.db.jndi=jdbc/OBSCFCM_CHARGES"
-Dobscfcmcore.db.jndi=jdbc/OBSCFCM_CORE_SERVICES"
-Dfilter.db.jndi=jdbc/OBSCFCM_FILTER"
-Dinstrument.db.jndi=jdbc/OBSCFCM_INSTRUMENTS"
-Dmanualrecon.db.jndi=jdbc/OBSCFCM_RECON"
-Dmaint.db.jndi=jdbc/OBSCFCM_MAINTENANCE"
-Dreport.db.jndi=jdbc/OBSCFCM_REPORT"
-Dworkflow.db.jndi=jdbc/OBSCFCM_WORKFLOWS_CONDUCTOR"
-Dplato.services.config.uri=https://<host>:8001"
-Dplato.service.logging.path=/scratch/work_area/application/logs"
-Dapigateway.url=https://<host>.in.example.com:8006"
-Dplato.service.env=CD1"
-Deureka.host=<host>"
-Deureka.port=8002"
-Dworkflowservice.eureka.host=<host>"
-Dworkflowservice.eureka.port=8203"
-Dkafka.host=<host> "
-Dkafka.port=9092"
-Dzookeeper.port=2181"
-Dplato.services.gateway.port=8006"
-Dplato.services.config.port=8002"
-Dobcmreport.db.jndi=jdbc/OBCM_REPORT"
-Dcache.evict.interval.milliseconds=7200000"
-Dcache.evict.initialdelay.milliseconds=7200000"
-Deureka.connectTimeout=10000"
-Deureka.readTimeout=10000"
-Dribbon.connectTimeout=20000"
-Dribbon.readTimeout=20000"
-Dplato.services.eureka.uri=https://<host>:8001"
```

```

-Dobcm.mastermaintenance.service.appId=OBSCFCMMAINT"
-Dobcm.collectionmaintenance.vaultmasterjob.chunkSize=50"
-Dcmncore.cmc-branch.service.appId=CMNCORE"
-Dplato.services.plato.services.platoref.port=8402"
-Dobcmcashflowprediction.db.jndi=jdbc/OBCM_CASHFLOW_PREDICTION"
-Deureka.protocol=<http or https>"
-Dspring.cloud.loadbalancer.ribbon.enabled=false
-DutilityCache.evict.initialdelay.milliseconds=60000
-DutilityCache.evict.fixedrate.milliseconds=60000
-Dflyway.domain.placeholders.obscfcmmastermaintenance.enabled=true
-Dspring.main.allow-circular-references=true
-
-Dflyway.platoui.placeholders.apigateway_url
=<plato-api-router_Url>"
-DEncryptionFlag=false"
-Dobscfcm.instrument.service.appId=OBSCFCMINST"
-Dobscfcm.accountmaintenance.service.appId=SCFCMACCOUNT"
-Dplato.plato-orch.appId=platoorch"
-Dflyway.platobatch.locations=db/migration/platobatch"
-Dflyway.platobatch.baselineOnMigrate=true"
-Dflyway.platobatch.ignoreMissingMigrations=true"
-Dflyway.platobatch.outOfOrder=true"
-Dflyway.platobatch.placeholderReplacement=true"
-Dplatobatchflyway.enabled=true"
-Dflyway.platobatch.schemas=PLATOBATCH"
-Dflyway.platobatch.db.jndi=jdbc/PLATOBATCH"

-Dobcm.service.serviceConsumer=OBCM_EXTERNAL_BALANCE"
-Dobcm.service.accBalanceDetails=AccBalanceDetails"
-Dcmncore.cmc-branch.service.appId=CMNCORE"
-Dflyway.domain.placeholders.spring.cloud.stream.kafka.binder.brokers=$
${KAFKA_HOST1}:${KAFKA_SSL_PORT1},${KAFKA_HOST2}:${KAFKA_SSL_PORT2},${
${KAFKA_HOST3}:${KAFKA_SSL_PORT3}"
-Dspring.cloud.stream.kafka.binder.brokers=${KAFKA_HOST1}:${KAFKA_SSL_PORT1},${
${KAFKA_HOST2}:${KAFKA_SSL_PORT2},${KAFKA_HOST3}:${KAFKA_SSL_PORT3}"
-Dspring.cloud.stream.kafka.binder.zkNodes=${ZOOKEEPER_HOST1}:${
${ZOOKEEPER_PORT1},${ZOOKEEPER_HOST2}:${ZOOKEEPER_PORT2},${ZOOKEEPER_HOST3}:${
${ZOOKEEPER_PORT3}"
export JAVA_OPTIONS

```

Index

E

Environment Variable for CONDUCTOR Domain, [3-1](#)

Environment Variable for OBCM_MS_1 managed server, [6-1](#)

Environment Variable for OBCM_MS_2 managed server, [7-1](#)

Environment Variables for OBCM Managed Servers, [5-1](#)

Environment Variables for OBSCFCM Managed Servers, [4-1](#)

Environment Variables for Plato Domain, [1-1](#)

Environment Variables for SMS, COMMONCORE, Mid-office Domain, [2-1](#)