

Oracle® Banking Corporate Lending

Application Root Object Conversion



Release 14.8.1.0.0

G43315-01

April 2025



Copyright © 2007, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface

Purpose	i
Acronyms and Abbreviations	i
Audience	i
Critical Patches	ii
Conventions	ii
Diversity and Inclusion	ii
Documentation Accessibility	ii
Related Resources	iii
Screenshot Disclaimer	iii

1 Application Root Object Conversion

1.1 Prerequisites	1
1.2 Configure Application Root PDB Model	1

Preface

This topic contains the following sub-topics:

- [Purpose](#)
- [Acronyms and Abbreviations](#)
- [Audience](#)
- [Critical Patches](#)
- [Conventions](#)
- [Diversity and Inclusion](#)
- [Documentation Accessibility](#)
- [Related Resources](#)
- [Screenshot Disclaimer](#)

Purpose

This guide is designed to help acquaint you with the installation process involved in object conversion in Application root. This guide helps the user with the installation of Oracle Banking Corporate Lending Application.

Acronyms and Abbreviations

The acronyms and abbreviations are listed in this below table:

Table 1 Acronyms and Abbreviations

Abbreviations or Acronyms	Definition
CDB	Constant Database
PDB	Pluggable Database

Audience

This manual is intended for the following User/User Roles:

Table 2 Audience

Role	Function
Administrator	Who controls the system and application parameters and ensures smooth functionality and flexibility of the banking application.
Implementation team	Implementation of Oracle Banking Corporate Lending Solution

Table 2 (Cont.) Audience

Role	Function
Pre-sales team	Install Oracle Banking Corporate Lending for demo purpose
Bank personnel	Who installs Oracle Banking Corporate Lending

The user of this manual is expected to have basic understanding of Oracle Banking Application installation.

Critical Patches

Oracle advises customers to get all their security vulnerability information from the Oracle Critical Patch Update Advisory, which is available at [Critical Patches, Security Alerts and Bulletins](#). All critical patches should be applied in a timely manner to ensure effective security, as strongly recommended by [Oracle Software Security Assurance](#).

Conventions

The following text conventions are used in this document:

Table 3 Conventions

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <https://www.oracle.com/corporate/accessibility/>.

Access to Oracle Support

Oracle customer access to and use of Oracle support services will be pursuant to the terms and conditions specified in their Oracle order for the applicable services.

Related Resources

For more information on any related features, refer to the following documents:

- Oracle Banking Corporate Lending User Guides.
- Oracle Banking Corporate Lending Installation Guides.

Screenshot Disclaimer

Personal information used in the interface or documents is dummy and does not exist in the real world. It is only for reference purposes.

1

Application Root Object Conversion

This topic contains the following sub-topic:

- [Prerequisites](#)
This topic describes information about the prerequisites for Object Conservation installation through Application root.
- [Configure Application Root PDB Model](#)
This topic explains systematic instructions to build the application for setup using the installer.

1.1 Prerequisites

This topic describes information about the prerequisites for Object Conservation installation through Application root.

Follow the below steps in sequential order before using this utility.

- CDB is created with an 18c database and **Application Template PDB** is created under this CDB and the FCUBS objects are loaded.
- Application root creation followed by application seed creation.
- To install version 1.0 of the application, the process must be initiated explicitly by the user and should be done in the Approot directory.

Note

1. Application Root Configuration/Multi-Tenant Deployment is not supported with Autonomous Database.
2. Installer validates during the Application Root Configuration - Property file generation/Approot Object Conversion activities.

1.2 Configure Application Root PDB Model

This topic explains systematic instructions to build the application for setup using the installer.

1. Double-click the **FCUBSInstaller.bat** batch file to launch **Oracle Universal Banking Installer**.

The **Welcome to Oracle Universal Banking Installer** screen displays.

Figure 1-1 Welcome to Oracle Universal Banking Installer

The screenshot shows the 'Oracle FLEXCUBE Universal Installer' window. The title bar includes the Oracle logo and the text 'Oracle FLEXCUBE Universal Installer'. The main window has a header with 'Oracle Banking Installer' and the Oracle logo. The content area is titled 'Welcome To Oracle Universal Banking Installer' and includes a 'Prerequisites' section with two bullet points: 'Oracle Database should be Installed.' and 'JDK should be Installed.' Below this, it says 'Please specify the JDK and Oracle Home path.' There are two text input fields: 'JDK Path' with the value 'C:/Program Files/Java/jdk1.8.0_181' and 'Oracle Home Path' with the value 'C:/app/client/pribalac/product/18.0.0/client_1'. Each field has a 'Browse' button to its right. Below the paths is a 'Configuration Mode' section with a dropdown menu currently set to 'Application Root'. Underneath, it says 'Please select any one of the below options:' followed by two radio button options: 'Property File creation' and 'Utilities', with 'Utilities' being selected. At the bottom of the window are four buttons: 'Exit', 'Log', 'Back', and 'Next'.

2. In the **Configuration Mode** field, select **Application Root** from the drop-down list.
3. Select the **Utilities** option, and click **Next**.

The **Select an Utility** screen displays.

Figure 1-2 Select an Utility

4. On the **Select an Utility** screen, select the **Approot Object Conversion** option, and click **Next**.

The **Object Conversion for Application Root** screen displays.

Figure 1-3 Object Conversion for Application Root

Oracle FLEXCUBE Universal Installer

Oracle Banking Installer ORACLE INSTALLER

Object conversion for Application root

Enter Application Name

Provide Application root Schema details

Name	Value
Username	installer
Password	*****
Service Name	testdb
IP Address	10.10.10.10
Port	1521
TNS Connect Descriptor	testdb

Test Connection

Select Option for conversion

☒ Shared Application

☐ Shared Application and User Authentication

☐ Shared Application and Shared Data - Default

☐ Shared Application and Shared Data - Custom

Exit Log Back Finish

- On the **Object Conversion for Application Root** screen, specify the application name and Approot schema details where the conversion has to apply.

Note

When the application name is not inputted, an error will be displayed to input the same. The user has to make sure that the application name is the one mentioned in the prerequisites with installation done for version 1.0.

- On the **Object Conversion for Application Root** screen, select an appropriate conversion option.

The following are the conversion options:

- **Shared Application**
- **Shared Application and User Authentication**
- **Shared Application and Shared Data – Default**
- **Shared Application and Shared Data – Custom**

Table 1-1 Conversion Options

Conversion Options	Description
Shared Application	When the Shared Application option is selected, there will not be any common data, and only the application is shared.

Table 1-1 (Cont.) Conversion Options

Conversion Options	Description
Shared Application and User Authentication	When the Shared Application and User Authentication option is selected, only user authentication related data will be shared along with a shared application.
Shared Application and Shared Data – Default	When the Shared Application and Shared Data – Default option is selected, all the function groups listed will be installed in the application root.
Shared Application and Shared Data – Custom	When the Shared Application and Shared Data – Custom option is selected, all the function groups listed will be installed in the application root.

7. After selecting the conversion option, click **Test Connection**.

Once the connection is successful, **Finish** will be enabled to take through the steps of movement of function IDs to PDBs, and the object conversion will be completed.

8. On the **Object Conversion for Application Root** screen, click **Finish**.

The **Movement of Application Root Function IDs to PDB** screen displays.

Figure 1-4 Movement of Application Root Function IDs to PDB

Oracle FLEXCUBE Universal Installer

Oracle Banking Installer

Function Ids applicable for movement to PDB

Function Id	Function Description
STDCNMNT	Country Codes

Dependent Function Ids

Function Id	Function Description
ISDNTMEX	Clearing Networks
MIDGRPMT	MIS Groups
ISDEBANP	BICPlusIBAN
ISDBICPU	Bank Identifier Code Upload
MIDXCODE	Cost Codes
CYDCDEFE	Currencies
STDCNMNT	Country Codes
STDHSTCD	Host Code

Exit Log Back Finish

9. In this screen, you can select the entities that are not required to be candidates for approot, and those function IDs will be moved to PDB.

In this screen, there are two multiblocks available -

- a. The first multiblock lists the details of function groups which are the Approot candidates.

- b. The second multiblock lists the function IDs corresponding to each of the function groups in the first block.
This multiblock has the **Move to PDB** checkbox against each function ID.
10. Select the required function group from the **Function Group Description** columns, and click **View Details**.

The respective function IDs will also be appended to the second multiblock against the function group.

Note

You can select more than one function group.

11. From the second multiblock, select function IDs that have to move to PDB by checking the respective **Move to PDB** box.
12. Once the selection is completed, click **Next**.

The **Function IDs Applicable For Movement to PDB** screen displays.

Figure 1-5 Function IDs Applicable For Movement to PDB

Oracle FLEXCUBE Universal Installer

Oracle Banking Installer

Function Ids applicable for movement to PDB

Function Id	Function Description
STDCNMNT	Country Codes

Dependent Function Ids

Function Id	Function Description
ISDNTMEX	Clearing Networks
MIDGRPMT	MIS Groups
ISDEBANP	BICPlusIBAN
ISDBICPU	Bank Identifier Code Upload
MIDXCODE	Cost Codes
CYDCDEFE	Currencies
STDCNMNT	Country Codes
STDHSTCD	Host Code

Exit Log Back Finish

The dependent function IDs of the selected functions that opted to move to PDB are listed in this screen.

13. Click **Finish** to complete the object conversion.

Post execution, the **Compilation Success** message displays in the front end.

Note

The execution process takes a few minutes.

14. Close the pop-up message.