

Oracle® Banking Corporate Lending Installer ODT EAR Building



Release 14.8.1.0.0
G43299-01
October 2025

ORACLE®

Oracle Banking Corporate Lending Installer ODT EAR Building, Release 14.8.1.0.0

G43299-01

Copyright © 2007, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface

Purpose	i
Acronyms and Abbreviations	i
Audience	ii
Critical Patches	ii
Conventions	ii
Diversity and Inclusion	ii
Documentation Accessibility	iii
Related Resources	iii
Screenshot Disclaimer	iii

1 Open Development Tool Installation

1.1 Create Property File for Open Development Tool	1
1.2 Set up Database for Open Development Tool	6
1.3 Build WAR for Open Development Tool	7

Preface

This topic contains the following sub-topics:

- [Purpose](#)
- [Acronyms and Abbreviations](#)
- [Audience](#)
- [Critical Patches](#)
- [Conventions](#)
- [Diversity and Inclusion](#)
- [Documentation Accessibility](#)
- [Related Resources](#)
- [Screenshot Disclaimer](#)

Purpose

This guide explains about the creation of .war file using ODT (Open Development Tool) and setting up database for ODT installation.

Acronyms and Abbreviations

The list of the acronyms and abbreviations used in this guide are as follows:

Table 1 Acronyms and Abbreviations

Abbreviation	Description
FCUBS	Oracle FLEXCUBE Universal banking Solutions
ELCM	Oracle Banking Enterprise Limits and Collateral Management
EAR	Enterprise Archive file
EJB	Enterprise Java Bean
GW	Gateway
HTTP	Hypertext Transfer Protocol
JS	Java Script
ODT	Open Development Tool
OBCL	Oracle Banking Corporate Lending
OBTF	Oracle Banking Trade Finance
OBTR	Oracle Banking Treasury Management
ROFC	Rest of FLEXCUBE

Audience

This manual is intended for the following User/User Roles:

Table 2 Audience

Role	Function
Administrator	Who controls the system and application parameters and ensures smooth functionality and flexibility of the banking application.
Implementation team	Implementation of Oracle Banking Corporate Lending Solution
Pre-sales team	Install Oracle Banking Corporate Lending for demo purpose
Bank personnel	Who installs Oracle Banking Corporate Lending

The user of this manual is expected to have basic understanding of Oracle Banking Application installation.

Critical Patches

Oracle advises customers to get all their security vulnerability information from the Oracle Critical Patch Update Advisory, which is available at [Critical Patches, Security Alerts and Bulletins](#). All critical patches should be applied in a timely manner to ensure effective security, as strongly recommended by [Oracle Software Security Assurance](#).

Conventions

The following text conventions are used in this document:

Table 3 Conventions

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <https://www.oracle.com/corporate/accessibility/>.

Access to Oracle Support

Oracle customer access to and use of Oracle support services will be pursuant to the terms and conditions specified in their Oracle order for the applicable services.

Related Resources

For more information on any related features, refer to the following documents:

- Oracle Banking Corporate Lending User Guides.
- Oracle Banking Corporate Lending Installation Guides.

Screenshot Disclaimer

Personal information used in the interface or documents is dummy and does not exist in the real world. It is only for reference purposes.

1

Open Development Tool Installation

This topic contains the following sub-topics:

- [Create Property File for Open Development Tool](#)
This topic provides systematic instruction to create property file for open development tool.
- [Set up Database for Open Development Tool](#)
This topic describes about setting up database for open development tool.
- [Build WAR for Open Development Tool](#)
This topic provides about building WAR for open development tool.


1.1 Create Property File for Open Development Tool

This topic provides systematic instruction to create property file for open development tool.

To create property file for ODT, follow the steps below:

1. Run **FCUBSInstaller.bat** batch file in Windows or **FCUBSInstaller.sh** in Linux to launch Oracle Banking Installer.

Figure 1-1 FCUBSInstaller.bat



```
C:\windows\system32\cmd.exe
checking whether Installer is running.....
creating a new flag file.....
successfully created the flag File.

initializing the errorLevel to 0

Checking Java Home.....
Please input Java path [Example: D:\Program Files\Java\jdk1.6.0_17]
@@@@@JAVAHOME NOT DEFINED@@@@@
Enter JAVA HOME Directory:C:/Program Files/Java/jdk1.8.0_144
JAVA_HOME has been set
initializing the errorLevel to 0

Checking Java Home.....
Java Home Path has been set sucessfully.

The system cannot find the path specified.
ojdbc0.jar
@@@@ORACLE HOME NOT DEFINED@@@
Enter Oracle Home Directory:D:/12Client/app/client/siramakr/product/12.1.0/client_1
Oracle Home set
ojdbc7.jar
Oracle Home set sucessfully
clearing the compiled files.....
clearing the jar file.
clearing the compiled classes files.
ojdbc7.jar
jar to be copied from D:/12Client/app/client/siramakr/product/12.1.0/client_1\jdbc\lib\ojdbc7.jar
copying jars into the Library...
1 file(s) copied.

checking logs Folder.....
--Current Folder--
--avast--
this InstallationShipment "SOFT"
inside Checking APPSERVER HOME.....
appserverhome
```

2. On the **Welcome to Oracle Banking Installer** screen, specify the following details.

The

Figure 1-2 Welcome to Oracle Banking Installer
Table 1-1 Oracle Banking Installer - Field Description

Field	Description
Java Home Path	Specify the JAVA 8 home path.
Oracle Home Path	Specify the Oracle Client Path.
App Server Path	Specify the Application Server Path.

3. Select one of the following options:

- **Property File creation**
- **Utilities**

Select **Property File creation** for the current case.

4. Click **Next**.

Based on the selection, the **Select one of the Components** screen displays.

Figure 1-3 Select one of the Components

Oracle FLEXCUBE Universal Installer 12.5.0.0.0

Oracle Banking Installer

ORACLE
INSTALLER

Select one of the Components

Load Existing Property File

☒ INFRA ☐ Scheduler ☐ Gateway ☐ Switch Interface Installation

Select Oracle Product Processors

☐ Oracle FLEXCUBE Universal Banking

☐ Oracle FLEXCUBE Enterprise Limits and Collateral Management (CO-DEPLOY)

☐ Oracle Banking Payments

☐ Oracle Banking Corporate Lending ☒ **Open Development Tool**

☐ Oracle Banking Treasury ☐ Oracle FLEXCUBE Universal Banking for JAPAN

☐ Oracle Banking Trade Finance

Select Plugins to be Installed

☐ Branch

Host Address 10.10.10.10 1010 ☐ Origination ☐ Scheduler Standalone

☐ Reports 10.10.10.10 1010 ☐ OFTW ☐ SIANET Adapter

☐ DMS 10.10.10.10 1010 ☐ Insulation ☐ ELCM Adapter required

5. Select **Open Development Tool** component for installation and click **Next**.
The **ODT Property file creation** screen displays.

Figure 1-4 ODT Property file creation

Oracle FLEXCUBE Universal Installer 12.5.0.0.0

Oracle Banking Installer

Welcome To Oracle FLEXCUBE

ODT Property file creation

Operating System: Linux

Application Server: Weblogic

DataBase Server: Oracle

ODT JNDI:

SYMMETRIC K...:

Logger Path:

PROVIDER_URL:

War File Name:

Source Path:

Ear Destination Path:

Name	Value
Username	installer
Password	*****
Service Name	testdb
IP Address	10.10.10.10
Port	1521
TNS Connect Descriptor	testdb.world

☐ DB Compilation Required

For more information, refer to the fields description table.

Table 1-2 ODT Property file creation - Field description


Field	Description
Operating System	Specify the operating system.
Application Server	Specify the application server.
ODT JNDI	Specify the JNDI for the ODT.
SYMMETRIC KEY	Specify the symmetric key as oraclefinancials .
Logger Path	Specify the path where the logs have to be written.
PROVIDER_URL	Specify the provider URL .
War File Name	Specify the war file Name
Source Directory	Specify the source directory location. The source directory should have the rad_ddl.sql and other corresponding packages. Click the Browse button to browse to the source directory location.
Ear Destination Directory	Specify the Ear destination directory. Click the Browse button to browse to the destination location.
User Name	Specify the user name to access the schema.
Password	Specify the schema password for the above user name.

Table 1-2 (Cont.) ODT Property file creation - Field description

Field	Description
Service Name	Specify service name of database.
TNS Connect Descriptor	Specify a valid connect string that contains the details for database connectivity.
IP Address	Specify the IP address of the system where the database schema is installed.
Port	Specify the port number.
DB Compilation Required	Select this checkbox to indicate execute ODT scripts in provided ODT schema. ODT schema details will be appended to the env.properties file.


6. Once the above details are specified, click **Test Connection** to test the database schema connection.

The **Message** screen displays

Figure 1-5 Message


7. Click on **save** to save the **env.properties** file

The **Save File** screen displays.

Figure 1-6 Save File

8. Browse to the folder to save file and click **save**.

The **Message** screen displays

Figure 1-7 Message

9. The property file named odt.properties will be available in the custom location. Path will be written as **ODT_PROPERTIES_PATH** in **env.properties** file.
10. Copy this file to SOFT/Logs folder and proceed for war building.

1.2 Set up Database for Open Development Tool

This topic describes about setting up database for open development tool.

To set up database for Open Development Tool (ODT), follow the steps given below:

Environment Setup

Follow the below steps during Environment Setup:

1. **For property file creation:** Follow CREATING PROPERTY FILE FOR OPEN DEVELOPMENT TOOL steps to create property file.
2. **Copy environment property file:** Generate the env.properties file in \INSTALLER\SOFT\GUI\logs path and you can copy the file and paste to \INSTALLER\SOFT\logs path.

Backend Setup using Silent Installer

Backend Setup must be done using Silent Installer. DDL Compilation, Object Compilation and Static Data load will be taken care as part of Backend Setup.

Run **ODTDBCompileRun.bat** in Windows (**ODTDBCompileRun.sh** in Linux).

DDL Compilation, Object Compilation and Static Data load will be done. Check for the Invalid Count and make sure that the Invalid count is **0**.

1.3 Build WAR for Open Development Tool

This topic provides about building WAR for open development tool.

- Run **ODTWarRun.bat** in Windows (**ODTWarRun.sh** in Linux).
- Check the war file is generated in EAR destination folder path provided in **env.properties** file.