Oracle® Banking Origination Finicity Integration Service Guide



Release 14.7.4.0.0 F97654-01 June 2024

ORACLE

Oracle Banking Origination Finicity Integration Service Guide, Release 14.7.4.0.0

F97654-01

Copyright © 2021, 2024, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface

| Purpose | iv |
|-----------------------------|----|
| Audience | iv |
| Documentation Accessibility | iv |
| Diversity and Inclusion | iv |
| Conventions | V |
| | |

1 Integration Guide

| 1.1 1 | Maintenance | for | Oracle | Banking | Origination |
|-------|-------------|-----|--------|---------|-------------|
|-------|-------------|-----|--------|---------|-------------|

Index



1-1

Preface

- Purpose
- Audience
- Documentation Accessibility
- Diversity and Inclusion
- Conventions

Purpose

This guide is to help with Integration of Oracle Banking Origination Product with Bureau Integration Service.

Audience

This guide is intended for the Implementation and IT Staff to implement and maintain the software.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info or visit http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs if you are hearing impaired.

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.



Conventions

The following text conventions are used in this document:

| Convention | Meaning |
|------------|--|
| boldface | Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary. |
| italic | Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values. |
| monospace | Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter. |



1 Integration Guide

This topic provides the information about the Finicity Integration Service.

You can integrate Oracle Banking Origination with Finicity Integration Service acting through Oracle Banking Routing Hub.

This guides briefs you about the specific steps needed for the integration of these two products and specific maintenance.

Note:

For configuration details of setting up Bureau Service integration, refer **Rule Configuration** screen from the **Configurations User Guide.**

This topic contains the following subtopics:

 Maintenance for Oracle Banking Origination This topic describes systematic instructions to maintain Oracle Banking Routing Hub configuration in common core for Finicity Integration Service.

1.1 Maintenance for Oracle Banking Origination

This topic describes systematic instructions to maintain Oracle Banking Routing Hub configuration in common core for Finicity Integration Service.

To maintain Oracle Banking Routing Hub configuration in common core for Finicity Integration Service.

Specify User ID and Password, and login to Home screen. To import the services:

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Routing Hub.
- 2. Under Routing Hub, click FINICITY.

The Service Consumers screen displays.



| Service Consume | rs | | | | | | | | :: × |
|-----------------|------|----------------|---|-------------------|---|---------|---|----------|------|
| Add C Import | Sear | ch | Q | | | | | | |
| CBSToBureau | : | ADDRESS_SEARCH | : | OBPY_08112023_bkp | : | SLA_API | : | FINICITY | : |
| RPM_ORIGINATION | : | OBPY | : | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

Figure 1-1 Service Consumer

- Click Import and select the FINICITY_FINICITY1.13.2_Provider.json file provided in release.
- 4. Under **FINICITY**, click **FINICITY**.

The **FINICITY** screen displays.

Figure 1-2 FINICITY

| Service | e Consume | rs | | | | | ::× |
|-------------|--------------|----------------|----------------------------|--------------|------------------|------|-------|
| FINICITY 3 | Service Prov | viders > FINIC | TY 1.13.2 | | | | |
| Implementat | ion | | | | | | |
| Ct Add | Import | Search | Q | | | | |
| Actions | Name | | Description | Service Name | Host | Port | Queue |
| : | FINICITY | _Default | Default Implementation | | api.finicity.com | | |
| Page 1 | | of 1 (| 1 - 1 of 1 items) < ∢ 1 → | × | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

- 5. Click Edit.
- Change the host and port as per the Finicity Integration Service installation and save it The Edit Implementation screen displays.



| | | | 006 Branch (006) | Ô | |
|--------------------------------|-----------------------------|---------|-------------------|------|-------|
| Service Consumers | Edit Implementation Name | | × | | :: × |
| FINICITY > Service Providers > | FINICITY_Default | | | | |
| Implementation | Description | | | | |
| Ct Add Ct Import Search | Default Implementation | | | | |
| Actions Name | Туре | Default | | Port | Queue |
| | DEFAULT - | | | | |
| FINICITY_Default | Scheme | | | | |
| Page 1 | https 👻 | | | | |
| | Host | Port | 1000 | | |
| | api.finicity.com | | | | |
| and the second second | > Authentication | | | | |
| | | | Save | | |
| | | | | | |

Figure 1-3 Edit Implementation

7. From **FINICITY** screen, click **Consumer Service**.

The **Consumer Service** screen displays.

Figure 1-4 Consumer Services

| Service | e Consumers | | ;; x |
|---------------|---------------------------|------------------------------|------|
| FINICITY | | | |
| Service Provi | iders Consumer Services | | |
| 🗋 Add | Import Search | Q | |
| Actions | Name | Description | |
| : | Get_Institution_by_ID | to get Institution by Id | |
| : | Get_Account_Owner_Details | to get Account Owner Details | |
| ÷ | Delete_Customer_by_ID | to Delete Customer by Id | |
| Page 1 | of 1 (1 - 7 of 7 ite | ms) < < 1 > > | |
| | | | |
| | | | |
| | | | |

- 8. Click **Import** below services
 - Get_Institution_by_ID
 - Get_Account_Owner_Details
 - Delete_Customer_by_ID
 - Create_Access_Token
 - Initiate_Existing_Customer_Finicity
 - initiate_Finicity
 - Get_Account_ACH_Details

a. Enquiry API for fetching institution Details:

This will allow Oracle Banking Origination to fetch institution details for finicity integration. Below finicity apis are called in the sequence.



Table 1-1 Routing Hub Details

| Service Provider | Consumer Services | Service |
|------------------|-----------------------|---|
| FINICITY | Create_Access_Token | CreateToken - / aggregation/v2/partners/ authentication |
| FINICITY | Get_Institution_by_ID | GetInstitution - / institution/v2/institutions/ {institutionId} |

b. Enquiry API for fetching Account Owner Details:

This will allow Oracle Banking Origination to fetch account owner details for finicity integration. Below finicity apis are called in the sequence:

Table 1-2 Routing Hub Details

| Service Provider | Consumer Services | Service |
|------------------|---------------------------|---|
| FINICITY | Create_Access_Token | CreateToken - / aggregation/v2/partners/ authentication |
| FINICITY | Get_Account_Owner_Details | GetAccountOwnerDetails - /aggregation/v3/ customers/{customerId}/ accounts/{accountId}/ owner |

c. API for deleting customer finicity:

This api is used to delete the customer created in the finicity. Below finicity apis are called in the sequence:

Table 1-3 Routing Hub Details

| Service Provider | Consumer Services | Service |
|------------------|-----------------------|---|
| FINICITY | Create_Access_Token | CreateToken - / aggregation/v2/partners/ authentication |
| FINICITY | Delete_Customer_by_ID | DeleteCustomer - / aggregation/v1/customers/ {customerId} |

d. API for creating access token:

This api is used to create authentication token which will be required while calling finicity api for the security purpose.

Table 1-4 List of Names

| Service Provider | Consumer Services | Service |
|------------------|-------------------|---|
| FINICITY | | CreateToken - / aggregation/v2/partners/ authentication |

e. API for initiating finicity call for an existing customer:

This api is used to initiate finicity call for an existing customer. Incase apis call to finicity fails after customer is already created, instead of calling apis again from start we will use an existing customer created and then call subsequent apis of finicity. Below



finicity apis are called in the sequence. If finicity mode is configured as "Branch Visit" in Origination Preference screen, then Generate_Connect_URL_Transform will be called after Create_Access_Token else if finicity mode is configured as "Customer Email" in Origination Preference screen then.

Send_Connect_Email will be called after Create_Access_Token.

Table 1-5 Routing Hub Details

| Service Provider | Consumer Services | Service |
|------------------|--------------------------------|---|
| FINICITY | Create_Access_Token | CreateToken - / aggregation/v2/partners/ authentication |
| FINICITY | Generate_Connect_URL_Transform | GenerateConnectUrl - / connect/v2/generate |
| FINICITY | Send_Connect_Email | SendConnectEmail - / connect/v2/send/email |

f. API for initiating finicity call:

This api is used for initiating the finicity call. Below finicity apis are called in the sequence. If finicity mode is configured as "Branch Visit" in Origination Preference screen, then Generate_Connect_URL_Transform will be called after AddTestingCustomer else if finicity mode is configured as "Customer Email" in Origination Preference screen then.

Send_Connect_Email will be called after AddTestingCustomer:

| Service Provider | Consumer Services | Service |
|------------------|------------------------------------|--|
| FINICITY | Create_Access_Token | CreateToken - / aggregation/v2/partners/ authentication |
| FINICITY | AddTestingCustomer | AddTestingCustomer - / aggregation/v2/customers/ testing |
| FINICITY | Generate_Connect_URL_ Transform | GenerateConnectUrl - / connect/v2/generate |
| FINICITY | Send_Connect_Emai | SendConnectEmail - / connect/v2/send/email |

Table 1-6Routing Hub Details:

g. API for fetching account details:

This api is used for fetching the account details from finicity. Below finicity apis are called in the sequence:

Table 1-7Routing Hub Details

| Service Provider | Consumer Services | Service |
|------------------|-----------------------------|--|
| FINICITY | Create_Access_Token | CreateToken - / aggregation/v2/partners/ authentication |
| FINICITY | Get_Account_ACH_Detail s | GetAccountACHDetails - / aggregation/v1/customers/ {customerId}/accounts/ {accountId}/details |



Index

I

Integration Guide, 1-1

Μ

Maintenance for Oracle Banking Origination, 1-1

