

Oracle® Banking Originations Cloud Service

FLEXCUBE Universal Banking Integration Guide



Release 14.8.1.0.0
G43402-01
October 2025

ORACLE®

Copyright © 2021, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface

Purpose	i
Audience	i
Documentation Accessibility	i
Diversity and Inclusion	i
Conventions	ii
Screenshot Disclaimer	ii

1 Integration Guide

1.1 Maintenance for Oracle FLEXCUBE Universal Banking	1
1.2 Maintenance for Oracle Banking Originations Cloud Service	3
1.3 Maintenance for Product Processor as environment variable	8

Index

Preface

This topic contains the following sub-topics:

- [Purpose](#)
- [Audience](#)
- [Documentation Accessibility](#)
- [Diversity and Inclusion](#)
- [Conventions](#)
- [Screenshot Disclaimer](#)

Purpose

This guide is to help with Integration of Oracle Banking Originations Cloud Service with Oracle FLEXCUBE Universal Banking acting as the backend Product Processor.

Audience

This guide is primarily intended for the following user/user roles:

Table 1 Audience

Role	Function
Implementation and IT Staff	Implementation and maintenance of the software

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also

mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Screenshot Disclaimer

Personal information used in the interface or documents is dummy and does not exist in the real world. It is only for reference purposes.

1

Integration Guide

This topic describes about the information on integration guide for Oracle Banking Originations Cloud Service.

User can integrate Oracle Banking Originations Cloud Service with Oracle FLEXCUBE Universal Banking acting as the backend Product Processor through Oracle Banking Routing Hub. This guide describes about the specific steps required for integration of these two products and specific maintenances.

This topic contains the following subtopics:

- [Maintenance for Oracle FLEXCUBE Universal Banking](#)
This topic describes information about the maintenance for Oracle FLEXCUBE Universal Banking.
- [Maintenance for Oracle Banking Originations Cloud Service](#)
This topic provide the systematic instructions to integrate Oracle FLEXCUBE Universal Banking service provider within Oracle Banking Originations Cloud Service.
- [Maintenance for Product Processor as environment variable](#)
This topic describes information about the maintenance for Oracle FLEXCUBE Universal Banking.

1.1 Maintenance for Oracle FLEXCUBE Universal Banking

This topic describes information about the maintenance for Oracle FLEXCUBE Universal Banking.

Gateway setup should be done in Oracle FLEXCUBE Universal Banking for particular source system (Oracle Banking Originations Cloud Service) by doing maintenance in the below mentioned screens.

1. CODSORCE – Upload Source Maintenance.

Figure 1-1 Upload Source Maintenance

The screenshot shows a web-based form titled "Upload Source Maintenance". At the top left, there are two buttons: "New" and "Enter Query". The form has two input fields: "Source Code" and "Description". Below these fields are three toggle switches: "Base Data From FLEXCUBE", "System Authorization Required", and "REST API Authorization Required". At the bottom right of the form, there are two buttons: "Audit" and "Exit".

2. CODUPLDM – Upload Source Preferences Maintenance – For modules CL and ST.

Figure 1-2 Upload Source Preferences Maintenance

Upload Source Preferences Maintenance

Save

Source Code *

Module Code *

Error Handling

On Error *

On Override *

Post Upload

Status *

Purge Days

Allow Deferred Processing ☐

Allow EOD with Deferred ☐

Deletion Allowed ☐

Function Id Preferences

3. GWDETSYS – External System Maintenance.

Figure 1-3 External System Maintenance

External System Maintenance

New Enter Query

External System

External System *

Description

Message Exchange Pattern

Request Message

Response Message

XSD Validation Required ☐

Correlation Pattern

Request

Queue

Default Response Queue

Dead Letter Queue

Register Response Queue Message Id ☐

External System Queues

☐ In Queue

No data to display.

Page 1 (0 of 0 items) | < 1 >

FTP Parameters Fields

4. GWDETFUN – External System Functions – for below function and actions.

Table 1-1 Function IDs

Function ID	Action
STGCUSAC	NEW
STGCUSTD	NEW
STQTDSIM	VIEW
CLGACCNT	NEW
CLGSIMNT	VIEW
CLQPRMNT	VIEW
CLVPRMNT	VIEW
STQACLIC	VIEW
STQACUVL	VIEW

Table 1-1 (Cont.) Function IDs

Function ID	Action
STVACCLS	VIEW
STGCOLAT	NEW

Figure 1-4 External System Functions

5. SMDROLDF – Role Definition – The function ids in above [Table 1-1](#) needs to be added to the correct role. This role needs to be mapped with Oracle FLEXCUBE Universal Banking user which is configured in the PLATO PROPERTIES table of Oracle Banking Originations Cloud Service.

Figure 1-5 Role Maintenance


1.2 Maintenance for Oracle Banking Originations Cloud Service

This topic provide the systematic instructions to integrate Oracle FLEXCUBE Universal Banking service provider within Oracle Banking Originations Cloud Service.

Maintain the Oracle Banking Routing Hub configuration in common core for Oracle FLEXCUBE Universal Banking.

1. From **Home** screen, click **Interconnect** and click **Routing Hub**.
 2. Under **Routing Hub**, click **Service Consumers**.
- The **Service Consumers** screen displays.

Figure 1-6 Service Consumers



3. Click **Import Service Consumer**.
- The **Import Service Consumer - Basic Details** screen displays.

Figure 1-7 Import Service Consumers - Basic Details

The screenshot shows the 'Import Service Consumer' dialog box. The title bar says 'Import Service Consumer' with a close button. Below the title bar, there's a navigation bar with a back arrow, 'Basic Details (1/2)', and a forward arrow. The main content area has a dashed box with the text 'Drag and Drop' and 'Select a file or drop one here.' Below this, there are two input fields: 'File' and 'Name'. Under the 'File' field, there's a radio button for 'Overwrite extended templates' with 'Yes' and 'No' options, where 'No' is selected. Similarly, under the 'Name' field, there's a radio button for 'Overwrite environment variables' with 'Yes' and 'No' options, where 'No' is selected. At the bottom right, there's a 'Next Step' button.

For more information, refer to the fields description table below.

Table 1-2 Import Service Consumer - Basic Details

Field	Description
Drag and Drop	Click Drag and Drop to upload the OBOConsumer.zip file for the current release.
File	Displays the uploaded file name.
Name	Displays the name of provider.
Overwrite extended templates	Select the overwrite extended templates. The available options are: • Yes • No
Overwrite environment variables	Select the overwrite environment variables. The available options are: • Yes • No

4. Click **Next Step**.

The **Import Service Consumer - Providers** screen displays.


Figure 1-8 Import Service Consumer - Providers

5. Click **Import**.


A new service consumer tile is added for the release.

6. Click **View More** on the RPM_ORIGINATION tile.


The **RPM_ORIGINATION** screen displays.

Figure 1-9 RPM_ORIGINATION

7. Click **Service Provider** tab.
The **Service Provider** tab displays.

Figure 1-10 Service Provider

8. Click **View More** on the FCUBS tile.
The **FCUBS** screen displays.

Figure 1-11 FCUBS

9. Click .
The **Edit Implementation** screen displays.

Figure 1-12 Edit Implementation

Edit Implementation

Implementation Details (1/4)

Implementation Name: FCUBS_Default

Implementation Description: Default Implementation

Implementation Type: Default

Default: ☐

Eureka Instance: ☐

Single Tenant: ☐

Scheme: http

Service Name:

Host: 100.76.153.204

Port: 7003

URL Prefix To Strip:

Use WSDL details (scheme, host and port) for SOAP service invocation: ☐

Use Proxy: ☐

Next Step

10. Change the host and port as per the Oracle FLEXCUBE Universal Banking installation and click **Save**.
 11. Repeat the same for all the FCUBS Service Providers.
- The below consumer services will be imported.

Table 1-3 List of Consumer Service

Consumer Service	Description
Collateral_Creation	Usage: Create Local Collateral Service: FCUBSCoreService Operation: CreateLocalCollateral
CASA_Account_Creation	Usage: Create CASA Account Service: FCUBSAccService Operation: CreateCustAcc
Loan_Simulation	Usage: Perform Loan Account Simulation Service: FCUBSCLService Operation: CreateAccountSim
TD_Simulation	Usage: Perform Term Deposit Account Simulation Service: FCUBSAccService Operation: QueryTDCustAccSim

Table 1-3 (Cont.) List of Consumer Service

Consumer Service	Description
Get_Liability_Interest_Details	Usage: Fetch Liability Interest and Charge Details Service: FCUBSSTService Operation: QueryAccClasUde
Get_Liability_Product_Details	Usage: Fetch Liability Product Details Service: FCUBSSTService Operation: QueryAccClasQuery
Get_Loan_Product_Details	Usage: Fetch Loan Product Details Service: FCUBSCLService Operation: QueryProduct
List_All_Loan_Products	Usage: List Loan Products Service: FCUBSCLService Operation: SummaryQueryProduct
List_All_Liability_Products	Usage: List Liability Products Service: FCUBSSTService Operation: SummaryQueryAccClasMaint
TD_Account_Creation	Usage: Create Term Deposit Account Creation Service: FCUBSAccService Operation: CreateTDCustAcc
Loan_Account_Creation	Usage: Create Loan Account Creation Service: FCUBSCLService Operation: CreateAccount
fetchTDAccount	Usage: Fetch TD accounts which are tagged as Collateral Linkage , for a particular customer number. This will be used for attaching TD accounts as collaterals in Oracle Banking Originations Cloud Service screens Service: fcubs-co-mo-lov-service Note: Make sure that the above service is deployed in FCUBS. Also make sure that the following INC which is released as part of FCUBS is present in CSTB_LOV_INFO table.


1.3 Maintenance for Product Processor as environment variable

This topic describes information about the maintenance for Oracle FLEXCUBE Universal Banking.


Gateway setup should be done in Oracle FLEXCUBE Universal Banking for particular source system (Oracle Banking Originations Cloud Service) by doing maintenance in the below mentioned screens.

1. From **Home** screen, click **Interconnect** and click **Routing Hub**.
2. Under **Routing Hub**, click **Service Consumers**.


The **Service Consumers** screen displays.

Figure 1-13 Service Consumers

3. Click **View More** on the **RPM_ORIGINATION** tile.
The **RPM_ORIGINATION** screen displays.

Figure 1-14 RPM_ORIGINATION - Environment Variables

4. Click **Edit Group** on the **Assets** tile.
The **Edit Group** screen displays.

Figure 1-15 Edit Group

5. Click and update **PP** as Variable Name, **FCUBS** as Variable Value.

The Variable Value is shown as **FCUBS** by default. User can update it manually if it is not shown.

6. Repeat the same steps above for TD and LOAN groups.

Figure 1-16 Edit Group - TD

Edit Group

Group Name

TD

☐	Variable Name	Variable Value	Sensitive	
☐	PP	FCUBS	☐	

Page 1 of 1 (1 of 1 items)

1

Save

Figure 1-17 Edit Groups - Loan

Edit Group

Group Name

LOAN

☐	Variable Name	Variable Value	Sensitive	
☐	PP	FCUBS	☐	

Page 1 of 1 (1 of 1 items)

1

Save

7. Click **Save** to save the changes.

Index

E

External System Functions, [1](#)
External System Maintenance, [1](#)

I

Integration Guide, [1](#)

M

Maintenance for Oracle Banking Originations
Cloud Service, [3](#)

Maintenance for Oracle FLEXCUBE Universal
Banking, [8](#)

R

Role Maintenance, [1](#)

U

Upload Source Maintenance, [1](#)
Upload Source Preferences Maintenance, [1](#)