

Oracle® Banking Payments Payments Installer EAR Building



Release 14.7.0.0.0

F90881-02

February 2025

The Oracle logo, consisting of a solid red square with the word "ORACLE" in white, uppercase, sans-serif font centered within it.

ORACLE®

Oracle Banking Payments Payments Installer EAR Building, Release 14.7.0.0.0

F90881-02

Copyright © 2017, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

1 Preface

Purpose	1-1
Audience	1-1
Documentation Accessibility	1-1
Critical Patches	1-1
Diversity and Inclusion	1-2
Conventions	1-2

2 Building Application for Setup

EAR Build Process	2-1
Standalone Setup	2-2
Co-deployed Set-up - Combining Payments with FCUBS	2-2

1

Preface

- [Purpose](#)
- [Audience](#)
This manual is intended for the following User/User Roles:
- [Documentation Accessibility](#)
- [Critical Patches](#)
- [Diversity and Inclusion](#)
- [Conventions](#)

Purpose

This guide is designed to help acquaint you with the Oracle Banking Payments application. This guide provides answers to specific features and procedures that the user need to be aware of the module to function successfully.

Audience

This manual is intended for the following User/User Roles:

Table 1-1 User Roles

Role	Function
Implementation & IT Staff	Implementation & Maintenance of the Software

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Critical Patches

Oracle advises customers to get all their security vulnerability information from the Oracle Critical Patch Update Advisory, which is available at [Critical Patches, Security Alerts and Bulletins](#). All critical patches should be applied in a timely manner to make sure effective security, as strongly recommended by [Oracle Software Security Assurance](#).

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

2

Building Application for Setup

- [EAR Build Process](#)
- [Standalone Setup](#)
- [Co-deployed Set-up - Combining Payments with FCUBS](#)

EAR Build Process

1. The process of building EAR files includes the following steps:
 - Obtain the Fcubs.properties file by generating the GUI Installer which is saved in the required path.
 - Run the PMEarRun.bat file for windows and PMEarRun.sh file for linux.
2. To build the application for setup using the Silent Installer, follow the steps given below:
Maintain the fcubs.properties file path which is created through GUI Installer otherwise EAR may fail if the fcubs property file path is not provided.
3. Maintain the Environment Property File by inputting all the fields
FCUBS_PROPERTIES_PATH Mention the property file path with file name where it is been placed.

Figure 2-1 Environment Property File

```
#Wed May 18 11:51:39 IST 2022
OBMA_PRODUCT_INSTALLED=N
GW_PROPERTIES_PATH=D:/Oracle_Banking_Payments_14.6.0.0/INSTALLER/SOFT/logs/GW_WS_Prop.properties
HOST_SMS=jQ23W6kEXUkq+jiNpP/ww1xsS+nCyQoE2n8LXh0=
SYMMETRIC_KEY=oraclefinancials
ENTITY_ID1=ENTITY_ID1
PORT_SMS=1521
PATCHSET_EDITION=
CONTEXT_NAME=FCJNeoWeb
PASSWORD_SMS=7HC2Qah9IDxa++0XbR9TCkPKtOA+2ztrZUs=
SOURCE_PATH=D:/Oracle_Banking_Payments_14.6.0.0
JSESSION_ID=
SCHEMA_NAME_ENTITY_ID1=7HC2Qah9IDxaINjq/Djfb3hSrT67Kz6L3w==
EXTERNAL_PROPERTY_PATH_REQUIRED=N
WEBLOGIC_HOME=C:/Oracle/Middleware/Oracle_Home/wlserver
SCHEMA_NAME_SMS=7HC2Qah9IDxaINjq/Djfb3hSrT67Kz6L3w==
COMPILE_IN_ALL_ENTITIES=N
PASSWORD_ENTITY_ID1=7HC2Qah9IDxa++0XbR9TCkPKtOA+2ztrZUs=
APPLICATION_TYPE=FCUBS
ZDT_OBJECTS_COMPILE_THREAD=1
ZDT_PATCHING=N
EXTERNAL_PROPERTY_PATH=
DECENTRALIZED=N
EAR_NAME=FCUBS
ZDT_OBJECTS_ACTUALIZATION_REQUIRED=Y
EXTERNAL_JSUIXML_PATH=
EAR_DESTINATION_PATH=D:/Oracle_Banking_Payments_14.6.0.0
ENTITY NOS=1
DECENTRALIZED_FCUBS_PROPERTIES_PATH=
CONNECTING_STRING_ENTITY_ID1=OCIPDB2
BASE_EDITION=
HOST_ENTITY_ID1=jQ23W6kEXUkq+jiNpP/ww1xsS+nCyQoE2n8LXh0=
ConfigPath=D:/Oracle_Banking_Payments_14.6.0.0/INSTALLER/SOFT/config/Application
SERVICE_NAME_ENTITY_ID1=8370JdpwQVhtAR2hAtg/vwkNS+4Ghw=
PATCHSET_INSTALLATION=N
FCUBS_PROPERTIES_PATH=D:/Oracle_Banking_Payments_14.6.0.0/INSTALLER/SOFT/GUI/fcubs.properties
```

- Maintain the following Application Type according to the product type.

Product Type	Application Type	EAR Name
PAYMENTS	FCUBS	Any Distinct Name
GW-Integrated	INTEGRATED	Any Distinct Name
GW-Individual	INDIVIDUAL	Not Required
GWMDB,EJB,HTTP	GATEWAY	Any Distinct Name
Scheduler	SCHDLR	Any Distinct Name

Standalone Setup

- Goto \INSTALLER\SOFT path and execute the PMEarRun.bat file in Windows (PMEarRun.sh in Linux) for Payments EAR build.

EAR file will be generated in the mentioned source path. Similarly for all the EAR Build follow the same steps.

If EXT_JSUIXML is checked then JS_UIXML folder will be created parallel to INFRA folder, which should be manually copied to Deployment Path mentioned in env.properties.

- For STAND ALONE SCHEDULER, execute SchedulerEarRun.bat in windows (SchedulerEarRun.sh in linux).

Note:

Gateways Property Path is not required.

Co-deployed Set-up - Combining Payments with FCUBS

- Copy below folders from Payments OSDC.zip to the FCUBS OSDC.zip.
 - INFRA\PM*
 - INFRA\PS*
- Copy the PM folder from Payments OSDC.zip to the FCUBS OSDC.zip.
- Copy all below files from folder INSTALLER\SOFT\config\Application from Payments OSDC.zip to the folder INSTALLER\SOFT\config\Application\ in FCUBS OSDC.zip.
 - AntLibrary_PM.xml
 - FCJ_applicationPM.xml
 - FCJ_applicationPMFasterPay.xml
 - FCJ_applicationPMGateway.xml
 - FCJ_applicationPMRest.xml
 - MANIFEST_PM.properties
 - PM.properties
- Please add entry for FCPMTS to the file FCHome.ini located in FCUBS OSDC.zip from FCHome.ini located in Payments OSDC.zip with the value of proper patchset no for eg as below

FCPMTS: 14.7.0.0.0

5. Generate the fcubs.properties file with Payments and FCUBS details.
6. In env.properties, Application Type is FCUBS.
7. Go to \INSTALLER\SOFT path and execute the ROFCEarRun.bat bat file in windows (ROFCEarRun.sh in linux) for FCUBS + Payments EAR build.
8. For Codedeployed, Gateway EAR creation execute ROFCGatewayEarRun.bat (ROFCGatewayEarRun.sh in Linux).
9. For STAND ALONE SCHEDULER, execute SchedulerEarRun.bat in Windows (SchedulerEarRun.sh in Linux) for ROFC, execute TRSchedulerEarRun.bat in windows (TRSchedulerEarRun.sh in Linux) for OBTR, and execute TFSchedulerEarRun.bat in windows (TFSchedulerEarRun.sh in Linux) for OBTF.
10. For EJB, MDB and HTTP gateways, run the respective bat files i.e. GWEJBEarRun.bat (GWEJBEarRun.sh), GWMDBEarRun.bat (GWMDBEarRun.sh) and GWHTTPEarRun.bat (GWHTTPEarRun.sh).