Oracle® Banking Payments Oracle Banking Payments - Oracle Banking Accounts Integration



Release 14.8.0.0.0 G32395-01 April 2025

ORACLE

Oracle Banking Payments Oracle Banking Payments - Oracle Banking Accounts Integration, Release 14.8.0.0.0

G32395-01

Copyright © 2025, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

1 Preface

| 1.1 | Purpose | 1-1 |
|-----|-----------------------------|-----|
| 1.2 | Audience | 1-1 |
| 1.3 | Documentation Accessibility | 1-1 |
| 1.4 | Critical Patches | 1-1 |
| 1.5 | Diversity and Inclusion | 1-2 |
| 1.6 | Conventions | 1-2 |

2 Maintenance to be done in Oracle Banking Payments (OBPM)

| 2.1 | ECA System Maintenance | 2-1 |
|-----|----------------------------------------------------|-----|
| 2.2 | External Account Validation Maintenance (PMDINECA) | 2-3 |
| 2.3 | Accounting System Maintenance | 2-4 |
| 2.4 | Account Maintenance | 2-5 |
| | | |

Index



List of Figures

| ECA System Maintenance | 2-1 |
|------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| External Credit Approval System Detailed | 2-2 |
| HTTP Header Parameters | 2-2 |
| Service Profile | 2-3 |
| External Credit Approval Interface | 2-3 |
| External Accounting System | 2-4 |
| Account System Mapping | 2-5 |
| External Credit Approval Interface | 2-5 |
| | External Credit Approval System Detailed HTTP Header Parameters Service Profile External Credit Approval Interface External Accounting System Account System Mapping |



List of Tables

1-1 User Roles



1 Preface

- Purpose
- Audience
 This manual is intended for the following User/User Roles:
- Documentation Accessibility
- Critical Patches
- Diversity and Inclusion
- Conventions

1.1 Purpose

This guide is designed to help acquaint you with the Oracle Banking Payments application. This guide provides answers to specific features and procedures that the user need to be aware of the module to function successfully.

1.2 Audience

This manual is intended for the following User/User Roles:

Table 1-1 User Roles

| Role | Function |
|---------------------------|----------------------------------------------|
| Implementation & IT Staff | Implementation & Maintenance of the Software |

1.3 Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info or visit http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs if you are hearing impaired.

1.4 Critical Patches

Oracle advises customers to get all their security vulnerability information from the Oracle Critical Patch Update Advisory, which is available at Critical Patches, Security Alerts and Bulletins. All critical patches should be applied in a timely manner to make sure effective security, as strongly recommended by Oracle Software Security Assurance.



1.5 Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

1.6 Conventions

The following text conventions are used in this document:

| Convention | Meaning |
|------------|----------------------------------------------------------------------------------------------------------------------------------------|
| boldface | Boldface type indicates graphical user interface elements associated with an action, or terms defined in text. |
| italic | Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values. |
| monospace | Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter. |

Maintenance to be done in Oracle Banking Payments (OBPM)

- ECA System Maintenance
- External Account Validation Maintenance (PMDINECA)
- Accounting System Maintenance
- Account Maintenance

2.1 ECA System Maintenance

1. Create Source System in the STDECAMT screen for OBA (Oracle Banking Accounts).

External Credit Approval System Inter Query <td <td

Figure 2-1 ECA System Maintenance

- 2. Map the ECA system 'OBA' in the PMDECAMT screen.
- 3. Maintain External Credit Approval System in the PMDECAMT screen.

| ternal Credit Approval S | system Detailed | | | 1 |
|-----------------------------------|--------------------|------------------------|--------------|---|
| New 🟳 Enter Query | | | | |
| External Credit Approval System * | Q | Other Preferences | | |
| Description | P | System Class | | |
| Communication Type | JMS Queue | Inter System Bridge GL | Q | |
| Communication Method | Asynchronous | API Version | Base Version | |
| Timeout in seconds | | O Auth Preferences | | |
| Suppress Accounting Handoff | No | Token URL | P | |
| Referral Type | No Referral | Service Profile | Q | |
| ECA Block Supported | Yes | | | |
| EAC Supported | Yes | | | |
| | | | | |
| JMS Queue Preferences | | WebService Preferences | | |
| Inqueue JNDI Name | | WebService URL | P | |
| Outqueue JNDI Name | | WebService Action | | |
| Service Profile | ٩ | Service Profile | Q | |
| Inqueue Maximum Consumer Count | | | | |
| Inqueue Maximum Consumer Count | | | | |
| Inqueue Message Listener Class | ecaResponseMDBBean | | | |
| Faster Payment Preferences | | ReST Preferences | | |
| Inqueue JNDI Name | | Header Profile | Q | |
| Outqueue JNDI Name | | ReST URL | | |
| | | Service Profile | Q | |

Figure 2-2 External Credit Approval System Detailed

4. Maintain ECA System with system class as OBA Communication Type should be ReST & Communication Method as Synchronous.

Maintain header profile in MSDHPROF & to be mapped.

Maintain service profile in PMDSPROF & to be mapped.

Rest URL should point to OBA where the ECA block will be done or should be routed to the OBRH system.

5. Maintain the Service Profile in the MSDHPROF screen.

| | | ; |
|---------------------------------------------------------|--------------|-----|
| New 🟳 Enter Query | | |
| Host Code * | | |
| Profile Name | | |
| Profile Description | | |
| Request Method | | |
| Provider Class | | |
| Headers | | +-8 |
| Key Name | • Value | • • |
| | | |
| No data to display. Page 1 (0 of 0 items) < ∢ 1 → > | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

Figure 2-3 HTTP Header Parameters

6. Profile Name should be mapped with PMDECAMT Header Profile. Request method is POST.

Header attributes like Content-Type, SERVICE-CONSUMER, SERVICE-CONSUMER-SERVICE, appld, branchCode, entityId & userId values should be mapped based on OBRH System configuration for OBA. Same can be mapped in Service profile.

7. Maintain the Service Profile in PMDSPROF screen.



| exerce Protife U* RestService Service Protife U* RestService Service Protife U* RestService User Name* RestService User Name* RestService Service Saure Cold RestService Service Saure Cold RestService RestService Retry Intervite Image: RestService RestService RestService RestService Image: RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestService RestServ | vice Profile Detail | | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|--------------|--|
| ServiceServiceUser NameConcolUser NameConcolService NameConcolApafactariaConcolRetry CrantConcolConceton Time NameConcolRedr DataConcolService NameConcolService Name </th <th>New 🗭 Enter Query</th> <th></th> <th></th> | New 🗭 Enter Query | | |
| UserName** Passame Passame Service Source Code Calence Refry Code Refry Terror Refry Terror Connection Time Out(Ip Seconde) Read Time Out(Ip Seconde) | Service Profile ID * | | |
| Passend Service Searce Code Apple code Apple code Rety Textor Contentine Three Searce Code Read Time Cole Searce Code | | Rest Service | |
| Service Source Code Application ID Reity Code Reity Interval Connection Time Code (Inseconds) Read Time Cut(In Seconds) | | | |
| Application ID Retry Count Retry Interny Connection Time Out(In Seconds) Read Time Out(In Seconds) | | | |
| Retry tourd Fetry Interval Connection Time Dut(in Seconds) Read Time Cut(in Seconds) | | | |
| Retry Interval Connection Time Out[in Seconds] Read Time Out[in Seconds] | | | |
| Connection Time Out[In Seconds] Read Time Out[In Seconds] | | | |
| Read Time Out(In Seconds) | | | |
| | | | |
| | | 0 | |
| | Header Florite | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

Figure 2-4 Service Profile

8. Service Type should be 'ReST' and Service Profile ID should be mapped with PMDECAMT.

OBPM build the ECA request with details and post to OBA System via OBRH and call the ECA block process to create ECA block. Once the process is completed, the OBA system posts the response to OBPM.

Following ReST end point used by OBPM to post into OBA for amount block.

<host><port>/obcdda-pp-transaction-balance-service/ob/oba/tbs/v1/transactions/ amountBlocks

2.2 External Account Validation Maintenance (PMDINECA)

1. Maintain the External Account Validation system as 'OBA' in the PMDINECA screen.

| External Credit Approval System * | Q | Other Preferences | | |
|-----------------------------------|------------------------|------------------------|---|--|
| Description | | System Class | | |
| Interface Type * | External Account Check | API Version | | |
| Communication Type | JMS Queue | O Auth Preferences | | |
| Communication Method | Asynchronous | Token URL | | |
| Timeout in seconds | | Service Profile | Q | |
| MS Queue Preferences | | WebService Preferences | | |
| Inqueue JNDI Name | | WebService URL | | |
| Outqueue JNDI Name | | WebService Action | | |
| Service Profile | Q | Service Profile | Q | |
| | | ReST Preferences | | |
| | | ReST URL | | |
| | | Service Profile | Q | |
| | | | | |
| | | | | |

Figure 2-5 External Credit Approval Interface

- Maintain External Credit Approval Interface System with system class as OBA, Interface Type as External Account Check & Communication Type as ReST & Method as Synchronous.
- 3. Maintain service profile in PMDSPROF & to be mapped. Refer to ECA System Maintenance section.



4. Maintain header profile in MSDHPROF and to be mapped.

Rest URL should contain the URL of OBA where the External Account Validation check is done or the OBRH system.

- OBPM builds the External Account Validation request with details and posts to the OBA System via OBRH and calls the Account validation service. Once the process is completed, the OBA system posts the response to OBPM.
- 6. Following ReST endpoint used by OBPM to post into OBA:

<host><port>/obcdda-pp-account-services/service/v1/accountservices/ externalaccountvalidation

2.3 Accounting System Maintenance

1. Maintain the Accounting system as 'OBA' in PMDACCMT.

| xternal Accounting Syste | em Detailed | | | |
|--------------------------------|-------------------------|------------------------|--------------|--|
| New 🏳 Enter Query | | | | |
| External Accounting System * | | Other Preferences | | |
| Description | | ECA System Class | OBP | |
| Communication Type | JMS Queue | Inter System Bridge GL | | |
| Communication Method | Asynchronous | API Version | Base Version | |
| Timeout in seconds | | O Auth Preferences | | |
| Suppress Accounting Handoff | No | Token URL | | |
| | | Service Profile | Q | |
| JMS Queue Preferences | | WebService Preferences | | |
| Queue Profile | Q | WebService URL | | |
| Outqueue JNDI Name | | WebService Action | | |
| Inqueue JNDI Name | | Service Profile | Q | |
| Inqueue Minimum Consumer Count | | | | |
| Inqueue Maximum Consumer Count | | | | |
| Inqueue Message Listener Class | accEntryResponseMdbBean | | | |
| Faster Payment Preferences | | ReST Preferences | | |
| Inqueue JNDI Name | | ReST URL | | |
| Outqueue JNDI Name | | Header Profile | Q | |

Figure 2-6 External Accounting System

- Maintain External Accounting System with system class as OBA, Communication Type as ReST & Method as Synchronous.
- 3. Maintain header profile in MSDHPROF and to be mapped. Refer to ECA System Maintenance section.
- Rest URL should contain the URL of OBA where Accounting will be done or the OBRH system.
- 5. Following ReST endpoint used by OBPM to post into OBA:

<host><port>/obcdda-pp-transaction-balance-service/ob/oba/tbs/v1/transactions/ accountings

- Maintain Account System Mapping for the Accounting System and Networks (PMDACMAP).
- 7. Maintain the Account System Mapping in the PMDACMAP screen.

Figure 2-7 Account System Mapping

| counting System Mapping | | |
|---------------------------------------------------------|-----------------------------------|-----|
| New 🟳 Enter Query | | |
| Host Code * Default External Accounting System Code | Host Code Description | |
| Network Specific Maintenance | | +-1 |
| □ Network Code * ≎ | External Accounting System Code 0 | |
| No data to display. Page 1 (O of O items) < (1) > | 1 | |
| 227793829776833827763 | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

 OBPM builds the accounting request with details, posts it to the OBA System via OBRH, and calls the internal Account validation service. Once the process is completed, the OBA system posts the response to OBPM.

2.4 Account Maintenance

1. Maintain OBA accounts in the STDCRACC screen.

| New 🟳 Enter Query | | | |
|-----------------------------------|---|-----------------------------------|----------------|
| Host Code | | Account Class | Normal Account |
| Customer Account * | | Customer Name | |
| Customer Number * | Q | Address Line 1 | |
| Account Currency | Q | Address Line 2 | |
| Account Name * | | Address Line 3 | |
| Account IBAN | | Address Line 4 | |
| External Credit Approval System * | Q | External Credit Approval Required | |
| Source Account Branch * | Q | Payment Entitlement Group | |
| Source Customer Account * | | Branch Entitlement Group | |
| Country | Q | | |

Figure 2-8 External Credit Approval Interface

2. External Credit Approval System should be mapped with 'OBA' system. Refer to ECA System Maintenance section.



Glossary



Index

