# Oracle® Banking Payments Payments Resource Setup





Oracle Banking Payments Payments Resource Setup, Release 14.8.0.0.0

G32381-01

Copyright © 2017, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

## Contents

Prefa	ce	
1.1 P	urpose	1-1
1.2 A	udience	1-1
1.3 D	ocumentation Accessibility	1-1
1.4 C	ritical Patches	1-1
1.5 D	iversity and Inclusion	1-2
1.6 C	onventions	1-2
Reso	urce Details	
2.1 In	troduction	2-1
2.2 R	esources List	2-1
Paym	ents Resource Creation Tool in WebLogic	
3.1 In	troduction	3-1
3.2 R	esource Creation in Weblogic and Parameter updation	3-1
3.2.	1 Default Installation	3-1
3.2.	2 Weblogic Application Server Details	3-3
3.2.	3 Database Server Details	3-6
3.2.	4 Database Undate and Resource creation in Weblogic	3-6



1

## **Preface**

- Purpose
- Audience

This manual is intended for the following User/User Roles:

- Documentation Accessibility
- Critical Patches
- · Diversity and Inclusion
- Conventions

## 1.1 Purpose

This guide is designed to help acquaint you with the Oracle Banking Payments application. This guide provides answers to specific features and procedures that the user need to be aware of the module to function successfully.

## 1.2 Audience

This manual is intended for the following User/User Roles:

Table 1-1 User Roles

Role	Function
Implementation & IT Staff	Implementation & Maintenance of the Software

## 1.3 <u>Documentation Accessibility</u>

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc.

#### **Access to Oracle Support**

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info or visit http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs if you are hearing impaired.

## 1.4 Critical Patches

Oracle advises customers to get all their security vulnerability information from the Oracle Critical Patch Update Advisory, which is available at Critical Patches, Security Alerts and Bulletins. All critical patches should be applied in a timely manner to make sure effective security, as strongly recommended by Oracle Software Security Assurance.

## 1.5 Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

## 1.6 Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text.
italic	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.



2

## Resource Details

- Introduction
  - This chapter explains the basic resources required for a WebLogic Setup for Oracle Banking Payments Product.
- Resources List

## 2.1 Introduction

This chapter explains the basic resources required for a WebLogic Setup for Oracle Banking Payments Product.

## 2.2 Resources List

Resources to be created in Application server is attached below.

Figure 2-1 ResourcesList 14.5. xlsx



New queues added for each patchset are available in below path https://docs.oracle.com/cd/F10815\_01/paymentsptsets.htm

## Payments Resource Creation Tool in WebLogic

#### Introduction

This chapter explains usage of the tool that does the Resource Creation required in WebLogic Application Server and Parameters maintenances required for installation of Oracle Banking Payments product. This tool is available from patchset 14.3.0.6.1

Resource Creation in Weblogic and Parameter updation

### 3.1 Introduction

This chapter explains usage of the tool that does the Resource Creation required in WebLogic Application Server and Parameters maintenances required for installation of Oracle Banking Payments product. This tool is available from patchset 14.3.0.6.1

## 3.2 Resource Creation in Weblogic and Parameter updation

- Default Installation
- · Weblogic Application Server Details
- Database Server Details
- Database Update and Resource creation in Weblogic

#### 3.2.1 Default Installation

 Launch Oracle Banking Payments Resource Creation Maintenance Tool that is PMResourceList.bat from INSTALLER\SOFT in Windows.

Figure 3-1 PMResourceList.bat

```
bat,excel file and jar should be kept in the same path
...

Oracle Home should be set properly for this environment setup
once oracle path is given, it will launch Weblogic Setup Installer
ex: C:\app\client\aaf\product\19.0.0\client_1

Please enter Oracle Home Path:C:\app\client\aaf\product\19.0.0\client_1

Oracle Home path is set to C:\app\client\aaf\product\19.0.0\client_1

creating ResourceListSetup_logs folder

Launching the tool...
```

Need to provide the following detail:

JAVA HOME PATH

- Provide the JDK home path with the latest version.
- 2. Launch Oracle Banking Payments Basic Maintenance Tool that is PMResourceList.sh from INSTALLER/SOFT in Linux.

Figure 3-2 PMResourceList.sh

```
sh file and jar should be kept in the same path
...
once oracle path and java path is given, it will launch Weblogic Setup Installer
ex: oracle path: /scratch/db/db1900/product/19.0.0/dbhome_1
ex: java path: /scratch/work_area/DBA/jdk1.8.0_251
off
enter Java Path:
/scratch/work_area/DBA/jdk1.8.0_251
Java Home is set to /scratch/work_area/DBA/jdk1.8.0_251
enter Oracle Path:
/scratch/db/db19600/product/19.6/db_home_5
oracle home is set to /scratch/db/db19600/product/19.6/db_home_5
off
Launching the tool...
```


Need to provide the following detail:

- JAVA HOME PATH
  - Provide the JDK home path with the latest version.
- ORACLE HOME PATH
  - Provide the Oracle 19C Client Path or Database.

After providing required details as mentioned above, ResourceListSetup\_logs Folder will be created in the same path wherein all logs related to this tool are generated for monitoring purpose and then the Application Server confirmation Window Pops Up as mentioned in next step.

3. Here we need to confirm if the Setup is required for Weblogic Application Server

Figure 3-3 Application Server



p



Option Yes - Generates TOOL-GUI, Follow the steps from 2.2.2.

Option No - Throws error and pops the above Window again.


Option Cancel - Exit the above Window.

## 3.2.2 Weblogic Application Server Details

1. Below is the TOOL-GUI Generated post selection of YES.


Below screen has two tabs, one for entering the Weblogic Details and another tab for capturing the database details.

Figure 3-4 Weblogic Application Server



#### Prerequisites in Weblogic:

This tool requires that the Domain and the managed server /Cluster managed server to be already present in the Weblogic Application before the tool is launched.



#### **Installation Type:**

Select one of the following values.

 New – This option is used for New Setup in Weblogic. Also Enables fields for entering the Datasource Details. Resource details will be fetched from PMResourceList.xlsx.  Existing – This option is for creating additional Queues, Topics and QCF on already existing weblogic Setup. Resource details will be fetched from PMResourceList\_Patchset.xlsx.

#### **External Queues:**

Select one of the following values.

- Yes To create External Queues List from Excel.
- 2. No To Ignore External Queues List from Excel.

#### User Name, Password, Weblogic Console Port, and Host Name:

Enter the Application server Console Access Details , Console Port and the Host name of the Weblogic server.

User Name:	Weblogic
Password:	NA*****
Weblogic Console Port:	7001
Host Name:	whf00***.in.oracle. com

#### **Provider URL Port:**

Enter the port of the managed Server where the Queues will be created in the Application Server.

Example: 7010

#### JMS Server Name, File Store Name, JMS Module Name, Sub-deployment Name:

Accept the Weblogic resource names to be created in Weblogic Application Server

JMS Server Name:	JMSServer
File Store Name:	FileStore
JMS Module Name:	JMSModule
Sub-Deployment Name:	SBD



For Installation type 'New', all of the above JMS resource names will be concatenated with 'PM' at the beginning followed by the resource name at the time of resource creation. For eg: PMJMSServer.

For Installation type 'Existing', provide the names of the resource already available in the setup.

#### **Datasource Name**, Datasource JNDI Name:

Enter the details of the datasource name and the JNDI Name to be created for Payments.



Server Cluster: Select one of the following values.

- 1. Yes For Existing Cluster Setup, this enables both Target Sever and Cluster Name.
- 2. No For Setup without Cluster, this enables Target Server Name only.

#### **Target Server:**

Enter the name of the Managed Server name used in Weblogic where the queues will be created. Managed Server should already be created/present in the server.

#### **Target Cluster Name:**

Enter the name of Cluster Managed Server. Cluster should already be created in the server.

Weblogic Server Name:	ManagedServer1
Weblogic Cluster Name:	MSCluster1

#### **Domain Path:**

Enter the path in the Application Server where the Weblogic Domain is created. This should already be present in the server.

#### Example Domain Path:

i	Linux - /scratch/app/wl12213/user_projects/domains/FC142COD.
ii	Windows - C:\\app\\client\\aaf\\product\\19.0.0\\client_1.

#### **Filestore Path:**

Filestore should already be present in the server and this path should be entered in this field.

#### Example Domain Path:

i	Linux - /scratch/work_area/DEV/PM143/PMFILESTORE
ii	Windows - D:\\FILESTORE

#### Weblogic Path:

Enter the path for the Weblogic Home for Local or Server Machine, where Weblogic is installed.

#### Example:

i	Linux - /home/Oracle/Middleware/Oracle_Home/wlserver
ii	Windows - C:\\Oracle\\Middleware\\Oracle_Home\\wlserver


Once above details are provided click on Save to create all the necessary folders and files also it enables Next button on successful creation. Click Next and proceed with steps in Database Server Details section. Logs can be monitored in \ResourceListSetup\_logs\\WeblogicTool\_[DATE].log.



#### 3.2.3 Database Server Details

1. Below Window will be visible on clicking Next.

Figure 3-6 Database Server



#### **DATABASE Details** required for

- 1. To set target of Datasources.
- 2. Basic Parameters Maintenances to be done in the database schema.

#### **Database Name, Server Name and Server Port:**

Enter the Database name, Host Sever name and port in which the Payments database in created.

#### User Name, Password:

Schema User Name and Password to access Payments Database.

Post providing above details click on Test Connection, once connection is successful, proceed with 2.2.4.

## 3.2.4 Database Update and Resource creation in Weblogic

- 1. Once the connection is successful, "Update" and "Start Creation" buttons are enabled.
- Update: Optional Step to update all necessary installation parameter tables i.e
   pmtm\_job\_param, pmtm\_system\_parameters and cstm\_external\_server\_details. Post
   completion we will get the status along with time taken. Logs can be monitored under \
   \ResourceListSetup\_logs\\WeblogicTool\_[DATE].log.



 Start Creation: To proceed with Resource creation in Weblogic. Post completion we will get the status along with time taken. Logs can be monitored in folder \ \ResourceListSetup\_logs\\QueueCreation\_[DATE].log.

