

Oracle® Banking Supply Chain Finance

Environment Variable Setup Guide



Release 14.7.3.0.0

F93589-01

February 2024

The Oracle logo, consisting of a solid red square with the word "ORACLE" in white, uppercase, sans-serif font centered within it.

ORACLE®

Copyright © 2020, 2024, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Contents

Preface

Purpose	iv
Audience	iv
Documentation Accessibility	iv
Diversity and Inclusion	iv
Related Resources	v
Conventions	v
Acronyms and Abbreviations	v

1 Environment Variables for Plato Domain

2 Environment Variables for SMS, COMMONCORE, Mid-office Domain

3 Environment Variables for CONDUCTOR Domain

4 Environment Variables for OBSCFCM / OBSCF Managed Servers

5 Environment Variables for OBSCFCM Day0 Managed Server

6 Environment Variables for OBSCF Day0 Managed Server

Index

Preface

- [Purpose](#)
- [Audience](#)
- [Documentation Accessibility](#)
- [Diversity and Inclusion](#)
- [Related Resources](#)
- [Conventions](#)
- [Acronyms and Abbreviations](#)

Purpose

This guide helps to set up environment variables for Oracle Banking Microservices Architecture, SMS, Common Core, Middle Office, and Oracle Banking Supply Chain Finance / Oracle Banking Supply Chain Finance and Cash Management.

Audience

This guide is intended for WebLogic admin or ops-web team who are responsible for installing the OFSS banking products.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our

products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

Related Resources

For more information, refer to the following resources:

- *Oracle® Banking Supply Chain Finance Services Installation Guide*

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Acronyms and Abbreviations

The list of the acronyms and abbreviations used in this guide are as follows:

Abbreviation	Description
SMS	Security Management System
CMC	Common Core
OBSCF	Oracle Banking Supply Chain Finance
OBSCFCM	Oracle Banking Supply Chain Finance and Cash Management

1

Environment Variables for Plato Domain

Create a file named **setUserOverrides.sh** inside the WebLogic bin location of plato config service domain with the content given below. All the place holders for plato, SMS, Common Core, Mid-office, and Supply Chain Finance/Cash Management services are listed below, replace the values accordingly. When the plato services is getting deployed all the values are inserted in the plato PROPERTIES tables.

```
#!/bin/bash
JAVA_OPTIONS="${JAVA_OPTIONS}"
-DflywayTask=migrate
-Dflyway.enabled=true
-Dspring.flyway.enabled=true
-Dflyway.domain.baselineOnMigrate=true
-Dflyway.domain.ignoreMissingMigrations=true
-Dflyway.domain.outOfOrder=true
-Dflyway.domain.db.username=<username>
-Dflyway.domain.db.password=<password>
-Dflyway.domain.db.jdbcUrl=jdbc:oracle:thin:@//<host>:1521/<SID>
-Dflyway.domain.db.driver-class-name=<example.jdbc.driver.exampleDriver>
-Dflyway.domain.schemas=PLATO
-Dflyway.domain.locations=db/migration/domain/plato, db/migration/domain/
sms,db/migration/domain/cmc,db/migration/domain/moc,db/migration/domain/
obscf,db/migration/domain/obscfcm
-Dflyway.domain.placeholders.plato.eventhub.broker.hosts=<host>:<port>
-Dflyway.domain.placeholders.plato.eventhub.zookeeper.hosts=<host>:2181
-Dflyway.domain.placeholders.kafka.broker.host=<host>
-Dflyway.domain.placeholders.kafka.broker.port=9092
-Dflyway.domain.placeholders.zk.node.host=<host>
-Dflyway.domain.placeholders.zk.node.port=<port>
-Dflyway.domain.placeholders.eureka.host=<host>
-Dflyway.domain.placeholders.eureka.port=<port>
-Dflyway.domain.placeholders.zipkin.host=<host>
-Dflyway.domain.placeholders.zipkin.port=9411
-
Dflyway.domain.placeholders.driver.className=<example.jdbc.driver.exampleDriver>
-Dflyway.domain.placeholders.api-gateway.host=<host>
-Dflyway.domain.placeholders.USER.STORE=LDAP
-Dflyway.domain.placeholders.LDAP.CORS.allowed.origin=*,localhost,<host>
-Dflyway.domain.placeholders.LDAP.credential.SALT=0.948262845
-Dflyway.domain.placeholders.JWT.EXPIRY.seconds=3600
-Dflyway.domain.placeholders.LDAP.url=ldap://<host>:<port>
-Dflyway.domain.placeholders.LDAP.userId=cn=DirectoryManager
-Dflyway.domain.placeholders.LDAP.server.base=dc=oracle,dc=com
-Dflyway.domain.placeholders.LDAP.server.credential=<ldap-server-credential>
-Dflyway.domain.placeholders.LDAP.usersearch.base=dc=example,dc=com
-Dflyway.domain.placeholders.LDAP.user.prefix=cn=
-Dflyway.domain.placeholders.LDAP.provider=<ldap host>
```

```
-Dflyway.domain.placeHolders.TOKEN.autoregenerate=true
-Dflyway.domain.placeHolders.SSO.enabled=false
-Dflyway.domain.placeHolders.TOKEN.regeneration.enabled=false
-Dflyway.domain.placeHolders.plato-ui-config-
services.server.port=<port>
-Dflyway.domain.placeHolders.apigateway.host=<host>
-Dflyway.domain.placeHolders.apigateway.port=<port>
-Dflyway.domain.placeHolders.plato-api-gateway.server.port=<port>
-Dflyway.domain.placeHolders.plato-discovery-
service.server.port=<port>
-Dflyway.domain.placeHolders.plato-orch-service.server.port=<port>
-Dflyway.domain.placeHolders.plato-orchestrator.hostname=<host>:<port>
-Dflyway.domain.placeHolders.plato-feed-
services.feed.upload.directory=<upload dir path>
-Dflyway.domain.placeHolders.plato-feed-services.server.port=<port>
-Dflyway.domain.placeHolders.plato-batch-server.server.port=<port>
-Dflyway.domain.placeHolders.plato-batch-
server.plato.eventhub.kafka.brokers=<host>:9092
-Dflyway.domain.placeHolders.plato-batch-
server.plato.eventhub.zk.nodes=<host>:<port>
-Dflyway.domain.placeHolders.plato-alerts-management-
services.server.port=<port>
-Dflyway.domain.placeHolders.sms-core-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-advice-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-currency-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-account-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-base-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-branch-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-customer-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-datasegment-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-external-chart-account-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-external-system-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-screenclass-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-settlements-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-transactioncontroller-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-report-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-settlement-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-resource-segment-orchestrator-
service.server.port=<port>
-Dflyway.domain.placeHolders.cmc-txn-code-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-external-virtual-account-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-businessoverrides-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-facilities-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-corebanking-adapter-
service.server.port=<port>
```

```

-Dflyway.domain.placeHolders.cmc-nlp-annotator-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-nlp-dashboard-widget-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-nlp-model-mngmnt-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-nlp-online-processing-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-nlp-tag-maint-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-nlp-text-extraction-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-nlp-txn-log-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-nlp-util-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-batch-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.postingPath=/scratch/app/
work_area/cmc_fc_ai_ml/post
-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.pollingEmail=<Email>
-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.emailServerPort=<port>
-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.emailServerHost=<host>
-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.pollingFrequency=100
-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.pollerInitialDelay=500
-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.emailPassword=<password>
-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.pollingPath=/scratch/app/
work_area/cmc_fc_ai_ml/poll
-Dflyway.domain.placeHolders.server.port=<port>
-Dflyway.domain.placeHolders.moc.cmc-earmark-services.server.port=<port>
-Dflyway.domain.placeHolders.ELCM_HTTP_URL=http://<host>:<port>/
-Dflyway.domain.placeHolders.earmark-services=12.5
-Dflyway.domain.placeHolders.elcmProduct=ELCM
-Dflyway.domain.placeHolders.moc.cmc-comments-services.server.port=<port>
-Dflyway.domain.placeHolders.moc.cmc-document-services.server.port=<port>
-Dflyway.domain.placeHolders.dmsServiceUrl= http://<host>:17200/_dav/cs/
idcplg
-Dflyway.domain.placeHolders.dmsServiceUsrname=<username>
-Dflyway.domain.placeHolders.dmsServicePwd=<password>
-Dflyway.domain.placeHolders.cmc-applicationcategory-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-checklistmanagement-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-checklist-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-mailnotification.server.port=<port>
-Dflyway.domain.placeHolders.plato-config.url=jdbc:oracle:thin:@//
<host>:1521/<SID>
-Dflyway.domain.placeHolders.sms.url=jdbc:oracle:thin:@//<host>/<SID>
-Dflyway.domain.placeHolders.cmc-kyccheck.server.port=<port>
-Dflyway.domain.placeHolders.rabbitmq.password=<password>
-Dflyway.domain.placeHolders.rabbitmq.userid=<userId>
-Dflyway.domain.placeHolders.rabbitmq.port=<port>
-Dflyway.domain.placeHolders.rabbitmq.host=<hostname>
-Dflyway.domain.placeHolders.weblogic.userid=<userId>
-Dflyway.domain.placeHolders.weblogic.password=<password>
-Dflyway.domain.placeHolders.biPublisher.host=<host>
-Dflyway.domain.placeHolders.biPublisher.port=<port>
-Dflyway.domain.placeHolders.runReportTemplate=http
-Dflyway.domain.placeHolders.emailTemplate=SSH

```



```

-Dflyway.domain.placeholders.dms.host=<host>
-Dflyway.domain.placeholders.dms.port=<port>
-Dplato.jndi=jdbc/PLATO
-Dplato-config.jndi=jdbc/PLATO
-Dapi-gateway.jndi=jdbc/PLATO_SECURITY
-Dplato-ui-config.jndi=jdbc/PLATO_UI_CONFIG
-Dsms.jndi=jdbc/sms
-Dcmc.jndi=jdbc/CMNCORE
-Dplato-feed-services.jndi=jdbc/PLATOFEED
-Dplato-batch-server.jndi=jdbc/PLATO_BATCH
-Dplato-alerts-management-services.jndi=jdbc/PLATOALERTS
-Dflyway.domain.placeholders.plato.jndi=jdbc/PLATO
-Dflyway.domain.placeholders.plato-config.jndi=jdbc/PLATO
-Dflyway.domain.placeholders.api-gateway.jndi=jdbc/PLATO_SECURITY
-Dflyway.domain.placeholders.plato-ui-config.jndi=jdbc/PLATO_UI_CONFIG
-Dflyway.domain.placeholders.sms.jndi=jdbc/sms
-Dflyway.domain.placeholders.cmc.jndi=jdbc/CMNCORE
-Dflyway.domain.placeholders.plato-feed-services.jndi=jdbc/PLATOFEED
-Dflyway.domain.placeholders.plato-batch-server.jndi=jdbc/PLATO_BATCH
-Dflyway.domain.placeholders.plato-alerts-management-
services.jndi=jdbc/PLATOALERTS
-Dflyway.domain.placeholders.eureka.serviceUrl= http://<host>:<port>/
plato-discovery-service/eureka
-Dflyway.domain.placeholders.eureka.serviceurl= http://<host>:<port>/
plato-discovery-service/eureka
-Dflyway.domain.placeholders.spring.zipkin.baseUrl=<host>:9411
-Dflyway.domain.placeholders.zipkin.baseUrl=<host>:9411
-Dflyway.domain.placeholders.zipkin.url=<host>:9411
-Dflyway.domain.placeholders.eureka.client.serviceUrl.defaultZone=
http://<host>:8005/plato-discovery-service/eureka
-Dflyway.domain.placeholders.zookeeper.port=2181
-Dflyway.domain.placeholders.kafka.port=9092
-Dflyway.domain.placeholders.kafka.host=<host>
-Dflyway.domain.placeholders.obscf.core.server.port=<port>
-Dflyway.domain.placeholders.OBCL.GWHTTPSERVLETURLOBCL= http://
<host>:7003/GWHTTP/GWHttpServlet
-Dflyway.domain.placeholders.finance.server.port=<port>
-Dflyway.domain.placeholders.plato.services.zipkin.url=<host>:9411
-Dflyway.domain.placeholders.FCUBS.GWHTTPSERVLETURLFCUBS=http://
<host>:<port>/GWHTTP/GWHttpServlet
-Dflyway.domain.placeholders.limitmaint.server.port=<port>
-Dflyway.domain.placeholders.URL.ELCM_HTTP_URL=http://<host>:<port>
-Dflyway.domain.placeholders.limits.server.port=<port>
-Dflyway.domain.placeholders.eod.server.port=<port>
-Dflyway.domain.placeholders.autorecon.server.port=<port>
-Dflyway.domain.placeholders.obscf.report.server.port=<port>
-Dflyway.domain.placeholders.charges.server.port=<port>
-Dflyway.domain.placeholders.accounting.server.port=<port>
-Dflyway.domain.placeholders.cmncore.cmc-branch.service.appId=CMNCORE
-Dflyway.domain.placeholders.obscf.maintenance.service.appId=SCFMAINT
-Dflyway.domain.placeholders.reconmaint.server.port=<port>
-Dflyway.domain.placeholders.manualrecon.server.port=<port>
-Dflyway.domain.placeholders.obscfcm.core.server.port=<port>
-Dflyway.domain.placeholders.filter.server.port=<port>
-Dflyway.domain.placeholders.instruments.server.port=<port>

```

```

-Dflyway.domain.placeHolders.obscfcm.instruments-
receivables.service.appId=OBSCFCMINST
-Dflyway.domain.placeHolders.conductor.httpUri= http://<host>:<port>/obscfcm-
workflow-management-services/service/v1/handleHTTPTask
-Dflyway.domain.placeHolders.maint.server.port=<port>
-Dflyway.domain.placeHolders.obscfcm.report.server.port=<port>
-Dflyway.domain.placeHolders.workflow.server.port=<port>
-Dflyway.domain.placeHolders.plato.server.port=<port>
-Dflyway.domain.placeHolders.orchestrator.server.uri=http://<Conductor
Host : PORT>/plato-orch/api/
-Dflyway.domain.placeHolders.plato-config.sessionIdleTimeout=3000
-Dflyway.domain.placeHolders.plato-config.sessionIdleWarningTime=2940
-Dflyway.domain.placeHolders.plato-config.environment=DEV
-Dflyway.domain.placeHolders.cashflow.server.port=<port>
-Dflyway.domain.placeHolders.collmaint.server.port=<port>
-Dflyway.domain.placeHolders.colltxn.server.port=<port>
-Dapigateway.url=http://<host>:<port>
-Dplato.services.config.port=<port>
-Dplato.services.config.uri=http://<host>:<port>
-Dplato.service.env=DEV
-Dplato.service.logging.path=/scratch/work_area/application/logs
-Dflyway.domain.placeHolders.plato-batch-server.userId=<userId>
-Dflyway.domain.placeHolders.plato-batch-server.branchCode=<branchCode>
-Dflyway.domain.placeHolders.cmncore.jndi=jdbc/CMNCORE
-Dflyway.domain.placeHolders.cmc-checklist-services.jndi=jdbc/CMNCORE
-Dflyway.domain.placeHolders.checklistmanagement-services.jndi=jdbc/CMNCORE
-Dflyway.domain.placeHolders.platoui.db.jndi=jdbc/PLATO_UI_CONFIG
-Dflyway.domain.placeHolders.screenclass.db.jndi=jdbc/CMNCORE
-Dflyway.domain.placeHolders.txncontroller.db.jndi=jdbc/CMNCORE
-Dflyway.domain.placeHolders.facilities.db.jndi=jdbc/CMNCORE
-Dplato.db.jndi=jdbc/PLATO
-Dflyway.domain.placeHolders.plato.db.jndi=jdbc/PLATO
-Dflyway.domain.placeHolders.sms.db.jndi=jdbc/sms
-Dflyway.domain.placeholders.user.mapping.required=true
-Dflyway.domain.placeHolders.plato-config.schemas=PLATO
-Dflyway.domain.placeHolders.api-gateway.schemas=PLATO_SECURITY
-Dflyway.domain.placeHolders.platoui.schemas=PLATO_UI_CONFIG
-Dflyway.domain.placeHolders.platoui.username=<username>
-Dflyway.domain.placeHolders.platoui.password=<password>
-Dflyway.domain.placeHolders.cmncore.schemas=COMMON_CORE
-Dflyway.domain.placeHolders.cmncore.db.password=<username>
-Dflyway.domain.placeHolders.cmncore.db.username=<password>
-Dflyway.domain.placeHolders.sms.schemas=SMSCD0
-Dflyway.domain.placeHolders.plato-ui-config.schemas=PLATO_UI_CONFIG
-Dflyway.domain.placeHolders.plato-feed-services.schemas=PLATOFEED
-Dflyway.domain.placeHolders.plato-feed-services.schemas=PLATO_FEED
-Dflyway.domain.placeHolders.plato-batch-server.schemas=PLATO_BATCH
-Dflyway.domain.placeHolders.plato-alerts-management-
services.schemas=PLATOALERTS
-Dflyway.domain.placeHolders.platoui.jdbcUrl= jdbc:oracle:thin:@//
<host>:1521/<SID>
-Dflyway.domain.placeHolders.cmncore.db.url= jdbc:oracle:thin:@//<host>:1521/
<SID>
-Dflyway.domain.placeHolders.cmncore.db.schemas=COMMON_CORE
-Dflyway.domain.placeHolders.cmc-obrh-services.server.port=<port>

```

```

-Dflyway.domain.placeHolders.cmc-charges-calculation-
services.server.port=<port>
-Dflyway.domain.placeHolders.plato.db.jndi=jdbc/PLATO
-Dflyway.domain.placeHolders.sms.db.jndi=jdbc/sms
-Dflyway.domain.placeHolders.flyway.plato.schema=PLATO
-Dflyway.domain.placeHolders.flyway.sms.schema=SMSCDO
-Dflyway.domain.placeHolders.flyway.domain.schema=COMMON_CORE
-Dflyway.domain.placeHolders.obrh.db.jndi=jdbc/CMNCORE
-Dflyway.domain.placeHolders.platouserlog.path= /scratch/work_area/
application/logs
-Dflyway.domain.placeHolders.plato.alerts.email.password=<password>
-Dflyway.domain.placeHolders.plato.alerts.email.userId=<userId>
-Dflyway.domain.placeHolders.cmncore.db.jndi=jdbc/CMNCORE
-Dflyway.domain.placeHolders.vam.schemas=VAM
-Dflyway.domain.placeHolders.vam.jndi=jdbc/VAM
-
Dflyway.domain.placeHolders.obscfcm.conductor.service.appId=OBSCFCMCDTR

-Dflyway.domain.placeHolders.obscfcm.conductor.service.uri= http://
<host>:7005/obscfcm-workflow-management-services/service/v1/
handleHTTPTask
-Dflyway.domain.placeHolders.plato.alerts.cmc.userId=<userId>
-Dflyway.domain.placeHolders.plato.alerts.cmc.branchCode=<branchCode>
-Dflyway.domain.placeHolders.plato.alerts.cmc.appId=CMNCORE
-Dflyway.domain.placeHolders.platoorch.domain.jndi=jdbc/PLATO-0
-Dflyway.domain.placeHolders.platoorch.domain.schemas=
OBSCFCM_WORKFLOWS_CONDUCTOR
-Dflyway.domain.placeHolders.cmc-obrh-services.kafka.server.path=/
scratch/deployed/kafka/kafka
-Dflyway.domain.placeHolders.cmc-obrh-services.zookeeper.server.path= /
scratch/deployed/kafka/apache-zookeeper-3.5.6-bin
-Dflyway.domain.placeHolders.obcmcff.service.userId=<userId>
-Dflyway.domain.placeHolders.obcmcff.service.branchCode=<branchCode>
-Dflyway.domain.placeHolders.upload.handler.userId=<userId>
-Dflyway.domain.placeHolders.upload.handler.branchCode=<branchCode>
-Dflyway.domain.placeHolders.obcm.core.branchCode=<branchCode>
-Dflyway.domain.placeHolders.obcm.core.userId=<userId>
-
Dflyway.domain.placeHolders.obcm.collectiontransaction.poolingjob.userI
d=<userId>
-
Dflyway.domain.placeHolders.obcm.colleactiontransaction.service.userId=
<userId>
-
Dflyway.domain.placeHolders.obcm.mastermaintenance.service.userId=<user
Id>
-Dflyway.domain.placeHolders.obscfcm.core.userId=<userId>
-Dflyway.domain.placeHolders.obscfcm.core.branchCode=<branchCode>
-Dflyway.domain.placeHolders.obscf.finance.emailto=<emailto>
-Dflyway.domain.placeHolders.report-service.server.port=<port>
-Dflyway.domain.placeHolders.report-service.username=<username>
-Dflyway.domain.placeHolders.report-service.password=<password>
-Dflyway.domain.placeHolders.report-
service.jdbcUrl=jdbc:oracle:thin:@//<host>:1521/<SID>
-Dflyway.domain.placeHolders.report-

```

```

service.schemas=PLATO_REPORT_SERVICE
-Dflyway.domain.placeHolders.plato-rule-service.server.port=<port>
-Dflyway.domain.placeHolders.plato-rule.hostname=<host>
-Dflyway.domain.placeHolders.platorule.domain.jndi=jdbc/PLATORULE
-Dflyway.domain.placeHolders.platorule.domain.schemas=PLATORULE
-Dflyway.domain.placeHolders.day0.server.port=<port>
-Dflyway.domain.placeHolders.cmc-nlp-pipeline-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-nlp-opennlp-services.server.port=<port>
-Dflyway.domain.placeHolders.plato-config.db.jndi=jdbc/PLATO
-Dflyway.domain.placeHolders.cmc-nlp-maintenance-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-nlp-docview-services.server.port=<port>
-Dflyway.domain.placeHolders.obcmprojec.server.port=<port>
-Dflyway.domain.placeHolders.obscfcm.day0.server.port=<port>
-Dflyway.domain.placeHolders.cmc-ml-indb-services.server.port=<port>
-Dflyway.domain.placeHolders.obscf.day0.server.port=<port>
-Dflyway.domain.placeHolders.cmc-obrh-services.kafka.enabled=true
-Dflyway.domain.placeHolders.cmc-sla-services.server.port=<port>
-Dflyway.domain.placeHolders.obscfcm.filter.service.appId=OBSCFCMFILTER
-Dflyway.domain.placeHolders.obscf.core.service.appId=SCFCORE
-Dflyway.domain.placeHolders.obscfcm.filter.service.appId=OBSCFCMFILTER
-Dflyway.domain.placeHolders.obscfcmalert.core.userId=<userId>
-Dflyway.domain.placeHolders.obscfcmalert.core.branchCode=<branchCode>
-Dflyway.domain.placeHolders.obscfcmalert.server.port=<port>
-Dflyway.domain.placeHolders.obcbs.server.port=<port>
-Dflyway.domain.placeHolders.plato.services.rule.uri= http://<host>:<port>/
rule-service
-Dflyway.domain.placeHolders.cmc-obcbs-services.schemas=COMMON_CORE
-Dflyway.domain.placeHolders.plato.service.logging.path= /scratch/work_area/
application/logs
-Dflyway.domain.placeHolders.plato.service.env=DEV
-Dflyway.domain.placeHolders.orch.cmc.brn=<branchCode>
-Dflyway.domain.placeHolders.orch.cmc.user=<userId>
-Dflyway.domain.placeHolders.orch.enableDynamicAllocation=false
-Dflyway.domain.placeHolders.orch.enableSLA=false
-Dflyway.domain.placeHolders.report-service.domain.jndi=jdbc/REPORTSERVICE
-Dflyway.domain.placeHolders.cmc.schemas=COMMON_CORE
-Dflyway.domain.placeHolders.report-service.template-metadata-directory=<dir
path>
-Dflyway.domain.placeHolders.report-service.output-directory=<dir path>
-Dflyway.domain.placeHolders.report-service.fop-config-file=<path to
fop.xconf>
-Dflyway.domain.placeHolders.obpm.service.obpmBranchCode=<OBPM branch code>
-Dflyway.domain.placeHolders.obpm.service.obpmSourceCode=EXTSYS
-Dflyway.domain.placeHolders.obpm.service.userId=<OBPM user id>
-Dflyway.domain.placeHolders.obpm.service.serviceConsumer=OBSCFCM_OBPM
-
Dflyway.domain.placeHolders.obpm.service.createPMSinglePayOut=CreatePMSingleP
ayOut
-Dflyway.domain.placeHolders.obpm.service.obpmHostCode=INDIA
-Dflyway.domain.placeHolders.obpm.service.obpmLoanSourceCode=OBSCF
-
Dflyway.domain.placeHolders.obpm.service.createExternalConsumerLoan=CreateExt
ernalConsumerLoan
-Dflyway.domain.placeHolders.obcl_userId=<OBCL user id>
-Dflyway.domain.placeHolders.obcl_source=SCFEXT

```

```

-Dflyway.domain.placeholders.obrh_path=http://<host name>:<port no>/
cmc-obrh-services/route/dispatch
-
Dflyway.domain.placeholders.obcl.service.QueryLoanOSAmount=QueryLoanOSA
mount
-
Dflyway.domain.placeholders.obcl.service.CreateContractSim=CreateContra
ctSim
-
Dflyway.domain.placeholders.obcl.service.CreateContract=CreateContract
-Dflyway.domain.placeholders.obcl.service.ModifyContAmend=
ModifyContAmend
-Dflyway.domain.placeholders.obcl.service.CreatePayment=CreatePayment
-
Dflyway.domain.placeholders.obcl.service.ReverseContract=ReverseContra
ct
-Dflyway.domain.placeholders.obcl.service.QueryTrnInfo=QueryTrnInfo
-DfcubsBranchId=<FCUBS branch id>
-Dflyway.domain.placeholders.apigateway.protocol=<http or https>
-Dflyway.domain.placeholders.plato.alerts.email.smtp.host=internal-
mail-router.example.com
-Dflyway.domain.placeholders.plato.alerts.email.smtp.out.port=<Listen
port of smtp>
-Dflyway.domain.placeholders.plato.alerts.email.auth=false
-Dflyway.domain.placeholders.plato.alerts.email.socketfactory.port=
<Listen port of socketfactory>
-Dflyway.domain.placeholders.orch.usingRuleEngine=false
-Dflyway.domain.placeholders.plato.samlSSOEnabled=false
-Dflyway.domain.placeholders.plato.feed.email.password=<Password for
plato feed email>
-Dflyway.domain.placeholders.plato.feed.email.userId=<User Id for
plato feed email>
-Dflyway.domain.placeholders.plato.feed.sms.userId=<User Id for sms>
-Dflyway.domain.placeholders.plato.feed.sms.branchCode=<Branch Code
for Sms>
-Dflyway.domain.placeholders.plato.feed.sms.appId=<App Id for sms>
-Dflyway.domain.placeholders.plato.feed.sms.multiEntityAdmin=<Admin
for sms>
-Dflyway.domain.placeholders.plato.feed.email.smtp.host=<Host for
smtp>
-Dflyway.domain.placeholders.plato.feed.email.smtp.out.port=<Port for
smtp>
-Dflyway.domain.placeholders.plato.feed.email.auth=<Email
authorization>
-Dflyway.domain.placeholders.plato.feed.email.socketfactory.port=<Port
for socketfactory>
-Dflyway.domain.placeholders.INTEGRATION.ENABLED=<integration enabled
true or false>
-Dflyway.domain.placeholders.cmc-deprecation-
service.server.port=<Listen port for deprecation service>
-Dflyway.domain.placeholders.cmc-additional-attributes-
services.server.port=<Listen port for cmc-additional-attributes-
services>
-Dflyway.domain.placeholders.cmc-opds-services.schemas=COMMON_CORE
-Dflyway.domain.placeholders.obcmreport.server.port=<Port>

```

```

-Dplato.services.entityservices.port=<Port>
-Dflyway.domain.placeholders.report-service.hostname=<host>
-Dflyway.domain.placeholders.obvam.service.branchCode=6
-Dflyway.domain.placeholders.obvam.service.userId=OBVAMUSER2
-Dflyway.domain.placeholders.opds.server.port=<Port>
-Dflyway.domain.placeholders.cmc-opds-services.schemas=COMMON_CORE
-Dflyway.domain.placeholders.obcl_service_consumer=OBSCFCM_STUB
-Dplato.services.eureka.uri=https://<host>:8101
-Dflyway.domain.placeholders.zookeeper.host=<host>
-Dflyway.domain.placeholders.fcubsBranchId=0
-Dplato.services.kafka.brokers=<host>:<port>
-Daccounting.obvam.userid=<user name>
-Dflyway.domain.placeholders.alerts.email.attachment.encryption.passKey=XXX
-
Dflyway.domain.placeholders.alerts.email.attachment.watermark.required=false
-Dflyway.domain.placeholders.alerts.email.attachment.watermark.image.loc=Y
-
Dflyway.domain.placeholders.alerts.email.attachment.encryption.required=true
-Dflyway.domain.placeholders.plato.services.kafka.brokers=<host>:<port>
-Dflyway.domain.placeholders.accounting.obvam.userid=OBVAMUSER2
-Dflyway.domain.placeholders.cmc-mis-services.jndi=jdbc/CMNCORE
-Dflyway.domain.placeholders.cmc-mis-services.schemas=COMMON_CORE
-Dflyway.domain.placeholders.obcmpredict.server.port=112
-Dflyway.domain.placeholders.kafka.ssl.truststore.location=<trust key .jks
path>
-Dflyway.domain.placeholders.kafka.ssl.truststore.password=<password>
-Dflyway.domain.placeholders.kafka.binder.jaas.options.username=<user>
-Dflyway.domain.placeholders.kafka.binder.configuration.sasl.mechanism=SCRAM-
SHA-256
-
Dflyway.domain.placeholders.kafka.binder.configuration.security.protocol=SASL
_SSL
-
Dflyway.domain.placeholders.kafka.binder.jaas.loginModule=org.apache.kafka.co
mmon.security.scram.ScramLoginModule
-Dflyway.domain.placeholders.kafka.binder.jaas.options.password=<password>
-Dflyway.domain.placeholders.feed.protocol=http
-Dflyway.domain.placeholders.feed.dateFormat=1/1/2021
-Dflyway.domain.placeholders.feed.recordLevelApprovalReqd=false
-Dflyway.domain.placeholders.cmc-resourceclass-services.jndi=jdbc/CMNCORE
-Dflyway.domain.placeholders.cmc-resourceclass-services.schemas=COMMON_CORE
-Dflyway.domain.placeholders.obscfcore.db.jndi=jdbc/OBSCF_CORE
-Dflyway.domain.placeholders.cmc.db.jndi=jdbc/CMNCORE
-Dflyway.domain.placeholders.finance.db.jndi=jdbc/OBSCF_FINANCE
-Dflyway.domain.placeholders.limits.db.jndi=jdbc/OBSCF_LIMIT_UTILIZ
-Dflyway.domain.placeholders.obscfreport.db.jndi=jdbc/OBSCF_REPORT
-Dflyway.domain.placeholders.accnt.db.jndi=jdbc/OBSCFCM_ACCOUNTING
-Dflyway.domain.placeholders.batch.db.jndi=jdbc/PLATOBATCH
-Dflyway.domain.placeholders.obscfcmalert.db.jndi=jdbc/OBSCFCM_ALERTS
-Dflyway.domain.placeholders.manualrecon.db.jndi=jdbc/OBSCFCM_RECON
-Dflyway.domain.placeholders.workflowservice.eureka.host=<host>
-Dflyway.domain.placeholders.workflowservice.eureka.port=<Port>
-Dflyway.domain.placeholders.charges.db.jndi=jdbc/OBSCFCM_CHARGES
-Dflyway.domain.placeholders.eod.db.jndi=jdbc/EOD
-Dflyway.domain.placeholders.filter.db.jndi=jdbc/OBSCFCM_FILTER

```

```

-Dflyway.domain.placeHolders.maint.db.jndi=jdbc/OBSCFCM_MAINTENANCE
-Dflyway.domain.placeHolders.report.db.jndi=jdbc/OBSCFCM_REPORT
-Dflyway.domain.placeHolders.instrument.db.jndi=jdbc/
OBSCFCM_INSTRUMENTS
-Dflyway.domain.placeHolders.platofeed.db.jndi=jdbc/PLATOFEED
-Dflyway.domain.placeHolders.chatbot.url=https://<host:port>
-Dflyway.domain.placeHolders.oda.uri=idcs-oda
-D501204fbc4d496dac7b74d15a590dce-t0.data.digitalassistant.oci.oc-
test.com =
-Dflyway.domain.placeHolders.oda.channelid=569a0fbd
-D1f4-4a9c-ad7c-86eab83bf957 =
-Dflyway.domain.placeHolders.oda.secretkey=<seceret-key>
-Dflyway.domain.placeHolders.oda.isoda=Y
-Dflyway.domain.placeHolders.workflow.db.jndi= jdbc/
OBSCFCM_WORKFLOWS_CONDUCTOR
-Dflyway.domain.placeHolders.obcmcashflowforecasting.db.jndi= jdbc/
OBCM_CASHFLOW_FORCAST
-Dflyway.domain.placeHolders.obcmcollectionmaint.db.jndi= jdbc/
OBCM_COLLECTION_MAINT
-Dflyway.domain.placeHolders.obcmcashflowprojection.db.jndi= jdbc/
OBCM_CASHFLOW_PROJECTION
-Dflyway.domain.placeHolders.obcmreport.db.jndi=jdbc/OBCM_REPORT
-Dflyway.domain.placeHolders.collectiontxn.db.jndi=jdbc/
OBCM_COLLECTIONS
-Dnormal.front.prod=VENF
-Dcompound.rear.prod=BCVD
-Dnormal.rear.prod=SUPF
-Dflyway.domain.placeHolders.obcl.service.QueryContract=QueryContract
-Dflyway.domain.placeHolders.platobatch.db.jndi=jdbc/PLATOBATCH
-Dflyway.domain.placeHolders.platosecurity.domain.jndi= jdbc/
PLATO_SECURITY
-Dflyway.domain.placeHolders.eodbatch.db.jndi=jdbc/PLATOBATCH
-Dflyway.domain.placeHolders.obscfcmcore.db.jndi= jdbc/
OBSCFCM_CORE_SERVICES
-Dflyway.domain.placeHolders.obpm.service.initiateOutwardClg=
InitiateOutwardClearing
-Dflyway.domain.placeHolders.plato-feed-ref.jndi=jdbc/PLATOFEED
-Dflyway.domain.placeHolders.plato-feed-ref.server.port=<Port>
-Dflyway.domain.placeHolders.plato-feed-ref.username=<user>
-Dflyway.domain.placeHolders.plato-feed-ref.password=<password>
-Dflyway.domain.placeHolders.plato-feed-
ref.jdbcUrl=jdbc:oracle:thin:@//<host>.in.example.com:<port>/<service
name>
-Dflyway.domain.placeHolders.plato-feed-ref.schemas=PLATO_FEED
-Deureka.protocol=http
-Dflyway.domain.placeHolders.plato-transport-service.server.port=<Port>
-Dflyway.domain.placeHolders.plato-transport-service.jndi=jdbc/
PLATOTRANSPORT
-Dflyway.domain.placeHolders.plato-transport-
service.schemas=PLATO_TRANSPORT
-Dflyway.domain.placeHolders.plato-transport-
service.transport.filePath=/scratch/plato-transport/
-Dflyway.domain.placeHolders.config-service.server.port=<Port>
-Dflyway.domain.placeHolders.plato.feed.fss.filestore.protocol=http
-Dflyway.domain.placeHolders.plato.feed.fss.filestore.host=127.0.0.1

```

```

-Dflyway.domain.placeholders.plato.feed.fss.filestore.port=<Port>
-Dflyway.domain.placeholders.plato.feed.fss.filestore.contextRoot= filestore/
private
-Dflyway.domain.placeholders.plato.feed.fss.filestream.protocol=http
-Dflyway.domain.placeholders.plato.feed.fss.filestream.host=127.0.0.1
-Dflyway.domain.placeholders.plato.feed.fss.filestream.port=<Port>
-Dflyway.domain.placeholders.plato.feed.fss.filestream.contextRoot=
filestream/private
-Dflyway.domain.placeholders.plato.feed.fss.auth.bearerToken=unset
-Dflyway.domain.placeholders.plato.feed.fss.par.upload.description=
fileupload
-Dflyway.domain.placeholders.plato.feed.fss.par.storageDirective= filestream/
private
-Dflyway.domain.placeholders.plato.feed.fss.stripe.service.tag=feed-
services
-Dflyway.domain.placeholders.flyway.platofeed.schemas=PLATO_FEED
-Dflyway.domain.placeholders.cmc-service-Deprecation-svc.server.port=<port>
-Dflyway.domain.placeholders.kafka.broker.username=<user>
-Dflyway.domain.placeholders.kafka.broker.password=<password>
-Dflyway.domain.placeholders.kafka.binder.brokers.port=<Port>
-Dflyway.domain.placeholders.kafka.binder.zkNodes.port=<Port>
-Dflyway.domain.placeholders.kafka.binder.brokers.host=<host>
-Dflyway.domain.placeholders.kafka.binder.zkNodes.host=<host>
-Dflyway.domain.placeholders.obscfcm-batch-jobs.server.port=<Port>
-Dflyway.domain.placeholders.obscfcm-chatbot-services.server.port=<Port>
-Dflyway.domain.placeholders.apigateway.url=https://<host>:<port>
-Dflyway.domain.placeholders.cmc-comments-services.server.port=<Port>
-Dflyway.domain.placeholders.cmc-priority-services.server.port=<Port>
-Dflyway.domain.placeholders.documentmanagement-services.server.port=<Port>
-Dflyway.domain.placeholders.kyccheck-services.server.port=<Port>
-Dflyway.domain.placeholders.processcode-services.server.port=<Port>
-Dflyway.domain.placeholders.sequencegeneratorservice.server.port=<Port>
-Dflyway.domain.placeholders.opds.batch.partitionCount=
-Dflyway.domain.placeholders.opds.batch.destinationTopic=
-Dflyway.domain.placeholders.opds.batch.consumerGroupName=
-Dflyway.domain.placeholders.opds.batch.autoAddPartitions=
-Dflyway.domain.placeholders.plato.eventhub.kafka.brokers=<host>:<port>
-Dflyway.domain.placeholders.plato.eventhub.zk.nodes=<host>:2181
-Dflyway.domain.placeholders.alert.service.serviceConsumer= OBSCFCM_ALERTS
-Dflyway.domain.placeholders.alert.service.alertMessage=AlertMessage
-Dflyway.domain.placeholders.plato.flyway.enabled=true
-Dflyway.domain.placeholders.plato-api-gateway.min.pswd.length=8
-Dflyway.domain.placeholders.plato-api-gateway.max.pswd.length=11
-Dflyway.domain.placeholders.plato-api-gateway.min.pswd.age=1
-Dflyway.domain.placeholders.plato-api-gateway.max.pswd.age=90
-Dflyway.domain.placeholders.plato-api-gateway.upper.char.flag=N
-Dflyway.domain.placeholders.plato-api-gateway.upper.char.count=2
-Dflyway.domain.placeholders.plato-api-gateway.lower.char.flag=Y
-Dflyway.domain.placeholders.plato-api-gateway.lower.char.count=2
-Dflyway.domain.placeholders.plato-api-gateway.special.char.flag=N
-Dflyway.domain.placeholders.plato-api-gateway.special.char.count=1
-Dflyway.domain.placeholders.plato-api-gateway.numeric.char.flag=Y
-Dflyway.domain.placeholders.plato-api-gateway.numeric.char.count=1
-Dflyway.domain.placeholders.plato-api-gateway.pswd.validation.flag=Y
-Dflyway.domain.placeholders.plato.services.entityservices.port=<Port>

```



```

-Dflyway.domain.placeHolders.cmc-obrh-services.audit.retention.days=7
-Dflyway.domain.placeHolders.cmc-obrh-
services.audit.retention.archival= true
-Dflyway.domain.placeHolders.cmc-obrh-services.oic.oauth.scope=dummy
-Dflyway.domain.placeHolders.cmc-obrh-services.oic.secretStore.url=
https://dummy
-Dflyway.domain.placeHolders.cmc-obrh-services.oic.idcs.url= https://
dummy
-
Dflyway.domain.placeHolders.plato.orchestrator.enableSubWfDynamicAlloca
tion=false
-Dflyway.domain.placeHolders.plato-api-
gateway.external.sso.validation.url=https://dummy
-Dflyway.domain.placeHolders.plato-api-gateway.external.sso.key=dummy
-Dflyway.domain.placeHolders.plato-api-
gateway.sso.service.provider=dummy
-Dflyway.domain.placeHolders.plato-api-gateway.headers=dummy
-Dflyway.domain.placeHolders.actuator.endpoint=prometheus,health
-Dflyway.domain.placeHolders.cmc-obrh-kafka-consumer.server.port=<Port>
-Dflyway.domain.placeHolders.obscffci.db.jndi=jdbc/OBSCF_FCI_MESSAGES
-Dflyway.domain.placeHolders.obscffci.server.port=<Port>
-Dflyway.domain.placeHolders.eureka.instance.prefer-ip-address=false
-Dflyway.domain.placeHolders.ssl.enabled=true
-Dflyway.domain.placeHolders.ssl.disabled=false
-Dflyway.domain.placeHolders.obscfislamic.db.jndi=jdbc/OBSCF-ISLAMIC-
INSTRUMENTS
-Dflyway.domain.placeHolders.obscfislamic.server.port=<Port>
-
Dflyway.domain.placeHolders.kafka.ssl.endpoint.identification.algorithm
=https
-Dflyway.domain.placeHolders.feed.system.approverId=<Approver UserId>
-Dflyway.domain.placeHolders.plato-password-policy-
service.server.port=<Managed server ssl port for target service>
-Dflyway.domain.placeHolders.plato-password-policy-service.jndi=jdbc/
PLATO_PASSWORD
-Dflyway.domain.placeHolders.plato-password-policy-
service.schemas=PLATO_PASSWORD
-Dflyway.domain.placeHolders.plato-password-policy-
service.locations=db/migration/domain/plato
-Dflyway.sms.placeHolders.role_id=ADMIN_ROLE
-Dspring.cloud.loadbalancer.ribbon.enabled=false
-DfcubsUserId=DCD_01
-DfcubsSource=EXTSYS
-DfcubsBranch=004
-Dmaint.db.jndi=jdbc/OBSCFCM_MAINTENANCE
-Dflyway.domain.placeHolders.external.sso.validation.url=<>
-Dflyway.domain.placeHolders.reports.fss.bearerTokenPath=</jwt/token>
-Dflyway.domain.placeHolders.reports.fss.bearerTokenFileName=<token>
-
Dflyway.domain.placeHolders.reports.system.objectStore.stripName=<repo
rts>
-Dflyway.domain.placeHolders.plato-regional-configurator-
services.server.port=${PLATO_OTHERS_PORT}
-Dflyway.domain.placeHolders.plato-regional-configurator-
services.jndi=${OBRC_JNDI}

```

```

-Dflyway.domain.placeholders.plato-regional-configurator-services.schemas=${
{OBRC_SCHEMA}
-Dflyway.domain.placeholders.plato-regional-configurator-
services.locations=db/migration/domain/obrc
-Dflyway.domain.placeholders.plato.feed.fss.bearerTokenPath=
-Dflyway.domain.placeholders.plato.feed.fss.bearerTokenFileName=dummyToken
-Dflyway.domain.placeholders.coherence.enabled=false
-Dflyway.domain.placeholders.user.mapping.required=false
-Dflyway.domain.placeholders.auditEnabled=false
-Dflyway.domain.placeholders.plato-apigateway-router.server.port=8080
-Dflyway.domain.placeholders.plato.service.base-path=/api-gateway
-Dflyway.domain.placeholders.coherence.cluster.name=dummyClusterName
-Dflyway.domain.placeholders.tangosol.coherence.clusterport=7574
-Dflyway.domain.placeholders.plato.feed.emailClient.from.email=dummyEmailId
-Dflyway.domain.placeholders.alerts.protocol=${PROTOCOL}
-Dflyway.domain.placeholders.alerts.service.name=noreply-fsgbu-obca-
dev@ocs.examplecloud.com
-Dflyway.domain.placeholders.alerts.namespace=fsgbu-obcbcs-nonprod--
foundation.svc.occloud
-Dflyway.domain.placeholders.alerts.email.client.port=8080
-Dflyway.domain.placeholders.cmc-obrh-services.oic.secretStore.url=
-Dflyway.domain.placeholders.obrh.audit.id-generator=
-Dflyway.domain.placeholders.cmc-obrh-jms-consumer.server.port=xxxx
-Dflyway.domain.placeholders.cmc-obrh-jms-consumer.connectionFactory=aaa
-Dflyway.domain.placeholders.cmc-obrh-jms-consumer.queue=aaaa
-Dflyway.domain.placeholders.obrh.audit.maxConcurrentConsumers=100
-Dflyway.domain.placeholders.obrh.audit.type=
-Dflyway.domain.placeholders.cmc-customer-services.coherence.enabled=
-Dflyway.domain.placeholders.cmc-customer-services.loadCacheOnStartUp=
-Dflyway.domain.placeholders.cmc-interest-rate-services.server.port=
-Dflyway.domain.placeholders.cmc-interest-rate-services.schemas=
-Dflyway.domain.placeholders.cmc-resourceclass-
services.coherence.enabled=true
-Dflyway.domain.placeholders.cmc-resourceclass-
services.loadCacheOnStartUp=true
-Dflyway.domain.placeholders.cmc-resource-segment-orchestrator-
service.coherence.enabled=true
-Dflyway.domain.placeholders.cmc-resource-segment-orchestrator-
service.loadCacheOnStartUp=true
-Dflyway.domain.placeholders.cmc-corebanking-adapter-
service.coherence.enabled=true
-Dflyway.domain.placeholders.cmc-corebanking-adapter-
service.loadCacheOnStartUp=true
-Dflyway.domain.placeholders.cmc-external-virtual-account-
services.coherence.enabled=true
-Dflyway.domain.placeholders.cmc-external-virtual-account-
services.loadCacheOnStartUp=true
-Dflyway.domain.placeholders.cds.isAsyncLoggingEnabled=true
-Dflyway.domain.placeholders.charges.isAsyncLoggingEnabled=true
-Dflyway.domain.placeholders.obpy-party-services.coherence.enabled=true
-Dflyway.domain.placeholders.obpy-party-services.loadCacheOnStartUp=true
-Dflyway.domain.placeholders.sms-core-services.coherence.enabled=true
-Dflyway.domain.placeholders.sms-core-services.loadCacheOnStartUp=true
-Dflyway.domain.placeholders.cmc-charges-calculation-
services.coherence.enabled=true

```

```

-Dflyway.domain.placeHolders.cmc-charges-calculation-
services.loadCacheOnStartUp=true
-Dflyway.domain.placeHolders.cmc-account-
services.coherence.enabled=true
-Dflyway.domain.placeHolders.cmc-advice-services.coherence.enabled=true
-Dflyway.domain.placeHolders.cmc-base-services.coherence.enabled=true
-Dflyway.domain.placeHolders.cmc-branch-services.coherence.enabled=true
-Dflyway.domain.placeHolders.cmc-branch-
services.loadCacheOnStartUp=true
-Dflyway.domain.placeHolders.cmc-account-
services.loadCacheOnStartUp=true
-Dflyway.domain.placeHolders.cmc-advice-
services.loadCacheOnStartUp=true
-Dflyway.domain.placeHolders.cmc-base-services.loadCacheOnStartUp=true
-Dflyway.domain.placeHolders.cmc-external-deposit-account-
services.server.port=${CMC3_PORT}
-Dflyway.domain.placeHolders.cmc-currency-
services.coherence.enabled=true
-Dflyway.domain.placeHolders.cmc-currency-
services.loadCacheOnStartUp=true
-Dflyway.domain.placeHolders.cmc-external-chart-account-
services.coherence.enabled=true
-Dflyway.domain.placeHolders.cmc-external-chart-account-
services.loadCacheOnStartUp=true
-Dflyway.domain.placeHolders.fcubsBranch=XXX
-Dflyway.domain.placeHolders.fcubsSource=EXTSYS
-Dflyway.domain.placeHolders.fcubsUserId=<user name>
-Dflyway.domain.placeHolders.cmc-facilities-
services.coherence.enabled=true
-Dflyway.domain.placeHolders.cmc-facilities-
services.loadCacheOnStartUp=true
-Dflyway.domain.placeHolders.cmc-external-deposit-account-
services.coherence.enabled=true
-Dflyway.domain.placeHolders.cmc-screenclass-
services.coherence.enabled=true
-Dflyway.domain.placeHolders.cmc-screenclass-
services.loadCacheOnStartUp=true
-Dflyway.domain.placeHolders.fcubsUserId=
-Dflyway.domain.placeHolders.plato.feed.feedStripeName=feeds
-Dflyway.domain.placeHolders.plato.alerts.protocol=${PROTOCOL}
-Dflyway.domain.placeHolders.plato.alerts.namespace=fsgbu-obcbcs-
nonprod--foundation.svc.occloud
-Dflyway.domain.placeHolders.plato.alerts.email.client.port=8080
-
Dflyway.domain.placeHolders.plato.multitenant.emailClient.from.email=no
reply-fsgbu-obca-dev@ocs.examplecloud.com
-Dflyway.domain.placeHolders.plato.feed.emailClient.from.email=noreply-
fsgbu-obca-dev@ocs.examplecloud.com
-Dspring.cloud.loadbalancer.ribbon.enabled=false
-Dspring.main.allow-circular-references=true
-Dcoherence.server.address=<hostname>
-Dcoherence.server.port=<port>
-Dflyway.domain.placeholders.obscf-core-
services.loadCacheOnStartUp=true
-Dflyway.domain.placeholders.obscf-core-services.coherence.enabled=true

```

```
-Dflyway.domain.placeholders.obscf-limits-services.coherence.enabled=true
-Dflyway.domain.placeholders.obscf-finance-services.coherence.enabled=true
-Dflyway.domain.placeholders.obscf-limits-services.loadCacheOnStartUp=true
-Dflyway.domain.placeholders.obscf-report-services.coherence.enabled=true
-Dflyway.domain.placeholders.obscfcm-auto-recon-batch.loadCacheOnStartUp=true
-Dflyway.domain.placeholders.obscfcm-core-services.loadCacheOnStartUp=true
-Dflyway.domain.placeholders.obscfcm-filter-services.coherence.enabled=true
-Dflyway.domain.placeholders.obscf-finance-services.loadCacheOnStartUp=true
-Dflyway.domain.placeholders.obscfcm-instruments-receivables-
services.loadCacheOnStartUp=true
-Dflyway.domain.placeholders.obscfcm-instruments-receivables-
services.coherence.enabled=true
-Dflyway.domain.placeholders.obscfcm-manual-recon-
services.loadCacheOnStartUp=true
-Dflyway.domain.placeholders.obscf-islamic-instruments-
services.coherence.enabled=true
-Dflyway.domain.placeholders.obscfcm-workflow-management-
services.loadCacheOnStartUp=true
-Dflyway.domain.placeholders.obscfcm-workflow-management-
services.coherence.enabled=true
-Dflyway.domain.placeholders.obscfcm-manual-recon-
services.coherence.enabled=true
-Dflyway.domain.placeholders.obscfcm-account-maintenance-
services.coherence.enabled=true
-Dflyway.domain.placeholders.obscfcm-eod-batch.coherence.enabled=true
-Dflyway.domain.placeholders.obscfcm-charges-services.coherence.enabled=true
-Dflyway.domain.placeholders.obscfcm-filter-services.loadCacheOnStartUp=true
-Dflyway.domain.placeholders.obscfcm-alerts-services.coherence.enabled=true
-Dflyway.domain.placeholders.obscfcm-master-maintenance-
services.coherence.enabled=true
-Dflyway.domain.placeholders.obscfcm-master-maintenance-
services.loadCacheOnStartUp=true
-Dflyway.domain.placeholders.obscfcm-auto-recon-batch.coherence.enabled=true
-Dflyway.domain.placeholders.obscfcm-core-services.coherence.enabled=true
-Dflyway.domain.placeholders.obscf-fci-messaging-
service.coherence.enabled=true
-Dflyway.domain.placeholders.obscf-fci-messaging-
service.loadCacheOnStartUp=true
-Dflyway.domain.placeholders.plato.eventhub.consumer.maxPollInterval=300000
-Dflyway.domain.placeholders.plato.eventhub.consumer.maxPollRecords=500
-Dflyway.domain.placeholders.router.protocol=xxx
-Dflyway.domain.placeholders.router.meadmin.port=xxx
-Dflyway.domain.placeholders.cmc-additional-attribute-
services.coherence.enabled=true
-Dflyway.domain.placeholders.cmc-additional-attribute-services=true
-Dflyway.domain.placeholders.cmc-additional-attribute-
services.loadCacheOnStartUp=true
-Dflyway.domain.placeholders.cmc-additional-attribute-services=true
-Dflyway.domain.placeholders.cmc-datasegment-services.coherence.enabled=true
-Dflyway.domain.placeholders.cmc-datasegment-services=true
-Dflyway.domain.placeholders.cmc-datasegment-
services.loadCacheOnStartUp=true
-Dflyway.domain.placeholders.cmc-datasegment-services=true
-Dflyway.domain.placeholders.cmc-settlements-services.coherence.enabled=true
-Dflyway.domain.placeholders.cmc-settlements-services=true
```

```

-Dflyway.domain.placeholders.cmc-settlements-
services.loadCacheOnStartUp=true
-Dflyway.domain.placeholders.cmc-settlements-services=true
-Dflyway.domain.placeholders.cmc-sla-services.coherence.enabled
-Dflyway.domain.placeholders.cmc-sla-services=true
-Dflyway.domain.placeholders.cmc-sla-services.loadCacheOnStartUp=true
-Dflyway.domain.placeholders.cmc-sla-services=true
-Dflyway.domain.placeholders.cmc-txn-code-
services.coherence.enabled=true
-Dflyway.domain.placeholders.cmc-txn-code-services=true
-Dflyway.domain.placeholders.cmc-txn-code-
services.loadCacheOnStartUp=true
-DEncryptionFlag=false
-
Dflyway.domain.placeholders.obscfcmaccounting.schemas=OBSCFCM_ACCOUNTIN
G
-
Dflyway.domain.placeholders.plato.dataLoad.fss.filestream.contextRoot=n
ull
-Dflyway.domain.placeholders.dataLoad.job.gridSize=null
-Dflyway.domain.placeholders.plato.dataLoad.fss.filestream.host=null
-Dflyway.domain.placeholders.datamigration.contextRoot=null
-Dflyway.domain.placeholders.platorule.db.jndi=jdbc/PLATORULE
-Dflyway.domain.placeholders.cmc-report-services.coherence.enabled=true
-Dflyway.domain.placeholders.cmc-external-system-
services.coherence.enabled=true
-Dflyway.domain.placeholders.obscfcmalerts.schemas=OBSCFCM_ALERTS
-Dflyway.domain.placeholders.obscfcmautorecon.schemas=OBSCFCM_RECON
-Dflyway.domain.placeholders.obscfcmbatchjob.schemas=PLATOBATCH
-Dflyway.domain.placeholders.obscfcmcharges.schemas=OBSCFCM_CHARGE
-Dflyway.domain.placeholders.obscfcmchatbot.schemas=OBSCFCM_REPORT
-Dflyway.domain.placeholders.obscfcmcore.schemas=OBSCFCM_CORE_SERVICES
-Dflyway.domain.placeholders.obscfcmcodebatch.schemas=PLATOBATCH
-Dflyway.domain.placeholders.obscfcmfilter.schemas=OBSCFCM_FILTER
-
Dflyway.domain.placeholders.obscfcmstruments.schemas=OBSCFCM_INSTRUME
NTS
-Dflyway.domain.placeholders.obscfcmmanualrecon.schemas=OBSCFCM_RECON
-
Dflyway.domain.placeholders.obscfcmmastermaint.schemas=OBSCFCM_MAINTENA
NCE
-Dflyway.domain.placeholders.obscfcmreport.schemas=OBSCFCM_REPORT
-
Dflyway.domain.placeholders.obscfcmworkflow.schemas=OBSCFCM_WORKFLOWS_C
ONDUCTOR
-Dflyway.domain.placeholders.cmc-txn-code-
services.coherence.enabled=true
-Dflyway.domain.placeholders.cmc-txn-code-
services.loadCacheOnStartUp=true
-Dflyway.domain.placeholders.cmc-obrh-services.coherence.enabled=true
-Dflyway.domain.placeholders.obrh.audit.type.log.event=LOG
-Dflyway.domain.placeholders.obrh.audit.type=DEFAULT
-
Dflyway.domain.placeholders.kafka.binder.configuration.security.protocol=
SASL_SSL

```

```

-Dflyway.domain.placeholders.kafka.binder.configuration.sasl.mechanism=SCRAM-
SHA-256
-
Dflyway.domain.placeholders.kafka.binder.jaas.loginModule=org.apache.kafka.co
mmon.security.scram.ScramLoginModule
-Dflyway.domain.placeholders.sms-core-services.loadCacheOnStartUp=<<true or
false>>
-Dflyway.domain.placeholders.sms-core-services.coherence.enabled=<<true or
false>>
-Dflyway.domain.placeholders.cmc-obrh-services.coherence.enabled=<<true or
false>>
-Dflyway.domain.placeholders.cmc-opds-services.loadCacheOnStartUp=<<true or
false>>
-Dflyway.domain.placeholders.cmc-opds-services.coherence.enabled=<<true or
false>>
-Dflyway.domain.placeholders.cmc-interest-rate-
services.coherence.enabled=<<true or false>>
-Dflyway.domain.placeholders.cmc-limits-collaterals-
services.server.port=<<port_number>>
-Dflyway.domain.placeholders.dataload.job.queueCapacity=null
-Dflyway.domain.placeholders.plato.dataload.fss.filestream.protocol=null
-Dflyway.domain.placeholders.sms.placeholderReplacement=null
-Dflyway.domain.placeholders.dataload.protocol=null
-Dflyway.domain.placeholders.plato.dataload.fss.filestore.protocol=null
-Dflyway.domain.placeholders.plato.dataload.fss.filestore.host=null
-Dflyway.domain.placeholders.plato.dataload.fss.bearerTokenFileName=null
-Dflyway.domain.placeholders.datamigration.host=null
-Dflyway.domain.placeholders.plato.dataload.fss.stripe.service.tag=null
-Dflyway.domain.placeholders.plato.dataload.fss.filestream.port=null
-Dflyway.domain.placeholders.plato.dataload.fss.filestore.port=null
-Dflyway.domain.placeholders.dataload.job.corePoolSize=null
-Dflyway.domain.placeholders.dataload.job.maxPoolSize=null
-Dflyway.domain.placeholders.plato.dataload.fss.par.storageDirective=null
-Dflyway.domain.placeholders.plato.dataload.fss.bearerTokenPath=null
-
Dflyway.domain.placeholders.plato.dataload.framework.eureka.client.connectTim
eout=null
-Dflyway.domain.placeholders.plato.dataload.fss.par.upload.description=null
-Dflyway.domain.placeholders.plato.dataload.fss.filestore.contextRoot=null
-Dflyway.domain.placeholders.datamigration.port=null
-Dflyway.domain.placeholders.domain.placeholderReplacement=null
-
Dflyway.domain.placeholders.plato.dataload.framework.eureka.client.readTimeou
t=null
-Dflyway.domain.placeholders.batch.appId=null
-
Dflyway.domain.placeholders.plato.dataload.system.objectStore.stripeName=null
-Dflyway.domain.placeholders.datamigration.protocol=null
-Dflyway.domain.placeholders.plato.placeholderReplacement=null
-Dflyway.domain.placeholders.cmc-opds-services.isAsyncLoggingEnabled=true
-Dflyway.domain.placeholders.cmc-opds-
services.ischargesAsyncLoggingEnabled=true
-Dflyway.domain.placeholders.cmc-report-services.coherence.enabled=true
-Dflyway.domain.placeholders.cmc-external-system-
services.coherence.enabled=true

```

```

-Dflyway.domain.placeholders.cmc-batch-services.coherence.enabled=true
-Dflyway.domain.placeholders.plato-ui-config.schemas=<PLATO UI SCHEMA
NAME>
-Dflyway.domain.placeholders.cmncore.schemas=<COMMON CORE SCHEMA NAME>
-Dflyway.domain.placeholders.plato-config.schemas=<PLATO CONFIG SCHEMA
NAME>
-Dflyway.domain.placeholders.sms.schemas=<SMS SCHEMA NAME>
-Dflyway.domain.placeholders.obscfcoreservices.schemas=<OBSCF_CORE
SCHEMA NAME>
-Dflyway.domain.placeholders.obscffinance.schemas=<OBSCF_FINANCE
SCHEMA NAME>
-
Dflyway.domain.placeholders.obscfislamicinstruments.schemas=<OBSCF_ISLA
MIC_INSTRUMENTS SCHEMA NAME>
-Dflyway.domain.placeholders.obscflimit.schemas=<OBSCF_LIMIT_UTILIZ
SCHEMA NAME>
-Dflyway.domain.placeholders.obscfreport.schemas=<OBSCF_REPORT SCHEMA
NAME>
-Dflyway.domain.placeholders.obscffcimessaging.schemas=
<OBSCF_FCI_MESSAGES SCHEMA NAME>
-Dflyway.domain.placeholders.oba.service.requestType=<VALUE>
-Dflyway.domain.placeholders.oba.isObaBranchAvailable=<VALUE>
-Dflyway.domain.placeholders.oba.service.serviceConsumer=<VALUE>
-Dflyway.domain.placeholders.oba.service.sourceCode=<VALUE>
-Dflyway.domain.placeholders.oba.service.obaEntityId=<VALUE>
-Dflyway.domain.placeholders.oba.external.branchCode=<VALUE>
-Dflyway.domain.placeholders.oba.isObaUserAvailable=<VALUE>
-Dflyway.domain.placeholders.oba.service.obaUserId=<VALUE>
-Dflyway.domain.placeholders.oba.service.obaAppId=<VALUE>
-Dflyway.domain.placeholders.obscfcore.schemas=<VALUE>
-Dflyway.domain.placeholders.obscfcmcore.schemas=<VALUE>
-Dflyway.domain.placeholders.obscfcmmanualrecon.schemas=<VALUE>
-Dflyway.domain.placeholders.feed.system.timePeriod=<feed-system-
timePeriod>
-Dflyway.domain.placeholders.branchCode=<SYSTEM-BRANCH_CODE>
-Dflyway.domain.placeholders.isFreshInstallation=<Y or N>
-Dcmc-opds-services.DbLogEnabled=<true or false>
-Dflyway.domain.placeholders.oba.isObaUserAvailable=<true or false>
-Dflyway.domain.placeholders.oba.isObaBranchAvailable=<true or false>
-Dflyway.domain.placeholders.oba.external.branchCode=<OBA-BRANCH-CODE>
-Dflyway.domain.placeholders.oba.service.sourceCode=<OBA-SOURCE-CODE>
-Dflyway.domain.placeholders.oba.service.obaUserId=<OBA-USERID>
-Dflyway.domain.placeholders.oba.service.serviceConsumer=<OBA-SERVICE-
CONSUMER>
-Dflyway.domain.placeholders.oba.service.obaAppId=<OBA-APP-ID>
-Dflyway.domain.placeholders.oba.service.obaEntityId=<OBA-ENTITY-ID>
-Dflyway.domain.placeholders.oba.service.requestType=<OBA-REQUEST-TYPE>
-Dflyway.domain.placeholders.plato.schemas=PLATO
-Dflyway.domain.placeholders.edp.db.jndi=<EDP-JNDI>
-Dflyway.domain.placeholders.edp.schemas=<EDP_SCHEMA>
-Dflyway.domain.placeholders.plato-edp-services.server.port=<EDP-PORT>
-Dflyway.domain.placeholders.plato-edp-
services.coherence.enabled=<true or false>
-Dflyway.domain.placeholders.cmc-external-chart-account-
services.batch.partition.count=<batch-partition-count>

```

```

-Dflyway.domain.placeholders.cmc-external-chart-account-
services.batch.thread.pool.size=<batch-pool-size>
-Dflyway.domain.placeholders.cmc-external-chart-account-
services.batch.txn.fetch.size=<batch-fetch-size>
-Dflyway.domain.placeholders.cmc-external-chart-account-
services.batch.txn.validation=<batch-validation>
-Dflyway.domain.placeholders.cmc-external-chart-account-
services.batch.commit.frequency=<batch-frequency>
-Dflyway.domain.placeholders.cmc-external-chart-account-
services.batch.handoff.txn.size=<batch-handoff-size>
-Dflyway.domain.placeholders.userLoginId.minLength=<USER-LOGINID-MIN-LENGTH>
-
Dflyway.domain.placeholders.spring.cloud.stream.kafka.binder.configuration.ssa
l.truststore.location=<kafka-certificates-path>
-
Dflyway.domain.placeholders.spring.cloud.stream.kafka.binder.configuration.ssa
l.truststore.password=<kafka-truststore-password>
-
Dflyway.domain.placeholders.spring.cloud.stream.kafka.binder.jaas.options.use
rname=<kafka-username>
-
Dflyway.domain.placeholders.spring.cloud.stream.kafka.binder.jaas.options.pas
sword=<kafka-password>
-
Dflyway.domain.placeholders.spring.cloud.stream.kafka.binder.configuration.ssa
sl.mechanism=SCRAM-SHA-256
-
Dflyway.domain.placeholders.spring.cloud.stream.kafka.binder.configuration.se
curity.protocol=SASL_SSL
-
Dflyway.domain.placeholders.spring.cloud.stream.kafka.binder.jaas.loginModule
=org.apache.kafka.common.security.scram.ScramLoginModule
-
Dflyway.domain.placeholders.spring.cloud.stream.kafka.binder.configuration.ssa
sl.security.protocol=SASL_SSL
-
Dflyway.domain.placeholders.spring.cloud.stream.kafka.binder.configuration.ssa
l.endpoint.identification.algorithm=<kakfa-protocol>
-Dflyway.domain.placeholders.plato.locations=db/migration/plato
-Dflyway.domain.placeholders.transport.config.db.jndi=<PLATO_TRANSPORT_JNDI>
-
Dflyway.domain.placeholders.transport.config.schemas=<PLATO_TRANSPORT_SCHEMA>
-Dflyway.domain.placeholders.plato-transport-
services.coherence.enabled=<true or false>
-Dflyway.domain.placeholders.plato-transport-
services.server.port=<PLATO_TRANSPORT_PORT>
-Dplato.services.entityservices.port=<PLATO_ENTITY_PORT>
export JAVA_OPTIONS

```


2

Environment Variables for SMS, COMMONCORE, Mid-office Domain

The below parametrization should be done for all the domains (sms, commoncore, mid-office) which are created in the weblogic server where the micro services are going to be deployed.

1. Go to the weblogic installation path (FMW installation path) in the WebLogic server where the plato, sms, common core, and mid-office is getting deployed.
2. Go to location : `Middleware/Oracle_Home/user_projects/domains/<respective_domain>/bin`.
3. Create a file named **setUserOverrides.sh** with content given below:

```
#!/bin/bash
JAVA_OPTIONS="{JAVA_OPTIONS}"
-Dplato.services.config.port=<port>
-Dplato.services.config.uri=http://<host>:<port>
-Dplato.service.logging.path=<dir path>
-Dflyway.enabled=true
-Dplato.services.entityservices.port=<port>
-Deureka.connectTimeout=10000
-Deureka.readTimeout=10000
-Dribbon.connectTimeout=20000
-Dribbon.readTimeout=20000
-DXms1024m
-DXmx2048m
-Dflyway.domain.placeholders.plato.services.rule.url=https://<host>:8103/
rule-service
-Dflyway.domain.placeholders.cmc-obrh-
services.kafka.server.path=<host>:<port>
-Dflyway.domain.placeholders.cmc-obrh-
services.zookeeper.server.path=<host>:<port>
-Dobrh.import.data.disable-modify=true
-Dspring.cloud.loadbalancer.ribbon.enabled=false
-Dhttps.proxyHost=<If proxy required to connect fci else This argument is
not required>
-Dhttps.proxyPort=<If proxy required to connect fci else This argument is
not required>
-Dhttp.nonProxyHosts=<If proxy required to connect fci else This argument is
not required>
-Dhttps.nonProxyHosts=<If proxy required to connect fci else This argument
is not required>
-Dobrh.keystore.password=<Keystore Password>
-Dobrh.keystore.path=</scratch/certificates/ssl/keystore File>
-Dobrh.usekeystore=true
-Dobrh.keystore.aliaspassword=<Alias Password>
-Dobrh.keystore.alias=<Keystore alias name>
```

```
-Dobrh.audit.id-generator=SNOWFLAKE
-Dcmc-obrh-jms-consumer.server.port=<portno>
-Dcmc-obrh-jms-consumer.connectionFactory=<>
-Dcmc-obrh-jms-consumer.queue=<>
-Dobrh.audit.maxConcurrentConsumers=<100>
-Dobrh.audit.type=KAFKA
-Dsms-core-services.coherence.enabled=<true/false>
-Dsms-core-services.loadCacheOnStartUp=<true/false>
-DutilityCache.evict.fixedrate.milliseconds=600000
-DutilityCache.evict.initialdelay.milliseconds=600000
-Dcmc-customer-services.loadCacheOnStartUp=true
-Dcmc-interest-rate-services.server.port=<portno>
-Dcmc-interest-rate-services.schemas=<schema name>
-Dcoherence.server.address=<Hostname where Coherence is deployed>
-Dcoherence.server.port=7574
-Dcoherence.enabled=<<true or false>>
-
Dflyway.domain.placeholders.plato.eventhub.consumer.maxPollInterval=300
000
-Dflyway.domain.placeholders.plato.eventhub.consumer.maxPollRecords=500
-Dhttps.proxyHost=<proxy detail>
-Dhttps.proxyPort=<proxy port>
-Dhttp.nonProxyHosts=<no proxy host >
-Dhttps.nonProxyHosts=<no proxy host >
-Dobrh.keystore.password=<password>
-Dobrh.keystore.path=<certificate_path>
-Dobrh.usekeystore=true
-Dobrh.keystore.aliaspassword=<password>
-Dobrh.keystore.alias=<alias_name>
export JAVA_OPTIONS
```

3

Environment Variables for CONDUCTOR Domain

```
#!/bin/bash
JAVA_OPTIONS=${JAVA_OPTIONS}
-Dconductor.properties=<file path>
-Dplato.services.gateway.port=<port>
-Dplato.services.config.port=<port>
-Dplato.services.config.uri=http://<host>:<port>
-Dplato.service.logging.path=<dir path>
-Dapigateway.url=http://<host>:<port>
-Dkafka.host=<host>
-Dkafka.port=9092
-Dzookeeper.port=2181
-Dspring.cloud.loadbalancer.ribbon.enabled=false
export JAVA_OPTIONS
```

4

Environment Variables for OBSCFCM / OBSCF Managed Servers

Create a file called **setUserOverrides.sh** inside the weblogic bin location of OBSCFCM / OBSCF Service domain with content given below. All the environment variables for OBSCFCM / OBSCF are listed. Replace the values accordingly.

```
#!/bin/bash
JAVA_OPTIONS=${JAVA_OPTIONS}
-Dsms.db.jndi=jdbc/sms
-Dplatoui.db.jndi=jdbc/PLATO_UI_CONFIG
-Dcmc.db.jndi=jdbc/CMNCORE
-Dplato.db.jndi=jdbc/PLATO
-Dobscfcore.db.jndi=jdbc/OBSCF_CORE
-Dfinance.db.jndi=jdbc/OBSCF_FINANCE
-Dlimits.db.jndi=jdbc/OBSCF_LIMIT_MAINT
-Dlimits.db.jndi=jdbc/OBSCF_LIMIT_UTILIZ
-Dobscfreport.db.jndi=jdbc/OBSCF_REPORT
-Deodbatch.db.jndi=jdbc/EODBATC PLATOBATCH
-Dplato.services.gateway.port=<port>
-Dplato.services.config.port=<port>
-Dplato.services.config.uri=http://<host>:<port>
-Dplato.service.logging.path=<dir path>
-Dapigateway.url=http://<host>:<port>
-Dkafka.host=<host>
-Dkafka.port=9092
-Dzookeeper.port=2181
-Deureka.host=<host>
-Deureka.port=<port>
-Dzipkin.url=http://<host>:9411
-Dworkflowservice.eureka.host=<host>
-Dworkflowservice.eureka.port=<port>
-Dobcl.service.userId=<userid>
-Dcache.evict.interval.milliseconds=7200000
-Dcache.evict.initialdelay.milliseconds=7200000
-Dplato.service.env=DEV
-Dconductor.properties=/scratch/ConductorConfig/config.properties
-Dreport.schema.username=<username>
-Dreport.schema.password=<password>
-Dfinance.db.jndi=jdbc/OBSCF_FINANCE
-Dobscfreport.db.jndi=jdbc/OBSCF_REPORT
-Dlimits.db.jndi=jdbc/OBSCF_LIMIT_MAINT
-Dobscfcore.db.jndi=jdbc/OBSCF_CORE
-Deodbatch.db.jndi=jdbc/PLATOBATCH
-Dacct.db.jndi=jdbc/OBSCFCM_ACCOUNTING
-Dcharges.db.jndi=jdbc/OBSCFCM_CHARGES
-Dobscfcmcore.db.jndi=jdbc/OBSCFCM_CORE_SERVICES
-Dfilter.db.jndi=jdbc/OBSCFCM_FILTER
```

```

-Dmanualrecon.db.jndi=jdbc/OBSCFCM_RECON
-Dmaint.db.jndi=jdbc/OBSCFCM_MAINTENANCE
-Dreport.db.jndi=jdbc/OBSCFCM_REPORT
-Dworkflow.db.jndi=jdbc/OBSCFCM_WORKFLOWS_CONDUCTOR
-Drecon.db.jndi=jdbc/OBSCFCM_RECON
-Dfinance.db.jndi=jdbc/OBSCF_FINANCE
-Dinstrument.db.jndi=jdbc/OBSCFCM_INSTRUMENTS
-Dobscfcmalert.db.jndi=jdbc/OBSCFCM_ALERTS
-Dcache.evict.interval.milliseconds=7200000
-Dcache.evict.initialdelay.milliseconds=7200000
-Dchatbot.url=http://<host>:<port>
-Doda.uri=<uri>
-Doda.channelid=<channelid>
-Doda.secretkey=<secret>
-Doda.isoda=Y
-Dplato.cmc.default.brn=
-Duser_login_id=<userid>
-Dplato.service.env=DEV
-Dupload.handler.userId=<userid>
-Dupload.handler.branchCode=<branchcode>
-Deod.db.jndi=jdbc/EOD
-Deureka.connectTimeout=10000
-Deureka.readTimeout=10000
-Dribbon.connectTimeout=20000
-Dribbon.readTimeout=20000
-Dfileupload.jdbc.url=jdbc:oracle:thin:@//<host>:<port>/<sid>
-Dfileupload.schema.username=<user>
-Dfileupload.schema.password=<password>
-Dforecasting.jdbc.url=jdbc:oracle:thin:@//<host>:<port>/<sid>
-Dobcmcashflowforecasting.schema.username=<user>
-Dobcmcashflowforecasting.schema.password=<password>
-Dobscfcmalert.core.userId=<user>
-Dobscfcmalert.core.branchCode=<branchcode>
-Dobscfcmalert.server.port=<port>
-Deureka.client.serviceUrl.defaultZone=https://<host>:<port>/plato-
discovery-service/eureka
-Dspring.zipkin.baseUrl=http://<host>:<port>
-Dobscfc.filter.service.appId=OBSCFCM_FILTER
-Dobscfcmalert.db.jndi=jdbc/OBSCFCM_ALERTS
-Dflyway.sms.placeholders.applicationCode=BOTH
-Dplatofeed.db.jndi=jdbc/PLATOFEEED
-Dobcmcollectionmaint.db.jndi=jdbc/OBCM_COLLECTION_MAINT
-Dcollectiontxn.db.jndi=jdbc/OBCM_COLLECTIONS
-Dacct.db.jndi=jdbc/OBSCFCM_ACCOUNTING
-Dcharges.db.jndi=jdbc/OBSCFCM_CHARGES
-Dcashflow-forecasting.db.jndi=jdbc/OBCM_CASHFLOW_FORECAST
-Dobcmcashflowforecasting.db.jndi=jdbc/OBCM_CASHFLOW_FORECAST
-Dcmncore.cmc-branch.service.appId=CMNCORE
-Dspring.zipkin.enabled=false
-Dplato.services.eureka.uri=https://<host>:<port>
-
Dflyway.domain.placeholders.obpm.service.initiateOutwardClg=InitiateOut
wardClearing
-Dflyway.domain.placeholders.eureka.protocol=https
-Dflyway.platoui.placeholders.apigateway.url=https://<host>:<port>

```

```
-Dobscffci.db.jndi=jdbc/OBSCF_FCI_MESSAGES
-Dobscfislamic.db.jndi=jdbc/OBSCF-ISLAMIC-INSTRUMENTS
-Dautoreconbatch.db.jndi=jdbc/AUTORECONBATCH
-Dflyway.domain.placeholders.obscfcmmastermaintenance.enabled=true
-Dspring.cloud.loadbalancer.ribbon.enabled=false
-DutilityCache.evict.fixedrate.milliseconds=600000
-DutilityCache.evict.initialdelay.milliseconds=600000
-Dcoherence.server.address=<Hostname where Coherence is deployed>
-Dcoherence.server.port=7574
-Dcoherence.enabled=<true or false>
-Dflyway.domain.placeholders.branchCode=<Branch code of the system>
-Dflyway.domain.placeholders.isFreshInstallation=<Y (If it is a new
installed environment) or N (not a new installed environment)>
export JAVA_OPTIONS
```

5

Environment Variables for OBSCFCM Day0 Managed Server

Create a file called **setUserOverrides.sh** inside the WebLogic bin location of OBSCFCM day0 Service domain with content given below. All the environment variables for OBSCFCM are listed. Replace the values accordingly.

```
#!/bin/bash
JAVA_OPTIONS=${JAVA_OPTIONS}
-Dplato.services.config.port=<port>
-Dplato.services.config.uri=http://<host>:<port>
-Dplato.service.env=DEV
-Dplato.service.logging.path=<dir path>
-Dplato.db.jndi=jdbc/PLATO
-Dsms.db.jndi=jdbc/sms
-Dplatoui.db.jndi=jdbc/PLATO_UI_CONFIG
-Dcmc.db.jndi=jdbc/CMNCORE
-Dplatofeed.db.jndi=jdbc/PLATOFEED
-Deodbatch.db.jndi=jdbc/PLATOBATCH
-Dacct.db.jndi=jdbc/OBSCFCM_ACCOUNTING
-Dcharges.db.jndi=jdbc/OBSCFCM_CHARGES
-Dobscfcmcore.db.jndi=jdbc/OBSCFCM_CORE_SERVICES
-Dfilter.db.jndi=jdbc/OBSCFCM_FILTER
-Dinstrument.db.jndi=jdbc/OBSCFCM_INSTRUMENTS
-Dmanualrecon.db.jndi=jdbc/OBSCFCM_RECON
-Dmaint.db.jndi=jdbc/OBSCFCM_MAINTENANCE
-Dreport.db.jndi=jdbc/OBSCFCM_REPORT
-Dworkflow.db.jndi=jdbc/OBSCFCM_WORKFLOWS_CONDUCTOR
-Dobscfcm_debug_userId=<userid>
-Dapigateway_url=http://<host>:<port>
-Dobscfcm_purchase_buyer1_userId=<userid>
-Dobscfcm_purchase_buyer1_branchcode=<branchcode>
-Dobscfcm_purchase_seller1_userId=<userid>
-Dobscfcm_purchase_seller1_branchcode=<branchcode>
-Dobscfcm_invoice_buyer1_branchCode=<branchcode>
-Dobscfcm_invoice_buyer1_userId=<userid>
-Dobscfcm_payment1_branchCode=<branchcode>
-Dobscfcm_payment_userId=<userid>
-Dobscfcm_invoice_seller1_branchCode=<branchcode>
-Dobscfcm_invoice_seller1_userId=<userid>
-DaccountingBranchCode=<branchcode>
-Drole_id=OSCF_MAKER
-DapplicationCode=OBSCF
-Dobcm_role_id=OBCM_ROLE
-Dobscfcm_role_id=OBSCFCM_ROLE
-Duser_login_id=<userid>
-DbranchId=<branch id>
-DbranchCode=<branchcode>
```

```

-Duser_id_2=<OBSCF second admin user id>
-Dplatobatch.db.jndi=jdbc/PLATOBATCH
-Dplatosecurity.domain.jndi=jdbc/PLATO_SECURITY
-Dmulti_entity_admin_user=<Multi entity admin user>
-Dmulti_entity_user_email=<Multi entity user email address>
-Dmulti_entity_user_end_date=<Multi entity user end date>
-Dmulti_entity_user_start_date=<Multi entity user start date>
-Dobcmcashflowforecasting.db.jndi=jdbc/OBCM_CASHFLOW_FORCAST
-Dobcmcollectionmaint.db.jndi=jdbc/OBCM_COLLECTION_MAINT
-Dcollectiontxn.db.jndi=jdbc/OBCM_COLLECTIONS
-Dobcmreport.db.jndi=jdbc/OBCM_REPORT
-Dday0.server.port=<port>
-Deureka.host=https://<host>
-Deureka.port=<port>
-Drole_desc=OSCF_MAKER_role_desc
-Duserloginid1=ADMINUSER1
-Duserloginid2=ADMINUSER2
-Duser1name=ADMINUSER1
-Duser2name=ADMINUSER2
-Duserpassword1=ADMIN#1Pwd
-Duserpassword2=ADMIN#2Pwd
-Duserhomebranch=000
-Duserlocale=IND
-Duserstartdate=43191
-Duserenddate=44287
-Dbankcode=000
-Dbankdesc=OBCMS-UNIVERSAL-BANK
-Dbranchcode=000
-Dbranchname=FLEXCUBE-UNIVERSAL-BRANCH
-Dbranchaddr1=Address1
-Dbranchaddr2=Address2
-Dbranchaddr3=Address3
-Dbranchccy=GBP
-Dcountrycode=GBP
-Dwalkincustomer=12345
-Dhostcode=Host1
-Dhostdesc=Host1
-Dprocesstimezone=GMT
-Dsourcesystem=OBCMS
-Dsourcesystemdesc=Oracle
-Dsourcesystembranch=OBCMS
-Dpreviousworkingday=43922
-Dcurrentworkingday=43923
-Dnextworkingday=43924
-Dlang_code=ENG
-Dlang_desc=English
-Dlang_iso=en
-Dobcm_branchcode=004
-Dobcm_userId=SUNIL
-Dkafka.host=whf00clv
-Dkafka.port=9092
-Dzookeeper.port=2181
-Dobcmprojec.server.port=8204
-Dobcmcashflowprojection.db.jndi=jdbc/OBCM_CASHFLOW_PROJECTION
-Dflyway.domain.placeholders.obscfcm.day0.server.port=<port>

```



```

-Duser_id=<user>
-DuserName=<user>
-DuserLoginId=<user>
-DmanagerId=<manageruserid>
-DbranchCode=004
-DuserEmail=<user-email>
-DuserMobile=<mobile>
-DuserFax=<>
-DtelephoneNo=<>
-Dobscfcm_role_id=OBSCFCM_ROLE
-Duser_login_id=<login id>
-Dobscfbatch.enabled=true
-Dobscfcmaccountmaintenance.enabled=true
-Dobscfcmautoreconbatch.enabled=true
-Dobscfcmcharges.enabled=true
-Dobscfcmcoreservices.enabled=true
-Dobscfcmfilterservices.enabled=true
-Dobscfcminstrumentsservices.enabled=true
-Dobscfcmmanualrecon.enabled=true
-Dobscfcmmastermaintenance.enabled=true
-Dobscfcmreconmaintenance.enabled=true
-Dobscfcmreportservices.enabled=true
-Dobscfcmworkflowmanagement.enabled=true
-Dobscf_role_id=OBSCF_ROLE
-Deureka.connectTimeout=10000
-Deureka.readTimeout=10000
-Dribbon.connectTimeout=20000
-Dribbon.readTimeout=20000
-Dflyway.domain.placeholders.obscfcm.day0.obscf_role_id=OBSCF_ROLE
-Dnormal.front.prod=VENF
-Dcompound.rear.prod=BCVD
-Dnormal.rear.prod=SUPF
-Dflyway.domain.placeholders.platobatch.db.jndi=jdbc/PLATOBATCH
-Dflyway.domain.placeholders.platoorch.domain.jndi=jdbc/
OBSCFCM_WORKFLOWS_CONDUCTOR
-Dflyway.domain.placeholders.platosecurity.domain.jndi=jdbc/PLATO_SECURITY
-Dflyway.domain.placeholders.eodbatch.db.jndi=jdbc/PLATOBATCH
-Dflyway.domain.placeholders.obscfcmcore.db.jndi=jdbc/OBSCFCM_CORE_SERVICES
-Dtoday=<DD-MON-YYYY>
-Dprev_working_day=<DD-MON-YYYY>
-Dnext_working_day=<DD-MON-YYYY>
-Dflyway.enabled=false
-Dspring.cloud.loadbalancer.ribbon.enabled=false
-Dsms.app.locations=db/migration/sms/obscfcm-account-maintenance-services,db/
migration/sms/obscfcm-alerts-services,
db/migration/sms/obscfcm-auto-recon-batch,db/migration/sms/obscfcm-batch-
jobs,db/migration/sms/obscfcm-charges-services, db/migration/sms/obscfcm-
core-services,db/migration/sms/obscfcm-instruments-receivables-services,db/
migration/sms/obscfcm-manual-recon-services,db/migration/sms/obscfcm-master-
maintenance-services, db/migration/sms/obscfcm-recon-maintenance-services,db/
migration/sms/obscfcm-report-services, db/migration/sms/obscfcm-workflow-
management-services,
db/migration/sms/obscfcm-day0-service,db/migration/sms/obscfcm-eod-services
-DCMC_REQ_YN=<Y OR N>
-DUSER_REQ_YN=<Y OR N>

```

```
-Ddebug_user=<UserId for debug>
-DOBSCF_ROLE_REQ_YN=<Y OR N>
-DOBSCFCM_ROLE_REQ_YN=<Y OR N>
-DutilityCache.evict.fixedrate.milliseconds=600000
-DutilityCache.evict.initialdelay.milliseconds=600000
-DMLT_ENT_USER_REQ_YN=<Y OR N>
-Duser_end_date=<DD-MON-YYYY>
-Duser_start_date=<DD-MON-YYYY>
-Dcoherence.server.address=<hostname>
-Dcoherence.server.port=<port>
-Dflywayday0.enabled=true
-Dcustomday0.enabled=true
export JAVA_OPTIONS
```

6

Environment Variables for OBSCF Day0 Managed Server

Create a file called **setUserOverrides.sh** inside the WebLogic bin location of OBSCF day0 Service domain with content given below. All the environment variables for OBSCF are listed. Replace the values accordingly.

```
#!/bin/bash
JAVA_OPTIONS=${JAVA_OPTIONS}
-Dplato.services.config.port=<port>
-Dplato.services.config.uri=http://<host>:<port>
-Dplato.service.env=DEV
-Dplato.service.logging.path=<dir path>
-Dplato.db.jndi=jdbc/PLATO
-Dsms.db.jndi=jdbc/sms
-Dplatoui.db.jndi=jdbc/PLATO_UI_CONFIG
-Dobscfcore.db.jndi=jdbc/OBSCF_CORE
-DapplicationCode=OBSCF
-DuserId=<userid>
-DobscfcmURL=http://< api-gateway-host host>:<port>
-Drole_id=OBSCF_MAKER
-Duser_id=<userid>
-Dusername=<userid>
-Duserid=<userid>
-DmanagerId=<managerid>
-DbranchCode=<branchcode>
-Dapigateway_url=http://<host>:<port>
-DuserEmail=<email>
-DbranchId=<branch id>
-DuserMobile=<mobile>
-DuserFax=<fax>
-DtelephoneNo=<telephone>
-Dobscf_role_id=OBSCF_ROLE
-Dbankcode=<bank code>
-Dbankdesc=<bank short description>
-Dbranchname=<branch name>
-Dbranchaddr1=<branch address1>
-Dbranchaddr2=<branch address2>
-Dbranchaddr3=<branch address3>
-Dbranchccy=<branch currency code>
-Dcountrycode=<country code>
-Dwalkincustomer=<walkin customer code>
-Dhostcode=<host code>
-Dhostdesc=<host description>
-Dprocesstimezone=<time zone eg: Asia/Calcutta>
-Dsourcesystem=<source system code>
-Dsourcesystemdesc=<source system description>
-Dsourcesystembranch=<source system branch>
```

```

-Dcmc.db.jndi=jdbc/COMMON_CORECMNCORE
-Dflyway.domain.placeholders.platoorch.domain.jndi=<JDBC JNDI for
PLATOORCH>
-Dobscfcore.enabled=true
-Dcmc.app.locations=db/migration/cmc/obscf-day0
-Duser_start_date=<DD-MON-YYYY>
-Duser_end_date=<DD-MON-YYYY>
-Dtoday=<DD-MON-YYYY>
-Dprev_working_day=<DD-MON-YYYY>
-Dnext_working_day=<DD-MON-YYYY>
-DapplicationCode=BOTH
-Dcmncore.cmc-branch.service.appId=CMNCORE
-Deureka.connectTimeout=10000
-Deureka.readTimeout=10000
-Dribbon.connectTimeout=20000
-Dribbon.readTimeout=20000
-Dplato.services.eureka.uri=https://<host>:<port>
-Dfinance_rule_userid=<user>
-Dplatoorch.domain.jndi=jdbc/OBSCFCM_WORKFLOWS_CONDUCTOR
-Dflyway.enabled=false
-Dspring.cloud.loadbalancer.ribbon.enabled=false
-DCMC_REQ_YN=<Y OR N>
-DUSER_REQ_YN=<Y OR N>
-Ddebug_user=<UserId for debug>
-DOBSCF_ROLE_REQ_YN=<Y OR N>
-DOBSCFCM_ROLE_REQ_YN=<Y OR N>
-Dsms.app.locations=db/migration/sms/obscf-day0,db/migration/sms/
obscfcm-master-maintenance-services,db/migration/sms/obscf-core-
services,db/migration/sms/obscf-report-services,db/migration/sms/
obscfcm-alerts-services,db/migration/sms/obscfcm-charges-services,db/
migration/sms/obscfcm-core-services,db/migration/sms/obscfcm-account-
maintenance-services
-Dplato.app.locations=db/migration/plato/obscf-day0,db/migration/plato/
obscf-core-services,db/migration/plato/obscf-finance-services,db/
migration/plato/obscf-limit-maintenance-services,db/migration/plato/
obscf-limits-services,
db/migration/plato/obscf-report-services †
-Dplatoui.app.locations=db/migration/platoui/obscf-day0,db/migration/
platoui/obscf-core-services
-Dobscfcm_role_id=OBSCFCM_ROLE
-DutilityCache.evict.fixedrate.milliseconds=600000
-DutilityCache.evict.initialdelay.milliseconds=600000
-Dcoherence.server.address=<<Hostname>>
-Dcoherence.server.port=7574
-Dplatorule.db.jndi=jdbc/PLATORULE
-Dplatorule.app.locations=db/migration/platorule/obscf-day0
export JAVA_OPTIONS

```



Note:

If you don't want to run plato script for a specific module, remove its entry.

**Note:**

Create a data source for PLATORULE and target it to obscf_day 0 manage server.

Index

E

Environment Variable for CONDUCTOR Domain,
[3-1](#)

Environment Variables for OBSCF Day0
Managed Server, [6-1](#)

Environment Variables for OBSCFCM / OBSCF
Managed Servers, [4-1](#)

Environment Variables for OBSCFCM Day0
Managed Server, [5-1](#)

Environment Variables for Plato Domain, [1-1](#)

Environment Variables for SMS,
COMMONCORE, Mid-office Domain, [2-1](#)