

# Oracle® Banking Supply Chain Finance

## User Interface Installation Guide



Release 14.7.3.0.0

F93588-01

February 2024

The Oracle logo, consisting of a solid red square with the word "ORACLE" in white, uppercase, sans-serif font centered within it.

ORACLE®

Copyright © 2020, 2024, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

# Contents

## Preface

---

Purpose	iv
Audience	iv
Documentation Accessibility	iv
Diversity and Inclusion	iv
Related Resources	v
Conventions	v
Acronyms and Abbreviations	v

## 1 Domain and Cluster Configuration

---

## 2 Data Sources Creation

---

## 3 Deployments

---

## 4 Restarts and Refresh

---

## Index

---

# Preface

- [Purpose](#)
- [Audience](#)
- [Documentation Accessibility](#)
- [Diversity and Inclusion](#)
- [Related Resources](#)
- [Conventions](#)
- [Acronyms and Abbreviations](#)

## Purpose

This guide helps to install the Oracle Banking Supply Chain Finance UI on designated environment. It is assumed that all the prior setup is completed related to WebLogic managed server creation. It is recommended to use dedicated managed server for Oracle Banking Supply Chain Finance UI.

## Audience

This guide is intended for WebLogic admin or ops-web team who are responsible for installing the OFSS banking products.

## Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

### **Access to Oracle Support**

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

## Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees,

customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

## Related Resources

For more information, refer to the following resources:

- *Configuration and Deployment Guide*

## Conventions

The following text conventions are used in this document:

Convention	Meaning
<b>boldface</b>	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

## Acronyms and Abbreviations

The list of the acronyms and abbreviations used in this guide are as follows:

Abbreviation	Description
UI	User Interface
SMS	Security Management System
CMC	Common Core
OBSCF	Oracle Banking Supply Chain Finance
OBSCFCM	Oracle Banking Supply Chain Finance and Cash Management
OBPY	Oracle Banking Party Module

# 1

## Domain and Cluster Configuration

### Prerequisite

- Database setup for all the modules viz. Plato, SMS, Common Core, Oracle Banking Supply Chain Finance Services, and all Day-0 setups must be completed. **(Required)**
- The machine must have Java JDK installed.
- The machine must have Oracle Fusion Middleware Infrastructure installed.

#### Note:

For the exact version to be installed, refer to the **Tech Stack** section in **Release Notes**.

### Domain Creation and Configuration

It is recommended to create the domain structure as given and to maintain the same nomenclature.

#### Note:

For creating Domain and Configuration, refer to the **Create and Cluster Configuration** section in **Configuration and Deployment Guide**.

# 2

## Data Sources Creation

### Prerequisite

- Database schema for all Oracle Banking Supply Chain Finance services are created and all the required grants are given.
- All the domains and managed servers are created.

### Data Sources List

The table below lists the data sources to be created on each domain before deployment of applications onto the managed servers.

**Table 2-1 Data Source List**

Data Source Name	Data Source JNDI	Target
PLATO	jdbc/PLATO	OBSCF_UIManagedServer1
PLATO-UI_CONFIG	jdbc/PLATO_UI_CONFIG	



#### Note:

The managed server target mentioned above is a recommendation only and not mandatory.



#### Note:

For creating a data source, refer to the **Create Data Source** section in **Configuration and Deployment Guide**

# 3

## Deployments

### Prerequisite

Before you proceed with the deployment, make sure that the [Domain Creation and Configuration](#), and [Data Sources Creation](#) steps are completed.

### Deployment List

The below table gives the details of the deployments required on each domain for the UI Component application to run. Deploy the applications in the given order.

**Table 3-1 Deployment List**

Application	Archive	OSDC Path	Target
app-shell	app-shell-{version}.war	\\OBSCF_OSDC_{release}\UI\	OBSCF_UIManagedServer1
cmc-component-server	cmc-component-server-{version}.war		
moc-component-server	moc-component-server-{version}.war		
obpy-component-server	obpy-component-server-{version}.war		
obsfcm-component-server	obsfcm-component-server-{version}.war		
obsf-component-server	obsf-component-server-{version}.war		
sms-component-server	sms-component-server-{version}.war		



#### Note:

For the exact versions of the archive name, refer to the OSDC file available as a part of the release.



#### Note:

To restart the server, refer to **Restart Server** section in *Configuration and Deployment Guide*.



# 4

## Restarts and Refresh

Once everything is deployed, restart all the managed servers. For each application, call path `/refresh` to refresh the configuration properties.

 **Note:**

To restart the server, please refer to **Restart Server** section in *Configuration and Deployment Guide*.

# Index

## D

---

Data Sources Creation, [2-1](#)

Deployments, [3-1](#)

Domain and Cluster Configuration, [1-1](#)

## R

---

Restarts and Refresh, [4-1](#)