

Oracle® Banking Supply Chain Finance

Environment Variable Setup Guide



Release 14.8.0.0.0
G31669-02
April 2025

ORACLE®

Copyright © 2020, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface

Purpose	iv
Audience	iv
Documentation Accessibility	iv
Diversity and Inclusion	iv
Related Resources	v
Conventions	v
Acronyms and Abbreviations	v

1 Environment Variables for Oracle Banking Mircroservices Architecture Domain

2 Environment Variables for OBSCF Domain

3 Environment Variables for OBSCFCM Domain

Index

Preface

- [Purpose](#)
- [Audience](#)
- [Documentation Accessibility](#)
- [Diversity and Inclusion](#)
- [Related Resources](#)
- [Conventions](#)
- [Acronyms and Abbreviations](#)

Purpose

This guide helps to set up environment variables for Oracle Banking Microservices Architecture, SMS, Common Core, Middle Office, and Oracle Banking Supply Chain Finance / Oracle Banking Supply Chain Finance and Cash Management.

Audience

This guide is intended for WebLogic admin or ops-web team who are responsible for installing the OFSS banking products.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

Related Resources

For more information, refer to the following resources:

- *Oracle® Banking Supply Chain Finance Services Installation Guide*

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
<code>monospace</code>	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Acronyms and Abbreviations

The list of the acronyms and abbreviations used in this guide are as follows:

Abbreviation	Description
OBMA	Oracle Banking Microservices Architecture
SMS	Security Management System
CMC	Common Core
OBSCF	Oracle Banking Supply Chain Finance
OBSCFCM	Oracle Banking Supply Chain Finance and Cash Management

1

Environment Variables for Oracle Banking Microservices Architecture Domain

The below parametrization should be done for all the domains (obma, sms, common core, and mid-office) which are created in the weblogic server where the micro services are getting deployed.

1. Navigate to the installation path in the WebLogic server where the OBMA, SMS, Common Core, and Mid-Office services are getting deployed.

Note:

For Ex: /scratch/app/Oracle/Middleware/Oracle_Home/
user_projects/domains/plato/bin/

2. Create a file named **setUserOverrides.sh** with the following paramers.

Note:

The required placeholders for OBMA, SMS, Common Core, and Mid-office services are listed. Replace the values accordingly.

```
#!/bin/bash
JAVA_OPTIONS="${JAVA_OPTIONS}"
-Dplato.services.eureka.uri=${PROTOCOL}://${EUREKA_SERVER}:${EUREKA_PORT}
-DflywayTask=migrate
-Dflyway.enabled=true
-Dspring.flyway.enabled=true
-Dflyway.domain.ignoreMissingMigrations=true
-Dflyway.domain.outOfOrder=true
-Dmulti.entity.enabled=true
-Dflyway.domain.baselineOnMigrate=true
-Dflyway.domain.enabled=true
-Dplato-config.flyway.domain.locations=db/migration/domain/plato,db/migration/
domain/sms,db/migration/domain/cmc
-Dflyway.domain.db.driver-class-name=${ORACLE_DRIVER}
-Dflyway.domain.placeholders.db.driver-class-name=${ORACLE_DRIVER}
-Dflyway.domain.placeholders.plato-batch-server.userId=ADMINUSER1
-Dflyway.domain.placeholders.plato-batch-server.branchCode=000
-Dflyway.domain.placeholders.report-service.server.port=${PLATO_OTHERS_PORT}
-Dflyway.domain.placeholders.report-service.schemas=${REPORT_SERVICE_SCHEMA}
-Dflyway.domain.placeholders.report-service.username=${REPORT_SERVICE_SCHEMA}
-Dflyway.domain.placeholders.report-service.password=${
REPORT_SERVICE_PASSWORD}
-Dflyway.domain.placeholders.report-service.domain.jndi=${REPORT_SERVICE_JNDI}
-Dflyway.domain.placeholders.report-service.jdbcUrl=${REPORT_SERVICE_JDBCURL}
```

```

-Dflyway.domain.placeholders.report-service.hostname=<%= node[:fqdn] %>
-Dflyway.domain.placeholders.report-service.output-directory=/scratch/env/
report-service-output
-Dflyway.domain.placeholders.report-service.fop-config-file=/scratch/env/
report-fop-config
-Dflyway.domain.placeholders.report-service.template-metadata-directory=/
scratch/env/report-service-templates
-Dflyway.domain.placeholders.orch.enableSLA=false
-Dflyway.domain.placeholders.orch.enableDynamicAllocation=false
-Dflyway.domain.placeholders.orch.cmc.user=ADMINUSER1
-Dflyway.domain.placeholders.orch.cmc.brn=000
-Dflyway.domain.placeholders.plato-rule-service.server.port=$
{PLATO_OTHERS_PORT}
-Dflyway.domain.placeholders.plato-rule.hostname=<%= node[:fqdn] %>
-Dflyway.domain.placeholders.platorule.domain.jndi=${PLATORULE_JNDI}
-Dflyway.domain.placeholders.platorule.domain.schemas=${PLATORULE_SCHEMA}
-Dflyway.domain.locations=<%= node[:obma_weblogic][:flyway_domain_locations] %>
-Dflyway.domain.placeholders.user.mapping.required=false
-Dflyway.domain.placeholders.orch.usingRuleEngine=false
-Dflyway.platoui.placeholders.apigateway.host=<%= node[:fqdn] %>
-Dflyway.platoui.placeholders.apigateway.port=${PLATOSECURITY_PORT}
-Dflyway.domain.placeholders.eureka.host=${EUREKA_SERVER}
-Dflyway.domain.placeholders.eureka.port=${EUREKA_PORT}
-Deureka.instance.serviceUrl.defaultZone=${PROTOCOL}://${EUREKA_SERVER}:${
EUREKA_PORT}/plato-discovery-service/eureka
-Dflyway.domain.placeholders.zipkin.host=${EUREKA_SERVER}
-Dflyway.domain.placeholders.zipkin.port=9411
-Dflyway.domain.db.username=${PLATO_USERNAME}
-Dflyway.domain.db.password=${PLATO_PASSWORD}
-Dflyway.domain.db.jdbcUrl=${PLATO_JDBCURL}
-Dflyway.domain.schemas=${PLATO_SCHEMA}
-Dflyway.domain.placeholders.plato.schemas=${PLATO_SCHEMA}
-Dplato-config.flyway.domain.db.jndi=${PLATO_JNDI}
-Dplato-config.flyway.domain.db.username=${PLATO_USERNAME}
-Dplato-config.flyway.domain.db.password=${PLATO_PASSWORD}
-Dplato-config.flyway.domain.db.jdbcUrl=${PLATO_JDBCURL}
-Dflyway.domain.placeholders.plato-config.schemas=${PLATO_SCHEMA}
-Dflyway.domain.placeholders.plato-config.jdbcUrl=${PLATO_JDBCURL}
-Dflyway.domain.placeholders.plato.db.jndi=${PLATO_JNDI}
-Dflyway.domain.placeholders.plato-config.db.jndi=${PLATO_JNDI}
-Dflyway.domain.placeholders.plato.transport.protocol=${PROTOCOL}
-Dflyway.domain.placeholders.plato-config.sessionIdleTimeout=36000
-Dflyway.domain.placeholders.plato-config.sessionIdleWarningTime=3600
-Dflyway.domain.placeholders.plato-config.environment=${LOGGING_ENV}
-Dflyway.domain.placeholders.plato-config.url=${PROTOCOL}://${EUREKA_SERVER}:${
PLATO_PORT}
-Dflyway.domain.placeholders.plato-api-gateway.server.port=$
{PLATO_APIGATEWAY_PORT}
-Dflyway.domain.placeholders.apigateway.host=<%= node[:fqdn] %>
-Dflyway.domain.placeholders.apigateway.port=${APIGATEWAY_ROUTER_PORT}
-Dflyway.domain.placeholders.api-gateway.schemas=${PLATOSECURITY_SCHEMA}
-Dflyway.domain.placeholders.api-gateway.username=${PLATOSECURITY_USERNAME}
-Dflyway.domain.placeholders.api-gateway.password=${PLATOSECURITY_PASSWORD}
-Dflyway.domain.placeholders.api-gateway.jdbcUrl=${PLATOSECURITY_JDBCURL}
-Dflyway.domain.placeholders.api-gateway.jndi=${PLATOSECURITY_JNDI}
-Dflyway.domain.placeholders.USER.STORE=LDAP

```

```

-Dflyway.domain.placeholders.LDAP.CORS.allowed.origin=${LDAP_HOST}
-Dflyway.domain.placeholders.LDAP.credential.SALT=0.9412345671234567
-Dflyway.domain.placeholders.JWT.EXPIRY.seconds=360000000
-Dflyway.domain.placeholders.LDAP.url=ldaps://${LDAP_HOST}:${LDAP_PORT}
-Dflyway.domain.placeholders.LDAP.userId=cn=admin
-Dflyway.domain.placeholders.LDAP.server.base=dc=${PLATO_SRV_ENV}
-
Dflyway.domain.placeholders.LDAP.server.credential=AAAAAAAAAAAAAAAAA+M2aHXIdgMX
LrOxKYHOM4RmaZ2LsMekx
-Dflyway.domain.placeholders.LDAP.usersearch.base=ou=people,ou=myrealm
-Dflyway.domain.placeholders.LDAP.user.prefix=uid
-Dflyway.domain.placeholders.LDAP.provider=EMBEDDED_WEBLOGIC
-Dflyway.domain.placeholders.TOKEN.autoregenerate=true
-Dflyway.domain.placeholders.SSO.enabled=false
-Dflyway.domain.placeholders.TOKEN.regeneration.enabled=true
-Dflyway.domain.placeholders.platoui-config.schemas=${PLATOUI_SCHEMA}
-Dflyway.domain.placeholders.plato-ui-config-services.server.port=${
PLATOUI_PORT}
-Dflyway.domain.placeholders.plato-ui-config.username=${PLATOUI_USERNAME}
-Dflyway.domain.placeholders.plato-ui-config.password=${PLATOUI_PASSWORD}
-Dflyway.domain.placeholders.plato-ui-config.jdbcUrl=${PLATOUI_JDBCURL}
-Dflyway.domain.placeholders.plato-ui-config.schemas=${PLATOUI_SCHEMA}
-Dflyway.domain.placeholders.platoui.db.password=${PLATOUI_PASSWORD}
-Dflyway.domain.placeholders.platoui.db.jndi=${PLATOUI_JNDI}
-Dflyway.domain.placeholders.plato-discovery-service.server.port=${
PLATO_DISCOVERY_PORT}
-Dflyway.domain.placeholders.plato-orch-service.server.port=${PLATOORCH_PORT}
-Dflyway.domain.placeholders.plato-orchestrator.hostname=<%= node[:fqdn] %>
-Dflyway.domain.placeholders.plato-orch.jndi=${PLATOORCH_JNDI}
-Dflyway.domain.placeholders.plato-orch.schemas=${PLATOORCH_SCHEMA}
-Dflyway.domain.placeholders.platoorch.domain.jndi=${PLATOORCH_JNDI}
-Dflyway.domain.placeholders.platoorch.domain.schemas=${PLATOORCH_SCHEMA}
-Dflyway.domain.placeholders.plato-feed-services.feed.upload.directory=/
scratch/env/feedUpload
-Dflyway.domain.placeholders.plato-feed-services.server.port=${
PLATO_OTHERS_PORT}
-Dflyway.domain.placeholders.plato-feed-services.username=${
PLATOFEED_USERNAME}
-Dflyway.domain.placeholders.plato-feed-services.password=${
PLATOFEED_PASSWORD}
-Dflyway.domain.placeholders.plato-feed-services.jdbcUrl=${PLATOFEED_JDBCURL}
-Dflyway.domain.placeholders.plato-feed-services.schemas=${PLATOFEED_SCHEMA}
-Dflyway.domain.placeholders.plato-feed-services.jndi=${PLATOFEED_JNDI}
-Dflyway.domain.placeholders.plato-batch-server.server.port=${
PLATO_OTHERS_PORT}
-Dflyway.domain.placeholders.plato-batch-server.plato.eventhub.kafka.brokers=${
KAFKA_HOST}:${KAFKA_PORT}
-Dflyway.domain.placeholders.plato-batch-server.plato.eventhub.zk.nodes=${
ZOOKEEPER_HOST}:${ZOOKEEPER_PORT}
-Dflyway.domain.placeholders.plato-batch-server.username=${
PLATOBATCH_USERNAME}
-Dflyway.domain.placeholders.plato-batch-server.schemas=${PLATOBATCH_SCHEMA}
-Dflyway.domain.placeholders.plato-batch-server.password=${
PLATOBATCH_PASSWORD}
-Dflyway.domain.placeholders.plato-batch-server.jndi=${PLATOBATCH_JNDI}
-Dflyway.domain.placeholders.plato-batch-server.jdbcUrl=${PLATOBATCH_JDBCURL}

```

```

-Dflyway.domain.placeholders.plato-alerts-management-services.server.port=${
{PLATO_OTHERS_PORT}}
-Dflyway.domain.placeholders.plato-alerts-management-services.username=${
{PLATOALERTS_USERNAME}}
-Dflyway.domain.placeholders.plato-alerts-management-services.password=${
{PLATOALERTS_PASSWORD}}
-Dflyway.domain.placeholders.plato-alerts-management-services.jdbcUrl=${
{PLATOALERTS_JDBCURL}}
-Dflyway.domain.placeholders.plato-alerts-management-services.schemas=${
{PLATOALERTS_SCHEMA}}
-Dflyway.domain.placeholders.plato-alerts-management-services.jndi=${
{PLATOALERTS_JNDI}}
-Dflyway.domain.placeholders.sms-core-services.server.port=${SMS_PORT}
-Dflyway.domain.placeholders.sms.url=${PROTOCOL}://${EUREKA_SERVER}:${
{SMS_PORT}}
-Dflyway.domain.placeholders.sms-core-services.server.port=${SMS_PORT}
-Dflyway.domain.placeholders.sms.username=${SMS_USERNAME}
-Dflyway.domain.placeholders.sms.schemas=${SMS_SCHEMA}
-Dflyway.domain.placeholders.sms.password=${SMS_PASSWORD}
-Dflyway.domain.placeholders.sms.db.jndi=${SMS_JNDI}
-Dflyway.domain.placeholders.sms.jdbcUrl=${SMS_JDBCURL}
-Dflyway.domain.placeholders.rabbitmq.password=abcdef
-Dflyway.domain.placeholders.rabbitmq.userid=abcdef
-Dflyway.domain.placeholders.rabbitmq.port=1111
-Dflyway.domain.placeholders.rabbitmq.host=1.1.1.1
-Dflyway.domain.placeholders.cmncore.username=${CMNCORE_USERNAME}
-Dflyway.domain.placeholders.cmncore.password=${CMNCORE_PASSWORD}
-Dflyway.domain.placeholders.cmncore.jdbcUrl=${CMNCORE_JDBCURL}
-Dflyway.domain.placeholders.cmncore.schemas=${CMNCORE_SCHEMA}
-Dflyway.domain.placeholders.cmc.schemas=${CMNCORE_SCHEMA}
-Dflyway.domain.placeholders.cmc.jndi=${CMNCORE_JNDI}
-Dflyway.domain.placeholders.cmc-batch-services.jndi=${CMNCORE_JNDI}
-Dflyway.domain.placeholders.cmc-obrh-services.kafka.server.path=/scratch/env/
kafka
-Dflyway.domain.placeholders.cmc-obrh-services.zookeeper.server.path=/
scratch/env/zookeeper
-Dflyway.domain.placeholders.facilities.db.jndi=${CMNCORE_JNDI}
-Dflyway.domain.placeholders.txncontroller.db.jndi=${CMNCORE_JNDI}
-Dflyway.domain.placeholders.screenclass.db.jndi=${CMNCORE_JNDI}
-Dflyway.domain.placeholders.feed.system.approverId=ADMINUSER1
-Dflyway.domain.placeholders.obcm.service.branchCode=000
-Dflyway.domain.placeholders.obcm.service.userId=ADMINUSER1
-
Dflyway.domain.placeholders.plato.feed.feed.system.objectStore.stripName=feed
s
-Dflyway.domain.placeholders.plato.feed.system.approverId=ADMINUSER1
-Dflyway.domain.placeholders.obcm.service.branchCode=000
-Dflyway.domain.placeholders.obcm.service.userId=ADMINUSER1
-Dflyway.domain.placeholders.plato-api-
gateway.load.balanced.rest.template=true
-Dflyway.domain.placeholders.plato-api-
gateway.external.sso.validation.url=https://dummy
-Dflyway.domain.placeholders.plato-api-gateway.external.sso.key=dummy
-Dflyway.domain.placeholders.plato-api-gateway.sso.service.provider=dummy
-Dflyway.domain.placeholders.plato-api-gateway.headers=dummy
-Dspring.cloud.loadbalancer.ribbon.enabled=false

```

```

-Dflyway.domain.placeholders.plato-password-policy-service.server.port=${
{PLATO_APIGATEWAY_PORT}
-Dflyway.domain.placeholders.plato-password-policy-service.jndi=${
{PLATO_PASSWORD_JNDI}
-Dflyway.domain.placeholders.plato-password-policy-service.schemas=${
{PLATO_PASSWORD_SCHEMA}
-Dflyway.domain.placeholders.plato-password-policy-service.locations=db/
migration/domain/plato
-Dflyway.domain.placeholders.cmc-nlp-opennlp-services.server.port=${CMC4_PORT}
-Dflyway.domain.placeholders.cmc-nlp-maintenance-services.server.port=${
{CMC3_PORT}
-Dflyway.domain.placeholders.cmc-nlp-pipeline-services.server.port=${
{CMC3_PORT}
-Dflyway.domain.placeholders.cmc-nlp-docview-services.server.port=${CMC4_PORT}
-Dflyway.domain.placeholders.cmc-corebanking-adapter-service.server.port=${
{CMC1_PORT}
-Dflyway.domain.placeholders.cmc-currency-services.server.port=${CMC2_PORT}
-Dflyway.domain.placeholders.cmc-account-services.server.port=${CMC2_PORT}
-Dflyway.domain.placeholders.cmc-base-services.server.port=${CMC2_PORT}
-Dflyway.domain.placeholders.cmc-external-virtual-account-
services.server.port=${CMC1_PORT}
-Dflyway.domain.placeholders.cmc-branch-services.server.port=${CMC2_PORT}
-Dflyway.domain.placeholders.cmc-customer-services.server.port=${CMC2_PORT}
-Dflyway.domain.placeholders.cmc-external-system-services.server.port=${
{CMC3_PORT}
-Dflyway.domain.placeholders.cmc-advice-services.server.port=${CMC4_PORT}
-Dflyway.domain.placeholders.cmc-txn-code-services.server.port=${CMC3_PORT}
-Dflyway.domain.placeholders.cmc-businessoverrides-services.server.port=${
{CMC4_PORT}
-Dflyway.domain.placeholders.cmc-resource-segment-orchestrator-
service.server.port=${CMC1_PORT}
-Dflyway.domain.placeholders.cmc-screenclass-services.server.port=${CMC2_PORT}
-Dflyway.domain.placeholders.cmc-datasegment-services.server.port=${CMC1_PORT}
-Dflyway.domain.placeholders.cmc-settlements-services.server.port=${CMC3_PORT}
-Dflyway.domain.placeholders.cmc-transactioncontroller-services.server.port=${
{CMC2_PORT}
-Dflyway.domain.placeholders.cmc-report-services.server.port=${CMC3_PORT}
-Dflyway.domain.placeholders.cmc-nlp-dashboard-widget-services.server.port=${
{CMC3_PORT}
-Dflyway.domain.placeholders.cmc-nlp-text-extraction-services.server.port=${
{CMC3_PORT}
-Dflyway.domain.placeholders.cmc-batch-services.server.port=${CMC1_PORT}
-Dflyway.domain.placeholders.cmc-charges-calculation-services.server.port=${
{CMC2_PORT}
-Dflyway.domain.placeholders.cmc-fc-ai-ml-services.server.port=${CMC4_PORT}
-Dflyway.domain.placeholders.cmc-fc-ai-ml-services.postingPath=/scratch/env/
dummy
-Dflyway.domain.placeholders.cmc-fc-ai-ml-
services.pollingEmail=xyz@example.com
-Dflyway.domain.placeholders.cmc-fc-ai-ml-services.emailServerPort=1234
-Dflyway.domain.placeholders.cmc-fc-ai-ml-services.emailServerHost=${
{EUREKA_SERVER}
-Dflyway.domain.placeholders.cmc-fc-ai-ml-services.pollingFrequency=100
-Dflyway.domain.placeholders.cmc-fc-ai-ml-services.pollerInitialDelay=500
-Dflyway.domain.placeholders.cmc-fc-ai-ml-services.emailPassword=xyz
-Dflyway.domain.placeholders.cmc-fc-ai-ml-services.pollingPath=/scratch/env/

```

```

dummy
-Dflyway.domain.placeholders.cmc-ml-indb-services.server.port=${CMC4_PORT}
-Dflyway.domain.placeholders.cmc-sla-services.server.port=${MIDCMC_PORT}
-Dflyway.domain.placeholders.cmc-obcbs-services.schemas=${CMNCORE_SCHEMA}
-Dflyway.domain.placeholders.cmc-additional-attributes-services.server.port=${CMC1_PORT}
-Dflyway.domain.placeholders.cmc-mailnotification.server.port=${MIDCMC_PORT}
-Dflyway.domain.placeholders.cmc-applicationcategory-services.server.port=${MIDCMC_PORT}
-Dflyway.domain.placeholders.cmc-checklistmanagement-services.server.port=${MIDCMC_PORT}
-Dflyway.domain.placeholders.cmc-checklist-services.server.port=${MIDCMC_PORT}
-Dflyway.domain.placeholders.cmc-kyccheck.server.port=${MIDCMC_PORT}
-Dflyway.domain.placeholders.cmc-checklist-services.jndi=${CMNCORE_JNDI}
-Dflyway.domain.placeholders.checklistmanagement-services.jndi=${CMNCORE_JNDI}
-Dflyway.domain.placeholders.cmncore.db.password=${CMNCORE_PASSWORD}
-Dflyway.domain.placeholders.cmncore.db.username=${CMNCORE_USERNAME}
-Dflyway.domain.placeholders.cmncore.db.url=${CMNCORE_JDBCURL}
-Dflyway.domain.placeholders.cmncore.db.schemas=${CMNCORE_SCHEMA}
-Dflyway.domain.placeholders.plato.service.logging.path=${LOG_PATH}
-Dflyway.domain.placeholders.plato.service.env=${LOGGING_ENV}
-Dflyway.domain.placeholders.plato.services.entityservices.port=${SMS_PORT}
-Dflyway.domain.placeholders.plato.services.internal.transfer.port=${PLATO_PORT}
-Dflyway.domain.placeholders.plato.services.statement.port=${PLATO_PORT}
-Dflyway.domain.placeholders.plato.alerts.email.password=welcome
-Dflyway.domain.placeholders.plato.alerts.email.userId=userId
-Dflyway.domain.placeholders.plato.alerts.email.smtp.host=internal-mail-router.example.com
-Dflyway.domain.placeholders.plato.alerts.email.smtp.out.port=25
-Dflyway.domain.placeholders.plato.alerts.email.auth=false
-Dflyway.domain.placeholders.plato.alerts.email.socketfactory.port=25
-Dflyway.domain.placeholders.plato.alerts.cmc.userId=CMNCORE
-Dflyway.domain.placeholders.plato.alerts.cmc.branchCode=000
-Dflyway.domain.placeholders.plato.alerts.cmc.appId=CMNCORE
-Dflyway.domain.placeholders.weblogic.userid=fcadmin
-Dflyway.domain.placeholders.weblogic.password=example@123
-Dflyway.domain.placeholders.biPublisher.host=${EUREKA_SERVER}
-Dflyway.domain.placeholders.biPublisher.port=8012
-Dflyway.domain.placeholders.runReportTemplate=templates/12.3/RunReport.vm
-Dflyway.domain.placeholders.emailTemplate=templates/12.3/BIPEMail.vm
-Dflyway.domain.placeholders.dms.host=${EUREKA_SERVER}
-Dflyway.domain.placeholders.dms.port=4001
-Dflyway.domain.placeholders.plato.jndi=${PLATO_JNDI}
-Dflyway.domain.placeholders.plato-config.jndi=${PLATO_JNDI}
-Dflyway.domain.placeholders.plato-sec.jndi=${PLATOSECURITY_JNDI}
-Dflyway.domain.placeholders.plato-ui-config.jndi=${PLATOUI_JNDI}
-Dflyway.domain.placeholders.sms.jndi=${SMS_JNDI}
-Dflyway.domain.placeholders.cmncore.jndi=${CMNCORE_JNDI}
-Dspring.cloud.config.uri=${PROTOCOL}://<%= node[:fqdn] %>:${PLATO_PORT}/config-service
-Dservice.logging.environment=${LOGGING_ENV}
-Dservice.logging.path=${LOG_PATH}
-Dplato.services.config.port=${PLATO_PORT}
-Dplato.services.config.uri=${PROTOCOL}://<%= node[:fqdn] %>:${PLATO_PORT}
-Dapigateway.url=${PROTOCOL}://<%= node[:fqdn] %>:${APIGATEWAY_ROUTER_PORT}

```

```

-Dplato.service.logging.path=${LOG_PATH}
-Dconductor.properties=/scratch/ofssobp/config.properties
-Dflyway.domain.placeholders.cmncore.db.jndi=${CMNCORE_JNDI}
-Dflyway.domain.placeholders.flyway.plato.schema=${PLATO_SCHEMA}
-Dflyway.domain.placeholders.flyway.sms.schema=${SMS_SCHEMA}
-Dflyway.domain.placeholders.flyway.domain.schema=${PLATO_SCHEMA}
-Dflyway.domain.placeholders.obrh.db.jndi=${CMNCORE_JNDI}
-Dflyway.domain.placeholders.plato.eventhub.broker.hosts=${KAFKA_HOST}:${KAFKA_PORT}
-Dflyway.domain.placeholders.plato.eventhub.zookeeper.hosts=${ZOOKEEPER_HOST}:${ZOOKEEPER_PORT}
-Dflyway.domain.placeholders.apigateway.protocol=${PROTOCOL}
-Dflyway.domain.placeholders.plato.samlSSOEnabled=false
-Dflyway.domain.placeholders.plato.orchestrator.usingRuleEngine=false
-Dflyway.domain.placeholders.plato.feed.email.userId=plato@example.com
-Dflyway.domain.placeholders.plato.feed.email.password=password
-Dflyway.domain.placeholders.plato.feed.sms.userId=ADMINUSER1
-Dflyway.domain.placeholders.plato.feed.sms.branchCode=000
-Dflyway.domain.placeholders.plato.feed.sms.appId=sms
-Dflyway.domain.placeholders.plato.feed.sms.multiEntityAdmin=N
-Dflyway.domain.placeholders.plato.feed.email.smtp.host=internal-mail-router.example.com
-Dflyway.domain.placeholders.plato.feed.email.smtp.out.port=25
-Dflyway.domain.placeholders.plato.feed.email.auth=true
-Dflyway.domain.placeholders.plato.feed.email.socketfactory.port=25
-Dflyway.domain.placeholders.cmc-opds-services.schemas=${CMNCORE_SCHEMA}
-Dflyway.domain.placeholders.cmc-opds-services.jndi=${CMNCORE_JNDI}
-Dkafka.port=${KAFKA_PORT}
-Dkafka.host=<%= node[:fqdn] %>
-Dflyway.domain.placeholders.kafka.host=${KAFKA_HOST}
-Dflyway.domain.placeholders.kafka.port=${KAFKA_PORT}
-Dflyway.domain.placeholders.kafka.binder.brokers.host=${KAFKA_HOST}
-Dflyway.domain.placeholders.kafka.binder.brokers.port=${KAFKA_PORT}
-Dflyway.domain.placeholders.spring.cloud.stream.kafka.binder.brokers=${KAFKA_HOST}:${KAFKA_PORT}
-Dzookeeper.port=${ZOOKEEPER_PORT}
-Dzookeeper.host=${ZOOKEEPER_HOST}
-Dflyway.domain.placeholders.zookeeper.host=${ZOOKEEPER_HOST}
-Dflyway.domain.placeholders.zookeeper.port=${ZOOKEEPER_PORT}
-Dflyway.domain.placeholders.kafka.binder.zkNodes.host=${ZOOKEEPER_HOST}
-Dflyway.domain.placeholders.kafka.binder.zkNodes.port=${ZOOKEEPER_PORT}
-Dflyway.domain.placeholders.spring.cloud.stream.kafka.binder.zkNodes=${ZOOKEEPER_HOST}:${ZOOKEEPER_PORT}
-Dflyway.domain.placeholders.cmc-external-chart-account-services.server.port=${CMC3_PORT}
-Dflyway.domain.placeholders.cmc-facilities-services.server.port=${CMC4_PORT}
-Dflyway.domain.placeholders.cmc-settlement-services.server.port=${CMC3_PORT}
-Dflyway.domain.placeholders.cmc-nlp-annotator-services.server.port=${CMC3_PORT}
-Dflyway.domain.placeholders.cmc-nlp-model-mngmnt-services.server.port=${CMC3_PORT}
-Dflyway.domain.placeholders.cmc-nlp-online-processing-services.server.port=${CMC3_PORT}
-Dflyway.domain.placeholders.cmc-nlp-tag-maint-services.server.port=${CMC3_PORT}
-Dflyway.domain.placeholders.cmc-nlp-txn-log-services.server.port=${CMC4_PORT}

```

```

-Dflyway.domain.placeholders.cmc-nlp-util-services.server.port=${CMC3_PORT}
-Dflyway.domain.placeholders.cmc-obrh-services.server.port=${CMC1_PORT}
-Dflyway.domain.placeholders.cmc-obrh-services.kafka.enabled=true
-Dflyway.domain.placeholders.obcbs.server.port=${CMC4_PORT}
-Dflyway.domain.placeholders.cmc-deprecation-service.server.port=${
MIDCMC_PORT}
-Dflyway.domain.placeholders.moc.cmc-earmark-services.server.port=${
MIDCMC_PORT}
-Dflyway.domain.placeholders.moc.cmc-comments-services.server.port=${
MIDCMC_PORT}
-Dflyway.domain.placeholders.moc.cmc-document-services.server.port=${
MIDCMC_PORT}
-Dflyway.domain.placeholders.platoui.username=${PLATOUI_USERNAME}
-Dflyway.domain.placeholders.platoui.password=${PLATOUI_PASSWORD}
-Dflyway.domain.placeholders.platoui.jdbcUrl=${PLATOUI_JDBCURL}
-Dflyway.domain.placeholders.platoui.schemas=${PLATOUI_SCHEMA}
-Dflyway.domain.placeholders.dmsServiceUrl=dmsServiceUrl
-Dflyway.domain.placeholders.dmsServicePwd=dmsServicePwd
-Dflyway.domain.placeholders.dmsServiceUsername=dmsServiceUsername
-Dflyway.domain.placeholders.feed.upload.directory=/scratch/env/feedUpload
-Dflyway.domain.placeholders.server.port=${PLATO_PORT}
-Dflyway.domain.placeholders.ELCM_HTTP_URL=jdbc:oracle:thin:@hostname:port/
INFRAITR
-Dflyway.domain.placeholders.earmark-services=earmark-services
-Dflyway.domain.placeholders.elcmProduct=elcmProduct
-Dflyway.domain.placeholders.plato.orchestrator.host=${ORCHESTRATOR_HOST}
-Dflyway.domain.placeholders.plato.orchestrator.port=${ORCHESTRATOR_PORT}
-Dflyway.domain.placeholders.platologging.enabled=true
-Dflyway.domain.placeholders.dsr.productProcessor=xyz
-Dflyway.domain.placeholders.applicationCode=OBSCF
-Dflyway.domain.placeholders.user_id_2=admin2
-Dflyway.domain.placeholders.user_start_date=01-JAN-2020
-Dflyway.domain.placeholders.user_end_date=30-DEC-2030
-Dflyway.domain.placeholders.today=03-SEP-2021
-Dflyway.domain.placeholders.prev_working_day=02-SEP-2021
-Dflyway.domain.placeholders.next_working_day=06-SEP-2021
-Dflyway.domain.placeholders.finance_rule_userid=ADMINUSER1
-Dflyway.sms.placeholders.applicationCode=OBSCF
-Dflyway.domain.placeholders.plato.jndi.resources.prefix=false
-Dflyway.domain.placeholders.obcm_userId=ADMINUSER1
-Dflyway.domain.placeholders.obscf_role_id=OBSCF_ROLE
-Dflyway.domain.placeholders.platobatch.db.jndi=${PLATOBATCH_JNDI}
-Dflyway.domain.placeholders.platobatch.app.locations=db/migration/platobatch/
obscfcm-batch-jobs
-Dflyway.domain.placeholders.party.ho.userid=CLPMUSER3
-Dflyway.domain.placeholders.party.ho.branch=DMO
-Dflyway.domain.placeholders.obcmcashflow.enabled=false
-Dflyway.domain.placeholders.obcmreport.enabled=false
-Dflyway.domain.placeholders.obcmcollectionmaint.enabled=false
-Dflyway.domain.placeholders.collectiontxn.enabled=false
-Dflyway.domain.placeholders.sms.app.locations=db/migration/sms/obcm-cashflow-
forecasting-services,db/migration/sms/obscfcm-day0-service,db/migration/sms/
obscfcm-eod-services
-Dflyway.domain.placeholders.plato.app.locations=db/migration/plato/obcm-day0
-Dflyway.domain.placeholders.cmc.app.locations=db/migration/cmc/obcm-day0
-Dflyway.domain.placeholders.platoui.app.locations=db/migration/platoui/obcm-

```

```

day0
-Dflyway.domain.placeholders.platofeed.app.locations=db/migration/platofeed/
obcm-cashflow-forecasting-services
-Dflyway.domain.placeholders.obscfcbatch.enabled=false
-Dflyway.domain.placeholders.obscfcmaccountmaintenance.enabled=false
-Dflyway.domain.placeholders.obscfcmautoreconbatch.enabled=false
-Dflyway.domain.placeholders.obscfcmcharges.enabled=false
-Dflyway.domain.placeholders.obscfcmcoreservices.enabled=false
-Dflyway.domain.placeholders.obscfcmfilterservices.enabled=false
-Dflyway.domain.placeholders.obscfcminstrumentsservices.enabled=false
-Dflyway.domain.placeholders.obscfcmmanualrecon.enabled=false
-Dflyway.domain.placeholders.obscfcmmastermaintenance.enabled=false
-Dflyway.domain.placeholders.obscfcmreconmaintenance.enabled=false
-Dflyway.domain.placeholders.obscfcmreportservices.enabled=false
-Dflyway.domain.placeholders.obscfcmworkflowmanagement.enabled=false
-Dflyway.domain.placeholders.branchId=000
-Dflyway.domain.placeholders.eureka.serviceurl=${PROTOCOL}://<%= node[:fqdn]
%>:${PLATO_DISCOVERY_PORT}/plato-discovery-service/eureka
-Dflyway.domain.placeholders.eureka.client.serviceUrl.defaultZone=${
PROTOCOL}://<%= node[:fqdn] %>:${PLATO_DISCOVERY_PORT}/plato-discovery-
service/eureka
-Dflyway.domain.placeholders.eureka.serviceUrl=${PROTOCOL}://<%= node[:fqdn]
%>:${PLATO_DISCOVERY_PORT}/plato-discovery-service/eureka
-Dflyway.domain.placeholders.INTEGRATION.ENABLED=false
-Dflyway.domain.placeholders.plato.services.config.uri=${PROTOCOL}://<%=
node[:fqdn] %>:${PLATO_PORT}/config-service
-Dflyway.domain.placeholders.opds.server.port=${CMC4_PORT}
-Dflyway.domain.placeholders.plato.services.rule.uri=${PROTOCOL}://<%=
node[:fqdn] %>:${PLATO_PORT}/rule-service
-Deureka.connectTimeout=10000
-Deureka.readTimeout=10000
-Dribbon.connectTimeout=20000
-Dribbon.readTimeout=20000
-Dflyway.domain.placeholders.cmc-mis-services.server.port=${CMC4_PORT}
-Dflyway.domain.placeholders.cmc-mis-services.schemas=${CMNCORE_SCHEMA}
-Dflyway.domain.placeholders.cmc-mis-services.jndi=${CMNCORE_JNDI}
-Dflyway.domain.placeholders.cmc-resourceclass-services.server.port=${
CMC3_PORT}
-Dflyway.domain.placeholders.cmc-resourceclass-services.schemas=${
CMNCORE_SCHEMA}
-Dflyway.domain.placeholders.cmc-resourceclass-services.jndi=${CMNCORE_JNDI}
-Dflyway.domain.placeholders.kafka.ssl.truststore.location=<%=
node[:obma_zk_kafka][:kafka_certs_dirname]%>/KafkaClientTrustStore.jks
-Dflyway.domain.placeholders.kafka.ssl.truststore.password=<%= @sslPassPhrase
%>
-Dflyway.domain.placeholders.kafka.broker.username=<%= node[:obma_zk_kafka]
[:kafka_client_auth]%>
-Dflyway.domain.placeholders.kafka.broker.password=<%= @kafkaclientauth %>
-Dflyway.domain.placeholders.kafka.binder.jaas.options.username=<%=
node[:obma_zk_kafka][:kafka_client_auth]%>
-Dflyway.domain.placeholders.kafka.binder.configuration.sasl.mechanism=SCRAM-
SHA-256
-
Dflyway.domain.placeholders.kafka.binder.configuration.security.protocol=SASL_
SSL
-

```

```

Dflyway.domain.placeholders.kafka.binder.jaas.loginModule=org.apache.kafka.com
mon.security.scram.ScramLoginModule
-Dflyway.domain.placeholders.kafka.binder.jaas.options.password=<%=
@kafkaclientauth %>
-Dflyway.domain.placeholders.feed.protocol=${PROTOCOL}
-Dflyway.domain.placeholders.feed.dateFormat=uuuu-MM-dd
-Dflyway.domain.placeholders.plato.eventhub.kafka.brokers=${PROTOCOL}://$
{KAFKA_HOST}:${KAFKA_PORT}
-Dflyway.domain.placeholders.plato.eventhub.zk.nodes=${PROTOCOL}://$
{ZOOKEEPER_HOST}:${ZOOKEEPER_PORT}
-Dplato.eventhub.broker.user=<%= node[:obma_zk_kafka][:kafka_client_auth]%>
-Dplato.eventhub.broker.password=<%= @kafkaclientauth %>
-Dplato.eventhub.broker.cert.location=<%= node[:obma_zk_kafka]
[:kafka_certs_dirname]%>/KafkaClientTrustStore.jks
-Dplato.eventhub.broker.cert.password=<%= @sslPassPhrase %>
-Dflyway.domain.placeholders.plato.feed.fss.filestore.protocol=${PROTOCOL}
-Dflyway.domain.placeholders.plato.feed.fss.filestore.host=${KAFKA_HOST}
-Dflyway.domain.placeholders.plato.feed.fss.filestore.port=${PLATO_PORT}
-Dflyway.domain.placeholders.plato.feed.fss.filestore.contextRoot=xxx
-Dflyway.domain.placeholders.plato.feed.fss.filestream.protocol=${PROTOCOL}
-Dflyway.domain.placeholders.plato.feed.fss.filestream.host=${KAFKA_HOST}
-Dflyway.domain.placeholders.plato.feed.fss.filestream.port=${PLATO_PORT}
-Dflyway.domain.placeholders.plato.feed.fss.filestream.contextRoot=xxx
-Dflyway.domain.placeholders.plato.feed.fss.auth.bearerToken=xxx
-Dflyway.domain.placeholders.plato.feed.fss.par.upload.description=fileupload
-Dflyway.domain.placeholders.plato.feed.fss.par.storageDirective=xxx
-Dflyway.domain.placeholders.plato.feed.fss.stripe.service.tag=feed-services
-Dflyway.domain.placeholders.plato-feed-ref.jndi=${PLATOFEEED_JNDI}
-Dflyway.domain.placeholders.plato-feed-ref.server.port=${PLATO_OTHERS_PORT}
-Dflyway.domain.placeholders.plato-feed-ref.username=$
{PLATOFEEED_SCHEMA}
-Dflyway.domain.placeholders.plato-feed-ref.password=$
{PLATOFEEED_PASSWORD}
-Dflyway.domain.placeholders.plato-feed-ref.jdbcUrl=$
{PLATOFEEED_JDBCURL}
-Dflyway.domain.placeholders.plato-feed-ref.schemas=${PLATOFEEED_SCHEMA}
-Dflyway.domain.placeholders.eureka.protocol=${PROTOCOL}
-Dflyway.domain.placeholders.prefer.ip.address.enabled=false
-Dflyway.domain.placeholders.nonsecure.port.enabled=false
-Dflyway.domain.placeholders.secure.port.enabled=true
-Dflyway.domain.placeholders.plato-transport-service.jndi=$
{PLATOTRANSPORT_JNDI}
-Dflyway.domain.placeholders.plato-transport-service.schemas=$
{PLATOTRANSPORT_SCHEMA}
-Dflyway.domain.placeholders.plato-transport-service.server.port=$
{PLATO_OTHERS_PORT}
-Dflyway.domain.placeholders.plato-transport-service.transport.filePath=true
-Dflyway.domain.placeholders.pswd.validation.flag=true
-Dflyway.domain.placeholders.min.pswd.length=8
-Dflyway.domain.placeholders.max.pswd.length=12
-Dflyway.domain.placeholders.min.pswd.age=1
-Dflyway.domain.placeholders.max.pswd.age=90
-Dflyway.domain.placeholders.upper.char.flag=Y
-Dflyway.domain.placeholders.upper.char.count=2
-Dflyway.domain.placeholders.lower.char.flag=Y
-Dflyway.domain.placeholders.lower.char.count=2

```

```

-Dflyway.domain.placeholders.special.char.flag=Y
-Dflyway.domain.placeholders.special.char.count=1
-Dflyway.domain.placeholders.numeric.char.flag=Y
-Dflyway.domain.placeholders.numeric.char.count=1
-Dflyway.domain.placeholders.plato.flyway.enabled=true
-Dflyway.domain.placeholders.opds.batch.partitionCount=
-Dflyway.domain.placeholders.opds.batch.autoAddPartitions=
-Dflyway.domain.placeholders.opds.batch.consumerGroupName=
-Dflyway.domain.placeholders.opds.batch.destinationTopic=
-Dflyway.domain.placeholders.cmc-account-services.server.port=${
CMC2_PORT}
-Dflyway.domain.placeholders.cmc-advice-services.server.port=${
CMC4_PORT}
-Dflyway.domain.placeholders.cmc-base-services.server.port=${
CMC2_PORT}
-Dflyway.domain.placeholders.cmc-branch-services.server.port=${
CMC2_PORT}
-Dflyway.domain.placeholders.processcode-services.server.port=${MIDCMC_PORT}
-Dflyway.domain.placeholders.documentmanagement-services.server.port=${
MIDCMC_PORT}
-Dflyway.domain.placeholders.cmc-customer-services.server.port=${
CMC2_PORT}
-Dflyway.domain.placeholders.kyccheck-services.server.port=${
MIDCMC_PORT}
-Dflyway.domain.placeholders.cmc-priority-services.server.port=${MIDCMC_PORT}
-Dflyway.domain.placeholders.sequencegeneratorservice.server.port=${
MIDCMC_PORT}
-Dflyway.domain.placeholders.cmc-service-deprecation-svc.server.port=${
MIDCMC_PORT}
-Dflyway.domain.placeholders.flyway.platoui.placeholders.apigateway.protocol=${
PROTOCOL}
-Dflyway.domain.placeholders.flyway.platoui.placeholders.apigateway.port=${
PLATOSECURITY_PORT}
-Dflyway.domain.placeholders.flyway.platoui.placeholders.apigateway.host=<%=
node[:fqdn] %>
-Dflyway.domain.placeholders.obrh.keystore.password.encoded=true
-Dflyway.domain.placeholders.obrh.usekeystore=true
-Dflyway.domain.placeholders.obrh.keystore.path=/scratch/obrh/truststore/
ts.jks
-Dflyway.domain.placeholders.obrh.keystore.password=password
-Dflyway.domain.placeholders.obrh.keystore.alias=alias
-Dflyway.domain.placeholders.obrh.keystore.aliaspassword=password
-Dflyway.domain.placeholders.cmc-document-services.server.port=${MIDCMC_PORT}
-Dflyway.domain.placeholders.cmc-comments-services.server.port=${
MIDCMC_PORT}
-
Dflyway.domain.placeholders.kafka.binder.configuration.security.protocol=SASL_
SSL
-Dflyway.domain.placeholders.obrh.audit.type=true
-Dflyway.domain.placeholders.plato-api-gateway.numeric.char.count=1
-Dflyway.domain.placeholders.plato-api-gateway.special.char.count=1
-Dflyway.domain.placeholders.plato-api-gateway.special.char.flag=
-Dflyway.domain.placeholders.plato-api-gateway.lower.char.count=2
-Dflyway.domain.placeholders.plato-api-gateway.lower.char.flag=Y
-Dflyway.domain.placeholders.plato-api-gateway.upper.char.count=2
-Dflyway.domain.placeholders.plato-api-gateway.upper.char.flag=Y

```

```

-Dflyway.domain.placeholders.plato-api-gateway.max.pswd.age=1
-Dflyway.domain.placeholders.plato-api-gateway.min.pswd.age=90
-Dflyway.domain.placeholders.plato-api-gateway.max.pswd.length=12
-Dflyway.domain.placeholders.plato-api-gateway.min.pswd.length=8
-Dflyway.domain.placeholders.plato-api-gateway.pswd.validation.flag=true
-Dflyway.domain.placeholders.plato-api-gateway.numeric.char.flag=Y
-Dflyway.domain.placeholders.user.closeDisabledUsers.days=0
-Dflyway.domain.placeholders.user.closeDisabledUsers=N
-Dflyway.domain.placeholders.user.disableInactiveUsers.days=0
-Dflyway.domain.placeholders.user.disableInactiveUsers=N
-Dflyway.domain.placeholders.user.sameDayLoginRequired=Y
-Dflyway.domain.placeholders.plato-orchestrator.protocol=${PROTOCOL}
-
Dflyway.domain.placeholders.plato.orchestrator.enableSubWfDynamicAllocation=true
-
-Dflyway.domain.placeholders.plato.conductor.logging.level=DEBUG
-Dflyway.domain.placeholders.actuator.endpoint=prometheus,health
-Dflyway.domain.placeholders.obrh.import.override=prometheus,health
-Dflyway.domain.placeholders.cmc-obrh-kafka-consumer.server.port=${CMC1_PORT}
-Dflyway.domain.placeholders.cmc-obrh-services.audit.retention.archival=N
-Dflyway.domain.placeholders.cmc-obrh-services.audit.retention.days=7
-Dflyway.domain.placeholders.cmc-obrh-services.oic.oauth.scope=XXXX
-Dflyway.domain.placeholders.cmc-obrh-services.oic.idcs.url=XXXX
-Dflyway.domain.placeholders.cmc-obrh-services.oic.secretStore.url=XXXX
-
Dflyway.domain.placeholders.spring.cloud.stream.kafka.binder.configuration.ssl
.truststore.location=<%= node[:obma_zk_kafka][:kafka_certs_dirname]%>/
KafkaClientTrustStore.jks
-
Dflyway.domain.placeholders.spring.cloud.stream.kafka.binder.configuration.ssl
.truststore.password=<%= @sslPassPhrase %>
-
Dflyway.domain.placeholders.spring.cloud.stream.kafka.binder.jaas.options.user
name=<%= node[:obma_zk_kafka][:kafka_client_auth]%>
-
Dflyway.domain.placeholders.spring.cloud.stream.kafka.binder.jaas.options.pass
word=<%= @kafkaclientauth %>
-
Dflyway.domain.placeholders.spring.cloud.stream.kafka.binder.configuration.sas
l.mechanism=SCRAM-SHA-256
-
Dflyway.domain.placeholders.spring.cloud.stream.kafka.binder.configuration.sec
urity.protocol=SASL_SSL
-
Dflyway.domain.placeholders.spring.cloud.stream.kafka.binder.jaas.loginModule=
org.apache.kafka.common.security.scram.ScramLoginModule
-
Dflyway.domain.placeholders.spring.cloud.stream.kafka.binder.configuration.sas
l.security.protocol=SASL_SSL
-
Dflyway.domain.placeholders.spring.cloud.stream.kafka.binder.configuration.ssl
.endpoint.identification.algorithm=${PROTOCOL}
-Dflyway.domain.placeholders.plato.services.zipkin.url=${PROTOCOL}://
localhost:9411
-Dflyway.domain.placeholders.zipkin.url=${PROTOCOL}://${KAFKA_HOST}:9411
-Dflyway.domain.placeholders.zipkin.baseUrl=${PROTOCOL}://${KAFKA_HOST}:9411

```

```

-Dflyway.domain.placeholders.cmncore.cmc-branch.service.appId=CMNCORE
-Dflyway.domain.placeholders.plato.server.port=${PLATO_PORT}
-Dflyway.domain.placeholders.platouserlog.path=${LOG_PATH}
-Dflyway.domain.placeholders.conductor.httpUri=${PROTOCOL}://$
{OBSCFCM_HOST_NAME}:${OBSCFCM3_PORT}/obscfcm-workflow-management-services/
service/v1/handleHTTPTask
-Dflyway.domain.placeholders.plato.services.kafka.brokers=${PROTOCOL}://$
{KAFKA_HOST}:${KAFKA_PORT}
-Dflyway.domain.placeholders.eod.server.port=${OBSCFCM2_PORT}
-Dflyway.domain.placeholders.FCUBS.GWHTTPSERVLETURLFCUBS=XYZ
-Dflyway.domain.placeholders.OBCL.GWHTTPSERVLETURLOBCL=XYZ
-Dflyway.domain.placeholders.URL.ELCM_HTTP_URL=XYZ
-Dflyway.domain.placeholders.finance.server.port=${OBSCF1_PORT}
-Dflyway.domain.placeholders.finance.db.jndi=${OBSCF_FINANCE_JNDI}
-Dflyway.domain.placeholders.limitmaint.server.port=${OBSCF1_PORT}
-Dflyway.domain.placeholders.limits.server.port=${OBSCF1_PORT}
-Dflyway.domain.placeholders.limits.db.jndi=${OBSCF_LIMITS_JNDI}
-Dflyway.domain.placeholders.obcl.service.CreateContract=CreateContract
-Dflyway.domain.placeholders.obcl.service.CreateContractSim=CreateContractSim
-Dflyway.domain.placeholders.obcl.service.CreatePayment=CreatePayment
-Dflyway.domain.placeholders.obcl.service.ModifyContAmend=ModifyContAmend
-Dflyway.domain.placeholders.obcl.service.QueryLoanOSAmount=QueryLoanOSAmount
-Dflyway.domain.placeholders.obcl.service.QueryTrnInfo=QueryTrnInfo
-Dflyway.domain.placeholders.obcl.service.ReverseContract=ReverseContract
-Dflyway.domain.placeholders.obcl.service.QueryContract=QueryContract
-Dflyway.domain.placeholders.obcl_service_consumer=OBSCF_OBCL_Consumer
-Dflyway.domain.placeholders.obcl_source=EXTSYS
-Dflyway.domain.placeholders.obcl_userId=ADMINUSER2
-
Dflyway.domain.placeholders.obpm.service.createExternalConsumerLoan=CreateExt
ernalConsumerLoan
-
Dflyway.domain.placeholders.obpm.service.createPMSinglePayOut=CreatePMSinglePa
yOut
-Dflyway.domain.placeholders.obpm.service.obpmBranchCode=240
-Dflyway.domain.placeholders.obpm.service.obpmHostCode=INDIA
-Dflyway.domain.placeholders.obpm.service.obpmLoanSourceCode=OBSCF
-Dflyway.domain.placeholders.obpm.service.obpmSourceCode=EXTSYS
-Dflyway.domain.placeholders.obpm.service.serviceConsumer=OBSCFCM_OBPM
-Dflyway.domain.placeholders.obpm.service.userId=ANUB01
-Dflyway.domain.placeholders.obrh_path=${PROTOCOL}:${LDAP_HOST}:${CMC1_PORT}/
cmc-obrh-services/route/dispatch
-Dflyway.domain.placeholders.obscf.core.server.port=${OBSCF2_PORT}
-Dflyway.domain.placeholders.obscfcore.db.jndi=${OBSCF_CORE_JNDI}
-Dflyway.domain.placeholders.obscf.day0.server.port=${OBSCFDAY0_PORT}
-Dflyway.domain.placeholders.obscf.finance.emailto=XYZ
-Dflyway.domain.placeholders.obscf.report.server.port=${OBSCF1_PORT}
-Dflyway.domain.placeholders.obscfcm.core.branchCode=000
-Dflyway.domain.placeholders.obscfcm.core.userId=ADMINUSER1
-Dflyway.domain.placeholders.accounting.obvam.userid=ADMINUSER1
-Dflyway.domain.placeholders.accounting.server.port=${OBSCFCM2_PORT}
-Dflyway.domain.placeholders.autorecon.server.port=${OBSCFCM3_PORT}
-Dflyway.domain.placeholders.charges.server.port=${OBSCFCM2_PORT}
-Dflyway.domain.placeholders.charges.db.jndi=${OBSCFCM_CHARGES_JNDI}
-Dflyway.domain.placeholders.fcubsBranchId=004
-Dflyway.domain.placeholders.filter.server.port=${OBSCFCM1_PORT}

```

```

-Dflyway.domain.placeholders.instruments.server.port=${OBSCFCM3_PORT}
-Dflyway.domain.placeholders.maint.server.port=${OBSCFCM3_PORT}
-Dflyway.domain.placeholders.maint.db.jndi=${OBSCFCM_MAINTENANCE_JNDI}
-Dflyway.domain.placeholders.manualrecon.server.port=${OBSCFCM2_PORT}
-Dflyway.domain.placeholders.manualrecon.db.jndi=${OBSCFCM_RECON_JNDI}
-Dflyway.domain.placeholders.obscf.core.service.appId=SCFCORE
-Dflyway.domain.placeholders.obscf.maintenance.service.appId=SCFMAINT
-Dflyway.domain.placeholders.obscfcm.conductor.service.appId=OBSCFCMCDTR
-Dflyway.domain.placeholders.obscfcm.conductor.service.uri=${PROTOCOL}://${OBSCFCM_HOST_NAME}:${OBSCFCM3_PORT}/obscfcm-workflow-management-services/service/v1/handleHTTPTask
-Dflyway.domain.placeholders.obscfcm.core.branchCode=000
-Dflyway.domain.placeholders.obscfcm.core.server.port=${OBSCFCM1_PORT}
-Dflyway.domain.placeholders.obscfcm.core.userId=ADMINUSER1
-Dflyway.domain.placeholders.obscfcm.day0.server.port=${OBSCFCMDAY0_PORT}
-Dflyway.domain.placeholders.obscfcm.filter.service.appId=OBSCFCMFILTER
-Dflyway.domain.placeholders.obscfcm.instruments-receivables.service.appId=OBSCFCMINST
-Dflyway.domain.placeholders.obscfcm.report.server.port=${OBSCFCM1_PORT}
-Dflyway.domain.placeholders.obscfcmalert.core.branchCode=000
-Dflyway.domain.placeholders.obscfcmalert.core.userId=ADMINUSER1
-Dflyway.domain.placeholders.obscfcmalert.server.port=${OBSCFCM1_PORT}
-Dflyway.domain.placeholders.obvam.service.branchCode=XYZ
-Dflyway.domain.placeholders.obvam.service.userId=ADMINUSER1
-Dflyway.domain.placeholders.orchestrator.server.uri=http://PLATO-O/api/
-Dflyway.domain.placeholders.reconmaint.server.port=${OBSCFCM3_PORT}
-Dflyway.domain.placeholders.spring.zipkin.baseUrl=XYZ
-Dflyway.domain.placeholders.workflow.server.port=${OBSCFCM3_PORT}
-Dflyway.domain.placeholders.instrument.db.jndi=${OBSCFCM_INSTRUMENTS_JNDI}
-Dflyway.domain.placeholders.eod.db.jndi=${OBSCF_BATCH_JNDI}
-Deod.db.jndi=jdbc/EOD
-Dflyway.domain.placeholders.obscfreport.db.jndi=${OBSCF_REPORT_JNDI}
-Dflyway.domain.placeholders.accnt.db.jndi=${OBSCFCM_ACCOUNTING_JNDI}
-Dflyway.domain.placeholders.batch.db.jndi=${OBSCF_BATCH_JNDI}
-Dflyway.domain.placeholders.sfsalert.db.jndi=${SFS_ALERTS_JNDI}
-Dflyway.domain.placeholders.obscfcmalert.db.jndi=${OBSCFCM_ALERTS_JNDI}
-Dflyway.domain.placeholders.filter.db.jndi=${OBSCFCM_FILTER_JNDI}
-Dflyway.domain.placeholders.workflowservice.eureka.host=${EUREKA_SERVER}
-Dflyway.domain.placeholders.workflowservice.eureka.port=${EUREKA_PORT}
-Dflyway.domain.placeholders.report.db.jndi=${OBSCFCM_REPORT_JNDI}
-Dflyway.domain.placeholders.chatbot.url=${PROTOCOL}://<%= node[:fqdn] %>:${OBSCFCM3_PORT}
-Dflyway.domain.placeholders.oda.uri=idcs-oda-d501204fbc4d496dac7b74d15a590dce-t0.data.digitalassistant.oci.oc-test.com
-Dflyway.domain.placeholders.oda.uri=idcs-oda-d501204fbc4d496dac7b74d15a590dce-t0.data.digitalassistant.oci.oc-test.com
-Dflyway.domain.placeholders.oda.channelid=569a0fbd-d1f4-4a9c-ad7c-86eab83bf957
-Dflyway.domain.placeholders.oda.secretkey=a5TAAyLQFlD0kx0kD1dS41W7d67Hsi80
-Dflyway.domain.placeholders.oda.isoda=Y
-Dflyway.domain.placeholders.workflow.db.jndi=${OBSCFCM_WORKFLOWS_JNDI}
-Dflyway.domain.placeholders.obcmreport.server.port=${OBSCM2_PORT}
-Dflyway.domain.placeholders.cashflow.server.port=${OBSCM1_PORT}
-Dflyway.domain.placeholders.collmaint.server.port=${OBSCM2_PORT}
-Dflyway.domain.placeholders.colltxn.server.port=${OBSCM1_PORT}
-Dflyway.domain.placeholders.day0.server.port=${OBSCFCMDAY0_PORT}

```

```

-Dflyway.domain.placeholders.obcmprojec.server.port=${OBCM1_PORT}
-Dflyway.domain.placeholders.obcmpredict.server.port=${OBCM2_PORT}
-Dflyway.domain.placeholders.obcmcashflowforecasting.db.jndi=${
{OBCM_CASHFLOW_FORCAST_JNDI}
-Dflyway.domain.placeholders.obcmcollectionmaint.db.jndi=${
{OBCM_COLLECTION_MAINT_JNDI}
-Dflyway.domain.placeholders.obcmcashflowprojection.db.jndi=${
{OBCM_CASHFLOW_PROJECTION_JNDI}
-Dflyway.domain.placeholders.obcmcashflowprediction.db.jndi=${
{OBCM_CASHFLOW_PREDICTION_JNDI}
-Dflyway.domain.placeholders.obcmreport.db.jndi=${{OBCM_REPORT_SERVICES_JNDI}
-Dflyway.domain.placeholders.collectiontxn.db.jndi=${{OBCM_COLLECTIONS_JNDI}
-Dflyway.domain.placeholders.cmc.db.jndi=${{CMNCORE_JNDI}
-Dflyway.domain.placeholders.platofeed.db.jndi=${{PLATOFEEED_JNDI}
-Dflyway.domain.placeholders.platosecurity.domain.jndi=${{PLATOSECURITY_JNDI}
-Dflyway.domain.placeholders.eodbatch.db.jndi=${{EODBATCH_JNDI}
-Dflyway.domain.placeholders.obscfcmcore.db.jndi=${{OBSCFCM_CORE_SERVICES_JNDI}
-Dflyway.domain.placeholders.obscffci.db.jndi=${{OBSCF_FCI_MESSAGES_JNDI}
-Dflyway.domain.placeholders.obscffci.server.port=${{OBSCF1_PORT}
-Dflyway.domain.placeholders.obscfislamic.db.jndi=${
{OBSCF_ISLAMIC_INSTRUMENTS_JNDI}
-Dflyway.domain.placeholders.obscfislamic.server.port=${{OBSCF2_PORT}
-Dflyway.domain.placeholders.obscfcm-batch-jobs.server.port=${{OBSCFCM2_PORT}
-Dflyway.domain.placeholders.obscfcm-chatbot-services.server.port=${
{OBSCFCM1_PORT}
-Dflyway.domain.placeholders.apigateway.url=${{PROTOCOL}}://<%= node[:fqdn] %>:${
{APIGATEWAY_ROUTER_PORT}
-Dflyway.domain.placeholders.alert.service.serviceConsumer=SFS_ALERTS
-Dflyway.domain.placeholders.alert.service.serviceConsumer=OBSCFCM_ALERTS
-Dflyway.domain.placeholders.alert.service.alertMessage=AlertMessage
-Dflyway.domain.placeholders.obcl.service.CreatePaymentSim=CreatePaymentSim
-Dflyway.domain.placeholders.obcm.core.userId=ADMINUSER1
-Dflyway.domain.placeholders.obcm.core.branchCode=000
-Dflyway.domain.placeholders.obcm.core.userId=ADMINUSER1
-
Dflyway.domain.placeholders.obcm.collectiontransaction.poolingjob.userId=ADMIN
USER1
-
Dflyway.domain.placeholders.obcm.colleactiontransaction.service.userId=ADMINUS
ER1
-Dflyway.domain.placeholders.obcm.mastermaintenance.service.userId=ADMINUSER1
-
Dflyway.domain.placeholders.obpm.service.initiateOutwardClg=InitiateOutwardCle
aring
-Dnormal.front.prod=VENF
-Dcompound.rear.prod=BCVD
-Dnormal.rear.prod=SUPF
-Dflyway.domain.placeholders.obcl.service.QueryContract=QueryContract
-Dflyway.domain.placeholders.eureka.instance.prefer-ip-address=false
-Dflyway.domain.placeholders.ssl.enabled=true
-Dflyway.domain.placeholders.ssl.disabled=false
-Dflyway.domain.placeholders.kafka.ssl.endpoint.identification.algorithm=https
-Dflyway.domain.placeholders.plato.feed.upload.directory=/scratch
-
Dflyway.domain.placeholders.flyway.domain.placeholders.obcm.service.branchCode
=000

```

```

-
Dflyway.domain.placeholders.flyway.domain.placeholders.obcm.service.userId=ADMINUSER1
-Dflyway.domain.placeholders.external.sso.validation.url=<http://dummyurl/>
-Dflyway.domain.placeholders.external.sso.key=<dummy>
-Dflyway.domain.placeholders.sso.service.provider=<dummy>
-Dflyway.domain.placeholders.headers=<dummy>
-Dflyway.domain.placeholders.obcmcff.service.userId=<userId>
-Dflyway.domain.placeholders.obcmcff.service.branchCode=<branchCode>
-Dflyway.domain.placeholders.config-service.server.port=<portNo>
-Dflyway.domain.placeholders.feed.recordLevelApprovalReqd=false
-Dflyway.domain.placeholders.upload.handler.userId=<userId>
-Dflyway.domain.placeholders.upload.handler.branchCode=<branchCode>
-Dflyway.domain.placeholders.driver.className=oracle.jdbc.driver.OracleDriver
-Dobcm.isObcmUserAvailable=N
-Dobcm.service.userId=ADMINUSER1
-Dobcm.isObcmBranchAvailable=N
-Dobcm.service.branchCode=000
-Dobcm.service.appId=OBMCFF
-Dflyway.domain.placeholders.apigateway.host=<%= node[:fqdn] %>
-Dflyway.domain.placeholders.apigateway.port=${APIGATEWAY_ROUTER_PORT}
-Dapigateway.url=${PROTOCOL}://<%= node[:fqdn] %>:${APIGATEWAY_ROUTER_PORT}
-Dflyway.domain.placeholders.apigateway.url=${PROTOCOL}://<%= node[:fqdn] %>:${APIGATEWAY_ROUTER_PORT}
-Dflyway.domain.placeholders.plato-regional-configurator-services.server.port=${PLATO_OTHERS_PORT}
-Dflyway.domain.placeholders.plato-regional-configurator-services.jndi=${OBRC_JNDI}
-Dflyway.domain.placeholders.plato-regional-configurator-services.schemas=${OBRC_SCHEMA}
-Dflyway.domain.placeholders.plato-regional-configurator-services.locations=db/migration/domain/obrc
-Dflyway.domain.placeholders.plato.feed.fss.bearerTokenPath=
-Dflyway.domain.placeholders.plato.feed.fss.bearerTokenFileName=dummyToken
-Dflyway.domain.placeholders.coherence.enabled=${COHERENCE_ENABLED}
-Dflyway.domain.placeholders.user.mapping.required=false
-Dflyway.domain.placeholders.auditEnabled=false
-Dflyway.domain.placeholders.plato-apigateway-router.server.port=${APIGATEWAY_ROUTER_PORT}
-Dflyway.domain.placeholders.router.protocol=https
-Dflyway.domain.placeholders.router.meadmin.port=${APIGATEWAY_ROUTER_PORT}
-Dflyway.domain.placeholders.plato.service.base-path=/api-gateway
-Dflyway.domain.placeholders.coherence.cluster.name=dummyClusterName
-Dflyway.domain.placeholders.tangosol.coherence.clusterport=7574
-Dflyway.domain.placeholders.plato.feed.emailClient.from.email=dummyEmailId
-Dflyway.domain.placeholders.alerts.protocol=${PROTOCOL}
-Dflyway.domain.placeholders.alerts.service.name=noreply-fsgbu-obca-dev@ocs.examplecloud.com
-Dflyway.domain.placeholders.alerts.namespace=fsgbu-obcbcs-nonprod--foundation.svc.occloud
-Dflyway.domain.placeholders.alerts.email.client.port=8080
-Dflyway.domain.placeholders.cmc-obrh-services.oic.secretStore.url=
-Dflyway.domain.placeholders.obrh.audit.id-generator=
-Dflyway.domain.placeholders.cmc-obrh-jms-consumer.server.port=xxxx
-Dflyway.domain.placeholders.cmc-obrh-jms-consumer.connectionFactory=aaa
-Dflyway.domain.placeholders.cmc-obrh-jms-consumer.queue=aaaa

```

```

-Dflyway.domain.placeholders.obrh.audit.maxConcurrentConsumers=100
-Dflyway.domain.placeholders.obrh.audit.type=
-Dflyway.domain.placeholders.cmc-customer-services.coherence.enabled=${
COHERENCE_ENABLED}
-Dflyway.domain.placeholders.cmc-customer-services.loadCacheOnStartup=${
LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.cmc-interest-rate-services.server.port=${
CMC2_PORT}
-Dflyway.domain.placeholders.cmc-interest-rate-services.schemas=${
CMNCORE_SCHEMA}
-Dflyway.domain.placeholders.cmc-resourceclass-services.coherence.enabled=${
COHERENCE_ENABLED}
-Dflyway.domain.placeholders.cmc-resourceclass-services.loadCacheOnStartup=${
LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.cmc-resource-segment-orchestrator-
service.coherence.enabled=${COHERENCE_ENABLED}
-Dflyway.domain.placeholders.cmc-resource-segment-orchestrator-
service.loadCacheOnStartup=${LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.cmc-corebanking-adapter-
service.coherence.enabled=${COHERENCE_ENABLED}
-Dflyway.domain.placeholders.cmc-corebanking-adapter-
service.loadCacheOnStartup=${LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.cmc-external-virtual-account-
services.coherence.enabled=${COHERENCE_ENABLED}
-Dflyway.domain.placeholders.cmc-external-virtual-account-
services.loadCacheOnStartup=${LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.cds.isAsyncLoggingEnabled=true
-Dflyway.domain.placeholders.charges.isAsyncLoggingEnabled=true
-Dflyway.domain.placeholders.obpy-party-services.coherence.enabled=${
COHERENCE_ENABLED}
-Dflyway.domain.placeholders.obpy-party-services.loadCacheOnStartup=${
LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.sms-core-services.coherence.enabled=${
COHERENCE_ENABLED}
-Dflyway.domain.placeholders.sms-core-services.loadCacheOnStartup=${
LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.cmc-charges-calculation-
services.coherence.enabled=${COHERENCE_ENABLED}
-Dflyway.domain.placeholders.cmc-charges-calculation-
services.loadCacheOnStartup=${LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.cmc-account-services.coherence.enabled=${
COHERENCE_ENABLED}
-Dflyway.domain.placeholders.cmc-advice-services.coherence.enabled=${
COHERENCE_ENABLED}
-Dflyway.domain.placeholders.cmc-base-services.coherence.enabled=${
COHERENCE_ENABLED}
-Dflyway.domain.placeholders.cmc-branch-services.coherence.enabled=${
COHERENCE_ENABLED}
-Dflyway.domain.placeholders.cmc-branch-services.loadCacheOnStartup=${
LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.cmc-account-services.loadCacheOnStartup=${
LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.cmc-advice-services.loadCacheOnStartup=${
LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.cmc-base-services.loadCacheOnStartup=${
LOAD_CACHE_ON_STARTUP}

```

```

-Dflyway.domain.placeholders.cmc-external-deposit-account-
services.server.port=${CMC3_PORT}
-Dflyway.domain.placeholders.cmc-currency-services.coherence.enabled=${
{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.cmc-currency-services.loadCacheOnStartup=${
{LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.cmc-external-chart-account-
services.coherence.enabled=${{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.cmc-external-chart-account-
services.loadCacheOnStartup=${{LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.fcubsBranch=000
-Dflyway.domain.placeholders.fcubsSource=EXTSYS
-Dflyway.domain.placeholders.fcubsUserId=DCD_01
-DfcubsUserId=DCD_01
-Dflyway.domain.placeholders.cmc-facilities-services.coherence.enabled=${
{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.cmc-facilities-services.loadCacheOnStartup=${
{LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.cmc-external-deposit-account-
services.coherence.enabled=${{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.cmc-screenclass-services.coherence.enabled=${
{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.cmc-screenclass-services.loadCacheOnStartup=${
{LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.plato.feed.feedStripeName=feeds
-Dflyway.domain.placeholders.plato.alerts.protocol=${{PROTOCOL}
-Dflyway.domain.placeholders.plato.alerts.namespace=fsgbu-obcbcs-nonprod--
foundation.svc.occloud
-Dflyway.domain.placeholders.plato.alerts.email.client.port=8080
-Dflyway.domain.placeholders.plato.multitenant.emailClient.from.email=noreply-
fsgbu-obca-dev@ocs.examplecloud.com
-Dflyway.domain.placeholders.plato.feed.emailClient.from.email=noreply-fsgbu-
obca-dev@ocs.examplecloud.com
-Dspring.cloud.loadbalancer.ribbon.enabled=false
-Dspring.main.allow-circular-references=true
-Dflyway.domain.placeholders.plato.eventhub.consumer.maxPollInterval=300000
-Dflyway.domain.placeholders.plato.eventhub.consumer.maxPollRecords=500
-Dflyway.domain.placeholders.accounting.obvam.userid=ADMINUSER1
-Dflyway.domain.placeholders.cmc-obrh-jms-consumer.server.port=<>
-Dflyway.domain.placeholders.cmc-obrh-jms-consumer.connectionFactory=<>
-Dflyway.domain.placeholders.cmc-obrh-jms-consumer.queue=<>
-Dflyway.domain.placeholders.obrh.audit.maxConcurrentConsumers=<>
-Dflyway.domain.placeholders.obrh.audit.id-generator=<UUID/SNOWFLAKE>
-Dflyway.domain.placeholders.obrh.audit.type=<DEFAULT/KAFKA/LOG/JMS/OFF>
-Dflyway.domain.placeholders.alerts.email.attachment.encryption.required=false
-
Dflyway.domain.placeholders.alerts.email.attachment.encryption.passKey=<Specif
y the encryption passkey>
-Dflyway.domain.placeholders.alerts.email.attachment.watermark.required=no
-Dflyway.domain.placeholders.alerts.email.attachment.watermark.image.loc=/
scratch
-Dflyway.domain.placeholders.obcmforecasting.schemas=${
{OBCM_CASHFLOW_FORECAST_SCHEMA}
-Dflyway.domain.placeholders.obcmprojection.schemas=${
{OBCM_CASHFLOW_PROJECTION_SCHEMA}
-Dflyway.domain.placeholders.obcmprediction.schemas=${

```

```

{OBCM_CASHFLOW_PREDICTION_SCHEMA}
-Dflyway.domain.placeholders.obcmmaintenance.schemas=$
{OBCM_COLLECTION_MAINT_SCHEMA}
-Dflyway.domain.placeholders.obcmtransaction.schemas=$
{OBCM_COLLECTIONS_SCHEMA}
-Dflyway.domain.placeholders.obcmreport.schemas=${OBCM_REPORT_SERVICES_SCHEMA}
-Dflyway.domain.placeholders.obscfcmaccounting.schemas=$
{OBSCFCM_ACCOUNTING_SCHEMA}
-Dflyway.domain.placeholders.sfsalerts.schemas=${SFS_ALERTS_SCHEMA}
-Dflyway.domain.placeholders.obscfcmalerts.schemas=${OBSCFCM_ALERTS_SCHEMA}
-Dflyway.domain.placeholders.obscfcmautorecon.schemas=${OBSCFCM_RECON_SCHEMA}
-Dflyway.domain.placeholders.obscfcmbatchjob.schemas=${OBSCF_BATCH_SCHEMA}
-Dflyway.domain.placeholders.obscfcmcharges.schemas=${OBSCFCM_CHARGES_SCHEMA}
-Dflyway.domain.placeholders.obscfcmchatbot.schemas=${OBSCFCM_REPORT_SCHEMA}
-Dflyway.domain.placeholders.obscfcmcore.schemas=$
{OBSCFCM_CORE_SERVICES_SCHEMA}
-Dflyway.domain.placeholders.obscfcmecodbatch.schemas=${OBSCF_BATCH_SCHEMA}
-Dflyway.domain.placeholders.obscfcmfilter.schemas=${OBSCFCM_FILTER_SCHEMA}
-Dflyway.domain.placeholders.obscfcmstruments.schemas=$
{OBSCFCM_INSTRUMENTS_SCHEMA}
-Dflyway.domain.placeholders.obscfcmmanualrecon.schemas=$
{OBSCFCM_RECON_SCHEMA}
-Dflyway.domain.placeholders.obscfcmmastermaint.schemas=$
{OBSCFCM_MAINTENANCE_SCHEMA}
-Dflyway.domain.placeholders.obscfcmreport.schemas=${OBSCFCM_REPORT_SCHEMA}
-Dflyway.domain.placeholders.obscfcmworkflow.schemas=$
{OBSCFCM_WORKFLOWS_SCHEMA}
-Dspring.cloud.compatibility-verifier.enabled=false
-Dspring.main.allow-bean-definition-overriding=true
-Dflyway.domain.placeholders.cmc-corebanking-adapter-
service.loadCacheOnStartup=${LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.cmc-external-virtual-account-
services.loadCacheOnStartup=${LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.cmc-advice-services.coherence.enabled=$
{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.cmc-customer-services.loadCacheOnStartup=$
{LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.cmc-charges-calculation-
services.loadCacheOnStartup=${LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.cmc-external-chart-account-
services.loadCacheOnStartup=${LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.cmc-facilities-services.loadCacheOnStartup=$
{LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.cmc-account-services.loadCacheOnStartup=$
{LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.cmc-branch-services.coherence.enabled=$
{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.cmc-external-chart-account-
services.coherence.enabled=${COHERENCE_ENABLED}
-Dflyway.domain.placeholders.cmc-base-services.coherence.enabled=$
{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.cmc-screenclass-services.coherence.enabled=$
{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.cmc-facilities-services.coherence.enabled=$
{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.cmc-screenclass-services.loadCacheOnStartup=$

```

```

{LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.cmc-txn-code-services.loadCacheOnStartUp=$
{LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.cmc-external-deposit-account-
services.server.port=<VALUE>
-Dflyway.domain.placeholders.cmc-base-services.loadCacheOnStartUp=$
{LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.cmc-txn-code-services.coherence.enabled=$
{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.cmc-resourceclass-services.coherence.enabled=$
{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.cmc-resource-segment-orchestrator-
service.coherence.enabled=${COHERENCE_ENABLED}
-Dflyway.domain.placeholders.cmc-resource-segment-orchestrator-
service.loadCacheOnStartUp=${LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.cmc-currency-services.coherence.enabled=$
{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.cmc-advice-services.loadCacheOnStartUp=$
{LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.cmc-charges-calculation-
services.coherence.enabled=${COHERENCE_ENABLED}
-Dflyway.domain.placeholders.cmc-account-services.coherence.enabled=$
{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.cmc-corebanking-adapter-
service.coherence.enabled=${COHERENCE_ENABLED}
-Dflyway.domain.placeholders.cmc-external-virtual-account-
services.coherence.enabled=${COHERENCE_ENABLED}
-Dflyway.domain.placeholders.cmc-branch-services.loadCacheOnStartUp=$
{LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.cmc-currency-services.loadCacheOnStartUp=$
{LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.cmc-external-deposit-account-
services.coherence.enabled=${COHERENCE_ENABLED}
-Dflyway.domain.placeholders.cmc-customer-services.coherence.enabled=$
{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.cmc-resourceclass-services.loadCacheOnStartUp=$
{LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.obscf-finance-services.coherence.enabled=$
{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.obscf-core-services.loadCacheOnStartUp=$
{LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.obscf-fci-messaging-service.coherence.enabled=$
{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.obscf-fci-messaging-service.loadCacheOnStartUp=$
{LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.obscf-report-services.coherence.enabled=$
{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.obscf-limits-services.coherence.enabled=$
{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.obscf-limits-services.loadCacheOnStartUp=$
{LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.obscf-core-services.coherence.enabled=$
{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.obscf-islamic-instruments-
services.coherence.enabled=${COHERENCE_ENABLED}
-Dflyway.domain.placeholders.obscfcm-instruments-receivables-

```

```

services.coherence.enabled=${COHERENCE_ENABLED}
-Dflyway.domain.placeholders.obscfcm-eod-batch.coherence.enabled=${
{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.obscfcm-core-services.loadCacheOnStartup=${
{LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.obscfcm-master-maintenance-
services.loadCacheOnStartup=${LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.obscfcm-filter-services.coherence.enabled=${
{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.obscfcm-core-services.coherence.enabled=${
{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.obscfcm-filter-services.loadCacheOnStartup=${
{LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.obscfcm-manual-recon-
services.loadCacheOnStartup=${LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.obscfcm-charges-services.coherence.enabled=${
{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.obscfcm-manual-recon-services.coherence.enabled=${
{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.obscfcm-auto-recon-batch.coherence.enabled=${
{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.obscfcm-account-maintenance-
services.coherence.enabled=${COHERENCE_ENABLED}
-Dflyway.domain.placeholders.obscfcm-alerts-services.coherence.enabled=${
{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.obscfcm-workflow-management-
services.coherence.enabled=${COHERENCE_ENABLED}
-Dflyway.domain.placeholders.obscfcm-master-maintenance-
services.coherence.enabled=${COHERENCE_ENABLED}
-Dflyway.domain.placeholders.obcm-collections-txn.coherence.enabled=${
{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.obcm-report.coherence.enabled=${
{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.obcm-cashflow-projection.coherence.enabled=${
{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.obcm-collections-maintenance-
services.coherence.enabled=${COHERENCE_ENABLED}
-Dflyway.domain.placeholders.obcm-cashflow-forecasting.coherence.enabled=${
{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.obcm-netting.coherence.enabled=${
{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.obcm-collections-maintenance-
services.loadCacheOnStartup=${LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.sms-core-services.loadCacheOnStartup=${
{LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.sms-core-services.coherence.enabled=${
{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.cmc-obrh-services.coherence.enabled=${
{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.cmc-opds-services.loadCacheOnStartup=${
{LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.cmc-opds-services.coherence.enabled=${
{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.cmc-interest-rate-services.coherence.enabled=${
{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.cmc-limits-collaterals-services.server.port=${

```

```

{CMC4_PORT}
-Dflyway.domain.placeholders.obcm-netting-service.coherence.enabled=${
{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.obcm-cashflow-prediction-
services.coherence.enabled=${COHERENCE_ENABLED}
-Dflyway.domain.placeholders.obcm-collections-transaction-
services.coherence.enabled=${COHERENCE_ENABLED}
-Dflyway.domain.placeholders.obcm-cashflow-projection-
services.coherence.enabled=${COHERENCE_ENABLED}
-Dflyway.domain.placeholders.obcm-report-services.coherence.enabled=${
{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.obcm-cashflow-forecasting-
services.coherence.enabled=${COHERENCE_ENABLED}
-Dflyway.domain.placeholders.cmc-opds-services.isAsyncLoggingEnabled=false
-Dflyway.domain.placeholders.cmc-report-services.coherence.enabled=${
{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.cmc-opds-
services.ischargesAsyncLoggingEnabled=false
-Dflyway.domain.placeholders.cmc-batch-services.coherence.enabled=${
{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.cmc-external-system-services.coherence.enabled=${
{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.obcm-multilateral-service.coherence.enabled=${
{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.platorule.db.jndi=${PLATORULE_JNDI}
-Dflyway.domain.placeholders.obscfcm-report-services.coherence.enabled=${
{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.obscfcm-batch-jobs.coherence.enabled=${
{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.obscfcm-chatbot-services.coherence.enabled=${
{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.dataload.job.queueCapacity=null
-Dflyway.domain.placeholders.plato.dataload.fss.filestream.protocol=null
-Dflyway.domain.placeholders.sms.placeholderReplacement=null
-Dflyway.domain.placeholders.dataload.protocol=null
-Dflyway.domain.placeholders.plato.dataload.fss.filestore.protocol=null
-Dflyway.domain.placeholders.plato.dataload.fss.filestore.host=null
-Dflyway.domain.placeholders.plato.dataload.fss.bearerTokenFileName=null
-Dflyway.domain.placeholders.datamigration.host=null
-Dflyway.domain.placeholders.plato.dataload.fss.stripe.service.tag=null
-Dflyway.domain.placeholders.plato.dataload.fss.filestream.port=null
-Dflyway.domain.placeholders.plato.dataload.fss.filestore.port=null
-Dflyway.domain.placeholders.dataload.job.corePoolSize=null
-Dflyway.domain.placeholders.dataload.job.maxPoolSize=null
-Dflyway.domain.placeholders.plato.dataload.fss.par.storageDirective=null
-Dflyway.domain.placeholders.plato.dataload.fss.bearerTokenPath=null
-
Dflyway.domain.placeholders.plato.dataload.framework.eureka.client.connectTime
out=null
-Dflyway.domain.placeholders.plato.dataload.fss.par.upload.description=null
-Dflyway.domain.placeholders.plato.dataload.fss.filestore.contextRoot=null
-Dflyway.domain.placeholders.datamigration.port=null
-Dflyway.domain.placeholders.domain.placeholderReplacement=null
-
Dflyway.domain.placeholders.plato.dataload.framework.eureka.client.readTimeout
=null

```

```

-Dflyway.domain.placeholders.batch.appId=null
-Dflyway.domain.placeholders.plato.dataload.system.objectStore.stripeName=null
-Dflyway.domain.placeholders.datamigration.protocol=null
-Dflyway.domain.placeholders.plato.placeholderReplacement=null
-Dflyway.domain.placeholders.plato.dataload.fss.filestream.contextRoot=null
-Dflyway.domain.placeholders.dataload.job.gridSize=null
-Dflyway.domain.placeholders.plato.dataload.fss.filestream.host=null
-Dflyway.domain.placeholders.datamigration.contextRoot=null
-Dflyway.domain.placeholders.cmc-opds-services.DbLogEnabled=false
-Dflyway.domain.placeholders.obscffinance.schemas=${OBSCF_FINANCE_SCHEMA}
-Dflyway.domain.placeholders.obscflimit.schemas=${OBSCF_LIMITS_SCHEMA}
-Dflyway.domain.placeholders.obscffcimessaging.schemas=${
{OBSCF_FCI_MESSAGES_SCHEMA}
-Dflyway.domain.placeholders.obscfislamicinstruments.schemas=${
{OBSCF_ISLAMIC_INSTRUMENTS_SCHEMA}
-Dflyway.domain.placeholders.obscfcore.schemas=${OBSCF_CORE_SCHEMA}
-Dflyway.domain.placeholders.obscfreport.schemas=${OBSCF_REPORT_SCHEMA}
-Dflyway.domain.placeholders.oba.service.requestType=OBACCNT
-Dflyway.domain.placeholders.oba.isObaBranchAvailable=N
-Dflyway.domain.placeholders.oba.service.serviceConsumer=OBSCFCM_OBA
-Dflyway.domain.placeholders.oba.service.sourceCode=OBSCFCM
-Dflyway.domain.placeholders.oba.service.obaEntityId=DEFAULTENTITY
-Dflyway.domain.placeholders.oba.external.branchCode=006
-Dflyway.domain.placeholders.oba.isObaUserAvailable=N
-Dflyway.domain.placeholders.oba.service.obaUserId=JISHAIKH1
-Dflyway.domain.placeholders.oba.service.obaAppId=CDDAAPPTBSAPP
-Dflyway.domain.placeholders.edp.schemas=${PLATO_EDP_SCHEMA};
-Dflyway.domain.placeholders.plato-edp-services.server.port=${
{PLATO_OTHERS_PORT}};
-Dflyway.domain.placeholders.edp.db.jndi=${PLATO_EDP_JNDI};
-Dflyway.domain.placeholders.plato-edp-services.coherence.enabled=${
{COHERENCE_ENABLED}};
-Dflyway.domain.placeholders.cmc-external-chart-account-
services.batch.txn.fetch.size=1
-Dflyway.domain.placeholders.cmc-external-chart-account-
services.batch.txn.validation=1
-Dflyway.domain.placeholders.cmc-external-chart-account-
services.batch.commit.frequency=1
-Dflyway.domain.placeholders.cmc-external-chart-account-
services.batch.thread.pool.size=1
-Dflyway.domain.placeholders.cmc-external-chart-account-
services.batch.handoff.txn.size=1
-Dflyway.domain.placeholders.cmc-external-chart-account-
services.batch.partition.count=1
-Dflyway.domain.placeholders.obcmmultinetting.server.port=${OBCEM2_PORT}
-Dflyway.domain.placeholders.userLoginId.minLength=5
-DEncryptionFlag=false
-Dflyway.domain.placeholders.obscfcm.instrument.service.appId=OBSCFCMINST
-Dflyway.domain.placeholders.flyway.plato.db.jndi=${PLATO_JNDI}
-Dflyway.domain.placeholders.feed.system.timePeriod=30000
-Dflyway.domain.placeholders.transport.config.db.jndi=${PLATOTRANSPORT_JNDI}
-Dflyway.domain.placeholders.transport.config.schemas=${PLATOTRANSPORT_SCHEMA}
-Dflyway.domain.placeholders.plato-transport-services.coherence.enabled=${
{COHERENCE_ENABLED}}
-Dflyway.domain.placeholders.plato-transport-services.server.port=${
{PLATO_OTHERS_PORT}}

```

```

-Dplato.services.entityservices.port=9999
-
Dflyway.domain.placeholders.obcl.service.MODIFYCONTAMENDSIM=ModifyContAmendSim
-
Dflyway.domain.placeholders.spring.cloud.stream.kafka.binder.configuration.ssl
.truststore.location=/scratch/certificates/kafka/KafkaClientTrustStore.jks
-
Dflyway.domain.placeholders.spring.cloud.stream.kafka.binder.configuration.ssl
.truststore.password=example123
-
Dflyway.domain.placeholders.spring.cloud.stream.kafka.binder.jaas.options.user
name=obscf
-
Dflyway.domain.placeholders.spring.cloud.stream.kafka.binder.jaas.options.pass
word=obscf-secret
-
Dflyway.domain.placeholders.spring.cloud.stream.kafka.binder.configuration.sas
l.mechanism=SCRAM-SHA-256
-
Dflyway.domain.placeholders.spring.cloud.stream.kafka.binder.configuration.sas
l.security.protocol=SASL_SSL
-
Dflyway.domain.placeholders.spring.cloud.stream.kafka.binder.configuration.sec
urity.protocol=SASL_SSL
-
Dflyway.domain.placeholders.spring.cloud.stream.kafka.binder.configuration.ssl
.endpoint.identification.algorithm=https
-
Dflyway.domain.placeholders.spring.cloud.stream.kafka.binder.jaas.loginModule=
org.apache.kafka.common.security.scram.ScramLoginModule
-Dflyway.domain.placeholders.spring.cloud.stream.kafka.binder.zknodes=ofss-
mum-687.snbomprshared1.gbucdsint02bom.examplevcn.com:2181
-Dflyway.domain.placeholders.plato.locations=db/migration/plato
-Dflyway.domain.placeholders.feed.system.timePeriod=3600
-Dflyway.domain.placeholders.cmc-transactioncontroller-
services.coherence.enabled=${COHERENCE_ENABLED}
-Dflyway.domain.placeholders.cmc-transactioncontroller-
services.loadCacheOnStartup=${LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.cmc-priority-service.coherence.enabled=${
COHERENCE_ENABLED}
-Dflyway.domain.placeholders.user.hierarchyLevel=4
-Dflyway.domain.placeholders.plato-edp-services.edp.obrh.userId=ADMINUSER1
-Dflyway.domain.placeholders.plato-edp-services.edp.obrh.branchCode=000
-Dflyway.domain.placeholders.cmc-mis-services.coherence.enabled=${
COHERENCE_ENABLED}
-Dflyway.domain.placeholders.cmc-mis-services.loadCacheOnStartup=${
LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.checklistmanagement-services.coherence.enabled=${
COHERENCE_ENABLED}
-Dflyway.domain.placeholders.checklistmanagement-services.loadCacheOnStartup=${
LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.applicationcategory-services.coherence.enabled=${
COHERENCE_ENABLED}
-Dflyway.domain.placeholders.applicationcategory-services.loadCacheOnStartup=${
LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.cmc-mailnotification-services.coherence.enabled=${

```

```

{COHERENCE_ENABLED}
-Dflyway.domain.placeholders.cmc-mailnotification-
services.loadCacheOnStartup=${LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.user.reporteesHierarchyLevel=4
-Dflyway.domain.placeholders.obscfcm-genai-integration-
services.coherence.enabled=${COHERENCE_ENABLED}
-Dflyway.domain.placeholders.obscfcm-genai.db.jndi=${OBSCFCM_GENAI_JNDI}
-Dflyway.domain.placeholders.cmc-comments-services.coherence.enabled=${
COHERENCE_ENABLED}
-Dflyway.domain.placeholders.cmc-comments-services.loadCacheOnStartup=${
LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.cmc-document-services.coherence.enabled=${
COHERENCE_ENABLED}
-Dflyway.domain.placeholders.cmc-document-services.loadCacheOnStartup=${
LOAD_CACHE_ON_STARTUP}
-Dflyway.domain.placeholders.documentmanagement-services.coherence.enabled=${
COHERENCE_ENABLED}
-Dflyway.domain.placeholders.documentmanagement-services.loadCacheOnStartup=${
LOAD_CACHE_ON_STARTUP}
-
Dflyway.domain.placeholders.plato.batch.server.tas.processor.hostname=dummy.co
m
-Dflyway.domain.placeholders.plato.batch.server.tas.processor.port=1234
-Dflyway.domain.placeholders.obtfpm.ai.integration.schemas=dummy
-Dflyway.domain.placeholders.obtfpm.ai.integration.server.port=1234
-Dflyway.domain.placeholders.obtfpm-ai-integration-
services.coherence.enabled=${COHERENCE_ENABLED}
-Dflyway.domain.placeholders.obtfpm.ai.enabled=false
-Dflyway.domain.placeholders.obtfpm.ai.system=dummy.com
-Dflyway.domain.placeholders.plato.batch.server.conductor.timeout=60
-Dflyway.domain.placeholders.obscfcm-genai.server.port=${OBSCFCM2_PORT}
-Dflyway.domain.placeholders.obscfcm-genai.llmAPIKey=abc
-Dflyway.domain.placeholders.obscfcm-genai.k=6
-Dflyway.domain.placeholders.obscfcm-genai.lambda_mult=0.25
-Dflyway.domain.placeholders.obscfcm.core.service.appId=OBSCFCM
-Dflyway.domain.placeholders.obscfcmgenai.schemas=${OBSCFCM_GENAI_SCHEMA}
-Dflyway.sms.placeholders.OBSCFCM_GENAI_ENABLED=N
-Dflyway.domain.placeholders.sfsalert.server.port=8203
-Dflyway.domain.placeholders.sfs-alerts-services.coherence.enabled=true
-Dflyway.domain.placeholders.sfsalerts.schemas=SFS_ALERTS
-Dflyway.domain.placeholders.sfsalert.db.jndi=jdbc/SFS_ALERTS
-Dflyway.domain.placeholders.sfsalert.service.serviceConsumer=SFS_ALERTS
-Dflyway.domain.placeholders.plato-arch-services.server.port=01234
-Dflyway.domain.placeholders.plato-dynamic-data-services.server.port=0123456
-Dflyway.domain.placeholders.sms.showUnlockClearUser=Y
-Dflyway.domain.placeholders.cmc-ml-genai-admin-services.server.port=9999
-Dflyway.domain.placeholders.opds.rules.localInvocation=true
-Dflyway.domain.placeholders.transport.config.db.jndi=${PLATOTRANSPORT_JNDI}
-Dflyway.domain.placeholders.transport.config.schemas=${PLATOTRANSPORT_SCHEMA}
-Dtransport.config.db.jndi=${PLATOTRANSPORT_JNDI}
-Dtransport.config.schemas=${PLATOTRANSPORT_SCHEMA}
-Dflyway.domain.placeholders.plato-fast-data-transfer-service.server.port=8080
-Dflyway.domain.placeholders.extBal.service.userId=OBDX02
-Dflyway.domain.placeholders.extBal.service.branchCode=LMB
-Dflyway.domain.placeholders.extBal.service.sourceCode=OBDX
-Dflyway.domain.placeholders.extBal.service.appId=LMX

```

```

-Dflyway.domain.placeholders.extBal.isExtBalUserAvailable=N
-Dflyway.domain.placeholders.extBal.isExtBalBranchAvailable=N
-
Dflyway.domain.placeholders.dedupe.service.serviceConsumer=OBSCFCM_FINANCE_DEDUPE
-Dflyway.domain.placeholders.dedupe.service.register=REGISTER
-Dflyway.domain.placeholders.dedupe.service.status=STATUS
-Dflyway.domain.placeholders.dedupe.service.finance=FINANCINGS
-Dflyway.domain.placeholders.dedupe.service.cancel=CANCELLATIONS
-Dflyway.domain.placeholders.dedupe.service.cancelStatus=CANCELLATIONSSTATUS
-
Dflyway.domain.placeholders.dedupe.service.clientId=77QdQGPI6aXS0aKY6bua2SggyXIoxwjG
-
Dflyway.domain.placeholders.dedupe.service.clientSecret=442t9wuejDJANnZBZMYNJ_KCGDCZ-7VHAbagSeq8_o5oVNJeLIVylg7dVvhnpuhN
-Dflyway.domain.placeholders.dedupe.service.audience=https://api.uat.securefinancing.com
-Dflyway.domain.placeholders.dedupe.service.grantType=client_credentials
-Dflyway.domain.placeholders.dedupe.service.documentType=CINV
-Dflyway.domain.placeholders.dedupe.service.cancellationReason=EXNB
-
Dflyway.domain.placeholders.dedupe.service.submitFinancialInstitutionId=3ac506ec-8b62-4eab-b4c3-0dead0bc9f21
-Dflyway.domain.placeholders.partner.status.fetch.limit=500
-Dflyway.domain.placeholders.invoice.ml.serviceConsumerService=PredictAnomaly
-Dflyway.domain.placeholders.invoice.ml.serviceConsumer=OBSCFCM_ML
-Dflyway.domain.placeholders.invoice.ml.ReadAnomalyStatus=ReadAnomalyStatus
-
Dflyway.domain.placeholders.invoice.ml.pollStatusConsumerService=PollPredictionStatus
-Dflyway.domain.placeholders.obvam.service.sourceCode=OBDX
-Deureka.client.serviceUrl.defaultZone=${PROTOCOL}://${EUREKA_SERVER}:${EUREKA_PORT}/plato-discovery-service/eureka
-Dconductor.metrics-prometheus.enabled=true
-Dconductor.oracle.flywayEnabled=true
-Dflyway.domain.placeholders.cmc-branch-services.localHolidayPropagation.sync.enabled=Y
-
Dflyway.domain.placeholders.management.endpoints.web.exposure.include=prometheus,health
-Dflyway.domain.placeholders.domain.eventhub.broker.hosts=${KAFKA_HOST}:${KAFKA_PORT}
-Dflyway.domain.placeholders.domain.eventhub.zookeeper.hosts=${ZOOKEEPER_HOST}:${ZOOKEEPER_PORT}
-Dflyway.domain.placeholders.plato-arch.schemas=PLATOARCH
-Dflyway.domain.placeholders.plato-fdt.schemas=PLATOFDT
-Dflyway.domain.placeholders.saml.userId.field=NA
-Dspring.cloud.stream.kafka.default.producer.sync=TRUE
-Dspring.cloud.stream.kafka.default.producer.configuration.max.block.ms=5000
-Dspring.cloud.stream.kafka.binder.replication-factor=1
-Dspring.cloud.stream.kafka.binder.required-acks=all
-Dspring.cloud.stream.kafka.binder.brokers=${KAFKA_HOST}:${KAFKA_PORT}
-Dspring.cloud.stream.kafka.binder.zkNodes=${ZOOKEEPER_HOST}:${ZOOKEEPER_PORT}
-Dobrh.truststore.password=<Specify the truststore Password>
-Dobrh.truststore.path=/scratch/obma/jdk-17.0.13/lib/security/cacerts

```

```
-Dobrh.export.sensitivedata.include=true
-Dhttps.proxyHost=www-proxy-idc.in.example.com
-Dhttps.proxyPort=80
-Dhttp.nonProxyHosts=*.in.example.com|*.examplevcn.com
-Dhttps.nonProxyHosts=*.in.example.com|*.examplevcn.com
-Dflyway.domain.placeholders.plato-api-gateway.loadCacheOnStartUp=false
-DXms1024m
-DXmx2048m
-Dplato.services.config.port=8101
-Dplato.services.config.uri=https://host:port
-Dplato.service.logging.path=/scratch/work_area/application/logs
-Dflyway.enabled=true
-Dplato.services.entityservices.port=8101
-Dflyway.domain.placeholders.plato.services.rule.uri=https:// host:port/rule-
service
-Dspring.cloud.loadbalancer.ribbon.enabled=false
-Dplato.service.logging.level=TRACE
-Dhttps.proxyHost=www-proxy-idc.in.example.com
-Dhttps.proxyPort=80
-Dhttp.nonProxyHosts=.in.example.com|.examplevcn.com
-Dhttps.nonProxyHosts=.in.example.com|.examplevcn.com
-Dobrh.keystore.password=example123
-Dobrh.keystore.path=/scratch/certificates/ssl/clientcert.jks
-Dobrh.usekeystore=true
-Dobrh.keystore.aliaspassword=EDZDA0E7C00ZBZ7GEFB667Z07SZ4FAAS
-Dobrh.keystore.alias=te-d39583bc-101f-4dd5-832e-070b0722e5b0
-Dobrh.export.sensitivedata.include=true

export JAVA_OPTIONS
```

2

Environment Variables for OBSCF Domain

The below parametrization should be done for the obscf domain created in the weblogic server where the services are getting deployed.

1. Navigate to the installation path in the WebLogic server where the OBSCF services are getting deployed.

Note:

For Ex: /scratch/app/Oracle/Middleware/Oracle_Home/
user_projects/domains/obscf/bin/

2. Create a file named **setUserOverrides.sh** with the following paramers.

Note:

The required placeholders for obscf services are listed. Replace the values accordingly.

```
#!/bin/bash
JAVA_OPTIONS="${JAVA_OPTIONS}"
-Dplato.services.config.uri=${PLATO_SERVICES_CONFIG_URI}
-Dflyway.domain.placeholders.plato.service.logging.path=${LOG_PATH}
-Dplato.service.logging.path=${LOG_PATH}
-Dflyway.domain.placeholders.plato.service.env=${LOGGING_ENV}
-Dmulti.entity.enabled=true
-Dconductor.properties=/scratch/obma_installer/deployables/
properties/config.properties
-Dapigateway.url=${APIGATEWAY_URL}
-Dapigateway.host=${APIGATEWAY_HOST}
-Dplato.services.entityservices.port=${SMS_PORT}
-Dobremo.processlog.logging.required=true
-Dflyway.platoui.placeholders.apigateway.host=${APIGATEWAY_URL}
-Dflyway.platoui.placeholders.apigateway.port=${APIGATEWAY_PORT}
-Dplato.db.jndi=${PLATO_JNDI}
-Dsms.db.jndi=${SMS_JNDI}
-Dplatoui.db.jndi=${PLATOUI_JNDI}
-Dobscfcore.db.jndi=${OBSCF_CORE_JNDI}
-Dcmc.db.jndi=${CMNCORE_JNDI}
-Dplatoorch.domain.jndi=${PLATOORCH_JNDI}
-Dfinance.db.jndi=${OBSCF_FINANCE_JNDI}
-Dlimits.db.jndi=${OBSCF_LIMITS_JNDI}
-Dobscfreport.db.jndi=${OBSCF_REPORT_JNDI}
-Deod.db.jndi=${OBSCF_BATCH_JNDI}
-Dworkflow.db.jndi=${OBSCFCM_WORKFLOWS_JNDI}
```

```

-Dobscffci.db.jndi=${OBSCF_FCI_MESSAGES_JNDI}
-DuserId=ADMINUSER1
-Dobscf_role_id=OBSCF_ROLE
-DuserName=ADMINUSER1
-DuserLoginId=ADMINUSER1
-DmanagerId=UPERADMIN
-DbranchCode=004
-DuserEmail=adminuser@example.com
-DbranchId=${FCUBS_BRANCH_ID}
-DuserMobile=${USER_MOBILE_NO}
-DuserFax=${USER_FAX}
-DtelephoneNo=${USER_PHONE_NO}
-Dbankcode=FCUB
-Dbankdesc=FLEXCUBE-UNIVERSAL-BANK
-Dbranchname=FLEXCUBE-UNIVERSAL-BRANCH
-Dbranchaddr1=address1
-Dbranchaddr2=address2
-Dbranchaddr3=address3
-Dbranchccy=GBP
-Dcountrycode=GB
-Dwalkincustomer=12345
-Dhostcode=Host1
-Dhostdesc=Host1
-Dprocesstimezone=Asia/Calcutta
-Dsourcesystem=0000
-Dsourcesystemdesc=FLEXCUBE-UNIVERSAL-BRANCH
-Dobscfcore.enabled=true
-Duser_start_date=DD-MMM-YYYY
-Duser_end_date=DD-MMM-YYYY
-Dtoday=DD-MMM-YYYY
-Dprev_working_day=DD-MMM-YYYY
-Dnext_working_day=DD-MMM-YYYY
-Duser_id_2=ADMINUSER2
-Dcmncore.cmc-branch.service.appId=CMNCORE
-Deureka.connectTimeout=10000
-Dribbon.connectTimeout=20000
-Dribbon.readTimeout=20000
-Deureka.readTimeout=10000
-Dfinance_rule_userid=ADMINUSER1
-Duser_id=ADMINUSER1
-DapplicationCode=OBSCF
-Dsourcesystembranch=OBSCF
-DobscfcmURL=${http://host:port}
-Dworkflowservice.eureka.port=${EUREKA_PORT}
-Dflyway.domain.placeholders.eureka.protocol=${EUREKA_PROTOCOL}
-Deureka.protocol=${EUREKA_PROTOCOL}
-Dworkflowservice.eureka.host=${APIGATEWAY_HOST}
-Dcache.evict.initialdelay.milliseconds=7200000
-Dcache.evict.interval.milliseconds=7200000
-Dflyway.domain.placeholders.obpm.service.initiateOutwardClg=
InitiateOutwardClearing
-Dalert.service.serviceConsumer=SFS_ALERTS
-Dalert.service.serviceConsumer=OBSCFCM_ALERTS
-Dobscfcm.mastermaintenance.service.appId=11
-Dalert.service.alertMessage=AlertMessage
-Dplatobatch.app.locations=db/migration/platobatch/obscf-fci-messaging-service

```

```

-Dplatobatch.db.jndi=jdbc/PLATOBATCH
-Dsms.app.locations=db/migration/sms/obscf-day0,db/migration/sms/obscfcm-
master-maintenance-services,db/migration/sms/obscf-core-services,db/
migration/sms/obscf-report-services,db/migration/sms/sfs-alerts-services,db/
migration/sms/obscfcm-alerts-services,db/migration/sms/obscfcm-charges-
services,db/migration/sms/obscfcm-core-services,db/migration/sms/obscfcm-
account-maintenance-services
-Dobscfcm.maintenance.service.appId=OBSCFCMMAINT
-Dobscfcm.conductor.service.appId=OBSCFCMCDTR
-Dobcm.isObcmUserAvailable=N
-Dobcm.isObcmBranchAvailable=N
-Dobcm.service.branchCode=000
-Dobcm.service.appId=OBSCMCF
-DSERVICECONSUMER=OBSCFCM_OBCM
-Dobcm.service.userId=ABHISHEKL
-Dspring.cloud.loadbalancer.ribbon.enabled=false
-DutilityCache.evict.initdelay.milliseconds=1000000
-DutilityCache.evict.fixrate.milliseconds=1000000
-DutilityCache.evict.initialdelay.milliseconds=1000000
-DutilityCache.evict.fixedrate.milliseconds=1000000
-Dobscfcm.instruments.service.appId=OBSCFCMINST
-DCMC_REQ_YN=Y
-DUSER_REQ_YN=Y
-Ddebug_user=ADMINUSER1
-DOBSCF_ROLE_REQ_YN=Y
-DOBSCFCM_ROLE_REQ_YN=Y
-Dobscfcm_role_id=OBSCFCM_ROLE
-Dobscfcmmastermaintenance.enabled=true
-Dflyway.domain.placeholders.obscf.core.productMigrationReqd='Y'
-Ddataload.secureStore.host=cndevcorp5-phx.ss.cne-security-ss.cfs.oraclecne
-Ddataload.secureStore.port=8080
-Drsa.publicKey=MIIBIjANBgkqhkiG9w0BAQEFAAOCAQ8AMIIBCgKCAQE4aThT/
c00+s1WHJrh0XWFGim7Wd3Yl50kEajq00i/J8ec3iF/ko//
XLHAWJxp4JphisfhhfcYvYHrpsXdC60qFKtrNMPkK1rJDP+awcqTe5FR2jKuuWC0r36xazoJ+w9YYm
T6qJumrzTaUoNWxdeIsXyU855HEFl+7dNystLYpWEAGjJBi+69EHATemAUqMW6QZcCb13/7e2eYFP1
ZUW8b2MQKI1tHNyxxov6+rTLwk7uFNuDWvPTTrV7fvAEMtQ03nmvcYdDltxhJGLBPsTxdJgiD8OLofm
KPuiJbWHUFO3XZyn6XQeKGyr3wsxshHqJhUxKKJiLU1OgH7clJ5glSwIDAQAB
-Ddataload.fss.bearerTokenPath=C:\\testFiles
-Ddataload.system.objectStore.stripeName=plato-dataload-stripe-01
-Ddataload.job.corePoolSize=1
-Ddataload.job.maxPoolSize=256
-Ddataload.job.queueCapacity=3
-Dsecure.store.host=localhost
-Dsecure.store.port=20002
-Ddataload.job.gridSize=1
-Dfss.stripe.appInstanceId=__auto__
-Dfss.stripeName=default
-Ddataload.securestore.clientName=DEFAULT
-Dfeed.fss.bearerTokenPath=/scratch/plato-feeds/upload-file/tokenDirectory
-Dfeed.fss.bearerTokenFileName=token
-Dfeed.system.objectStore.stripeName=feeds
-Dfss.filestore.protocol=http
-Dfss.filestore.host=localhost
-Dfss.filestore.port=20009
-Dfss.filestore.contextRoot=filestore/private
-Dfss.fss.filestream.protocol=http

```

```

-Dfss.filestream.host=localhost
-Dfss.filestream.port=20008
-Dfss.filestream.contextRoot=filestream/private
-Dfss.auth.bearerToken=unset
-Dfss.par.upload.description=fileUpload
-Dfss.par.storageDirective=tmp
-Dfss.stripe.service.tag=dataload-services
-Dfss.par.upload.description=fileupload
-Dfss.par.storageDirective=default
-Dfss.stripe.service.tag=default
-Ddataload.domain=OBSCF
-Dflyway.sms.placeholders.dataload.dbscripts.enabled=false
-Dflyway.sms.placeholders.dataload.dbscripts.createDefaultViews=false
-Dflyway.sms.placeholders.dataload.dbscripts.appid=SCFLIMIT
-Dflyway.sms.placeholders.dataload.dbscripts.productName=NA
-Dflyway.sms.placeholders.dataload.dbscripts.headerAppid=NA
-Dflyway.sms.placeholders.dataload.dbscripts.rootProjectName=NA
-Dflyway.sms.placeholders.dataload.dbscripts.domain=NA
-Dflyway.sms.placeholders.dataload.dbscripts.menu.parent=NA
-Dflyway.sms.placeholders.dataload.dbscripts.menu.sequence=0
-Dflyway.sms.placeholders.dataload.dbscripts.menu.prefix=NA
-Dflyway.sms.placeholders.dataload.dbscripts.uploadCCA=NA
-Dflyway.sms.placeholders.dataload.dbscripts.initiateCCA=NA
-Dflyway.sms.placeholders.dataload.dbscripts.dashboardCCA=NA
-Dflyway.sms.placeholders.dataload.dbscripts.cleanupCCA=NA
-Dflyway.sms.placeholders.dataload.dbscripts.maintenanceCCA=NA
-Dflyway.platoui.placeholders.dataload.dbscripts.enabled=false
-Dflyway.platoui.placeholders.dataload.dbscripts.createDefaultViews=false
-Dflyway.platoui.placeholders.dataload.dbscripts.appid=SCFLIMIT
-Dflyway.platoui.placeholders.dataload.dbscripts.productName=NA
-Dflyway.platoui.placeholders.dataload.dbscripts.headerAppid=NA
-Dflyway.platoui.placeholders.dataload.dbscripts.rootProjectName=NA
-Dflyway.platoui.placeholders.dataload.dbscripts.domain=NA
-Dflyway.platoui.placeholders.dataload.dbscripts.menu.parent=NA
-Dflyway.platoui.placeholders.dataload.dbscripts.menu.sequence=0
-Dflyway.platoui.placeholders.dataload.dbscripts.menu.prefix=NA
-Dflyway.platoui.placeholders.dataload.dbscripts.uploadCCA=NA
-Dflyway.platoui.placeholders.dataload.dbscripts.initiateCCA=NA
-Dflyway.platoui.placeholders.dataload.dbscripts.dashboardCCA=NA
-Dflyway.platoui.placeholders.dataload.dbscripts.cleanupCCA=NA
-Dflyway.platoui.placeholders.dataload.dbscripts.maintenanceCCA=NA
-Dflyway.domain.placeholders.dataload.dbscripts.enabled=false
-Dflyway.domain.placeholders.dataload.dbscripts.createDefaultViews=false
-Dflyway.domain.placeholders.dataload.dbscripts.appid=SCFLIMIT
-Dflyway.domain.placeholders.dataload.dbscripts.productName=NA
-Dflyway.domain.placeholders.dataload.dbscripts.headerAppid=NA
-Dflyway.domain.placeholders.dataload.dbscripts.rootProjectName=NA
-Dflyway.domain.placeholders.dataload.dbscripts.domain=NA
-Dflyway.domain.placeholders.dataload.dbscripts.menu.parent=NA
-Dflyway.domain.placeholders.dataload.dbscripts.menu.sequence=0
-Dflyway.domain.placeholders.dataload.dbscripts.menu.prefix=NA
-Dflyway.domain.placeholders.dataload.dbscripts.uploadCCA=NA
-Dflyway.domain.placeholders.dataload.dbscripts.initiateCCA=NA
-Dflyway.domain.placeholders.dataload.dbscripts.dashboardCCA=NA
-Dflyway.domain.placeholders.dataload.dbscripts.cleanupCCA=NA
-Dflyway.domain.placeholders.dataload.dbscripts.maintenanceCCA=NA

```

```

-Dflyway.domain.placeholders.CLOUD_REQ_YN=N
-Dflyway.platobatch.placeholders.CMC_REQ_YN=Y
-DEncryptionFlag=false
-Dcustomday0.enabled=true
-Dflywayday0.enabled=true
-Dflyway.domain.placeholders.application_code=OBSCF
-Dapigateway_url=${APIGATEWAY_URL}
-Dflyway.platoui.placeholders.apigateway_url=${APIGATEWAY_URL}
-DCMC_REQ_YN=Y
-Dflyway.platobatch.placeholders.CMC_REQ_YN=Y
-Dflyway.platofeed.placeholders.CMC_REQ_YN=Y
-Dflyway.platofeed.placeholders.USER_REQ_YN=N
-Dflyway.platofeed.placeholders.branchCode=004
-Dflyway.platofeed.placeholders.user_id=ADMINUSER1
exportJAVA_OPTIONS

```

Insert the below placeholders only if kafka Resilience is getting deployed.

```

-Dflyway.domain.placeholders.spring.cloud.stream.kafka.binder.brokers=${KAFKA_HOST1}:${KAFKA_SSL_PORT1},${KAFKA_HOST2}:${KAFKA_SSL_PORT2},${KAFKA_HOST3}:${KAFKA_SSL_PORT3}
-Dspring.cloud.stream.kafka.default.producer.sync=TRUE
-Dspring.cloud.stream.kafka.default.producer.configuration.max.block.ms=5000
-Dspring.cloud.stream.kafka.binder.replication-factor=1
-Dspring.cloud.stream.kafka.binder.required-acks=all
-Dspring.cloud.stream.kafka.binder.brokers=${KAFKA_HOST}:${KAFKA_PORT}
-Dspring.cloud.stream.kafka.binder.zkNodes=${ZOOKEEPER_HOST}:${ZOOKEEPER_PORT}
-Dspring.cloud.stream.kafka.binder.brokers=${KAFKA_HOST1}:${KAFKA_SSL_PORT1},${KAFKA_HOST2}:${KAFKA_SSL_PORT2},${KAFKA_HOST3}:${KAFKA_SSL_PORT3}
-Dspring.cloud.stream.kafka.binder.zkNodes=${ZOOKEEPER_HOST1}:${ZOOKEEPER_PORT1},${ZOOKEEPER_HOST2}:${ZOOKEEPER_PORT2},${ZOOKEEPER_HOST3}:${ZOOKEEPER_PORT3}

```

 Note:

If you do not want to run plato script for a specific module, remove its entry.

3

Environment Variables for OBSCFCM Domain

The following configuration should be applied to the OBSCFCM domain set up in the WebLogic server where the services are being deployed.

1. Go to the installation directory of the WebLogic server where the OBSCFCM services are being deployed.

Note:

For Ex: /scratch/app/Oracle/Middleware/Oracle_Home/
user_projects/domains/obscfcm/bin/

2. Create a file named **setUserOverrides.sh** with the following paramers.

Note:

The necessary placeholders for OBSCFCM services are provided. Please update the values as needed.

```
#!/bin/bash
JAVA_OPTIONS="${JAVA_OPTIONS}"
-Dplato.services.config.uri=${PLATO_SERVICES_CONFIG_URI}
-Dflyway.domain.placeholders.plato.service.logging.path=${LOG_PATH}
-Dplato.service.logging.path=${LOG_PATH}
-Dflyway.domain.placeholders.plato.service.env=${LOGGING_ENV}
-Dmulti.entity.enabled=true
-Dconductor.properties=/scratch/obma_installer/deployables/properties/
config.properties
-Dapigateway.url=${APIGATEWAY_URL}
-Dflyway.platoui.placeholders.apigateway.url=${APIGATEWAY_URL}
-Dapigateway.url=${APIGATEWAY_URL}
-Dapigateway_url=${APIGATEWAY_URL}
-Dapigateway.host=${APIGATEWAY_HOST}
-Dplato.services.entityservices.port=${SMS_PORT}
-Dobrema.processlog.logging.required=true
-Dflyway.platoui.placeholders.apigateway.host=${APIGATEWAY_HOST}
-Dflyway.platoui.placeholders.apigateway.port=${PLATO_APIGATEWAY_ROUTER_PORT}
-Dplato.db.jndi=${PLATO_JNDI}
-Dsms.db.jndi=${SMS_JNDI}
-Dplatoui.db.jndi=${PLATOUI_JNDI}
-Dcmc.db.jndi=${CMNCORE_JNDI}
-Dplatofeed.db.jndi=${PLATOFEED_JNDI}
-Deodbatch.db.jndi=${EODBATCH_JNDI}
-Deod.db.jndi=${EOD_JNDI}
-Dacct.db.jndi=${OBSCFCM_ACCOUNTING_JNDI}
```

```

-Dcharges.db.jndi=${OBSCFCM_CHARGES_JNDI}
-Dobscfcmcore.db.jndi=${OBSCFCM_CORE_SERVICES_JNDI}
-Dfilter.db.jndi=${OBSCFCM_FILTER_JNDI}
-Dinstrument.db.jndi=${OBSCFCM_INSTRUMENTS_JNDI}
-Dmanualrecon.db.jndi=${OBSCFCM_RECON_JNDI}
-Dmaint.db.jndi=${OBSCFCM_MAINTENANCE_JNDI}
-Dreport.db.jndi=${OBSCFCM_REPORT_JNDI}
-Dworkflow.db.jndi=${OBSCFCM_WORKFLOWS_JNDI}
-Dplatoorch.domain.jndi=${PLATOORCH_JNDI}
-Dplatosecurity.domain.jndi=${PLATOSECURITY_JNDI}
-Dplatobatch.db.jndi=${PLATOBATCH_JNDI}
-Dsfsalert.db.jndi=${SFS_ALERTS_JNDI}
-Dobscfcmalert.db.jndi=${OBSCFCM_ALERTS_JNDI}
-Dcache.evict.interval.milliseconds=7200000
-Dcache.evict.initialdelay.milliseconds=120000
-DapplicationCode=${APPLICATION_CODE}
-Dflyway.sms.placeholders.applicationCode=${APPLICATION_CODE}
-Deureka.readTimeout=10000
-Dribbon.connectTimeout=20000
-Dribbon.readTimeout=20000
-Dplato.services.eureka.uri=${EUREKA_PROTOCOL}://${APIGATEWAY_HOST}:${EUREKA_PORT}
-Dspring.zipkin.enabled=false
-Dspring.cloud.gcp.trace.enabled=false
-Dspring.sleuth.enabled=false
-Deureka.host=${APIGATEWAY_HOST}
-Deureka.port=${EUREKA_PORT}
-Dworkflowservice.eureka.port=${EUREKA_PROTOCOL}
-Dkafka.host=${APIGATEWAY_HOST}
-Dkafka.port=9092
-Dzookeeper.port=2181
-Dflyway.domain.placeholders.eureka.protocol=${EUREKA_PROTOCOL}
-Dobscfcm.maintenance.service.appId=OBSCFCMMAINT
-Dobscfcm.conductor.service.appId=OBSCFCMCDTR
-Dobcm.isObcmUserAvailable=N
-Dobcm.isObcmBranchAvailable=N
-Dobcm.service.userId=ADMINUSER1
-Dobcm.service.appId=OBSCMCF
-Dobcm.service.branchCode=000
-DSERVICECONSUMER=OBSCFCM_OBCM
-Dobscfcm.finance.service.appId=SCFFIN
-Dobscfcm.core.service.appId=SCFCORE
-Dspring.cloud.loadbalancer.ribbon.enabled=false
-Dplatosecurity.app.locations=db/migration/platosecurity/obscfcm-master-maintenance-services
-Dalert.service.alertMessage=AlertMessage
-Dobscfcm.mastermaintenance.service.appId=OBSCFCMMAINT
-Dobscfcm.maintenance.service.appId=OBSCFCMMAINT
-Dobscfcm.filter.service.appId=OBSCFCMFILTER
-Dobscfcm.core.service.appId=SCFCORE
-Dalert.service.serviceConsumer=SFS_ALERTS
-Dalert.service.serviceConsumer=OBSCFCM_ALERTS
-DapplicationCode=${APPLICATION_CODE}
-DutilityCache.evict.fixedrate.milliseconds=600000
-DutilityCache.evict.initialdelay.milliseconds=600000
-Dflyway.domain.placeholders.applicationCode=${APPLICATION_CODE}

```

```

-Xms1500m -Xmx3000m
-Dobcmmultinetting.service.appId=OBMMULTINET
-DEncryptionFlag=false
-Dflyway.domain.placeholders.branchCode=000
-Dflyway.domain.placeholders.isFreshInstallation=Y
-Dscfcm.isObvamUserAvailable=false
-Dscfcm.isObvamBranchAvailable=false
-Dscfcm.isFcubsUserAvailable=false
-Dscfcm.isFcubsBranchAvailable=false
-Dflyway.sms.placeholders.OBSCFCM_GENAI_ENABLED=N
-Dflyway.domain.placeholders.application_code=${APPLICATION_CODE}
-Dflyway.platoui.placeholders.apigateway_url=${APIGATEWAY_URL}
-Dflyway.domain.placeholders.application_code=${APPLICATION_CODE}
-Dspring.main.allow-circular-references=true
-Dspring.main.allow-bean-definition-overriding=true
-Dflyway.cmc.placeholders.applicationCode=${APPLICATION_CODE}
-Dobcm.collection.maint.service.appId=OBCCOL
-Ddedupe.service.serviceConsumer=OBSCFCM_FINANCE_DEDUPE
-Ddedupe.service.register=REGISTER
-Ddedupe.service.status=STATUS
-Ddedupe.service.finance=FINANCINGS
-Ddedupe.service.cancel=CANCELLATIONS
-Ddedupe.service.cancelStatus=CANCELLATIONSSTATUS
-Ddedupe.service.clientId=77QdQGPI6aXS0aKY6bua2SgyyXIoxwjG
-
Ddedupe.service.clientSecret=442t9wuejDJANnZBZMYNJ_KCGDCZ-7VHAbagSeq8_o5oVNJeL
IVy1g7dVvhnpuhN
-Ddedupe.service.audience=https://api.uat.securefinancing.com
-Ddedupe.service.grantType=client_credentials
-Ddedupe.service.documentType=CINV
-Ddedupe.service.cancellationReason=EXNB
-Ddedupe.service.submitFinancialInstitutionId=3ac506ec-8b62-4eab-
b4c3-0dead0bc9f21
-Dpartner.status.fetch.limit=500
-Dinvoice.ml.serviceConsumerService=PredictAnomaly
-Dinvoice.ml.serviceConsumer=OBSCFCM_ML
-Dflyway.domain.placeholders.accounting.obvam.userid=ADMINUSER1
-Dflyway.domain.placeholders.manualrecon.obvam.userid=ADMINUSER1
-Dobvam.service.sourceCode=OBDX
-Dinvoice.ml.pollStatusConsumerService=PollPredictionStatus
-Dinvoice.ml.ReadAnomalyStatus=ReadAnomalyStatus
-Dautoreconbatch.gridSize=50
-Dflyway.domain.placeholders.normal.front.prod=VENF
-Dflyway.domain.placeholders.compound.rear.prod=BCVD
-Dflyway.domain.placeholders.normal.rear.prod=SUPF
export JAVA_OPTIONS

```

Insert the below placeholders only if kafka Resilience is getting deployed.

```

-Dflyway.domain.placeholders.spring.cloud.stream.kafka.binder.brokers=${
{KAFKA_HOST1}:${KAFKA_SSL_PORT1},{KAFKA_HOST2}:${KAFKA_SSL_PORT2},{
{KAFKA_HOST3}:${KAFKA_SSL_PORT3}
-Dspring.cloud.stream.kafka.binder.brokers=${KAFKA_HOST1}:${KAFKA_SSL_PORT1},{
{KAFKA_HOST2}:${KAFKA_SSL_PORT2},{KAFKA_HOST3}:${KAFKA_SSL_PORT3}
-Dflyway.platoorch.placeholders.obscf_role_id=null

```

```
-Dspring.cloud.stream.kafka.default.producer.sync=TRUE
-Dspring.cloud.stream.kafka.default.producer.configuration.max.block.ms=5000
-Dspring.cloud.stream.kafka.binder.replication-factor=1
-Dspring.cloud.stream.kafka.binder.required-acks=all
-Dspring.cloud.stream.kafka.binder.brokers=${KAFKA_HOST1}:${KAFKA_SSL_PORT1},$
{KAFKA_HOST2}:${KAFKA_SSL_PORT2},${KAFKA_HOST3}:${KAFKA_SSL_PORT3}
-Dspring.cloud.stream.kafka.binder.zkNodes=${ZOOKEEPER_HOST1}:$
{ZOOKEEPER_PORT1},${ZOOKEEPER_HOST2}:${ZOOKEEPER_PORT2},${ZOOKEEPER_HOST3}:$
{ZOOKEEPER_PORT3}
```

**Note:**

To avoid running the plato script for a particular module, simply delete its entry.

Index

E

Environment Variables for OBSCF Domain, [2-1](#)

Environment Variables for OBSCFCM Domain,
[3-1](#)

Environment Variables for Oracle Banking

Microservices Architecture Domain, [1-1](#)