

# Oracle Banking Trade Finance Process Management Cloud Service

## Process Code Maintenance User Guide



Release 14.8.0.0.0

G30019-01

April 2025

The Oracle logo, consisting of a solid red square with the word "ORACLE" in white, uppercase, sans-serif font centered within it.

ORACLE®

Oracle Banking Trade Finance Process Management Cloud Service Process Code Maintenance User Guide, Release 14.8.0.0.0

G30019-01

Copyright © 2025, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

# Contents

## Preface

---

|                             |     |
|-----------------------------|-----|
| Purpose                     | iv  |
| Audience                    | iv  |
| Documentation Accessibility | iv  |
| Critical Patches            | v   |
| Diversity and Inclusion     | v   |
| Structure                   | v   |
| Conventions                 | v   |
| Related Documents           | v   |
| Screenshot Disclaimer       | v   |
| Acronyms and Abbreviations  | vi  |
| Basic Actions               | vi  |
| Symbols and Icons           | vii |

## 1 Process Code Maintenance

---

|                         |     |
|-------------------------|-----|
| 1.1 Create Process Code | 1-1 |
| 1.2 View Process Code   | 1-4 |

## Index

---

# Preface

- [Purpose](#)
- [Audience](#)

This document is intended for the following audience:
- [Documentation Accessibility](#)
- [Critical Patches](#)
- [Diversity and Inclusion](#)
- [Structure](#)

This manual is organized into the following chapters:
- [Conventions](#)
- [Related Documents](#)
- [Screenshot Disclaimer](#)
- [Acronyms and Abbreviations](#)
- [Basic Actions](#)
- [Symbols and Icons](#)

## Purpose

This manual is designed to help you quickly get acquainted with the Oracle Banking Trade Finance Process Management Cloud Service **Process Code Maintenance** process.

## Audience

This document is intended for the following audience:

- Oracle Implementers
- Customer Service Representatives (CSRs)
- Oracle user

## Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

### Access to Oracle Support

Oracle customer access to and use of Oracle support services will be pursuant to the terms and conditions specified in their Oracle order for the applicable services.

## Critical Patches

Oracle advises customers to get all their security vulnerability information from the Oracle Critical Patch Update Advisory, which is available at [Critical Patches](#), [Security Alerts and Bulletins](#). All critical patches should be applied in a timely manner to ensure effective security, as strongly recommended by [Oracle Software Security Assurance](#).

## Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

## Structure

This manual is organized into the following chapters:

- Preface gives information on the intended audience, structure, and related documents for this User Manual.
- The subsequent chapters provide an overview to the module.

## Conventions

The following text conventions are used in this document:

| Convention      | Meaning  |
|-----------------|--|
| <b>boldface</b> | Boldface type indicates graphical user interface elements associated with an action, or terms defined in text.                         |
| <i>italic</i>   | Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.                          |
| monospace       | Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter. |

## Related Documents

For more information on any related features, you can refer to the following documents:

- Getting Started User Guide
- Oracle Banking Common Core User Guide

## Screenshot Disclaimer

Personal information used in the interface or documents is dummy and does not exist in the real world. It is only for reference purposes.

## Acronyms and Abbreviations

The list of the acronyms and abbreviations that are used in this guide are as follows:

**Table 1 Acronyms and Abbreviations**

| Abbreviation | Description   |
|--------------|---|
| OBTFFPM      | Oracle Banking Trade Finance Process Management               |
| OBTFFPMCS    | Oracle Banking Trade Finance Process Management Cloud Service |
| LC           | Letter of Credit  |
| BC           | Bankers Cheque  |
| FX           | Foreign Exchange  |
| CCY          | Currency  |
| LCY          | Local Currency  |
| FCY          | Foreign Currency  |
| LOV          | List of Values  |
| CIF          | Customer Information File                                     |
| UDF          | User Defined Fields   |
| FFT          | Free Format Text  |
| SBLC         | Standby Letter of Credit                                      |

## Basic Actions

Most of the screens contain Action Buttons to perform all or a few of the basic actions. The actions which are called here are generic, and it varies based on the usage and the applicability. The table below gives a snapshot of them:

**Table 2 Common Action Buttons and its Definitions**

| Action Buttons | Description   |
|----------------|---|
| <b>Reject</b>  | <p>On click of Reject, user must select a Reject Reason from a list displayed by the system.</p> <p>Reject Codes are:</p> <ul style="list-style-type: none"> <li>• R1- Documents missing</li> <li>• R2- Signature Missing</li> <li>• R3- Input Error</li> <li>• R4- Insufficient Balance/Limits</li> <li>• R5 - Others</li> </ul> <p>Select a Reject code and give a Reject Description.<br/>This reject reason will be available in the remarks window throughout the process.</p> |

Table 2 (Cont.) Common Action Buttons and its Definitions

| Action Buttons          | Description   |
|-------------------------|---|
| <b>Refer</b>            | Select a Refer Reason from the values displayed by the system.<br><br>Refer Codes are: <ul style="list-style-type: none"> <li>• R1- Documents missing</li> <li>• R2- Signature Missing</li> <li>• R3- Input Error</li> <li>• R4- Insufficient Balance/Limits</li> <li>• R5 - Others</li> </ul>                    |
| <b>Hold</b>             | The details provided will be saved and status will be on hold. User must update the remarks on the reason for holding the task.<br><br>This option is used, if there are any pending information yet to be received from applicant.   |
| <b>Cancel</b>           | Click <b>Cancel</b> to cancel the transaction input midway without saving any data.   |
| <b>Save &amp; Close</b> | Click <b>Save &amp; Close</b> to save the details provided and holds the task in 'My Task' queue for further update. This option will not submit the request.   |
| <b>Next</b>             | Click <b>Next</b> , system validates if all the mandatory fields have been captured. Necessary error and override messages to be displayed. On successful validation, system moves the task to the next data segment.   |
| <b>Submit</b>           | Click <b>Submit</b> to complete the transaction after you specify all the input parameters for a particular process. The task will get moved to next logical stage of the process. If mandatory fields have not been captured, system will display an error message until the mandatory fields data are provided. |

## Symbols and Icons

The list of symbols and icons available on the screens are as follows:

Table 3 Symbols and Icons - Common






| Symbol/Icon   | Function       |
|---|----------------|
|  | Minimize       |
|  | Maximize       |
|  | Close          |
|  | Perform Search |
|  | Open a list    |

Table 3 (Cont.) Symbols and Icons - Common























| Symbol/Icon   | Function   |
|---|--|
|    | Date Range   |
|    | Add a new record   |
|    | Navigate to the first record                             |
|    | Navigate to the last record                              |
|    | Navigate to the previous record                          |
|    | Navigate to the next record                              |
|    | Grid view  |
|    | List view  |
|  | Refresh  |
|  | Click this icon to add a new row.                        |
|  | Click this icon to delete a row, which is already added. |
|  | Calendar   |
|  | Alerts   |
|  | Unlock Option  |
|  | View Option  |
|  | Reopen Option  |



Table 4 Symbols and Icons - Widget

| Symbol/Icon   | Function            |
|---|---------------------|
|  | Open status         |
|  | Unauthorized status |
|  | Rejected status     |
|  | Closed status       |
|  | Authorized status   |
|  | Modification Number |

# 1

## Process Code Maintenance

Process code maintenance enables the user to set the process code to the individual stages according to the process. In the subsequent steps, let's look at the details for creating a process code:

This topic consists of following sub-topics:


- [Create Process Code](#)  
This topic provides the information to the user to initiate a process code maintenance. In the subsequent steps, let's look at the steps to create a process code:
- [View Process Code](#)  
This topic provides the systematic instructions to view the record maintained in the **View Process Code** screen as tiles.

### 1.1 Create Process Code

This topic provides the information to the user to initiate a process code maintenance. In the subsequent steps, let's look at the steps to create a process code:

Specify **User ID** and **Password**, and login to **Home** screen.

Figure 1-1 Login Screen



1. On **Home** screen, click **Core Maintenance**. Under **Core Maintenance**, click **Process Code**.
2. Under **Process Code**, click **Create Process Code**.  
The **Create Process Code** screen displays.

Figure 1-2 Create Process Code

- On **Create Process Code** screen, specify the fields.

**Note:**

The fields which are marked as **Required** are mandatory.

For more information on fields, refer to the field description table below.

Table 1-1 Create Process Code - Field Description

| Field                      | Description   |
|----------------------------|---|
| <b>Process Code</b>        | Specify an unique abbreviation for the process code. The code must be an alphanumeric text with length of maximum 10 character.         |
| <b>Process Description</b> | Specify the process description.  |
| <b>Process Version</b>     | Specify the process version.  |
| <b>Domain</b>              | Specify the domain name for the process to be created.  |
| <b>Add Row</b>             | Click Add Row to add multiple rows for adding the stage details of the process.   |
| <b>Stage ID</b>            | Specify the stage ID for the process.   |
| <b>Stage Description</b>   | Specify the description of the stage.   |
| <b>Seq Order</b>           | Read only field.<br>Displays the sequence order of the stage.   |
| <b>Source Stage</b>        | Select the option if the defined stage is a source stage.   |
| <b>Task Type</b>           | Select the task type. The options are: <ul style="list-style-type: none"> <li><b>System Task</b></li> <li><b>Manual Task</b></li> </ul> |
| <b>Add Row</b>             | Click Add Row to add multiple rows for adding the phase details of the process.   |
| <b>Phase Code</b>          | Specify the phase code for the process to be created.   |
| <b>Phase Description</b>   | Specify the description of the phase.   |

**Table 1-1 (Cont.) Create Process Code - Field Description**

| Field            | Description   |
|------------------|---|
| <b>Seq Order</b> | Read only field.<br>Displays the sequence order of the stage. |
| <b>Stage ID</b>  | Select the stage id for the phase.                            |

- Click **Save** to save the record.

The process code gets created.

For more information on action buttons, refer to the field description table below.

**Table 1-2 Create Process Code - Action Buttons - Field Description**

| Field         | Description                                   |
|---------------|---|
| <b>Save</b>   | Click the Save button to save the record.     |
| <b>Cancel</b> | Click the Cancel button to cancel the record. |

## 1.2 View Process Code


This topic provides the systematic instructions to view the record maintained in the **View Process Code** screen as tiles.

Specify **User ID** and **Password**, and login to **Home** screen.

- On **Home** screen, click **Core Maintenance**. Under **Core Maintenance**, click **Process Code**.
- Under **Process Code**, click **View Process Code**.

The **View Process Code** screen displays.

**Figure 1-3 View Process Code**




- On **View Process Code Maintenance** screen, following fields are displayed.


For more information on fields, refer to the field description table below.

**Table 1-3 View Process Code - Field Description**

| Field                      | Description   |
|----------------------------|---|
| <b>Process Code</b>        | Displays an unique abbreviation for the process code. The code is an alphanumeric text with length of maximum 10 character. |
| <b>Process Description</b> | Displays the process description.   |
| <b>Status</b>              | Displays the status of the record. Values are Authorized and Unauthorized.  |
| <b>Edit icon</b>           | Option to edit the record.  |

4. Click  icon, and then click **View** to view the details of the Process Code.

**Figure 1-4 Process Code**



For more information on fields, refer to the field description table below.

**Table 1-4 Process Code - Field Description**





| Field                      | Description   |
|----------------------------|---|
| <b>Process Code</b>        | Read only field.<br>Displays an unique abbreviation for the process code. The code is an alphanumeric text with length of maximum 10 character. |
| <b>Process Description</b> | Read only field.<br>Displays the process description.   |
| <b>Process Version</b>     | Read only field.<br>Displays the process version.   |
| <b>Domain</b>              | Read only field.<br>Displays the domain name for the process to be created.   |
| <b>Add Row</b>             | This button is disabled.  |
| <b>Stage ID</b>            | Read only field.<br>Displays the stage ID for the process.  |

**Table 1-4 (Cont.) Process Code - Field Description**

| Field                    | Description   |
|--------------------------|---|
| <b>Stage Description</b> | Read only field.<br>Displays the description of the stage.  |
| <b>Seq Order</b>         | Read only field.<br>Displays the sequence order of the stage.   |
| <b>Source Stage</b>      | Read only field.<br>Displays whether the defined stage is a source stage or not.  |
| <b>Task Type</b>         | Read only field.<br>Displays the task type. The options are: <ul style="list-style-type: none"> <li>• <b>System Task</b></li> <li>• <b>Manual Task</b></li> </ul> |
| <b>Add Row</b>           | This button is disabled.  |
| <b>Phase Code</b>        | Read only field.<br>Displays the phase code for the process to be created.  |
| <b>Phase Description</b> | Read only field.<br>Displays the description of the phase.  |
| <b>Seq Order</b>         | Read only field.<br>Displays the sequence order of the stage.   |
| <b>Stage ID</b>          | Read only field.<br>Displays the stage id for the phase.  |

**Audit**

The screen provides information about Maker and Checker User ID details, initiated date, time, status, modification number etc.

|   |  |
|---|--|
| <b>Maker</b>  | <b>Checker</b>   |
|  LAXMAN01                    |  LAXMAN02                         |
|  April 5, 2018 at 5:30:00 AM |  September 21, 2024 at 5:30:00 AM |
| <b>Status</b>   | <b>Modification No</b>   |
| <input checked="" type="radio"/> Authorized   | 1  |
| <input type="radio"/> Open  |  |

This screen provides information about user initiated the transaction, initiated date, stage wise detail etc.

For more information on audit, refer to the field description table below.

**Table 1-5 Audit - Field Description**

| Field             | Description                                       |
|-------------------|---|
| <b>Maker ID</b>   | System displays the maker ID.                     |
| <b>Checker</b>    | System displays the checker ID.                   |
| <b>Time stamp</b> | System displays the maker id date and time stamp. |

**Table 1-5 (Cont.) Audit - Field Description**

| <b>Field</b>            | <b>Description</b>   |
|-------------------------|--|
| <b>Time stamp</b>       | System displays the checker id date and time stamp.  |
| <b>Modification No.</b> | Displays the modification number.  |
| <b>Status</b>           | Displays the status of the record. Values are Authorized and Unauthorized. <ul style="list-style-type: none"><li>• <b>Un-authorized Record – View, Unlock and Authorize.</b></li><li>• <b>Authorized Record – View, Unlock</b></li></ul> |



# Index

## C

---

Create Process Code, [1-1](#)

## P

---

Process Code Maintenance, [1-1](#)

## V

---

View Process Code, [1-4](#)