

Oracle® Banking Virtual Account Management

Oracle Banking Routing Hub Integration Guide



Release 14.6.0.0.0

F59129-01

May 2022

The Oracle logo, consisting of a solid red square with the word "ORACLE" in white, uppercase, sans-serif font centered within it.

ORACLE®

Oracle Banking Virtual Account Management Oracle Banking Routing Hub Integration Guide, Release 14.6.0.0.0

F59129-01

Copyright © 2018, 2022, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

1 Preface

2 Integration Guide

2.1	Introduction	2-1
2.2	APIs configured using Oracle Banking Routing Hub	2-1
2.2.1	DDA Implementation	2-2
2.2.1.1	Service Providers - DDA	2-2
2.2.1.2	Consumer Services - DDA	2-3
2.2.2	EXTERNAL ACCOUNT Implementation	2-14
2.2.2.1	Service Providers - EXTERNAL ACCOUNT	2-14
2.2.2.2	Consumer Services - EXTERNAL ACCOUNT	2-15
2.2.3	Oracle Banking Payments Implementation	2-17
2.2.3.1	Service Providers - Oracle Banking Payments	2-17
2.2.3.2	Consumer Services - Oracle Banking Payments	2-18
2.2.4	Interest and Charges Implementation	2-19
2.2.4.1	Service Providers - Interest and Charges	2-19
2.2.4.2	Consumer Services - Interest and Charges	2-20
2.2.5	Oracle Banking Liquidity Management Implementation	2-30
2.2.5.1	Service Providers - Oracle Banking Liquidity Management	2-30
2.2.5.2	Consumer Services - Oracle Banking Liquidity Management	2-32
2.2.6	Oracle Banking Host to Host Implementation	2-35
2.2.6.1	Service Providers - Oracle Banking Electronic Data Exchange	2-35
2.2.6.2	Consumer Services - Oracle Banking Electronic Data Exchange	2-36

Index

1

Preface

Purpose

This guide provides information about the APIs configured in Oracle Banking Virtual Account Management through Oracle Banking Routing Hub. These APIs are configured to use the jars directly for the endpoint for different APIs like amount block, transaction journaling etc.

Audience

This guide is primarily intended for the following user/user roles:

Table 1-1 Audience

Role	Function
Implementation and IT Staff	Implementation and maintenance of the software

Acronyms and Abbreviations

The list of the acronyms and abbreviations that the used in this guide are as follows:

Table 1-2 Acronyms and Abbreviations

Acronyms and Abbreviation	Description
API	Application Programming Interface
ECA	External Credit Approval
REST	Representational State Transfer
URL	Uniform Resource Locator

List of Topics

This guide is organized as follows:

Table 1-3 List of Topics

Topics	Description
Integration Guide	This topic provides information about the APIs configured in Oracle Banking Virtual Account Management through Oracle Banking Routing Hub.

2

Integration Guide

This topic provides information about the APIs configured in Oracle Banking Virtual Account Management through Oracle Banking Routing Hub.


- [Introduction](#)
This topic provides the overview about Oracle Banking Routing Hub.
- [APIs configured using Oracle Banking Routing Hub](#)
This topic describes about the various APIs configured using Oracle Banking Routing Hub.

2.1 Introduction

This topic provides the overview about Oracle Banking Routing Hub.

Oracle Banking Routing Hub enables seamless & standardised integrations between FSGBU Banking Products using configurations provided as part of the product Infrastructure.

Figure 2-1 Oracle Banking Routing Hub Integration



For more details on configuration, refer to ***Routing Hub Configuration User Guide***.

2.2 APIs configured using Oracle Banking Routing Hub

This topic describes about the various APIs configured using Oracle Banking Routing Hub.

- [DDA Implementation](#)
This topic provides the API information for DDA Implementation.
- [EXTERNAL ACCOUNT Implementation](#)
This topic provides the API information for EXTERNAL ACCOUNT Implementation.
- [Oracle Banking Payments Implementation](#)
This topic provides the API information for Oracle Banking Payments Implementation.
- [Interest and Charges Implementation](#)
This topic provides the API information for Interest and Charges Implementation.

- [Oracle Banking Liquidity Management Implementation](#)
This topic provides the API information for Oracle Banking Liquidity Management Implementation.
- [Oracle Banking Host to Host Implementation](#)
This topic provides the API information for Oracle Banking Host to Host Implementation.

2.2.1 DDA Implementation

This topic provides the API information for DDA Implementation.

The following APIs are configured for DDA Implementation using Oracle Banking Routing Hub:

1. **closeECA**
Host: FCUBS
Version: 14.1 / 14.4
2. **EAC**
Host: FCUBS
Version: 14.1 / 14.4
3. **createECA**
Host: FCUBS
Version: 14.1 / 14.4
4. **handofftoDDA**
Host: FCUBS
Version: 14.1 / 14.4


The following Service Providers and Consumer Services needs to be configured in Oracle Banking Routing Hub:

- [Service Providers - DDA](#)
This topic describes about the service providers configuration for DDA systems.
- [Consumer Services - DDA](#)
This topic describes about the consumer services required for DDA Implementation.

2.2.1.1 Service Providers - DDA

This topic describes about the service providers configuration for DDA systems.

Multiple DDA providers are added to configure FCUBS 14.1 and FCUBS 14.4. They use SOAP APIs for request/response.

Figure 2-2 Service Providers - DDA

2.2.1.2 Consumer Services - DDA

This topic describes about the consumer services required for DDA Implementation.

The below endpoints must be configured under Consumer Services in Oracle Banking Routing Hub:

1. Create an amount block (createECA)
2. Close/release amount block (closeECA)
3. External account check (EAC)
4. Create a transaction (handofftoDDA)
5. Structure Address Create (StrcAddressServiceCreate)
6. Structure Address Modify (StrcAddressServiceModify)
7. Structure Address Close (StrcAddressServiceClose)
8. Structure Address Reopen (StrcAddressServiceReopen)
9. Create External VA (CreateExtVirtualAcc)
10. Modify External VA (ModifyExtVirtualAcc)
11. Close External VA (CloseExtVirtualAcc)
12. Reopen External VA (ReopenExtVirtualAcc)

Figure 2-3 Consumer Services - DDA

Actions	Name	Description
:	CloseExtVirtualAcc	Close External Virtual Account
:	StrcAddressServiceClose	Str Address Service Close
:	StrcAddressServiceModify	Str Address Service Modify
:	StrcAddressServiceReopen	Str Address Service reopen
:	StrcAddressServiceCreate	Str Address Service Create
:	closeECA	Close External Credit Approval
:	createECA	Create External Credit Approval
:	EAC	External Account Check
:	handoffToDda	hand off the transaction to dda
:	ReopenExtVirtualAcc	ReopenExtVirtualAcc
:	ModifyExtVirtualAcc	ModifyExtVirtualAcc
:	CreateExtVirtualAcc	Create external Virtual Account

Page 2 of 2 (11 - 12 of 12 items) < > 1 2 >

As part of Multi-Entity changes, add the EntityId of DDA System under <fcub:ENTITY> </fcub:ENTITY> tags in velocity template for each operation as shown below.

Figure 2-4 View Transformation

View Transformation

Service

Request Transformation

Template Type: VELOCITY

Template:

```
<fcub:BRANCH>$body.currentBranchCode</fcub:BRANCH>
<fcub:ENTITY>ENTITY_ID1</fcub:ENTITY>
<fcub:SERVICE>FCUBSCAService</fcub:SERVICE>
<fcub:OPERATION>CreateEcablk</fcub:OPERATION>
```

Response Transformation

createECA

This API enables the user to create an amount block.

Request / Response for FCUBS Version 14.1 and 14.4

SERVICE-CONSUMER = "OBVAM_DDA"

SERVICE-CONSUMER-SERVICE="createECA"

Request:

```
{
  "userID": "",
  "currentBranchCode": "",
  "ddaSystem": "",
  "transactionrefNo": "",
  "creatEextRefNo": "",
  "ecaReferenceNo": "",
  "source": "",
  "effectiveDate": "",
  "ecaBlockDetailsDTO":
  [
    {
      "accountNo": "",
      "accCurrency": "",
      "accountbranch": "",
      "blockStatus": "",
      "drCrIndicator": "",
      "sweepRequired": "",
      "partialBlkReqd": "",
      "remarks": "",
      "requestBlkAmount": "",
      "approvedBlkAmount": "",
      "outstandingBlkAmount": "",
      "partialReleaseAllowed": ""
    }
  ]
}
```

Response:

```
{
  "MSGSTAT":"" (SUCCESS/FAILUER)
  "{ERROR_CODE}":"{ERROR_DESC}"(if MSGSTAT = FAILUER)
}
```

closeECA

This API enables the user to close/release the amount block.

Request / Response for FCUBS Version 14.1 and 14.4

SERVICE-CONSUMER = "OBVAM_DDA"

SERVICE-CONSUMER-SERVICE = "closeECA"

Request:

```
{
  "userID": "",
```

```
"currentBranchCode": "",
"ddaSystem": "",
"ecaReferenceNo": "",
"ddaReferenceNo": "",
"createextRefNo": "",
"source": "",
"ecaCloseDetailsDTO":
[
  {
    "accountNo": "",
    "accCurreny": "",
    "accountbranch": "",
    "blockStatus": ""
  }
]
```

Response:

```
{
  "MSGSTAT":""
}
```

EAC

This API enables the user to perform an external account check.

Request / Response for FCUBS Version 14.1 and 14.4

SERVICE-CONSUMER = "OBVAM_DDA"

SERVICE-CONSUMER-SERVICE = "ECA"

Request:

```
{
  "userID": "",
  "currentBranchCode": "",
  "ddaSystem": "",
  "realAccountNo": "",
  "drCrIndicator": "",
  "externalRefNo": "",
  "mcyFlag": "",
  "customerBranchCode": "",
  "ccy": "",
}
```

Response:

```
{
  "isValidAccount":""
}
```

handoffToDda

This API enables the user to create a transaction.

Request / Response for FCUBS Version 14.1 and 14.4

SERVICE-CONSUMER = "OBVAM_DDA"

SERVICE-CONSUMER-SERVICE = "handoffToDda"

Request:

```
{
  "userID": "",
  "currentBranchCode": "",
  "ddaSystem": "",
  "externalReferenceNo": "",
  "source": "",
  "ecaEntriesDetailsDTO":
  [
    {
      "module": "",
      "transactionRefNo": "",
      "eventserialNo": "",
      "event": "",
      "accBranch": "",
      "accountNumber": "",
      "accCCY": "",
      "drCrIndicator": "",
      "amttag": "",
      "lcyAmt": 0,
      "trnDate": "",
      "valueDate": "",
      "ecaRefernceNo": "",
      "blockReleaseStatus": "",
      "chequeMandatory": "",
      "availBalReqd": "",
      "intraDayRelease": "",
      "availInfo": "",
      "salaryCredit": "",
      "sweepRequried": "",
      "escrow": "",
      "AMLMontoring": "",
      "considerForAccActivity": "",
      "balUpdThruPC": "",
      "txnNarrative": "",
      "txnCode": "",
      "relatedCustomer": "",
      "fcyAmount": 0,
      "exchrates": 0
    }
  ]
}
```

Response:

```
{  
  "MSGSTAT": ""  
}
```

StrcAddressServiceCreate

This API enables the user to create structure address.

Request / Response for FCUBS Version 14.1 and 14.4

SERVICE-CONSUMER = "OBVAM_DDA"

SERVICE-CONSUMER-SERVICE= "StrcAddressServiceCreate"

Request

```
{  
  "department": "",  
  "subDepartment": "",  
  "streetName": "",  
  "buildingNumber": "",  
  "buildingName": "",  
  "floor": "",  
  "postbox": "",  
  "room": "",  
  "postcode": "",  
  "townName": "",  
  "townLocationName": "",  
  "districtName": "",  
  "countrySubDivision": "",  
  "strrCountry": "",  
  "virtualAccountNo": "",  
  "branchId": ""  
}
```

Response:

```
{  
  "MSGSTAT": ""  
}
```

StrcAddressServiceModify

This API enables the user to modify structure address.

Request / Response for FCUBS Version 14.1 and 14.4

SERVICE-CONSUMER = "OBVAM_DDA"

SERVICE-CONSUMER-SERVICE= "StrcAddressServiceModify"

Request:

```
{
  "department": "",
  "subDepartment": "",
  "streetName": "",
  "buildingNumber": "",
  "buildingName": "",
  "floor": "",
  "postbox": "",
  "room": "",
  "postcode": "",
  "townName": "",
  "townLocationName": "",
  "districtName": "",
  "countrySubDivision": "",
  "strCountry": "",
  "virtualAccountNo": "",
  "branchId": ""
}
```

Response:

```
{
  "MSGSTAT": ""
}
```

StrcAddressServiceClose

This API enables the user to close structure address.

Request / Response for FCUBS Version 14.1 and 14.4

SERVICE-CONSUMER = "OBVAM_DDA"

SERVICE-CONSUMER-SERVICE= "StrcAddressServiceClose"

Request:

```
{
  "department": "",
  "subDepartment": "",
  "streetName": "",
  "buildingNumber": "",
  "buildingName": "",
  "floor": "",
  "postbox": "",
  "room": "",
  "postcode": "",
  "townName": "",
  "townLocationName": "",
  "districtName": "",
  "countrySubDivision": "",
  "strCountry": "",
  "virtualAccountNo": "",
}
```

```
    "branchId": ""  
  }
```

Response:

```
{  
  "MSGSTAT": ""  
}
```

StrcAddressServiceReopen

This API enables the user to reopen structure address.

Request / Response for FCUBS Version 14.1 and 14.4

SERVICE-CONSUMER = "OBVAM_DDA"

SERVICE-CONSUMER-SERVICE= "StrcAddressServiceReopen"

Request:

```
{  
    "department": "",  
    "subDepartment": "",  
    "streetName": "",  
    "buildingNumber": "",  
    "buildingName": "",  
    "floor": "",  
    "postbox": "",  
    "room": "",  
    "postcode": "",  
    "townName": "",  
    "townLocationName": "",  
    "districtName": "",  
    "countrySubDivision": "",  
    "strrCountry": "",  
    "virtualAccountNo": "",  
    "branchId": ""  
}
```

Response:

```
{  
  "MSGSTAT": ""  
}
```

CreateExtVirtualAcc

This API enables the user to create external virtual account.

Request / Response for FCUBS Version 14.1 and 14.4

SERVICE-CONSUMER = "OBVAM_DDA"

SERVICE-CONSUMER-SERVICE= "CreateExtVirtualAcc"

Request:

```
{
  "countryCode": "",
  "address4": " ",
  "address3": "",
  "address2": "",
  "address1": "",
  "ecaCheckReq": "",
  "accountClass": "",
  "acStatDormant": "",
  "acStatFrozen": "",
  "glStatBlocked": "",
  "acStatNoDr": "",
  "acStatNoCr": "",
  "acOpenDate": "",
  "custAcName": "",
  "custAcCcy": "",
  "customerNo": "",
  "sourceSystemAccBrn": "",
  "sourceSystemAccNo": "",
  "sourceSystem": "",
  "custAcIban": "",
  "hostCode": "",
  "custAccountNo": "",
  "branchId": ""
}
```

Response:

```
{
  "MSGSTAT": ""
}
```

ModifyExtVirtualAcc

This API enables the user to modify external virtual account.

Request / Response for FCUBS Version 14.1 and 14.4

SERVICE-CONSUMER = "OBVAM_DDA"

SERVICE-CONSUMER-SERVICE= "ModifyExtVirtualAcc"

Request:

```
{
  "countryCode": "",
  "address4": " ",
  "address3": "",
  "address2": "",
  "address1": "",
  "ecaCheckReq": "",
  "accountClass": "",
  "acStatDormant": "",
```

```

"acStatFrozen": "",
"glStatBlocked": "",
"acStatNoDr": "",
"acStatNoCr": "",
"acOpenDate": "",
"custAcName": "",
"custAcCcy": "",
"customerNo": "",
"sourceSystemAccBrn": "",
"sourceSystemAccNo": "",
"sourceSystem": "",
"custAcIban": "",
"hostCode": "",
"custAccountNo": "",
"branchId": ""
}

```

Response:

```

{
  "MSGSTAT": ""
}

```

CloseExtVirtualAcc

This API enables the user to close external virtual account.

Request / Response for FCUBS Version 14.1 and 14.4

SERVICE-CONSUMER = "OBVAM_DDA"

SERVICE-CONSUMER-SERVICE= "CloseExtVirtualAcc"

Request:

```

{
  "countryCode": "",
  "address4": " ",
  "address3": "",
  "address2": "",
  "address1": "",
  "ecaCheckReq": "",
  "accountClass": "",
  "acStatDormant": "",
  "acStatFrozen": "",
  "glStatBlocked": "",
  "acStatNoDr": "",
  "acStatNoCr": "",
  "acOpenDate": "",
  "custAcName": "",
  "custAcCcy": "",
  "customerNo": "",
  "sourceSystemAccBrn": "",
  "sourceSystemAccNo": "",
  "sourceSystem": "",

```



```
    "custAcIban": "",
    "hostCode": "",
    "custAccountNo": "",
    "branchId": ""
  }
```

Response:

```
{
  "MSGSTAT": ""
}
```

ReopenExtVirtualAcc

This API enables the user to reopen external virtual account.

Request / Response for FCUBS Version 14.1 and 14.4

SERVICE-CONSUMER = "OBVAM_DDA"

SERVICE-CONSUMER-SERVICE= "ReopenExtVirtualAcc"

Request:

```
{
  "countryCode": "",
  "address4": "",
  "address3": "",
  "address2": "",
  "address1": "",
  "ecaCheckReq": "",
  "accountClass": "",
  "acStatDormant": "",
  "acStatFrozen": "",
  "glStatBlocked": "",
  "acStatNoDr": "",
  "acStatNoCr": "",
  "acOpenDate": "",
  "custAcName": "",
  "custAcCcy": "",
  "customerNo": "",
  "sourceSystemAccBrn": "",
  "sourceSystemAccNo": "",
  "sourceSystem": "",
  "custAcIban": "",
  "hostCode": "",
  "custAccountNo": "",
  "branchId": ""
}
```

Response:

```
{  
  "MSGSTAT": ""  
}
```

2.2.2 EXTERNAL ACCOUNT Implementation

This topic provides the API information for EXTERNAL ACCOUNT Implementation.

This API is used when the account number needs to be generated externally. Oracle Banking Virtual Account Management's account number generation will be suppressed and externally generated account number will be assigned.

The following API is configured using Oracle Banking Routing Hub:

1. OBVAM_EXTERNAL_ACCOUNT - ext_acc 14.4
 - SERVICE-CONSUMER - OBVAM_EXTERNAL_ACCOUNT
 - SERVICE-CONSUMER-SERVICE - ext_acc
 - REQUIRED_ACTION - VA / IBAN / VA_IBAN



Note:

VA / IBAN / VA_IBAN – Choose of the option based on Branch Parameter configuration.

The following Service Providers and Consumer Services needs to be configured in Oracle Banking Routing Hub:

- [Service Providers - EXTERNAL ACCOUNT](#)
This topic describes about the service providers configuration for EXTERNAL ACCOUNT.
- [Consumer Services - EXTERNAL ACCOUNT](#)
This topic describes about the consumer services required for EXTERNAL ACCOUNT Implementation.

2.2.2.1 Service Providers - EXTERNAL ACCOUNT

This topic describes about the service providers configuration for EXTERNAL ACCOUNT.

To configure the external system in Oracle Banking Routing Hub, import WSDL / Swagger provided by the external system.

Figure 2-5 Service Providers - EXTERNAL ACCOUNT




Figure 2-6 Service Providers - Edit Service Provider



2.2.2.2 Consumer Services - EXTERNAL ACCOUNT

This topic describes about the consumer services required for EXTERNAL ACCOUNT Implementation.

The below endpoint must be configured under Consumer Services in Oracle Banking Routing Hub:

1. Generate the account number externally (ext_acc)

Figure 2-7 Consumer Services - EXTERNAL ACCOUNT

Actions	Name	Description
⋮	ext_acc	ext acc gen

ext_acc

This API enables the user to generate the account number externally.

Request:

```
{
  "branchCode": "",
  "virtualEntityId": "",
  "virtualEntityName": "",
  "realCustomerNo": "",
  "defaultAccCcy": "",
  "virtualAccProduct": "",
  "virtualAccountNo": "",
  "ibanRequired": "",
  "ibanAccNo": "",
  "realAccountNo": "",
  "virtualAccountName": "",
  "addressLine1": "",
  "addressLine2": "",
  "addressLine3": "",
  "addressLine4": "",
  "pincode": "",
  "countryCode": "",
  "accountPurpose": "",
  "interestCalcReq": "",
  "accountFrozen": "",
  "balChkForDebits": "",
  "balAvailabilityOptions": "",
  "fixedAmtFromPool": "",
  "overdraftAllowed": "",
  "fixedAmount": "",
  "creditTxnsAllowed": "",
  "debitTxnsAllowed": "",
  "status": "",
  "realAccLinkage": "",
  "realAccountCcy": "",
  "realAccountBrn": "",
  "accOpenDate": "",
  "accClosureDate": "",
  "lastActivityDate": "",
  "odStartDate": "",
  "odEndDate": "",
}
```

```
"additionalFields": "",  
"StructuredAddressDTO": [],  
"sanctionChkStatus": ""  
}
```

Response:

```
{  
  "virtualAccountNo": "",  
  "ibanAccNo": ""  
}
```

2.2.3 Oracle Banking Payments Implementation

This topic provides the API information for Oracle Banking Payments Implementation.

The following APIs is configured for Oracle Banking Payments Implementation using Oracle Banking Routing Hub:

1. **OBVAM_OBPM - PendingPaymentQuery**
 - API - /api-gateway/cmc-obrh-services/route/dispatch
 - Headers –
 - SERVICE-CONSUMER - OBVAM_OBPM
 - SERVICE-CONSUMER-SERVICE - PendingPaymentQuery

The following Service Providers and Consumer Services needs to be configured in Oracle Banking Routing Hub:


- [Service Providers - Oracle Banking Payments](#)
This topic describes about the service providers configuration for Oracle Banking Payments.
- [Consumer Services - Oracle Banking Payments](#)
This topic describes about the consumer services required for Oracle Banking Payments Implementation.

2.2.3.1 Service Providers - Oracle Banking Payments

This topic describes about the service providers configuration for Oracle Banking Payments.

To configure Oracle Banking Payments in Oracle Banking Routing Hub, import WSDL / Swagger provided by Oracle Banking Payments.

Figure 2-8 Service Providers - Oracle Banking Payments




2.2.3.2 Consumer Services - Oracle Banking Payments

This topic describes about the consumer services required for Oracle Banking Payments Implementation.

The below endpoint must be configured under Consumer Services in Oracle Banking Routing Hub:

1. Query for pending payment (PendingPaymentQuery)

Figure 2-9 Consumer Services - Oracle Banking Payments



PendingPaymentQuery

This API enables the user to query Oracle Banking Payments system for pending payments during account closure.

Request:

```
{
  "txnDet":
  {
    "customerAccount": ""
  },
  "header":
  {
    "functionId": "PMDPENDP",
    "action": "EXECUTEQUERY",
    "channel": "REST",
    "source": "MANL",
    "moduleId": "PM",
```

```
    "userId": "USER02", ** this user needs to be update as per OBPM user
    "userBranch": "HEL", ** this branch needs to be updated as per OBPM
user's branch
    "transactionId": ""
  }
}
```

Response:

```
{
  "status": "",
  "errorDTOList":
  [
    {
      "errorCode": "",
      "errorMessage": "",
      "additionalInfo": ""
    }
  ]
}
```

2.2.4 Interest and Charges Implementation

This topic provides the API information for Interest and Charges Implementation.

The following APIs are configured for DDA Implementation using Oracle Banking Routing Hub:

1. **fetchgcScIcRate**
2. **closeIEAccount**
3. **CREATE_EXT_IC_GRP_PRD**
4. **fetchAccuredInt**
5. **CREATE_EXT_IC_GRP**
6. **liquidateInterest**
7. **fetchExtICGrps**
8. **fetchPrdMapForGrp**
9. **CREATE_IC_ACCOUNT**

The following Service Providers and Consumer Services needs to be configured in Oracle Banking Routing Hub:


- [Service Providers - Interest and Charges](#)
This topic describes about the service providers configuration for Interest and Charges.
- [Consumer Services - Interest and Charges](#)
This topic describes about the consumer services required for Interest and Charges Implementation.

2.2.4.1 Service Providers - Interest and Charges

This topic describes about the service providers configuration for Interest and Charges.

To configure the Interest and Charges services in Oracle Banking Routing Hub, import WSDL / Swagger provided by Interest and charges services.

Figure 2-10 Service Providers - Interest and Charges



2.2.4.2 Consumer Services - Interest and Charges

This topic describes about the consumer services required for Interest and Charges Implementation.

The below endpoints must be configured under Consumer Services in Oracle Banking Routing Hub:

1. Fetch Interest Rate for A Virtual Account (fetchgcScIcRate)
2. Close Virtual Account (closeIEAccount)
3. Event for account group product mapping (CREATE_EXT_IC_GRP_PRD)
4. Fetch Accrued Interest (fetchAccruedInt)
5. Event to create account group (CREATE_EXT_IC_GRP)
6. Event to Liquidate accrued interest for a Virtual account (liquidateInterest)
7. Fetch Bank Level IC Group (fetchExtICGrps)
8. Fetch Product Map For Group (fetchPrdMapForGrp)
9. Virtual accounts creation to IC system (CREATE_IC_ACCOUNT)
10. vdbalMaster

Figure 2-11 Consumer Services - Interest and Charges

Actions	Name	Description
:	CREATE_EXT_IC_GRP_PRD	Event for account group product mapping
:	fetchAccuredInt	Fetch Accured Interest
:	fetchgcScIcRate	Fetch Interest Rate For A Virtual Account
:	liquidateInterest	Event to Liquidate accrued interest for a Virtual account
:	CREATE_IC_ACCOUNT	Virtual accounts creation to IC system
:	fetchExtICGrps	Fetch Bank Level IC Group
:	CREATE_EXT_IC_GRP	Event to create account group
:	fetchPrdMapForGrp	Fetch Product Map For Group
:	closeIcAccount	Close Virtual Account In OBLM

fetchgcScIcRate

This API enables the user to fetch the interest rates for a Virtual Account.

Request / Response

SERVICE-CONSUMER = "OBVAM_IC"

SERVICE-CONSUMER-SERVICE = "fetchgcScIcRate"

Request:

```
{
  "branch": "string",
  "account": "string",
  "extAccGrp": "string",
  "accGrp": "string",
  "dateFrom": "string",
  "dateTo": "string",
  "ccy": "string",
  "dateType": "string",
}
```

Response:

```
{
  "data":
  [
    {
      "aclass": "string",
      "productCode": "string",
      "ccyCode": "string",
      "udeEffDt": "string",
      "branchCode": "string",
      "RateCategory": "string",
      "productdesc": "string",
      "GenUdeValList":
      [
```

```

        {
          "udeId": "string",
          "udeDesc": "string",
          "udeType": "string",
          "udeValue": 0,
          "rateCode": "string",
          "tdRateCode": "string"
        }
      ]
    },
    "warnings":
    [
      {
        "warningCode": "string",
        "warningDesc": "string"
      }
    ],
    "errors":
    [
      {
        "errorCode": "string",
        "errorDesc": "string"
      }
    ]
  }
}

```

closeIEAccount

This API enables the user to close a Virtual Account.

Request / Response

SERVICE-CONSUMER = "OBVAM_IC"

SERVICE-CONSUMER-SERVICE = "closeIEAccount"

Request:

```

{
  "source": "string",
  "branch": "string",
  "acc": "string",
  "currency": "string"
}

```

Response:

```

{
  "warnings":
  [
    {
      "warningCode": "string",
      "warningDesc": "string"
    }
  ],
}

```

```
"errors":
[
  {
    "errorCode": "string",
    "errorDesc": "string"
  }
]
}
```

CREATE_EXT_IC_GRP_PRD

This API enables the user to generate an event for account group product mapping.

Request / Response

SERVICE-CONSUMER = "OBVAM_IC"

SERVICE-CONSUMER-SERVICE = "CREATE_EXT_IC_GRP_PRD"

Request:

```
{
  "accGrp": "string",
  "accGrpDesc": "string",
  "accProdList":
  [
    {
      "productCode": "string",
      "productDescription": "string",
      "ccy": "string",
      "open": "string"
    }
  ]
}
```

Response:

```
{
  "warnings":
  [
    {
      "warningCode": "string",
      "warningDesc": "string"
    }
  ],
  "errors":
  [
    {
      "errorCode": "string",
      "errorDesc": "string"
    }
  ]
}
```

fetchAccuredInt

This API enables the user to fetch the accrued Interest.

Request / Response

SERVICE-CONSUMER = "OBVAM_IC"

SERVICE-CONSUMER-SERVICE = "fetchAccuredInt"

Request:

```
{
  "brn": string,
  "acc": string,
  "source": string
}
```

Response:

```
{
  "data":
  {
    "brn": "string",
    "acc": "string",
    "source": "string",
    "totalAccrDr": 0,
    "totalAccrCr": 0,
    "accruedAmtList":
    [
      {
        "acc": "string",
        "brn": "string",
        "prod": "string",
        "frmNo": 0,
        "accruedAmt": 0,
        "drccr": "string"
      }
    ]
  },
  "warnings":
  [
    {
      "warningCode": "string",
      "warningDesc": "string"
    }
  ],
  "errors":
  [
    {
      "errorCode": "string",
      "errorDesc": "string"
    }
  ]
}
```

CREATE_EXT_IC_GRP

This API enables the user to generate an event to create an account group.

Request / Response

SERVICE-CONSUMER = "OBVAM_IC"

SERVICE-CONSUMER-SERVICE = "CREATE_EXT_IC_GRP"

Request:

```
{
  "accGrp": "string"
  "accGrpDesc": "string"
  "extAccGrp": "string"
  "extAccGrpDesc": "string"
  "extAccGrpType": "string"
}
```

Response:

```
{
  "warnings":
  [
    {
      "warningCode": "string",
      "warningDesc": "string"
    }
  ],
  "errors":
  [
    {
      "errorCode": "string",
      "errorDesc": "string"
    }
  ]
}
```

liquidateInterest

This API enables the user to generate an event to liquidate accrued interest for a Virtual account.

Request / Response

SERVICE-CONSUMER = "OBVAM_IC"

SERVICE-CONSUMER-SERVICE = "liquidateInterest"

Request:

```
{
  "onliq":
  [
    {
      "branchCode": "string",
```

```

        "accountNumber": "string",
        "productCode": "string",
        "liquidationDate": "string"
    }
]
}

```

Response:

```

{
  "onliq":
  [
    {
      "msgStat": "string",
      "onliq": {},
      "warnings":
      [
        {
          "warningCode": "string",
          "warningDesc": "string"
        }
      ],
      "errors":
      [
        {
          "errorCode": "string",
          "errorDesc": "string"
        }
      ]
    }
  ]
}

```

fetchExtICGrps

This API enables the user to fetch a Bank-Level IC Group.

Request / Response

SERVICE-CONSUMER = "OBVAM_IC"

SERVICE-CONSUMER-SERVICE = "fetchExtICGrps"

Request:

```

{
  "accGrp": "string",
  "extAccGrpType": "string"
}

```

Response:

```

{
  "data":
  {

```

```
    "AccGrpList":
    [
      {
        "accGrp": "string",
        "accGrpDesc": "string",
        "extAccGrpType": "string"
      }
    ]
  },
  "errors":
  [
    {
      "errorCode": "string",
      "errorDesc": "string"
    }
  ]
}
```

fetchPrdMapForGrp

This API enables the user to fetch a Product Map for Group.

Request / Response

SERVICE-CONSUMER = "OBVAM_IC"

SERVICE-CONSUMER-SERVICE = "fetchPrdMapForGrp"

Request:

```
{
  "accGrp": "string",
  "productCode": "string",
  "ccy": "string"
}
```

Response:

```
{
  "data":
  {
    "IcGrpPrdList":
    [
      {
        "accGrp": "string",
        "accGrpDesc": "string",
        "accProdList":
        [
          {
            "productCode": "string",
            "productDescription": "string",
            "ccy": "string",
            "open": "string"
          }
        ]
      }
    ]
  }
}
```

```

    ]
  },
  "errors":
  [
    {
      "errorCode": "string",
      "errorDesc": "string"
    }
  ]
}

```

CREATE_IC_ACCOUNT

This API enables the user to create a Virtual account for the IC system.

Request / Response

SERVICE-CONSUMER = "OBVAM_IC"

SERVICE-CONSUMER-SERVICE = "CREATE_IC_ACCOUNT"

Request:

```

{
  "accMasterList":
  [
    {
      "acc": "string",
      "childAcc": "string",
      "accountClass": "string",
      "accType": "string",
      "acOpenDate": "string",
      "bookAcc": "string",
      "bookBrn": "string",
      "bookCcy": "string",
      "brn": "string",
      "calcAcc": "string",
      "ccy": "string",
      "custNo": "string",
      "consolChgAcc": "string",
      "intStartDate": "string",
      "sourceSystem": "string",
      "sourceSystemBrn": "string",
      "sourceSystemAcc": "string",
      "chargeBookAcc": "string",
      "chargeBookBrn": "string",
      "chargeBookCcy": "string",
      "chgStartDate": "string"
    }
  ]
}

```

Response:

```

{
  "warnings":

```



```
[
  {
    "warningCode": "string",
    "warningDesc": "string"
  }
],
"errors":
[
  {
    "errorCode": "string",
    "errorDesc": "string"
  }
]
}
```

vdbalMaster

This API enables the user to fetch a Virtual account balance.

Request / Response

SERVICE-CONSUMER = "OBVAM_IC"

SERVICE-CONSUMER-SERVICE = "vdbalMaster"

Request:

```
{
  "type" : "string",
  "extRefNo" : "string",
  "sourceCode" : "string",
  "vdBalList": [
    {
      "acc" : "string",
      "brn": "string",
      "ccy": "string",
      "valDt": "string"
    }
  ]
}
```

Response:

```
{
  "warnings":
  [
    {
      "warningCode": "string",
      "warningDesc": "string"
    }
  ],
  "errors": null
}
```

2.2.5 Oracle Banking Liquidity Management Implementation

This topic provides the API information for Oracle Banking Liquidity Management Implementation.

The following API is configured for Oracle Banking Liquidity Management Implementation using Oracle Banking Routing Hub:

1. getLMAccount

Host: OBVAM

Version: 14.4

SERVICE-CONSUMER = "OBVAM_OBLM"

The following Service Providers and Consumer Services needs to be configured in Oracle Banking Routing Hub:

- [Service Providers - Oracle Banking Liquidity Management](#)
This topic describes about the service providers configuration for Oracle Banking Liquidity Management.
- [Consumer Services - Oracle Banking Liquidity Management](#)
This topic describes about the consumer services required for Oracle Banking Liquidity Management Implementation.

2.2.5.1 Service Providers - Oracle Banking Liquidity Management

This topic describes about the service providers configuration for Oracle Banking Liquidity Management.

To configure the Oracle Banking Liquidity Management in Oracle Banking Routing Hub, import WSDL / Swagger provided by Oracle Banking Liquidity Management.

Figure 2-12 Service Providers - Oracle Banking Liquidity Management

Service Consumers

OBVAM_OBLM


Service Providers | Consumer Services

+ Add | Import | Search

OBLM

Version 14.4
Type INTERNAL
Status ACTIVE

Figure 2-13 Service Providers - Edit Service Provider




2.2.5.2 Consumer Services - Oracle Banking Liquidity Management

This topic describes about the consumer services required for Oracle Banking Liquidity Management Implementation.

The below endpoint must be configured under Consumer Services in Oracle Banking Routing Hub:

1. Get the Liquidity Management account lists (getLMAccount)

Figure 2-14 Consumer Services - Oracle Banking Liquidity Management



getLMAccount

This API enables the user to get the Liquidity Management account lists.

Request:

```
{
  "includeAllAccount": "",
  "authStat": "",
  "multiCcyAccountNumber": "",
  "isProspect": ""
}
```

```

    "acyAvailableBal": "",
    "offset": "",
    "isExternal": "",
    "includecloseandunauth": "",
    "recordStat": "O",
    "accountNumber": "1000242",
    "isActive": "",
    "sourceSystemAccNo": "",
    "branchCode": "",
    "isNotional": "",
    "limit": "",
    "customerId": "",
    "currency": "",
    "isResident": ""
  }

```

Response:

```

{
  "body": {
    "data": {
      "data": [
        {
          "keyId": "1a939627-4629-4b30-bd10-ebdc01d7ba27",
          "makerId": "OBDX02",
          "makerDateStamp": "2018-11-30T13:05:31.000+00:00",
          "checkerId": "OBDX02",
          "checkerDateStamp": "2018-11-30T13:05:31.000+00:00",
          "modNo": 1,
          "recordStatus": "O",
          "authStatus": "A",
          "onceAuth": "Y",
          "doerRemarks": null,
          "approverRemarks": null,
          "sourceSystem": "OBDX",
          "sourceSystemAccNo": null,
          "iban": null,
          "updatedIban": null,
          "logCode": "fb79f58f-8206-465d-9bdd-72fb8cccd31b",
          "accountNumber": "OBDX_SYSACC_8665",
          "accountDescription": "OBDX_SYSACC_8665 Notional
Account",
          "branchCode": "HEL",
          "bankCode": "0020",
          "cityId": "Sydney",
          "countryId": "AUS",
          "currency": "GBP",
          "customerId": "000464",
          "customerName": "XXX XXXXXX",
          "accCreatedDate": null,
          "accOpenDate": "2020-03-26",
          "accClosedDate": null,
          "acyAvailableBal": null,
          "acyCurrentBal": null,

```

```

    "lastBalUpdateTime": null,
    "isActive": "A",
    "isExternal": "External",
    "isResident": "R",
    "isNotional": "Y",
    "acyCasaBlockedAmt": null,
    "accCategory": "S",
    "drLimit": null,
    "crLimit": null,
    "ilRouteCode": null,
    "lineId": null,
    "limitCcy": null,
    "region": "Asia/Kolkata",
    "uncollFundsLimit": null,
    "uncollAvailable": null,
    "balCompParticipation": null,
    "odLimit": null,
    "isDebitUnlimited": "N",
    "groupCode": null,
    "groupDescription": null,
    "isNoCredit": null,
    "isNoDebit": null,
    "isFrozen": null,
    "isBlocked": null,
    "countryCode": null,
    "address4": null,
    "address3": null,
    "address2": null,
    "address1": null,
    "isDormant": null,
    "isProspect": "N",
    "isVirtual": null,
    "isICRequired": null,
    "isMultiCurrencyAccount": null,
    "multiCcyAccountNumber": null,
    "noBalanceHandling": "Last Balance",
    "isBalanceOnline": "Y",
    "branchDate": "2020-03-30",
    "isRegulatedDebits": "N",
    "entityID": "HEL_ENTITY",
    "entityName": "HEL_ENTITY_NAME",
    "bankName": "Futura Bank",
    "branchName": "HEL FC UNIVERSAL BANK",
    "countryName": "Australia",
    "simAccount": null,
    "LmmTmMultiCcyAccountDTO": null
  }
},
"paging": {
  "totalResults": 1,
  "links": {
    "next": null,
    "prev": null
  }
}
}

```

```
    },  
    "messages": {  
      "keyId": null,  
      "status": "SUCCESS",  
      "codes": [],  
      "requestId": null,  
      "httpStatusCode": "OK",  
      "overrideAuthLevelsReqd": null  
    }  
  }  
}
```

2.2.6 Oracle Banking Host to Host Implementation

This topic provides the API information for Oracle Banking Host to Host Implementation.

The following callback API is configured for Oracle Banking Electronic Data Exchange Implementation using Oracle Banking Routing Hub.

1. **parseResponse**
2. **handoffResponse**

Host: OBVAM

Version: 14.6

SERVICE-CONSUMER = "OBVAM_OBEDX"

The following Service Providers and Consumer Services needs to be configured in Oracle Banking Routing Hub:

- [Service Providers - Oracle Banking Electronic Data Exchange](#)
This topic describes about the service providers configuration for Oracle Banking Electronic Data Exchange Implementation.
- [Consumer Services - Oracle Banking Electronic Data Exchange](#)

2.2.6.1 Service Providers - Oracle Banking Electronic Data Exchange

This topic describes about the service providers configuration for Oracle Banking Electronic Data Exchange Implementation.

To configure the Oracle Banking Electronic Data Exchange in Oracle Banking Routing Hub, import WSDL / Swagger provided by Oracle Banking Electronic Data Exchange.

Figure 2-15 Service Providers - Oracle Banking Electronic Data Exchange




Figure 2-16 Service Providers - Edit Service Provider

The screenshot shows the 'Edit Service Provider' interface. It contains the following elements:

- Product Name ***: A text input field.
- Type ***: A dropdown menu.
- Version ***: A text input field.
- Active**: A toggle switch currently turned on.
- Headers**: A section with an 'Add' button (green plus icon) and a table with columns 'Actions', 'Name', and 'Value'. The table is currently empty.
- Service**: A section with a 'Type' dropdown menu (set to 'WSDL') and a 'URL' text input field. An 'Import' button is next to the URL field. Below this is another table with columns 'Service' and 'Operation', which is also empty.
- Save**: A button at the bottom right of the form.

2.2.6.2 Consumer Services - Oracle Banking Electronic Data Exchange

The following callback API is configured for Oracle Banking Electronic Data Exchange Implementation using Oracle Banking Routing Hub

Figure 2-17 Consumer Services - OBVAM_OBEDX

The screenshot shows the 'Service Consumers' page for 'OBVAM_OBEDX'. It has tabs for 'Service Providers' and 'Consumer Services'. The 'Consumer Services' tab is active, showing a table with the following data:

Actions	Name	Description
:	HandoffResponse	Callback with handoff response
:	ParseResponse	Callback with parsed response

At the bottom, there is a pagination control: Page 1 of 1 (1 - 2 of 2 items) with navigation arrows.

HandoffResponse

Request:

```
{
  "fileRefId": 110634,
  "internalRefId": null,
  "workflowInstanceId": ""
}
```



```
"fileStatus": "",
"cacheVersion": 0,
"fileOriginalName": "",
"fileModifiedName": "",
"fileSize": 692,
"formatName": null,
"createdBy": null,
"createdDate": 1651721400000,
"modifiedBy": null,
"modifiedDate": 1651721405000,
"transactionId": "",
"transactionName": null,
"transactionModNo": 1,
"formatId": "",
"formatModNo": 1,
"channelId": "",
"channelModNo": 1,
"corporateId": "",
"corporateModNo": 1,
"corporateRef": null,
"totalRecords": 2,
"successRecords": 0,
"failedRecords": 0,
"totalAmount": null,
"totalAmountCurrency": null,
"messageId": null,
"initiatingPartyName": null,
"initiatingPartyId": "",
"initiatingPartyCD": null,
"initiatingPartyAddress": {},
"groupStatus": null,
"groupStatusReasonCode": null,
"noOfHandoff": null,
"handoffId": null,
"corelationLevel": null,
"recordPersist": false,
"chunkSize": 2,
"chunkIndex": 1,
"totalChunks": 1,
"retryCount": 0,
"retryForChunk": [],
"fieldData": {
  "handoffId": null,
  "initiatingPartyName": null
},
"recordList": [{
  "recordId": 971614727779409900,
  "fileRefId": 110634,
  "modifiedBy": "",
  "modifiedDate": 1523052010000,
  "txnStatus": "",
  "statusCodes": "",
  "transactionId": "",
  "transactionModNo": 1,
  "createdDate": null,
```

```

"createdBy": null,
"fxRate": null,
"convertedCurrency": null,
"convertedAmount": null,
"fieldData": {
  "odStartDate": "",
  "virtualAccountName": "",
  "debitTxnsAllowed": "",
  "fixedAmtFromPool": null,
  "odEndDate": "",
  "transferInVirAccNo": null,
  "accountPurpose": "",
  "action": "new",
  "addressLine1": "",
  "buildingNumber": "",
  "addressLine2": "",
  "addressLine3": "",
  "addressLine4": "",
  "pincode": "",
  "townName": "",
  "overdraftSanctionAmount": null,
  "defaultAccCcy": "",
  "postBox": "",
  "virtualParentAcc": null,
  "realCustomerNo": "",
  "branchCode": "",
  "virtualEntityId": "",
  "transferOutVirAccNo": null,
  "buildingName": "",
  "structureCode": null,
  "postCode": "",
  "virtualAccountNo": null,
  "interestCalcReq": "N",
  "realAccountBrn": null,
  "ibanAccNo": null,
  "countrySubDivision": "",
  "realAccountCcy": null,
  "accountFrozen": "N",
  "subDepartment": "",
  "realAccountNo": null,
  "streetName": "",
  "ibanRequired": "",
  "countryCode": "",
  "balChkForDebits": "",
  "department": "",
  "floor": "",
  "virtualAccProduct": "",
  "townLocationName": "",
  "districtName": "",
  "overdraftAllowed": "",
  "creditTxnsAllowed": "",
  "strrCountry": "",
  "room": "",
  "realAccLinkage": "",
  "remarks": "",

```

```

        "balAvailabilityOptions": ""
    },
    "exceptionList": [{
        "exceptionCode": "",
        "exceptionArgs": "",
        "lineNo": 1,
        "CreateDate": null
    }]
}],
"exceptionList": []
}

```

Response:

```

{
  "body": {
    "messages": {
      "status": "SUCCESS",
      "codes": [{
        "information": true,
        "override": false,
        "error": false,
        "overrideAuthLevelsReqd": 0,
        "desc": "Record Created successfully",
        "code": "EDX-HCB-000",
        "language": "ENG",
        "type": "I"
      }],
      "httpStatusCode": "OK"
    },
    "data": {
      "links": []
    }
  }
}

```

ParseResponse

Request:

```

{
  "fileRefId": 110635,
  "internalRefId": null,
  "workflowInstanceId": "",
  "fileStatus": "",
  "cacheVersion": 0,
  "fileOriginalName": "",
  "fileModifiedName": "",
  "fileSize": 692,
  "formatName": "CSV",
  "createdBy": null,
  "createdDate": 1651721490130,
  "modifiedBy": null,
  "modifiedDate": null,

```

```
"transactionId": "",
"transactionName": "Open Virtual Account",
"transactionModNo": 1,
"formatId": "",
"formatModNo": 1,
"channelId": "",
"channelModNo": 1,
"corporateId": "",
"corporateModNo": 1,
"corporateRef": null,
"totalRecords": 2,
"successRecords": 0,
"failedRecords": 0,
"totalAmount": null,
"totalAmountCurrency": null,
"messageId": null,
"initiatingPartyName": null,
"initiatingPartyId": "",
"initiatingPartyCD": null,
"initiatingPartyAddress": {},
"groupStatus": null,
"groupStatusReasonCode": null,
"noOfHandoff": null,
"handoffId": null,
"corelationLevel": null,
"recordPersist": false,
"chunkSize": 2,
"chunkIndex": 1,
"totalChunks": 1,
"retryCount": 0,
"retryForChunk": [
  0
],
"fieldData": {
  "handoffId": null,
  "initiatingPartyName": null
},
"recordList": [{
  "recordId": 971615103983312900,
  "fileRefId": 110635,
  "modifiedBy": null,
  "modifiedDate": null,
  "txnStatus": "",
  "statusCodes": null,
  "transactionId": "",
  "transactionModNo": 1,
  "createdDate": null,
  "createdBy": "",
  "fxRate": null,
  "convertedCurrency": null,
  "convertedAmount": null,
  "fieldData": {
    "odStartDate": "",
    "accLiqdAllowed": "",
    "virtualAccountName": ""
  }
}]
```

```

    "debitTxnsAllowed": "Y",
    "fixedAmtFromPool": "",
    "odEndDate": "1990-01-01",
    "transferInVirAccNo": "",
    "accountPurpose": "",
    "action": "new",
    "addressLine1": "",
    "buildingNumber": "88",
    "addressLine2": "",
    "addressLine3": "",
    "addressLine4": "",
    "pincode": "",
    "townName": "",
    "defaultAccCcy": "",
    "postBox": "",
    "virtualParentAcc": "",
    "realCustomerNo": "",
    "branchCode": "",
    "virtualEntityId": "",
    "transferOutVirAccNo": "",
    "buildingName": "",
    "structureCode": "",
    "postCode": "",
    "virtualAccountNo": "",
    "interestCalcReq": "",
    "realAccountBrn": "",
    "ibanAccNo": "",
    "countrySubDivision": "",
    "realAccountCcy": "",
    "accountFrozen": "",
    "subDepartment": "",
    "realAccountNo": "",
    "streetName": "",
    "ibanRequired": "",
    "countryCode": "",
    "balChkForDebits": "",
    "fixedAmount": "",
    "department": "",
    "floor": "8",
    "virtualAccProduct": "",
    "townLocationName": "",
    "districtName": "",
    "overdraftAllowed": "",
    "creditTxnsAllowed": "",
    "strrCountry": "",
    "room": "",
    "realAccLinkage": "",
    "remarks": "",
    "balAvailabilityOptions": ""
  },
  "exceptionList": [{
    "exceptionCode": "",
    "exceptionArgs": "",
    "lineNo": 1,
    "CreatedDate": 1651721492536
  }

```

```
    ]]  
  ]],  
  "exceptionList": []  
}
```

Response:

```
{  
  "body": {  
    "messages": {  
      "status": "SUCCESS",  
      "codes": [{  
        "information": true,  
        "override": false,  
        "error": false,  
        "overrideAuthLevelsReqd": 0,  
        "desc": "Record Created successfully",  
        "code": "EDX-PCB-000",  
        "language": "ENG",  
        "type": "I"  
      }],  
      "httpStatusCode": "OK"  
    },  
    "data": {  
      "links": []  
    }  
  }  
}
```

Index

D

DDA Implementation, [2-2](#)

E

EXTERNAL ACCOUNT Implementation, [2-14](#)

I

Interest and Charges Implementation, [2-19](#)

O

Oracle Banking Host to Host Implementation,
[2-35](#)

Oracle Banking Liquidity Management
Implementation, [2-30](#)

Oracle Banking Payments Implementation, [2-17](#)