

Oracle® Banking Virtual Account Management Configuration User Guide



Release 14.7.1.0.0

F76996-01

May 2023

The Oracle logo, consisting of a solid red square with the word "ORACLE" in white, uppercase, sans-serif font centered within it.

ORACLE®

Copyright © 2018, 2023, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface

1 Account Bank Parameters

- 1.1 Create Account Bank Parameters 1-1
- 1.2 View Account Bank Parameters 1-3

2 Account Product Proposition

- 2.1 Create Account Product Proposition 2-1
- 2.2 View Account Product Proposition 2-6

3 Bank Parameters

- 3.1 Create Bank Parameters 3-1
- 3.2 View Bank Parameters 3-3

4 Branch Groups

- 4.1 Create Branch Groups 4-1
- 4.2 View Branch Groups 4-2

5 Branch Parameters

- 5.1 Create Branch Parameters 5-1
- 5.2 View Branch Parameters 5-6

6 ECA System Preferences

- 6.1 View ECA System Preferences 6-1

7 Entity Mask Configuration

- 7.1 Create Entity Mask Configuration 7-1

7.2	View Entity Mask Configuration	7-2
8	External DDA System	
8.1	Create External DDA System	8-1
8.2	View External DDA System	8-2
9	Identifier Branch Parameters	
9.1	Create Identifier Branch Parameters	9-1
9.2	View Identifier Branch Parameters	9-3
10	Identifier Mask Configuration	
10.1	Create Identifier Mask Configuration	10-1
10.2	View Identifier Mask Configuration	10-3
11	Inter-DDA General Ledger	
11.1	Create Inter-DDA General Ledger	11-1
11.2	View Inter-DDA General Ledger	11-2
12	Transaction Code Preferences	
12.1	Create Transaction Code Preferences	12-1
12.2	View Transaction Code Preferences	12-3
13	Transaction Limit Rule	
13.1	Create Transaction Limit Rule	13-1
13.2	View Transaction Limit Rule	13-3
14	Transaction Limits	
14.1	Create Transaction Limits	14-1
14.2	View Transaction Limits	14-2
A	Error Codes and Messages	

B Functional Activity Codes

C Annexure - Events

Index

Preface

Introduction

This guide helps to quickly get acquainted with the many functions routinely executed everyday in Oracle Banking Virtual Account Management.

Audience

This guide is intended for Back Office Data Entry Clerk, Back Office Managers/Officers, Product Managers, End of Day Operators, and Financial Controller users.

Acronyms and Abbreviations

The list of the acronyms and abbreviations that are used in this guide are as follows:

Table 1 Acronyms and Abbreviations

Abbreviation	Description
BBAN	Basic Bank Account Number
DDA	Demand Deposit Accounts
EAC	External Account Check
ECA	External Credit Approval
EOD	End of Day
IBAN	International Bank Account Number

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

List of Topics

This guide is organized as follows:

Table 2 List of Topics

Topics	Description
Account Bank Parameters	This topic provides the information about creating and viewing the configured account bank parameters.
Account Product Proposition	This topic provides the information about creating and viewing the configured account product proposition.
Bank Parameters	This topic provides the information about creating and viewing the configured bank parameters.
Branch Groups	This topic provides the information about creating and viewing the configured branch groups.
Branch Parameters	This topic provides the information about creating and viewing the branch parameters.
ECA System Preferences	This topic provides the information about viewing the ECA system preferences.
Entity Mask Configuration	This topic provides the information about creating and viewing the entity mask configuration.
External DDA System	This topic provides the information about creating and viewing the configured external DDA system.
Identifier Branch Parameters	This topic provides the information about creating and viewing the configured identifier branch parameters.
Identifier Mask Configuration	This topic provides the information about creating and viewing the configured Identifier mask configuration.
Inter-DDA General Ledger	This topic provides the information about creating and viewing the inter-DDA general ledger.
Transaction Code Preferences	This topic provides the information about creating and viewing the transaction code preferences.
Transaction Limit Rule	This topic provides the information about creating and viewing the transaction limit rule.
Transaction Limits	This topic provides the information about creating and viewing the transaction limits.


Basic Actions

This topic describes about basic actions of the screens that contain buttons to perform the basic actions.

Table 3 Basic Actions

Action	Description
Approve	Used to approve the initiated report. This button is displayed, once the user click Authorize .
Audit	Used to view the maker details, checker details and report status.
Authorize	Used to authorize the report created. A maker of the screen is not allowed to authorize the report. Only a checker can authorize a report, created by a maker.
Reject	Used to reject the report created. A maker of the screen is not allowed to authorize the report. Only a checker can reject a report, created by a maker.

Table 3 (Cont.) Basic Actions

Action	Description
Close	Used to close a record. This action is available only when a record is created.
Confirm	Used to confirm the performed action.
Cancel	Used to cancel the performed action.
Compare	Used to view the comparison through the field values of old record and the current record. This button is displayed in the widget, once the user click Authorize .
Collapse All	Used to hide the details in the sections. This button is displayed, once the user click Compare .
Expand All	Used to expand and view all the details in the sections. This button is displayed, once the user click Compare .
New	Used to add a new record. When the user click New , the system displays a new record enabling to specify the required data. <div style="border-left: 2px solid #0070C0; padding-left: 10px; margin-left: 20px;"> <p> Note: The fields marked as Required are mandatory.</p> </div>
OK	Used to confirm the details in the screen.
Save	Used to save the details entered or selected in the screen.
View	Used to view the report details in a particular modification stage. This button is displayed in the widget, once the user click Authorize .
View Difference only	Used to view a comparison through the field element values of old record and the current record, which has undergone changes. This button is displayed, once the user click Compare .
Unlock	Used to update the details of an existing record. System displays an existing record in editable mode.

Symbols and Icons

The following buttons are used in the screens:

Table 4 Symbols and Icons - Common




Symbol/Icon	Function
	Minimize
	Maximize
	Close

Table 4 (Cont.) Symbols and Icons - Common


















Symbol/Icon	Function
	Perform Search
	Open a list
	Date Range
	Add a new record
	Navigate to the first record
	Navigate to the last record
	Navigate to the previous record
	Navigate to the next record
	Grid view
	List view
	Refresh
	Click this icon to add a new row.
	Click this icon to delete a row, which is already added.
	Calendar
	Alerts
	Unlock Option
	View Option

Table 4 (Cont.) Symbols and Icons - Common


Symbol/Icon	Function
	Reopen Option

Table 5 Symbols and Icons – Audit Details












Symbol/Icon	Function
	A user
	Date and time
	Unauthorized or Closed status
	Authorized or Open status
	Rejected status

Table 6 Symbols and Icons - Widget

Symbol/Icon	Function
	Open status
	Unauthorized status
	Rejected status
	Closed status
	Authorized status
	Modification Number

Screenshot Disclaimer

Personal information used in the interface or documents are dummy and does not exist in the real world. It is only for reference purposes.

Related Documents

The related documents are as follows:

- *Oracle Banking Security Management System User Guide*
- *Oracle Banking Common Core User Guide*
- *Oracle Banking Getting Started User Guide*
- *Overview User Guide*
- *Charges User Guide*
- *Customer and Accounts User Guide*
- *Identifier User Guide*
- *Transactions User Guide*
- *Oracle Banking Virtual Account Management Installation Guide*

1

Account Bank Parameters

This topic provides the information about the Account Bank Parameters.

The **Account Bank Parameters** allows the user to configure bank level parameters for a virtual account.

This topic contains the following subtopics:

- [Create Account Bank Parameters](#)
This topic describes the systematic instructions to configure an account bank level parameters.
- [View Account Bank Parameters](#)
This topic describes the systematic instructions to view the list of configured account bank parameters.

1.1 Create Account Bank Parameters

This topic describes the systematic instructions to configure an account bank level parameters.

Specify **User ID** and **Password**, and login to **Home** screen.

1. On **Home** screen, click **Virtual Account Management**. Under **Virtual Account Management**, click **Configuration**.
2. Under **Configuration**, click **Account Bank Parameters**. Under **Account Bank Parameters**, click **Create Account Bank Parameters**.

The **Create Account Bank Parameters** screen displays.

Figure 1-1 Create Account Bank Parameters

The screenshot shows the 'Create Account Bank Parameters' screen with the following fields and sections:

- Bank Code**: Required text field.
- Bank Name**: Text field.
- Account Mask Details**:
 - Account Mask**: Required text field with allowed values: b,c,v,l,n,s,f,d,\$.
 - Checksum Algorithm**: Dropdown menu with 'Select Checksum Algorithm'.
 - Fixed Value**: Text field.
- Auto Generate Account**:
 - Auto Generate Account**: Toggle switch (currently off).
 - Start Account Number**: Text field.
 - End Account Number**: Text field.
- Account Closure Preferences**:
 - Positive Balance Transfer Allowed**: Toggle switch (currently off).
 - Negative Balance Transfer Allowed**: Toggle switch (currently off).
 - Transaction Code for Residual Transfer**: Text field with search icon.
 - Transaction Code for Offset**: Text field with search icon.

Buttons: **Cancel** and **Save**.

3. Specify the fields on **Create Account Bank Parameters** screen.

 **Note:**

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 1-1 Create Account Bank Parameters – Field Description


Field	Description
Bank Code	Click Search button to view and select the required bank code.
Bank Name	Based on the Bank Code selected, the information is auto-populated.
Account Mask	Specify the account mask that consists of b, c, v, t, n, s, f, d, \$ values. The mask must be one of the following characters: <ul style="list-style-type: none"> • b - Branch Code of Account • c - Customer Number • v - Virtual Entity ID • t - Account Product • n - User Input Numbers • s - Auto-generated Serial Number • f - Fixed Number • d - Check-sum • \$ - Currency Code of the Account
Checksum Algorithm	Select one of the required checksum algorithm from the drop-down list. <ul style="list-style-type: none"> • Modulo 10: If selected, you provide mask length of 10 characters. • Modulo 11: If selected, you can have either numeric or alphanumeric account mask. In case of numeric, D is appended to the account mask by the system and in case of alpha numeric, user must manually input D at the end of the mask. • Modulo 11 with Weights: If selected, you can have mask with size not more than 13 characters. • Modulo 97: If selected, you can have only numeric account mask. <div style="border: 1px solid #0070C0; padding: 5px; margin-top: 10px;"> <p> Note: By default, this option is selected.</p> </div> <ul style="list-style-type: none"> • User Defined: If selected, you can define the checksum algorithm.
Fixed Value	Specify the fixed values if the Virtual Account Mask contains character f . This field supports maximum of one alphanumeric character.
Auto Generate Account	By default, this option is disabled. If this option is enabled, system automatically generates numeric account numbers based on the range provided.

Table 1-1 (Cont.) Create Account Bank Parameters – Field Description

Field	Description
Start Account Number	If Auto Generate Account is selected, specify a start number for the account.
End Account number	If Auto Generate Account is selected, specify an end number for the account.
Positive Balance Transfer Allowed	If this option is enabled, an account closure request can be submitted with a positive balance in the account and the specified amount is transferred to the designated virtual account. If this option is disabled, a Closure request is not allowed for accounts with a positive balance.
Negative Balance Transfer Allowed	If this option is enabled, an account closure request can be submitted with a negative balance in the account and the specified amount is transferred from a designated virtual account. If this option is disabled, a Closure request is not allowed for accounts with a negative balance.
Transaction Code for Residual Transfer	Click Search button to view and select the required transaction code. This transaction code is used to perform the residual balance transfer during closure on the account which is marked for closure.
Transaction Code for Offset	Click Search button to view and select the required transaction code. This transaction code is used to perform the residual balance transfer during closure on the designated debit or credit account.

- Click **Save** to save the details.

The user can view the configured account bank parameters in the [View Account Bank Parameters](#).

 **Note:**

The **Bank Parameters** must also be configured in addition to **Account Bank parameters**. For more details, refer to [Bank Parameters](#) topic.

- Click **Cancel** to close the details without saving.

1.2 View Account Bank Parameters

This topic describes the systematic instructions to view the list of configured account bank parameters.


The user can configure a account bank level parameter using the [Create Account Bank Parameters](#).

Specify **User ID** and **Password**, and login to **Home** screen.

- On **Home** screen, click **Virtual Account Management**. Under **Virtual Account Management**, click **Configuration**.
- Under **Configuration**, click **Account Bank Parameters**. Under **Account Bank Parameters**, click **View Account Bank Parameters**.

The **View Account Bank Parameters** screen displays.

Figure 1-2 View Account Bank Parameters



For more information on fields, refer to the field description table.

Table 1-2 View Account Bank Parameters – Field Description

Field	Description
Checksum Algorithm	Displays the checksum algorithm of the bank.
Maker	Displays the name of the user who created the record.
Once Authorized	Indicates if the record is authorized once or not.
Bank Code	Displays the bank code.
Virtual Account Mask	Displays the details of the virtual account mask.
Authorization Status	Displays the authorization status of the record. The options are: <ul style="list-style-type: none"> • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: <ul style="list-style-type: none"> • Open • Closed
Modification Number	Displays the number of modification performed on the record.

2

Account Product Proposition

This topic provides the information about the Account Product Proposition.

The **Account Product Proposition** allows the user to configure the product templates for virtual accounts. These product templates can be attached during customer on-boarding for the virtual account facility.

This topic contains the following subtopics:

- [Create Account Product Proposition](#)
This topic describes the systematic instructions to create account product proposition.
- [View Account Product Proposition](#)
This topic describes the systematic instructions to view the list of configured product templates.

2.1 Create Account Product Proposition

This topic describes the systematic instructions to create account product proposition.

The **Create Account Product Proposition** screen allows the user to maintain the product templates. During the customer on-boarding, the user can select one or more product templates under which virtual accounts can be created.

Specify **User ID** and **Password**, and login to **Home** screen.

1. On **Home** screen, click **Virtual Account Management**. Under **Virtual Account Management**, click **Configuration**.
2. Under **Configuration**, click **Account Product Proposition**. Under **Account Product Proposition**, click **Create Account Product Proposition**.

The **Create Account Product Proposition - Product Details** screen displays.

Figure 2-1 Create Account Product Proposition - Product Details

The screenshot shows a web application interface for creating account product propositions. The main window is titled "Create Account Product Proposition" and includes a sub-tab "Product Details". The interface is divided into several sections:

- Product Details:** Contains two input fields: "Product Code" with the value "1234" and "Product Description" with the value "Product Desc".
- Product Preferences:** Contains several toggle switches and a dropdown menu:
 - "Interest Calculation": Toggle is turned on.
 - "Liquidity Management Allowed": Toggle is turned off.
 - "Debit Transaction Allowed": Toggle is turned on.
 - "Credit Transaction Allowed": Toggle is turned on.
 - "Overdraft Facility Allowed": Toggle is turned off.
 - "Inactive Days": A dropdown menu with a downward arrow.
- Interest Group:** Contains a search field for "Interest Group Template" and a "Description" field.

At the bottom right of the screen, there are three buttons: "Cancel", "Save & Close", and "Next".

- Specify the fields on **Create Account Product Proposition - Product Details** screen.

 **Note:**

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 2-1 Create Account Product Proposition - Product Details – Field Description


Field	Description
Product Code	Specify the product code.
Product Description	Specify the product description.
Interest Calculation	Select the toggle to indicate whether the interest calculation is required for the virtual accounts created under the product and Interest Group section is visible to map the required Interest group template to the product proposition. By default, this is disabled.
Debit Transaction Allowed	Select the toggle to indicate whether the debit transactions are allowed for the virtual accounts created under the product. By default, this is disabled.
Credit Transaction Allowed	Select the toggle to indicate whether the credit transactions are allowed for the virtual accounts created under the product. By default, this is disabled.
Overdraft Facility Allowed	Select the toggle to indicate whether the overdrafts are allowed for the virtual accounts created under the product. By default, this is disabled.
Liquidity Management Allowed	Select the toggle to indicate whether the liquidity management is allowed on virtual accounts. The parameter will be defaulted at virtual account level and based on the same, the virtual accounts will be automatically available in Oracle Banking Liquidity Management as active liquidity accounts. By default, this is disabled.
Inactive Days	Specify the number of days after which the virtual accounts created under the product are marked as Inactive if no transactions are performed for the configured days.  Note: Any Credit transactions on an Inactive Virtual account will mark the account back as “Active”. However, Debit transactions are not allowed on Inactive Virtual Accounts.
Interest Group Template	Click Search to view and select the required interest group template. Displays the list of all bank level Interest groups maintained in IC. The Interest products are based on the Interest Group

Table 2-1 (Cont.) Create Account Product Proposition - Product Details – Field Description

Field	Description
Description	Displays the description of the selected Interest Group Template.

Restrictions

The **Restrictions** screen allows the user to configure the restrictions for the account product proposition.

4. Click **Next**.

The **Create Account Product Proposition - Restrictions** screen displays.

Figure 2-2 Create Account Product Proposition - Restrictions

Transaction Code Restrictions

Allowed Restricted

Transaction Code Details

1 Transaction Code: Description:

Transaction Code Description

Currency Restrictions

Allowed Restricted

Currency Details

1 Currency: Currency Description:

Currency Currency Description

Transaction Limit Restrictions

Limit Code Description

LMCODE4 LMCODE4

Restriction ID	Description	Number of Transactions Allowed
CASHDEP2	Cash Deposits with testing pagination issues with long length description with length of 200 chare	6
CASHWMT1	Cash Withdrawals with testing pagination issues with long length description with length of 200 chare	5
CASHDEP1	Cash Deposits with testing pagination issues with long length description with length of 200 chare	4
CASHDEP4	Cash Deposits with testing pagination issues with long length description with length of 200 chare	4
CASHWMT3	Cash Withdrawals with testing pagination issues with long length description with length of 200 chare	5

Page 1 of 2 (1-5 of 7 items) | < 1 2 > |

Customer Category Restrictions

Allowed Restricted

Customer Category Details

1 Customer Category: Description:

Customer Category Description

Cancel Back Save & Close

- Specify the fields on **Create Account Product Proposition - Restrictions** screen.

 **Note:**


The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 2-2 Create Account Product Proposition - Restrictions – Field Description

Field	Description
Product Code	Displays the product code.
Product Description	Displays the product description.
Transaction Code Restrictions	Displays the following fields to maintain Transaction Code Restrictions.
Allowed / Restricted	Select one of the options. This is used for allowing or not allowing transaction codes for virtual accounts opened under this product.
Transaction Code	Click Search to view and select the required transaction code. To create a new transaction code, refer to the Transaction Code Maintenance section in <i>Oracle Banking Common Core User Guide</i> .
Description	Displays the description of the selected transaction code.
Currency Restrictions	Displays the following fields to maintain Currency Restrictions.
Allowed / Restricted	Select one of the options. This is used for allowing or not allowing currencies for which the virtual accounts can be opened under this product.
Currency	Click Search to view and select the required currency. To define a new currency, refer to the Currency Definition section in <i>Oracle Banking Common Core User Guide</i> .
Currency Description	Displays the description of the selected currency.
Transaction Limit Restrictions	Displays the following fields to attach the transaction limits to an account product proposition.

Table 2-2 (Cont.) Create Account Product Proposition - Restrictions – Field Description

Field	Description
Limit Code	<p>Click Search icon to view and select the limit code. To define a new transaction limit rule, refer to the Transaction Limit Rule section. To define a new transaction limit for a limit rule, refer to the Transaction Limits section.</p> <div style="border: 1px solid #0070C0; padding: 10px; background-color: #E6F2FF;"> <p> Note:</p> <ul style="list-style-type: none"> • If no limit code is attached to the product, this will signify no transaction limit restrictions applies for the specific product and the subsequent virtual accounts opened under that product. • If a limit code mapping is modified, the changes will be effective from the modification date onwards. </div>
Description	Displays the description of the selected limit code.
Restriction ID	Displays the restriction IDs maintained for the limit rule attached to the limit code.
Description	Displays the description of the respective Restriction ID.
Number of Transactions Allowed	Displays the number of transactions allowed for the respective Restriction ID(s).
Customer Category Restrictions	Displays the following fields to maintain Customer Category Restrictions.
Allowed / Restricted	Select one of the options. This is used for allowing or not allowing customer categories for which virtual accounts can opened under this product.
Customer Category	Click Search to view and select the required customer category. To create a new customer category, refer to the Customer Category section in <i>Oracle Banking Common Core User Guide</i> .
Description	Displays the description of the selected customer category.

6. Click **+** to add a row and provide the required details.
7. Click **Save and Close** to save the details.

The user can view the account proposition in [View Account Product Proposition](#).

 **Note:**

The user can link one or more product templates during customer on-boarding. For more information, refer to **Account Facility** topic in **Customer and Accounts User Guide**.
The number of transactions allowed under transaction limit restrictions cannot be modified at a product level. For any changes, a new limit code needs to be created with the required restrictions and attached to the product.

8. Click **Cancel** to close the details without saving.

2.2 View Account Product Proposition

This topic describes the systematic instructions to view the list of configured product templates.


The user can configure the bank-level product templates using the [Create Account Product Proposition](#).

Specify **User ID** and **Password**, and login to **Home** screen.

1. On **Home** screen, click **Virtual Account Management**. Under **Virtual Account Management**, click **Configuration**.
2. Under **Configuration**, click **Account Product Proposition**. Under **Account Product Proposition**, click **View Account Product Proposition**.

The **View Account Product Proposition** screen displays.

Figure 2-3 View Account Product Proposition



For more information on fields, refer to the field description table.

Table 2-3 View Account Product Proposition – Field Description

Field	Description
Product Code	Displays the product code.

Table 2-3 (Cont.) View Account Product Proposition – Field Description

Field	Description
Product Description	Displays the product description.
Authorization Status	Displays the authorization status of the record. The options are: <ul style="list-style-type: none">• Authorized• Rejected• Unauthorized
Record Status	Displays the status of the record. The options are: <ul style="list-style-type: none">• Open• Closed
Modification Number	Displays the number of modification performed on the record.

3

Bank Parameters

This topic provides the information about the Bank Parameters.

The **Bank Parameters** allows the user to configure the bank level parameters for a virtual account.

This topic contains the following subtopics:

- [Create Bank Parameters](#)
This topic describes the systematic instructions to configure bank level parameters.
- [View Bank Parameters](#)
This topic describes the systematic instructions to view the list of configured bank parameters.

3.1 Create Bank Parameters

This topic describes the systematic instructions to configure bank level parameters.

Specify **User ID** and **Password**, and login to **Home** screen.

1. On **Home** screen, click **Virtual Account Management**. Under **Virtual Account Management**, click **Configuration**.
2. Under **Configuration**, click **Bank Parameters**. Under **Bank Parameters**, click **Create Bank Parameters**.

The **Create Bank Parameters** screen displays.

Figure 3-1 Create Bank Parameters

The screenshot shows the 'Create Bank Parameters' configuration screen. It includes the following fields and options:

- Bank Code:** Input field containing '0000'.
- Bank Name:** Text field containing 'Universal Bank'.
- Sanction Check Preferences:** Three toggle switches: 'Sanction Check Required' (off), 'Transactions Allowed for Failed Status' (off), and 'Transactions Allowed for Pending Status' (off).
- General Preferences:** One toggle switch: 'Structured Address Applicable' (off).
- Charge Preferences:** Three sections:
 - Charge Calculation:** Two buttons: 'Internal' (selected) and 'External'.
 - Charge Collection:** Two buttons: 'Internal' (selected) and 'External'.
 - Charge Closed Accounts With Transactions:** One toggle switch (off).

At the bottom right, there are 'Cancel' and 'Save' buttons.

3. Specify the fields on **Create Bank Parameters** screen.

 **Note:**

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 3-1 Create Bank Parameters – Field Description




Field	Description
Bank Code	Click Search button to view and select the required bank code.
Bank Name	Based on the Bank Code selected, the information is auto-populated.
Sanction Check Required	By default, this option is disabled. If enabled, sanction check is required during the virtual account creation or modification.
Transactions Allowed for Failed Status	By default, this option is disabled.  Note: This field is enabled only if Sanction Check Required is selected. If enabled, financial transactions are allowed on virtual accounts with sanction status as failed.
Transactions Allowed for Pending Status	By default, this option is disabled.  Note: This field is enabled only if Sanction Check Required is selected. If enabled, financial transactions are allowed on virtual accounts with sanction status as pending.
Structured Address Applicable	By default, this option is disabled. If enabled, a structured address needs to be captured during Virtual Entity and Virtual Account creation. If Structured Address Applicable is selected, PDF account statements include the structured address.
Charge Calculation	Select the option whether the charges will be calculated internally or by an external system. The available options are: <ul style="list-style-type: none"> • Internal • External

Table 3-1 (Cont.) Create Bank Parameters – Field Description

Field	Description
Charge Collection	<p>Select the option whether the charge postings will be performed internally or by an external system.</p> <p>The available options are:</p> <ul style="list-style-type: none"> • Internal • External <p>if Charge Calculation is selected as “External”, the Charge Collection will always be External</p>
Charge Closed Accounts With Transactions	<p>Select the toggle to indicate whether to include closed accounts with transactions during the charge period for charge computation.</p> <p>If the toggle is enabled,</p> <ul style="list-style-type: none"> • Virtual accounts which are closed in the current charge period will be considered for charge calculation if there are transactions performed on those accounts during the charge period. From next charge period, these accounts will not be considered for charges. • Virtual accounts which are closed in the current charge period with no transactions performed will not be considered for charges. <p>If the toggle is disabled,</p> <ul style="list-style-type: none"> • Virtual accounts which are closed with or without transactions will not be considered for charge calculations. <div style="border: 1px solid #0070c0; background-color: #e6f2ff; padding: 5px; margin-top: 10px;"> <p> Note:</p> <p>The parameter once set cannot be modified.</p> </div>

4. Click **Save** to save the details.

The user can view the configured bank parameters in the [View Bank Parameters](#).

5. Click **Cancel** to close the details without saving.

3.2 View Bank Parameters

This topic describes the systematic instructions to view the list of configured bank parameters.


The user can configure the bank level parameters using the [Create Bank Parameters](#).

Specify **User ID** and **Password**, and login to **Home** screen.

1. On **Home** screen, click **Virtual Account Management**. Under **Virtual Account Management**, click **Configuration**.
2. Under **Configuration**, click **Bank Parameters**. Under **Bank Parameters**, click **View Bank Parameters**.

The **View Bank Parameters** screen displays.

Figure 3-2 View Bank Parameters



For more information on fields, refer to the field description table.

Table 3-2 View Bank Parameters – Field Description

Field	Description
Structured Address Required	Displays if structured address is applicable.
Maker	Displays the name of the user who created the record.
Once Authorized	Indicates if the record is authorized once or not.
Bank Code	Displays the bank code.
Authorization Status	Displays the authorization status of the record. The options are: <ul style="list-style-type: none"> • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: <ul style="list-style-type: none"> • Open • Closed
Modification Number	Displays the number of modification performed on the record.

4

Branch Groups

This topic provides the information about the Branch Groups.

The **Branch Groups** allows the user to configure the branch groups and can accordingly map the branches to specific groups. The user can configure a single or multiple branch groups using the Create Branch Groups.

This topic contains the following subtopics:

- [Create Branch Groups](#)
This topic describes the systematic instructions to configure the branch groups.
- [View Branch Groups](#)
This topic describes the systematic instructions to view the configured branch groups and can accordingly map branches to specific groups.

4.1 Create Branch Groups


This topic describes the systematic instructions to configure the branch groups.

Specify **User ID** and **Password**, and login to **Home** screen.

1. On **Home** screen, click **Virtual Account Management**. Under **Virtual Account Management**, click **Configuration**.
2. Under **Configuration**, click **Branch Groups**. Under **Branch Groups**, click **Create Branch Groups**.

The **Create Branch Groups** screen displays.

Figure 4-1 Create Branch Groups



3. Specify the fields on **Create Branch Groups** screen.

 **Note:**

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 4-1 Create Branch Groups – Field Description

Field	Description
Branch Group ID	Specify the branch group ID.
Description	Specify the description of the branch group ID.

4. Click **Save**. The user can view all the configured branch groups in the [View Branch Groups](#).

To link the branches to a branch group, refer to [Branch Parameters](#)

5. Click **Cancel** to close the details without saving.

4.2 View Branch Groups

This topic describes the systematic instructions to view the configured branch groups and can accordingly map branches to specific groups.


The user can configure a Branch Groups using the [Create Branch Groups](#).

Specify **User ID** and **Password**, and login to **Home** screen.

1. On **Home** screen, click **Virtual Account Management**. Under **Virtual Account Management**, click **Configuration**.
2. Under **Configuration**, click **Branch Groups**. Under **Branch Groups**, click **View Branch Groups**.

The **View Branch Groups** screen displays.

Figure 4-2 View Branch Groups



For more information on fields, refer to the field description table.

Table 4-2 View Branch Groups – Field Description

Field	Description
Branch Group ID	Displays the branch group ID.
Maker	Displays the Maker name.
Description	Displays the description of the branch group.
Authorization Status	Displays the authorization status of the record. The options are: <ul style="list-style-type: none"> • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: <ul style="list-style-type: none"> • Open • Closed
Modification Number	Displays the number of modification performed on the record.

- For a specific branch group, click **View Branches** to view the list of linked branches. The **View Branches Popup** screen displays.

Figure 4-3 View Branches Popup

Branch Group Configuration Errors & Overrides

Branch Group ID: NOVGRP Description: Testing Group

[View Branches](#)

Linked Branches

Branch Code	Branch Name
018	EODBRANCH

[Audit](#) [Cancel](#)

For more information on fields, refer to the field description table.

Table 4-3 View Branches Popup – Field Description

Field	Description
Branch Group ID	Displays the branch group ID.
Description	Displays the branch group description.
Branch Code	Displays the linked branch code.
Branch Name	Displays the linked branch name.

5

Branch Parameters

This topic provides the information about the Branch Parameters.

The **Branch Parameters** allows the user to configure various branches for the bank and maintain parameters such as IBAN, BBAN, exchange rate preferences, and more.

This topic contains the following subtopics:

- [Create Branch Parameters](#)
This topic describes the systematic instructions to create the branch parameters.
- [View Branch Parameters](#)
This topic describes the systematic instructions to view the list of configured Branch Parameters.

5.1 Create Branch Parameters

This topic describes the systematic instructions to create the branch parameters.

Specify **User ID** and **Password**, and login to **Home** screen.

1. On **Home** screen, click **Virtual Account Management**. Under **Virtual Account Management**, click **Configuration**.
2. Under **Configuration**, click **Branch Parameters**. Under **Branch Parameters**, click **Create Branch Parameters**.

The **Create Branch Parameters** screen displays.

Figure 5-1 Create Branch Parameters

- Specify the fields on **Create Branch Parameters** screen.

Note:

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 5-1 Create Branch Parameters – Field Description

Field	Description
Branch Code	Click Search button to view and select the required branch code.
Branch Name	Based on the Branch Code selected, the information is auto-populated.
Branch Group ID	Click Search to view and select the required branch group ID, where the branch needs to be grouped.

Table 5-1 (Cont.) Create Branch Parameters – Field Description



Field	Description
Description	Based on the Branch Group ID selected, the information is auto-populated.
External Account Number	<p>By default, this option is disabled. If enabled, the IBAN needs to be generated externally.</p> <div style="border: 1px solid #0070c0; padding: 5px; background-color: #e6f2ff;"> <p> Note:</p> <p>If External account number is selected, Account Mask and Auto Generate Account configurations will not be applicable for account generation.</p> </div>
External IBAN	<p>By default, this option is disabled. If enabled, IBAN needs to be generated externally</p> <div style="border: 1px solid #0070c0; padding: 5px; background-color: #e6f2ff;"> <p> Note:</p> <p>If External IBAN is selected, International Bank and Account Number Mask configurations are not applicable for IBAN generation.</p> </div>
Account Mask	<p>Specify the account mask that consists of b, c, v, t, n, s, f, d, \$ values.</p> <p>The mask must be one of the following characters:</p> <ul style="list-style-type: none"> • b - Branch Code of Account • c - Customer Number • v - Virtual Entity ID • t - Account Product • n - User Input Numbers • s - Auto-generated Serial Number • f - Fixed Number • d - Check-sum • \$ - Currency Code of the Account

Table 5-1 (Cont.) Create Branch Parameters – Field Description


Field	Description
Checksum Algorithm	<p>Select one of the required checksum algorithm from the drop-down list:</p> <ul style="list-style-type: none"> • Modulo 10: If selected, you provide mask length of 10 characters. • Modulo 11: If selected, you can have either numeric or alphanumeric account mask. In case of numeric, D is appended to the account mask by the system and in case of alpha numeric, user must manually input D at the end of the mask. • Modulo 11 with Weights: If selected, you can have mask with size not more than 13 characters. • Modulo 97: If selected, you can have only numeric account mask. <div style="border: 1px solid #0070C0; padding: 5px; margin-top: 10px;"> <p> Note: By default, this option is selected.</p> </div> <ul style="list-style-type: none"> • User Defined: If selected, you can define the checksum algorithm.
Fixed Value	Specify the fixed values if the Virtual Account Mask contains character f . This field supports maximum of one alphanumeric character.
Corporate Specific Range Required	By default, it is disabled. If enabled, corporate specific account number range needs to be maintained for the corporates in a given branch.
Auto Generate Account	By default, this is disabled. If enabled, system automatically generates numeric account numbers based on the range provided.
Start Account Number	If selected, specify a start number for the account.
End Account number	If selected, specify an end number for the account.
IBAN Country Code	Displays a system default country code of the branch. The system validates the country code is an ISO country code, the country code of the branch, and the length of the character is 2.

Table 5-1 (Cont.) Create Branch Parameters – Field Description


Field	Description
IBAN Checksum Algorithm	<p>Select one of the required checksum algorithm from the drop-down list:</p> <ul style="list-style-type: none"> • Modulo 10: If selected, provide mask length of 10 characters. • Modulo 11: If selected, user can have either numeric or alphanumeric account mask. In case of numeric, D is appended to the account mask by the system and in case of alpha numeric, user must manually input D at the end of the mask. • Modulo 11 with weights: If selected, user can have mask with size not more than 13 characters. • Modulo 97: If selected, user can have only numeric account mask. <div style="border-left: 2px solid #0070C0; border-bottom: 2px solid #0070C0; padding: 5px; margin-top: 10px;"> <p> Note: By default, this option is selected.</p> </div>
BBAN Format Mask	<p>Specify the BBAN format mask details maximum length of 30 characters. The mask must be one of the following characters:</p> <ul style="list-style-type: none"> • b - BBAN Bank Code • s - BBAN Branch Code • z - Virtual Account Number • l - Virtual Account Number • d - BBAN Check Digit • i - Real Customer Number • h - 1, as there is no joint holder • t - Virtual Account Code
BBAN Data Type	<p>Specify the BBAN data type details. The list displays the following character set:</p> <ul style="list-style-type: none"> • n - Number • a - Alphabet • c - Alphanumeric
BBAN Checksum Algorithm	Select the BBAN checksum algorithm from the drop-down list.
BBAN Bank Code	Specify the BBAN bank code details.
BBAN Branch Code	Specify the BBAN branch code details.
Rate Type	Click Search to view and select the required rate type for exchange rate preferences.
Rate Code	<p>Select one of the options below,</p> <ul style="list-style-type: none"> • Mid Rate: If selected, it indicates the rate code for exchange rate preferences. • Buy/Sell Rate: If selected, it indicates the rate code for exchange rate preferences.
Normal Variance	Specify a normal variance details.
Maximum Variance	<p>Specify maximum variance details. Maximum variance can have a maximum value of 100.</p>

Table 5-1 (Cont.) Create Branch Parameters – Field Description

Field	Description
Amount Block Queue Required	By default, this is disabled. If enabled, it indicates the amount block queue.
Transaction Journal Queue Required	By default, this is disabled. If enabled, it indicates the transaction journal queue.
Rate Type	Click Search to view and select the required rate type for child contribution exchange rate preferences.
Rate Code	Select one of the options below, <ul style="list-style-type: none"> • Mid Rate: If selected, it indicates the rate code for child contribution exchange rate preferences. • Buy/Sell Rate: If selected, it indicates the rate code for child contribution exchange rate preferences.
Rate Type	Click Search to view and select the required rate type for charge exchange rate preferences.
Rate Code	Select one of the options: <ul style="list-style-type: none"> • Mid Rate: If selected, indicates the rate code for charge exchange rate preferences is mid rate. • Buy/Sell Rate: If selected, indicates the rate code for charge exchange rate preferences is buy/sell rate.

4. Click **Save** to save the details.

The user can view all the configured branch parameters in the [View Branch Parameters](#).

5. Click **Cancel** to close the details without saving.

5.2 View Branch Parameters

This topic describes the systematic instructions to view the list of configured Branch Parameters.


The user can configure a branch level parameter using the [Create Branch Parameters](#).

Specify **User ID** and **Password**, and login to **Home** screen.

1. On **Home** screen, click **Virtual Account Management**. Under **Virtual Account Management**, click **Configuration**.
2. Under **Configuration**, click **Branch Parameters**. Under **Branch Parameters**, click **View Branch Parameters**.

The **View Branch Parameters** screen displays.

Figure 5-2 View Branch Parameters



For more information on fields, refer to the field description table.

Table 5-2 View Branch Parameters – Field Description

Field	Description
Branch Code	Displays the branch code.
IBAN Country Code	Displays the IBAN country code.
Checksum Algorithm	Displays the checksum algorithm of the branch.
Account Auto Generate	Indicates if the account is automatically generated.
Virtual Account Mask	Displays the details of the virtual account mask.
Authorization Status	Displays the authorization status of the record. The options are: <ul style="list-style-type: none"> • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: <ul style="list-style-type: none"> • Open • Closed
Modification Number	Displays the number of modification performed on the record.

6

ECA System Preferences

This topic provides the information about the ECA System Preferences.

The **ECA System Preferences** allows the user to view and modify the External Credit Approval (ECA) system preferences.

This topic contains the following subtopics:

- [View ECA System Preferences](#)
This topic describes the systematic instructions to view the list of available ECA System.

6.1 View ECA System Preferences


This topic describes the systematic instructions to view the list of available ECA System.

Specify **User ID** and **Password**, and login to **Home** screen.

1. On **Home** screen, click **Virtual Account Management**. Under **Virtual Account Management**, click **Configuration**.
2. Under **Configuration**, click **ECA System Preferences**. Under **ECA System Preferences**, click **View ECA System Preferences**.

The **View ECA System Preferences** screen displays.

Figure 6-1 View ECA System Preferences



For more information on fields, refer to the field description table.

Table 6-1 View ECA System Preferences – Field Description

Field	Description
ECA System	Displays the external credit approval system details.


Table 6-1 (Cont.) View ECA System Preferences – Field Description

Field	Description
Available for Posting	Displays whether the system is available for posting.
Authorization Status	Displays the authorization status of the record. The options are: <ul style="list-style-type: none"> • Authorized • Rejected • Unauthorized

3. Click **View** on the tile to view **ECA System Preferences** screen. This screen allows the user to modify the details.

The **ECA System Preferences** screen displays.

Figure 6-2 ECA System Preferences



For more information on fields, refer to the field description table.

Table 6-2 ECA System Preferences – Field Description

Field	Description
ECA System	Displays the external credit approval system details.
Available for Posting	Select the toggle whether the ECA system is available for posting.
Updated By	Displays the User ID from which the preference is updated.
Updated On	Displays the date when the preference is updated.

4. Click **Save**.

The user view the modified **ECA System Preferences** in the [View ECA System Preferences](#).

7

Entity Mask Configuration

This topic provides the information about the Entity Mask Configuration.

The **Entity Mask Configuration** allows the user to configure entity mask ID for a bank.

This topic contains the following subtopics:

- [Create Entity Mask Configuration](#)
This topic describes the systematic instructions to configure entity mask ID for a bank.
- [View Entity Mask Configuration](#)
This topic describes the systematic instructions to view the list of configured entity mask ID.

7.1 Create Entity Mask Configuration

This topic describes the systematic instructions to configure entity mask ID for a bank.

Specify **User ID** and **Password**, and login to **Home** screen.

1. On **Home** screen, click **Virtual Account Management**. Under **Virtual Account Management**, click **Configuration**.
2. Under **Configuration**, click **Entity Mask Configuration**. Under **Entity Mask Configuration**, click **Create Entity Mask Configuration**.

The **Create Entity Mask Configuration** screen displays.

Figure 7-1 Create Entity Mask Configuration

3. Specify the fields on **Create Entity Mask Configuration** screen.

 **Note:**

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 7-1 Create Entity Mask Configuration – Field Description

Field	Description
Bank Code	Click Search to view and select the required bank code.
Bank Name	Based on the Bank Code selected, the information is auto-populated.
Virtual Entity Mask	Specify the virtual entity mask. User can specify a combination of alpha numeric characters and can enter up to maximum of 12 characters. Use the following identifiers to define the mask: <ul style="list-style-type: none"> • a - User input alpha characters • n - User input numbers

4. Click **Save** to save the details.

The user can view the configured entity mask details in the [View Entity Mask Configuration](#).

5. Click **Cancel** to close the details without saving.

7.2 View Entity Mask Configuration

This topic describes the systematic instructions to view the list of configured entity mask ID.


The user can configure entity mask ID using the [Create Entity Mask Configuration](#).

Specify **User ID** and **Password**, and login to **Home** screen.

1. On **Home** screen, click **Virtual Account Management**. Under **Virtual Account Management**, click **Configuration**.
2. Under **Configuration**, click **Entity Mask Configuration**. Under **Entity Mask Configuration**, click **View Entity Mask Configuration**.

The **View Entity Mask Configuration** screen displays.

Figure 7-2 View Entity Mask Configuration



For more information on fields, refer to the field description table.

Table 7-2 View Entity Mask Configuration – Field Description

Field	Description
Bank Code	Displays the bank code.
Maker	Displays the name of the user who has configured the bank details.
Once Authorized	Indicates if the record is authorized once or not.
Virtual Entity Mask	Displays the details of the virtual entity mask.
Authorization Status	Displays the authorization status of the record. The options are: <ul style="list-style-type: none">• Authorized• Rejected• Unauthorized
Record Status	Displays the status of the record. The options are: <ul style="list-style-type: none">• Open• Closed
Modification Number	Displays the number of modification performed on the record.

8

External DDA System

This topic provides the information about the External DDA System.

The transactions into a virtual account through transaction journal service results in posting entries to the real account. The External Demand Deposit Accounts (DDA) system interacts with the external DDA for posting entries and calling out other services on DDA. Oracle Banking Virtual Account Management can be configured to work with the DDA systems in a synchronous or asynchronous manner for transaction posting to the real account.

This topic contains the following subtopics:

- [Create External DDA System](#)
This topic describes the systematic instructions to configure an external DDA system.
- [View External DDA System](#)
This topic describes the systematic instructions to view the list of configured external DDA system.

8.1 Create External DDA System

This topic describes the systematic instructions to configure an external DDA system.

Specify **User ID** and **Password**, and login to **Home** screen.

1. On **Home** screen, click **Virtual Account Management**. Under **Virtual Account Management**, click **Configuration**.
2. Under **Configuration**, click **External DDA System**. Under **External DDA System**, click **Create External DDA System**.

The **Create External DDA System** screen displays.

Figure 8-1 Create External DDA System

3. Specify the fields on **Create External DDA System** screen.

 **Note:**

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 8-1 Create External DDA System – Field Description

Field	Description
ECA System	Click Search to view and select the required ECA system.
Default Offset GL	Click Search to view and select the default offset general ledger.
EAC Required	Select the toggle if the EAC is required.

4. Click **Save** to save the details.

The user can view the configured external DDA system details in the [View External DDA System](#).

5. Click **Cancel** to close the details without saving.

8.2 View External DDA System

This topic describes the systematic instructions to view the list of configured external DDA system.


The user can configure an external DDA system using the [Create External DDA System](#).

Specify **User ID** and **Password**, and login to **Home** screen.

1. On **Home** screen, click **Virtual Account Management**. Under **Virtual Account Management**, click **Configuration**.
2. Under **Configuration**, click **Entity Mask Configuration**. Under **External DDA System**, click **View External DDA System**.

The **View External DDA System** screen displays.

Figure 8-2 View External DDA System



For more information on fields, refer to the field description table.

Table 8-2 View External DDA System – Field Description

Field	Description
ECA System	Displays the external credit approval system details.
EAC Required	Displays whether the External Account Check required or not.
Authorization Status	Displays the authorization status of the record. The options are: <ul style="list-style-type: none">• Authorized• Rejected• Unauthorized
Record Status	Displays the status of the record. The options are: <ul style="list-style-type: none">• Open• Closed
Modification Number	Displays the number of modification performed on the record.

9

Identifier Branch Parameters

This topic provides the information about the Identifier Branch Parameters.

The **Identifier Branch Parameters** allows the user to configure virtual identifier branch parameters.

This topic contains the following subtopics:

- [Create Identifier Branch Parameters](#)
This topic describes the systematic instructions to configure identifier branch parameters.
- [View Identifier Branch Parameters](#)
This topic describes the systematic instructions to view the list of configured identifier branch parameters.

9.1 Create Identifier Branch Parameters

This topic describes the systematic instructions to configure identifier branch parameters.

Specify **User ID** and **Password**, and login to **Home** screen.

1. On **Home** screen, click **Virtual Account Management**. Under **Virtual Account Management**, click **Configuration**.
2. Under **Configuration**, click **Identifier Branch Parameters**. Under **Identifier Branch Parameters**, click **Create Identifier Branch Parameters**.

The **Create Identifier Branch Parameters** screen displays.

Figure 9-1 Create Identifier Branch Parameters

The screenshot shows the 'Create Identifier Branch Parameters' form. It includes fields for Branch Code (required), Branch Name, Exchange Rate Preferences (Rate Type, Rate Code, Normal Variance, Maximum Variance, Amount Block Queue Required, Transaction Journal Queue Required), and International Bank Account Number Mask (IBAN Country Code, IBAN Checksum Algorithm, BBAN Checksum Algorithm, BBAN Bank Code, BBAN Format Mask, BBAN Branch Code, BBAN Data Type, BBAN Remittance ID Mask). The form has 'Cancel' and 'Save' buttons at the bottom right.

3. Specify the fields on **Create Identifier Branch Parameters** screen.

 **Note:**

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 9-1 Create Identifier Branch Parameters – Field Description





Field	Description
Branch Code	Click Search to view and select the required branch code.
Branch Name	Based on the Branch Code selected, the information is auto-populated.
Rate Type	Click Search to view and select the required rate type.
Rate Code	Select one of the options: <ul style="list-style-type: none"> • Mid Rate: If selected, it indicates the rate code for exchange rate preferences is mid rate. • Buy/Sell Rate: If selected, it indicates the rate code for exchange rate preferences is buy/sell rate.
Normal Variance	Specify a normal variance details.
Maximum Variance	Specify a maximum variance details. Maximum variance can have a maximum value of 100.
Amount Block Queue Required	By default, this is disabled. If enabled, it indicates the amount block queue.
Transaction Journal Queue Required	By default, this is disabled. If enabled, it indicates the transaction journal queue.
IBAN Country Code	Displays the IBAN country code of the branch.
IBAN Checksum Algorithm	Select one of the required checksum algorithm from the drop-down list: <ul style="list-style-type: none"> • Modulo 10: If selected, user can provide mask length of 10 characters. • Modulo 11: If selected, user can have either numeric or alphanumeric account mask. For numeric, D is appended to the account mask by the system and for alpha numeric, user must manually type D at the end of the mask. • Modulo 11 with Weights: If selected, user can have mask with size not more than 13 characters. • Modulo 97: If selected, user can have only numeric account mask. <div style="border: 1px solid #0070C0; padding: 5px; margin-top: 10px;"> <p> Note: By default, this option is selected.</p> </div>
BBAN Format Mask	Specify the BBAN format mask details. User can enter a maximum length of 30 characters. The mask must be one of the following characters: <ul style="list-style-type: none"> • b - BBAN bank code • s - BBAN branch code • z - Virtual account number • d - check digit

Table 9-1 (Cont.) Create Identifier Branch Parameters – Field Description

Field	Description
BBAN Data Type	Specify the BBAN data type details. The list displays the following character set: <ul style="list-style-type: none"> • n - Number • a - Alphabet • c - Alphanumeric
BBAN Checksum Algorithm	Select the BBAN checksum algorithm from the drop-down list. <ul style="list-style-type: none"> • Mod 10 • Mod 11 • Mod 11 with Weights • Mod 97
BBAN Bank Code	Specify the BBAN bank code.  Note: This field is mandatory if BBAN Format Mask is selected as b.
BBAN Branch Code	Specify the BBAN branch code.  Note: This field is mandatory if BBAN Format Mask is selected as s.
BBAN Remittance ID Mask	Specify the BBAN Remittance ID Mask.  Note: This field is mandatory if BBAN Format Mask is selected as z.

4. Click **Save** to save the details.

The user can view the configured identifier mask details in the [View Identifier Branch Parameters](#).

5. Click **Cancel** to close the details without saving.

9.2 View Identifier Branch Parameters

This topic describes the systematic instructions to view the list of configured identifier branch parameters.


The user can configure identifier branch parameters using the [Create Identifier Branch Parameters](#).

Specify **User ID** and **Password**, and login to **Home** screen.

1. On **Home** screen, click **Virtual Account Management**. Under **Virtual Account Management**, click **Configuration**.
2. Under **Configuration**, click **Identifier Branch Parameters**. Under **Identifier Branch Parameters**, click **View Identifier Branch Parameters**.

The **View Identifier Branch Parameters** screen displays.

Figure 9-2 View Identifier Branch Parameters



For more information on fields, refer to the field description table.

Table 9-2 View Identifier Branch Parameters – Field Description

Field	Description
Branch Code	Displays the code of the branch.
Checker	Displays the user who has verified the record.
Maker	Displays the name of the user who has created the record.
Authorization Status	Displays the authorization status of the record. The options are: <ul style="list-style-type: none"> • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: <ul style="list-style-type: none"> • Open • Closed
Modification Number	Displays the number of modification performed on the record.

10

Identifier Mask Configuration

This topic provides the information about the Identifier Mask Configuration.

The **Identifier Mask Configuration** allows the user to configure and maintain the identifier mask details.

This topic contains the following subtopics:

- [Create Identifier Mask Configuration](#)
This topic describes the systematic instructions to configure the identifier mask details at the Host Code level.
- [View Identifier Mask Configuration](#)
This topic describes the systematic instructions to view the list of configured identifier mask details.

10.1 Create Identifier Mask Configuration

This topic describes the systematic instructions to configure the identifier mask details at the Host Code level.

Specify **User ID** and **Password**, and login to **Home** screen.

1. On **Home** screen, click **Virtual Account Management**. Under **Virtual Account Management**, click **Configuration**.
2. Under **Configuration**, click **Identifier Mask Configuration**. Under **Identifier Mask Configuration**, click **Create Identifier Mask Configuration**.

The **Create Identifier Mask Configuration** screen displays.

Figure 10-1 Create Identifier Mask Configuration

The screenshot shows a web application window titled "Create Identifier Mask Configuration". The window contains the following fields and controls:

- Host Code:** A text input field containing "HOST1" with a search icon to its right.
- Host Name:** A text input field containing "HOST1".
- Identifier Mask Details:** A section containing three input fields:
 - Identifier Mask:** A text input field containing "Allowed values are: n, a, f". A "Required" label is positioned below this field.
 - Identifier Start Position:** A text input field containing the number "1".
 - Identifier Fixed Value:** An empty text input field.
- Buttons:** "Cancel" and "Save" buttons are located at the bottom right of the form area.


3. Specify the fields on **Create Identifier Mask Configuration** screen.

 **Note:**

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 10-1 Create Identifier Mask Configuration – Field Description

Field	Description
Host Code	Click Search to view and select the required host code.
Host Name	Based on the Host Code selected, the information is auto-populated.
Identifier Mask	Specify a virtual identifier mask. The identifier mask can be a combination of: <ul style="list-style-type: none"> n: User input number a: User input alphanumeric characters f: Fixed number
Identifier Start Position	By default, the start position of the identifier in account number is 1. User is not able to modify it. <div style="border: 1px solid #ccc; background-color: #e6f2ff; padding: 10px; margin-top: 10px;"> <p> Note:</p> <p>After authorizing, user cannot modify the Identifier Mask.</p> </div>
Identifier Fixed Value	Specify the fixed value character if virtual account mask contains character 'f'. The user can provide a maximum of one alphanumeric character.

Example: When creating the corporate identifier, the system validates if the issued identifier matches with the mask for a host such as 1234565 is a valid corporate identifier. If account number 12345655346555000 is received in a transaction, the identifier is derived as 1234565.

Table 10-2 Example

Field	Sample Entry
Identifier Mask	nnnnnf
Identifier Start Position	1
Identifier Fixed Value	5
Account Number	12345655346555000

- Click **Save** to save the details.

The user can view the configured identifier mask details in the [View Identifier Mask Configuration](#).

After the identifier mask details are configured, the user can map the identifier mask with the multi-currency identifier using the Multi-Currencies Identifier

Mapping. For more information, refer to the **Multi-Currencies Identifier Mapping** topic in *Identifier User Guide*.

5. Click **Cancel** to close the details without saving.

10.2 View Identifier Mask Configuration

This topic describes the systematic instructions to view the list of configured identifier mask details.


The user can configure identifier mask details using the [Create Identifier Mask Configuration](#).

Specify **User ID** and **Password**, and login to **Home** screen.

1. On **Home** screen, click **Virtual Account Management**. Under **Virtual Account Management**, click **Configuration**.
2. Under **Configuration**, click **Identifier Mask Configuration**. Under **Identifier Mask Configuration**, click **View Identifier Mask Configuration**.

The **View Identifier Mask Configuration** screen displays.

Figure 10-2 View Identifier Mask Configuration



For more information on fields, refer to the field description table.

Table 10-3 View Identifier Mask Configuration – Field Description

Field	Description
Checker	Displays the user who has verified the record.
Maker	Displays the name of the user who has created the record.
Host Code	Displays the host code.
Identifier Mask	Displays the identifier mask details of the record.
Authorization Status	Displays the authorization status of the record. The options are: <ul style="list-style-type: none"> • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: <ul style="list-style-type: none"> • Open • Closed

Table 10-3 (Cont.) View Identifier Mask Configuration – Field Description

Field	Description
Modification Number	Displays the number of modification performed on the record.

11

Inter-DDA General Ledger

This topic provides the information about the Inter-DDA General Ledger.

The **Inter-DDA General Ledger** allows the user to configure inter-Demand Deposit Accounts (DDA) preference that is used for multi-DDA transactions.

This topic contains the following subtopics:

- [Create Inter-DDA General Ledger](#)
This topic describes the systematic instructions to configure the Inter-DDA General Ledger.
- [View Inter-DDA General Ledger](#)
This topic describes the systematic instructions to view the list of configured inter-DDA general ledger.

11.1 Create Inter-DDA General Ledger

This topic describes the systematic instructions to configure the Inter-DDA General Ledger.

Specify **User ID** and **Password**, and login to **Home** screen.

1. On **Home** screen, click **Virtual Account Management**. Under **Virtual Account Management**, click **Configuration**.
2. Under **Configuration**, click **Inter-DDA General Ledger**. Under **Inter-DDA General Ledger**, click **Create Inter-DDA General Ledger**.

The **Create Inter-DDA General Ledger** screen displays.

Figure 11-1 Create Inter-DDA General Ledger

The screenshot shows the 'Create Inter-DDA General Ledger' form. It is divided into two main sections. The top section is for selecting DDA systems, with two columns: 'DDA System 1' and 'DDA System 2'. Each column has a 'Description' label and a search input field with a magnifying glass icon and a 'Required' label below it. The bottom section is titled 'General Ledger' and contains four input fields arranged in a 2x2 grid. The top row has 'Due To DDA System 1' and 'Due From DDA System 1', both with 'Description' labels and search input fields. The bottom row has 'Due To DDA System 2' and 'Due From DDA System 2', also with 'Description' labels and search input fields. At the bottom right of the form, there are 'Cancel' and 'Save' buttons.

3. Specify the fields on **Create Inter-DDA General Ledger** screen.

 **Note:**

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 11-1 Create Inter-DDA General Ledger – Field Description

Field	Description
DDA System 1	Click Search to view and select the required DDA system pair.
Description	Based on the DDA System 1 is selected, the information is auto-populated.
DDA System 2	Click Search to view and select the required DDA system pair.
Description	Based on the DDA System 2 is selected, the information is auto-populated.
Due To DDA System 1	Click Search to view and select the general ledger for which a credit entry is passed.
Description	Based on the Due To DDA System 1 is selected, the information is auto-populated.
Due From DDA System 1	Click Search to view and select the general ledger to which a debit entry is passed.
Description	Based on the Due From DDA System 1 is selected, the information is auto-populated.
Due To DDA System 2	Click Search to view and select the general ledger for which a credit entry is passed
Description	Based on the Due To DDA System 2 is selected, the information is auto-populated.
Due From DDA System 2	Click Search to view and select the general ledger to which a debit entry is passed.
Description	Based on the Due From DDA System 2 is selected, the information is auto-populated.

4. Click **Save** to save the details.

The user can view the configured inter-DDA general ledger details in the [View Inter-DDA General Ledger](#).

5. Click **Cancel** to close the details without saving.

11.2 View Inter-DDA General Ledger

This topic describes the systematic instructions to view the list of configured inter-DDA general ledger.

The user can configure an inter- DDA general ledger using the [Create Inter-DDA General Ledger](#).


Specify **User ID** and **Password**, and login to **Home** screen.

1. On **Home** screen, click **Virtual Account Management**. Under **Virtual Account Management**, click **Configuration**.

- Under **Configuration**, click **Inter-DDA General Ledger**. Under **Inter-DDA General Ledger**, click **View Inter-DDA General Ledger**.

The **View Inter-DDA General Ledger** screen displays.

Figure 11-2 View Inter-DDA General Ledger



For more information on fields, refer to the field description table.

Table 11-2 View Inter-DDA General Ledger – Field Description

Field	Description
DDA System 1-2	Displays the DDA system 1-2 details.
Due To DDA System 1	Displays the general ledger for which a credit entry is passed.
Due From DDA System 1	Displays the general ledger for which a debit entry is passed.
Authorization Status	Displays the authorization status of the record. The options are: <ul style="list-style-type: none"> • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: <ul style="list-style-type: none"> • Open • Closed
Modification Number	Displays the number of modification performed on the record.

12

Transaction Code Preferences

This topic provides the information about the Transaction Code Preferences.

The **Transaction Code Preferences** enables the user to maintain the balance availability for future value dated credit transactions for a specific transaction code.

This topic contains the following subtopics:

- [Create Transaction Code Preferences](#)
This topic describes the systematic instructions to configure a transaction code preferences.
- [View Transaction Code Preferences](#)
This topic describes the systematic instructions to view the list of configured transaction code preferences.

12.1 Create Transaction Code Preferences

This topic describes the systematic instructions to configure a transaction code preferences.

Specify **User ID** and **Password**, and login to **Home** screen.

1. On **Home** screen, click **Virtual Account Management**. Under **Virtual Account Management**, click **Configuration**.
2. Under **Configuration**, click **Transaction Code Preferences**. Under **Transaction Code Preferences**, click **Create Transaction Code Preferences**.

The **Create Transaction Code Preferences** screen displays.

Figure 12-1 Create Transaction Code Preferences

The screenshot shows a window titled "Create Transaction Code Preferences". It contains a search bar for "Transaction Code" with the value "002" and a magnifying glass icon. To the right, the "Description" is "Deposit at ATM". Below this, there is a "Preferences" section with three fields: "Availability Information" set to "After 'n' Days", "Days" with a dropdown menu, and "Auto Release" which is a checked toggle switch. At the bottom right, there are "Cancel" and "Save" buttons. The background of the window has a decorative pattern of overlapping circles.



3. Specify the fields on **Create Transaction Code Preferences** screen.

 **Note:**

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 12-1 Create Transaction Code Preferences – Field Description

Field	Description
Transaction Code	Click Search and select the transaction code for which maintenance needs to be done.
Description	Based on the Transaction Code selected, the information is auto-populated.
Availability Information	Select the availability information. The available options are <ul style="list-style-type: none"> • Immediate - This indicates the future value dated credit transaction will be available immediately for usage. • On Value Date - This indicates the future value dated credit transaction will be available on the value date for usage. • After 'n' Days - This indicates the future value dated credit transactions will be available after “n” days from the value date.
Days	Specify the number of working days from the value date. <div style="border: 1px solid #ccc; background-color: #e6f2ff; padding: 10px; margin-top: 10px;"> <p> Note:</p> <p>This field is enabled only if the Availability Information is selected as After 'n' Days.</p> </div>
Auto Release	Select the toggle to enable/disable the auto release of the uncollected amount. If Auto Release toggle is enabled, the uncollected amount on transactions posted using the transaction code will be released automatically for withdrawal on the value date or after “n” days from the value date. If Auto Release toggle is disabled, the user needs to manually release the uncollected amount for withdrawal. For more information on release uncollected amount manually, refer to Release Uncollected Amount section in <i>Transactions User Guide</i> <div style="border: 1px solid #ccc; background-color: #e6f2ff; padding: 10px; margin-top: 10px;"> <p> Note:</p> <p>This field is enabled only if the Availability Information is selected as Value Date or After 'n' Days.</p> </div>

4. Click **Save** to save the details.

The user can view the configured transaction code preferences in the [View Transaction Code Preferences](#).

5. Click **Cancel** to close the details without saving.

12.2 View Transaction Code Preferences

This topic describes the systematic instructions to view the list of configured transaction code preferences.


The user can configure a transaction code using the [Create Transaction Code Preferences](#).

Specify **User ID** and **Password**, and login to **Home** screen.

1. On **Home** screen, click **Virtual Account Management**. Under **Virtual Account Management**, click **Configuration**.
2. Under **Configuration**, click **Transaction Code Preferences**. Under **Transaction Code Preferences**, click **View Transaction Code Preferences**.

The **View Transaction Code Preferences** screen displays.

Figure 12-2 View Transaction Code Preferences



For more information on fields, refer to the field description table.

Table 12-2 View Transaction Code Preferences – Field Description

Field	Description
Transaction Code	Displays the transaction code for which the maintenance needs to be done.
Auto Release	Displays whether the transaction code is marked to release automatically or manually.
Authorization Status	Displays the authorization status of the record. The options are: <ul style="list-style-type: none"> • Authorized • Rejected • Unauthorized

Table 12-2 (Cont.) View Transaction Code Preferences – Field Description

Field	Description
Record Status	Displays the status of the record. The options are: <ul style="list-style-type: none"><li data-bbox="737 359 846 386">• Open<li data-bbox="737 390 862 417">• Closed
Modification Number	Displays the number of modification performed on the record.

13

Transaction Limit Rule

This topic provides the information about the Transaction Limit Rule.

Banks can restrict the number of transactions that can be performed on a virtual account in a given period. The restrictions can be defined in Transaction Limit Rule for a single transaction code or a group of transaction codes. A limit needs to be defined for each of the restrictions to specify the number of transactions allowed. The limit is then attached to a product level and is applicable to all the virtual accounts under that specific product. Banks can however relax the restrictions for specific virtual accounts by maintaining a different value for number of transactions.

Transaction limit utilization can also be tracked at the account level at any given point of time.

The **Transaction Limit Rule** allows the user to configure the different restriction types based on the type of transaction. The type of transaction is recognized by the transaction code. Restrictions can be maintained for a single transaction code or for a group transaction codes. To define a new transaction limit for a limit rule, refer to the [Transaction Limits](#) section.

This topic contains the following subtopics:

- [Create Transaction Limit Rule](#)
This topic describes the systematic instructions to maintain the transaction limit restrictions.
- [View Transaction Limit Rule](#)
This topic describes the systematic instructions to view the list of configured transaction limit restrictions.

13.1 Create Transaction Limit Rule

This topic describes the systematic instructions to maintain the transaction limit restrictions.

Restriction(s) can be maintained for a single transaction code or for a group of transaction codes.

Specify **User ID** and **Password**, and login to **Home** screen.

1. On **Home** screen, click **Virtual Account Management**. Under **Virtual Account Management**, click **Configuration**.
2. Under **Configuration**, click **Transaction Limit Rule**. Under **Transaction Limit Rule**, click **Create Transaction Limit Rule**.

The **Create Transaction Limit Rule** screen displays.

Figure 13-1 Create Transaction Limit Rule

3. Specify the fields on **Create Transaction Limit Rule** screen.

Note:


The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 13-1 Create Transaction Limit Rule – Field Description

Field	Description
Limit Rule ID	Specify the unique identifier to identify the group of transaction types and the respective restrictions.
Description	Specify the description of the limit rule.
Restriction ID	Specify the unique identifier to identify the type of restriction. Limit Rule ID and Restriction ID combination is unique in the system.
Description	Specify the description of the restriction ID.
Period	Select the period for which the restriction is applicable. The available options are <ul style="list-style-type: none"> • Daily - Each Calendar Day • Weekly - Sunday - Saturday • Fortnightly - 1st of month to 15th of month, 16th of month to End of the month • Monthly - Each Calendar month • Quarterly - January - March, April - June, July - September, or October - December • Semi-Annually - January - June, or July - December • Annually - January - December

Table 13-1 (Cont.) Create Transaction Limit Rule – Field Description

Field	Description
Transaction Code	<p>Click Search icon to view and select the transaction code(s) for which the restriction is applicable. The number of transactions allowed is applicable cumulatively for all the transaction codes maintained in this section. This is a multi-entry field where the transaction code(s) for which the restriction is applicable can be captured. At least one transaction code must be maintained for a restriction ID.</p> <div style="border: 1px solid #0070c0; padding: 5px; margin-top: 10px;"> <p> Note:</p> <p>The selected transaction code can not be a part of the multiple restriction IDs under the same Limit Rule ID. If a Limit Rule ID is modified, the changes will be effective from the modification date onwards.</p> </div>
Description	Displays the description of the selected transaction code.

4. On the **Restrictions** section, click + icon to add the new restrictions.
5. On the **Transaction Code** table, click + icon to add the transaction code for the restriction ID.
6. Click **Save** to save the details.

The user can view the configured transaction limit rules in the [View Transaction Limit Rule](#).

7. Click **Cancel** to close the details without saving.

13.2 View Transaction Limit Rule

This topic describes the systematic instructions to view the list of configured transaction limit restrictions.


The user can configure a transaction limit restrictions using the [Create Transaction Limit Rule](#).

Specify **User ID** and **Password**, and login to **Home** screen.

1. On **Home** screen, click **Virtual Account Management**. Under **Virtual Account Management**, click **Configuration**.
2. Under **Configuration**, click **Transaction Limit Rule**. Under **Transaction Limit Rule**, click **View Transaction Limit Rule**.

The **View Transaction Limit Rule** screen displays.

Figure 13-2 View Transaction Limit Rule



For more information on fields, refer to the field description table.

Table 13-2 View Transaction Limit Rule – Field Description

Field	Description
Limit Rule ID	Displays the unique identifier to identify the group of transaction types and the respective restrictions.
Description	Displays the description of the limit rule.
Authorization Status	Displays the authorization status of the record. The options are: <ul style="list-style-type: none"> • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: <ul style="list-style-type: none"> • Open • Closed
Modification Number	Displays the number of modifications performed on the record.

14

Transaction Limits

This topic provides the information about the Transaction Limits.

The **Transaction Limits** allows the user to maintain the number of transactions allowed for the restriction IDs linked to the Limit Rule ID.

This topic contains the following subtopics:

- [Create Transaction Limits](#)
This topic describes the systematic instructions to maintain the number of transactions allowed for the restriction IDs linked to the Limit Rule ID.
- [View Transaction Limits](#)
This topic describes the systematic instructions to view the list of configured transaction limits.

14.1 Create Transaction Limits

This topic describes the systematic instructions to maintain the number of transactions allowed for the restriction IDs linked to the Limit Rule ID.

Specify **User ID** and **Password**, and login to **Home** screen.

1. On **Home** screen, click **Virtual Account Management**. Under **Virtual Account Management**, click **Configuration**.
2. Under **Configuration**, click **Transaction Limits**. Under **Transaction Limits**, click **Create Transaction Limits**.

The **Create Transaction Limits** screen displays.

Figure 14-1 Create Transaction Limits

Restriction ID	Description	Number of Transactions Allowed
restr1	ddesc	
restr2	ddesc	
restr3	ddesc	

3. Specify the fields on **Create Transaction Limits** screen.

 **Note:**

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 14-1 Create Transaction Limits – Field Description

Field	Description
Limit Code	Specify the unique identifier for the transaction limit.
Limit Code Description	Specify the description for the transaction limit code.
Limit Rule	Click Search icon to view and select the limit rule.
Limit Rule Description	Displays the description of the selected limit rule.
Restriction ID	Displays the restriction IDs maintained for the selected limit rule.
Description	Displays the description of the Restriction ID.
Number of Transactions Allowed	Specify the number of transactions allowed for the selected Restriction ID(s).

4. Click **Save** to save the details.

The user can view the configured transaction limits in the [View Transaction Limits](#).

5. Click **Cancel** to close the details without saving.

 **Note:**

- If a restriction ID is added to a limit rule, then the same needs to be added in the transaction limits maintained for the transaction rule manually, if required.
- If a restriction ID needs to be deleted from a limit rule, then the same needs to be deleted first from all the transaction limits maintained for the transaction rule manually.
- If a limit code is modified, the changes will be effective from the modification date onwards.

14.2 View Transaction Limits

This topic describes the systematic instructions to view the list of configured transaction limits.

The user can configure the number of transactions allowed for the restriction IDs linked to the Limit Rule ID using the [Create Transaction Limits](#).


Specify **User ID** and **Password**, and login to **Home** screen.

1. On **Home** screen, click **Virtual Account Management**. Under **Virtual Account Management**, click **Configuration**.

- Under **Configuration**, click **Transaction Limits**. Under **Transaction Limits**, click **View Transaction Limits**.

The **View Transaction Limits** screen displays.

Figure 14-2 View Transaction Limits



For more information on fields, refer to the field description table.

Table 14-2 View Transaction Limits – Field Description

Field	Description
Limit Code	Displays the unique identifier for the limit code.
Limit Rule	Displays the limit rule ID maintained for the limit code.
Authorization Status	Displays the authorization status of the record. The options are: <ul style="list-style-type: none"> • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: <ul style="list-style-type: none"> • Open • Closed
Modification Number	Displays the number of modification performed on the record.

A

Error Codes and Messages

This topic contains error codes and messages.

Table A-1 List of Error Codes and Messages

Screen Name	Error Code	Message
All Screens	GC-CLS-02	Record Successfully Closed
All Screens	GC-REOP-03	Successfully Reopened
All Screens	GCS-AUTH-01	Record Successfully Authorized
All Screens	GCS-AUTH-02	Valid modifications for approval were not sent. Failed to match
All Screens	GCS-AUTH-03	Maker cannot authorize
All Screens	GCS-AUTH-04	No Valid unauthorized modifications found for approval.
All Screens	GCS-CLOS-002	Record Successfully Closed
All Screens	GCS-CLOS-01	Record Already Closed
All Screens	GCS-CLOS-02	Record Successfully Closed
All Screens	GCS-CLOS-03	"Unauthorized record cannot be closed, it can be deleted before first authorization"
All Screens	GCS-COM-001	Record does not exist
All Screens	GCS-COM-002	"Invalid version sent, operation can be performed only on latest version"
All Screens	GCS-COM-003	Please Send Proper ModNo
All Screens	GCS-COM-004	Please send makerId in the request
All Screens	GCS-COM-005	Request is Null. Please Resend with Proper Values
All Screens	GCS-COM-006	Unable to parse JSON
All Screens	GCS-COM-007	Request Successfully Processed
All Screens	GCS-COM-008	Modifications should be consecutive.
All Screens	GCS-COM-009	"Resource ID cannot be blank or ""null""."
All Screens	GCS-COM-010	Successfully cancelled \$1.

Table A-1 (Cont.) List of Error Codes and Messages

Screen Name	Error Code	Message
All Screens	GCS-COM-011	\$1 failed to update.
All Screens	GCS-DEL-001	Record deleted successfully
All Screens	GCS-DEL-002	Record(s) deleted successfully
All Screens	GCS-DEL-003	Modifications didn't match valid unauthorized modifications that can be deleted for this record
All Screens	GCS-DEL-004	Send all unauthorized modifications to be deleted for record that is not authorized even once.
All Screens	GCS-DEL-005	Only Maker of first version of record can delete modifications of record that is not once authorized.
All Screens	GCS-DEL-006	No valid unauthorized modifications found for deleting
All Screens	GCS-DEL-007	Failed to delete. Only maker of the modification(s) can delete.
All Screens	GCS-MOD-001	Closed Record cannot be modified
All Screens	GCS-MOD-002	Record Successfully Modified
All Screens	GCS-MOD-003	"Record marked for close, cannot modify."
All Screens	GCS-MOD-004	Only maker of the record can modify before once auth
All Screens	GCS-MOD-005	"Not amendable field, cannot modify"
All Screens	GCS-MOD-006	Natural Key cannot be modified
All Screens	GCS-MOD-007	Only the maker can modify the pending records.
All Screens	GCS-REOP-003	Successfully Reopened
All Screens	GCS-REOP-01	Unauthorized Record cannot be Reopened
All Screens	GCS-REOP-02	"Failed to Reopen the Record, cannot reopen Open records"
All Screens	GCS-REOP-03	Successfully Reopened
All Screens	GCS-REOP-04	"Unauthorized record cannot be reopened, record should be closed and authorized"
All Screens	GCS-SAV-001	Record already exists
All Screens	GCS-SAV-002	Record Saved Successfully.
All Screens	GCS-SAV-003	The record is saved and validated successfully.

Table A-1 (Cont.) List of Error Codes and Messages

Screen Name	Error Code	Message
All Screens	GCS-REJ-001	A rejected record cannot be closed. Please delete this modification.
All Screens	GCS-REJ-002	A rejected record cannot be reopened. Please delete this modification.
All Screens	GCS-REJ-003	Invalid modifications sent for reject. Highest modification must also be included.
All Screens	GCS-REJ-004	Record Rejected successfully
All Screens	GCS-REJ-005	Maker cannot reject the record.
All Screens	GCS-REJ-006	Checker remarks are mandatory while rejecting.
All Screens	GCS-REJ-007	No valid modifications found for reject.
All Screens	GCS-REJ-008	Invalid modifications sent for reject. Consecutive modifications must be included.
All Screens	GCS-VAL-001	The record is successfully validated.
Branch Group	VAC-BGP-001	Cannot close the Branch Group as it is linked to a Customer
Branch Group	VAC-BGP-002	Cannot close the Branch Group as there are active Branches linked
Branch Group	VAC-BGP-003	Failed to validate Branch linkage to this Branch Group
Branch Group	VAC-BGP-005	Branch Group description cannot be greater than 255 characters long
Bank Parameters	VAC-BNK-001	Only one bank can be maintained
Bank Parameters	VAC-BNK-002	Structured Address cannot be deactivated once activated
Bank Parameters	VAC-BNK-003	Bank Code is not valid
Bank Parameters	VAC-BNK-004	Transaction allowed related parameters can not be ON when Sanction check required is OFF
Bank Parameters	VAC-COM-001	Transaction controller reference number is mandatory
Entity Mask Configuration	VAE-BNK-01	Bank code is invalid
Entity Mask Configuration	VAE-BNK-111	Only one bank code is allowed
Account Bank Parameters	VAM-BNK-001	Only one bank code is allowed
Account Bank Parameters	VAM-BNK-002	Invalid Virtual Customer No Mask. It can have only a and n as identifiers.
Account Bank Parameters	VAM-BNK-003	There are accounts created on bank parameters. Cannot modify the start account number.

Table A-1 (Cont.) List of Error Codes and Messages

Screen Name	Error Code	Message
Account Bank Parameters	VAM-BNK-004	End Account No cannot be less or equal to the last virtual account number created for this branch.
Account Bank Parameters	VAM-BNK-005	"For Auto account generation ,Account Mask should be numeric and Checksum Algorithm has to be blank."
Account Bank Parameters	VAM-BNK-006	"On selecting Modulo 97 Checksum algorithm, All components of the account mask have to be numeric."
Account Bank Parameters	VAM-BNK-007	Start or End account number is not required when auto account generation flag is disabled.
Account Bank Parameters	VAM-BNK-008	Bank Code is not valid
Account Bank Parameters	VAM-BNK-009	Residual Transfer Transaction Code should be maintained if Positive or Negative balance transfer is enabled.
Account Bank Parameters	VAM-BNK-010	Offset Transaction Code should be maintained if Positive or Negative Balance Transfer is enabled.
Account Bank Parameters	VAM-BNK-011	Transfer Out Transaction Code should be maintained if Positive Balance Transfer is enabled.
Account Bank Parameters	VAM-BNK-012	Residual Transfer Transaction Code or Offset Transaction code should not be maintained if Positive or Negative balance transfer is disabled.
Account Bank Parameters	VAM-BNK-60	Last Account Number generated should be between start and end account Number. Give Proper Start and End Account Number
Branch Parameters	VAM-BRN-01	Start Account No and End Account No should be entered
Branch Parameters	VAM-BRN-02	Start or End account number cannot be negative or zero
Branch Parameters	VAM-BRN-03	The Auto Generation of Account Number is possible only with a Numeric Account mask
Branch Parameters	VAM-BRN-04	Length of Start Account No and End Account No cannot be greater than account mask
Branch Parameters	VAM-BRN-05	Start Account No should be less than End Account No
Branch Parameters	VAM-BRN-06	Checksum Algorithm should not be given when Auto Generate flag is checked
Branch Parameters	VAM-BRN-07	Each character in the mask needs to be consecutively placed.
Branch Parameters	VAM-BRN-08	If Account Auto Generate flag is not checked and account mask is not numeric then Checksum Algorithm cannot be blank
Branch Parameters	VAM-BRN-09	"Invalid character D, only d is allowed for customer account mask"
Branch Parameters	VAM-BRN-10	For Modulo 10 length of mask cannot be different from 10
Branch Parameters	VAM-BRN-11	The length of the virtual account mask cannot be more than 13 for checksum algorithm modulo 11 with weights
Branch Parameters	VAM-BRN-12	Either no. checksum digits exceeds 2 or they do not appear at the end of the account mask
Branch Parameters	VAM-BRN-13	Cannot have d denoting Alphanumeric Characters in account mask while using mod97 Checksum algorithm

Table A-1 (Cont.) List of Error Codes and Messages

Screen Name	Error Code	Message
Branch Parameters	VAM-BRN-14	The format for Customer Account mask is invalid
Branch Parameters	VAM-BRN-15	The length of b in mask should be 3
Branch Parameters	VAM-BRN-16	The length of c in mask exceeds permissible length of 9
Branch Parameters	VAM-BRN-17	The length of \$ in mask should be 3
Branch Parameters	VAM-BRN-18	The length of t in mask exceeds permissible length of 4
Branch Parameters	VAM-BRN-19	The length of v in mask exceeds permissible length of 12
Branch Parameters	VAM-BRN-20	The length of CIF in Virtual Account Mask and the length of the CIF mask do not match.
Branch Parameters	VAM-BRN-21	Virtual Account mask should be maintained either at bank or branch level
Branch Parameters	VAM-BRN-22	User Defined Algorithm can only be entered if Check digit Algorithm is User Defined
Branch Parameters	VAM-BRN-23	User Defined Algorithm cannot be null if Check digit Algorithm is User Defined
Branch Parameters	VAM-BRN-24	BBAN Format Mask is mandatory if BBAN Data Type is present
Branch Parameters	VAM-BRN-25	"IBAN Country Code can have maximum of only two characters to generate IBAN , If you want to generate IBAN choose a country with only two characters as Country Code"
Branch Parameters	VAM-BRN-26	BBAN Data Type is mandatory if BBAN Format Mask is present
Branch Parameters	VAM-BRN-27	BBAN Data Type length and BBAN Mask Length must be the same
Branch Parameters	VAM-BRN-28	BBAN Mask characters b-Bank Code s-Branch Code z-Account Number l-Alternate Account Number d-BBAN Check Digit t-Account Type i-National Identifier and h-No of Account Holders only are allowed.
Branch Parameters	VAM-BRN-29	Bank Code is part of BBAN Mask and the same is not maintained
Branch Parameters	VAM-BRN-30	Alphabet h can occur only once in BBAN Format Mask
Branch Parameters	VAM-BRN-31	Account mask maintained in BBAN format Mask is not the same as the Account Mask maintained for the branch
Branch Parameters	VAM-BRN-32	Space is not allowed in BBAN Mask
Branch Parameters	VAM-BRN-33	"BBAN Data Type can only have characters a, n and c"
Branch Parameters	VAM-BRN-34	Branch Code is part of BBAN Mask and the same is not maintained
Branch Parameters	VAM-BRN-35	Branch Code needs to be maintained with the length and data type maintained as in BBAN Data Type field

Table A-1 (Cont.) List of Error Codes and Messages

Screen Name	Error Code	Message
Branch Parameters	VAM-BRN-36	Bank Code needs to be maintained with the length and data type maintained as in BBAN Data Type field
Branch Parameters	VAM-BRN-37	"In Identifier Mask field, only a, n and f are allowed"
Branch Parameters	VAM-BRN-38	Fixed Value field cannot be blank if virtual account mask contains f
Branch Parameters	VAM-BRN-39	Only numbers and alphabets are allowed for fixed value
Branch Parameters	VAM-BRN-40	Fixed value field must be input when f is present in identifier mask
Branch Parameters	VAM-BRN-41	Identifier Start position should be given when Identifier Mask is maintained
Branch Parameters	VAM-BRN-42	Identifier Start position can have value only from 1 to 15
Branch Parameters	VAM-BRN-43	Identifier Fixed value cannot be input when Short Identifier Mask is not maintained
Branch Parameters	VAM-BRN-44	Identifier start position cannot be given when Short Identifier Mask is not maintained
Branch Parameters	VAM-BRN-45	Identifier start position cannot be given when Short Identifier Mask doesn't not contain f
Branch Parameters	VAM-BRN-46	Fixed value should not be given if account mask is not maintained or account mask doesn't contain f
Branch Parameters	VAM-BRN-47	The length of f in mask exceeds permissible length of 1
Branch Parameters	VAM-BRN-48	Last digit of account mask must be 'd' when account mask is alphanumeric and checksum algorithm is mod11
Branch Parameters	VAM-BRN-49	Maximum account mask length allowed for user input is 19 when account mask is Numeric and checksum algorithm is mod11.
Branch Parameters	VAM-BRN-50	Maximum account mask length allowed for user input is 18 when checksum algorithm is mod97.
Branch Parameters	VAM-BRN-51	checksum digit d is not allowed for user input when account mask is numeric and checksum algorithm is mod11 or mod11WW
Branch Parameters	VAM-BRN-52	Cannot have 'dd' in account mask when checksum algorithm is mod11 or mod11WW
Branch Parameters	VAM-BRN-53	if can be present either at start or end of the account mask
Branch Parameters	VAM-BRN-54	Identifier mask length and start position should be maintained such that identifier mask is within virtual account mask range
Branch Parameters	VAM-BRN-55	Maximum account mask length allowed for user input is 12 when account mask is Numeric and checksum algorithm is mod11 with weights.
Branch Parameters	VAM-BRN-56	Bban bank code should be blank if b is not part of bban format mask
Branch Parameters	VAM-BRN-57	Bban branch code should be blank if s is not part of bban format mask
Branch Parameters	VAM-BRN-58	Branch Code is not valid

Table A-1 (Cont.) List of Error Codes and Messages

Screen Name	Error Code	Message
Branch Parameters	VAM-BRN-59	Country code is not valid. Country code maintained for Current branch is \$1
Branch Parameters	VAM-BRN-60	Last Account Number generated should be between start and end account Number. Give Proper Start and End Account Number
Branch Parameters	VAM-BRN-61	Cannot Close the Branch as Active Account exist with the Branch
Branch Parameters	VAM-BRN-62	\$1 Checksum Algorithm is invalid
Branch Parameters	VAM-BRN-63	Checksum Algorithm is invalid
Branch Parameters	VAM-BRN-64	Account Autogenerate is not allowed when Account Mask is not maintained
Branch Parameters	VAM-BRN-65	Start or End Account Number cannot be given when Account Mask is not maintained.
Branch Parameters	VAM-BRN-66	Checksum Algorithm cannot be given when Account Mask is not maintained.
Branch Parameters	VAM-BRN-67	Account Mask cannot have d when checksum algorithm is not given.
Branch Parameters	VAM-BRN-68	Country Code is not maintained for the Current branch.
Branch Parameters	VAM-BRN-69	Rate Type is invalid
Branch Parameters	VAM-BRN-70	Cannot modify the Value of Corporate Specific Range Required when there are accounts for the specified Branch
Branch Parameters	VAM-BRN-71	Cannot modify the Value of Corporate Specific Range Required as there are open Account Range defined for the Branch
Branch Parameters	VAM-BRN-72	Cannot close the Branch as there are open Account Range defined for the Branch
Branch Parameters	VAM-BRN-80	Cannot modify the Value of account mask when there is an open account for the branch
Branch Parameters	VAM-BRN-81	Cannot modify start account number when there is an open account for the branch
Branch Parameters	VAM-BRN-83	Length of Start Account No and End Account No should be same as that of account mask
Branch Parameters	VAM-BRN-84	New end account number should be greater than previous end account number when there is an open account for the branch
Branch Parameters	VAM-BRN-85	External Account Generation option for Account and IBAN can not be blank.
Branch Parameters	VAM-BRN-86	Cannot modify the Values of External Account Generation when there are open accounts for the specified Branch
Branch Parameters	VAM-BRN-87	Cannot have 'dd' in account mask when checksum algorithm is mod10
Interest Calculation Preferences	VAM-IC-001	Valid record already exists. Can have only one record.

Table A-1 (Cont.) List of Error Codes and Messages

Screen Name	Error Code	Message
Interest Calculation Preferences	VAM-IC-002	Action is not valid
Interest Calculation Preferences	VAM-IC-003	Actions not maintained
Interest Calculation Preferences	VAM-IC-004	Updated Event Master Successfully
Interest Calculation Preferences	VAM-IC-005	Added Event Master Successfully
Interest Calculation Preferences	VAM-IC-006	"Unknown Error, Failed to process authorize"
Interest Calculation Preferences	VAM-ICG-010	Mandatory inputs are missing in request
Liquidity Management Preferences	VAM-LM-001	Valid record already exists. Can have only one record.
Liquidity Management Preferences	VAM-LM-002	Action is not valid
Liquidity Management Preferences	VAM-LM-003	Actions not maintained
Liquidity Management Preferences	VAM-LM-004	Updated Event Master Successfully
Liquidity Management Preferences	VAM-LM-005	Added Event Master Successfully
Liquidity Management Preferences	VAM-LM-006	"Unknown Error, Failed to process authorize"
Liquidity Management Preferences	VAM-LMT-001	Successfully merged revaluated limit utilization amounts
Transaction Code	VAM-TXN-01	Number of Days is Required
Transaction Code	VAM-TXN-02	Auto Release is required
Account Product Proposition	VAC-PRDT-001	Product template code size must be \$1
Account Product Proposition	VAC-PRDT-002	"If Interest Calculation is selected, then IC Group Template should be present."

Table A-1 (Cont.) List of Error Codes and Messages

Screen Name	Error Code	Message
Account Product Proposition	VAC-PRDT-003	Only Positive Non-decimal numbers greater than zero are allowed for Inactive days
Account Product Proposition	VAC-PRDT-004	IC Group Template \$1 is invalid.
Account Product Proposition	VAC-PRDT-005	Cannot Map Identical Transaction Codes Twice
Account Product Proposition	VAC-PRDT-006	Transaction Code \$1 is invalid
Account Product Proposition	VAC-PRDT-007	Cannot Map Identical Currency Codes Twice
Account Product Proposition	VAC-PRDT-008	Currency Code \$1 is invalid
Account Product Proposition	VAC-PRDT-009	Cannot Map Identical Customer Category Codes Twice
Account Product Proposition	VAC-PRDT-010	Customer Category Code \$1 is invalid
Account Product Proposition	VAC-FCLT-112	Limit Code is invalid
Inter-DDA General Ledger	EDA-CMC-001	DDASystem1 \$1 is Invalid
Inter-DDA General Ledger	EDA-CMC-002	DDASystem2 \$1 is Invalid
Inter-DDA General Ledger	EDA-CMC-003	DuefromDDASystem1 \$1 is Invalid
Inter-DDA General Ledger	EDA-CMC-004	DuefromDDASystem2 \$1 is Invalid
Inter-DDA General Ledger	EDA-CMC-005	DuetoDDASystem1 \$1 is Invalid
Inter-DDA General Ledger	EDA-CMC-006	DuetoDDASystem2 \$1 is Invalid
External DDA System	EDA-PREF-001	Record Saved Successfully
External DDA System	EDA-PREF-002	Record already exist

Table A-1 (Cont.) List of Error Codes and Messages

Screen Name	Error Code	Message
External DDA System	EDA-PREF-003	Cannot modify ECA system name
External DDA System	EDA-PREF-004	Record Successfully modified
External DDA System	EDA-PREF-005	Record does not exist
Transaction Limit Rule	VAC-TLR-001	Please provide a Limit Rule ID
Transaction Limit Rule	VAC-TLR-002	At least one Restriction ID needs to be provided for the Limit Rule
Transaction Limit Rule	VAC-TLR-003	At least one Transaction Code needs to be provided for the Restriction
Transaction Limit Rule	VAC-TLR-004	Please provide a Restriction ID
Transaction Limit Rule	VAC-TLR-005	Period provided for the Restriction is invalid
Transaction Limit Rule	VAC-TLR-006	Transaction Code cannot be repeated in a Limit Rule
Transaction Limit Rule	VAC-TLR-007	Transaction Code cannot be repeated in a Limit Rule
Transaction Limit	VAC-LIM-001	Limit Code cannot be closed as it is active in a Product Proposition
Transaction Limit	VAC-LIM-002	Limit Code cannot be closed as it is active in an Account Product
Transaction Limit	VAC-LIM-003	Limit Rule ID cannot be modified
Transaction Limit	VAC-LIM-004	Limit Rule ID cannot be null
Transaction Limit	VAC-LIM-005	Invalid Limit Rule ID
Transaction Limit	VAC-LIM-006	Transaction Count must be greater than 0
Transaction Limit	VAC-LIM-007	Limit Code of master and detail do not match
Transaction Limit	VAC-LIM-008	Restriction ID sent are not same as that maintained at Limit Rule
Transaction Limit	VAC-LIM-009	Empty restrictions not allowed
Transaction Limit	VAC-LIM-010	Restrictions cannot be Empty

B

Functional Activity Codes

Table B-1 List of Functional Activity Codes

Screen Name	Functional Activity Code
Create Account Bank Parameters	VAM_FA_ACC_BANK_PARAMETERS_CREATE
View Account Bank Parameters	VAM_FA_ACC_BANK_PARAMETERS_VIEW
Create Account Product Proposition	VAC_FA_PROD_TEMPL_CREATE
View Account Product Proposition	VAC_FA_PROD_TEMPL_VIEW
Create Bank Parameters	VAC_FA_GEN_BANK_PARAM_NEW
View Bank Parameters	VAC_FA_GEN_BANK_PARAM_VIEW
Create Branch Groups	VAC_FA_BRANCHGRP_NEW
View Branch Groups	VAC_FA_BRANCHGRP_VIEW
Create Branch Parameters	VAM_FA_ACC_BRANCH_PARAMETERS_CREATE
View Branch Parameters	VAM_FA_ACC_BRANCH_PARAMETERS_VIEW
View ECA System Preferences	EDA_FA_GETALLPREF_SERVICE
Create Entity Mask Configuration	VAE_FA_ENTITY_BANK_PARAMETERS_CREATE
View Entity Mask Configuration	VAE_FA_ENTITY_BANK_PARAMETERS_VIEW
Create External DDA System	EDA_FA_EDA_SYSTEM_NEW
View External DDA System	EDA_FA_EDA_SYSTEM_VIEWALL
Create Identifier Branch Parameters	VAI_FA_VIRTUAL_IDENTIFIER_BRN_PARAM_CREATE
View Identifier Branch Parameters	VAI_FA_VIRTUAL_IDENTIFIER_BRN_PARAM_VIEWALL
Create Identifier Mask Configuration	VAI_FA_IDENTIFIERMASKCONFIG_NEW
View Identifier Mask Configuration	VAI_FA_IDENTIFIERMASKCONFIG_VIEWALL
Create Inter-DDA General Ledger	EDA_FA_INTER_DDA_GL_NEW
View Inter-DDA General Ledger	EDA_FA_INTER_DDA_GL_VIEWALL
Create Transaction Limit Rule	VAC_FA_LIMIT_RULE_CREATE
View Transaction Limit Rule	VAC_FA_LIMIT_RULE_VIEW
Create Transaction Limit	VAC_FA_LIMIT_CODE_NEW
View Transaction Limit	VAC_FA_LIMIT_CODE_VIEW
Create Transaction Code Preferences	VAM_FA_TXNCODE_NEW

Table B-1 (Cont.) List of Functional Activity Codes

Screen Name	Functional Activity Code
View Transaction Code Preferences	VAM_FA_TXNCODE_VIEW

C

Annexure - Events

This topic contains the events and its purpose.

Table C-1 List of Events

Events	Purpose
eca.amountblockauthorizenotification	Event is generated when ECA amount block is authorized.
eca.amountblockcreatenotification	Event is generated when ECA amount block is created.
eca.amountblockdeletenotification	Event is generated when ECA amount block is deleted.
eca.amountblockexchangequeuenotification	Event is generated when an Amount Block is placed into exchange rate queue.
eca.amountblockreleasenotification	Event is generated when ECA amount block is released.
txnExternalAccountEntriesnotification	Event is generated when async mode is Y for transactions, publish transactions to external-DDA so that batch can process the records.
vas.genericdashboardeventrequest	Event is generated for unauthorised transaction count.

Feedback and Support

Oracle welcomes customer's comments and suggestions on the quality and usefulness of the document. Your feedback is important to us. If you have a query that is not covered in this guide or if you still need assistance, please contact the documentation team.

Index

A

Account Bank Parameters, [1-1](#)
Account Product Proposition, [2-1](#)
Annexure - Events, [C-1](#)

B

Bank Parameters, [3-1](#)
Branch Groups, [4-1](#)
Branch Parameters, [5-1](#)

C

Create Account Bank Parameters, [1-1](#)
Create Account Product Proposition, [2-1](#)
Create Bank Parameters, [3-1](#)
Create Branch Groups, [4-1](#)
Create Branch Parameters, [5-1](#)
Create Entity Mask Configuration, [7-1](#)
Create External DDA System, [8-1](#)
Create Identifier Branch Parameters, [9-1](#)
Create Identifier Mask Configuration, [10-1](#)
Create Inter-DDA General Ledger, [11-1](#)
Create Transaction Code Preferences, [12-1](#)
Create Transaction Limit Rule, [13-1](#)
Create Transaction Limits, [14-1](#)

E

ECA System Preferences, [6-1](#)
Entity Mask Configuration, [7-1](#)
Error Codes and Messages, [A-1](#)
External DDA System, [8-1](#)

F

Functional Activity Codes, [B-1](#)

I

Identifier Branch Parameters, [9-1](#)
Identifier Mask Configuration, [10-1](#)
Inter-DDA General Ledger, [11-1](#)

T

Transaction Code Preferences, [12-1](#)
Transaction Limit Rule, [13-1](#)
Transaction Limits, [14-1](#)

V

View Account Bank Parameters, [1-3](#)
View Account Product Proposition, [2-6](#)
View Bank Parameters, [3-3](#)
View Branch Groups, [4-2](#)
View Branch Parameters, [5-6](#)
View ECA System Preferences, [6-1](#)
View Entity Mask Configuration, [7-2](#)
View External DDA System, [8-2](#)
View Identifier Branch Parameters, [9-3](#)
View Identifier Mask Configuration, [10-3](#)
View Inter-DDA General Ledger, [11-2](#)
View Transaction Code Preferences, [12-3](#), [13-3](#)
View Transaction Limits, [14-2](#)