

Oracle® Fusion Middleware

Understanding Interoperability and Compatibility



14c (14.1.2.0.0)

F85525-02

March 2025

The Oracle logo, consisting of the word "ORACLE" in white, uppercase, sans-serif font, centered within a solid red square.

ORACLE®

Oracle Fusion Middleware Understanding Interoperability and Compatibility, 14c (14.1.2.0.0)

F85525-02

Copyright © 2019, 2025, Oracle and/or its affiliates.

Primary Author: Oracle Corporation

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface

Audience	v
Documentation Accessibility	v
Diversity and Inclusion	v
Related Documents	v
Conventions	vi

1 Understanding Interoperability and Compatibility

What Is Compatibility?	1-1
Compatibility Between Oracle Fusion Middleware Software Suites	1-1
Compatibility Within Oracle Fusion Middleware Software Suites	1-2
What Is Interoperability?	1-2
About Interoperability and Compatibility with Supported Databases	1-2
Identifying Potential Compatibility and Interoperability Issues	1-2
Before You Begin	1-3
Using the Oracle Certification Matrixes	1-4
Understanding the Compatibility Matrixes in this Guide	1-5
Collecting Your Component and Infrastructure Information	1-5
Locating Oracle Fusion Middleware Product Release Information	1-5
Locating Your Oracle Database Release Information	1-6
Locating your Microsoft SQL Server Version Information	1-6
Locating your DB2 Version Information	1-7
Locating JDK Version Information	1-7
Using Release Notes	1-8
Using the Oracle Fusion Middleware Documentation Library	1-8

2 Oracle Fusion Middleware 14c (14.1.2.0.0) Interoperability and Compatibility

Products and Features Available in Oracle Fusion Middleware 14c (14.1.2.0.0)	2-1
Oracle Fusion Middleware Compatibility with Previous Releases	2-2
Compatibility with Oracle Fusion Middleware 14c (14.1.2.0.0)	2-2
Interoperability with Supported Databases	2-2

Oracle Database Interoperability Considerations	2-3
Java DB Interoperability Considerations	2-3
Additional Database Interoperability Considerations	2-4
Application Data Access	2-4
Database Dependent Features	2-5
Oracle HTTP Server Interoperability and Compatibility	2-5
Interoperability with Oracle Identity Management Products	2-5
Interoperability with Oracle Access Management and Oracle Identity Governance	2-6
Interoperability with Oracle Internet Directory and Oracle Unified Directory	2-7
Interoperability with Oracle Analytics Publisher	2-8
Oracle Web Services Interoperability	2-8
Oracle Home and Domain Extension Interoperability	2-9
Oracle Home Interoperability	2-9
Domain Extension Interoperability	2-9
Interoperability with Custom and Client Applications	2-9
Oracle Data Integration 14c (14.1.2.0.0) Interoperability with Other Fusion Middleware Products	2-10
Oracle Enterprise Data Quality 14c (14.1.2.0.0) Interoperability with Other Fusion Middleware Products	2-10
Oracle WebCenter Interoperability with Other Fusion Middleware Products	2-11
Oracle Forms Interoperability and Compatibility with Reporting Products	2-11

Preface

This guide describes interoperability and compatibility considerations you should review when installing, upgrading, or patching Oracle Fusion Middleware.

This preface contains these topics.

- [Audience](#)
- [Documentation Accessibility](#)
- [Diversity and Inclusion](#)
- [Related Documents](#)
- [Conventions](#)

Audience

This document is intended for system administrators responsible for installations, upgrade planning, and patch set application.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customer access to and use of Oracle support services will be pursuant to the terms and conditions specified in their Oracle order for the applicable services.

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

Related Documents

For more information on Fusion Middleware, see the following related documentation:

- *Planning an Upgrade of Oracle Fusion Middleware*

-
- *Planning an Installation of Oracle Fusion Middleware*
 - *Patching with OPatch*

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

1

Understanding Interoperability and Compatibility

This chapter provides an introduction to interoperability and compatibility. It also describes how to identify areas where compatibility and interoperability considerations may arise when you upgrade Oracle Fusion Middleware components, apply patch sets, or install new Oracle Fusion Middleware components.

This chapter contains the following sections.

- [What Is Compatibility?](#)
For the purposes of this guide, *compatibility* is defined as the ability of two Oracle Fusion Middleware components of different versions (or releases) to work together (interoperate).
- [What Is Interoperability?](#)
For the purposes of this guide, *interoperability* is the ability of two Oracle Fusion Middleware products or components of the same version or release to work together (interoperate) in a supported Oracle Fusion Middleware configuration.
- [About Interoperability and Compatibility with Supported Databases](#)
It is important to understand the prerequisites and limitations before planning the upgrade.
- [Identifying Potential Compatibility and Interoperability Issues](#)
It is important to understand common compatibility and interoperability issues.

What Is Compatibility?

For the purposes of this guide, *compatibility* is defined as the ability of two Oracle Fusion Middleware components of different versions (or releases) to work together (interoperate).

You need to consider compatibility when upgrading Oracle Fusion Middleware or when applying Oracle Fusion Middleware patches.

When upgrading, for example, you should know which components must be updated so that your existing integration points continue to work. To apply a patch, you should know if the new products work with other products of the same release or if they still work with previous versions.

Compatibility also includes the following.

- [Compatibility Between Oracle Fusion Middleware Software Suites](#)
- [Compatibility Within Oracle Fusion Middleware Software Suites](#)

Compatibility Between Oracle Fusion Middleware Software Suites

While upgrading your Oracle Fusion Middleware 12c environment to Oracle Fusion Middleware 14c, you are likely to update one area of your environment at a time.

For example, you can upgrade the middle tiers in one department to Oracle Fusion Middleware 14c in order to support new features. At the same time, you can leave your company-wide Oracle Identity Management components at Oracle Fusion Middleware 12c.

Compatibility Within Oracle Fusion Middleware Software Suites

When you upgrade to Oracle Fusion Middleware 14c, consider potential compatibility issues within a specific software suite.

Usually, issues are temporary and occur only during the upgrade process. After you finish upgrading the software suite, the issues are typically resolved. However, be aware of these potential concerns, because they can influence your upgrade planning.

What Is Interoperability?

For the purposes of this guide, *interoperability* is the ability of two Oracle Fusion Middleware products or components of the same version or release to work together (interoperate) in a supported Oracle Fusion Middleware configuration.

Interoperability applies when the first 4 digits of the release or version number are the same. For example, Oracle Fusion Middleware 14c (14.1.2.0.0) components are interoperable with other 14c (14.1.2.0.0) components.

Sometimes there may be interoperability issues between Oracle Fusion Middleware software suites. For example, you may experience issues with domains coexisting between Oracle Fusion Middleware 11g products such as SOA and WebCenter.

About Interoperability and Compatibility with Supported Databases

It is important to understand the prerequisites and limitations before planning the upgrade.

Each release of Oracle Fusion Middleware is certified against specific database versions. You can use these certified databases to host the Oracle Fusion Middleware component schemas.

To upgrade your database to a supported version before upgrading to a particular release of Oracle Fusion Middleware, see *Planning an Upgrade of Oracle Fusion Middleware*.

For the latest information about the databases supported by each Oracle Fusion Middleware release, see *Oracle Fusion Middleware Supported System Configurations*.

On the Supported Configurations page, you can locate the Oracle Fusion Middleware release you are using, as well as the target Oracle Fusion Middleware release to which you want to upgrade. For each Oracle Fusion Middleware release, a corresponding spreadsheet lists the certified configurations, including the supported databases.

Identifying Potential Compatibility and Interoperability Issues

It is important to understand common compatibility and interoperability issues.

The following sections describe how to identify and resolve common compatibility and interoperability issues using information from this guide, the Oracle Technology Network (OTN), and other Oracle documents.

- [Before You Begin](#)
- [Using the Oracle Certification Matrixes](#)
- [Understanding the Compatibility Matrixes in this Guide](#)

- [Collecting Your Component and Infrastructure Information](#)
- [Using Release Notes](#)
- [Using the Oracle Fusion Middleware Documentation Library](#)

Before You Begin

Whether you are installing a new product or updating an existing one (either to a new major version or a patch set), interoperability and compatibility issues may arise.

When you install a new product component, new product integrate with other Oracle Fusion Middleware components of the same release.

Consider how a new product to integrates with earlier versions of Oracle Fusion Middleware products that are already installed. When you update a product, consider the other components that need to be updated so that existing integration points continue to work.

[Table 1-1](#) lists the tasks that help you collect the information necessary to plan your Oracle Fusion Middleware upgrade and installation strategy.

Table 1-1 Tasks for Preparing to Identify and Solve Interoperability Considerations

Task	Description	Documentation
Task 1 - Gather release and version information for your installed components and supporting infrastructure.	Collect the release and version information for each component or suite of components you have installed or plan to install or upgrade. In addition, collect version and release information for your operating system, database, JDKs, and third-party products.	See Collecting Your Component and Infrastructure Information
Task 2 - If you are planning an upgrade, develop an upgrade strategy and understand the supported starting points for upgrading to Oracle Fusion Middleware 14c.	An upgrade starting point is a version of Oracle Fusion Middleware that you must be running in order to upgrade. If the current version is not a supported upgrade starting point, then you must first upgrade to a supported starting point by using documentation from a previous release.	<i>Planning an Upgrade of Oracle Fusion Middleware</i> provides detailed information for developing and implementing an Oracle Fusion Middleware upgrade plan. Also, each of the Oracle Fusion Middleware products has an upgrade guide that details the upgrade process and identifies any post-upgrade configuration tasks that must be completed. See Using the Oracle Fusion Middleware Documentation Library for more information on locating the correct documentation for your upgrade.
Task 3 - If you are applying a patch, understand the patching requirements for your components and supporting infrastructure.	Patching involves copying a small collection of files over an existing installation. A patch is normally associated with a particular version of an Oracle product and involves updating from one minor version of the product to a newer minor version of the same product (for example, from version 12c (12.1.2) to version 12c (12.1.3)).	<i>Patching with OPatch</i> describes the tools available for you to patch your existing Oracle Fusion Middleware environment. Information about the latest patches and patch sets is located in the <i>Oracle Fusion Middleware System Requirements and Specifications Document</i> .

Table 1-1 (Cont.) Tasks for Preparing to Identify and Solve Interoperability Considerations

Task	Description	Documentation
Task 4 - If you are Installing new Oracle Fusion Middleware components, understand the installation requirements and the supported starting points.	Each Fusion Middleware product has an installation guide that describes prerequisites, supported starting points and post-installation configuration procedures. Read and follow the installation procedures to avoid potential interoperability and compatibility issues.	To view and download installation guides, release notes, white papers, and other documentation, go to the following URL: http://docs.oracle.com/

Using the Oracle Certification Matrixes

The Oracle Fusion Middleware Certification matrixes provide important compatibility and interoperability information such as supported system configurations, database versions, and third party products. Refer to the matrixes to ensure that your current environment can support an upgrade or patch set.

 **Note:**

The information in this guide is meant to complement the information contained in the Oracle Fusion Middleware certification matrixes. If there is a conflict of information between this guide and the certification matrixes, then the information in the certification matrixes must be considered the correct version, as they are frequently updated.



Table 1-2 Oracle Fusion Middleware Certification Matrixes

Document Name	Description
<i>Oracle Fusion Middleware Supported System Configurations</i>	Each product area within Oracle Fusion Middleware maintains certification documentation that covers supported installation types, platforms, operating systems, databases, JDKs, and third-party products. On the Oracle Fusion Middleware Supported System Configurations page, locate the product area to select and review the appropriate certification document.
<i>Oracle Fusion Middleware System Requirements and Specifications Document</i>	The Oracle Fusion Middleware System Requirements and Specifications document covers information such as hardware and software requirements, minimum disk space and memory requirements, and required system libraries, packages, or patches.
Oracle JDeveloper and Application Development Framework Certification Information	Locate the Oracle JDeveloper and Oracle Application Development Framework (Oracle ADF) certification information to understand the various third party and Oracle products that are supported to work with the Oracle JDeveloper and Oracle ADF. Oracle ADF may support or certify with a superset of products then required for Oracle Fusion Middleware and this document serves as a reference for those cases.

Understanding the Compatibility Matrixes in this Guide

Interoperability and compatibility matrixes are used throughout this guide to identify potential issues and to provide links to additional information. When you use the interoperability and compatibility matrixes in this guide, the level of support can be defined in one of the following ways:

Table 1-3 How To Use the Matrixes in This Guide

Status		Description
Compatible or Interoperable		Integration between the components involved is expected to work with appropriate configuration. However, that compatibility is not a statement of certification. Certification information is located in the certification matrixes described in Table 1-2 .
Not Compatible or Interoperable		Integration between the components involved is not expected to work.
A reference to a specific guide or section		A reference is provided when an individual guide provides more detailed information about the compatibility requirements and considerations that you must review when upgrading, patching, or installing Oracle Fusion Middleware 14c.
N/A		Not applicable.

Collecting Your Component and Infrastructure Information

Oracle Fusion Middleware release and version information are available for every component on your system. This information is required before you can effectively identify and solve interoperability or compatibility issues. The certification matrixes described in [Using the Oracle Certification Matrixes](#) provide certification and system requirements information for Oracle Fusion Middleware components.

This section provides information for the following:

- [Locating Oracle Fusion Middleware Product Release Information](#)
- [Locating Your Oracle Database Release Information](#)
- [Locating your Microsoft SQL Server Version Information](#)
- [Locating your DB2 Version Information](#)
- [Locating JDK Version Information](#)

Locating Oracle Fusion Middleware Product Release Information

To find release and version information for your Oracle Fusion Middleware components, see the installed product information using the Oracle Universal Installer (OUI). See [Viewing Release Numbers](#) in the *Administering Oracle Fusion Middleware*.



Note:

You can also find version and release information in the installation log files located in the oraInventory/logs directory of your Oracle Home.

Locating Your Oracle Database Release Information

To determine the release information of your Oracle database:

Start SQL*Plus from the Oracle home directory:

```
sqlplus /nolog
SQL> CONNECT / AS SYSDBA
SQL> select BANNER_FULL from v$version;
```



Note:

If you are connecting to a database that is lower than version 19.x, use the "select BANNER_FULL from v\$version;" statement instead of select * from v\$version;.

The command returns the release information, such as the following:

```
SQL> select BANNER_FULL from v$version;

BANNER_FULL
-----
Oracle Database 19c Enterprise Edition Release 19.0.0.0.0 - Production
Version 19.23.0.0.0

SQL> select * from V$version;

BANNER
BANNER_FULL
          BANNER_LEGACY
CON_ID
-----
-----
-----
Oracle Database 19c Enterprise Edition Release 19.0.0.0.0 - Production      Oracle
Database 19c Enterprise Edition Release 19.0.0.0.0 -
Production                          Oracle Database 19c Enterprise Edition Release
19.0.0.0.0 - Production              0
                                          Version
19.23.0.0.0
```

Locating your Microsoft SQL Server Version Information

To determine the release information of your Microsoft SQL database:

From the command line, enter the following:

```
exec xp_msver ProductVersion
```

The command returns the product version information, such as the following:

```
ProductVersion 589824 9.00.1399.06
```

Locating your DB2 Version Information

To determine the release information of DB2, do one of the following:

- On the **Windows** operating system command line, navigate to the following:

```
\Program Files\IBM\SQLLIB\BIN>db2level
```

The command returns the database version and applicable fix pack information such as the following:

```
DB21085I Instance "DB2?" uses "32?" bits and DB2 code release "SQL09011?" with level
identifier "01020107?".
Informational tokens are "DB2 v9.1.100.129?", "s061104?", "WR21374?", and Fix Pack "1?".
Product is installed at "D:\PROGRA~1\IBM\SQLLIB" with DB2 Copy Name "DB2COPY1?".
```

- On the **UNIX** operating system command line, type the following:

```
db2ls
```

This command returns the installation path, version level, fix pack information and installation date of the installed DB2 product. Output from this command goes to the console by default.

Install Path	Level	Fix Pack	Install Number	Install Date
/opt/ibm/db2/V9.1	9.1.0.0	0	1	Fri Sep 3 10:26:33 2010 EDT

Locating JDK Version Information

Many Fusion Middleware components need a supported JDK installed and configured. The currently supported JDK version information is documented in the Oracle Fusion Middleware Supported System Configurations matrix, as described in [Using the Oracle Certification Matrixes](#).

To locate your current JDK version, use the `java -version` command to display the current version of Java you are using. For example:

```
> java -version
java version "17.0.12" 2024-07-16 LTS
Java(TM) SE Runtime Environment (build 17.0.12+8-LTS-286)
Java HotSpot(TM) 64-Bit Server VM (build 17.0.12+8-LTS-286, mixed mode,
sharing)
```

Note:

If you have more than one installation of Java on your system, then the `Java` command uses the installation identified in the `JAVA_HOME` system variable.

On UNIX systems, you can often identify the location of the default Java software by using the `which` command. For example:

```
> which java  
/usr/bin/java
```

Using Release Notes

Refer to the Oracle Fusion Middleware release notes for information about required patch sets that address interoperability and compatibility issues that may surface during an upgrade or patching process. The release notes for each release are available on the Oracle Technology Network (OTN). To find the release notes for a specific release, go to the Oracle Fusion Middleware documentation page and choose the appropriate documentation library:

<http://www.oracle.com/technetwork/middleware/fusion-middleware/documentation/index.htm>

Using the Oracle Fusion Middleware Documentation Library

The Oracle Fusion Middleware documentation library provides access to information that can help you upgrade and patch your Oracle environment. You can review component-specific administration, installation, and upgrade guides for Oracle Fusion Middleware 14c documentation at:

<http://www.oracle.com/technetwork/middleware/fusion-middleware/documentation/index.htm>

The following guides provide information on installing, patching, and upgrading your Oracle Fusion Middleware environment:

- *Patching with OPatch*
- *Planning an Upgrade of Oracle Fusion Middleware*
- *Planning an Installation of Oracle Fusion Middleware*

2

Oracle Fusion Middleware 14c (14.1.2.0.0) Interoperability and Compatibility

This chapter summarizes the specific interoperability and compatibility considerations and issues for the Oracle Fusion Middleware 14c (14.1.2.0.0) release. This chapter contains the following sections.

- [Products and Features Available in Oracle Fusion Middleware 14c \(14.1.2.0.0\)](#)
- [Oracle Fusion Middleware Compatibility with Previous Releases](#)
- [Interoperability with Supported Databases](#)
- [Oracle HTTP Server Interoperability and Compatibility](#)
- [Interoperability with Oracle Identity Management Products](#)
- [Oracle Web Services Interoperability](#)
- [Oracle Home and Domain Extension Interoperability](#)
- [Interoperability with Custom and Client Applications](#)
- [Oracle Data Integration 14c \(14.1.2.0.0\) Interoperability with Other Fusion Middleware Products](#)
- [Oracle Enterprise Data Quality 14c \(14.1.2.0.0\) Interoperability with Other Fusion Middleware Products](#)
- [Oracle WebCenter Interoperability with Other Fusion Middleware Products](#)
- [Oracle Forms Interoperability and Compatibility with Reporting Products](#)

Products and Features Available in Oracle Fusion Middleware 14c (14.1.2.0.0)

Oracle Fusion Middleware 14c (14.1.2.0.0) includes updates to the following products that were originally distributed in Oracle Fusion Middleware 12c (12.2.1):

- Oracle JDeveloper
- Oracle WebLogic Server and Coherence
- Oracle Fusion Middleware Infrastructure
- Oracle HTTP Server
- Oracle Data Integrator
- Oracle SOA Suite
- Oracle Business Process Management
- Oracle Service Bus
- Oracle Managed File Transfer
- Oracle Event Processing (Oracle Stream Explorer)

Oracle Fusion Middleware 14c (14.1.2.0.0) also includes the following Oracle Fusion Middleware products, which have been reintroduced and re-engineered for Oracle Fusion Middleware 14c:

- Oracle WebCenter Content
- Oracle WebCenter Portal
- Oracle WebCenter Sites

This is not a definitive list of products released with Oracle Fusion Middleware 14c (14.1.2.0.0). For information about all the Oracle Fusion Middleware 14c (14.1.2.0.0) products, see *Understanding Oracle Fusion Middleware*.

Oracle Fusion Middleware Compatibility with Previous Releases

Refer to the following sections for information on Oracle Fusion Middleware 14c (14.1.2.0.0) compatibility with previous Oracle Fusion Middleware releases:

- [Compatibility with Oracle Fusion Middleware 14c \(14.1.2.0.0\)](#)

Compatibility with Oracle Fusion Middleware 14c (14.1.2.0.0)

If you are currently running Oracle WebLogic Server 12c or 14.1.1 products, then be aware of the following:

- Do not install Oracle WebLogic Server 14.1.2.0.0 in the same Middleware home or Oracle home as any previous Oracle Fusion Middleware 12c or Oracle WebLogic Server 12c or 14.1.1 products.
- Do not install any Oracle Fusion Middleware 12c products in the same Oracle home as Oracle Fusion Middleware 14.1.2.0.0.

Similarly, you cannot extend an existing Oracle Fusion Middleware 12c or Oracle WebLogic Server 12c or 14.1.1 domain with Oracle WebLogic Server 14.1.2.0.0.

Interoperability with Supported Databases

Oracle Fusion Middleware 14c (14.1.2.0.0) supports specific database versions for hosting the required Oracle Fusion Middleware product and component schemas and for other specific product features.

The certification information on the Oracle Technology Network provides information about the specific database versions supported by Oracle Fusion Middleware. For more information on using the certification information, see [Using the Oracle Certification Matrixes](#).

However, in some cases, an Oracle Fusion Middleware feature or component requires a more specific database version or a specific database feature that is available in a particular database release.

The following sections describe some of those specific features and database requirements:

- [Oracle Database Interoperability Considerations](#)
- [Java DB Interoperability Considerations](#)
- [Additional Database Interoperability Considerations](#)

Oracle Database Interoperability Considerations

In addition to the information available in the certification information on the Oracle Technology Network, [Table 2-1](#) provides some additional considerations when using specific Oracle database features.

Table 2-1 Database Version Requirements for Selected Products and Features

Product or Feature	Database Requirement	Restrictions	More Information
Using SCAN addresses with GridLink data sources.	Oracle Database 19c and later	None	SCAN Addresses in <i>Administering JDBC Data Sources for Oracle WebLogic Server</i>
JDBC Multi Data Sources	All Oracle Database versions supported by Oracle Fusion Middleware	None.	Configuring JDBC Multi Data Sources in <i>Administering JDBC Data Sources for Oracle WebLogic Server</i>
Using Edition-Based Redefinition (EBR) when creating schemas in an Oracle database	Oracle Database 19c and later	EBR is supported by all Oracle Fusion Middleware schemas, except where noted.	<ul style="list-style-type: none"> • "Component-Specific Requirements for Oracle Databases" in the <i>Oracle Fusion Middleware System Requirements and Specifications</i> document. • Specifying Connection Credentials for Oracle Databases and Oracle Databases with Edition-Based Redefinition in <i>Creating Schemas with the Repository Creation Utility</i> • Managing Editions in <i>Oracle Database Administrator's Guide</i>
Support for pluggable databases (PDBs)	Oracle Database 19c and later	PDBs are supported for Oracle Fusion Middleware schemas.	Managing Pluggable Databases in <i>Enterprise Manager Lifecycle Management Administrator's Guide</i> .

Java DB Interoperability Considerations

Oracle supports the use of Java DB as a repository for the required Oracle Fusion Middleware schemas in a limited set of Oracle WebLogic Server domain configurations.

Specifically, for evaluation or development purposes only, you can use Java DB to host the required schemas for an Oracle Fusion Middleware Infrastructure domain.

For example, you can install the required Oracle Fusion Middleware schemas in a Java DB database and reference the Java DB data sources during the configuration of an Oracle Fusion Middleware Infrastructure domain.

Also, by default, the Oracle JDeveloper Integrated WebLogic Server, which is installed with the Oracle SOA Suite Quick Start and Oracle Business Process Management Quick Start

installers, is configured to use a pre-configured instance of Java DB. For more information, see *Installing SOA Suite and Business Process Management Suite Quick Start for Developers*.

For more information about Java DB, see the following URL:

<http://docs.oracle.com/javadb>

For more information on certified databases, see [Using the Oracle Certification Matrixes](#).

Additional Database Interoperability Considerations

The certification matrices and My Oracle Support Certifications define the following terms to differentiate between types of database support:

- [Application Data Access](#)
- [Database Dependent Features](#)

Application Data Access

Application Data Access refers to those applications that use the database for data access only and do not take advantage of WebLogic Server features that are Database-dependent. WebLogic Server support of databases used for application data access only are less restrictive than for database-dependent features.

WebLogic Server supports application data access to databases using JDBC drivers that meet the following requirements:

- The driver must be thread safe.
- The driver must implement standard JDBC transactional calls, such as `setAutoCommit()` and `setTransactionIsolation()`, when used in transactional aware environments.

Note the following restrictions:

- JDBC drivers that do not implement serializable or remote interfaces cannot pass objects to an RMI client application.
- Simultaneous use of automatic database connection failover and load balancing and global transactions (XA) with a highly available (HA) DBMS architecture is supported with Oracle DB RAC only, and only for the Oracle DB RAC versions indicated on the **System** worksheet. These HA capabilities are supported by Active GridLink for RAC and Multi-Data Sources with RAC. These HA capabilities are not supported on other Oracle DB RAC versions or with other HA DBMS technologies on other non-Oracle DB products. Multi-Data Sources are supported on other Oracle DB versions, and with non-Oracle DB technologies, but not with simultaneous use of automatic failover and load balancing and global transactions.
- Application data access to databases meeting the restrictions is supported on other Oracle DB versions, in addition to ones documented in the certification matrix.
- WebLogic Type 4 JDBC drivers also support the following databases. For these databases, WebLogic Server supports application data access only, and does not support WebLogic Server database-dependent features:
 - DB2 V11.5.5

Database Dependent Features

When WebLogic Server features use a database for internal data storage, database support is more restrictive than for application data access. The following WebLogic Server features require internal data storage:

- Container Managed Persistence (CMP)
- Rowsets
- JMS/JDBC Persistence and use of a WebLogic JDBC Store
- JDBC Session Persistence
- RDBMS Security Providers
- Database Leasing (for singleton services and server migration)
- JTA Logging Last Resource optimization
- JDBC TLog

Oracle HTTP Server Interoperability and Compatibility

This section summarizes the most common interoperability scenarios for Oracle HTTP Server and other Oracle Fusion Middleware components. The information in this section was accurate as of the publishing of this document.

For complete information about the interoperability of Oracle HTTP Server, see the certification information available on the Oracle Technology Network. For more information, see [Using the Oracle Certification Matrixes](#).

Before you start, consider the following:

- Certification is based on the use of the WLS Proxy Plugin as documented in *Fusion Middleware Using Oracle WebLogic Server Proxy Plug-Ins*. Oracle HTTP Server may also be used as a proxy to another Oracle HTTP Server (same or different version) using `mod_proxy`, as documented in *Apache HTTP Server and Third-party Modules in Oracle HTTP Server in Fusion Middleware Administering Oracle HTTP Server*.
- Interoperability between versions (such as between Oracle HTTP Server 12c and Oracle Fusion Middleware 14c) are supported only when the products are installed in separate Oracle homes. In general, Oracle does not support the installation of products of different versions in the same Oracle home. For more information, see [Oracle Home and Domain Extension Interoperability](#).
- Support for any combination is limited by features and until the end of support of the lowest version. For best results, customers are encouraged to use the latest version where possible. For example, during a migration period, use Oracle HTTP Server 14c (14.1.2.0.0) instead of separate WebLogic Server 10.3.6 and 14c (14.1.2.0.0) environments.
- Oracle HTTP Server 14c includes WebGate 14c, which can be used to integrate Oracle WebLogic Server or Oracle Fusion Middleware Infrastructure with Oracle Access Manager. For more information, see [Interoperability with Oracle Access Management and Oracle Identity Governance](#). For more details on this combination, see [Interoperability with Oracle Identity Management Products](#).

Interoperability with Oracle Identity Management Products

Oracle Identity Management (IDM) consists of the following four products:

- Oracle Access Management (OAM)
- Oracle Identity Governance (OIG)
- Oracle Internet Directory (OID)
- Oracle Unified Directory (OUD)

You can install OAM and OIG using the same product distribution (`fmw_14.1.2.0.0_idm.jar`). To install OID and OUD, use the platform-specific OID and `fmw_14.1.2.0.0_oud.jar` distributions respectively.

This section provides information about Oracle Identity Management Interoperability with Oracle Fusion Middleware 14c:

- [Interoperability with Oracle Access Management and Oracle Identity Governance](#)
- [Interoperability with Oracle Internet Directory and Oracle Unified Directory](#)
- [Interoperability with Oracle Analytics Publisher](#)

Interoperability with Oracle Access Management and Oracle Identity Governance

[Table 2-2](#) shows the interoperability of Oracle Fusion Middleware 14c (14.1.2.0.0) with the available versions of Oracle Access Management and Oracle Identity Governance.

When reviewing the interoperability of Oracle Identity and Access Management and Oracle Fusion Middleware 12c, consider the following:

- Oracle Access Management and Oracle Identity Governance are installed in a separate Oracle home and configured in a separate Oracle WebLogic Server domain.
For more information about Oracle home, see [Oracle Home and Domain Extension Interoperability](#).
- The information shown in [Table 2-2](#) was accurate at the time this document was published. Always check the certification information on the Oracle Technology Network for the latest certification information.
- Oracle HTTP Server 14c includes WebGate 14c, which can be used to integrate Oracle WebLogic Server or Oracle Fusion Middleware Infrastructure with Oracle Access Manager 11g (11.1.1.5) or later.

Note:

From 14c (14.1.2.0.0) onwards, you can install Oracle Access Management (OAM) and Oracle Identity Governance (OIG) from the Oracle Identity and Access Management product distribution (`fmw_14.1.2.0.0_idm.jar`). After you have installed the binaries, you can configure the domains for Oracle Access Management and Oracle Identity Governance individually.

Table 2-2 Oracle Access Management and Oracle Identity Governance Interoperability with Oracle Fusion Middleware 14c

Product / Version	Oracle Identity and Access Management 11.1.1.9 or later	Oracle Identity and Access Management 11g Release 2 (11.1.2.3)	Oracle Access Management and Oracle Identity Governance 12c (12.2.1.4.0)
Oracle WebLogic Server and Coherence 14c (14.1.2.0.0)	✓	✓	✓
Oracle Fusion Middleware Infrastructure 14c (14.1.2.0.0)	✓	✓	✓

Interoperability with Oracle Internet Directory and Oracle Unified Directory

Table 2-2 shows the interoperability of Oracle Fusion Middleware 14c (14.1.2.0.0) with the available versions of Oracle Internet Directory (OID) and Oracle Unified Directory (OUD).

When reviewing the interoperability of OID and OUD with Oracle Fusion Middleware 14c, consider the following:

- Usually, you can use currently available versions of Oracle Internet Directory and Oracle Unified Directory with Oracle Fusion Middleware 14c because Oracle Internet Directory and Oracle Unified Directory are installed in a separate Oracle home and configured in a separate Oracle WebLogic Server domain.

For more information about Oracle home, see [Oracle Home and Domain Extension Interoperability](#).

- The information shown in Table 2-3 was accurate at the time this document was published. Always check the certification information on the Oracle Technology Network for the latest certification information.

Table 2-3 Oracle Internet Directory (OID) and Oracle Unified Directory Interoperability with Oracle Fusion Middleware 14c

Product / Versions	Oracle Internet Directory and Oracle Virtual Directory 11.1.1.5 or later	Oracle Unified Directory 11g (11.1.2.3)	Oracle Internet Directory and Oracle Unified Directory 12c (12.2.1.4.0)
Oracle WebLogic Server and Coherence 14c (14.1.2.0.0)	✓	✓	✓

Table 2-3 (Cont.) Oracle Internet Directory (OID) and Oracle Unified Directory Interoperability with Oracle Fusion Middleware 14c

Product / Versions	Oracle Internet Directory and Oracle Virtual Directory 11.1.1.5 or later	Oracle Unified Directory 11g (11.1.2.3)	Oracle Internet Directory and Oracle Unified Directory 12c (12.2.1.4.0)
Oracle Fusion Middleware Infrastructure 14c (14.1.2.0.0)	✓	✓	✓

Interoperability with Oracle Analytics Publisher

Oracle Analytics Publisher release 12.2.5.9.0+ is interoperable with the following Oracle Identity Management (IDM) products:

- Oracle Identity Governance (OIG) 14.1.2.0.0
- Oracle Access Management (OAM) 14.1.2.0.0
- Oracle Unified Directory (OUD) 14.1.2.0.0

Oracle Web Services Interoperability

Web services are Web-based applications that use open, XML-based standards and transport protocols to exchange data with clients.

Web services are developed using Java Technology APIs and tools provided by an integrated Web services category.

Oracle supports several Web services categories, which are associated with specific Oracle Fusion Middleware products and components. For more information about Web Services, see *Understanding Web Services*.

These Oracle Web services categories support a variety of Web services message formats, capabilities, and security features. While this support varies from one category to another, all the Oracle Web services categories support the following standard features in the communication messages they send and receive:

- Plain SOAP
- WS-Security, With SSL
- WS-Security, No SSL

As a result, if you develop Web services applications that support these types of Web services messages, then the services you create can be used Interoperability with any of the Oracle Web services security categories.

For a more information about the supported WS-Security scenarios between the categories and information on how to configure Web services endpoints, see *Interoperability Solutions Guide for Oracle Web Services Manager*.

Oracle Home and Domain Extension Interoperability

The following sections provide information about the interoperability of Oracle Fusion Middleware products when installing products in an Oracle home and when extending existing Oracle WebLogic Server domains:

- [Oracle Home Interoperability](#)
- [Domain Extension Interoperability](#)

Oracle Home Interoperability

When installing Oracle Fusion Middleware products, be sure that each Oracle home you create contains only products that are at the same version or patch set. Each product has its own maintenance schedule, and it is possible that future interoperability issues could result.

For example, unless otherwise documented, you cannot install Oracle SOA Suite 12c (12.2.1.4) into the same Oracle home with 14.1.2.0.

This rule applies when installing new products, as well as when applying patches.

Domain Extension Interoperability

You can extend an existing Oracle Fusion Middleware product domain to support another Oracle Fusion Middleware product, as long as they are the same version number or patch set.

For example, if you have an existing SOA Suite 12c (12.2.1.4) domain, do not attempt to extend or patch that domain using Oracle Fusion Middleware 14c. To avoid potential interoperability issues, wait until both suites are available at equivalent versions.

Interoperability with Custom and Client Applications

When you upgrade to Oracle Fusion Middleware 14c, or if you apply any patches on an existing Oracle Fusion Middleware, you should consider the impact on your custom applications, such as:

- Applications written using JDeveloper
- Applications using any other IDE, but also using any of the Oracle Fusion Middleware public Java APIs.

Specifically, the information in this section applies in the following situations:

- If you have created custom applications that you have deployed on Oracle Application Server 10g or Oracle Fusion Middleware 11g or Oracle Fusion Middleware 12c.
- If you have created or if you maintain client applications that interact with applications you deployed on Oracle Application Server 10g or Oracle Fusion Middleware 11g or Oracle Fusion Middleware 12c.

Oracle attempts to support binary and source-level compatibility between the current version of Fusion Middleware and patch set updates applied to it. Where incompatibilities arise with public interfaces, they are documented in the related API reference guides. For more information about APIs, see Reference and APIs in the Oracle Fusion Middleware 14c (14.1.2.0.0) documentation library.

Oracle recommends that you ensure the business applications adopting new versions or upgrades are tested through your normal release process to ensure there are no regressions.

In general, applying Oracle Fusion Middleware patch sets should require no additional changes to your custom or client applications. When upgrading, however, you should expect some changes.

For more information about compatibility with WebLogic Server, see WebLogic Server 14.1.2.0.0 Compatibility with Previous Releases in *Upgrading Oracle WebLogic Server*.

Oracle Data Integration 14c (14.1.2.0.0) Interoperability with Other Fusion Middleware Products

Oracle Data Integrator is designed to be used with specific Oracle SOA Suite, Oracle Enterprise Data Quality (EDQ), and Oracle GoldenGate software releases. The following table shows which releases of these software products can be used with Oracle Data Integrator 14c (14.1.2.0.0).

The asterisk (*) indicates that the software is interoperable with releases later than one shown.

Oracle Data Integrator 14c (14.1.2.0.0) Component	Can be used with...	Interoperability Details
Oracle Data Integrator (Agent, Studio)	Oracle Enterprise Data Quality 12.*	You can launch and monitor EDQ jobs from Oracle Data Integrator.
Oracle Data Integrator (Agent, Console, Studio)	Oracle GoldenGate 19c Oracle GoldenGate 21c Oracle GoldenGate 23ai	You can configure, launch, and monitor GoldenGate jobs from Oracle Data Integrator.
Oracle Data Integrator Agent	Oracle SOA Suite 12.2.1.0.0	<ul style="list-style-type: none"> You can install Oracle Data Integrator in the same Oracle home as Oracle SOA Suite Oracle Data Integrator can invoke SOA Web services. Oracle SOA Suite can launch ODI Web services.

Oracle Enterprise Data Quality 14c (14.1.2.0.0) Interoperability with Other Fusion Middleware Products

Oracle Enterprise Data Quality (EDQ) is designed to be used with specific releases of the EDQ Address Verification Server and EDQ Customer Data Services Pack. The following table shows which releases of these software products can be used with EDQ 14c (14.1.2.0.0).

The asterisk (*) indicates that the software is interoperable with releases later than one shown.

Oracle Enterprise Data Quality 14c (14.1.2.0.0) Component	Can be used with...
Oracle Enterprise Data Quality	Oracle Enterprise Data Quality Address Verification Server 14.* and 15.*
Oracle Enterprise Data Quality Seibel Connector	Oracle Enterprise Data Quality Customer Data Services Pack 11.* and 12.*

Oracle WebCenter Interoperability with Other Fusion Middleware Products

Oracle WebCenter includes the following products:

- Oracle WebCenter Content
- Oracle WebCenter Enterprise Capture
- Oracle WebCenter Imaging
- Oracle WebCenter Portal
- Oracle WebCenter Sites

The following table shows which releases of these components can be used with WebCenter 14c (14.1.2.0.0)*

Product	Can be used with...	Interoperability Details
WebCenter Content	Siebel	Siebel 20.*
WebCenter Enterprise Capture	WebCenter Content	14c (14.1.2.0.0)
WebCenter Enterprise Capture	WebCenter Imaging	14c (14.1.2.0.0)
WebCenter Enterprise Capture	WebCenter Forms Recognition (WFR)	14c (14.1.1.0.0)
WebCenter Imaging	WebCenter Content	14c (14.1.2.0.0)
WebCenter Imaging	Oracle E-Business Suite	12.2.8+ See Doc ID 1927793.1 on My Oracle Support.
WebCenter Imaging	PeopleSoft Enterprise	PeopleTools 8.56
WebCenter Imaging	Oracle SOA Suite	14c (14.1.2.0.0)
WebCenter Imaging	Oracle Business Process Management	14c (14.1.2.0.0)
WebCenter Portal	WebCenter Content	14c (14.1.2.0.0) Note: This is required if WCP is using WCC as content repository.
WebCenter Portal	Oracle SOA Suite BPEL Server	WebCenter Portal and SOA installed in separate <code>ORACLE_HOMES</code> and domains. WebCenter Portal and SOA needs to be on 14.1.2.0.0 version. WebCenter Portal and SOA installed in same <code>ORACLE_HOME</code> and domain: Both WebCenter Portal and SOA product versions need to be on 14.1.2.0.0. You must not have different versions for each product in the same domain.
WebCenter Sites	WebCenter Content	14c (14.1.2.0.0)

Oracle Forms Interoperability and Compatibility with Reporting Products

This section summarizes the most common compatibility and interoperability scenarios for Oracle Forms and Oracle Reports and/or BI-Publisher.

Before you start, consider the following:

- Compatibility between versions (such as between Oracle Forms 14c (14.1.2.0.0) and Oracle Reports 12c (12.2.1.19.0)) are supported only when the products are installed in separate Oracle homes. In general, Oracle does not support the installation of products of different versions in the same Oracle home. For more information, see [Oracle Home and Domain Extension Interoperability](#).
- Support for any combination extends until the end of support of the lowest version. For best results, you are encouraged to use the latest version where possible.
- Support for using Oracle Forms with Oracle Reports assumes that these two products are on the same network subnet.

Table 2-4 Oracle Forms 14c (14.1.2.0.0) Interoperability with Reporting Products

Oracle Forms	Can be used with...
Oracle Forms 14c (14.1.2.0.0)	Oracle Reports 12.2.1.19 Oracle Reports 14.1.2.0 Oracle BI-Publisher 12.2.1.4 Oracle BI-Publisher 14.1.2.0