Oracle® Fusion Middleware

WebLogic Remote Console Accessibility Notes for Oracle WebLogic Server

14c (14.1.2.0)

F61305-02

January 2025

ORACLE®

Oracle Fusion Middleware WebLogic Remote Console Accessibility Notes for Oracle WebLogic Server, 14c (14.1.2.0)

F61305-02

Contents

Preface

1   WebLogic Remote Console Accessibility

Preface

This book describes WebLogic Remote Console accessibility.

Audience

This document is a resource for system administrators and operators responsible for monitoring and managing a WebLogic Server installation. It is relevant to all phases of a software project, from development through test and production phases.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc.

Access to Oracle Support

Oracle customer access to and use of Oracle support services will be pursuant to the terms and conditions specified in their Oracle order for the applicable services.

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

Related Documentation

For more information, see

- *What's New in Oracle WebLogic Server*.
- *Oracle WebLogic Remote Console Online Help*

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
italic	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
`monospace`	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

1
WebLogic Remote Console Accessibility

This chapter describes accessibility in WebLogic Remote Console.
WebLogic Remote Console is available in two formats:

- **Desktop WebLogic Remote Console**, a desktop application installed on your computer.

- **Hosted WebLogic Remote Console**, a web application deployed to an Administration Server and accessed through a browser.

Generally, the two formats have similar functionality, though the desktop application offers certain conveniences that are not possible when using a browser.

Unless noted, the accessibility features or issues described within this document apply to both formats.

Overview

Currently, a variety of accessibility features are available in WebLogic Remote Console and its associated online help. The application itself provides the appropriate information to ensure pages can be rendered in assistive technology. Accessibility features provided by the desktop application and the browser application let you control the application with the keyboard.

Oracle is dedicated to providing high quality information technology that is accessible to people with disabilities. In particular, Oracle is committed to ensuring full compliance with the Section 508 accessibility standards. To this end, Oracle has undertaken a substantial project to test and ensure the accessibility of WebLogic Remote Console. Oracle is implementing these enhancements and will continue to address all accessibility issues that come to its attention. See *Oracle's Accessibility Program* at `http://www.oracle.com/accessibility/index.html`.

Keyboard Access

All functions of WebLogic Remote Console are accessible and usable from the keyboard. The application supports the standard keyboard controls found in Web browsers and does not interfere with the operating system standard keyboard controls.

> ✎ **Note:**
>
> On macOS, you may need to enable keyboard navigation in your device settings. See Enable Keyboard Navigation on macOS in *Oracle WebLogic Remote Console Online Help*.

Keyboard Shortcuts

Table 1-1   Keyboard Shortcuts

Windows or Linux	macOS[1]	Action
Alt+,	Control+Option+,	Toggles the **Navigation History** option.

Table 1-1   (Cont.) Keyboard Shortcuts

Windows or Linux	macOS[1]	Action
Alt+.	Control+Option+.	Opens the **Pages History** dialog box, which lists previously visited pages.
Alt+;	Control+Option+;	Moves focus to the first clickable breadcrumb label.
Alt+.	Control+Option+.	Toggles the **Customize Table** option.
Alt+[	Control+Option+[	Toggles the **Show Advanced Fields** option.
Alt+]	Control+Option+]	Moves focus to the first tab heading on a page.
Alt+\	Control+Option+\	Moves focus to the Navigation Tree width-resizer. Use arrow keys to adjust the width of the tree.
Alt+C	Control+Option+C	Moves focus to the Shopping Cart.
Alt+H	Control+Option+H	Opens the **Help** menu.
Alt+N	Control+Option+N	Moves focus to first node in the Navigation Tree.
Alt+P	Control+Option+P	Toggles the **Providers** drawer.
Alt+T	Control+Option+T	Moves focus to the first column header in a table.

[1] When the Apple VoiceOver screen reader is enabled, omit the Option key from the shortcut combination. For example, Control+Option+N becomes Control+N.

Using Assistive Technology

Oracle provides certain recommended configuration options for industry leading assistive technologies. These configuration options ensure that the accessibility enhancements present in the application are available to the assistive technology user. See *Oracle's Accessibility Program* at `http://www.oracle.com/accessibility/index.html`.

Make sure your screen reader is configured to read the title attribute of links.

Known Issues

WebLogic Remote Console currently exhibits several known issues relating to 508 compliance. The issues are described in more detail below.

Keyboard Accessibility

Keyboard accessibility is limited in the following ways:

* While using the Safari browser on macOS, if you press the **Up** arrow while on the first element in a group, it does not loop around to select the last element. Instead it remains on the current (first) element.

  Workaround: Use the **Down** arrow to navigate to the last element.

Screen Reader

The screen reader's effectiveness is limited in the following ways.

Hosted WebLogic Remote Console

The following issues apply to Hosted WebLogic Remote Console *only*:

- When the **This Server** element (in the Providers drawer) is selected, the screen reader instructs users to move off of the selected element instead of how to activate the element.