

# Oracle®

## Using Oracle GoldenGate Studio Free



23ai  
G18581-02  
March 2025

The Oracle logo, consisting of a solid red square with the word "ORACLE" in white, uppercase, sans-serif font centered within it.

ORACLE®

Oracle Using Oracle GoldenGate Studio Free, 23ai

G18581-02

Copyright © 2025, 2025, Oracle and/or its affiliates.

Primary Authors: Jenny Chan, Katherine Wardhana

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

# Contents

## 1 Start

---

GoldenGate Studio Free Release notes	1-1
What's new in GoldenGate Studio Free	1-1
What's supported	1-2
How to get help	1-2
Licensing information	1-2
Source code availability	1-2
Known issues	1-2
Unable to log in to GoldenGate Studio Free when strong password policy is disabled	1-3
Parallel Replicat not supported for Oracle Database Free 23ai	1-3
GoldenGate Studio Free uses only one deployment	1-3
Don't delete a deployment while a pipeline is running	1-3
(Optional) Disable Distribution Service in GoldenGate Studio Free installer	1-3
Ignore nonsecure to secure replication option in GoldenGate Studio Free installer	1-3
Active-Active (bidirectional) replication issues	1-3
Get started with GoldenGate Studio Free	1-4
What you need	1-4
Get GoldenGate Studio Free	1-4
From Oracle Container Registry	1-4
From Oracle Technology Network	1-5
Start and run the GoldenGate Studio Free docker image	1-5
Next steps	1-7
GoldenGate Studio Free Quickstarts	1-7
Create a One-way Database Replication	1-7
Before you begin	1-7
Task 1: Create the database connections	1-8
Task 2: Create and configure the pipeline	1-8
Task 3: Monitor the pipeline	1-9
Create an Active-Active Database Replication	1-9
Before you begin	1-10
Task 1: Create the database connections	1-10
Task 2: Create and configure the pipeline	1-11

## 2 Overview

---

What is Oracle GoldenGate Studio Free?	2-1
Who is GoldenGate Studio Free for?	2-1
What can I use GoldenGate Studio Free for?	2-1
What are GoldenGate Studio Free's limitations?	2-1
Concepts	2-2

## 3 Replicate

---

How to replicate data	3-1
Create database connections	3-1
Explore connections	3-1
What is a connection?	3-1
Supported connection types	3-1
Create an Oracle Database connection	3-2
About the configuration script	3-4
Next steps	3-5
Follow recipes	3-5
Explore recipes	3-5
Follow a recipe	3-5
Create pipelines	3-5
About pipelines	3-6
Create a pipeline	3-6
Configure a pipeline	3-7
Next steps	3-10
Configure advanced settings	3-10

## 4 Manage

---

Manage connections	4-1
View connection details	4-1
Edit a connection	4-1
Clone a connection	4-1
Validate a connection	4-2
Delete a connection	4-2
Manage pipelines	4-2
View pipeline details	4-3
Edit a pipeline	4-3
Start a pipeline	4-4

Stop a pipeline	4-4
Delete a pipeline	4-4

## 5 Monitor

---

Monitor pipelines	5-1
Monitor performance using the Oracle GoldenGate Microservices console	5-2

## 6 Reference

---

Frequently asked questions	6-1
What database versions are supported?	6-1
What are the limitations of GoldenGate Studio Free?	6-1
Can I upgrade my GoldenGate Studio Free from an earlier version?	6-2
How can I get help?	6-2
Can you use GoldenGate Studio Free with a licensed Oracle GoldenGate?	6-2
What's the default GoldenGate Studio Free administrative account password?	6-2

# 1

## Start

Oracle GoldenGate Studio Free is a free edition of Oracle GoldenGate, licensed under the Oracle Free Use Terms and Conditions license. GoldenGate Studio Free provides a simpler user experience for users new to Oracle GoldenGate. It functions similar to Oracle GoldenGate with some restrictions.

Articles in this category:

- [GoldenGate Studio Free Release Notes](#)  
Review release information before you install and work with GoldenGate Studio Free. This document is accurate at the time of publication and is updated periodically with each new software release.
- [Get started with GoldenGate Studio Free](#)  
Discover what you need and how to get started with GoldenGate Studio Free.
- [GoldenGate Studio Free Quickstarts](#)  
Quickstarts are common use cases that give you step by step instructions on how to use recipes.

## GoldenGate Studio Free Release notes

Review release information before you install and work with GoldenGate Studio Free. This document is accurate at the time of publication and is updated periodically with each new software release.

## What's new in GoldenGate Studio Free

Discover what's new in the latest GoldenGate Studio Free release.

Feature	Description
23ai core features	This GoldenGate Studio Free release also includes the latest core capabilities of Oracle GoldenGate 23ai. Learn more.
Connections	GoldenGate Studio Free now supports Oracle Database 23ai Free - Developer Release for use as a source or target connection, with the exception of Parallel Replicats.
Per-PDB Capture	GoldenGate Studio Free now supports per-Pluggable Database (per-PDB) capture. Oracle GoldenGate 23ai enables you to grant privileges for users at the PDB level. Root-level access using common user, <code>c##ggadmin</code> , is not available.
New recipe added	Support for Active-Active replication is now available as a new recipe. An Active-Active database replication applies change events in both directions to keep databases synchronized. You can select this recipe when creating a pipeline. Explore recipes.
Quickstarts added	Want step-by-step instructions to help you get started with one-way and active-active replication? Use these new quickstart articles: <ul style="list-style-type: none"><li>• <a href="#">Create a One-way Database Replication</a></li><li>• <a href="#">Create an Active-active Database Replication</a></li></ul>

## What's supported

Visit [Supported connection types](#) to learn which Oracle Database and Oracle GoldenGate versions Oracle GoldenGate Studio Free supports as source and target connections.

## How to get help

Oracle GoldenGate Studio Free is not supported by Oracle Support. Questions regarding GoldenGate Studio Free can be posted in the [GoldenGate Studio Free Community Forum](#).

## Licensing information

Visit [Oracle GoldenGate Licensing Information](#) to review detailed licensing compliance information for Oracle GoldenGate Studio Free.

## Source code availability

For third party technology that you receive from Oracle in binary form, which is licensed under an open source license that gives you the right to receive the source code for that binary, you can obtain a copy of the applicable source code from <https://www.oracle.com/downloads/opensource/software-components-source-code.html>.

For Helidon, visit <https://github.com/helidon-io/helidon>.

If the source code for the technology was not provided to you with the binary, you can also receive a copy of the source code on physical media by submitting a written request to:

Oracle America, Inc  
Attn: Associate General Counsel  
Development and Engineering Legal  
500 Oracle Parkway, 10th Floor  
Redwood Shores, CA 94065

Or, you may send an email to Oracle using the form located at: <https://apex.oracle.com/pls/apex/f?p=34135:1:.....>. Ensure your request includes:

- The name of the component or binary file(s) for which you are requesting the source code
- The name and version number of the Oracle product
- The date you received the Oracle product
- Your name
- Your company name (if applicable)
- Your return mailing address and email
- A telephone number in the event we need to reach you.

We may charge you a fee to cover the cost of physical media and processing. Your request must be sent (i) within three (3) years of the date you received the Oracle product that included the component or binary file(s) that are the subject of your request, or (ii) in the case of code licensed under the GPL v3, for as long as Oracle offers spare parts or customer support for that product model.

## Known issues

Learn about known issues within the current release version.

## Unable to log in to GoldenGate Studio Free when strong password policy is disabled

If you disable the strong password policy option during the installation process, then you may encounter an "Invalid username/password" error when logging in to the Oracle GoldenGate Studio Free console.

**Recommendation:** To avoid this issue, ensure that the strong password policy option stays enabled (don't deselect it) during the installation process.

## Parallel Replicat not supported for Oracle Database Free 23ai

Oracle GoldenGate Studio Free doesn't support Parallel Replicats for Oracle Database Free 23ai sources or targets.

You can use Parallel Replicat for all other [supported database versions](#).

## GoldenGate Studio Free uses only one deployment

Oracle GoldenGate Studio Free only uses a single deployment. While it is possible to create multiple deployments, GoldenGate Studio Free recognizes only the first deployment created during the initial installation. This deployment is referred to as the primary deployment.

GoldenGate Studio Free doesn't recognize additional deployments created after the primary deployment. If you remove the primary deployment, then it is deregistered with GoldenGate Studio Free. At this point, if a deployment is created and no primary deployment exists, then the new deployment becomes the primary deployment.

## Don't delete a deployment while a pipeline is running

If you delete the deployment while a pipeline is running, then the error `n[Object.keys(...)[0]] is undefined` appears on the pipeline's Runtime page, and the pipeline's status changes to "Not started" on the Pipelines page.

**Recommendation:** Ensure that no pipelines are running if and when you decide to delete the deployment.

## (Optional) Disable Distribution Service in GoldenGate Studio Free installer

Since GoldenGate Studio Free uses only one deployment, you can deselect **Enable Distribution Service**. The Distribution Service is only used when data must be replicated in a distributed environment (requiring multiple deployments).

You can leave the option selected for use with deployments not managed by GoldenGate Studio Free .

## Ignore nonsecure to secure replication option in GoldenGate Studio Free installer

Oracle GoldenGate Studio Free doesn't support multiple deployments, so you can ignore the "This non-secure deployment will be used to send trail data to a secure deployment" option on the Security Options screen of the GoldenGate Studio Free Configuration Assistant.

## Active-Active (bidirectional) replication issues

GoldenGate Studio Free doesn't support the addition new tables, nor change the ACDR type, after the active-active pipeline starts. If absolutely necessary, you can either:



- Create, configure, and start a new pipeline with the new tables added.
- In the GoldenGate Studio Free console:
  1. Stop the pipeline.
  2. Create a new table externally, such as **sqlplus** or **sqldeveloper**.
  3. Under **Mapping**, expand the schema and select new tables.
  4. Under **Options**, in **Advanced Options** and under **Replicat**, select **DISCARD** for **Actions upon DML Error**.
  5. Save the pipeline configuration and then restart the pipeline.

## Get started with GoldenGate Studio Free

Discover what you need and how to get started with GoldenGate Studio Free.

### What you need

To use Oracle GoldenGate Studio Free, you need the following:

- A system running one of the following:
  - Docker, or a compatible container runtime such as Podman
  - Linux
- Internet connectivity to access the container registry or Oracle Technology Network (OTN)
- A valid Oracle.com login

### Get GoldenGate Studio Free

You can get GoldenGate Studio Free from the Oracle Container Registry (OCR) or Oracle Technology Network (OTN). Follow the applicable instructions to access GoldenGate Studio Free.

#### From Oracle Container Registry

Follow these instructions to access the GoldenGate Studio Free from Oracle Container Registry (OCR).

You must sign in to your Oracle account and accept the license agreement before you can pull the GoldenGate Studio Free docker image from the Oracle Container Registry.

To access the GoldenGate Studio Free docker image:

1. Accept the license agreement.
2. In your Docker client, enter the following command to log in to the Oracle Container Registry:

```
docker login container-registry.oracle.com
```

3. When prompted, enter your Oracle account username and password.

4. Copy the `docker pull` command to pull the latest GoldenGate Studio Free image, and run it in your Docker client:

```
docker pull container-registry.oracle.com/goldengate/goldengate-studio-free:latest
```

## From Oracle Technology Network

Follow these instructions to access the GoldenGate Studio Free from Oracle Technology Network (OTN).

You must sign in to your Oracle account and accept the license agreement before you can download the GoldenGate Studio Free configuration assistant from the Oracle Technology Network.

To download the GoldenGate Studio Free configuration assistant:

1. Open Oracle Technology Network in your browser.
2. On the Software Download page, scroll down, and then select **Middleware**.
3. Under Middleware, select **GoldenGate Studio Free**.
4. On the Oracle GoldenGate Studio Free Downloads page, select the available installer package.
5. Accept the license agreement.
6. When prompted, save the installer package to your local machine and take note of its location.

## Start and run the GoldenGate Studio Free docker image

Learn to start and run GoldenGate Studio Free after pulling the docker image from Oracle Container Registry.

To start and run GoldenGate Studio Free:

1. In your Docker client, you can enter a run command with default settings or enter a run command with parameter values:

- To run GoldenGate Studio Free with default settings:

```
docker run -p 80:80 -p 443:443 container-registry.oracle.com/goldengate/goldengate-studio-free:latest
```

A container instantiates with the following default options:

- auto generated container name
- 80 port for HTTP Server
- 443 port for HTTPS Server
- `oggadmin` for the name of the administrative account
- auto generated the password for the administrative account
- `Local` for the name of the deployment
- Use container storage for `/u02` and `/u03` volume
- auto generated self-signed certificate

- To run GoldenGate Studio Free with modified settings:

```
docker run \
  --name <container-name> \
  -p <host port>:80 \
  -p <host port>:443 \
  -e OGG_ADMIN=<admin user name> \
  -e OGG_ADMIN_PWD=<admin password> \
  -e OGG_DEPLOYMENT=<deployment name> \
  -e OGG_DOMAIN=<domain name> \
  -v [<host mount point>:]/u02 \
  -v [<host mount point>:]/u03 \
  -v [<host mount point>:]/etc/nginx/cert \
  container-registry.oracle.com/goldengate/goldengate-studio-
  free:latest
```

### Parameter descriptions:

- <container-name>: Name for the container. Auto-generated by default.
- -p <host-port>:80: The host port to map the Oracle GoldenGate HTTP server. No mapping by default.
- -p <host-port>:443: The host port to map the Oracle GoldenGate HTTPS server. No mapping by default.
- -e OGG\_ADMIN: The name of the administrative account to create. oggadmin by default.
- -e OGG\_ADMIN\_PWD: The password of the administrative account. Auto-generated by default.

#### Tip:

Ensure the password meets the following requirements:

- \* At least one lowercase character [a...z]
- \* At least one uppercase character [A...Z]
- \* At least one digit [0...9]
- \* At least one special character [- ! @ % & \* . #]
- \* The length should be between 8 and 30 characters.

- -e OGG\_DEPLOYMENT: The name of the deployment. Local by default.
- -e OGG\_DOMAIN=<domain name>: The domain name to use for the self-signed certificate (default: hostname of the container). Not needed if you bring your own ssl certificates.
- -v /u02: The volume used for persistent GoldenGate data. Use container storage by default.
- -v /u03: The volume used for temporary GoldenGate data. Use container storage by default.
- -v /etc/nginx/cert: The volume used for storing the SSL certificate for the HTTPS server. Creates a self-signed certificate by default.

### Data storage volumes

- /u01: the volume for the GoldenGate system
- /u02: the volume for persistent GoldenGate data
- /u03: the volume for temporary GoldenGate data

### Administrative account password

On first startup of the container, a random password is generated for the Oracle GoldenGate if one is not provided for `OGG_ADMIN_PWD`. You can find this password at the start of the container log:

```
docker logs <container-name> | head -3
```

2. After a few minutes, you should see `Server started at: http://localhost:8080`. GoldenGate Studio Free is now ready for you to use.
3. Launch a web browser, and go to `http://localhost:8080`.
4. On the GoldenGate Studio Free login screen, enter the username and password that you passed to the docker run command, and then click **Log in**.

After you log in successfully, you're brought to the GoldenGate Studio Free Home page.

## Next steps

Now that you're in GoldenGate Studio Free, you can:

- [Learn about GoldenGate Studio Free](#)
- [Learn about connections](#)
- [Create a connection](#)

## GoldenGate Studio Free Quickstarts

Quickstarts are common use cases that give you step by step instructions on how to use recipes.

Select a quickstart to get started:

- [Create a One-way Database Replication](#)
- [Create an Active-active Database Replication](#)

## Create a One-way Database Replication

Learn to use a recipe to create a One-way database replication in Oracle GoldenGate Studio Free.

### Before you begin

To successfully complete this Quickstart, you need:

- [Source and target databases](#) with sample data loaded.
- GoldenGate Studio Free [installed](#) and [configured](#).

## Task 1: Create the database connections

1. Create the source connection:
  - a. On the GoldenGate Studio Free Home page, click **Create connection**.
  - b. On the General Information page, for Name, enter **sourceDB**, optionally enter a description, and then click **Next**.
  - c. On the Connection details page, complete the following field, and then click **Next**:
    - For **Connection details**, click **Source**.
    - For **Connection type**, select **Basic** from the dropdown.
    - For **Hostname**, enter the hostname.
    - For **Port**, enter 1521.
    - For **Database type**, select the option that fits your database version and complete the fields as needed.
    - Select **SYSDBA privileges available**. An Administrator Credentials pop up will appear. Complete the following fields, and then click **OK**.
      - For **User with admin privilege**, enter **sys** or **system**.
      - For **Password for admin user**, enter the password for the sys user.
  - d. On the GoldenGate admin user page, add GoldenGate admin database user:
    - Select **Add GoldenGate admin database user**.
    - For **User with admin privilege**, enter one of the following:
      - For Oracle 21c or above, enter **ggadmin**
      - For Oracle 19c or earlier, enter **c##admin**
      - For Non-container database, enter **ggadmin**
    - For **Password**, enter a password.
  - e. On the Configuration page, follow the instructions below, and then click **Next** :
    - Select **SYSDBA privileges available**.
    - Click **Run analysis**.
    - Review the script by scrolling through and reviewing it completely. Select **I have reviewed the SQL script and am aware of the changes it will apply to my database**.
    - Click **Run SQL**.
    - Review the Prepare database result. Click **OK**.
  - f. On the Confirmation page, review the details, and then click **Create**.
2. Repeat the steps above to create the target connection, and make these changes:
  - On the General Information page, for **Name**, enter **targetDB**.
  - On the Connection details page, for **Connection details**, click **Target**.

## Task 2: Create and configure the pipeline

1. Create the pipeline:
  - a. On the GoldenGate Studio Free Home page, click **Create pipeline**.
  - b. On the Recipe page, select the **One-way Database Replication** recipe, and then click **Next**.
  - c. On the Overview page, for Name, enter **demo-pipeline**, optionally enter a description, and then click **Next**.
  - d. On the Connections page:
    - i. For **Source database**, select the source database from the dropdown.
    - ii. For **Target database**, select the target database from the dropdown.
  - e. Click **Save & configure**.
2. Configure the pipeline:
  - a. On the Configuration page, for Mapping, deselect **PDBADMIN** so that **HR** is the only Source Schema selected. Click **Save**.

 **Note:**

This assumes you're using demo data provided by Oracle. If using your own data, configure the schema and table mappings as needed.

- b. On the Overview page, in the Initialization view, click **Start**.

 **Note:**

It takes a few minutes for the pipeline initialization to run. The status of each of the steps will change from PENDING to IN PROGRESS to COMPLETED when it is ready for you to use.

- c. In the Runtime view, you can view the real time database statistics, such as Operations Extract and Operations Replicat.

## Task 3: Monitor the pipeline

1. Monitor the pipeline in the [GoldenGate Studio Free console](#).
2. For advanced monitoring, you can review the Extracts and Replicats the [GoldenGate Microservices console](#).

## Create an Active-Active Database Replication

Learn to use an Active-Active database replication recipe to create a bidirectional replication process in Oracle GoldenGate Studio Free.



## Before you begin

To successfully complete this Quickstart, you need:

- [Source and target databases](#) with sample data loaded.
- GoldenGate Studio Free [installed](#) and [configured](#).

## Task 1: Create the database connections

1. Create the source connection:
  - a. On the GoldenGate Studio Free Home page, click **Create connection**.
  - b. On the General Information page, for Name, enter **sourceDB**, optionally enter a description, and then click **Next**.
  - c. On the Connection details page, complete the following field, and then click **Next**:
    - For **Connection details**, click **Source**.
    - For **Connection type**, select **Basic** from the dropdown.
    - For **Hostname**, enter the hostname.
    - For **Port**, enter 1521.
    - For **Database type**, select the option that fits your database version and complete the fields as needed.
    - For **Pluggable database service name (PDB)**, enter the PDB name.
    - Select **SYSDBA privileges available**. An Administrator Credentials pop up will appear. Complete the following fields, and then click **OK**.
      - For **User with admin privilege**, enter **sys** or **system**.
      - For **Password for admin user**, enter the password for the sys user.
  - d. On the GoldenGate admin user page, add GoldenGate admin database user:
    - Select **Add GoldenGate admin database user**.
    - For **User with admin privilege**, enter one of the following:
      - For Oracle 21c or above, enter **ggadmin**
      - For Oracle 19c or earlier, enter **c##admin**
      - For Non-container database, enter **ggadmin**
    - For **Password**, enter a password.
  - e. On the Configuration page, follow the instructions below, and then click **Next** :

- Select **SYSDBA privileges available**.
  - Click **Run analysis**.
  - Review the script by scrolling through and reviewing it completely. Select **I have reviewed the SQL script and am aware of the changes it will apply to my database**.
  - Click **Run SQL**.
  - Review the Prepare database result. Click **OK**.
- f. On the Confirmation page, review the details, and then click **Create**.
2. Repeat the steps above to create the target connection, and make these changes:
- On the General Information page, for **Name**, enter **targetDB**.
  - On the Connection details page, for **Connection details**, click **Target**.

## Task 2: Create and configure the pipeline

1. Create the pipeline:
  - a. On the GoldenGate Studio Free Home page, click **Create pipeline**.
  - b. On the Recipe page, select the **Active-active Database Replication** recipe, and then click **Next**.
  - c. On the Overview page, for **Name**, enter **demo-pipeline**, optionally enter a description, and then click **Next**.
  - d. On the Connections page:
    - i. For **Source database**, select the source database from the dropdown.
    - ii. For **Target database**, select the target database from the dropdown.
  - e. Click **Save & configure**.
2. Configure the pipeline:
  - a. On the Configuration page, for **Mapping**, deselect **PDBADMIN** so that **HR** is the only Source Schema selected. Click **Save**.

### Note:

- This assumes you're using demo data provided by Oracle. If using your own data, configure the schema and table mappings as needed.
- You can also configure Automatic Conflict Detection Resolution (ACDR) for specific tables. [Learn more](#).

- b. On the Overview page, in the Initialization view, click **Start**.

### Note:

It takes a few minutes for the pipeline initialization to run. The status of each of the steps will change from **PENDING** to **IN PROGRESS** to **COMPLETED** when it is ready for you to use.



- c. In the Runtime view, you can view the real time database statistics, such as Operations Extract and Operations Replicat.

### Task 3: Monitor the pipeline

1. Monitor the pipeline in the [GoldenGate Studio Free console](#).
2. For advanced monitoring, you can review the Extracts and Replicats the [GoldenGate Microservices console](#).

# 2

## Overview

Learn about Oracle GoldenGate Studio Free, who it's meant for, and concepts to help you get started.

Articles in this category:

- [What is Oracle GoldenGate Studio Free?](#)  
Get an overview of GoldenGate Studio Free.

## What is Oracle GoldenGate Studio Free?

Oracle GoldenGate Studio Free is a starter version of Oracle's best in class replication software. With GoldenGate Studio Free, application database administrators (DBAs) can learn basic concepts while creating simple data replication processes in a simplified user interface.

Want to learn more? Watch this [short overview video](#).



## Who is GoldenGate Studio Free for?

Discover if GoldenGate Studio Free is right for you.

Anyone can use GoldenGate Studio Free! If you're new to data replication and want to learn the basics without the overhead cost or spending a lot of time on set up and configuration, then GoldenGate Studio Free is for you!

## What can I use GoldenGate Studio Free for?

You can use GoldenGate Studio Free:

- As a development or test environment
- As a production environment\*, if your database is 20GB or smaller
- As a training tool in a learning environment

\* Oracle GoldenGate Studio Free is not supported by Oracle Support. Questions regarding GoldenGate Studio Free can be posted in the [GoldenGate Studio Free Community Forum](#).

## What are GoldenGate Studio Free's limitations?

Learn about the limitations for using GoldenGate Studio Free.

GoldenGate Studio Free is limited to:

- Oracle Databases, no more than 20 gigabytes (GB) in size.

 **Note:**

- For Container Databases (CDBs), this includes the total size of all Pluggable databases (PDBs).
- Oracle Database 23ai Free is supported, with the exception of Parallel Replicats.

- Support through community forums, instead of Oracle Support.
- Patches provided at Oracle's discretion in the form of new builds available through Oracle Container Registry.
- Interaction with other GoldenGate Studio Free instances. You can't use GoldenGate Studio Free with fully licensed Oracle GoldenGate products or other third-party integration tools.
- Integrated and Nonintegrated Replicats, ensuring that you don't use Replicat-only features with licensed Extracts.

 **Note:**

Refrain from changing the Replicat type in the Oracle GoldenGate Microservices console, or making changes to the underlying parameter file, as it affects GoldenGate Studio Free's ability to manage the pipeline.

- No Active Data Guard (ADG) or XStream entitlements.
- No support for Downstream capture.
- No support for Graph data types.
- No support for changes to Automatic Conflict Detection and Resolution (ACDR) type once configured.

## Concepts


Get familiar with the following concepts and other commonly used terms before you get started with GoldenGate Studio Free.

- **Recipe:** A recipe is a pipeline template for common data replication use cases. Follow a recipe to get started quickly and easily.
- **Connection:** A connection contains the network connectivity details to data stores and other GoldenGate instances.
- **Pipeline:** A pipeline is an instance of a recipe. It enables you to select your source connection, the type of replication action to apply, and the target connection. After a pipeline starts, you can observe the replication process in real time.

Other commonly used terms in this guide:

- **Oracle GoldenGate Studio Free console:** The main user interface for GoldenGate Studio Free, where you create and manage database connections and pipelines.
- **Oracle GoldenGate Microservices console:** The user interface for experienced GoldenGate users to configure advanced settings, monitor performance, and perform other common Oracle GoldenGate activities.
- **Extract:** A process that runs against the source database to extract, or capture, data.

- **Replicat:** A process that delivers data to the target database.



# 3

## Replicate

Learn to use GoldenGate Studio Free to replicate data.

Articles in this category:

- [How to replicate data](#)
- [Create database connections](#)
- [Follow recipes](#)
- [Create pipelines](#)
- [Configure advanced settings](#)

### How to replicate data

Replicating data in GoldenGate Studio Free is as easy as 1-2-3.

To create a replication process in GoldenGate Studio Free:

1. [Create your source and target database connections.](#)
2. [Create a pipeline.](#)
3. [Start the pipeline.](#)

### Create database connections

Connections contain the network connectivity information for Oracle Database sources and targets.

### Explore connections

Learn about the connection types you can use with GoldenGate Studio Free and how to create them.

### What is a connection?

A connection contains the connectivity details for a data source or target.

GoldenGate Studio Free currently supports Oracle Database connections.

### Supported connection types

Check the following list for specific Oracle Database and GoldenGate versions you can use as sources and targets in GoldenGate Studio Free.

The following Oracle Database versions are supported:

- Oracle Database 19c
- Oracle Database 21c, 21c XE

- Oracle Database 23ai, 23ai Free



**Note:**

Oracle Autonomous Database and wallet authentication are not supported.

The following Oracle GoldenGate versions are supported:

- Oracle GoldenGate 19c
- Oracle GoldenGate 21c

## Create an Oracle Database connection

Learn to create a connection to Oracle Database to use as a GoldenGate Studio Free source or target.

Watch this [short video](#) to learn how to create a database connection:



**Tip:**

- Before you create a connection, ensure that you enable Archive Log Mode and restart your database.
- If your database is a container database (CDB), it's recommended that you have the `sys` or `system` user credentials, or assistance from your DBA.

To create the Oracle Database connection:

1. From the GoldenGate Studio Free Home page, click **Create connection**.
2. The Create database connection configuration panel consists of six pages. On the **General Information** page, enter a **Database name**, and optionally, a **Description**.
3. Click **Next**.
4. On the **Connections details** page, select a **Connection role**.
  - Select **Source**, to create a source database connection.
  - Select **Target**, to create a target database connection.
5. Select **Basic** from the **Connection type** dropdown.
6. Enter the database's **Hostname** and **Port**.
7. For **Database type**:
  - If your Oracle database version is 21c or above, select **Pluggable database (PDB) in Oracle Database 21c or above**.
    - a. Enter the **Pluggable database service name (PDB)**.
    - b. If you have DBA privileges for the container database, select **SYSDBA privileges available**, and then log in as `sys` or `system` in the Administrator Credentials dialog.
  - If your Oracle database version is 19c or above, select **Pluggable database (PDB) in Oracle Database 19c or above**.

- a. Enter the **Pluggable database service name (PDB)**.
  - b. If you have DBA privileges for the container database, select **SYSDBA privileges available**, and then log in as `sys` or `system` in the Administrator Credentials dialog.
  - c. Enter the **Pluggable database service name**. If you logged in with DBA privileges, the field autopopulates with the PDB name or you can click **Get PDB list** and then select it from the dropdown.
- If your database is not a Container database, then select **Non-container database**, and then enter the **Database service name**.

 **Note:**

Database names with a domain name should be entered in the **Database service name** field.

8. Click **Next**.
9. On the **GoldenGate admin user** page:
  - a. Select **Add GoldenGate admin database user** if one doesn't yet exist.
  - b. Enter the GoldenGate username and password.

 **Note:**

- a. For a container (CDB) Oracle Database connection, the GoldenGate admin user is typically `c##ggadmin`. For a non-CDB Oracle Database connection, use `ggadmin`.
- b. See Non-supported special characters for the list of non-supported characters in object and user names. If a user name contains any of the characters in this list, you will encounter issues with your pipelines.

10. Click **Next**.
11. (If you logged in with DBA privileges, skip to step 13.) On the **Validate configuration** page, click **Validate** to ensure that your database is accessible and ready for GoldenGate to use.

The database connection only validates when the correct service name and password are used. If the service name or password is incorrect, then an error message appears and action must be taken by your database administrator to update the analysis script. [Learn more about the script](#).

 **Tip:**

Click the ellipsis (three dots) menu to view log messages for each step.

12. Click **Next**.
13. On the **Configuration** page:
  - If you have DBA privileges, click **Run analysis**. Review the generated script completely, take note of recommended actions, and then select **Run SQL** to run it now, or **Download SQL** for your DBA to run the script separately.

- If you don't have DBA privileges, click **Download analysis script** and have your DBA run it for you. [Learn more about the script.](#)
  - If Archive Log Mode is not enabled, you must download the SQL script and follow the instructions in the script to enable Archive Log Mode, and then restart the database. You can then run the SQL manually to prepare the database. After you run the script, return to the user interface and click **Run analysis** again to validate and continue creating the connection.
14. On the Confirmation page review a summary of your connection details, and then click **Create**.

## About the configuration script

The configuration script prepares your database for Oracle GoldenGate and creates the GoldenGate user, with whom Oracle GoldenGate uses to perform operations on the database. This interactive script detects inconsistencies and directs you on how to address them.

If you choose to run your script on your own, or have your database administrator run it for you, you must have SYSDBA privileges.

Ensure you provide following information in the SQL script:

- The **Service name** of the database (container (CDB), pluggable (PDB), or non-container (CDB)).
- A **Password** for the Oracle GoldenGate user to use.

The following are default values for Oracle GoldenGate user names and tablespace names. While you can change these values, it is recommended that you keep the default names.

- For Oracle Database 21c or above:
  - CDB user is not applicable
  - PDB user: **GGADMIN**
  - Non-CDB user is not applicable
- For Oracle Database 19c or below:
  - CDB user: **C##GGADMIN**
  - PDB user: **GGADMIN**
  - Non-CDB user is not applicable
- For Non-container database:
  - CDB user is not applicable
  - PDB user is not applicable
  - Non-CDB user: **GGADMIN**

The default Oracle GoldenGate tablespace name is **GG\_ADMIN\_DATA**.

Learn more about preparing your database for Oracle GoldenGate.

After the script is run, the output displays the database information, the status of the database settings set for Oracle GoldenGate, and confirmation of database privileges granted to the Oracle GoldenGate user. Inconsistencies and errors reported in the script output will also include guidance on how to fix them. These errors must be fixed before you can create connections and pipelines.



For example, if your database doesn't have Archive Log Mode enabled, which is required for Oracle GoldenGate, then the analysis output includes instructions about how to enable Archive Log Mode, and then restart the database.

## Next steps

After you have source and target connections created in GoldenGate Studio Free, you can:

- [Learn about recipes](#)
- [Learn about pipelines](#)
- [Create a pipeline](#)

## Follow recipes

Recipes are templates for common replication scenarios that you can use to accelerate your data replication journey.

## Explore recipes

- **One-way database replication:** Performs an Initial Load and ensures the target database is kept in sync with the source database.
- **Active-Active database replication:** Performs an Initial Load on the source database, and then applies change events in both directions to keep the databases synchronized.

### Note:

If you encounter a warning about sequences detected, ensure that you don't replicate database generated sequential values. The range of values must be different on each system, with no chance of overlap. For example, in a two-database environment, you can have one server generate even values, and the other odd. For an  $n$ -server environment, start each key at a different value and increment the values by the number of servers in the environment. This method may not be available to all types of applications or databases. If the application permits, you can add a location identifier to the value to enforce uniqueness.

More recipes are on the way!

## Follow a recipe

To follow a recipe:

1. From the GoldenGate Studio Free Home page, click **Create pipeline**.
2. On the Recipe page, select a recipe to follow.
3. Follow the instructions to [Create a pipeline](#).

## Create pipelines

Learn to create a data replication process using pipelines and recipes.

## About pipelines

A pipeline is an instance of a recipe. It enables you to select your source connection, the type of replication action(s) to apply, and the target connection. After a pipeline starts, you can observe the replication process in real time.

If you're familiar with Oracle GoldenGate Extract and Replicats, then pipelines are an abstraction of the Oracle GoldenGate replication process. When you start a pipeline, GoldenGate Studio Free:

- Prepares the database objects for extraction
- Creates a Heartbeat Table
- Creates and runs the Extract process
- Performs an Initial Load using Oracle Data Pump
- Creates the Checkpoint Table
- Creates and runs the Replicat process

These steps can be observed during the pipeline's Initialization phase on the Pipeline Details page.

You can view pipelines on the Home page, as well as the Pipelines page. Before you create a pipeline, ensure that you have [source and target connections created](#).

## Create a pipeline

Learn to create a pipeline by following a recipe.

Watch this [short video](#) to learn how to create a pipeline.



### Tip:

Ensure that you have a source and target connection before creating a pipeline.

To create a pipeline:

1. From the GoldenGate Studio Free Home page, click **Create pipeline**.  
You can also select **Pipelines** from the navigation menu, and then click **Create pipeline** on the Pipelines page.
2. The Create Pipeline process consists of three pages. On the Recipe page, select a recipe, and then click **Next**.
3. On the Overview page, enter a **Name** for the pipeline, and optionally, a **Description**, and then click **Next**.
4. On the Connections page, select your source and target connections from their respective dropdowns, and then click **Save & configure**.

After your pipeline is created, you're brought to the Pipeline Configuration screen. [Learn how to configure a pipeline](#).

## Configure a pipeline

After you create a pipeline, you're brought to its Configuration screen. If you're revisiting a pipeline after you created it, you can select the pipeline from the Pipelines page to view its details, and then click **Configuration** to return to the Configuration screen.

You must have a pipeline created before you can configure it.

To configure a pipeline:

1. Under **Mapping**, you can review and select the source database schemas and tables to replicate.

The screenshot shows the Oracle Cloud Configuration screen for a pipeline. The screen is divided into two main sections: Overview and Configuration. The Configuration section is further divided into Mapping, Mapping Rules, and Options. The Mapping section is currently active and shows a search bar for tables. Below the search bar is a table with three columns: Source Schema, Target Schema, and Conflict Resolution. The Source Schema is PDBADMIN and the Target Schema is PDBADMIN. The Conflict Resolution column shows 'Latest TS' for all tables. The table lists the following tables: COUNTRIES, DEPARTMENTS, EMPLOYEES, JOBS, JOB\_HISTORY, LOCATIONS, and REGIONS. Each table has a 'Not Found' status in the Target Schema column and a 'Latest TS' status in the Conflict Resolution column. There are also edit icons (pencil icons) next to each table in the Conflict Resolution column.

### Note:

In One-way database replication, target schemas and tables show only when they exist in the target, otherwise they show as Not found.


You can:








- Click **Edit** (pencil icon) to rename a target schema or table. This redirects the replication to the renamed schemas and tables.
- Include a schema and all its tables. This also ensures that any tables added to the schema in the future are also implicitly included and replicated.
- Include a schema but not all its tables. Tables **not** included will not be replicated, however, future tables added to the schema are implicitly included and replicated to the target.
- Exclude the schema but include its tables. Any tables added to the schema in the future are **not** included.
- Exclude an entire schema and all its tables.

As you select or deselect source schemas and tables, or edit target schemas or tables, rules are added to **Mapping Rules**.

For Active-Active replications, a **Conflict Resolution** column appears in the Mapping screen.

**Mapping** Mapping Rules Options

Search Table 

Source Schema	Target Schema	Conflict Resolution	
<input type="checkbox"/> PDBADMIN	PDBADMIN		
<input checked="" type="checkbox"/> HR	HR		
<input checked="" type="checkbox"/> COUNTRIES	COUNTRIES	Default(Latest TS)	
<input checked="" type="checkbox"/> DEPARTMENTS	DEPARTMENTS	Default(Latest TS)	
<input checked="" type="checkbox"/> EMPLOYEES	EMPLOYEES	Default(Latest TS)	
<input checked="" type="checkbox"/> JOBS	JOBS	Default(Latest TS)	
<input checked="" type="checkbox"/> JOB_HISTORY	JOB_HISTORY	Default(Latest TS)	
<input checked="" type="checkbox"/> LOCATIONS	LOCATIONS	Default(Latest TS)	
<input checked="" type="checkbox"/> REGIONS	REGIONS	Default(Latest TS)	

To configure Automatic Conflict Detection and Resolution (ACDR):

- Click **Edit** next to the schema for whom you want to configure ACDR.
- In the Edit table mapping panel, select Automatic Conflict Detection and Resolution.
- For Timestamp, select whether the **Latest** change or **Earliest** change takes precedence.
- Select **Delta Resolution** if the changes made must be combined to resolve the conflict, and then select the columns to use. For example, updates made to product inventory.

 **Note:**

Learn more about ACDR:

- Earliest timestamp conflict detection and resolution
- Latest timestamp conflict detection and resolution
- Delta conflict detection and resolution

- Click **Apply**.

**⚠ WARNING:**

GoldenGate Studio Free doesn't support the addition of new tables, nor the change of ACDR type, after the active-active pipeline starts. Unless absolutely necessary, you can either:

- Create, configure, and start a new pipeline with the new tables added.
- In the GoldenGate Studio Free console:
  - a. Stop the pipeline.
  - b. Create a new table externally, such as **sqlplus** or **sqldeveloper**.
  - c. Under **Mapping**, expand the schema and select new tables.
  - d. Under **Options**, in **Advanced Options** and under **Replicat**, select **DISCARD** for **Actions upon DML Error**.
  - e. Save the pipeline configuration and then restart the pipeline.

ACDR isn't automatically enabled for tables without keys.

Learn more about Automatic Conflict Detection and Resolution.

2. Under **Mapping Rules**, you can review, add, delete, and reorder rules.

Pipeline Name: demo2  
Recipe Name: Active-Active Database Replication

Mapping Rules

Command	Source	Target	Action
Exclude	HR.COUNTRIES	HR.COUNTRIES	...
Exclude	HR.DEPARTMENTS	HR.DEPARTMENTS	Delete
Include	HR.*	HR.*	Increase Priority Decrease Priority

Keep in mind:

- Exclude rules take precedence over Include rules.
- To delete a rule, click **Actions** (ellipsis icon) and select **Delete**.
- To reorder a rule, click **Actions** (ellipsis icon) and then select either **Increase priority** or **Decrease priority**.
- To add a new rule, click **Add rule**. You can use the following special characters when constructing rules:
  - Asterisk (\*) as a wildcard for any number of characters
  - Underscore ( \_ )
  - Space ( )
  - Double quotes (") to enclose schema or table names that include spaces or when case sensitivity is required.
- Individual rules take precedence over group rules.

- **Delete all** removes all rules in the list.
3. Under **Options**, you can configure a limited set of GoldenGate parameters:
    - **Initial Load of existing schemas and/or tables**
    - **Replicate Data Definition Language (DDL)**
    - **Advanced options** for Initial Load (Data Pump), Extract, or Replicat

 **Note:**

Refrain from making changes to the underlying parameter file as it affects the ability to manage the pipeline in GoldenGate Studio Free. Likewise, if using the Oracle GoldenGate console, refrain from changing the Replicat type.

4. Click **Save** to save your configuration settings.
5. After configuring your pipeline, click **Start** to run it.

You can review the initialization procedure, the status and progress of each step in the replication process, and how much time it takes for each step to complete.
6. After the initialization completes, you're brought to the **Runtime** view where you can observe data capture operations on the source database replicated to the target.

The pipeline runs continually until it's stopped.

## Next steps

After your pipeline is created, configured, and running, learn to [manage pipelines](#).

## Configure advanced settings

If you're an experienced GoldenGate user, then you can access the Oracle GoldenGate Microservices console to configure advanced settings, monitor performance, and perform other common Oracle GoldenGate activities.

 **Note:**

While you can use the Oracle GoldenGate Microservices console to perform common Oracle GoldenGate tasks, you're still bound within the limits of GoldenGate Studio Free.

To access the Oracle GoldenGate console:

1. Open `<hostname>:<port-number>/ogg` in your web browser

 **Note:**

Your protocol (http or https) depends on whether you enabled SSL/TLS during the initial configuration/installation process.

2. In the Oracle GoldenGate Service Manager, select one of the following services to open:

- Administration Service
- Distribution Service
- Performance Metrics Service
- Receiver Service

After you create and run a pipeline, you can also access the GoldenGate Administration Service from a process's ellipsis menu.

# 4

## Manage

Learn to manage your GoldenGate Studio Free resources.

Articles in this category:

- [Manage connections](#)
- [Manage pipelines](#)

### Manage connections

Learn about connection management tasks including how to edit, clone, and delete connections.

#### View connection details

Select a connection from the Database connections page to view its details. On the Connection details page, you can:

- View connection details such as:
  - Connection name, description, when it was created, and when it was last updated
  - Database type, hostname, port, username, connector, and connection type
  - Connection role (source or target)
- Edit the connection details
- Validate the connection details
- Clone the connection
- Delete the connection

#### Edit a connection

To edit a connection:

1. On the Database connections page, select a connection to edit. You're brought to the connection's detail page.
2. On the connection's detail page, click **Edit**.
3. In the **Configure Database Connection Configuration** panel, review the connection settings, make your updates, and then click Next to progress through the Edit connection pages.
4. Click **Save changes**.

#### Clone a connection

To clone a connection:



1. On the Database connections page, select the connection to clone. You're brought to the connection's details page.
2. On the connection details page, click **Clone**.

You're brought back to the Database connections page, where the cloned connection appears in the list.

## Validate a connection

If you create a connection without completing the database validation, then you must validate the connection before you can use it in a pipeline.

To validate a connection:

1. On the Database connections page, open the **Actions** menu (ellipsis icon) for the connection to validate.
2. From the Action menu, select **Validate**.

You're brought to the **Validate configuration** page of the Configure database connection panel.

3. On the Validate configuration screen, click **Validate**.

### Note:

This action ensures that your database is accessible and ready for GoldenGate to use.

If the service name or password provided is incorrect, then action must be taken by your database administrator to update and run the database configuration script. [Learn more about the script.](#)

4. After the test completes successfully, click **Cancel** to exit the panel.

You're brought back to the Database connections page.

## Delete a connection

Before you delete a connection, ensure that the connection is not currently in use by an active pipeline.

To delete a connection:

1. On the Database connections page, select the connection to delete. You're brought to the connection details page.
2. On the connection details page, click **Delete**.
3. In the Delete connection dialog, confirm that you want to delete the connection, and then click **Delete**.

The Database connections list is refreshed and the deleted connection removed. You cannot undo a delete operation.

## Manage pipelines

Learn about pipeline management tasks including how to edit, start, stop, and delete pipelines.

## View pipeline details

The screenshot shows the Oracle GoldenGate Studio Free interface. The main content area is titled 'Overview' and 'Configuration'. It displays pipeline details for 'demo-pipeline', including its description, creation time, and last run time. A 'Pipeline Diagram' shows a flow from 'Source: sourcedb' through 'One-way Database Replication' to 'Target: targetdb'. Below this is a table of processes:

Processes Name	Processes Type	Status	Latency	Last Operation Processed	Total Operation Count
ES	Extract	Running	3.4 sec	Wed, Apr 26, 2023 15:28:33 UTC	18
R9	Replicat	Running	9.0 sec	Wed, Apr 26, 2023 15:28:33 UTC	39

Below the table are two line graphs: 'Operations Extract' and 'Operations Replicat'. The 'Operations Extract' graph shows three peaks of approximately 1.0, while the 'Operations Replicat' graph shows three peaks of approximately 2.0. Both graphs have a legend with categories: Inserts, Updates, Deletes, Truncates, Ddl, Discards, and Ignores.

On the Pipelines page, select a pipeline to view its details. On the pipeline's details page, you can:

1. Review pipeline details such as the pipeline name, description, when it was created, when it was last run, and whether it ran successfully
2. Edit the pipeline's configuration, mappings, mapping rules, and advanced options
3. Start the pipeline
4. Stop the pipeline

### Note:

The pipeline runs continuously until you click **Stop**.

5. View its initialization steps, the status and logs for each step, and initial load details

### Note:

To view message logs for a step, click its ellipsis (three dots) icon, and then select **View details**.

6. View the pipeline as it runs in realtime

## Edit a pipeline

To edit a pipeline:

1. On the Pipelines page, open the Action menu (ellipsis icon) for the pipeline you want to edit.

2. From the Pipeline's Action menu, select **Edit configuration**.
3. In the Edit pipeline panel, you can edit the following values:
  - Name
  - Description
4. Click **Save & configure**.

## Start a pipeline

Before you can start a pipeline, you must first [configure it](#).

To start a pipeline:

1. On the Pipelines page, select the pipeline to start. You're brought to the pipeline's details page.
2. On the pipeline's details page, click **Start**.  
You're brought to the pipeline's initialization page, where you can observe the initial load tasks performed on the target database, as well as the creation and start of Extract and Replicat processes.
3. After the pipeline is initialized, you're brought to the Runtime page, where you can observe data capture operations on the source database replicated to the target database.

The pipeline runs continuously until it's stopped.

## Stop a pipeline

You can only stop a pipeline that is running. Pipelines run continuously until you manually stop them. When you stop a pipeline, GoldenGate Studio Free stops both the Extract and Replicat processes.

To stop a pipeline:

1. On the Pipelines page, select the pipeline to stop. You're brought to the pipeline's details page.
2. On the pipeline's details page, click **Stop**.

After the pipeline stops, you can click **Start** to restart it. GoldenGate Studio Free resumes the Extract and Replicat processes, replicating any transactions that occurred while the pipeline was stopped.

## Delete a pipeline

To delete a pipeline:

1. On the Pipelines page, from the Action menu (ellipsis icon) of the pipeline you want to delete, select **Delete**.
2. In the Delete dialog, select whether you want to also delete the GoldenGate configuration.

### Note:

GoldenGate configuration includes the Extract and Replicat processes created when the pipeline was originally initialized.

**3. Click Delete.**

The Pipeline page refreshes, and the deleted pipeline no longer appears in the list. Once deleted, you can't undo the action.

# 5

## Monitor

Learn to monitor your GoldenGate Studio Free processes and how to use the information reported.

Articles in this category:

- [Monitor pipelines](#)
- [Monitor performance using the Oracle GoldenGate Microservices console](#)

## Monitor pipelines

Monitor your pipelines to ensure that your data replication processes are running smoothly without lag. Use the tools available to troubleshoot or diagnose issues you may encounter.

The screenshot displays the Oracle GoldenGate Studio Free interface for monitoring a pipeline. The interface is divided into several sections:

- Overview:** Shows pipeline details such as name, description, creation date, and last run date. A 'SUCCESSFUL' status indicator is present.
- Pipeline Diagram:** A visual representation of the pipeline flow, showing data sources and targets.
- Runtime:** A table listing active processes with columns for Process Name, Type, Status, Latency, Last Operation Processed, and Total Operation Count.
- Operations Extract and Operations Replicate:** Two line graphs showing the volume of operations over time for the Extract and Replicate processes, respectively. The graphs include a legend for various operation types like Inserts, Updates, Deletes, etc.

Processes Name	Processes Type	Status	Latency	Last Operation Processed	Total Operation Count
E24	Extract	Running	41 ms	Mon, Nov 21, 2022 19:37:37 UTC	7512
R29	Replicate	Running	30 ms	Mon, Nov 21, 2022 19:37:00 UTC	14945

When you select an active pipeline from the Pipelines page, you're brought to the pipeline's Runtime page. Here, you can view:

1. Basic pipeline information, including the pipeline's name, description, created date, and run date.
2. A realtime visual pipeline diagram, that updates as you make changes to the pipeline configuration.
3. Information about the pipeline processes, including process names, process types, their statuses, their latency, when their last operation was processed, and their total operation count. You can also view the processes' log events, reports, latency graphs, or launch the full GoldenGate console for advanced monitoring from the processes' Action menus.
4. Operations Extract graph, showing inserts, updates, upserts, deletes, truncates, DDLs, discards, and ignores over time

5. Operations Replicat graph, showing inserts, updates, upserts, deletes, truncates, DDLs, discards, and ignores over time
6. (Not shown) A list of critical events, along with their codes, when they occurred, their severity, and message details.

For each process, you can access the following when you open the ellipsis (three dots) menu:

- View log events
- Access the Oracle GoldenGate Administration Server UI
- Download reports
- Download latency details

For more information about performance monitoring in the Oracle GoldenGate Microservices UI, see [Monitor performance using the Oracle GoldenGate console](#).

## Monitor performance using the Oracle GoldenGate Microservices console

You can monitor the status and health of your pipelines using the Runtime view on your pipeline's details page. For more advanced monitoring and reporting, you can access the Oracle GoldenGate Microservices console.

### Note:

While you can access the Oracle GoldenGate Microservices console, you're still bounded to the limitations of GoldenGate Studio Free.

You can access the Oracle GoldenGate Microservices console one of two ways:

- When viewing the pipeline processes in the Runtime view, click the ellipsis menu and select **GoldenGate console**.
- Open `<hostname>:<port-number>/ogg` in your web browser. You're brought to the Oracle GoldenGate Service Manager, where you can access:

### Note:

Your protocol (http or https) depends on whether you enabled SSL/TLS during the initial configuration/installation process.

- **Administration Service:** View and manage Extract and Replicat process details, reports, and statistics.
- **Distribution Service:** View and manage Distribution Path details.
- **Performance Metrics Service:** View service and process performance metrics.
- **Receiver Service:** View and manage Receiver Path details.

For more information about using the Performance Metrics Service, see Monitor Processes from the Performance Metrics Service.

# 6

## Reference

Explore GoldenGate Studio Free reference materials.

Reference guides in this category:

- [Frequently asked questions](#)

### Frequently asked questions

Have a question about GoldenGate Studio Free? Explore the frequently asked questions (FAQs) for the answer to your question.

#### What database versions are supported?

See [Supported connection types](#).

#### What are the limitations of GoldenGate Studio Free?

GoldenGate Studio Free is limited to:

- Oracle Databases, no more than 20 gigabytes (GB) in size.

##### Note:

- For Container Databases (CDBs), this includes the total size of all Pluggable databases (PDBs).
- Oracle Database 23ai Free is supported, with the exception of Parallel Replicats.

- Support through community forums, instead of Oracle Support.
- Patches provided at Oracle's discretion in the form of new builds available through Oracle Container Registry.
- Interaction with other GoldenGate Studio Free instances. You can't use GoldenGate Studio Free with fully licensed Oracle GoldenGate products or other third-party integration tools.
- Integrated and Nonintegrated Replicats, ensuring that you don't use Replicat-only features with licensed Extracts.

##### Note:

Refrain from changing the Replicat type in the Oracle GoldenGate Microservices console, or making changes to the underlying parameter file, as it affects GoldenGate Studio Free's ability to manage the pipeline.

- No Active Data Guard (ADG) or XStream entitlements.
- No support for Downstream capture.
- No support for Graph data types.
- No support for changes to Automatic Conflict Detection and Resolution (ACDR) type once configured.

## Can I upgrade my GoldenGate Studio Free from an earlier version?

No, upgrades are not supported.

## How can I get help?

Oracle GoldenGate Studio Free is not supported by Oracle Support. Questions regarding GoldenGate Studio Free can be posted in the [GoldenGate Studio Free Community Forum](#).

## Can you use GoldenGate Studio Free with a licensed Oracle GoldenGate?

No, you can only use GoldenGate Studio Free with other GoldenGate Studio Free instances. You can't use GoldenGate Studio Free with licensed Oracle GoldenGate products.

## What's the default GoldenGate Studio Free administrative account password?

On first startup of the container, a random password is generated for the Oracle GoldenGate if one is not provided for `OGG_ADMIN_PWD`. You can find this password at the start of the container log:

```
$ docker logs <container-name> | head -3
```

See [Start and run the GoldenGate Studio Free docker image](#) for more information.