

Oracle® Fusion Middleware

Upgrading Oracle WebLogic Server



15c (15.1.1.0.0)
G24690-01
October 2025

ORACLE®

Oracle Fusion Middleware Upgrading Oracle WebLogic Server, 15c (15.1.1.0.0)

G24690-01

Copyright © 2007, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface

Documentation Accessibility	i
Diversity and Inclusion	i
Conventions	i

1 Introduction

Version Compatibility	1
API Compatibility	1
Important Terminology	2
Overview of the Upgrade Process	2
Before You Begin	4

2 Roadmap for Upgrading Your Application Environment

Plan for an Upgrade	1
Step 1: Inventory the Application Environment	1
Step 2: Verify Supported Configuration Information	1
Step 3: Review the Compatibility Information	2
Review These Upgrade Considerations	2
Upgrade Process Overview	3
Prepare for the Upgrade	3
Upgrade Your Applications	3
Shut Down Servers in the Application Environment	4
Back Up the Application Environment	4
Install Required Oracle Products	4
Set Up the Environment	4
Upgrade the Application Environment	5
Next Steps	6

3 Reconfiguring WebLogic Domains

Before You Begin	1
Setting CONFIG_JVM_ARGS on UNIX and Linux Systems	1

Backing Up the Domain	1
Determining Node Manager Upgrade Procedure	2
Configuring Multiple Per Domain Node Managers on the Same Machine	3
Running Two Per Host Node Managers on the Same Machine	3
Reconfiguring a WebLogic Domain	3
Reconfiguring a WebLogic Domain in Graphical Mode	4
Reconfiguring a WebLogic Domain Using WebLogic Scripting Tool	7
Completing the Node Manager Configuration	9
Completing the Node Manager Configuration (Two Per Host Node Managers)	10
Updating a Managed Server Domain on a Remote Machine	12
Important Notes About the Domain Upgrade Process	13
Completing Post-Upgrade Tasks	13
Changing Domain Mode Post Upgrade	13
Re-apply Customizations to Startup Scripts	14
Default Startup Scripts	14
Custom Startup Scripts	14
Verify File Permissions	15
Verify Remote Server Startup Options	15
Recreating the Windows Node Manager Service	15
Promote the Application Environment to Production	16
Maintain FIPS 140-2 Compliance	16
Troubleshooting an Upgrade	16

4 Upgrading WebLogic Web Services

Upgrading a WebLogic JAX-RPC Web Service to the WebLogic JAX-WS Stack	1
---	---

5 WebLogic Server 15.1.1.0.0 Compatibility with Previous Releases

Index

Preface

This document describes how to upgrade an application environment from an earlier version of Oracle WebLogic Server to Oracle WebLogic Server 15c (15.1.1.0.0).

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customer access to and use of Oracle support services will be pursuant to the terms and conditions specified in their Oracle order for the applicable services.

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

1

Introduction

You can upgrade WebLogic servers and domains from a supported version of WebLogic Server to WebLogic Server 15c (15.1.1.0.0).

The instructions in this document are for the following supported upgrade scenarios:

- WebLogic Server 14.1.2.0.0 to WebLogic Server 15.1.1.0.0
- WebLogic Server 14.1.1.0.0 to WebLogic Server 15.1.1.0.0
- WebLogic Server 12.2.1.4.0 to WebLogic Server 15.1.1.0.0

Note

If your preupgrade environment version is pre-12.2.1.4.0, then you will need to first upgrade to a supported starting point before you can begin an upgrade to 15.1.1.0.0. You cannot upgrade directly to 15.1.1.0.0 from an unsupported version. Use the upgrade procedures in the [12c \(12.2.1.4.0\) upgrade documentation](#) library for information on upgrading to a supported starting point.

WebLogic Server generally supports high levels of upgrade capability across WebLogic Server versions. This document is intended to provide WebLogic Server upgrade support and identify issues that may surface during an upgrade so that they can be easily resolved.

This chapter includes the following sections:

Version Compatibility

Before you upgrade WebLogic Server, review the WebLogic Server and domain compatibility requirements for WebLogic Server 15.1.1.0.0.

See *Compatibility Within a Domain* in *Understanding Oracle WebLogic Server*.

API Compatibility

WebLogic Server 12.2.1.4.0, 14.1.1.0.0, and 14.1.2.0.0 applications deployed on WebLogic Server must be modified and recompiled to run in the WebLogic Server 15.1.1.0.0 application environment.

When upgrading from:

- APIs supported in Java EE 7 and WLS 12.2.1.4, or
- APIs supported in Jakarta EE 8 and WLS 14.1.1 and 14.1.2

To:

- Equivalent APIs supported in Jakarta EE 9.1 and WLS 15.1.1

Oracle recommends using [Rewrite WebLogic](#) recipes to apply the changes required for migrating applications to WebLogic Server 15.1.1.0.0 and Jakarta EE 9.1. For more information, see [Upgrade Your Applications](#).

Important Terminology


The documentation for upgrading WebLogic Server uses various terms when describing its features and functionality. It is important that you have a good understanding of these terms.

- **Upgrade**—In this document, the term upgrade refers to the process of replacing an installed version of WebLogic Server with a newer WebLogic Server version.
- **Reconfiguration**—The process of upgrading a domain that was created with a previous WebLogic Server version so that it is compatible with the WebLogic Server version to which you have upgraded. This can be done using either the Reconfiguration Wizard or WLST.
- **Application Environment**—An application environment includes applications and the WebLogic domains in which they are deployed. It also includes any application data associated with the domain, and may include resources such as database servers, firewalls, load balancers, and LDAP servers.
- **Migrate**—To move an application or domain configuration from a third-party product to an Oracle product.
- **Interoperability**—(1) The ability of an application deployed in one WebLogic Server version to communicate with another application that is deployed in a different WebLogic Server version. (2) The ability of Oracle product components to communicate with third-party software using standard protocols.
- **Compatibility**—The capability of an application built using one WebLogic Server release to run in another WebLogic Server release, regardless of whether the application was rebuilt.

Overview of the Upgrade Process

You can upgrade all WebLogic Server applications and domains simultaneously, upgrade them in a well-defined sequence, or upgrade some applications and domains while leaving other applications and domains on older WebLogic Server versions.

The process required to upgrade an application environment depends on the scope of the application and the WebLogic Server version to which you are upgrading. An *application environment* includes a WebLogic domain and any applications and application data associated with the domain. It may also include external resources, such as firewalls, load balancers, and LDAP servers. [Figure 1-1](#) shows an example of a WebLogic application environment.

Figure 1-1 Example WebLogic Application Environment

[Table 1-1](#) lists the components of the WebLogic application environment shown in [Figure 1-1](#) and the upgrade requirements for each.

Table 1-1 Upgrade Requirements for Components in Example WebLogic Application Environment

Component	Description	Upgrade Requirements
WebLogic domain	Includes the Administration Server (AS) and optionally one or more Managed Servers (for example, MS1, MS2, MS3, and MS4). The servers in a domain may span multiple machines. Furthermore, you can group Managed Servers into clusters to support load balancing and failover protection for critical applications. For more information about WebLogic domains, see <i>Understanding Oracle WebLogic domains in Understanding Domain Configuration for Oracle WebLogic Server</i> .	Upgrade the domain directory on each computer in the domain.
Applications	Any Jakarta EE applications, including web applications, EJBs, and so on. Typically, applications are deployed to one or more Managed Servers in a domain. Depending on the deployment strategy, applications may reside locally on a computer or be accessible using a shared directory. In addition, external client applications may access the application environment from outside a firewall.	Existing WebLogic Server applications must be modified to run in the new WebLogic Server 15.1.1.0.0 application environment. Oracle recommends using Rewrite WebLogic recipes to apply the changes required for migrating applications to WebLogic 15.1.1.0.0 and Jakarta EE 9.1. For more information, see Upgrade Your Applications .
External resources	Software components, such as databases for storing domain and application data, load balancers, and firewalls.	Verify that all external resources are compatible with WebLogic Server 15.1.1.0.0. See <i>Oracle Fusion Middleware Supported System Configurations</i> .

Upgrading business applications that are deployed to WebLogic Server may involve upgrading multiple WebLogic Server applications, and in some cases domains, in a coordinated fashion to:

- Maintain consistency in the WebLogic Server versions being used.

- Use the same supported configurations environment across the entire installation.
- Meet specific interoperability requirements.

Before You Begin

Before you upgrade WebLogic Server, verify that your machine is set up to meet the requirements to upgrade and run WebLogic Server. You must also consider the scope of the environments that you are upgrading and which applications are upgraded in which sequence.

As covering all the permutations of an upgrade is beyond the scope of this document, consider the following items prior to planning your upgrade. These items focus on upgrades that involve a single application running in a single domain. Perform any applicable tasks before you begin the upgrade. Failure to complete the required tasks may result in a failed upgrade or extended system downtime.

- When upgrading a domain to 15c (15.1.1.0.0) from a prior release, if there is no explicit secure mode setting, then the Reconfiguration Wizard will explicitly set secure mode to “disabled” in the upgraded domain. This is to preserve the behavior that was present in the original domain. If there is an explicit secure mode setting, it will be preserved in the upgraded domain.
- Oracle recommends that you upgrade an application in development environments and use a standard QA, testing, and staging process to move upgraded applications to a production environment.
- You typically upgrade an application either by upgrading an existing domain or by creating a new domain, from which you can run the application on the new WebLogic Server version. Sometimes, you prefer to create new domains using the **Fusion Middleware Configuration Wizard** or other configuration tools (such as WLST) to test the applications that you are upgrading.
- When planning a WebLogic Server version upgrade, you should review the Oracle Fusion Middleware Supported Systems Configurations page to ensure that your upgraded environment is supported by Oracle, in particular:
 - Current and planned JVM and JDK versions
 - Operating system versions
 - Database versions
 - Web services versions
 - Versions of other products that interoperate with or run on WebLogic Server, to ensure that the upgraded environment is supported by Oracle or other vendors' products that you are using with WebLogic Server.
- On an ongoing basis, Oracle documents APIs and features that have been deprecated (that is, planned for removal in a future release). This is intended to inform you that you should avoid using these APIs and features to ensure upgradability. Oracle also documents the APIs and features that have actually been removed in the current release so that if you are upgrading from prior versions, you can determine if your applications will be affected by an upgrade.

When upgrading, you should review all documentation of deprecated and removed features for all applicable WebLogic Server versions.

- You should consider the impact (if any) that the upgrade process may have on any automation (such as WLST scripts) that you are using to configure, deploy, start/stop, or monitor your WebLogic Server applications. You may need to upgrade such automation along with the applications and domains you are upgrading.

- You should consider the potential impact that may result from the use of third-party libraries in your applications, as they may conflict with different versions of those same libraries that are embedded in WebLogic Server. In particular, new versions of WebLogic Server may change the version of open source libraries that are embedded in WebLogic Server. Applications that may run successfully on earlier WebLogic Server versions may encounter new class conflicts after upgrade.

Note

In WebLogic Server 15.1.1.0.0, application dependencies must support Jakarta EE 9.1. Use Oracle [Rewrite WebLogic](#) recipes to make sure that any third-party libraries used by your applications are updated to versions supported in WebLogic Server 15.1.1.0.0, JDK 17 or 21, and Jakarta EE 9.1.

If you are upgrading an application that contains embedded third-party libraries, you should consider using the Classloader Analysis Tool, and filtering classloaders when upgrading WebLogic Server applications to WebLogic Server 15.1.1.0.0. This tool enables you to identify, diagnose and resolve such conflicts, and may simplify the upgrade process.

- If you are running applications on prior versions of WebLogic Server, and are using WebLogic Server patches or bug fixes, you should investigate whether or not those patches or bug fixes have been incorporated into the version of WebLogic Server to which you are upgrading.

2

Roadmap for Upgrading Your Application Environment

Use the upgrade roadmap to identify the procedure required to upgrade your Oracle WebLogic Server application environment.

An upgrade of WebLogic application environment is complete when you upgrade, configure, and deploy your WebLogic application environments.

This chapter includes the following sections:

Plan for an Upgrade

Before upgrading your WebLogic application environment, plan the upgrade path. Planning the upgrade path includes generating an inventory of the application environment, verifying the supported system configurations, and reviewing the compatibility information of application environment.

To ensure that your plan addresses all the aspects of upgrading that are necessary for your environment, complete the following steps:

Step 1: Inventory the Application Environment

Generate an inventory of the application environment by identifying the following components:

- Administration Server and the computer on which it resides
- Managed Servers and the computer(s) on which they reside
- Location of the applications (including all external client applications)
- External resources, for example:
 - Databases used to store persisted and application data
 - Firewalls
 - Load balancers
- Tools, scripts, templates, and source code used for automating the tasks required to create the application environment

You can view a sample application environment in [Overview of the Upgrade Process](#).

Step 2: Verify Supported Configuration Information

Supported configurations (for example, JDK versions, operating system versions, web server versions, and database versions) have changed for WebLogic Server 15.1.1.0.0. You may be required to upgrade your environments to the supported versions of these and other products.

For information about supported configurations, see *Oracle Fusion Middleware Supported System Configurations* on Oracle Technology Network (OTN).

For databases, note that:

- The evaluation database available from the installation program that is provided for use by the sample applications and code examples, and as a demonstration database, is Derby. Derby is an open source relational database management system based on Java, JDBC, and SQL standards. For more information about Derby, see <http://db.apache.org/derby/>.
- The Oracle Thin Drivers are included as part of the WebLogic Server installation.
- If you are using an Oracle OCI database driver and want to change to use a Thin database driver, you must remove the server property (as illustrated below) from the generated JDBC module. For example:

```
<property>  
  <name>server</name>  
  <value>servername</value>  
</property>
```
- The Oracle Thin Drivers are installed with WebLogic Server and are ready for use. For more information about using these drivers, see JDBC Drivers Installed with WebLogic Server in *Administering JDBC Data Sources for Oracle WebLogic Server*.

Step 3: Review the Compatibility Information

Existing WebLogic Server applications must be modified to run in the new WebLogic Server 15.1.1.0.0 application environment. Oracle recommends using [Rewrite WebLogic](#) recipes to apply the changes required for migrating applications to WebLogic 15.1.1.0.0 and Jakarta 9.1. For more information about using Oracle Rewrite recipes for your WebLogic applications, see [Upgrade Your Applications](#).

For detailed compatibility and interoperability information, see [WebLogic Server 15.1.1.0.0 Compatibility with Previous Releases](#).

Review These Upgrade Considerations

Using the information gathered in the preceding steps, create a plan for upgrading your application environment. Identify the scope and timing of the upgrade process, based on your business needs.

Note the following points:

- Oracle does not recommend upgrading an application environment that is currently deployed in production. Instead, you should upgrade your application environment while it is under development or test and run standard procedures for quality assurance and performance tuning before promoting the upgraded environment to production.

Note

In WebLogic Server 15.1.1.0.0, upgrading application environments requires *downtime*. In other words, you must undeploy your applications and shut down the servers in the domain. After you upgrade your applications and the domain to 15.1.1.0.0, then you start the domain and redeploy the upgraded applications. For detailed instructions, see the [Upgrade Process Overview](#).

- If you start a WebLogic Server after performing a significant upgrade, then the WebLogic Server, the products layered on top of the WebLogic Server, and/or your applications can make irreversible changes to existing data files and database tables. For example, the default file stores may change such that the older versions will no longer be able to load

them. Significant upgrade includes upgrade from the major versions, minor versions, and patch sets, or any specific patch/application that changes the files or database formats.

- If your application is complex, for example, if it includes multiple clustered domains and a large number of deployed applications, you may choose to upgrade the components of the application environment in stages.
- You may consider limiting the number of WebLogic Server versions used in any single application environment to minimize the diversity and cost of systems being administered.
- If you plan to use the RDBMS security store in a WebLogic domain, Oracle recommends that you create a new domain in which the RDBMS security store is configured. If you have an existing domain in which you want to use the RDBMS security store, you should create the new domain, and then migrate your security realm to it. Oracle does not recommend "retrofitting" the RDBMS security store to an existing domain. See *Managing the RDBMS Security Store* in *Administering Security for Oracle WebLogic Server*.

Upgrade Process Overview

Upgrading to WebLogic Server 15.1.1.0.0 includes the following main steps.

Note

Before you begin: review the Oracle Fusion Middleware Supported Systems Configurations page for required JDK versions, operating system versions, web server versions, and database versions.

Perform the following main steps:

Prepare for the Upgrade

In 15.1.1.0.0, all existing WebLogic Server applications must be modified to run in the new WebLogic Server application environment. You must undeploy your applications from the domain and upgrade them. Also, shut down all running server instances and back up the application components in your domain.

Upgrade Your Applications

To simplify upgrading your applications, Oracle recommends using [Rewrite WebLogic](#) recipes to apply the changes required for migrating applications to WebLogic Server 15.1.1.0.0 and Jakarta EE 9.1, such as to:

- Transform applications from javax to the jakarta namespace.
- Transform deployment descriptors with Jakarta schema.
- Upgrade applications to use the latest supported JDK.
- Identify deprecated or removed WebLogic Server and Java APIs.
- Upgrade WebLogic Maven properties versions.
- Upgrade Spring Framework 5.x applications to Spring Framework 6.2.x.

Note

Use Rewrite WebLogic recipes to migrate WebLogic Server applications to newer versions of WebLogic Server, Java, Jakarta EE, and related versions of Jakarta Server Faces and Spring Framework. These recipes do not address *any* other third-party dependencies. For all other third-party dependencies, you must find or create an additional recipe to do the migration, or make manual code changes after the migration.

To learn all about WebLogic Server application upgrade tooling, see the [Documentation](#). To jump start your hands-on learning, see the [Examples and Tutorials](#).

Shut Down Servers in the Application Environment

Before you upgrade, you must shut down all servers in the application environment.

Back Up the Application Environment

Oracle recommends that before upgrading your application environment, you manually back up the components defined in [Table 2-1](#). You should back up the relevant information on all machines in the domain.

Table 2-1 Recommendations for Backing Up the Application Environment

Component	Recommendations
Domain directory	Back up the Administration Server and any remote Managed Server domain directories that are defined in the application environment. Note: The Domain Upgrade Wizard, which automatically backed up the domain being upgraded, is no longer provided with WebLogic Server. You must manually back up your domain directory prior to upgrading the domain.
Applications and application-persisted data	Back up any applications and data that reside outside of the domain directory.
Log files	If it is important for you to maintain a record of all messages that are logged, back up the log files. As log files can be large, you may want to delete them to conserve disk space if it is not important to retain them.

Install Required Oracle Products

Before upgrading your application environment, you must install the Oracle WebLogic Server 15.1.1.0.0 products that you require on each computer in the domain. For more information about installing Oracle WebLogic products, see *Installing and Configuring Oracle WebLogic Server and Coherence*.

Set Up the Environment

To set up the environment for an upgrade:

1. Open an MS-DOS command prompt window (on Windows) or a command shell (on UNIX).

2. Add the WebLogic Server classes to the CLASSPATH environment variable and `WL_HOME\server\bin` to the PATH environment variable, where `WL_HOME` refers to the top-level installation directory for WebLogic Server.

You can perform this step by running the `WL_HOME\server\bin\setWLSEnv` script.

Note

On UNIX operating systems, the `setWLSEnv.sh` command does not set the environment variables in all command shells. Oracle recommends that you execute this command using the Korn shell or bash shell.

Upgrade the Application Environment

To upgrade your application environment to the latest version of WebLogic Server, back up the domain, upgrade the Administration Server host machine, configure the Node Manager, and upgrade each Managed Server instance.

The following table summarizes the steps for updating an application environment. Each step that is performed must be done on every machine in the domain and in the given sequence shown in this table.

Table 2-2 Procedure for Upgrading an Application Environment

Task	Description
Back up the domain	Before upgrading the domain on the Administration Server, ensure to backup the domain. See Backing Up the Domain .
Upgrade WebLogic domain (Administration Server)	Run the Reconfiguration Wizard to upgrade the WebLogic domain on the computer that hosts the Administration Server. Notes: Oracle recommends that you completely upgrade the domain on the Administration Server before upgrading the domain on the Managed Servers. Depending on the Node Manager configuration of the original domain and the desired Node Manager configuration of the upgraded domain, you may be able to upgrade Node Manager by using the Reconfiguration Wizard. See Determining Node Manager Upgrade Procedure .
Complete Node Manager configuration	This is needed only if your existing domain is using a per host Node Manager configuration and you want to continue using a per domain Node Manager in the upgraded domain. See Completing the Node Manager Configuration .
Back up the domain on each Managed Server.	Prior to upgrading the domain on a Managed Server, make a backup copy of the domain.
Upgrade WebLogic domain (remote Managed Servers)	Use the pack and unpack commands or the WLST <code>writeTemplate()</code> command in online mode to upgrade the WebLogic domain on every computer that hosts any Managed Servers. See Also: Updating a Managed Server Domain on a Remote Machine Creating Templates and Domains Using the Pack and Unpack Commands Note: - The unpack command works only with the same version used to pack the WebLogic domain. - Managed Servers that reside on the same computer as the Administration Server do not require additional upgrade steps.

Next Steps

Follow the remaining steps to upgrade the domain and deploy your upgraded applications to WebLogic Server 15.1.1.0.0.

- Upgrade the domain – run the 15.1.1.0.0 Reconfiguration Wizard. See [Reconfiguring WebLogic Domains](#).
- [Re-apply Customizations to Startup Scripts](#) (optional).
- Start up the servers in the WebLogic domain.
- Deploy the upgraded applications.

3

Reconfiguring WebLogic Domains

You can use the Reconfiguration Wizard to upgrade any WebLogic domain that was created with Oracle WebLogic Server 12.2.1.4.0 or later.

When you use the Reconfiguration Wizard to reconfigure a WebLogic Server domain, the following items are automatically updated, depending on the applications in the domain:

- WLS core infrastructure
- Domain version

Note

The Reconfiguration Wizard does not update any of your applications that are included in the domain.

Learn how to use the Reconfiguration Wizard to reconfigure WebLogic Server domains. See the following sections:

Before You Begin

The reconfiguration may require you to perform additional tasks, such as configuring the `CONFIG_JVM_ARGS` environment variable, backing up the domain, and choosing the Node Manager configuration that you want to use with the upgraded domain.

Setting `CONFIG_JVM_ARGS` on UNIX and Linux Systems

Prior to running the Reconfiguration Wizard to reconfigure a domain on a UNIX or Linux operating system, if you have not already done so, set the `CONFIG_JVM_ARGS` environment variable to the following value to use the operating system's random number generator:

```
-Djava.security.egd=file:/dev/./urandom
```

This decreases the amount of time it takes for the Reconfiguration Wizard to reconfigure a domain.

Backing Up the Domain

Prior to running the Reconfiguration Wizard, make a backup copy of the domain directory. For example, copy `C:\domains\mydomain` to `C:\domains\mydomain_backup`.

Prior to updating the domain on each remote Managed Server, make a backup copy of the domain directory on each remote machine.

If domain reconfiguration fails for any reason, you must copy all files and directories from the backup directory into the original domain directory to ensure that the domain is returned entirely to its original state prior to reconfiguration.

Determining Node Manager Upgrade Procedure

A Node Manager default configuration is a per domain Node Manager configuration. That is, the Node Manager configuration is specific to a given domain. This configuration allows multiple domains on a given machine to have different Node Manager configurations. See Default Node Manager Configuration in *Administering Node Manager for Oracle WebLogic Server*.

[Table 3-1](#) shows the supported Node Manager upgrade paths when upgrading WebLogic Server from version 12.2.1.4.0 or later to the current version. Per host in this context means any Node Manager configuration that is outside of your per domain Node Manager configurations.

Table 3-1 Supported Node Manager Upgrade Paths

Node Manager Upgrade Paths	From WebLogic Server 12.2.1.4.0 or later
Per domain to per domain	Supported
Per domain to per host	Not supported
Per host to per domain	Supported
Per host to per host	Manual configuration

[Table 3-2](#) shows the Node Manager upgrade details for each supported upgrade path.

Table 3-2 Node Manager Upgrade Details

Per Domain to Per Domain	Per Host to Per Domain	Per Host to Per Host
This is an automatic upgrade for all WebLogic Server 12.2.1.4.0 or later releases that are already configured for per domain Node Manager. The environment is updated to standard settings and can be customized later. The upgrade is automatic whether you are using the Reconfiguration Wizard or WLST to upgrade the domain.	In this case, the Reconfiguration Wizard provides a Node Manager screen during domain reconfiguration. Use this screen to select the Node Manager configuration to use for the reconfigured domain. The resulting configuration depends on the combination of options that you select for Node Manager Type and Node Manager Configuration. You can also use WLST to upgrade the domain and Node Manager configuration as desired. See Reconfiguring a WebLogic Domain Using WebLogic Scripting Tool. If multiple per domain Node Managers run on the same machine, see Configuring Multiple Per Domain Node Managers on the Same Machine. Click the Help button on the screen on the Fusion Middleware Reconfiguration Wizard window to see the <i>Reconfiguration Wizard Context-Sensitive Help</i>.	Node Manager configuration must be completed manually as described in Completing the Node Manager Configuration.

For detailed information, see the following sections:

Configuring Multiple Per Domain Node Managers on the Same Machine

If you have multiple domains on the same machine using a Per Domain Node Manager configuration, when running the Reconfiguration Wizard, do the following:

- On the Advanced Configuration screen, select **Managed Servers, Clusters, and Coherence** to reconfigure the existing machines for the 15c Node Manager.
- No changes are needed on the Managed Servers and Clusters screens. When the Machines screen appears, ensure that you use a unique Node Manager port for each domain. For example, if you have three per domain Node Managers running on the machine, use port 5556 for Domain 1, port 5557 for Domain 2, and port 5558 for Domain 3.

Click the **Help** button on the screen on the Fusion Middleware Reconfiguration Wizard window to see the *Reconfiguration Wizard Context-Sensitive Help*.

Running Two Per Host Node Managers on the Same Machine

If all the following items apply to your upgrade scenario, extra steps are needed during the reconfiguration process to create a second Node Manager for the 15c domains:

- You want to upgrade only some of your existing domains to 15c.
- You want to continue using a per host Node Manager for the 15c domains.
- Your existing per host Node Managers and 15c per host Node Managers are running on the same machine.

When running the Reconfiguration Wizard:

- On the Node Manager screen, select **Manual Node Manager Setup**. This option keeps the Node Manager configuration as a per host Node Manager for the 15c domain being upgraded.
- On the Advanced Configuration screen, select **Managed Servers, Clusters, and Coherence** to reconfigure the existing machines for the 15c Node Manager. In addition, select **Deployments and Services** to check machine assignments for your deployments and services.
- No changes are needed on the Managed Servers and Clusters screens. When the Machines screen appears, change the name of each machine to something other than the name that is being used for the 12c domains. In addition, enter a Node Manager port number that is different than the Node Manager port number that is being used for the existing Node Manager. Use the same port number for each 15c machine in this domain.
- Verify that your deployments and services are assigned to the new machine names.

Reconfiguring a WebLogic Domain

Oracle provides a choice of two tools for reconfiguring a WebLogic domain: the graphical Fusion Middleware Reconfiguration Wizard or the WebLogic Scripting Tool (WLST).

 Caution

After the domain reconfiguration process starts, it is irreversible. Before using the Reconfiguration Wizard or WLST to upgrade the domain, ensure that you have backed up the domain as described in [Backing Up the Domain](#). If an error or other interruption occurs during the reconfiguration process, you must restore the domain by copying the files and directories from the backup location to the original domain directory. This workaround is the only way to ensure that the domain has been returned to its original state before reconfiguration.

When you reconfigure a domain:

- The domain version number in the config.xml file for the domain is updated to the Administration Server's installed WebLogic Server version major and minor version number (for example, <domain-version>15.1.1.0.0</domain-version>).
- As of WebLogic Server 14.1.2.0.0, when you select production mode, it automatically enables the stricter settings of secured production mode. If you truly want to implement the more moderate settings of production mode, you must explicitly disable secured production mode after the upgrade. For more information, see [Changing Domain Mode Post Upgrade](#).
- Reconfiguration templates for all installed Oracle products are automatically selected and applied to the domain. These templates define any reconfiguration tasks that are required to make the WebLogic domain compatible with the current WebLogic Server version.
- Start scripts are updated.
- After reconfiguring the domain on the Administration Server, you must port the reconfigured domain to all remote Managed Servers in the domain. See [Updating a Managed Server Domain on a Remote Machine](#).
- After reconfiguring a domain to a per host Node Manager by using either WLST or the Reconfiguration Wizard, you must take additional steps to complete the Node Manager configuration. See [Completing the Node Manager Configuration](#) and [Completing the Node Manager Configuration \(Two Per Host Node Managers\)](#).

For detailed information, see the following sections:

Reconfiguring a WebLogic Domain in Graphical Mode

To reconfigure a domain using the Reconfiguration Wizard, you first launch it from a DOS command prompt or UNIX shell, and then provide the required upgrade details in a sequence of screens that are displayed.

 Note

If you cannot run the Reconfiguration Wizard in GUI mode, Oracle recommends that you use a WLST script to reconfigure your domain. See [Reconfiguring a WebLogic Domain Using WebLogic Scripting Tool](#).

To start the Reconfiguration Wizard in graphical mode from a Windows command prompt or on UNIX systems:

1. Log in to the system on which the domain resides.

2. Open an MS-DOS command prompt window (on Windows) or a command shell (on UNIX).
3. Go to the following directory, where ORACLE_HOME is your Oracle home directory:
On Windows: ORACLE_HOME\oracle_common\common\bin
On UNIX: ORACLE_HOME/oracle_common/common/bin
4. Run the following commands:
On Windows: reconfig.cmd
On UNIX: sh reconfig.sh

Note

When you run the reconfig.cmd or reconfig.sh command, the following error message appears if the default cache directory is not valid:

```
*sys-package-mgr*: can't create package cache dir
```

You can change the cache directory by including the -
Dpython.cachedir=valid_directory option in the command.

To create a log file of the Reconfiguration Wizard session, include the -
log=reconfig.log -log_priority=debug parameter in the command. You can specify any file name for the log file, such as config_today.log. The log file is stored in the logs directory of the Oracle Home directory. Other valid values for log_priority are OFF, SEVERE, WARNING, INFO, CONFIG, FINE, FINER, FINEST, and ALL.

The Select Domain screen appears.

The Reconfiguration Wizard displays a sequence of screens in the order listed in [Table 3-3](#).

Note

Depending on the applications in your domain and other factors, extra configuration screens appear in addition to the screens shown in the following table. For information on these screens, click the **Help** button on the screen.

If the Advanced Configuration screen appears during the reconfiguration process, do not select any options to skip all advanced configuration. If necessary, you can use WLST, the Configuration Wizard, or the WebLogic Remote Console later to perform advanced configuration such as adding more servers and clusters or changing deployment targeting.

Table 3-3 Reconfiguring an Existing WebLogic Domain

Screen	When Does This Screen Appear?	Perform the Following Action
Select Domain	Always	Enter the full path to the domain directory or click Browse to navigate to and select the domain directory. Click Next to continue.

Table 3-3 (Cont.) Reconfiguring an Existing WebLogic Domain

Screen	When Does This Screen Appear?	Perform the Following Action
Reconfiguration Setup Progress	Always	Shows the progress of the application of reconfiguration templates. When the process completes, click Next to continue.
Reconfiguration Summary	Always	Displays the information about the reconfiguration process for all the reconfigured templates. Click Next to continue.
Domain Mode and JDK	Always	Domain mode cannot be changed during the reconfiguration. You can change domain mode after the upgrade.
 Note If you upgrade from WebLogic Server 14.1.1.0.0 or earlier and your domain was in production mode, it will remain in production mode with secured production mode now explicitly disabled in the domain configuration file. However, if you upgrade and then switch to production mode, secured production mode will be enabled.		
Select the JDK to use in the domain or click Browse to navigate to the JDK you want to use. Click Next to continue.		
Additional domain configuration screens may appear at this point	Additional screens depend on the domain configuration	Click the Help button on the screen or refer to Reconfiguration Wizard Screens, which describes all the screens in the order in which they are displayed.
Advanced Configuration	Always	Select the check box for each category (if any) for which you want to perform advanced configuration tasks. The available check boxes depend on the domain configuration. Click Next to continue.
Configuration Summary	Always	Review the configuration. Click the Back button to change the configuration or click the Reconfig button to complete the domain reconfiguration process.

Table 3-3 (Cont.) Reconfiguring an Existing WebLogic Domain

Screen	When Does This Screen Appear?	Perform the Following Action
Reconfiguration Success	Always	Shows the final status of the reconfiguration process. Click Finish to exit the Configuration Wizard.

Reconfiguring a WebLogic Domain Using WebLogic Scripting Tool

To reconfigure a domain using WLST, you use the `readDomainForUpgrade` command. You can also use this command to migrate an existing per host Node Manager configuration to a per domain configuration.

Note

If the original domain is using a per domain Node Manager configuration, Node Manager is upgraded automatically and no additional steps are needed.

If the original domain is using a per host Node Manager, and you want to continue using that configuration, you must manually reconfigure Node Manager as described in [Completing the Node Manager Configuration](#).

[Example 3-1](#) shows how to reconfigure a domain called `my_domain` using WLST offline.

[Example 3-2](#) shows how to migrate an existing per host Node Manager configuration to a per domain configuration located in `DOMAIN_HOME/nodemanager`.

[Example 3-3](#) shows how to migrate an existing per host configuration located in `/Oracle/Middleware/oracle_common/common/nodemanager` to a per domain configuration located in `/Oracle/Middleware/custom/nodemanager`.

For information about available Node Manager options for the `setOption` command, see `setOption` in *WLST Command Reference for Oracle WebLogic Server*. For information about available Node Manager WLST commands, see Node Manager Commands in *WLST Command Reference for Oracle WebLogic Server*.

Example 3-1 Reconfiguring a WebLogic Domain

```
# Open the domain for upgrade.
wls:/offline> readDomainForUpgrade('c:/domains/my_domain')

# Save the updated domain.
wls:/offline/my_domain> updateDomain()

# Close the domain.
wls:/offline/my_domain> closeDomain()
```

If your existing domain is using a per host Node Manager and you want to move to a per domain Node Manager configuration, you have several options:

- Create a per domain configuration in the default location (`DOMAIN_HOME/nodemanager`) by migrating an existing per host configuration.

- Create a per domain configuration in the default location (DOMAIN_HOME/nodemanager) with a new configuration based on Oracle-recommended defaults.
- Create a per domain configuration in a custom location by migrating an existing per host configuration.
- Create a per domain configuration in a custom location with a new configuration based on Oracle-recommended defaults.

Example 3-2 Creating a New Node Manager Configuration in the Default Location

```
#Read domain for reconfiguration
readDomainForUpgrade('domains/mydomain')

#Set Node Manager username and password.
cd('/')
cd('SecurityConfiguration/mydomain')
cmo.setNodeManagerUsername('username')
cmo.setNodeManagerPasswordEncrypted('password')

#Browse Node Manager properties
cd('/')
cd('NMPProperties')

# Create per domain Node Manager with new default configuration. Existing
# Node Manager properties will not be migrated in this case.
setOption('NodeManagerType','PerDomainNodeManager')
setOption('NodeManagerUpgradeType','New')

# Update the domain to commit the changes.
updateDomain()
```

Example 3-3 Migrating an Existing Configuration to a Custom Location

```
#Read domain for reconfiguration
readDomainForUpgrade('/domains/mydomain')

#Set Node Manager username and password.
cd('/')
cd('SecurityConfiguration/mydomain')
cmo.setNodeManagerUsername('username')
cmo.setNodeManagerPasswordEncrypted('password')

#Browse node manager properties
cd('/')
cd('NMPProperties')

# Create custom location Node Manager, migrating an existing Node Manager
# configuration with default values for Oracle-recommended default properties.
setOption('NodeManagerType','CustomLocationNodeManager')
setOption('NodeManagerHome','/Oracle/Middleware/custom/nodemanager/')
setOption('NodeManagerUpgradeType','Migrate')
setOption('OldNodeManagerHome','/Oracle/Middleware/Oracle_Home/oracle_common/
common/nodemanager')
setOption('NodeManagerUpgradeOverwriteDefault','true')

# Update the domain to commit the changes.
updateDomain()
```

Completing the Node Manager Configuration

If the domain you reconfigured was using a per host Node Manager configuration and you want to continue using a per host Node Manager for the domain, you must complete a set of configuration tasks for Node Manager.

1. In the new WebLogic Server installation, create the `nodemanager` directory in `ORACLE_HOME/oracle_common/common`.
2. Copy the `nodemanager.properties` and `nodemanager.domains` files from the `WL_HOME/common/nodemanager` directory of your previous WebLogic Server installation to the directory you created in Step 1.
3. If your previous installation includes an `nm_data.properties`, `SerializedSystemIni.data`, or `security/SerializedSystemIni.dat` file, copy it to the directory you created in Step 1. If copying `SerializedSystemIni.dat`, you must create a `security` directory under the `nodemanager` directory and store the file there.
4. Make the following edits to the `nodemanager.properties` file, where `ORACLE_HOME` is the Oracle home directory for your WebLogic Server installation:
 - Update `DomainsFile` to point to `ORACLE_HOME/oracle_common/common/nodemanager/nodemanager.domains` file.
 - Update `JavaHome` to point to the `jre` directory for the JDK that you are using for WebLogic Server. If the file also contains a `javaHome` property setting (lower-case `j`), remove it as it is not needed.
 - Update `NodeManagerHome` to point to `ORACLE_HOME/oracle_common/common/nodemanager`.
 - Update `LogFile` to point to `ORACLE_HOME/oracle_common/common/nodemanager/nodemanager.log`.
5. If you are using your own security certificates, verify that the location of those certificates is correct in `nodemanager.properties`. You may have to update the path if you moved the certificates to another location.

If you were using the WebLogic Server demo certificate in your previous installation, you must run `CertGen` to create a demo keystore for this installation:

- a. Run `setWLSEnv`:

```
cd WL_HOME/server/bin
. ./setWLSEnv.sh (UNIX)
setWLSEnv.cmd (Windows)
```

Note

On UNIX operating systems, the `setWLSEnv.sh` command does not set the environment variables in all command shells. Oracle recommends that you execute this command using the Korn shell or bash shell.

- b. Change to the `ORACLE_HOME/oracle_common/common/nodemanager/` directory and create a `security` directory if it does not exist.
- c. Change to the `security` directory and enter the following command:

```
java utils.CertGen -certfile democert -keyfile demokey -keyfilepass
DemoIdentityPassPhrase
```

- d. To generate the `DemoIdentity.jks` file, enter the following command:

```
java utils.ImportPrivateKey -certfile democert.pem -keyfile demokey.pem -
keyfilepass DemoIdentityPassPhrase -keystore DemoIdentity.jks -storepass
DemoIdentityKeyStorePassPhrase -alias demoidentity
```

6. From the `ORACLE_HOME/wlserver/server/bin` directory, run `startNodeManager.cmd` (Windows) or `startNodeManager.sh` (UNIX).
7. Verify that you can start servers using Node Manager. See *Using Node Manager to Control Servers* in *Administering Node Manager for Oracle WebLogic Server*. To ensure that your permgen settings are adequate for starting the servers, you can use any one of the following methods:
 - Start the Managed Servers using the `startManagedWebLogic` script.
 - Use a `setUserOverrides` script to specify permgen settings for server startup. See *Customizing Domain Wide Server Parameters* in *Administering Server Startup and Shutdown for Oracle WebLogic Server*.

Completing the Node Manager Configuration (Two Per Host Node Managers)

If the domain you reconfigured was using a per host Node Manager configuration, you can continue using a per host Node Manager for the 15c domain on a machine that already has a per host Node Manager for the existing domain.

Complete the following steps on each machine in the domain:

Note

Prior to performing the steps in this section, ensure that you have unpacked the domain to each remote machine in the domain. Include the `-nodemanager_type=ManualNodeManagerSetup` and `-overwrite_domain=true` parameters in the command. For example:

```
./unpack.sh -domain=domain_home -template=template_jar -
nodemanager_type=ManualNodeManagerSetup -overwrite_domain=true
```

1. In the new WebLogic Server installation, create the `nodemanager` directory in `ORACLE_HOME/oracle_common/common`.
2. Copy the `nodemanager.domains` and `nodemanager.properties` files from the `WL_HOME/common/nodemanager` directory of your previous WebLogic Server installation to the directory you created in Step 1. If any 12c domains are listed in the `nodemanager.domains` file, delete or comment out those lines.
3. Edit the `nodemanager.properties` file as appropriate on each machine. In particular:
 - Verify that the `SecureListener` is set to `true` if using an SSL Node Manager, or is set to `false` if using a Plain Node Manager.
 - Change `DomainsFile` to point to `ORACLE_HOME/oracle_common/common/nodemanager/nodemanager.domains`.

- Change PropertiesVersion to 15.1.1.0.0.
 - Change NodeManagerHome to `ORACLE_HOME/oracle_common/common/nodemanager`.
 - Change JavaHome to point to the `jre` directory for the Java installation that you are using for WebLogic Server 15.1.1.0.0.
 - Remove the `javaHome` line as it is not needed in 15c.
 - Change ListenPort to the value you specified on the Machines screen of the Configuration Wizard.
 - Change LogFile to the desired location and file name. The recommended value is `ORACLE_HOME/oracle_common/common/nodemanager/nodemanager.log`.
4. If you are using your own security certificates, verify that the location of those certificates is correct in `nodemanager.properties`. If you moved the certificates to another location, you have to update the path.

If you used the WebLogic Server demo certificate in your previous installation, you must run CertGen to create a demo keystore for this installation:

- a. Run `setWLSEnv`:

```
cd WL_HOME/server/bin
. ./setWLSEnv.sh (UNIX)
setWLSEnv.cmd (Windows)
```

Note

On UNIX operating systems, the `setWLSEnv.sh` command does not set the environment variables in all command shells. Oracle recommends that you execute this command using the Korn shell or bash shell.

- b. Change to the `ORACLE_HOME/oracle_common/common/nodemanager/` directory and create a security directory if it does not exist.
- c. Change to the security directory and enter the following command:
- ```
java utils.CertGen -certfile democert -keyfile demokey -keyfilepass
DemoIdentityPassPhrase
```
- d. To generate the `DemoIdentity.jks` file, enter the following command:
- ```
java utils.ImportPrivateKey -certfile democert.pem -keyfile demokey.pem -
keyfilepass DemoIdentityPassPhrase -keystore DemoIdentity.jks -storepass
DemoIdentityKeyStorePassPhrase -alias demoidentity
```
5. From the `ORACLE_HOME/wlserver/server/bin` directory, start Node Manager.
6. If the Administration Server is running, restart the Administration Server.
7. Verify that you can start servers using Node Manager. See *Using Node Manager to Control Servers* in *Administering Node Manager for Oracle WebLogic Server*. To ensure that your permgen settings are adequate for starting the servers, you can use any one of the following methods:
- Start the Managed Servers using the `startManagedWebLogic` script.
 - Set permgen space

- Use a `setUserOverrides` script to specify permgen settings for server startup. See *Customizing Domain Wide Server Parameters in Administering Server Startup and Shutdown for Oracle WebLogic Server*.

Updating a Managed Server Domain on a Remote Machine

If your WebLogic domain contains multiple Managed Servers, and each Managed Server domain directory is located on a machine that is remote to the Administration Server host machine, you can use one of two methods to update the domain on the remote machine.

- Use the `pack` command to generate the domain template JAR. Ensure that you include the `-managed=true` argument in the `pack` command. Move the JAR to the remote machine and then use the `unpack` command on the remote machine to create the Managed Server domain. See *Creating Templates and Domains Using the Pack and Unpack Commands*.
- Use the WLST `writeTemplate` command in online mode. When you execute the `writeTemplate` command while connected to the Administration Server from a remote machine, it dynamically packs the domain on the Administration Server into a template JAR file and transfers the template JAR to the specified directory.

The following sample WLST script demonstrates how to use `writeTemplate` to create or update a Managed Server domain on a remote machine. Run the script on each remote machine in the domain. This script does the following tasks:

- Logs in to the Administration Server.
- Packs the Administration Server domain into a JAR file and writes it to the specified template directory on the remote machine.
- Disconnects from the Administration Server.
- Reads the template JAR file.
- Creates the domain on the remote machine.

```
import os

wlsHome = os.getenv('WL_HOME')
mwHome = os.path.join(wlsHome, '..')

#Substitute the administrator user name and password values below as needed
connect('adminuser','adminpassword','admin_server_url')

#Create the path on the local machine where the template will be stored,
#The specified template JAR should not already exist. The timeout value
#specifies the number of milliseconds to elapse before the connection between
#the Administration Server and remote machine times out (default is 120000).
templatePath = '/user_templates/myTemplate.jar'
timeout = 180000

#get the packed template from the Administration Server
writeTemplate(templatePath, timeout)

#disconnect from online WLST connection to the Administration Server
disconnect()

#read the template that was downloaded from the Administration Server
readTemplate(templatePath)

#specify the domain directory where the domain needs to be created
domainPath = 'domains/myDomain'
```

```
#create the domain  
writeDomain(domainPath)
```

Important Notes About the Domain Upgrade Process

Bear in mind several key points about the domain upgrade process, such as whether it is necessary to undeploy WebLogic Server applications, the minimum set of files that must exist in the domain directory, and more.

- To support Jakarta EE 9.1, existing WebLogic Server applications must be modified to run in the WebLogic Server 15.1.1.0.0 application environment. Oracle recommends using Oracle [Rewrite WebLogic](#) recipes to apply the changes required to upgrade your applications to WebLogic Server 15.1.1.0.0, Jakarta EE 9.1, and Java 17 or Java 21. For more information, see [Upgrade Your Applications](#).
- At a minimum, the domain directory must contain the following files:
 - config.xml
 - Security-related files, including SerializedSystemIni.dat, DefaultAuthenticatorInit.ldif, DefaultAuthorizerInit.ldif, and DefaultRoleMapperInit.ldif

If the security-related files are not available, the server fails to start and an authentication error message is logged.

 - Any transaction log (.tlog) files that reside in the domain. See Using Transaction Log Files to Recover Transactions in *Developing JTA Applications for Oracle WebLogic Server*.
- All contents of the domain directory on the target computer are updated during this process.
- You must upgrade the domain on every computer in the application environment.
- The Reconfiguration Wizard does not upgrade your own applications that may exist in the domain during a WebLogic domain upgrade.
- Domains that contain resources for WebLogic Liquid Data, or AquaLogic Data Services Platform cannot be upgraded to WebLogic Server 15.1.1.0.0.

Completing Post-Upgrade Tasks

After you upgrade the application environment, it may be necessary to perform tasks such re-applying customizations to startup scripts, verifying file permissions and remote server startup options, and more.

This section includes the following topics:

Not all these steps are required for all situations. Review the sections to determine which, if any, of these steps are appropriate for your environment.

Changing Domain Mode Post Upgrade

After the upgrade, your domain retains its original pre-upgrade domain security mode settings. If you want to change the domain mode, to enable enhanced security, for example, you must explicitly change the settings using the WebLogic Remote Console or by modifying the DomainMBean.

If your domain is currently set to Production Mode, and you want to enable added security, then after the upgrade use the WebLogic Remote Console to change the domain mode and enable the Secured Production Mode. Change the Domain Mode in *Oracle WebLogic Remote Console Online Help*.

 Caution

Changes to the domain mode require a full domain restart - a rolling restart is not sufficient. You must stop all managed servers before you attempt to change the domain mode.

When upgrading a domain to 15c (15.1.1.0.0), if there is no explicit secure mode setting, then the Reconfiguration Wizard will explicitly set secure mode to *disabled* in the upgraded domain. This is to preserve the behavior that was present in the original domain. If there is an explicit secure mode setting, it will be preserved in the upgraded domain. For more information, see *Understand How Domain Mode Affects the Default Security Configuration* in *Securing a Production Environment for Oracle WebLogic Server*.

 Note

Secured Production Mode enforces more restrictive and stringent security settings to ensure less vulnerability to threats. To make sure that your domain is secure, after enabling Secured Production Mode, you will have to choose the security configuration options that are appropriate for the environment in which the domain runs, such as obtaining and storing certificates, protecting user accounts, and securing the network on which the domain runs. If these options are not properly configured, you will be blocked from using WebLogic Server.

After you have created your WebLogic domain, several key steps remain to ensure its integrity such as selecting appropriate security configurations. For more information, see *Securing the Domain After You Have Created It* in *Administering Security for Oracle WebLogic Server*.

Re-apply Customizations to Startup Scripts

To complete the upgrade of your application environment to 15.1.1.0.0, it might be necessary to re-apply any customizations to startup scripts. The following sections describe how to customize the default startup scripts as well as any custom startup scripts.

Default Startup Scripts

The Reconfiguration Wizard does not carry forward any customizations that have been made to the default startup scripts, such as the setting of the `JAVA_OPTIONS` environment variable. After the upgrade process is complete, you must customize the default scripts again.

Custom Startup Scripts

To update custom startup scripts:

- Set the JDK version to the JDK that you are using with WebLogic Server.
- Update the `CLASSPATH` variable, as follows:

- Add WebLogic Server 15.1.1.0.0 classes to the beginning of the variable.
- Remove all *unused* WebLogic classes prior to version 10.3.

Verify File Permissions

Verify the file permissions, as follows:

- If you backed up the domain directory as part of the upgrade, you must make your backup files secure because they might contain confidential information.
- During the upgrade process, file permissions are not preserved. If nondefault file permissions are set on files, they must be verified and reset.
- On a UNIX system, ownership and permissions for any new files created during the upgrade process are assigned to the user performing the upgrade. For example, if the upgrade is performed by root, then root is assigned ownership of any new files. As a result, any user who subsequently wants to update these files in the domain must have root privileges. You may want to review or modify the permissions on files created during the upgrade process.

Verify Remote Server Startup Options

When you start the Administration Server, verify that the remote server start options, such as JAVA_HOME, BEA_HOME, and CLASSPATH, reference the WebLogic Server installation on the target Managed Server. This can be accomplished using the WebLogic Server Remote Console, as described in *Configure startup arguments for Managed Servers in Oracle WebLogic Server Remote Console Online Help*.

Note

If the remote server startup options are not set correctly, when attempting to start a Managed Server using Node Manager, messages similar to the following may be written to the log file. Because these messages may be sent recursively, they may eventually consume all space available on the drive.

```
No config.xml was found.
```

```
Would you like the server to create a default configuration and boot? (y/n):  
java.io.IOException: The handle is invalid
```

Recreating the Windows Node Manager Service

On Windows systems, if you were running Node Manager as a Windows service for your domain, you must reconfigure it if you want to continue using it.

For information about how to configure the Node Manager service for Windows, see *Default Node Manager Configuration in Administering Node Manager for Oracle WebLogic Server*.

Optionally, you can remove the Node Manager service from your installation by running `uninstallNodeMgrSrv.cmd`. See *Default Node Manager Configuration in Administering Node Manager for Oracle WebLogic Server*.

Promote the Application Environment to Production

Execute standard procedures for quality assurance and performance tuning before promoting an application environment to production. You should test the execution of your applications (including external client applications) in your test application environment. If your applications use APIs that have been deprecated or removed, then you may encounter warnings or exceptions at run time. If you do, you can make any required modifications before promoting your applications to production.

When all test criteria have been met, you can promote the application environment to production, as outlined in your upgrade plan.

When the new 15.1.1.0.0 application environment is deployed into production, you can start redirecting requests to the new environment from the existing environment. Gradually, you can bring the existing environment to a safe state for shutdown. This might be accomplished using a load balancer, for example.

Maintain FIPS 140-2 Compliance

As of WebLogic Server 14.1.2.0.0, the FIPS 140-2 compliant implementation of WebLogic Server changed to rely on the Jipher JCE and SunJSSE providers rather than the Dell JCE and Dell BSAFE JSSE providers (previously known as RSA JCE and RSA BSAFE JSSE).

If you wish to continue using FIPS mode following your upgrade, then you must update your environment to use the Jipher JCE and SunJSSE providers. See *Enabling FIPS Mode with Jipher JCE and Sun JSSE Providers* in *Administering Security for Oracle WebLogic Server*.

Additionally, you should remove the Dell JCE and Dell BSAFE JSSE providers from your WebLogic Server environment. See *Removing Dell JCE and Dell BSAFE JSSE Providers* in *Administering Security for Oracle WebLogic Server*.

Troubleshooting an Upgrade

If the upgrade process fails at any step, the Reconfiguration Wizard displays a message indicating the reason for the failure, and then terminates the upgrade process.

To proceed with the upgrade process, perform the following steps:

1. Restore the application environment to its original state using the backup files you created in [Back Up the Application Environment](#).
2. Correct the failure reported by the Reconfiguration Wizard.
3. Run the Reconfiguration Wizard again to upgrade the domain.

If you encounter any issues during the upgrade or post upgrade, refer to the Known Issues and Workarounds in *Release Notes for Oracle WebLogic Server* to troubleshoot the issue.

4

Upgrading WebLogic Web Services

Learn the procedures for upgrading WebLogic and RESTful web services to Oracle WebLogic Server 15c.

This chapter includes the following section:

Upgrading a WebLogic JAX-RPC Web Service to the WebLogic JAX-WS Stack

The WebLogic JAX-WS run time is based on the JAX-WS (Jakarta XML Web Services) 3.0 specification and the Jakarta Enterprise Web Services 2.0 specification. Starting with JAX-WS 2.0, the JAX-WS technology has replaced JAX-RPC in the Jakarta Platform and in WebLogic Server. JAX-RPC Web Services in WebLogic applications should be upgraded to JAX-WS.

Note

Support for JAX-RPC has been removed in WebLogic Server 15.1.1.0.0.

This section summarizes how to upgrade a WebLogic JAX-RPC web service to use the WebLogic JAX-WS stack, with respect to upgrading:

From:

- JAX-RPC supported in Java EE 7 and WLS 12.2.1.4, or
- JAX-RPC supported as an optional technology in Jakarta EE 8 and WLS 14.1.1 and 14.1.2

To:

- Jakarta XML Web Services in WLS 15.1.1

Upgrading your WebLogic Server JAX-RPC Web service includes the following high-level tasks:

- Upgrade any web service EJBs from 2.x to 3.x.
JAX-WS supports EJB 3.0 and 3.x. It does not support EJB 2.x.
- Upgrade your JWS, mapping any proprietary JAX-RPC features to similar JAX-WS features.

Note that there is not a one-to-one correspondence between WebLogic JAX-RPC web service features and JAX-WS 12.x features.

- Update the Ant build script that builds the web service to change the value of the type attribute on the jws, wsdlc, and clientgen tasks to be "JAXWS" (for example, type="JAXWS").
- Generate new JAX-WS clients using the JAX-WS clientgen Ant task.

JAX-WS Upgrade Considerations

When upgrading to JAX-WS, you should consider the following:

- The JAX-WS specification supports the *document-literal* and *rpc-literal* styles, but not *rpc-encoded*.
- SOAP Arrays are not supported by JAX-WS.

See *Developing JAX-WS Web Services for Oracle WebLogic Server*.

5

WebLogic Server 15.1.1.0.0 Compatibility with Previous Releases

Learn about important compatibility information that you should consider before upgrading to Oracle WebLogic Server 15.1.1.0.0 from the 12.2.1.4.0, 14.1.1.0.0, or 14.1.2.0.0 release. Also learn about the feature changes in various Oracle WebLogic Server versions that may impact the applications you plan to run in the upgraded environment.

See also:

- WebLogic Server Compatibility in *Understanding Oracle WebLogic Server*. This section provides general information about WebLogic Server compatibility goals and how they apply to this WebLogic Server release.
- *What's New in Oracle WebLogic Server 15.1.1.0.0* for this and prior releases. These documents provide information about new features that are available to you as well as behavior changes that may impact your applications.

Index