

# Oracle® Fusion Middleware

Patching with OPatch

12c (12.1.2)

E38936-01

June 2013

---

- [Section 1, "About OPatch"](#)
- [Section 2, "Preparing to Use OPatch"](#)
- [Section 3, "Using OPatch to Patch Oracle Fusion Middleware"](#)
- [Section 4, "Documentation Accessibility"](#)

## 1 About OPatch

OPatch is a Java-based utility that runs on all supported operating systems and requires installation of the Oracle Universal Installer. It is used to apply patches to Oracle software.

This document contains information pertaining to OPatch commands that are most commonly used in an Oracle Fusion Middleware environment.

The following sections provide more information about OPatch for Oracle Fusion Middleware:

- [Type of Patches Used with OPatch](#)
- [Information for Oracle WebLogic Server Smart Update Users](#)

### 1.1 Type of Patches Used with OPatch

---

---

**Note:** Oracle has recently implemented a new patch nomenclature for Oracle products. The new patch names, as well as the previous Oracle Fusion Middleware 11g names, are provided for reference.

---

---

[Table 1](#) describes how OPatch can be used for the following types of patches:

**Table 1** *Patches that can be used with OPatch*

New Name	Previously Used Name(s)	Description
Interim Patch	PSE MLR Exception release One-Off x-fix Hotfix Security One-Off	A patch containing one or more fixes made available to customers who cannot wait until the next patch set or new product release to get a fix.

---

**Table 1 (Cont.) Patches that can be used with OPatch**

<b>New Name</b>	<b>Previously Used Name(s)</b>	<b>Description</b>
Bundle Patch	Maintenance Pack Service Pack MLRs Cumulative Patch Update Release Bundle Patch	An iterative, cumulative patch that is issued between patch sets. Bundle patches usually include only fixes, but some products may include minor enhancements. Examples are the Database Windows Bundles and SOA Bundle Patches.
Security Patch Update (SPU)	Critical Patch Updates CPUs	An iterative, cumulative patch consisting of security fixes. Formerly known as Critical Patch Update.  <b>Note:</b> The program name which delivers SPUs will still be called Critical Patch Update, as defined below:  Critical Patch Update: Oracle's program for quarterly release of security fixes. Patches released as part of this program may be Patch Set Updates, Security Patch Updates, and Bundle Patches. Regardless of the patch type, the patches are cumulative.
Patch Set Updates (PSUs)		Patch Set Updates are used to <b>patch Oracle WebLogic Server only</b> . Patch Set Updates are released on a quarterly basis, following the same schedule as the Critical Patch Updates (CPUs). These come out the closest Tuesday to the 15th of the months of January, April, July and October. Patch Set Update content is intended to address the top fifty critical bugs affecting the broad customer base.

## 1.2 Information for Oracle WebLogic Server Smart Update Users

In previous releases of Oracle WebLogic Server, you can patch your Oracle WebLogic Server software using a utility called Smart Update. Smart Update is a standalone Java application that you use to upgrade the software installations quickly and easily with maintenance patches and maintenance packs.

For Oracle Fusion Middleware 12c (12.1.2), Smart Update is no longer supported. Instead, Oracle WebLogic Server users can use OPatch to apply patches for both Oracle WebLogic Server and for Oracle Fusion Middleware.

OPatch offers many of the same features as Smart Update, but it has a different set of commands and command options. Oracle WebLogic Server users who are familiar with Smart Update should use this guide to get familiar with OPatch.

## 2 Preparing to Use OPatch

- [Locating and Obtaining the Latest Version of OPatch](#)
- [Obtaining Patches that Can be Applied with OPatch](#)
- [Setting OPatch Environment Variables for Fusion Middleware](#)
- [Backup and Recovery Considerations for Patching](#)

### 2.1 Locating and Obtaining the Latest Version of OPatch

This section include the following sections:

- [Locating and Running OPatch in the Oracle Fusion Middleware Oracle Home](#)
- [About the Version of OPatch Included with Oracle Fusion Middleware 12c](#)

#### 2.1.1 Locating and Running OPatch in the Oracle Fusion Middleware Oracle Home

OPatch can be found in the following location after you install any Oracle Fusion Middleware product:

```
ORACLE_HOME/OPatch
```

To run OPatch, simply run the `opatch` command in this directory.

For example, to view the list of commands available for OPatch on a Unix system, enter the following:

```
./opatch -help
```

On Windows systems, use the following command:

```
opatch.bat -help
```

#### 2.1.2 About the Version of OPatch Included with Oracle Fusion Middleware 12c

Oracle Fusion Middleware 12c (12.1.2) includes OPatch Version 13.1.0.0.

This version includes new features and capabilities that are designed to improve the experience of patching an Oracle Fusion Middleware 12c Oracle home.

In general, there is a version of OPatch available for each version of the Oracle Universal Installer software. When patching an Oracle home, you should always use the same version of OPatch as the Oracle Universal Installer version you used to create the Oracle home.

To locate the version of Oracle Universal Installer used to create an Oracle home:

1. Open the `oraparam.ini` file in the following directory in the Oracle home:

```
ORACLE_HOME/oui
```

2. Locate the following entry in the `oraparam.ini` file:

```
OUI_VERSION=13.1.0.0.0
```

To identify the version of OPatch, run the following command:

1. Change directory to the following directory:

```
ORACLE_HOME/OPatch/opatch -version
```

2. For example:

```
./opatch version
```

For example:

```
./opatch version
OPatch Version: 13.1.0.0

OPatch succeeded.
```

## 2.2 Obtaining Patches that Can be Applied with OPatch

You can check for the latest patches available for your Oracle Fusion Middleware product or component by registering and logging in to My Oracle Support at:

<http://support.oracle.com>

After you log in to My Oracle Support, click the **Patches and Updates** tab, which provides various tools that allow you to quickly locate the patches most important to your Oracle software installation.

---

---

**Note:** It is important that you review the README file that is included with each patch. The README file includes important information about the requirements and procedures for applying the patch.

---

---

## 2.3 Setting OPatch Environment Variables for Fusion Middleware

OPatch uses the ORACLE\_HOME environment variable to identify the Oracle home you are planning to patch.

## 2.4 Backup and Recovery Considerations for Patching

It is highly recommended that you back up the Oracle home before any patch operation. You can back up the Oracle home using your preferred method. You can use any method such as `zip`, `cp -r`, `tar`, and `cpio` to compress the Oracle home.

If the Oracle home does not appear when you execute the `opatch lsinventory -detail` command, the Oracle home might be missing from the Central Inventory, or the Central Inventory itself could be missing or corrupted.

If the Oracle home is listed when you execute the `opatch lsinventory -detail` command, but the products and components within the Oracle home are not listed, the inventory within the Oracle home (local inventory) might be missing or corrupted.

If the local inventory is corrupted or lost for some reason, you can simply restore the `ORACLE_HOME/inventory` (on UNIX operating systems) or `ORACLE_HOME\inventory` (on Windows operating systems) if it was backed up. If a backup does not exist, you may have to reinstall the software.

## 3 Using OPatch to Patch Oracle Fusion Middleware

This section provides the following topics:

- [Summary of the Steps For Using OPatch in a Fusion Middleware Environment](#)
- [Common OPatch Commands When Patching an Oracle Fusion Middleware Oracle home](#)
- [Examples of Applying and Rolling Back Patches to an Oracle Fusion Middleware Installation](#)
- [Troubleshooting a Patch by Viewing the OPatch Log File](#)
- [Using the OPatch lsinventory Command to Verify the Patches Applied to an Oracle home](#)
- [Verifying Your Installation After Applying a Patch](#)

### 3.1 Summary of the Steps For Using OPatch in a Fusion Middleware Environment

Table 2 summarizes the typical steps required to patch your existing Fusion Middleware environment using OPatch.

**Table 2** Using OPatch with Oracle Fusion Middleware

Task	Description	Documentation
Acquire patches required for your installation	Log in, search for, and download the patches required for your specific installation.	<a href="#">Obtaining Patches that Can be Applied with OPatch</a>
Review the README.txt file for the patch.	The README file that accompanies the patch. This file contains important information and instructions that must be followed prior to applying your patch.  For example, in some cases, the README file might explain that need to stop the domain before patching the Oracle home.	The README.txt file that is packaged within the patch archive
Check for patch prerequisites.	The OPatch apply -report command will identify that the prerequisite for the patch have been met.	<a href="#">Section 3.3.1, "Verifying the Prerequisites for a Patch"</a>
Apply the patch.	After you determine the Oracle home to which you need to apply the patch, and you have read the README file, then you should apply the patch with the opatch apply command.	<a href="#">Section 3.3, "Examples of Applying and Rolling Back Patches to an Oracle Fusion Middleware Installation"</a>
Verify the patch was applied to the Oracle home successfully.	The OPatch lsinventory command will show what patches have been applied to the Oracle home. Use this command to verify the application of the patch.	<a href="#">Section 3.5, "Using the OPatch lsinventory Command to Verify the Patches Applied to an Oracle home"</a>
Verify that your software runs properly after you apply the patch.	After the patching is complete and your servers are restarted, you should check your product software to verify that the issue has been resolved.	<a href="#">Section 3.6, "Verifying Your Installation After Applying a Patch"</a>
Troubleshoot the application of a patch.	If there are problems applying a patch, your first troubleshooting task is to review the log file for the OPatch session.	<a href="#">Section 3.4, "Troubleshooting a Patch by Viewing the OPatch Log File"</a>
Roll back the application of a patch.	If for some reason the result is not satisfactory, you can use the opatch rollback command to remove the patch from the Oracle home.  If additional assistance is required, go to My Oracle Support (formerly OracleMetaLink).	<a href="#">Section 3.3.4, "Rolling Back a Patch You Have Applied"</a>

### 3.2 Common OPatch Commands When Patching an Oracle Fusion Middleware Oracle home

Table 3 shows the most common OPatch commands for patching an Oracle Fusion Middleware Oracle home.

**Table 3 Common OPatch Commands Used When Patching an Oracle Fusion Middleware Environment**

Command	Description	Example
opatch apply	This command applies an interim patch to an Oracle home from the current directory. The ORACLE_HOME environment variable must be set to the Oracle home to be patched.	<a href="#">Section 3.3.1, "Verifying the Prerequisites for a Patch"</a> <a href="#">Section 3.3.2, "Applying a Single Patch Using the Apply Command"</a>
opatch napply	This command applies multiple patches.	<a href="#">Section 3.3.3, "Applying Multiple Patches Using the OPatch napply Command"</a>
opatch lsinventory	This command lists the inventory for a particular Oracle home, or displays all installations that can be found. This command does not have any required options.	<a href="#">Section 3.5, "Using the OPatch lsinventory Command to Verify the Patches Applied to an Oracle home"</a>
opatch rollback	This command removes an existing one-off patch from the appropriate Oracle home directory indicated by the reference ID.	<a href="#">Section 3.3.4, "Rolling Back a Patch You Have Applied"</a>
opatch nrollback	This command rolls back multiple interim patches at the same time.	<a href="#">Section 3.3.5, "Rolling Back Multiple Patches You Have Applied"</a>

### 3.3 Examples of Applying and Rolling Back Patches to an Oracle Fusion Middleware Installation

This section provides some examples of using OPatch to patch an Oracle Fusion Middleware installation:

- [Verifying the Prerequisites for a Patch](#)
- [Applying a Single Patch Using the Apply Command](#)
- [Applying Multiple Patches Using the OPatch napply Command](#)
- [Rolling Back a Patch You Have Applied](#)
- [Rolling Back Multiple Patches You Have Applied](#)

#### 3.3.1 Verifying the Prerequisites for a Patch

To verify that a patch can be applied to a specific Oracle home, use the `-report` argument to the OPatch `apply` command, as follows:

```
opatch apply <path_to_patch_directory> -report
```

This command displays the actions that will be taken by the patch, but does not actually apply the patch. As a result, it allows you to verify that the prerequisites for the patch have been met.

#### 3.3.2 Applying a Single Patch Using the Apply Command

[Example 1](#) shows an example of using the OPatch `apply` command to apply a patch to an Oracle Fusion Middleware Oracle home.

This example assumes that:

- The patch you have downloaded has been saved to a directory that is named for the patch number in My Oracle Support. In this case, the patch number is 15941858.
- The user changes directory to the patch directory and then runs the OPatch `apply` command. Alternatively, you can run the OPatch command from the `ORACLE_HOME/OPatch` directory and include the location of the patch as an argument to the command. For example:

```
opatch apply /disk1/patches/15941858/
```

- The OPatch directory is already included in the PATH variable on the host computer.

### **Example 1 Using the OPatch apply Command to Apply a Patch to an Oracle Fusion Middleware Oracle Home**

```
> cd /disk1/patches/15941858
> opatch apply
Oracle Interim Patch Installer version 13.1.0.0.0
Copyright (c) 2013, Oracle Corporation. All rights reserved.

Oracle Home      : /disk1/Oracle/products/fmw12c
Central Inventory : /disk1/oraInventory
   from           : /disk1/Oracle/products/fmw12c/oraInst.loc
OPatch version   : 13.1.0.0.0
OUI version      : 13.1.0.0.0
Log file location : /disk1/Oracle/products/fmw12c/cfgtoollogs/opatch/15941858_Jun_10_2013_12_35_
24/apply2013-06-10_12-35-15PM_1.log
```

```
OPatch detects the Middleware Home as "/disk1/Oracle/products/fmw12c"
```

```
Applying interim patch '15941858' to OH '/disk1/Oracle/products/fmw12c'
Verifying environment and performing prerequisite checks...
All checks passed.
```

```
Please shutdown Oracle instances running out of this ORACLE_HOME on the local system.
(Oracle Home = '/disk1/Oracle/products/fmw12c')
```

```
Is the local system ready for patching? [y|n] y
User Responded with: Y
Backing up files...
```

```
Patching component oracle.wls.core.app.server, 12.1.2.0.0...
```

```
Verifying the update...
Patch 15941858 successfully applied
Log file location: /disk1/Oracle/products/fmw12c/cfgtoollogs/opatch/15941858_Jun_10_2013_12_35_
24/apply2013-06-10_12-35-15PM_1.log
```

```
-----
There are no Interim patches installed in this Oracle Home.
-----
```

```
OPatch succeeded.
```

### **3.3.3 Applying Multiple Patches Using the OPatch napply Command**

[Example 2](#) shows an example of using the OPatch napply command to apply multiple patches to an Oracle Fusion Middleware Oracle home.

This example assumes that the patches you have downloaded have been saved to a staging directory, such as:

```
/disk1/patches
```

It also assumes you have changed directory to the staging directory and the staging directory contains a directory for each patch. For example:

```
/disk1/patches/15941858
```

/disk1/patches/15955138

### **Example 2 Using the OPatch napply Command to Apply Multiple Patch to an Oracle Fusion Middleware Oracle Home**

```
> /disk1/Oracle/products/fmw12c/OPatch/opatch napply -id 15941858,15955138
Oracle Interim Patch Installer version 13.1.0.0.0
Copyright (c) 2013, Oracle Corporation. All rights reserved.

Oracle Home      : /disk1/Oracle/products/fmw12c
Central Inventory : /disk1/oraInventory
   from          : /disk1/Oracle/products/fmw12c/oraInst.loc
OPatch version   : 13.1.0.0.0
OUI version      : 13.1.0.0.0
Log file location : /disk1/Oracle/products/fmw12c/cfgtoollogs/opatch/opatch2013-06-11_07-36-40AM_1.log

OPatch detects the Middleware Home as "/disk1/Oracle/products/fmw12c"

Verifying environment and performing prerequisite checks...
OPatch continues with these patches:  15941858  15955138

Do you want to proceed? [y|n]
Y
User Responded with: Y
All checks passed.

Please shutdown Oracle instances running out of this ORACLE_HOME on the local system.
(Oracle Home = '/disk1/Oracle/products/fmw12c')

Is the local system ready for patching? [y|n]
Y
User Responded with: Y
Backing up files...
Applying interim patch '15941858' to OH '/disk1/Oracle/products/fmw12c'

Patching component oracle.wls.core.app.server, 12.1.2.0.0...

Verifying the update...
Applying interim patch '15955138' to OH '/disk1/Oracle/products/fmw12c'

Patching component oracle.wls.core.app.server, 12.1.2.0.0...

Verifying the update...
Patches 15941858,15955138 successfully applied.
Log file location: /disk1/Oracle/products/fmw12c/cfgtoollogs/opatch/opatch2013-06-11_07-36-40AM_1.log

OPatch succeeded.
```

### **3.3.4 Rolling Back a Patch You Have Applied**

[Example 3](#) shows an example of using the OPatch rollback command to roll back a patch that was applied to an Oracle Fusion Middleware Oracle home.

This example assumes that the OPatch directory is already included in the PATH variable on the host computer.

### **Example 3 Using the OPatch rollback Command to Roll Back a Patch**

```
> opatch rollback -id 15941858
Oracle Interim Patch Installer version 13.1.0.0.0
```



Copyright (c) 2013, Oracle Corporation. All rights reserved.

```
Oracle Home      : /disk1/Oracle/products/fmw12c
Central Inventory : /disk1/oraInventory
    from         : /disk1/Oracle/products/fmw12c/oraInst.loc
OPatch version   : 13.1.0.0.0
OUI version      : 13.1.0.0.0
Log file location : /disk1/Oracle/products/fmw12c/cfgtoollogs/opatch/15941858_Jun_10_2013_13_12_
20/rollback2013-06-10_13-12-10PM_1.log
```

OPatch detects the Middleware Home as "/disk1/Oracle/products/fmw12c"

RollbackSession rolling back interim patch '15941858' from OH '/disk1/Oracle/products/fmw12c'

Please shutdown Oracle instances running out of this ORACLE\_HOME on the local system.  
(Oracle Home = '/disk1/Oracle/products/fmw12c')

Is the local system ready for patching? [y|n]

y

User Responded with: Y

```
Patching component oracle.wls.core.app.server, 12.1.2.0.0...
RollbackSession removing interim patch '15941858' from inventory
Log file location: /disk1/Oracle/products/fmw12c/cfgtoollogs/opatch/15941858_Jun_10_2013_13_12_
20/rollback2013-06-10_13-12-10PM_1.log
```

OPatch succeeded.

### 3.3.5 Rolling Back Multiple Patches You Have Applied

[Example 4](#) shows an example of using the OPatch nrollback command to roll back multiple patches that were previously applied to an Oracle Fusion Middleware Oracle home.

This example assumes that the patches you applied were patch numbers 15941858 and 15955138.

#### **Example 4 Using the OPatch nrollback Command to Roll Back Multiple Patch**

```
> /disk1/Oracle/products/fmw12c/OPatch/opatch nrollback -id 15941858,15955138
```

Oracle Interim Patch Installer version 13.1.0.0.0

Copyright (c) 2013, Oracle Corporation. All rights reserved.

```
Oracle Home      : /disk1/Oracle/products/fmw12c
Central Inventory : /disk1/oraInventory
    from         : /disk1/Oracle/products/fmw12c/oraInst.loc
OPatch version   : 13.1.0.0.0
OUI version      : 13.1.0.0.0
Log file location : /disk1/Oracle/products/fmw12c/cfgtoollogs/opatch/opatch2013-06-10_14-24-54PM_1.log
```

OPatch detects the Middleware Home as "/disk1/Oracle/products/fmw12c"

Patches will be rolled back in the following order:

15941858 15955138

The following patch(es) will be rolled back: 15941858 15955138

Please shutdown Oracle instances running out of this ORACLE\_HOME on the local system.  
(Oracle Home = '/disk1/Oracle/products/fmw12c')

Is the local system ready for patching? [y|n]

y

User Responded with: Y

```

Rolling back patch 15941858...

RollbackSession rolling back interim patch '15941858' from OH '/disk1/Oracle/products/fmw12c'

Patching component oracle.wls.core.app.server, 12.1.2.0.0...
RollbackSession removing interim patch '15941858' from inventory

Rolling back patch 15955138...

RollbackSession rolling back interim patch '15955138' from OH '/disk1/Oracle/products/fmw12c'

Patching component oracle.wls.core.app.server, 12.1.2.0.0...
RollbackSession removing interim patch '15955138' from inventory
Log file location: /disk1/Oracle/products/fmw12c/cfgtoollogs/opatch/opatch2013-06-10_14-24-54PM_1.log

OPatch succeeded.

```

### 3.4 Troubleshooting a Patch by Viewing the OPatch Log File

To understand how a patch is applied and to troubleshoot any problems with the application of a patch, review the log file for the OPatch session.

The log file location is usually saved to the following directory or a subdirectory within this location:

```
ORACLE_HOME/cfgtoollogs/opatch/
```

Subdirectories within this location are identified by the patch number or by the command you ran (such as `lsinv`).

The file name for each log file identifies the date and time it was executed. For example:

```
opatch2013-06-10_14-24-54PM_1.log
```

You can also locate the log file by viewing the output of the `opatch` command. The log file name and location is included in the output of the command. For example:

```
Log file location: /disk1/Oracle/products/fmw12c/cfgtoollogs/opatch/opatch2013-06-10_14-24-54PM_1.log
```

### 3.5 Using the OPatch `lsinventory` Command to Verify the Patches Applied to an Oracle home

To verify what patches have been applied to an Oracle home, or to find out additional information about the Oracle home, use the `opatch lsinventory` command.

[Example 5](#) shows sample output of the `lsinventory` command, which indicates that a specific interim patch has been applied.

#### **Example 5 Running the `opatch lsinventory` Command to Obtain the Oracle Home Information**

```

> opatch lsinventory
Oracle Interim Patch Installer version 13.1.0.0.0
Copyright (c) 2013, Oracle Corporation. All rights reserved.

Oracle Home      : /disk1/Oracle/products/fmw12c
Central Inventory : /disk1/oraInventory
  from            : /disk1/Oracle/products/fmw12c/oraInst.loc
OPatch version   : 13.1.0.0.0
OUI version      : 13.1.0.0.0
Log file location : /disk1/Oracle/products/fmw12c/cfgtoollogs/opatch/opatch2013-06-10_12-32-37PM_1.log

```

OPatch detects the Middleware Home as "/disk1/Oracle/products/fmw12c"

Lsinventory Output file location :

/disk1/Oracle/products/fmw12c/cfgtoollogs/opatch/lsinv/lsinventory2013-06-10\_12-32-37PM.txt

-----  
Interim patches (1) :

Patch 15941858 : applied on Mon Jun 10 12:39:07 PDT 2013

Unique Patch ID: 150220

Patch description: "TEST PATCH FOR WLS 12.1.2.0 - JAVA CLASSES PATCH"

Created on 17 May 2013, 11:54:20 hrs PST8PDT

Bugs fixed:

783169, 15941850

-----  
OPatch succeeded.

### 3.6 Verifying Your Installation After Applying a Patch

After you apply one or more patches successfully, you should verify that your system is currently running successfully.

In an Oracle Fusion Middleware 12c environment, you can verify the your installation by starting all the servers in the domain, and then opening the Oracle WebLogic Server Administration Console (in a standalone Oracle WebLogic Server domain) or by opening the Oracle Enterprise Manager Fusion Middleware Control (in a Oracle Fusion Middleware Infrastructure domain).

From either console, you can verify that the servers and applications are up and running correctly. For more information, see the following topics in *Administering Oracle Fusion Middleware*:

- "Starting and Stopping Oracle Fusion Middleware"
- "Overview of Oracle Fusion Middleware Administration Tools"

## 4 Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

### Access to Oracle Support

Oracle customers have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

---

Oracle Fusion Middleware Patching with OPatch, 12c (12.1.2)  
E38936-01

Copyright © 2013, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications,

including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.